Reco

		NSL - 8475		Revised March 23, 2017
RECEIVED:	REVIEWER:	TYPE:	APP NO: pLE	L2231351318
	- Geolog 1220 South St.	ABOVE THIS TABLE FOR OCD DIVISION US ICO OIL CONSERVATIO gical & Engineering Bur Francis Drive, Santa Fe	n DIVISION eau – , NM 87505	REAL OF NEW ARTS
THIS CHECK	LIST IS MANDATORY FOR	TRATIVE APPLICATION (ALL ADMINISTRATIVE APPLICATIONS REQUIRE PROCESSING AT THE DIVISION	FOR EXCEPTIONS TO DIV	ISION RULES AND
pplicant: <u>OXY USA INC.</u> /ell Name: <u>STACK CAT.</u> Dol: <u>WC-025 G-09 S223332A</u>	(16696) S 25-36 FEDERAL COM			
) Type of Applicati	ON: Check thos acing Unit Sim	NFORMATION REQUIRED INDICATED BELOW which apply for [A] ultaneous Dedication P(PROJECT AREA)		
DH0 [II] Injection	lling – Storage – C 🛛 CTB 🗌	Measurement]PLC	OLM d Oil Recovery	
A. Offset ope B. Royalty, or C. Applicatio D. Notificatio E. Surface ov	rators or lease h verriding royalty in requires publis n and/or concu n and/or concu vner ne above, proof	owners, revenue owners	L	FOR OCD ONLY Notice Complete Application Content Complete , and/or,
		at the information submiti	ted with this app	lication for edge. I also

RONI MATHEW

Print or Type Name

Date

11/9/2022

713-215-7827

Phone Number

RONI_MATHEW@OXY.COM e-mail Address

\mathcal{D} .	N	1 -	1
Koni	11	an	reu

Signature

_

Released to Imaging: 12/5/2022 4:55:00 PM





5 Greenway Plaza, Suite 110 Houston, TX 77046-0521

November 9, 2022

New Mexico Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Attention: Leonard Lowe

Re: Application for Administrative Approval of Non-Standard Location Stack Cats 25-36 Federal Com 33H – WC-025 G-09 S223332A; Upper Wolfcamp Surface – 390' FSL 1425' FWL Unit N, Sec 24 T22S R32E First Take Point – 100' FSL 2580' FWL Unit C, Sec 25 T22S R32E Last Take Point – 100' FSL 2580' FWL Unit N, Sec 36 T22S R32E Bottom Hole – 20' FSL 2580' FWL Unit N, Sec 36 T22S R32E Lea County, New Mexico

Dear Mr. Lowe:

OXY USA Inc. respectfully requests administrative approval of a non-standard location on the Stack Cats 25-36 Federal Com #33H well. The #33H well is proposed to be completed in the WC-025 G-09 S223332A; Upper Wolfcamp pool. This will be a horizontal well in a pool with no special rules for setback, so the setback requirements under Rule 19.15.15.9 (A) and 19.15.16.15 (B) will apply. The proposed producing interval is projected as follows:

Surface – 390' FSL 1425' FWL Unit N, Sec 24 T22S R32E First Take Point – 100' FSL 2580' FWL Unit C, Sec 25 T22S R32E Last Take Point – 100' FSL 2580' FWL Unit N, Sec 36 T22S R32E Bottom Hole – 20' FSL 2580' FWL Unit N, Sec 36 T22S R32E

The adjoining units which the completed interval, unorthodox location, encroaches are located to the West in T22S R32E:

Section 25 - Units B, G, J, and O Section 36 - Units B, G, J, and O

Areas noted above have multiple working interest owners (see attached notice list).

Approval of the unorthodox location will allow for efficient spacing of horizontal wells in the Wolfcamp formation and thereby prevent waste.

To support this request, the following information has been submitted for your review:

- 1. C-102 Plat for the proposed well.
- 2. Statement from Oxy Land Negotiator attesting that Oxy is the sole working interest owner and own offset operator.
- 3. Statement from Oxy Development Area Engineer.

Sincerely,

Roni Mathew

Roni Mathew Regulatory Advisor Roni_mathew@oxy.com

District IState of New Mexico1625 N. French Dr., Hobbs, NM 88240State of New MexicoPhone: (575) 393-6161 Fax: (575) 393-0720Energy, Minerals & Natural Resources DepartmentDistrict IIOIL CONSERVATION DIVISIONPhone: (575) 748-1283 Fax: (575) 748-97201220 South St. Francis Dr.District IV1220 South St. Francis Dr.1220 S. st. Francis Dr., Santa Fe, NM 87505Santa Fe, NM 87505Phone: (505) 476-3460 Fax: (505) 476-3462State of New Mexico		Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office AMENDED REPORT			
		ELL LOCATION AND	ACREAGE DEDICATION PLAT		
¹ API Numbe 30-025-	er	² Pool Code 98177	³ Pool Name WC-025 G-09 S223332A, UPR WOLFCAMP		
⁴ Property Code		⁵ Pr STACK CAT	⁶ Well Number 33H		
² ogrid №. 16696		⁸ 0 ₁ OXY	[°] Elevation 3757'		
		¹⁰ Sur	face Location		

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	Count	
Ν	24	22S	32E		390	SOUTH	1425	WEST	LEA	
" Bottom Hole Location If Different From Surface										
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	Count	
Ν	36	22S	32E		20	SOUTH	2580	WEST	LEA	
¹² Dedicated Acres	¹³ Joint o	r Infill	¹⁴ Consolidation	Code ¹⁵ Or	der No.					
640.0										

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



Distances/areas relative to NAD 83 Combined Scale Factor: 0.99975697 Convergence Angle: 00°04'14.40001"

OXY USA INC.



5 Greenway Plaza, Suite 110, Houston, Texas 77046 P.O. Box 4294, Houston, Texas 77210-4294

November 9, 2022

A subsidiary of Occidental Petroleum Corporation

Re: Stack Cats 25-36 Federal Com 33H - NSL

Units B, G, J and O, Section 25, T22S, R32E, Lea County Units B, G, J and O, Section 36, T22S, R32E, Lea County

To Whom It May Concern:

OXY USA INC. and OXY Y-1 Company, each subsidiaries of Occidental Petroleum Corporation, are the sole Working Interest Owners of the above described lands as to depths below the Wolfcamp Formation. If you have any questions, please contact me at the number listed below.

Best Regards,

OXY USA INC.

Juhn Orlich

Amber Delach Land Negotiator 713-552-8502



Occidental Oil and Gas Corporation ATTN: Jaime A. Cabanilla 5 Greenway Plaza, Suite 110 Houston, TX 77046 713-840-3086 Jaime_Cabanilla@oxy.com

November 9, 2022

Mr. Leonard Lowe New Mexico Oil Conservation Division 1220 South Francis Drive Santa Fe, New Mexico 87505

RE: Application for Nonstandard Location—Engineering Justification OXY USA Inc. Stack Cats 25-36 Federal Com 33H T22S R32E, Sections 25.& 36 – West ¹/₂, Lea County

Dear Mr. Lowe:

Oxy USA Inc. respectfully seeks approval for a non-standard location for the Stack Cats 25-36 Federal Com 33H well to be drilled within 330' of the HSU boundary. It is Oxy's responsibility as a prudent operator to optimize the section's well spacing and minimize reserves left in the ground. Placing the well within the setback, allows for a horizontal well spacing of 7 wells per section, optimizing the recoverable reserves. Any reduction in well spacing will result in untapped reserves being left in the reservoir resulting in waste of a resource that will not be developed otherwise.

Sincerely, Jaime A. Cabanilla

Production Engineer Advisor

ŝ

Page 5 of 11

Intent X	
----------	--

As Drilled

API # PENDING		
Operator Name:	Property Name:	Well Number
OXY USA Inc.	STACK CATS 25-36 FEDERAL COM	33H

Kick Off Point (KOP)

UL N	Section 24	Township 22S	Range 32E	Lot	Feet 300	From N/S	Feet 2580	From E/W	County LEA
	Latitude 32.37088992					854960			NAD NAD83

First Take Point (FTP)

UL C	Section 25	Township 22S	Range 32E	Lot	Feet 100	From N/S	Feet 2580	From E/W	County LEA
	Latitude 32.36979043				Longitude -103.62	2854888	1		NAD NAD83

Last Take Point (LTP)

UL N	Section 36	Township 228	Range 32E	Lot	Feet 100	From N/S	Feet 2580	From E/W	County LEA
Latitude 32.34130883					Longitud	.62852	369		NAD NAD83

Is this well the defining well for the Horizontal Spacing Unit?

Is this well an infill well?

Y

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

Pending		
Operator Name:	Property Name:	Well Number
OXY USA INC.	STACK CATS 25-36 FEDERAL COM	311H

KZ 06/29/2018

District I 1625 N. French Dr., Hobbs, NM 8824 Phone: (575) 393-6161 Fax: (575) 39 District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 74 District III 1000 Rio Brazos Road, Aztec, NM 8' Phone: (505) 334-6178 Fax: (505) 33 District IV 1220 S. St. Francis Dr., Santa Fe, NM	93-0720 8-9720 7410 4-6170 1 87505	State of Energy, Minerals & N OIL CONSER 1220 Sout Santa F	Form C-102 Revised August 1, 2011 Submit one copy to appropriate District Office	
Phone: (505) 476-3460 Fax: (505) 47		ELL LOCATION AND	ACREAGE DEDICATION PLAT	
¹ API Number 30-025-		² Pool Code 98177	WOLFCAMP	
⁴ Property Code		⁵ Pı STACK CAT	⁶ Well Number 311H	
² ogrid №. 16696		* o _l OXY	⁹ Elevation 3757'	

¹⁰ Surface Location									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Ν	24	22S	32E		390	SOUTH	1365	WEST	LEA
	" Bottom Hole Location If Different From Surface								
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Μ	36	22S	32E		20	SOUTH	1080	WEST	LEA
¹² Dedicated Acres ¹³ Joint or Infill ¹⁴ Consolidation Code ¹⁵ Order No.									
640.0									

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



Distances/areas relative to NAD 83 Combined Scale Factor: 0.99975697 Convergence Angle: 00°04'14.40001"

OXY USA Inc.

Stack Cats 25-36 Federal Com #33H

Section 24 Township 22 South, Range 32 East, N.M.P.M. Eddy County, New Mexico

(H)	(E) 375	(F)	(G)	(H)		(F)	(G)	(H
NESE (1)	NWSW (L)	NESW (K)	NWSE (J)	NESE (1)	L 3	NESW (K)	NWSE (J)	NES (1)
			4			19		
SESE	swsw	SESW (N)	swste	SESE (P)	L4	SESW (N)	SWSE (0)	SES (P
(P)	(M) 175 <i>j</i> t	((((((((((((((((((((SWSEre Jobe	2/000		()	(0)	
NENE	NWNW	NENW	NWNE	NENE	L1	NENW	NWNE	NEN
(A)	(D)	(C)	(B)	(A)	2012/01	(C)	(B)	(A)
			CHAIC	SENE	antelone plage	SENW	SWNE	36954
SENE (H)	SWNW (E)	SENW (F)	SWNE (G)	(H)	LZo	(F)	(G)	(H
						30		1
NESE (1)	NWSW (L)	NESW (K)	NWSE (J)	NESE (1)	L 3, 3753 /t	NESW (K)	NWSE (J)	NES (1)
						22S 33E		+
SESE (P)	SWSW (M)	SESW (N)	SWSE (0)	• ³⁷⁷³ /t SESE (P)	L4	SESW (N)	SWSE (0)	SES (P
							Parelo	
NENE	NWNW (D)	NENW (C)	NWNE (B)	NENE (A)	L1	NENW (C)	NWNE (B)	REAR
(A)	(0)	(0)	(6)	(4)		(0)	(8)	100
	Contraction of the second second	instruction of the second		a state which have been been see				
SENE	SWNW	SENW	SWNE	SENE		SENW	SWNE	37 SÊN
SENE (H)	SWNW (E)	SENW (F)	(G)	SENE (H)	L2	SENW (F)	SWNE (G)	37 SEN (H
(H)	(E)	(F)	(G)	(H)	L2	31		SÊN (H
SENE (H) NESE (1)		(F) NESW (K)	(G)	SENE (H) NESE (I)	L2 L3		SWNE (G) NWSE (J)	SEN
(H)	(E)	(F) NESW (K)	(G)	(H)		31	NWSE	SEN (H
(H)	(E)	(F) NESW (K)	(G) NWSE (J) SWSE	(H)		31	NWSE	SEN (H
(H) NESE (1) SESE	(E) NWSW (L) SWSW	(F) NESW (K) SESW	(G) NWSE (J) SWSE	(H) NESE (1) SESE (P)	L3	NESW (K) SESW	NWSE (J) SWSE	SEN (H NES (I) SES
(H) NESE (1) SESE	(E) NWSW (L) SWSW	(F) NESW (K) SESW	(G) NWSE (J) SWSE	(H) NESE (1) SESE (P)	L3	NESW (K) SESW	NWSE (J) SWSE	SEN (H NES (I) SES
(H) NESE (I) SESE (P)	(E) NWSW (L) SWSW (M)	(F) NESW (K) SESW (N)	(G) NWSE (J) SWSE (O)	(H) NESE (1) SESE (P)	L3 L4 L4	NESW (K) SESW (N)	NWSE (J) SWSE (O)	SEN (H NES (I) SES
(H) NESE (1) SESE (P)	(E) NWSW (L) SWSW (M)	(F) NESW (K) SESW (N)	(G) NWSE (J) SWSE (O)	(H) NESE (1) SESE (P)	L3 L4	NESW (K) SESW (N)	NWSE (J) SWSE (O)	SEN (H NES (I) SES







5 Greenway Plaza, Suite 110 Houston, TX 77046-0521

November 9, 2022

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Re: Application for Administrative Approval of Non-Standard Location Stack Cats 25-36 Federal Com 33H – WC-025 G-09 S223332A; Upper Wolfcamp Surface – 390' FSL 1425' FWL Unit N, Sec 24 T22S R32E First Take Point – 100' FSL 2580' FWL Unit C, Sec 25 T22S R32E Last Take Point – 100' FSL 2580' FWL Unit N, Sec 36 T22S R32E Bottom Hole – 20' FSL 2580' FWL Unit N, Sec 36 T22S R32E Lea County, New Mexico

To Whom it May Concern:

Enclosed is a copy of an application, filed with the New Mexico Oil Conservation Division by OXY USA Inc., requesting administrative approval for a non-standard location. As an affected party, notice is being provided to you pursuant to Rule 19.15.4.12(A)(2)(a), 19.15.15.9(A) and 19.15.16.15(B). The well is located as follows:

Surface – 390' FSL 1425' FWL Unit N, Sec 24 T22S R32E First Take Point – 100' FSL 2580' FWL Unit C, Sec 25 T22S R32E Last Take Point – 100' FSL 2580' FWL Unit N, Sec 36 T22S R32E Bottom Hole – 20' FSL 2580' FWL Unit N, Sec 36 T22S R32E

If you object to the well's location, you must notify the Division in writing no later than 20 days from the date the application is received by the NMOCD (1220 South St. Francis Drive, Santa Fe, NM 87505; Attention: Leonard Lowe).

If you need any additional information, you can contact Courtney Carr at 713-599-4116 or myself at 713-215-7827.

Thank you,

Roni Mathew Regulatory Advisor OXY USA Inc.

Application Non-Standard Location - Service List OXY USA Inc. Stack Cats 25-36 Federal Com 33H

Online Submission

New Mexico Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Certified Mail #_9407111898765816156694

Bureau of Land Management Carlsbad 620 E. Greene Street Carlsbad, NM 88220-6292

Offset Tracts Section 25 (T22S-R32E) - Units B, G, J, O Offset Tracts Section 36 (T22S-R32E) - Units B, G, J, O

Туре	Affected Party
Working Interest	Occidental Petroleum Corp. P.O. Box 4294 Houston, TX 77210

Copies of this application were mailed to the individuals, companies and organizations on or before November 9, 2022

Roni Mathew

Roni Mathew, Regulatory Advisor OXY USA Inc.

District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	157377
	Action Type:
	[UF-NSL] Non-Standard Location (NSL)

CONDITIONS

Created By	Condition	Condition Date
llowe	NSL - 8475 is approved. The approved Order can be retrieved at the following OCD website link. https://ocdimage.emnrd.nm.gov/imaging/AEOrderCriteria.aspx	11/9/2022

Page 11 of 11

Action 157377