AE Order Number Banner

Application Number: pMSG2415742837

PMX-354

OCCIDENTAL PERMIAN LTD [157984]

Returner/panagement/AdminOrders/Banner/pMSG2415742837



5 Greenway Plaza, Suite 110, Houston, Texas 77046-0521 P.O. Box 27570, Houston, Texas 77227-7570 Phone 713.215.7000

June 4, 2024

State of New Mexico Energy, Minerals & Natural Resources Department Oil Conservation Division 1220 S. St. Frances Dr. Santa Fe, NM 87505

RE: Pressure Maintenance Project North Hobbs G/SA Unit Well No. 991 API: Pending - New Drill Section 32, T-18S, R-38E Lea County, NM

Occidental Permian Ltd. respectfully requests administrative approval, without hearing, to commence injection (water, CO2, and produced gas) per the authorized Order No. R-6199-F. In support of this request please find the following documentation:

- Administrative Application Checklist
- Form C-108 with required data attached
- An Injection Well Data Sheet with Wellbore Schematic
- Form C-102
- AOR Map

*** Per Order No. R-6199-F, this application is eligible for administrative approval without notice or hearing ***

If you have any questions regarding this application, please contact me at 713-215-7827 or email roni_mathew@oxy.com.

Sincerely,

Roni Mathew

Roni Mathew Regulatory Advisor

Receiv	Received by OCD: 6/4/2024 12:21:39 PM									
						Page				
	DATE IN	SUSPENSE	ENGINEER	LOGGED IN	TYPE	APP NO.				
		•	•				-			

ABOVE THIS LINE FOR DIVISION USE ONLY

NEW MEXICO OIL CONSERVATION DIVISION



- Engineering Bureau -1220 South St. Francis Drive, Santa Fe, NM 87505

ADMINISTRATIVE APPLICATION CHECKLIST

THIS CHECKLIST IS MANDATORY FOR ALL ADMINISTRATIVE APPLICATIONS FOR EXCEPTIONS TO DIVISION RULES AND REGULATIONS WHICH REQUIRE PROCESSING AT THE DIVISION LEVEL IN SANTA FE
Application Acronyms:
[NSL-Non-Standard Location] [NSP-Non-Standard Proration Unit] [SD-Simultaneous Dedication] [DHC-Downhole Commingling] [CTB-Lease Commingling] [PLC-Pool/Lease Commingling] [PC-Pool Commingling] [OLS - Off-Lease Storage] [OLM-Off-Lease Measurement] [WFX-Waterflood Expansion] [PMX-Pressure Maintenance Expansion] [SWD-Salt Water Disposal] [IPI-Injection Pressure Increase] [EOR-Qualified Enhanced Oil Recovery Certification] [PPR-Positive Production Response]
[1] TYPE OF APPLICATION - Check Those Which Apply for [A]"
[A] Location - Spacing Unit - Simultaneous Dedication"
Check One Only for [B] or [C]"
[B] Commingling - Storage - Measurement" DHC CTB PLC PC OLS OLM"
[C] Injection - Disposal - Pressure Increase - Enhanced Oil Recovery" WFX X PMX IPI EOR PPR"
[D] Other: Specify <u>Additional Injector within approved project area (R-6199-G)</u>
[2] NOTIFICATION REQUIRED TO: - Check Those Which Apply, or Does Not Apply
[A] Working, Royalty or Overriding Royalty Interest Owners
[B] Offset Operators, Leaseholders or Surface Owner
[C] Application is One Which Requires Published Legal Notice
[D] Notification and/or Concurrent Approval by BLM or SLO U.S. Bureau of Land Management - Commissioner of Public Lands, State Land Office
[E] For all of the above, Proof of Notification or Publication is Attached, and/or,
[F] Waivers are Attached

[3] SUBMIT ACCURATE AND COMPLETE INFORMATION REQUIRED TO PROCESS THE TYPE OF APPLICATION INDICATED ABOVE.

[4] **CERTIFICATION:** I hereby certify that the information submitted with this application for administrative approval is **accurate** and **complete** to the best of my knowledge. I also understand that **no action** will be taken on this application until the required information and notifications are submitted to the Division.

Note: Statement must be completed by an individual with managerial and/or supervisory capacity.

Roni Mathew	Roni Mathew	Regulatory Advisor	06/04/2024
Print or Type Name	Signature	Title	Date

roni_mathew@oxy.com e-mail Address Received by OCD: 6/4/2024 12:21:39 PM STATE OF NEW MEXICO

ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, New Mexico 87505

APPLICATION FOR AUTHORIZATION TO INJECT

I.	PURPOSE:Secondary Recovery Application qualifies for administrative approva		Maintenance	No	_Disposal	Storage
II.	OPERATOR: OCCIDENTAL PERMIAN LTD		 			
	ADDRESS: P.O. Box 4294 Houston, TX 77210	4294	 			
	CONTACT PARTY: Roni Mathew		 		PHONE:	713-215-7827
III.	WELL DATA: Complete the data required on t Additional sheets may be attach		m for each w	ell proposed	for injection	1.
IV.	Is this an expansion of an existing project? If yes, give the Division order number authorizi					

- V. Attach a map that identifies all wells and leases within two miles of any proposed injection well with a one-half mile radius circle drawn around each proposed injection well. This circle identifies the well's area of review.
- VI. Attach a tabulation of data on all wells of public record within the area of review which penetrate the proposed injection zone. Such data shall include a description of each well's type, construction, date drilled, location, depth, record of completion, and a schematic of any plugged well illustrating all plugging detail.
- VII. Attach data on the proposed operation, including:
 - 1. Proposed average and maximum daily rate and volume of fluids to be injected;
 - 2. Whether the system is open or closed;
 - 3. Proposed average and maximum injection pressure;
 - 4. Sources and an appropriate analysis of injection fluid and compatibility with the receiving formation if other than reinjected produced water; and,
 - 5. If injection is for disposal purposes into a zone not productive of oil or gas at or within one mile of the proposed well, attach a chemical analysis of the disposal zone formation water (may be measured or inferred from existing literature, studies, nearby wells, etc.).
- *VIII. Attach appropriate geologic data on the injection zone including appropriate lithologic detail, geologic name, thickness, and depth. Give the geologic name, and depth to bottom of all underground sources of drinking water (aquifers containing waters with total dissolved solids concentrations of 10,000 mg/l or less) overlying the proposed injection zone as well as any such sources known to be immediately underlying the injection interval.
- IX. Describe the proposed stimulation program, if any.
- *X. Attach appropriate logging and test data on the well. (If well logs have been filed with the Division, they need not be resubmitted).
- *XI. Attach a chemical analysis of fresh water from two or more fresh water wells (if available and producing) within one mile of any injection or disposal well showing location of wells and dates samples were taken.
- XII. Applicants for disposal wells must make an affirmative statement that they have examined available geologic and engineering data and find no evidence of open faults or any other hydrologic connection between the disposal zone and any underground sources of drinking water.
- XIII. Applicants must complete the "Proof of Notice" section on the reverse side of this form.
- XIV. Certification: I hereby certify that the information submitted with this application is true and correct to the best of my knowledge and belief.

NAME: Roni M	lathew	TITLE: Regulatory Advisor				
SIGNATURE:	Roni Mathew	DATE: 6/04/2024				

E-MAIL ADDRESS: <u>roni_mathew@oxy.com</u>

* If the information required under Sections VI, VIII, X, and XI above has been previously submitted, it need not be resubmitted. Please show the date and circumstances of the earlier submittal: <u>February 11, 2014 as part of Order No. R-6199-F application</u> Side 2

III. WELL DATA

- A. The following well data must be submitted for each injection well covered by this application. The data must be both in tabular and schematic form and shall include:
 - (1) Lease name; Well No.; Location by Section, Township and Range; and footage location within the section.
 - (2) Each casing string used with its size, setting depth, sacks of cement used, hole size, top of cement, and how such top was determined.
 - (3) A description of the tubing to be used including its size, lining material, and setting depth.

(4) The name, model, and setting depth of the packer used or a description of any other seal system or assembly used.

Division District Offices have supplies of Well Data Sheets which may be used or which may be used as models for this purpose. Applicants for several identical wells may submit a "typical data sheet" rather than submitting the data for each well.

- B. The following must be submitted for each injection well covered by this application. All items must be addressed for the initial well. Responses for additional wells need be shown only when different. Information shown on schematics need not be repeated.
 - (1) The name of the injection formation and, if applicable, the field or pool name.
 - (2) The injection interval and whether it is perforated or open-hole.
 - (3) State if the well was drilled for injection or, if not, the original purpose of the well.
 - (4) Give the depths of any other perforated intervals and detail on the sacks of cement or bridge plugs used to seal off such perforations.
 - (5) Give the depth to and the name of the next higher and next lower oil or gas zone in the area of the well, if any.

XIV. PROOF OF NOTICE

All applicants must furnish proof that a copy of the application has been furnished, by certified or registered mail, to the owner of the surface of the land on which the well is to be located and to each leasehold operator within one-half mile of the well location.

Where an application is subject to administrative approval, a proof of publication must be submitted. Such proof shall consist of a copy of the legal advertisement which was published in the county in which the well is located. The contents of such advertisement must include:

- (1) The name, address, phone number, and contact party for the applicant;
- (2) The intended purpose of the injection well; with the exact location of single wells or the Section, Township, and Range location of multiple wells;
- (3) The formation name and depth with expected maximum injection rates and pressures; and,

(4) A notation that interested parties must file objections or requests for hearing with the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505, within 15 days.

NO ACTION WILL BE TAKEN ON THE APPLICATION UNTIL PROPER PROOF OF NOTICE HAS BEEN SUBMITTED.

NOTICE: Surface owners or offset operators must file any objections or requests for hearing of administrative applications within 15 days from the date this application was mailed to them.

C-108 Application Attachment Occidental Permian Ltd. North Hobbs G/SA Unit No. 991 Lea County, New Mexico

- I. This is a pressure maintenance project. The project qualifies for administrative approval.
- II. OCCIDENTAL PERMIAN Ltd. P.O. Box 4294 Houston, TX 77210-4294 Contact Party: Roni Mathew, 713-215-7827
- III. Injection well data sheet and wellbore schematic has been attached for NORTH HOBBS G/SA UNIT No. 991
- IV. This is an expansion of an existing project authorized under Order No. R-6199-F.
- V. The map with a two mile radius surrounding the injection well and a one half mile radius for area of review is attached.
- VI. In accordance to Order No. R-6199-F Section 4 OCCIDENTAL PERMIAN Ltd certifies that: The area of review for well "NORTH HOBBS G/SA UNIT #991" shows no substantive changes in the information furnished in support of Order No. R-6199-F concerning the status of construction of any well that penetrates the injection interval within the one-half (1/2) mile around the injection well, with the exemption of the wells listed below:

ΑΡΙ	Well Name	Operator	Status after Jan 2014
30-025-23173	STATE 1-29 #005	TEXLAND PETROLEUM-HOBBS, LLC	Plugged
30-025-12504	NORTH HOBBS G/SA UNIT #532	OCCIDENTAL PERMIAN LTD	Plugged
30-025-23116	STATE A #005	CONTANGO RESOURCES, LLC	Plugged
30-025-07542	STATE LAND SECTION 32 #008	OXY USA INC	Plugged
30-025-23252	STATE 1-29 #006	TEXLAND PETROLEUM-HOBBS, LLC	Plugged
30-025-41578	NORTH HOBBS G/SA UNIT #948	OCCIDENTAL PERMIAN LTD	Active
30-025-44719	NORTH HOBBS G/SA UNIT #695	OCCIDENTAL PERMIAN LTD	Active
30-025-44718	NORTH HOBBS G/SA UNIT #694	OCCIDENTAL PERMIAN LTD	Active
30-025-49739	NORTH HOBBS G/SA UNIT #965	OCCIDENTAL PERMIAN LTD	Active
30-025-49476	NORTH HOBBS G/SA UNIT #963	OCCIDENTAL PERMIAN LTD	Active
30-025-49477	NORTH HOBBS G/SA UNIT #964	OCCIDENTAL PERMIAN LTD	Active
30-025-49475	NORTH HOBBS G/SA UNIT #962	OCCIDENTAL PERMIAN LTD	Active
30-025-51410	NORTH HOBBS G/SA UNIT #985	OCCIDENTAL PERMIAN LTD	Active

The wellbore diagrams, their tabulated data, and the area of review map are attached.

- VII. Proposed Operation
 - 1. Average Injection Rate3,000 BWPD / 10,000 MCFGPDMaximum Injection Rate8,000 BWPD / 20,000 MCFGPD
 - 2 This will be a closed system.
 - Average Surface Injection Pressure 1,300 PSIG Maximum Surface Injection Pressure Produced Water 1,150 PSIG

CO2	1,250 PSIG
CO2 w/produced gas	1,650 PSIG

(In accordance with Order No. R-6199-F, effective 7/18/13)

- 4. Source Water San Andres Produced Water
 - (Analysis previously provided at hearing, Case No. 14981)
- VIII. The information was previously submitted as part of Order No. R-6199-F application
- IX. Stimulation Program
 - a. Well will be perforated using slick gun system, 3- jspf, 90-degree phasing
 - Acid stimulated using ~ 8000 gals of 15% HCL NEFE, pumped using a straddle packer assembly (PPI – Tool)
 - c. Acid will be flush with approximately 100 bbls of fresh water
 - d. Max injection rate per cluster: 4 to 5 bpm.
- X. Logs filed at the time of drilling.
- XI. There is one water well within the 1-mile radius of the subject well location. See location and dates below. The chemical/water analysis reports are attached to this application.

WATER WELL NAME	LAT	LONG	Date Collected	
NM OCD Sprinkler System	32°43'05.88"N	103°09'44.88"W	10/24/2013	

- XII. N/A. This is a pressure maintenance project, not a disposal well.
- XIII. Section 3 of Order No. R-6199-F allows the administrative approval, from the Division Director, of additional injection wells without notice and hearing. Notices to producers and surface owners for the water/CO2 flood area were provided at the time of the application and hearing for Order No. R-6199-F.

2638 Faudree Odessa, Texas 79765-8538 561-5579

Company:	Nalco	Compa	any					
Well Number: Lease: Location:	NM OCD OXY	Sprinkle	er System	n Well		Sample Temp Date Sampled Sampled by:		
Date Run: Lab Ref #:	10/31/20 13-nov-r					Employee #: Analyzed by:	27-022 GR	
			D	issolved C	Gases			
						Mg/L	Eq. Wt.	MEq/L
Hydrogen Sul	•	H2S)				.00	16.00	.00
Carbon Dioxic Dissolved Oxy	•	CO2) O2)		NOT ANA				
				Cations				
Calcium	•	Ca++)				105.89	20.10	5.27
Magnesium	•	Mg++)				12.15	12.20	1.00
Sodium	•	Na+)				54.56	23.00	2.37
Barium	•	Ba++)	N	OT ANAL	YZED	02		00
Manganese Strontium	•	Mn+) Sr++)	N		VZED	.02	27.50	.00
Strontium	(.	51++)			.1220			
L burden and				Anions			17.00	00
Hydroxyl Carbonate	-	OH-) CO3=)				.00 .00	17.00 30.00	.00 .00
BiCarbonate	-	HCO3-)				.00 268.84	61.10	.00 4.40
Sulfate	•	SO4=)				208.84 54.00	48.80	4.40
Chloride	•	CI-)				111.12	35.50	3.13
Total Iron	•	Fe)				0	18.60	.00
Total Dissolve Total Hardnes		2				606.58		
Conductivity I						314.54 858		
Conductivity	MICKOMIK	55/CM				000		
рН	7.960				Specif	ic Gravity 60/	60 F.	1.000
CaSO4 Solubil	ity @ 80 F.		18.02	MEq/L,	CaSO4	scale is unlike	ly	
CaCO3 Scale In	dex							
70.0	.23	7	100.0	.587	130.	0 1.0)97	
80.0	.36	7	110.0	.827	140.	0 1.0)97	
90.0	.58	7	120.0	.827	150.	.0 1.3	327	

Nalco Company

.

Side 1

•

INJECTION WELL DATA SHEET

OPERATOR: Occidental Permian LTD.

WELL NAME & NUM	_{BER:} NORTH HOBBS G/SA U	INIT 991			
WELL LOCATION:	840' FNL 289' FEL	А	32	18 S	38 E
	FOOTAGE LOCATION	UNIT LETTER	SECTION	TOWNSHIP	RANGE
WELLI	BORE SCHEMATIC		<u>WELL C</u> Surface	ONSTRUCTION DAT Casing	<u>'A</u>
		Hole Size: 13 1/2"		Casing Size: 9 5/8	1
		Cemented with: <u>~10</u>	000 sx.	or	ft ³
		Top of Cement: Sur	face	Method Determined	1: Circulated
			Intermedia	te Casing	
		Hole Size:		Casing Size:	
		Cemented with:	SX.	or	ft ³
		Top of Cement:		Method Determined	l:
			Productio	n Casing	
		Hole Size: <u>8 3/4</u> "		Casing Size: 7"	
		Cemented with: <u>~1</u>	<u>300</u> sx.	or	$_{\rm ft^3}$
		Top of Cement: Sur	face	Method Determined	1: Circ. + CBL
		Total Depth:43	800' TVD / 4800' N	1D	
			Injection	Interval	
		3950' TVD (Per	rforated) fee	et to <u>4300' TVD (</u> F	erforated)

Side 2

.

INJECTION WELL DATA SHEET

Tub	ing Size: <u>3 - 1/2</u> " Lining Material: <u>IPC</u>								
Тур	e of Packer: 7.0" x 3-1/2" AS1-X Packer								
Pac	Packer Setting Depth: Approx. 3925' TVD (~4356' MD)								
Oth	er Type of Tubing/Casing Seal (if applicable):								
	Additional Data								
1.	Is this a new well drilled for injection?YesNo								
	If no, for what purpose was the well originally drilled?								
2.	Name of the Injection Formation: San Andres								
3.	Name of Field or Pool (if applicable): Hobbs; Grayburg - San Andres								
4.	Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail, i.e. sacks of cement or plug(s) usedNo								
5.	Give the name and depths of any oil or gas zones underlying or overlying the proposed injection zone in this area:								
	Byers (Queen) @ 280' TVDSS								
	Glorieta @ -1660' TVDSS								



Released to Imaging: 6/5/2024 12:02:43 PM



Reciped by PCBb0482024 12:21:39 PM G/SA Unit 991 AOR

Oil and Gas Wells

Wells - Large Scale

- Miscellaneous
- 🔆 CO2, Active
- Ж. CO2, Cancelled
- 🔆 CO2, New
- ₩. CO2, Plugged
- 🔆 CO2, Temporarily Abandoned
- 🕸 Gas, Active
- 🌣 Gas, Cancelled
- 🌣 Gas, New
- 🌣 Gas, Plugged
- Gas, Temporarily Abandoned
- ø Injection, Active
- Injection, Cancelled
- ø Injection, New
- کر Injection, Plugged
- Injection, Temporarily Abandoned
- ٠ Oil, Active
- Oil, Cancelled •
- Oil, New ٠
- Oil, Plugged
- ٠ Oil, Temporarily Abandoned
- Δ Salt Water Injection, Active
- Salt Water Injection, Cancelled
- Salt Water Injection, New Δ
- △ Salt Water Injection, Plugged
- Salt Water Injection, Temporarily Abandoned
- ٠ Water, Active
- Water, Cancelled 4
- Water, New ٠
- Water, Plugged ٠
- ٠ Water, Temporarily Abandoned
- ? undefined

OCD Districts and Offices

OCD District Offices

*

Public Land Survey System

PLSS Second Division

72

FLSRefeased to Imaging: 6/5/2024 12:02:432 PM

NENE (A)	30-025-28414 ₀	NENW (C) 30	NWNE 30- 0-025-07,359 3661 /t	-025-4 <u>3840</u> (A)	NWNW (D)	NENW (C)	NWNE (B)	NENE (A)	NWNW (D)	NENW (C)	NWNE entral dr	NENE Pueblo Ave	W Spears Dr NWNW (D)	W Spears Dr NENW (C)	NWNE (B)	(A)
SENE		350 SENW 57 (F)	SWNE	30-025-42 SENE 30-025-4085		07378 SENW	SWNE 30-025-07380	SENE 30-025-0738	SWNW	Dr SENW	0, 30-025 0, 7, SWNE (G)	SENETADE SE	SWNW (E)	SENW ^{S St}		SENE
ø	30-025-073		30-025-07360 3658 80-025-07362 30-0		-025-37435	3651	30-025-0738	0 30-025-0738 •	8 30-025-277			W Copper &	Sta Dr	W Coal Ave	N Mckuat	E Glorietta D
24 NESE (1)	2 =	30-025-37235 37410 (K)	NWSE (J)	NESE 30-025-37445	NWSW 30-025-232	30-025-07382 NESW 206 (K30-025-	20 NWSE 27214 30:025-07372	30-025-0738	7 NWSW	NESW (K)	NWSE 30-025-0735	w tron Ave NESE	NWSW (L)	NESW (K)	E Clearfork Dr	E WNESSEmp Dr
.0	30-025-29098	30-025-27138	30-025-29195	Wjones-Ln-30	,o	30-025-07384		•••		30-025-07394			W Gold , W Ciele Dr	ve da Ave	E Albertson Dr	set Dr
SESE (P)	L 4 30-025-073	SESU30-025	-12492 _{5WSE. Rd}	W TRESE Rd	SWSW ^{W Tre} 025-07366)	ving RdSESW (N) 30	SWSE -025-12493)	sese 30-025-0737	swsw 3 30-025-0739	SESW 0 30-025-0739	SWSE 30-025-0735	SESE (P)	SWSW Hobbs Plaza	W Silver Or SESW (N)	SWSE	SESE Anne ((I P)
185 37	30-025-0	o /	30-025-232		-025-07470	30=025=37	451	• • 18S	98E	• • W Bender	Blod	• 18 • 18	64		64	M
NENE (A)	• /	25-3/102:) 30-0	07466 _{NWNE} 25-353323) 30-025	NENE30-025	-23384 30-025- 30-025-2391	23222 NE30 025-3	7474 NWNE 22 (B) 30-1 26934 30-025-2888	NENE	07455 30-025-074	22 (C) 30	NWNE 0-025-07425	NENE (A)	NWNW (D) V VCOLU	N A NENW (C)	(B)	
	30-025-290	30-025-26833	30-025-28412	/ 09	30-025-2895	3	0 207	026 27476	30-025-28964	20 005 074		17 30-025-07419	30-025-24490	ojo pr	N Mckintey	St Zia Dr
SENE (H) 25	10-025-074	SEN 30-025- 64 (F)	07465 SWNE 30=0 (G) 30 30-025-07467 0-025-22172	25-07488 E 30-025-0746	SWN30-025- 8 (E) 30-025-36897	23176 _{SENW} 30-025-37558 30-	802 SWN30-025-0 025-36315 30 30-025-28941	-025-07431	30-025-0742	07426 SENW 0 30-025-0742	(G) 30-025-074	SEN30-025- 6 30-025-07418	27243 SWNW (E30-025-3	9	N Fowler	Baja Dr
30-	025-05492	30-025-2894	2	2 30-025-0747 -36281 30-025	-28580 30.025	-025-07447	-025-37250 30-025	-35541 * I	District304025:124	6		ne Dr	30-025-124	W Alto Or	6 /	kesa Dr
30-02	L [®] ³⁰⁻⁴ 5-37105	(R) 30-025-26935	30-025-22146 30-025-22146 30-025-28955	(T) ₃₀₋₀₂₅₋₂₇₀₀	36280 (L) 30-025-3	(R) (4871 0-025-35852	30-025-34869 30-025-28884	30-025-37409 30-025-37409 30-025-35	999 30-025-28885	-23277 30-025-233 30-025-07421		30-025-074	3 30-025-074	NE8W 10 (K) 30-025-12495	(J)	MERE NO A
SES	-025-05499 L 4 3	0-025-07487 ^V (N) 30-025-36	0 3650 ft SWSE 30-0 (0)	25-24665 ^E 30-0	25-21968)	SESW (N)	(0) - S	30-025-35673-	SWSW30-02 (M)	5.51410 ESW 2	SWSE (0)	Berry D(P) MacKenzie Dr	swsw3 (M) z	SESW (N) Broadmoor	SWSE (0) E	SESE PermianPol
T	025-05493	30-025-28886	30-025-2196 SWSE W (.0.)er St	5 30-025-28959	30-025-074 (M) 30-025-356	448 SESW 3 30-025-28413	0-025-07437 29 • SWSE 30-025-35670 • 025-07522	30-025-35672	30-025-3719 • 30-025-1249 • (M)	1 30-02-31663 6 SESW 30 (N	(0)	SESE (P)	30-025-0740 • (M)	30-025-07409 (N) 2	E Gree SWSE E Yu (Q;)	n Acres Dr SESE cca Dr (P)
NENE	-025-05539 31	NENW	0-025-07503	30- 17496 _{NEN} 20-025-	025-07490 2 <mark>3204</mark> NWN 30-025-	-07528 NE NO-026-3	0-025-07522 30-025-30263 30258 30258 -025-07525 30-025 30-025 30-025 30-025 30-025 30-025 30-025 30-025 30-025-30263	NENE 30-02	30-025-	23207 30-025-	23330 30-025-0	7557 30-025	28299 NWNW 30-02	-28968	NWRE	bett St NENE ep St (A)
(A)		, e	30-025-37428	(A) 0 0-025-27060	30-025-075	526	30-025-35667	30-025-26973	30-025-29074	30	25-44718 ^{B*)} W Scharb. 00-025-29065 30-1 W Clinton	25-27169	(9)	• (Cife St	30-025-1250	2 2 2
SENE	8S 37E 3	-025-07513 30 -025-07514 (F)	0-025-07506 SWNE 0025-0 30-025-07492	7497 _{SENE} 2 (Ĥ)	30-025-2300 07495 SWN 30-025- 30/025-36245	07531 SEN30-029	0752930-025-2294 934907(G)	Field 4 30-025 SENE (H)	23130 30-025- SWN 30-025-	37.577 Ø 23263 _{SENV} 3 (5/30-025	0-025-34372	N CONTRACTOR	5-29932 30-025- 5-30-025-	28309 30-025-075 5742 (F)	78 MCKnie 30-025-125	SENE (H)
38	18S 38E		31	z	9 Sr 30-025-07	30-025-28944	32 30-025-075	d ()	20.025.0754	4 30-025-07545		30-025-28951 3	0-025-34997	30-025-289		•
NESE	L 3	NESW (K)	30-025-07499 NWS20-025-1 (J)	30-025-37214 2503 NES30-025-4 (89-025-45	07501 NWSW	30-025-35385 (K)	NWSE	0-025-34374	36-0/1 36-0/1 0-025-52-53 34375	30-025-43282 30-025-26834	30-025-35758 NWSE (J)•	w T 30-025-385	72 PL 30-0	W Cain St 25-283312SW V Keylor St	30,025-0756 • E(-3)ylor St	6 NESE
010		0-025-07510	-025-07508 30-0	30-02 25-07502	30-025-2894		30-025-29173 30-025-35452	3	30-025-2841 30-025-35534	⁰ W ^B 30-025-447	21 1	Broadway St			486 30-025-0756	E Broad
SESE (P)	L4 0	SESW (N)	SWSE (O)	SESE 30-0 (P)	30 25-12502 _{SW} 30:025-07	30-025-31662 • SESW 523 (N) 30	SWSE 30	-025-29906 30-025-28266	\$W\$30-025-	07543 _{SES} 30-025- (<mark>N</mark>)	07547 30-025-2 30-025-350 30-025-28267	4005 SES30-025	07565 5130 025-3 000 025-3 000 025-3	1211 SESW 3 (N) 2 025-28333	0-025-28971 SWSE (O) 30	025-28199
	E 3	0-025-07649 30	-025-07647 30	30-025-28304 -025-07640	-	<u> </u>	¢		S.	8	e e	v v	30-025-	0 0 0 28332	30-025-28977	F Guasa St
L1	1 ³⁶⁴ 11	L 30-025	-29442 L 2 5-49524	L 1 30-025-28			-025-07627 ³⁰⁻⁰²⁵⁻⁰ 976 L ² 2	30-025-28978	07619 30-025- 30-025-35	07605 L 330-025 318 30	30-025 -07604 LC	07629 30-025 W Roxana St	07598 30-025 90	07603 30-025-3	23530 30-025-0758 • L 2	2 30-025-07585 E Roxana Si
0111	IS 37E 195	38E 3	0 [£] 025-07648	30-025	-44610 30-025 30-025	07628 4 5-07631 5-07631 30-025 5 5t (F)	30-025-29751 05 30-025-29083 -07630 autors	30-025-35305	30-025-25	30-025-29891 730 30-025 30-025		-025-31419	Main St Us July 2000	Shipp s	amont St owier St cKinley St	ris St
(H)	L 5	NESW	SWNE (G) • 30-025-44389 • NWSE	SENE (H) NESE	NWSW	NESW		(H) 30-025-29084		In the second second second	5-07610 30-025-3142 30-025-28339	2	(E) ğ W Skell NWZSW	(*)	283,42, SWN 30-025 (G) NWSE	-26/42/ENE 0 1 (H) 0 NESE
(1)	L 6		wwse	(1)	30-024	-29520 30-02	NWSE (J) 5-07623 30-025	-07621 0 30				25-26623 30-02		(K) 6622 30-025	(J) 507593 30-025-075 (NWSE	
NESE	L6	NESW (K)	36184	30-025+44312	30-025-2946	NESW S (K)	5-07623 30-025 NWSE 30-025-29085 3676 ft	30:025-2908	2 (30-025-28	983 (K) 30-025-314	29	NE12 ft (L) ^{612 ft} 30-025-28345	and Negation	NESW [®]	McKinb	(I) Morris St
	9S 37E19S 38E L 7	SESW	swse	025-07645 30 SE35	swsw	SESW 3	0-025-29521 30-0 SWSE	125-07622 3 SESE	0-025-28984 30-025 SWSW	-07612 30-025 SESW (N)	07608 30-02	5-07611 30-02: SESE (P)	-07609 pwsw 30-02	5-25127 ESW 30-02	E Palace Ave 5-28348 30-025-075 Castle W&E (O)	96 •SESE
(P)		(N)	30-025-44309			11 30-025-4:	2592 30-025-29054	• 30-025-2898	30-025-28986				30-025-07583			
43 ₁₂		NENW (C)	NWNE (B) 07	NENE • (A)	025-07650 NWNW (D)	(C)	0-025-070938E 30-0 08 30-025-30954	25-12512 3 NENE	NWNN 30-025	28544 ENW30-025	07662 (BR30.02	sr, NASA, NGA UKS 50766515N5 30-02 NANP, Estemtom,	FEMA, Oil Conserva 5728355500180002 Garmin, SpeGraph, C	30-025-28353he N -07672 NW 30-924 eoTecht Gubres, Inc.	ew Mexic <mark>y Phe</mark> rgy, M 937676 30 925 0 38 METI/NASA, USGS, EF Bureau, USDA	nerals and Natural 7 Barks & Vidlife, A. NPS US Lensus
						1									Bureau, USDA	Corwo, OCD, BLM

NUMBER	OPERATOR	LEASE NAME	WELL NO.	WELL TYPE	STATUS	FTG. N/S	N/S	FTG. E/W	E/W	UNIT	SEC	. TSHP.	RNG.	DATE DRILLED	TVD (ft)	HOLE SIZE (in		SET AT (ft)	SX. CMT.	CMT. TOP (ft)	MTD.	COMPLETION	REMARKS
5-23173	TEXLAND PETROLEUM- HOBBS, LLC	STATE 1-29	005	Oil	Plugged, Not Released	330	s	2218	E	0	29	185	38E	6/10/1969	7025	15 11 7.875	11.750 8.625 6.625 & 5.5	364 3808	370 300 530	Surf Surf 3578	Circ Calc Circ	6648'-6930' UPPER BLINEBRY 5917'-5978' DRINKARD	Well Plugged on 01/25/20
						12.2	1.19	1315	Sec.	W	ellt	oore S	che	matic	8.0	1-22	5.25.5		E. E.	- 2	72	Dianonio	
			API/L	JWI	-			Operator	Constanting of the		Fi	ield Name		Area			County		State	Province			
				025-2317 Ig Rig	3			Texland P	riginal KB B	- LLC Hol Elevation (ft)) Gr	round Elevation	n (ft)	Spud Date			Lea Rig Release D	ate	NM Comp	pletion Date			
			Surfa	ce Legal Lo	cation			3	,657.00		3	,646.00	rth/South I	6/10/19 Distance (ft)	59 00:00	N/S F	tef East/W	est Distance	e (ft)		E/W Ref		
			Unit	0-18S, I	R38E-29							3	30.0			S	2,218	.0	_		E		
							-								10.								
			M	D (ftKB)	1					Ma	ain Ho	le, 2/23/20		04:06 AM atic (actua	D								
			IVIL	(IIIID)						Desia	mt alu					0004							
				9.8					2	Des:c	ant più	lg; Depth	MD:0.0-	413.0; Da	e:1/22/	2021			AMURURIER	ALISTIN AUTON	CARLADING DUDA		
				39.0																			
			- :	362.5						-Des:C	Cemen	nt; Depth I	1D:0.0-3	364.0; Dat	e:6/9/19	69							
				413.1			****					1/20/202		40.0-1,620	0: Data	-1/21/2	021						
			- 1	,620.1 -					_	-tubing	; 1,62	20.0-2,203	0; 583.	00; 1-1; 2	3/8	. 1/2 1/2	021						
			- 2	,207.0); 1-2; 2 3/		1/20/2	021						
			- 2	,700.1			****					700.0; 1/2			o, Duio	. 1/20/2	.021						
			- 3	,005.2					×	-Des:C	emen	t: Depth M	1D:2 97	0.0-3,807.	9. Date:	6/18/1	060						
			- 3	,478.0	000									8.0-4,100									
			3	,590.6	m				\mathbb{N}		~~~									~~~~	m		
			- 3	774.6					8														
			- 3,	807.7	1																		
			- 4,	100.1			~~~~	3	/					8.0-7,022.									
			- 5,	690.0								-		0.0-5,865									
			- 5,	865.2													9/28/2007						
			- 5,	917.0		2		1													-		
			- 5,	923.9 -		2		2		- Perf; 5	5,918.0	0-5,924.0;	7/18/19	969									
			- 5,	941.9		-						0-5,942.0;											
			- 5,	960.0		- 5		1				0-5,968.0;											
			- 5,	967.8		10				-Des:C	ement	t Squeeze	; Depth	MD:5,918	0-6,030	0.0; Da	te:4/10/19	90					
			6,	017.4 -						- Pert; 5	,945.0	0-6,030.0;	9/23/19	189									
			6,	029.9																			
			6,	546.9 -						-Des:cr	nt plug	g; Depth M	1D:6,54	7.0-6,600.); Date:	6/3/20	13						
			6,	602.0	_				_														
			6,6	649.9		886 888		855	-	-Perf; 6	,648.0	0-6,650.0;	7/14/19	69									
			6,6	666.0		1586 1298		1 2525 1 2525	-	-Perf; 6	,656.0	0-6,666.0;	7/14/19	69									
			6,7	717.8		205R 928		1986 <u>8</u> 19869		-Perf; 6	,712.0	0-6,718.0;	7/11/19	69							_		
			6,9	926.8		2452 1929		2828		-Perf; 6	,922.0	0-6,930.0;	7/8/196	9									
			6,9	940.0					_														
			6,9	950.1																			
			6,9	956.0		25A 206		-						.0; 7/6/196		ate 7/4	/1969						
			6,9	70.1						000.00	amont	oqe, bep		,000.0-0,8	00.0, Di	ate.//1	1909						
			6,9	86.5				I															
	d to Imaging		7.0	22.3				100															

Page 15 of 28

•

API NUMBER	OPERATOR	LEASE	WELL	WELL	STATUS	FTG.	N/S	FTG.	E/W	UNIT	SEC.	TSHP.	RNG.	DATE	TVD	HOLE	CSG.	SET	SX.	CMT.	MTD	COMPLETION	REMARKS
ATTROMBER	OFERATOR	NAME	NO. TYPE			N/S	10.0	E/W	2.00	UNIT	OLO.		NNO.	DRILLED	(ft)	SIZE (in)	SIZE (in)	AT (ft)	CMT.	TOP (ft)	MITD.	COMPLETION	NEMAKIKO
																12.250	10.250	222	135	Surf	Circ	4052'-4490'	Well Plugged on 05/26/2022
30-025-12504	OCCIDENTAL PERMIAN LTD	NORTH HOBBS G/SA UNIT	532	Oil	Plugged, Not Released	2310	N	1650	F	6	32	185	38F	11021	4490	9.000	8.625	2755	200	2841	Calc	HOBBS; GRAYBURG-SAN ANDRES	
30.023-12304	OCCIDENTAL TERMINAN ETD	NORTHODDS G/SK ONT	552	0"	Thugged, Not Neleased	2510		1050	-	0	52	105	501	11021	4450	7.000	5.500	3850	25	2841	Calc		
																	5.000	4052	25	3790	TL		

Page 16 of 28



Released to Imaging: 6/5/2024 12:02:43 PM

	OPERATOR	LEASE NAME	WELL NO.	WELL TYPE	STATUS	FTG. N/S	N/S	FTG. E/W	E/W	UNIT	SEC.	TSHP.	RNG.	DATE DRILLED	TVD (ft)	HOLE SIZE (in)	CSG. SIZE (in)	SET AT (ft)	SX. CMT.	CMT. TOP (ft)	MTD.	COMPLETION	REMARKS
30-025-23116	Contango Resources, Inc.	STATE A	005	Oil	Plugged, Site Released	660	N	660	E	А	32	185	38E	4/24/1969	8044	11.750 8.625 7 & 5.5	11.750 8.625 7.000	385 3798 1000	400 590 501	Surf 2800' 5539'	Circ Calc Calc	6674'-6936' LOWER BLINEBRY 5905'-5957' DRINKARD	Well Plugged on 05/08/2018 and site released on 1/26/2021.

Page 17 of 28

STATE A No. 5



669' FNL 660' FEL, SEC 32, T-18S, R-38E LEA COUNTY, NEW MEXICO

.

API NUMBER	OPERATOR	LEASE NAME	WELL NO.	WELL TYPE	STATUS	FTG. N/S	N/S	FTG. E/W	E/W	UNIT	SEC.	TSHP.	RNG.	DATE DRILLED	TVD (ft)	HOLE SIZE (in)	CSG. SIZE (in)	SET AT (ft)	SX. CMT.	CMT. TOP (ft)	MTD.	COMPLETION	REMARKS
30-025-07542	OXY USA INC	STATE LAND	008	Oil	Plugged, Site	1090	c	660	c		32	18S	38E	7/1/1945	2102	11	8.625	300	125	Surf	Circ	3124'-3192'	Well Plugged on 09/14/2021
30-025-07542 0)	OXT O3A INC	SECTION 32	008	01	Released	1980	3	000	L		32	105	301	//1/1945	5192	7.875	5.5	3124	1000	350	Calc	BOWERS; SEVEN RIVERS	Weir Plugged 011 03/14/2021



API NUMBER	OPERATOR	LEASE NAME	WELL NO.	WELL TYPE	STATUS	FTG. N/S	N/S	FTG. E/W	E/W	UNIT	SEC.	TSHP.	RNG.	DATE DRILLED	TVD (ft)	HOLE SIZE (in)	CSG. SIZE (in)	SET AT (ft)	SX. CMT.	CMT. TOP (ft)	MTD.	COMPLETION	REMARKS
30-025-23252	TEXLAND PETROLEUM- HOBBS, LLC	STATE 1-29	006	Oil	Plugged, Site Released	330	s	660	E	Р	29	18S	38E	8/22/1969	7015	17.5 12.25	13.375 9.625	378 3800	400 600	Surf 1300	Circ Calc	6540'-6829'	Well Plugged on 07/19/2021
	HUBBS, LLC				Released											7.875	7 x 5-1/2	3549-7015	700	3549	Circ	HOBBS; UPPER BLINEBRY	





Released to Imaging: 6/5/2024 12:02:43 PM

Released to Imaging: 6/5/2024 12:02:43 PM-







Perforations 4246'-56', 4277'-83', 4293'-4303', 4313'-23', 4333'-43', 4353'-63', 4373'-83', 4393'-4403'

Float Collar @ 4474' TD @ 4545' MD/4341' TVD





District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone: (505) 476-3470 Fax: (505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
OCCIDENTAL PERMIAN LTD	157984
P.O. Box 4294	Action Number:
Houston, TX 772104294	350684
	Action Type:
	[C-108] Fluid Injection Well (C-108)

CONDITIONS

Created By		Condition Date
mgebremichael	None	6/5/2024

CONDITIONS

Page 28 of 28

Action 350684