STATE OF NEW MEXICO ENERGY, MINERALS AND NATURAL RESOURCES DEPARTMENT OIL CONSERVATION DIVISION

APPLICATION FOR DOWNHOLE COMMINGLING SUBMITTED BY HILCORP ENERGY COMPANY

ORDER NO. DHC-5515

ORDER

The Director of the New Mexico Oil Conservation Division ("OCD"), having considered the application and the recommendation of the Engineering Bureau, issues the following Order.

FINDINGS OF FACT

- 1. Hilcorp Energy Company ("Applicant") submitted a complete application ("Application") to downhole commingle the pools described in Exhibit A ("the Pools") within the well bore of the well identified in Exhibit A ("the Well").
- 2. Applicant proposed a method to allocate the oil and gas production from the Well to each of the Pools that is satisfactory to the OCD and protective of correlative rights.
- 3. Applicant has certified that all produced fluids from all the Pools are compatible with each other.
- 4. Applicant has certified that downhole commingling the Pools will not decrease the value of the oil and gas production.
- 5. An exception to the notification requirements within 19.15.12.11(C)(1)(b) NMAC was granted by the Division within Order R-11187.
- 6. Applicant provided notice of the Application to the Bureau of Land Management ("BLM") or New Mexico State Land Office ("NMSLO"), as applicable.

CONCLUSIONS OF LAW

- 7. OCD has jurisdiction to issue this Order pursuant to the Oil and Gas Act, NMSA 1978, Sections 70-2-6, 70-2-11, 70-2-12, 70-2-16, 70-2-17, and 19.15.12 NMAC.
- 8. The downhole commingling of the Pools is common, or Applicant has provided evidence that the fluids are compatible and will not damage the Pools in accordance with 19.15.12.11(A)(1) NMAC.
- 9. The bottom perforation of the lower zone is within one hundred fifty percent (150%) of the depth of the top perforation in the upper zone or Applicant has provided evidence that the proposed commingling of the Pools shall not result in shut-in or flowing well bore pressure in excess of the commingled pool's fracture parting pressure in accordance with 19.15.12.11(A)(3) NMAC.

Order No. DHC-5515 Page 1 of 3

- 10. Applicant's proposed method of allocation, as modified herein, complies with 19.15.12.11(A)(8) NMAC.
- 11. By granting the Application with the conditions specified below, this Order prevents waste and protects correlative rights, public health, and the environment.

ORDER

- 1. Applicant is authorized to downhole commingle the Pools described in Exhibit A within the well bore of the well identified in Exhibit A.
- 2. Applicant shall allocate a fixed percentage of the oil production from the Well to each of the Pools until a different plan to allocate oil production is approved by OCD. Of the oil production from the Well:
 - a. zero percent (0.0 %) shall be allocated to the Basin Fruitland Coal pool (pool ID: 71629);
 - b. thirty one percent (31%) shall be allocated to the Blanco P.C. South pool (pool ID: 72439); and
 - c. sixty nine percent (69%) shall be allocated to the Blanco Mesaverde pool (pool ID: 72319).

Applicant shall allocate gas production to the new pool(s) equal to the total gas production from the Well minus the projected gas production from the current pool(s) until a different plan to allocate gas production is approved by OCD. The new pool(s) are:

- a. the Basin Fruitland Coal pool (pool ID: 71629); and
- b. the Blanco P.C. South pool (pool ID: 72439).

The current pool(s) are:

a. the Blanco Mesaverde pool (pool ID: 72319);

Until a different plan to allocate gas production is approved by OCD, of the gas production allocated to the new pools:

- a. sixty nine percent (69%) shall be allocated to the Basin Fruitland Coal pool (pool ID: 72619); and
- b. thirty one percent (31%) shall be allocated to the Blanco P.C. South pool (pool ID: 72439).

Applicant shall calculate the oil and gas production average during the fourth year after the commencement of commingling, which shall be used to establish a fixed percentage of the total oil and gas production that shall be allocated to each of the Pools ("fixed percentage allocation plan"). No later than ninety (90) days after the fourth year, Applicant shall submit a Form C-103 to the OCD Engineering Bureau that includes the fixed percentage allocation plan and all data used to determine it. If Applicant fails to do so, this Order shall terminate on the following day. If OCD denies the fixed percentage allocation plan, this Order shall terminate on the date of such action. If OCD approves the percentage allocation plan with or without modifications, then the approved percentage allocation plan shall be used to

Order No. DHC-5515 Page 2 of 3

- determine oil and gas allocation starting on the date of such action until the Well is plugged and abandoned.
- 3. If an alteration is made to the Well or a condition within the Well changes which may cause the allocation of production to the Pools as approved within this Order to become inaccurate, then no later than sixty (60) days after that event, Applicant shall submit Form C-103 to the OCD Engineering Bureau describing the event and include a revised allocation plan. If OCD denies the revised allocation plan, this Order shall terminate on the date of such action.
- 4. If any of the pools being commingled is prorated, or the Well's production has been restricted by an OCD order in any manner, the allocated production from each producing pool in the commingled well bore shall not exceed the top oil or gas allowable rate for a well in that pool or rate restriction applicable to the well.
- 5. If the Well is deepened, then no later than forty-five (45) days after the Well is deepened, Applicant shall conduct and provide logs to OCD that are sufficient for OCD to determine which pool(s) each new completed interval of the Well will produce from.
- 6. If the downhole commingling of the Pools reduces the value of the oil and gas production to less than if it had remained segregated, no later than sixty (60) days after the decrease in value has occurred Applicant shall submit a new downhole commingling application to OCD to amend this Order to remove the pool that caused the decrease in value. If Applicant fails to submit a new application, this Order shall terminate on the following day, and if OCD denies the application, this Order shall terminate on the date of such action.
- 7. If a completed interval of the Well is altered from what is submitted within the Application as identified in Exhibit A, then no later than sixty (60) days after the alteration, Applicant shall submit Form C-103 to the OCD Engineering Bureau detailing the alteration and completed interval.
- 8. If OCD determines that Applicant has failed to comply with any provision of this Order, OCD may take any action authorized by the Oil and Gas Act or the New Mexico Administrative Code (NMAC).
- 9. OCD retains jurisdiction of this matter and reserves the right to modify or revoke this Order as it deems necessary.

STATE OF NEW MEXICO OIL CONSERVATION DIVISION

ALBERT CHANG

DIVISION DIRECTOR

Albert Chang

DATE: 9/2/2025

Order No. DHC-5515 Page 3 of 3

State of New Mexico Energy, Minerals and Natural Resources Department

Exhibit A

Order: DHC-5515

Operator: Hilcorp Energy Company

Well Name: San Juan 29 6 Unit Well No. 52A

Well API: 30-039-21368

Pool Name: Basin Fruitland Coal

Upper Zone Pool ID: 71629 Current: New: X
Allocation: Subtraction Oil: 0.0% Gas: 69.0%

Top: 3,020 Bottom: 3,302

Pool Name: Blanco P.C. South

Intermediate Zone Pool ID: 72439 Current: New: X
Allocation: Subtraction Oil: 31.0% Gas: 31.0%

Top: 3,303 Bottom: 3,469

Bottom of Interval within 150% of Upper Zone's Top of Interval: YES

Pool Name: Blanco Mesaverde

Lower Zone Pool ID: 72319 Current: X New:

Allocation: Subtraction Oil: 69.0% Gas: SUBT Top: 3,958 Bottom: 5,548

Bottom of Interval within 150% of Upper Zone's Top of Interval: NO

Top of Queen Formation:

D NO. 485602	DHC - 55	1

RECEIVED: REVIEWER: TYPE: APP NO:

updated

NEW MEXICO OIL CONSERVATION DIVISION

ABOVE THIS TABLE FOR OCD DIVISION USE ONLY

Geological & Engineering Rureau



1220 South St. Francis Driv	
1220 30dti 13t. Hariels Birt	re, santa re, min 07303
	PLICATION CHECKLIST
	TIVE APPLICATIONS FOR EXCEPTIONS TO DIVISION RULES AND SSING AT THE DIVISION LEVEL IN SANTA FE
Applicant	OGRID Number:
Applicant: Well Name:	API:
Pool:	Pool Code:
	ON REQUIRED TO PROCESS THE TYPE OF APPLICATION TED BELOW
1) TYPE OF APPLICATION: Check those which apply A. Location – Spacing Unit – Simultaneous D NSL NSP(PROJECT AREA)	· 3
B. Check one only for [1] or [1] [1] Commingling – Storage – Measureme DHC DCTB PLC PC [11] Injection – Disposal – Pressure Increase WFX PMX SWD DIP	C □OLS □OLM se – Enhanced Oil Recovery
2) NOTIFICATION REQUIRED TO: Check those which A. Offset operators or lease holders B. Royalty, overriding royalty owners, revenue C. Application requires published notice D. Notification and/or concurrent approximate. Notification and/or concurrent approximate. Surface owner G. For all of the above, proof of notification. No notice required	enue owners val by SLO val by BLM Notice Complete Application Content Complete
3) CERTIFICATION : I hereby certify that the inform administrative approval is accurate and comp understand that no action will be taken on this notifications are submitted to the Division.	• •
Note: Statement must be completed by an ind	lividual with managerial and/or supervisory capacity.
	Date
Print or Type Name	
	Phone Number
Managari Co	FHORE NUMBER
Saunnach Deac	
Signature	e-mail Address

<u>District I</u> 1625 N. French Drive, Hobbs, NM 88240

<u>District II</u> 811 S. First St., Artesia, NM 88210

<u>District III</u> 1000 Rio Brazos Road, Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy, Minerals and Natural Resources Department

Oil Conservation Division

1220 South St. Francis Dr. Santa Fe, New Mexico 87505 Form C-107A Revised August 1, 2011

APPLICATION TYPE

___Single Well

Establish Pre-Approved Pools
EXISTING WELLBORE

Hilcorp Energy Company Operator	382 Road 3100, Aztı Addrı		
SAN JUAN 29-6 UNIT	52A P,34,29N,00		RIO ARRIBA
Lease	Well No. Unit Letter-Se	ection-Township-Range	County
OGRID No. 372171 Property Code	2 <u>318838</u> API No. <u>30-039-213</u>	Lease Type: X Fede	eralStateFee
DATA ELEMENT	UPPER ZONE	INTERMEDIATE ZONE	LOWER ZONE
Pool Name	BASIN FRUITLAND COAL (GAS POOL)	SOUTH BLANCO PICTURED CLIFFS (GAS POOL)	BLANCO MESAVERDE (PRORATED GAS)
Pool Code	71629	72439	72319
Top and Bottom of Pay Section (Perforated or Open-Hole Interval)	~3020'-3302'	~3303'-3469'	3958'-5548'
Method of Production (Flowing or Artificial Lift)	ARTIFICIAL LIFT	ARTIFICIAL LIFT	ARTIFICIAL LIFT
Bottomhole Pressure (Note: Pressure data will not be required if the bottom perforation in the lower zone is within 150% of the depth of the top perforation in the upper zone)	66 BHP	90 BHP	405 BHP
Oil Gravity or Gas BTU (Degree API or Gas BTU)	1102 BTU	1163 BTU	1256 BTU
Producing, Shut-In or New Zone	NEW ZONE	NEW ZONE	PRODUCING
Date and Oil/Gas/Water Rates of Last Production. (Note: For new zones with no production history, applicant shall be required to attach production estimates and supporting data.)	Date: Rates: Oil: Gas: Water:	Date: Rates: Oil: Gas: Water:	Date: 5/1/2025 Rates: Oil: 6 BBL Gas: 1611 MCF Water: 0 BBL
Fixed Allocation Percentage (Note: If allocation is based upon something other	Oil Gas	Oil Gas	Oil Gas
than current or past production, supporting data or explanation will be required.)	% %	% %	% %
	<u>ADDITION</u>	AL DATA	
Are all working, royalty and overriding ro If not, have all working, royalty and over			Yes NoX Yes NoX
Are all produced fluids from all commingled zones compatible with each other? YesX No			
Will commingling decrease the value of p	production?		Yes NoX
If this well is on, or communitized with, s or the United States Bureau of Land Man	agement been notified in writing of	f this application?	YesX No
NMOCD Reference Case No. applicable	to this well.	ORP IS EXEMPT FROM PROVIDING RS (EXCLUDING SLO,BLM WHERE A	- APPLICABLE)
Attachments: C-102 for each zone to be commingle Production curve for each zone for at For zones with no production history. Data to support allocation method or Notification list of working, royalty a Any additional statements, data or do	least one year. (If not available, at estimated production rates and sup- formula. Ind overriding royalty interests for the	tach explanation.) pporting data. uncommon interest cases.	
	PRE-APPROV	/ED POOLS	
If application is to	establish Pre-Approved Pools, the	following additional information will	be required:
List of other orders approving downhole List of all operators within the proposed I Proof that all operators within the propose Bottomhole pressure data.	Pre-Approved Pools		
I hereby certify that the information a	above is true and complete to the	e best of my knowledge and belief.	
SIGNATURE STUNNAGE DE	TITLE Ope	erations/Regulatory Technician D	ATE_07/15/2025
TYPE OR PRINT NAME <u>DAWN N</u>	ASH-DEAL	TELEPHONE 1	NO. <u>(505)324-5132</u>

E-MAIL ADDRESS <u>DNASH@HILCORP.com</u>

NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

Form C-102 Supersedes C-128 Effective 1-1-65

All distances must be from the outer boundaries of the Section Well No. Northwest Pipeline Corporation San Juan 29-6 Unit 52A Unit Letter Range Rio Arriba Actual Footage Location of Well: 1160 feet from the South 1110 line and feet from the East line Ground Level Elev. Producing Formation Dedicated Acreage: 6419 Mesa Verde Blanco 320 Acres 1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below. 2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty). 3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling, etc? If answer is "yes," type of consolidation _ If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.) No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commis-CERTIFICATION I hereby certify that the information contained herein is true and complete to the Production Engineer Position Northwest Pipeline Corp. <u>January 31, 1977</u> SF 030146 I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief. 11107 U. S. 05010 660 1320 1650 1980 2310 3950 1000

Water Compatibility in the San Juan Basin

- The San Juan basin has productive siliciclastic reservoirs (Pictured Cliffs, Blanco Mesaverde, Basin Dakota, etc.) and a productive coalbed methane reservoir (Basin Fruitland Coal).
- These siliciclastic and coalbed methane reservoirs are commingled extensively throughout the basin in many different combinations with no observed damage from clay swelling due to differing formation waters.
- The samples below all show fresh water with low TDS.
- Data taken from standalone completions in the zone of interest within a 2 nile raduis of the well. A farther radius is used if there is not enough data for a proper statistical analysis.

Well Name	API
SAN JUAN 29-6 UNIT 52A	3003921368

FRC Offset (2	2.81 MILES)	MV Offset (5.65 MILES)		PC Offset (6.08 MILES)	
API	3003924961	API	3003907331	API	3003925897
Property	SAN JUAN 28-6 UNIT 414	Property	SAN JUAN 28-5 UNIT 23	Property	SAN JUAN 29-7 UNIT 166
CationBarium		CationBarium		CationBarium	0.00
CationBoron	0			CationBoron	0
CationCalcium	4.29	CationCalcium	16.08	CationCalcium	80.00
CationIron	83.23	CationIron	73.85	CationIron	62.10
CationMagnesium	1.17	CationMagnesium	6.83	CationMagnesium	19.50
CationManganese	0.80	_		CationManganese	1.98
CationPhosphorus		CationPhosphorus		CationPhosphorus	0
CationPotassium		· ·		CationPotassium	0
CationStrontium		CationStrontium	2.36	CationStrontium	0.00
CationSodium		CationSodium		CationSodium	762.80
CationSilica		CationSilica		CationSilica	0
CationZinc		CationZinc		CationZinc	0
CationAluminum	0			CationAluminum	0
CationCopper	0			CationCopper	0
CationLead	0	''		CationLead	0
CationLithium	0		0		0
CationNickel	0		0		0
CationCobalt	0			CationCobalt	0
CationChromium	0			CationChromium	0
CationSilicon		CationSilicon		CationSilicon	0
CationMolybdenum		CationMolybdenum		CationMolybdenum	0
AnionChloride		,		AnionChloride	1200.00
AnionCarbonate	0.00			AnionCarbonate	0.00
AnionBicarbonate		AnionBicarbonate		AnionBicarbonate	427.00
AnionBromide		AnionBromide		AnionBromide	0
AnionFluoride	-	AnionFluoride		AnionFluoride	0
AnionHydroxyl		AnionHydroxyl		AnionHydroxyl	0
AnionNitrate		AnionNitrate		AnionNitrate	0
AnionPhosphate	0	AnionPhosphate		AnionPhosphate	0
AnionSulfate		AnionSulfate		AnionSulfate	80.00
phField	7.00	phField	6.23	phField	0
phCalculated		phCalculated		phCalculated	6.83
TempField		TempField		TempField	0
TempLab	0	TempLab	0	TempLab	0
OtherFieldAlkalinity	0	OtherFieldAlkalinity	0	OtherFieldAlkalinity	342.16
OtherSpecificGravity	1.00	OtherSpecificGravity	1.00	OtherSpecificGravity	0
OtherTDS	695.90	OtherTDS	520.23	OtherTDS	2435.00
OtherCaCO3	0	OtherCaCO3	0	OtherCaCO3	0
OtherConductivity	1087.35	OtherConductivity	812.86	OtherConductivity	0
DissolvedCO2	96.00	DissolvedCO2	80.00	DissolvedCO2	0
DissolvedO2	0	DissolvedO2	0	DissolvedO2	0
DissolvedH2S	0.85	DissolvedH2S	0.80	DissolvedH2S	13.00
GasPressure	157.10	GasPressure	185.00	GasPressure	0
GasCO2	0.00	GasCO2	1.00	GasCO2	4.00
GasCO2PP	0.00	GasCO2PP		GasCO2PP	0
GasH2S	0.00	GasH2S	0.00	GasH2S	0.00
GasH2SPP	0.00	GasH2SPP		GasH2SPP	0
PitzerCaCO3_70	-1.40	PitzerCaCO3_70	0	PitzerCaCO3_70	0
PitzerBaSO4_70	-1.15	PitzerBaSO4_70	0	PitzerBaSO4_70	0
PitzerCaSO4_70	-4.51	PitzerCaSO4_70	0	PitzerCaSO4_70	0
PitzerSrSO4_70	-4.80	PitzerSrSO4_70	0	PitzerSrSO4_70	0
PitzerFeCO3_70	0	PitzerFeCO3_70	0	PitzerFeCO3_70	0
PitzerCaCO3_220	-0.58	PitzerCaCO3_220	0	PitzerCaCO3_220	0
PitzerBaSO4_220	-1.69	PitzerBaSO4_220	0	PitzerBaSO4_220	0
PitzerCaSO4_220	-4.38	PitzerCaSO4_220	0	PitzerCaSO4_220	0
PitzerSrSO4_220	-4.58	PitzerSrSO4_220	0	PitzerSrSO4_220	0
PitzerFeCO3_220		PitzerFeCO3_220	0	PitzerFeCO3_220	0

Gas Compatibility in the San Juan Basin

- The San Juan basin has productive siliciclastic reservoirs (Pictured Cliffs, Blanco Mesaverde, Basin Dakota, etc.) and a productive coalbed methane reservoir (Basin Fruitland Coal).
- These siliciclastic and coalbed methane reservoirs are commingled extensively throughout the basin in many different combinations with no observed damage from clay swelling due to differing formation waters or gas composition.
- The samples below all show offset gas analysis varibality by formation is low.
- Data taken from standalone completions in the zone of interest within a 2 nile raduis of the well. A farther radius is used if there is not enough data for a proper statistical analysis.

Well Name	API
SAN JUAN 29-6 UNIT 52A	3003921368

FRC Offset	(4.40 MILES)	MV Offset (4.24 MILES)		PC Offset (7.48 MILES)	
AssetCode	3003925006	AssetCode	3003907237	AssetCode	3003907043
AssetName	SAN JUAN 28-6 UNIT 467	AssetName	SAN JUAN 28-6 UNIT 42	AssetName	SAN JUAN 28-6 UNIT 95
CO2	0.00	CO2	0.01	CO2	0.00
N2	0.00	N2	0.00	N2	0.01
C1	0.91	C1	0.76	C1	0.85
C2	0.04	C2	0.12	C2	0.07
C3	0.02	C3	0.06	C3	0.04
ISOC4	0.00	ISOC4	0.01	ISOC4	0.01
NC4	0.01	NC4	0.02	NC4	0.01
ISOC5	0.00	ISOC5	0.01	ISOC5	0.00
NC5	0.00	NC5	0.00	NC5	0.00
NEOC5	0	NEOC5	0	NEOC5	0
C6	0.00	C6	0.01	C6	0
C6_PLUS	0	C6_PLUS	0	C6_PLUS	0.01
C7	0	C7	0	C7	0
C8	0	C8	0	C8	0
C9	0	C9	0	C9	0
C10	0	C10	0	C10	0
AR	0	AR	0	AR	0
СО	0	СО	0	СО	0
H2	0	H2	0	H2	0
02	0	O2	0	02	0
H20	0	H20	0	H20	0
H2S	0	H2S	0	H2S	0
HE	0	HE	0	HE	0
C_O_S	0	C_O_S	0	C_O_S	0
CH3SH		CH3SH	0	CH3SH	0
C2H5SH	0	C2H5SH	0	C2H5SH	0
CH2S3_2CH3S	0	CH2S3_2CH3S	0	H2S3_2CH3S	0
CH2S	0	CH2S	0	CH2S	0
C6HV	0	C6HV	0	C6HV	0
CO2GPM	0	CO2GPM	0	CO2GPM	0.00
N2GPM	0	N2GPM	0	N2GPM	0.00
C1GPM	0	C1GPM	0	C1GPM	0.00
C2GPM	0	C2GPM	0	C2GPM	1.78
C3GPM	0	C3GPM	0	C3GPM	1.15
ISOC4GPM		ISOC4GPM	0	ISOC4GPM	0.26
NC4GPM	0	NC4GPM	0	NC4GPM	0.37
ISOC5GPM	0	ISOC5GPM	0	ISOC5GPM	0.15
NC5GPM	0	NC5GPM	0	NC5GPM	0.11
C6_PLUSGPM	0	C6_PLUSGPM	0	C6_PLUSGPM	0.37

The near wellbore shut-in bottom hole pressures of the above reservoirs are much lower than the calculated far-field stabilized reservoir pressured due to the low permeability of the reservoirs. Based on pressure transient analysis performed in the San Juan Basin, it would take 7-25 years for shut-in bottom hole pressures to build up to the calculated far-field reservoir pressure. Our observation is that even for areas of high static reservoir pressures, the low permeability of the reservoir rock results in rapid depletion of the near-fracture region, quickly enough that the wells are unable to produce without the aid of a plunger. Given low permeabilities and low wellbore flowing pressures in the above reservoirs, loss of reserves due to cross-flow is not an issue during producing or shut-in periods. Given low shut-in bottom hole pressures, commingling the above reservoirs in this well will not result in shut-in or flowing wellbore pressures in excess of any commingled pool's fracture parting pressure. The pressures provided in the C-107A are based on shut-in bottom hole pressures of offset standalone wells which match expected near-wellbore shut-in bottom hole pressures of this proposed commingled completion.

Shut in pressures were calculated for operated offset standalone wells in each of the zones being commingled in the well in question via the following process:


1) Wells were shut in for 24 hours
2) Echometer was used to obtain a fluid level
3) Shut in BHP was calculated for the proposed commingled completion


API	Well Name	Formation
List of wells used to calculate BHPs for the		Project:
3003923052	San Juan 27-5 Unit 199	PC
3003925814	San Juan 27-5 Unit 21B	MV
3003907157	San Juan 27-5 Unit NP 84	DK
3003924923	San Juan 27-5 Unit NP 223	FRC


I believe each of the reservoirs to be continuous and in a similar state of depletion at this well and at each of the wells from which the pressures are being derived.

Note: BTU Data taken from standalone completions in the zone of interest within a 2 mile radius of the well.

A farther radius is used if there is not enough data for a proper statistical analysis.







HEC Comments

The production forecasts have been generated using type curves of production in the surrounding trend.

These zones are proposed to be commingled because the application of dual completions impedes the ability to produce the shallow zone without artificial lift and the deeper zones with reduced artificial lift efficiency. All horizons will require artificial lift due to low bottomhole pressure (BHP) and permeability.

The BHPs of all zones, producing and non-producing, were estimated based upon basinwide Moving-Domain Material Balance models that have proven to approximate the pressure in the given reservoirs well in this portion of the basin. These models were constructed incorporating reservoir dynamics and physics, historic production, and observed pressure data. Historic commingling operations have proven reservoir fluids are compatible.


Production Allocation Method - Subtraction

Gas Allocation:


Production for the downhole commingle will be allocated using the subtraction method in agreement with local agencies. The base formation is the Dakota and the added formations to be commingled are the Gallup and Fruitland Coal. The subtraction method applies an average monthly production forecast to the base formation using historic production. All production from this well exceeding the forecast will be allocated to the new formation.


After 3 years production will stabilize. A production average will be gathered during the 4th year and will be utilized to create a fixed percentage based allocation.

Formation	Remaining Reserves (MMcf)	% Gas Allocation
FRC	820	69%
PC	364	31%



Formation	Yield (bbl/MM)	Remaining Reserves (MMcf)	% Oil Allocation
MV	3.00	439	69%
FRC	0.01	820	0%
PC	1.62	364	31%
			100%





U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Lease Number: NMSF080146

Sundry Print Ruge 17 of 49
08/07/2025

Well Name: SAN JUAN 29-6 UNIT Well Location: T29N / R6W / SEC 34 /

SESE / 36.67816 / -107.44476

County or Parish/State: RIO

ARRIBA / NM

Well Number: 52A Type of Well: CONVENTIONAL GAS

WELL

Allottee or Tribe Name:

Unit or CA Name: SAN JUAN 29-6 UNIT--MV Unit or CA Number:

NMNM78416A

US Well Number: 3003921368 Operator: HILCORP ENERGY

COMPANY

Notice of Intent

Sundry ID: 2867373

Type of Submission: Notice of Intent

Type of Action: Recompletion

Date Sundry Submitted: 08/07/2025 Time Sundry Submitted: 12:25

Date proposed operation will begin: 08/07/2025

Procedure Description: Hilcorp Energy Company requests permission to recomplete the subject well in the Fruitland Coal and Pictured Cliffs and downhole commingle with the existing Mesaverde. Please see the attached procedure, current and proposed wellbore diagram, plat and natural gas management plan. A closed loop system will be used. Hilcorp will contact the FFO Surface group within 90 days after the well has been recompleted, before any interim reclamation work, to conduct the onsite. A reclamation plan will be submitted after the onsite.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

San_Juan_29_6_UNIT_52A_RC_NOI_20250807122523.pdf

Page 1 of 2

Received by OCD: 7/16/2025 1:06:46 PM

Well Location: T29N / R6W / SEC 34 /

SESE / 36.67816 / -107.44476

County or Parish/State: Pige 18 of 49

ARRIBA / NM

Well Number: 52A

Type of Well: CONVENTIONAL GAS

Allottee or Tribe Name:

Unit or CA Name: SAN JUAN 29-6

UNIT--MV

Unit or CA Number: NMNM78416A

Zip:

US Well Number: 3003921368

Lease Number: NMSF080146

Operator: HILCORP ENERGY

COMPANY

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Signed on: AUG 07, 2025 12:25 PM Operator Electronic Signature: DAWN NASH-DEAL

Name: HILCORP ENERGY COMPANY

Title: Operations Regulatory Tech Street Address: 1111 TRAVIS ST

City: HOUSTON State: TX

Phone: (505) 324-5132

Email address: DNASH@HILCORP.COM

Field

Representative Name:

Street Address:

City: State:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742 BLM POC Email Address: krennick@blm.gov

Disposition: Approved Disposition Date: 08/07/2025

Signature: Kenneth Rennick

Page 2 of 2

Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 2021

	Expires: October 31,
ease Serial No	

BUREAU OF LAND MANAGEMEN	5. Lease Serial No. NMSF080146				
SUNDRY NOTICES AND REPORTS ON Do not use this form for proposals to drill or abandoned well. Use Form 3160-3 (APD) for s	to re-enter an				
SUBMIT IN TRIPLICATE - Other instructions on p	page 2	7. If Unit of CA/Agreement, Name and/or No. SAN JUAN 29-6 UNITMV/NMNM78416A			
1. Type of Well Oil Well Gas Well Other		8. Well Name and No. SAN JUAN 29-6 UNIT/52A	1704107		
2. Name of Operator HILCORP ENERGY COMPANY		9. API Well No. 300392136	8		
3a. Address 1111 TRAVIS STREET, HOUSTON, TX 77002 3b. Phone N (713) 209-	No. (include area code)	10. Field and Pool or Explora			
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description) SEC 34/T29N/R6W/NMP		11. Country or Parish, State RIO ARRIBA/NM			
12. CHECK THE APPROPRIATE BOX(ES) TO	INDICATE NATURE (F NOTICE, REPORT OR OT	THER DATA		
TYPE OF SUBMISSION	TYPE	OF ACTION			
Alter Casing H	eepen [ydraulic Fracturing [Production (Start/Resume) Reclamation	Well Integrity		
Subsequent Report	ew comparation	Recomplete	Other		
	ug and Abandon [ug Back [Temporarily Abandon Water Disposal			
completed. Final Abandonment Notices must be filed only after all requirem is ready for final inspection.) Hilcorp Energy Company requests permission to recomplete the sul with the existing Mesaverde. Please see the attached procedure, cu A closed loop system will be used. Hilcorp will contact the FFO Surf interim reclamation work, to conduct the onsite. A reclamation plan	bject well in the Fruitl urrent and proposed v ace group within 90 c	and Coal and Pictured Cliffs vellbore diagram, plat and na lays after the well has been	and downhole commingle atural gas management plan.		
14. I hereby certify that the foregoing is true and correct. Name (<i>Printed/Typed</i>) DAWN NASH-DEAL / Ph: (505) 324-5132	Operations Title	Operations Regulatory Tech Title			
Signature (Electronic Submission)	Date	Date 08/07/2025			
THE SPACE FOR FE	DERAL OR STA	TE OFICE USE			
Approved by KENNETH G RENNICK / Ph: (505) 564-7742 / Approved Conditions of approval, if any, are attached. Approval of this notice does not war.	Title	eum Engineer	08/07/2025 Date		
certify that the applicant holds legal or equitable title to those rights in the subject which would entitle the applicant to conduct operations thereon.		MINGTON			
Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for	r any person knowingly	and willfully to make to any d	lepartment or agency of the United States		

any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

 $0. \ SHL: \ SESE \ / \ 1160 \ FSL \ / \ 1110 \ FEL \ / \ TWSP: \ 29N \ / \ RANGE: \ 6W \ / \ SECTION: \ 34 \ / \ LAT: \ 36.67816 \ / \ LONG: \ -107.44476 \ (\ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \)$ $BHL: \ SESE \ / \ 1160 \ FSL \ / \ 1110 \ FEL \ / \ TWSP: \ 29N \ / \ SECTION: \ / \ LAT: \ 36.67816 \ / \ LONG: \ 107.44476 \ (\ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \)$



HILCORP ENERGY COMPANY San Juan 29-6 Unit 52A RECOMPLETION SUNDRY

Prepared by:	Greg Gandler			
Preparation Date:	May 29, 2025			

WELL INFORMATION								
Well Name:	San Juan 29-6 Unit 52A	State:	NM					
API#:	3003921368	County:						
Area:	13	Location:						
Route:	1306	Latitude:						
Spud Date:	March 28, 1977	Longitude:						

PROJECT DESCRIPTION

Perforate, fracture, and comingle the Fruitland Coal and Picture Cliffs with the existing Mesa Verde zone.

CONTACTS								
Title Name Office Phone # Cell Phone #								
Engineer	Matthew Esz		770-843-9226					
Area Foreman								
Lead								
Artificial Lift Tech								
Operator								




HILCORP ENERGY COMPANY San Juan 29-6 Unit 52A RECOMPLETION SUNDRY

JOB PROCEDURES

- 1. MIRU service rig and associated equipment; test BOP.
- 2. TOOH with 2-3/8" tubing set at 5,508'.
- 3. Set a 4-1/2" plug at +/- 3,923' to isolate the Mesa Verde.
- 4. Pull CBL across completion interval.
- 5. Load the hole and pressure test the casing.
- 6. N/D BOP, N/U frac stack and pressure test frac stack.
- 7. Perforate and frac the Fruitland Coal from 3020'-3314' and Picture Cliffs from 3315'-3469'
- 8. Nipple down frac stack, nipple up BOP and test.
- 9. TIH with a mill and drill out top isolation plug and Fruitland Coal and Picture Cliff frac plugs.
- 10. Clean out to Mesa Verde isolation plug.
- 11. Drill out Mesa Verde isolation plug and cleanout to PBTD of 5584'. TOOH.
- 12. TIH and land production tubing. Get a commingled Fruitland Coal/Picture Cliffs/Mesa Verde flow rate.




HILCORP ENERGY COMPANY San Juan 29-6 Unit 52A RECOMPLETION SUNDRY





HILCORP ENERGY COMPANY San Juan 29-6 Unit 52A RECOMPLETION SUNDRY



Page 25 of 49 C-102

Phone: (505) 476-3441 Fax: (55) 476-3462

General Information Phone: (505) 629-6116

Online Phone Directory Visit:

nttps://www.emnrd.nm.gov/ocd/contact-us/

State of New Mexico Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION

Revised July 9, 2024
Submit Electronically
via OCD Permitting

	via OCD Permitting				
Submittal Type:	☐ Initial Submittal				
	☐ Amended Report				
	☐ As Drilled				

					WELL LOCA	ATION INFORMATION				
API Number Pool Code I						Pool Name				
30-039-21368 71629 BAS					BASIN FRUITLAND C	ASIN FRUITLAND COAL (GAS POOL)				
Property Code Property Name								Well Number		
318838 SAN JUAN 29-6 UNIT								52A		
OGRID No. Operator Name								Ground Lev	el Elevation	
372171 Hilcorp Energy Company								6419'		
Surface	Owner: 🗆 S	State ⊠ Fee □	Tribal 🗆 Fee	leral		Mineral Owner:	State Fee	☐ Tribal 🖾 🛚	Federal	
					Sur	rface Location				
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	L	ongitude	County
P	34	029N	06W		1160' FSL	1110' FEL	36.6781235		07.4451141	RIO ARRIBA
					Botto	m Hole Location				
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	I	ongitude	County
P	34	029N	06W	200	1160' FSL	1110' FEL	36.6781235		07.4451141	RIO ARRIBA
5 11		T (111 T) (1			*** ** ***		77 1. 7725			
Dedicated Acres 320.00 Infill or Defining Well INFILL			ning Well	Defining Well API 30-039-21315		Overlapping Spacin	Overlapping Spacing Unit (Y/N) Consolida N UNIT		on Code	
Order N	lumbers.					Well setbacks are under Common Ownership: ☒Yes ☐No				
					Kick	Off Point (KOP)				
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	L	ongitude	County
		•							C	,
					F:4/	Take Point (FTP)				
T.17		m 1:	I n	T .	1		T	1.	* 1	
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	L	ongitude	County
	ı	1	u.	II.	Last	Γake Point (LTP)	'	,		
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Ft. from E/W Latitude Lo		ongitude	County
	1	1	1	1	1					<u> </u>
Unitize	d Area or Ar	ea of Uniform I	Interest	Spacing	Unit Type □ Ho	rizontal Vertical	Grou	nd Floor Elev	ration:	
				Spacing		The state of the s	6419			
·										
OPERA	OPERATOR CERTIFICATIONS SURVEYOR CERTIFICATIONS									

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

 ${\it If this well is a horizontal well, I further certify that this organization has received the}\\$ consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.

Lawnnaph Dead 07/03/2025 Signature Date DAWN NASH-DEAL Printed Name DNASH@HILCORP.COM Email Address

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

FRED B KERR JR

Signature and Seal of Professional Surveyor

3950

1/28/1977

Certificate Number

Date of Survey

Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.

Page 27 of 49

Phone: (505) 476-3441 Fax: (55) 476-3462

General Information Phone: (505) 629-6116

Online Phone Directory Visit:

nttps://www.emnrd.nm.gov/ocd/contact-us/

State of New Mexico Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION

Revised July 9, 2024
Submit Electronically
via OCD Permitting

	☐ Initial Submittal
Submittal Type:	☐ Amended Report
71	☐ As Drilled

					***************************************		1212 02212121011						
API Number Pool Code					Pool Name								
						SOU'	OUTH BLANCO PICTURED CLIFFS (GAS POOL)						
Property Code Property Name								Well Number					
318838			SAN JUAN	29-6 UNIT	ŗ.					52A			
OGRID	No.		Operator Na	ıme						Ground Lev	el Elevation		
372171			Hilcorp Ener	rgy Compan	ıy					6419'			
Surface	Owner: S	State ⊠ Fee □	Tribal Fed	eral			Mineral Owner: \square S	tate 🗆 Fee	□ Tribal ⊠	Federal			
					Sur	face I	Location						
UL	Section	Township	Range	Lot	Ft. from N/S		Ft. from E/W	Latitude	L	ongitude	County		
P	34	029N	06W		1160' FSL		1110' FEL	36.6781235		107.4451141	RIO ARRIBA		
				<u> </u>	Botto	m Hol	e Location						
UL	Section	Township	Range	Lot	Ft. from N/S	-	Ft. from E/W	Latitude	L	ongitude	County		
P	34	029N	06W		1160' FSL		1110' FEL	36.6781235		107.4451141	RIO ARRIBA		
Dedicat	ed Acres	Infill or Defit	ning Well	Defining	Well API	$\overline{}$	Overlapping Spacing U	Unit (V/N)	Consolidati	on Code			
Dedicated Acres Infill or Defining Well DEFINING		mig wen	Defining Well All			N UNIT		on code					
Order Numbers.					Well setbacks are under Common Ownership: ☒Yes ☐No								
					Kick (Off Po	oint (KOP)						
UL	Section	Township	Range	Lot	Ft. from N/S		Ft. from E/W	Latitude	L	ongitude	County		
	<u> </u>	1	<u> </u>		First 7	Гаке Р	Point (FTP)	<u> </u>	J.				
UL	Section	Township	Range	Lot	Ft. from N/S		Ft. from E/W	Latitude	L	ongitude	County		
	<u> </u>	1	<u> </u>	1	Last T	Take P	Point (LTP)	1	<u> </u>				
UL	Section	Township	Range	Lot	Ft. from N/S		Ft. from E/W	Latitude	L	ongitude	County		
		1											
					<u> </u>								
		-											
Unitized Area or Area of Uniform Interest				Spacing Unit Type ☐ Horizontal ☒ Vertical ☐ Ground Floor E 6419'					ation:				

OPERATOR CERTIFICATIONS

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.

Signature Date DAWN NASH-DEAL Printed Name DNASH@HILCORP.COM Email Address

SURVEYOR CERTIFICATIONS

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

FRED B KERR JR

Signature and Seal of Professional Surveyor

3950

1/28/1977

Certificate Number

Date of Survey

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.

State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description Effective May 25, 2021

I. Operator: Hilcorp Energy Company				GRID: 372171	Date	: 07/03/2025		
II. Type: ⊠ Original □ Amendment due to □ 19.15.27.9.D(6)(a) NMAC □ 19.15.27.9.D(6)(b) NMAC □ Other.								
If Other, please describe:								
III. Well(s): Provide the follow be recompleted from a single w					wells propos	ed to be drill	ed or proposed to	
Well Name	API	ULSTR		Footages	Anticipat ed Oil BBL/D	Anticipate d Gas MCF/D	Anticipated Produced Water BBL/D	
SAN JUAN 29-6 UNIT 52A	3003921368	P,34,29N,0	6W 1160' I	FSL & 1110' FEL	0 BBL	450 BBL	5 BBL	
IV. Central Delivery Point Name: [See 19.15.27.9(D)(1) NMAC] V. Anticipated Schedule: Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point. Well Name API Spud TD Reached Completion Initial Flow First Production								
		Date	Date	Commencement	Date Ba	ack Date	Date	
SAN JUAN 29-6 UNIT 52A	3003921368							
VI. Separation Equipment: Attach a complete description of how Operator will size separation equipment to optimize gas capture. VII. Operational Practices: Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F of 19.15.27.8 NMAC. VIII. Best Management Practices: Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance.								

Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

🖾 Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

Well	API	Anticipated Average Natural Gas Rate MCF/D	Anticipated Volume of Natural Gas for the First Year MCF

X. Natural Gas Gathering System (NGGS):

Operator	System	ULSTR of Tie-in	Anticipated Gathering	Available Maximum Daily Capacity
			Start Date	of System Segment Tie-in

XI. Map. \square Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the
production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of
the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected.

XII. Line Capacity. The natural	gas gathering system	☐ will ☐ will not have	capacity to gather	100% of the an	ticipated natura	ıl gas
production volume from the well	prior to the date of first	production.				

XIII. Line Pressure. Operator \square does \square does not anticipate that its existing well(s) connected to the same segment, or port	ion, of the
natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new	w well(s).

П	Attach	Operator'	a nlan ta	manage	production	in recooned	to the	incressed	line pressure.
ш	Attach	Oberator	s bian ic) manage	: production	in response	to ine	: increased	line pressure.

XIV. Confidentiality: Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information provided in
Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific information
for which confidentiality is asserted and the basis for such assertion.

(i)

Section 3 - Certifications <u>Effective May 25, 2021</u>

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal: 🗵 Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system: or ☐ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. If Operator checks this box, Operator will select one of the following: Well Shut-In. ☐ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or Venting and Flaring Plan.

Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including: (a) power generation on lease; power generation for grid; **(b)** (c) compression on lease; (d) liquids removal on lease; reinjection for underground storage; (e) **(f)** reinjection for temporary storage; (g) reinjection for enhanced oil recovery; fuel cell production; and (h)

Section 4 - Notices

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

other alternative beneficial uses approved by the division.

- (a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- (b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

Signature: Dunnach Dead
Printed Name: DAWN NASH-DEAL
Title: REGULATORY TECHNICIAN
E-mail Address: dnash@hilcorp.com
Date: 07/03/2025
Phone: 505-324-5132
OIL CONSERVATION DIVISION
(Only applicable when submitted as a standalone form)
Approved By:
Title:
Approval Date:
Conditions of Approval:

VI. Separation Equipment:

Hilcorp Energy Company (HEC or Operator) production facilities include separation equipment designed to efficiently separate gas from liquid phases to optimize gas capture based on projected and estimated volumes from the targeted pool of our recomplete project. HEC will utilize flowback separation equipment and production separation equipment designed and built to industry specifications after the recomplete to optimize gas capture and send gas to sales or flare based on analytical composition. HEC operates facilities that are typically one-well facilities. Production separation equipment is upgraded prior to well being completed, if determined to be undersized or inadequate. This equipment is already on-site and tied into our sales gas lines prior to the recomplete operations.

VII. Operational Practices:

- 1. Subsection (A) Venting and Flaring of Natural Gas
 - HEC understands the requirements of NMAC 19.15.27.8 which outlines that the venting and flaring of natural gas during drilling, completion or production operations that constitutes waste as defined in 19.15.2 are prohibited.
- 2. Subsection (B) Venting and Flaring during drilling operations
 - This gas capture plan isn't for a well being drilled.
- 3. Subsection (C) Venting and flaring during completion or recompletion
 - o Flowlines will be routed for flowback fluids into a completion or storage tank and if feasible under well conditions, flare rather than vent and commence operation of a separator as soon as it is technically feasible for a separator to function.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
- 4. Subsection (D) Venting and flaring during production operations
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
 - o Monitor manual liquid unloading for wells on-site or in close proximity (<30 minutes' drive time), take reasonable actions to achieve a stabilized rate and pressure at the earliest practical time, and take reasonable actions to minimize venting to the maximum extent practicable.
 - o HEC will not vent or flare except during the approved activities listed in NMAC 19.15.27.8 (D) 1-4.
- 5. Subsection (E) Performance standards
 - All tanks and separation equipment are designed for maximum throughput and pressure to minimize waste.
 - o If a flare is utilized during production operations it will have a continuous pilot and is located more than 100 feet from any known well or storage tanks.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.

- 6. Subsection (F) Measurement or estimation of vented and flared natural gas
 - o Measurement equipment is installed to measure the volume of natural gas flared from process piping.
 - o When measurement isn't practicable, estimation of vented and flared natural gas will be completed as noted in 19.15.27.8 (F) 5-6.

VIII. Best Management Practices:

- 1. Operator has adequate storage and takeaway capacity for wells it chooses to recomplete as the flowlines at the sites are already in place and tied into a gathering system.
- 2. Operator will flare rather than vent vessel blowdown gas when technically feasible during active and/or planned maintenance to equipment on-site.
- 3. Operator combusts natural gas that would otherwise be vented or flared, when technically feasible.
- 4. Operator will shut in wells in the event of a takeaway disruption, emergency situation, or other operations where venting or flaring may occur due to equipment failures.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 493292

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	493292
	Action Type:
	[C-103] NOI Recompletion (C-103E)

CONDITIONS

Created By	Condition	Condition Date
dmcclure	Notify the OCD inspection supervisor via email 24 Hours Prior to beginning operations.	8/7/2025
dmcclure	Down Hole Commingle order is required prior to commingling of production.	8/7/2025
dmcclure	All conducted logs shall be submitted to the OCD as a [UF-WL] EP Well Log Submission (WellLog).	8/7/2025
dmcclure	If Cement is not adequate to protect casing and isolate strata: (a) the uppermost perforation in each additional pool to at least 150 feet above that perforation; and (b) the lowermost perforation in each added pool to at least 100 feet below that perforation, the appropriate Inspection supervisor shall be consulted and remedial action conducted as directed.	8/7/2025



U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: SAN JUAN 29-6 UNIT Well Location: T29N / R6W / SEC 34 /

SESE / 36.67816 / -107.44476

Unit or CA Name: SAN JUAN 29-6

County or Parish/State: RIO

ARRIBA / NM

Well Number: 52A Type of Well: CONVENTIONAL GAS

WELL

Allottee or Tribe Name:

VV L L L

Unit or CA Number:

UNIT--MV

NMNM78416A

US Well Number: 3003921368

Operator: HILCORP ENERGY

COMPANY

Notice of Intent

Lease Number: NMSF080146

Sundry ID: 2869328

Type of Submission: Notice of Intent

Type of Action: Recompletion

Date Sundry Submitted: 08/22/2025 Time Sundry Submitted: 05:54

Date proposed operation will begin: 08/22/2025

Procedure Description: This is a revised NOI. Hilcorp Energy Company requests permission to recomplete the subject well in the Fruitland Coal/Pictured Cliffs and downhole commingle with the existing Mesaverde. Please see the attached procedure, current and proposed wellbore diagram, plat and natural gas management plan. A closed loop system will be used. Hilcorp will contact the FFO Surface group within 90 days after the well has been recompleted, before any interim reclamation work, to conduct the onsite. A reclamation plan will be submitted after the onsite. Updated perfs Fruitland Coal: 3020'-3302' and Pictured Cliffs: 3303'-3469'.

Surface Disturbance

Is any additional surface disturbance proposed?: No

Page 1 of 2

eceived by OCD: 7/16/2025 1:06:46 PM Well Name: SAN JUAN 29-6 UNIT

Well Location: T29N / R6W / SEC 34 /

SESE / 36.67816 / -107.44476

County or Parish/State: RIC 37 of

ARRIBA / NM

Well Number: 52A

Type of Well: CONVENTIONAL GAS

WELL

Allottee or Tribe Name:

Lease Number: NMSF080146

US Well Number: 3003921368

Unit or CA Name: SAN JUAN 29-6

UNIT--MV

Unit or CA Number: NMNM78416A

COMPANY

Operator: HILCORP ENERGY

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: DAWN NASH-DEAL Signed on: AUG 22, 2025 06:45 AM

Name: HILCORP ENERGY COMPANY

Title: Operations Regulatory Tech **Street Address:** 1111 TRAVIS ST

City: HOUSTON State: TX

Phone: (505) 324-5132

Email address: DNASH@HILCORP.COM

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742 BLM POC Email Address: krennick@blm.gov

Disposition: Approved **Disposition Date:** 08/22/2025

Signature: Kenneth Rennick

Page 2 of 2



HILCORP ENERGY COMPANY San Juan 29-6 Unit 52A RECOMPLETION SUNDRY

Prepared by:	Greg Gandler	
Preparation Date:	August 13, 2025	

WELL INFORMATION			
Well Name:	San Juan 29-6 Unit 52A	State:	NM
API#:	3003921368	County:	
Area:	13	Location:	
Route:	1306	Latitude:	
Spud Date:	March 28, 1977	Longitude:	

PROJECT DESCRIPTION

Perforate, fracture, and comingle the Fruitland Coal and Picture Cliffs with the existing Mesa Verde zone.

CONTACTS			
Title	Name	Office Phone #	Cell Phone #
Engineer	Matthew Esz		770-843-9226
Area Foreman			
Lead			
Artificial Lift Tech			
Operator			




HILCORP ENERGY COMPANY San Juan 29-6 Unit 52A RECOMPLETION SUNDRY

JOB PROCEDURES

- 1. MIRU service rig and associated equipment; test BOP.
- 2. TOOH with 2-3/8" tubing set at 5,508'.
- 3. Set a 4-1/2" plug at +/- 3,923' to isolate the Mesa Verde.
- 4. Pull CBL across completion interval.
- 5. Load the hole and pressure test the casing.
- 6. N/D BOP, N/U frac stack and pressure test frac stack.
- 7. Perforate and frac the Fruitland Coal from 3020'-3302' and Picture Cliffs from 3303'-3469'
- 8. Nipple down frac stack, nipple up BOP and test.
- 9. TIH with a mill and drill out top isolation plug and Fruitland Coal and Picture Cliff frac plugs.
- 10. Clean out to Mesa Verde isolation plug.
- 11. Drill out Mesa Verde isolation plug and cleanout to PBTD of 5584'. TOOH.
- 12. TIH and land production tubing. Get a commingled Fruitland Coal/Picture Cliffs/Mesa Verde flow rate.




HILCORP ENERGY COMPANY San Juan 29-6 Unit 52A RECOMPLETION SUNDRY





HILCORP ENERGY COMPANY San Juan 29-6 Unit 52A RECOMPLETION SUNDRY



Sent: 8/13/2025, 12:19:24 PM

From: Rennick, Kenneth G<krennick@blm.gov>

To: Shammy Hisham; McClure, Dean, EMNRD; Garcia, John, EMNRD

Cc: Farmington Regulatory Techs; Blas Enriquez - (C); Lowe, Leonard, EMNRD

CAUTION: External sender. DO NOT open links or attachments from UNKNOWN senders.

The BLM finds the proposed perforations appropriate.

Kenny Rennick

Get Outlook for iOS

From: Shammy Hisham < shammy.hisham@hilcorp.com>

Sent: Tuesday, August 12, 2025 2:38:41 PM

To: McClure, Dean, EMNRD < Dean.McClure@emnrd.nm.gov >; Garcia, John, EMNRD < JohnA.Garcia@emnrd.nm.gov >

Cc: Farmington Regulatory Techs < FarmingtonRegulatoryTechs@hilcorp.com >; Blas Enriquez - (C) < Blas.Enriquez@hilcorp.com >; Lowe,

Leonard, EMNRD < Leonard.Lowe@emnrd.nm.gov >; Rennick, Kenneth G < krennick@blm.gov >

Subject: RE: [EXTERNAL] RE: San Juan 29-6 Unit 52A, 3003921368

Dean,

Sounds good. I will get with regulatory to submit that amended NOI, DHC, and CBL/CNL this week. We will be perforating tomorrow based on the formation depths per my last email.

Once paperwork has been submitted, we will email engineering with action ID.

Thank you,

Shammy Hisham

Operations Engineer
San Juan South Asset Team

Hilcorp Energy Company

Cell: 832-672-1170

From: McClure, Dean, EMNRD < Dean. McClure@emnrd.nm.gov>

Sent: Tuesday, August 12, 2025 3:16 PM

To: Garcia, John, EMNRD < JohnA. Garcia@emnrd.nm.gov >; Shammy Hisham < shammy.hisham@hilcorp.com >; Rennick, Kenneth G

<krennick@blm.gov>

Cc: Farmington Regulatory Techs < FarmingtonRegulatoryTechs@hilcorp.com >; Blas Enriquez - (C) < Blas.Enriquez@hilcorp.com >; Lowe,

Leonard, EMNRD < Leonard.Lowe@emnrd.nm.gov >

Subject: RE: [EXTERNAL] RE: San Juan 29-6 Unit 52A, 3003921368

CAUTION: External sender. DO NOT open links or attachments from UNKNOWN senders.

Shammy Hisham,

That will be fine. Please have your regulatory staff submit an amended NOI with the new distribution of perforations and email engineering with the action ID once submitted to the Division. If the DHC application has been submitted, then they will also need to reach out to Leonard Lowe and follow his guidance on what he needs for the change in perforation distribution.

Released to Imaging: 9/3/2025 8:31:32 AM

Dean McClure

Petroleum Engineer, Oil Conservation Division New Mexico Energy, Minerals and Natural Resources Department (505) 469-8211

From: Garcia, John, EMNRD < <u>JohnA.Garcia@emnrd.nm.gov</u>>

Sent: Tuesday, August 12, 2025 1:15 PM

To: Shammy Hisham <<u>shammy.hisham@hilcorp.com</u>>; Rennick, Kenneth G <<u>krennick@blm.gov</u>>

Cc: Farmington Regulatory Techs < FarmingtonRegulatoryTechs@hilcorp.com >; Blas Enriquez - (C) < Blas.Enriquez@hilcorp.com >;

McClure, Dean, EMNRD < Dean.McClure@emnrd.nm.gov >

Subject: RE: [EXTERNAL] RE: San Juan 29-6 Unit 52A, 3003921368

Dean,

Please see below request and attached log.

Thank you, John Garcia Petroleum Specialist Supervisor Oil Conservation Division 1220 South St. Francis Drive Santa Fe, New Mexico 87505



From: Shammy Hisham < shammy.hisham@hilcorp.com>

Sent: Tuesday, August 12, 2025 12:36 PM

To: Garcia, John, EMNRD < JohnA.Garcia@emnrd.nm.gov >; Rennick, Kenneth G < krennick@blm.gov >

Cc: Farmington Regulatory Techs < FarmingtonRegulatoryTechs@hilcorp.com >; Blas Enriquez - (C) < Blas.Enriquez@hilcorp.com >


Subject: [EXTERNAL] RE: San Juan 29-6 Unit 52A, 3003921368

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

After reviewing the CNL that was pulled this morning, we'd like to propose an updated PC top to 3303' (previously 3315' per OCD website). The CNL clearly shows the bottom coal seam ending at 3302'. We would like approval to perforate as follows:

Basin Fruitland Coal: 3020' - 3302'

Pictured Cliffs: 3303' - 3469'



Assuming NMOCD agrees with all of the above, we will include all this information in the subsequent reports.

Shammy Hisham

Operations Engineer
San Juan South Asset Team

Hilcorp Energy Company

Cell: 832-672-1170

From: Shammy Hisham

Sent: Tuesday, August 12, 2025 11:37 AM

To: Garcia, John, EMNRD < johna.garcia@emnrd.nm.gov >; Rennick, Kenneth G < krennick@blm.gov >

Cc: Farmington Regulatory Techs < FarmingtonRegulatoryTechs@hilcorp.com >; Blas Enriquez - (C) < Blas.Enriquez@hilcorp.com >

Subject: San Juan 29-6 Unit 52A, 3003921368

Good morning,

Attached is the approved NOI we received for the FRC/PC recomplete in the subject mentioned well. Also attached is the CBL pulled yesterday 08/12/25. We would like approval to perforate within the NOI interval as shown below, based on this CBL. **The MIT was witnessed and passed today 08/12/25.** Let me know if you have any questions.

NOI interval:

Basin Fruitland Coal: 3020' – 3314'

Pictured Cliffs: 3315' - 3469'

Released to Imaging: 9/3/2025 8:31:32 AM

San Juan South Asset Team

Hilcorp Energy Company

Cell: 832-672-1170

The information contained in this email message is confidential and may be legally privileged and is intended only for the use of the individual or entity named above. If you are not an intended recipient or if you have received this message in error, you are hereby notified that any dissemination, distribution, or copy of this email is strictly prohibited. If you have received this email in error, please immediately notify us by return email or telephone if the sender's phone number is listed above, then promptly and permanently delete this message.

While all reasonable care has been taken to avoid the transmission of viruses, it is the responsibility of the recipient to ensure that the onward transmission, opening, or use of this message and any attachments will not adversely affect its systems or data. No responsibility is accepted by the company in this regard and the recipient should carry out such virus and other checks as it considers appropriate.

The information contained in this email message is confidential and may be legally privileged and is intended only for the use of the individual or entity named above. If you are not an intended recipient or if you have received this message in error, you are hereby notified that any dissemination, distribution, or copy of this email is strictly prohibited. If you have received this email in error, please immediately notify us by return email or telephone if the sender's phone number is listed above, then promptly and permanently delete this message.

While all reasonable care has been taken to avoid the transmission of viruses, it is the responsibility of the recipient to ensure that the onward transmission, opening, or use of this message and any attachments will not adversely affect its systems or data. No responsibility is accepted by the company in this regard and the recipient should carry out such virus and other checks as it considers appropriate.

Sent: 8/13/2025, 10:20:28 AM

From: McClure, Dean, EMNRD<Dean.McClure@emnrd.nm.gov>
To: Garcia, John, EMNRD; Shammy Hisham; Rennick, Kenneth G

Cc: Farmington Regulatory Techs; Blas Enriquez - (C); Lowe, Leonard, EMNRD

CAUTION: External sender. DO NOT open links or attachments from UNKNOWN senders.

Shammy,

I neglected to include a deadline for the submission of the amended NOI in my prior email. Please do so no later than 5 business days from when verbal approval was granted; that being yesterday.

Dean McClure
Petroleum Engineer, Oil Conservation Division
New Mexico Energy, Minerals and Natural Resources Department
(505) 469-8211

From: McClure, Dean, EMNRD

Sent: Tuesday, August 12, 2025 2:16 PM

To: Garcia, John, EMNRD < <u>JohnA.Garcia@emnrd.nm.gov</u>>; Shammy Hisham < <u>shammy.hisham@hilcorp.com</u>>; Rennick, Kenneth G < krennick@blm.gov>

Cc: Farmington Regulatory Techs < FarmingtonRegulatoryTechs@hilcorp.com>; Blas Enriquez - (C) < Blas.Enriquez@hilcorp.com>; Lowe, Leonard, EMNRD < Leonard.Lowe@emnrd.nm.gov>

Subject: RE: [EXTERNAL] RE: San Juan 29-6 Unit 52A, 3003921368

Shammy Hisham,

That will be fine. Please have your regulatory staff submit an amended NOI with the new distribution of perforations and email engineering with the action ID once submitted to the Division. If the DHC application has been submitted, then they will also need to reach out to Leonard Lowe and follow his guidance on what he needs for the change in perforation distribution.

Hilcorp will also need to submit both the CBL and CNL to the Division via OCD Permitting.

Dean McClure
Petroleum Engineer, Oil Conservation Division
New Mexico Energy, Minerals and Natural Resources Department
(505) 469-8211

From: Garcia, John, EMNRD < JohnA. Garcia@emnrd.nm.gov>

Sent: Tuesday, August 12, 2025 1:15 PM

To: Shammy Hisham <shammy.hisham@hilcorp.com>; Rennick, Kenneth G <krennick@blm.gov>

Cc: Farmington Regulatory Techs < FarmingtonRegulatoryTechs@hilcorp.com >; Blas Enriquez - (C) < Blas.Enriquez@hilcorp.com >;

McClure, Dean, EMNRD < Dean. McClure@emnrd.nm.gov >

Subject: RE: [EXTERNAL] RE: San Juan 29-6 Unit 52A, 3003921368

Dean,

Please see below request and attached log.

Thank you,
John Garcia
Petroleum Specialist Supervisor
Oil Conservation Division
1220 South St. Francis Drive



From: Shammy Hisham < shammy.hisham@hilcorp.com>

Sent: Tuesday, August 12, 2025 12:36 PM

To: Garcia, John, EMNRD < JohnA. Garcia@emnrd.nm.gov >; Rennick, Kenneth G < krennick@blm.gov >


Cc: Farmington Regulatory Techs < FarmingtonRegulatoryTechs@hilcorp.com >; Blas Enriquez - (C) < Blas.Enriquez@hilcorp.com >

Subject: [EXTERNAL] RE: San Juan 29-6 Unit 52A, 3003921368

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

After reviewing the CNL that was pulled this morning, we'd like to propose an updated PC top to 3303' (previously 3315' per OCD website). The CNL clearly shows the bottom coal seam ending at 3302'. We would like approval to perforate as follows:

Basin Fruitland Coal: 3020' – 3302' Pictured Cliffs: 3303' – 3469'



Assuming NMOCD agrees with all of the above, we will include all this information in the subsequent reports.

Shammy Hisham

Operations Engineer San Juan South Asset Team

Hilcorp Energy Company

Cell: 832-672-1170

From: Shammy Hisham Released to Imaging: 9/3/2025 8:31:32 AM Sent: Tuesday, August 12, 2025 11:37 AM

To: Garcia, John, EMNRD < johna.garcia@emnrd.nm.gov >; Rennick, Kenneth G < krennick@blm.gov Co: Farmington Regulatory Techs < krennick@blm.gov Co: Farmington Regulatory Techs < krennick@blm.gov Slas Enriquez - (C) < kleinington kegulatory Techs@hilcorp.com >; Blas Enriquez - (C) < kleinington kegulatory Techs@hilcorp.com >; Blas Enriquez - (C) < kleinington kegulatory Techs@hilcorp.com >; Blas Enriquez - (C) < kleinington kegulatory Techs@hilcorp.com >; Blas Enriquez - (C) < kleinington kegulatory Techs@hilcorp.com >; Blas Enriquez - (C) < kleinington kegulatory Techs@hilcorp.com >; Blas Enriquez - (C) < kleinington kegulatory Techs@hilcorp.com >; Blas Enriquez - (C) < kleinington kegulatory Techs@hilcorp.com >; Blas Enriquez - (C) < kleinington kegulatory Techs@hilcorp.com >; Blas Enriquez - (C) < kleinington kegulatory Techs@hilcorp.com >; Blas Enriquez - (C) < kleinington kegulatory Techs@hilcorp.com >; Blas Enriquez - (C) < kleinington kegulatory Techs@hilcorp.com >; Blas Enriquez - (C) < kleinington kegulatory Techs@hilcorp.com >; Blas Enriquez - (C) < kleinington kegulatory Techs@hilcorp.com >; Blas Enriquez - (C) < kleinington kegulatory Techs@hilcorp.com >; Blas Enriquez - (C) < kleinington kegulatory Techs@hilcorp.com >; Blas Enriquez - (C) < kleinington kegulatory Techs@hilcorp.com >; Blas Enriquez - (C) < kle

Subject: San Juan 29-6 Unit 52A, 3003921368

Good morning,

Attached is the approved NOI we received for the FRC/PC recomplete in the subject mentioned well. Also attached is the CBL pulled yesterday 08/12/25. We would like approval to perforate within the NOI interval as shown below, based on this CBL. **The MIT was witnessed and passed today 08/12/25.** Let me know if you have any questions.

NOI interval:

Basin Fruitland Coal: 3020' - 3314'

Pictured Cliffs: 3315' - 3469'

Shammy Hisham

Operations Engineer
San Juan South Asset Team

Hilcorp Energy Company Cell: 832-672-1170

The information contained in this email message is confidential and may be legally privileged and is intended only for the use of the individual or entity named above. If you are not an intended recipient or if you have received this message in error, you are hereby notified that any dissemination, distribution, or copy of this email is strictly prohibited. If you have received this email in error, please immediately notify us by return email or telephone if the sender's phone number is listed above, then promptly and permanently delete this message.

While all reasonable care has been taken to avoid the transmission of viruses, it is the responsibility of the recipient to ensure that the onward transmission, opening, or use of this message and any attachments will not adversely affect its systems or data. No responsibility is accepted by the company in this regard and the recipient should carry out such virus and other checks as it considers appropriate.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

COMMENTS

Action 485602

COMMENTS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	485602
	Action Type:
	[C-107] Down Hole Commingle (C-107A)

COMMENTS

Created	Comment	Comment
Ву		Date
llowe	Perf ranges changed. DHC Application needed an updated version. 08/25/25	8/26/2025

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 485602

CONDITIONS

Operator:	OGRID:
HILCORP ENERGY COMPANY	372171
1111 Travis Street	Action Number:
Houston, TX 77002	485602
	Action Type:
	[C-107] Down Hole Commingle (C-107A)

CONDITIONS

Created By	Condition	Condition Date
llowe	None	8/18/2025