Case No
4173

Large Exhibits

V.N.R.C.F. MICROGRAPHICS

BEST AVAILABLE COPY



N.M.O.C.C. MICROGRAPHICS
BEST AVAILABLE COPY



EXHIBIT 6
CASE 4193
DATE 7-1-90

W.N.M.C.P. MICROGRAPHICS
BEST AVAILABLE COPY

A

A'

SHELL
No.1 McKINLEY A-19
Sec.19-18S-38E
2310' FSL-1650'FEL
Elev. 3664' DF

AMERADA
No. 5 STATE A
Sec.32-18S-38E
660'FNL-660'FEL
Elev. 3660' DF

PAN AMERICAN
No. 11x STATE A-2 "RAA"
Sec.4-19S-38E
810'FNL-2030'FWL
Elev. 3639' DF

TOP TUBB SAND

BASE TUBB SAND

TOP ABO

-2700
-2800
-2900
-3000
-3100
-3200
-3300
-3400
-3500

TD 9550'
No Drinkard tests.
P & A

TD 8044' PB 6954'
DST No. 1, 6860-6980, op 1 hr.
Rec. 275' OCM (ME,oil).
Perf 6874-6898. Acid: 2500 gals.
Perf 6926-6936. Acid-4500 gals.
P 20 BO + 55 BW; GOR 57,750 on
24 hr. test: 7-3-69.

TD 8160' PB 6988'
DST No. 3, 6659-6755, op 3 hrs 5 min,
G 43 min. Rec 1480' HOGCM,
150' OGCM, 60' SW.
DST No. 4, 6762-6880, op 2 hrs.
Rec. 60' SOCM, 5' oil.
DST No. 5, 6860-6890, op 1 hr 33 min.
Rec. 180' SOGCM.
DST No. 6, 6850-6910, op 3 hrs 20 min,
G 35 min, vol. 65 MCFPD. Rec. 1400'
HOGCM, 100' oil.
DST No. 7, 6950-7025, op 2 hrs.
Rec. 205' M.
Perf: 6880-6920, 6938-6954, 6968-6988.
Acid: 5500 gals.
IP: P 65 BOPD + 56 BSW.
Temp. abnd. 5-5-69.

BEFORE EXAMINER UTZ
OIL CONSERVATION COMMISSION
AMERADA EXHIBIT NO. 2
CASE NO. 4173

AMERADA HESS CORPORATION
AMERADA DIVISION

HOBBS FIELD

STRUCTURAL SECTION A-A'

TUBB-DRINKARD

T18-19S R38E

Lea County, New Mexico

HORIZ. 1 in.= 1000 ft. VERT. 1 in.=100 ft.

July, 1969 W.K. Johnston

W.N.M.C.F. MICROGRAPHICS
BEST AVAILABLE COPY

R 38 E

T 18 S

T 19 S

-2500
-2400
-2300
-2200
-2100

LEGEND

- HOBBS FIELD WELLS ABOVE BLINEBRY
- BLINEBRY WELLS — ACTIVE
- DRINKARD COMPLETIONS — ACTIVE
- DRINKARD CONTROL

AMERADA HESS CORPORATION
AMERADA DIVISION

HOBBS FIELD
T 18-19 S R 37-38 E
LEA COUNTY, NEW MEXICO

STRUCTURE MAP
TOP BLINEBRY
C.I. = 50'

SCALE 1" = 1000'

BEFORE EXAMINER UTZ
OIL CONSERVATION COMMISSION
EXHIBIT NO. 1
CASE NO. 4173

R.G.W.'68

W.N.M.C.F. MICROGRAPHICS
BEST AVAILABLE COPY