Case No
5276

Large Exhibits

V.S.W.C.F. MICROGRAPHICS
BEST AVAILABLE COPY

V.R.N.C.F. MICROGRAPHICS
BEST AVAILABLE COPY



U.S.N.C.F. MICROGRAPHICS

BEST AVAILABLE COPY



U.S.N.R.C.F. MICROGRAPHICS

BEST AVAILABLE COPY



U.S.N.R.C.F. MICROGRAPHICS

BEST AVAILABLE COPY



V.R.N.C.P. MICROGRAPHICS

BEST AVAILABLE COPY



V.R.R.C.F. MICROGRAPHICS

BEST AVAILABLE COPY



V.A.M.C.F. MICROGRAPHICS

BEST AVAILABLE COPY



V.R.M.C.F. MICROGRAPHICS

BEST AVAILABLE COPY



V.E.N.C.P. MICROGRAPHICS

BEST AVAILABLE COPY



W.R.N.C.F. MICROGRAPHICS

BEST AVAILABLE COPY

BEFORE THE
OIL CONSERVATION COMMISSION
Santa Fe, New Mexico
Exhibit No. /
Case No.
Submitted by
Hearing Date



EXHIBIT NO. 4

W.R.H.C.P. MICROGRAPHICS
BEST AVAILABLE COPY

U.S.G.S. REPRODUCTION
NOT FOR SALE



BEFORE THE
OIL CONSERVATION COMMISSION
Santa Fe, New Mexico
Case No. 5826 Exhibit No. 2
Submitted by Hodges
Hearing Date 2/17/72

EXHIBIT NO. 1

LELAND A. HODGES, TRUSTEE. PROPOSED EXTENSION OF POTASH-OIL AREA OF RULE III-A, AS AMENDED.

BEFORE THE
OIL CONSERVATION COMMISSION
Santa Fe, New Mexico
Case No. 5976 Exhibit No. 6
Submitted by Hodges Trs.
Hearing Date 7/10/74



POTASH ORE ZONES
LELAND A. HODGES, TRUSTEE
SALT LAKE POTASH AREA
EDDY COUNTY, NEW MEXICO
DATUM SEA LEVEL

EXHIBIT NO.____

U.S.B.C.F. MICROGRAPHICS
BEST AVAILABLE COPY


R 30 E
T 22 S
T 23 S
T 24 S
31
36
6
1
I-57
D-223
D-216
D-219
D-232
D-200
D-198
I-374
I-400
OD-61
OD-178
OD-165
OD-38
D-168
D-229
D-360
D-222
OD-217
OD-218
D-230
I-406
D-20
D-201
OD-187
D-226
OD-170
OD-195
D-196
D-188
D-180
D-160
OD-228
D-239
D-220
OD-221
D-13
GS-3
OD-30
OD-197
OD-76
OD-31
I-181
I-264
I-179
OD-227
I-3310
I-276
I-275
D-38
D-26
I-409
I-140
D-27
D-177
D-179
I-383
I-266
D-17
I-274
OI-176
I-178
D-1
OI-408
D-180
I-278
I-182
4 5.3'-9.9 Ls, 2 Sy, 3 Ks
I-277
4 6.5'-8.1 Ls, 4 Sy
D-11
4 6.3'-7.5 Ls, 2.6 Sy
I-411
I-373A
D-22
OD-6
OI-384
D-16
4 5.7'-6.8 Ls
3 Sons Ls
D-19
S-6
10 6.2'-11.6 Ls, 6.0 Sy, 1.7 Ls
OI-385
4 4.1'-7.3 Ls, 1.3 Sy
I-370
D-5A
OI-369
I-415
I-3710
D-10
4 6.0'-8.0 Ls
I-417
OI-386
4 8.7'-12 Ls, 1 Sy
PP-5
S-200
I-372
4 6.7'-11.6 Ls, 3 Sy
OF-3
OI-388
OI-387
4 6.3'-8.4 Ls, 2 Sy
PP-4
4 7.5'-10.1 Ls, 1.8 Sy
10 3.5'-15.9 w/Sy
4 0.8" Sons Ls and Sy
GS-22
S-2
A-24
AEC-1
10 Sons Sy
4 Sons Ls and Sy
3 Sons Ls and Sy
2 Sons Ls and Sy
1 Sons Ls and Sy
D-3
S-110
10 3.0'-13 Ls, 3 Sy, 0.1 Ls
A-8
S-15
10 NM
4 NM
3 NM
2 3.0'-4.6 Ls, 1.6 Sy, 1.8 Ls
1 NM
10 NM
4 6.8'-8.6 Ls
3 NM
2 NM
1 NM
OS-16

R 29 E

36

31

1

6

TRUNCATION
FIRST ORE ZONE

TRUNCATION
TENTH ORE ZONE

FIRST, SECOND, THIRD, FOURTH, AND TENTH ORE ZONES DATA

LELAND A. HODGES, TRUSTEE

SALT LAKE AREA

EDDY COUNTY, NEW MEXICO

SCALE: 4 inches = 1 Mile

LEGEND

o POTASH CORE TEST

3 5.7'-20.8 Sy = ORE ZONE — THICKNESS — % K_2O — MINERAL

La—LANGBEINITE Sy—SYLVITE Gl—GLASERITE

Le—LEONITE Ka—KAINITE Su—SULFATE

SM—SLIGHTLY MINERALIZED NM—NOT MINERALIZED

HIGH GRADE x THICKNESS AREA, TENTH ORE ZONE

INTERMEDIATE GRADE x THICKNESS AREA, TENTH ORE ZONE

POTASH-OIL AREA, RULE III-A, AS AMENDED

PROPOSED EXTENSION OF POTASH-OIL AREA

BEFORE THE
OIL CONSERVATION COMMISSION
Santa Fe, New Mexico
Case No. 5276 Exhibit No. 11
Submitted by Hodges
Hearing Date 2-19-74

U.N.M.C.F. MICROGRAPHICS
BEST AVAILABLE COPY

R 30 E

T 22 S

T 23 S

T 24 S

I-57
D-223
D-216
D-219
D-232
D-200
D-198
I-374
I-400
OD-61
OD-178
OD-165
OD-38
D-168O
D-229
D-360
D-222
OD-217
OD-218
D-230
I-406
31
D-20
D-201
D-187
D-226
OD-170
OD-195
D-196
OD-228
D-188
D-180
D-160
36
31
D-13
OD-239
D-220
OD-221
OGS-3
I-181
OD-30
OD-197
OD-76
OD-31
I-264
I-179
OD-227
I-3310
I-276
I-275
D-28
6
D-26
I-409
I-140
D-27
D-177
D-179
I-383
1
6
I-266
D-17
I-274
OI-176
I-178
OI-408
D-180
D-1
I-278
I-182
4 5.3'-9.9 Lo, 2 Sy, 3 Ko
I-277
4 6.5'-6.1 Lo, 4 Sy
D-11
4 6.5'-7.5 Lo, 2.6 Sy
D-22
I-411
I-373A
OI-384
OD-6
D-16
4 3.7'-6.8 Lo
3 Some Lo
D-19
S-6
10 6.7'-1.5 Lo, 6.0 Sy, 1.7 Le
9 NM
8 NM
7 NM
6 NM
5 NM
OI-385 4 4.1'-7.3 Lo, 1.3 Sy
I-370
D-5A
OI-369
I-415
I-3710
D-10
4 6.0'-8.0 Lo
I-417
OI-386
4 8.7'-.2 Lc, 1 Sy
PP-5
S-20
10 SM
9 NM
8 NM
7 NM
I-372
4 6.7'-11.6 Lo, 3 Sy
OF-3
OI-388
OI-387
4 6.3'-8.4 Lo, 2 Sy
PP-4
4 7.5'-7.0 Lo, 1.8 Sy
10 3.0'-15.9 w/Sy
4 H.S. Some Lo and Sy
GS-22
S-2
10 NM
9 NM
8 NM
7 NM
31
A-24
10 NM
9 NM
8 NM
7 NM
AEC-1
36
4 Some Sy
3 Some Lo and Sy
2 Some Lo and Sy
1 Some Lo and Sy
D-3
31
A-8
6
S-110
10 3.0'-13 Lo, 3 Sy, 5 Lo
9 SM
8 SM
7 SM
10 SM
4 5.8'-8.6 Lo
3 SM
2 SM
1 SM
OS-16
1
S-15
10 SM
9 SM
8 SM
7 SM
6 7.0'-4.6 Lo, 1.6 Sy, 1.8 Lo
5 SM
6

V.P.I.C.P. MICROGRAPHICS
BEST AVAILABLE COPY

R 29 E

36 31 1 6

TRUNCATION
FIRST ORE ZONE

TRUNCATION
TENTH ORE ZONE

FIRST, SECOND, THIRD, FOURTH, AND TENTH ORE ZONES DATA
LELAND A. HODGES, TRUSTEE
SALT LAKE AREA
EDDY COUNTY, NEW MEXICO

SCALE: 4 inches = 1 Mile

LEGEND

- o POTASH CORE TEST
- 3 5.7'–20.8 Sy = ORE ZONE — THICKNESS — % K_2O — MINERAL
- La—LANGBEINITE Sy—SYLVITE Gl—GLASERITE
- Le—LEONITE Ka—KAINITE Su—SULFATE
- SM—SLIGHTLY MINERALIZED NM—NOT MINERALIZED
- HIGH GRADE x THICKNESS AREA, Fourth ORE ZONE
- INTERMEDIATE GRADE x THICKNESS AREA, Fourth ORE ZONE
- POTASH-OIL AREA, RULE 111-A, AS AMENDED
- PROPOSED EXTENSION OF POTASH-OIL AREA

BEFORE THE
OIL CONSERVATION COMMISSION
Santa Fe, New Mexico
Case No. 5276 Exhibit No. 17
Submitted by: Hodges
Hearing Date: 9/27/74

V.R.N.C.F. MICROGRAPHICS
BEST AVAILABLE COPY

R 30 E

T 22 S

T 23 S

T 24 S

I-57 D-223 D-216 D-219 D-232 D-200 D-198 I-374

I-400 OD-61 OD-178 OD-165 OD-38 D-168O D-229 D-360 D-222 OD-217 OD-218 D-230 I-406 31 D-20 D-201 OD-187 D-226 OD-170 OD-195 D-196O D-228 D-188 D-180 D-160 36 31 D-13 OD-239 D-220 OD-221 OGS-3

I-181 I-264 I-3310 D-28 6 I-179 I-275 D-26 I-409 OD-30 I-276 I-140 D-27 OD-197 OD-76 OD-31 D-227 D-177 D-179 I-383 1 6 I-266 I-274 D-17 OI-176 I-178

OI-408 D-180 D-1 I-182 4 5.3'-9.9 Lo, 2 Sy, 3 Ke I-277 4 6.5'-6.1 Lo, 4 Sy D-11 4 6.5'-7.5 Lo, 2.6 Sy I-278 I-411 I-373AO D-22 OD-6 OI-384

10 3.3'-2.6 Lo, 14 9 Sy
9 4.6'-8.3 Lo
3 NM
2 SM
1 NM

S-6 10 6.3'-16 Lo, 6.0 Sy, 1.7 Le
4 NM
3 NM
2 NM
1 NM

D-19 OI-385 4 4.1'-7.3 Lo, 1.3 Sy I-370 D-5A OI-369

I-415 I-3710 D-25 10 4.2'-15.3 Le and Sy I-417 OI-386 4 8.7'-.2 Lo, 1 Sy PP-5O

S-20 10 SM 9 SM 8 NM 7 NM 1 NM I-3720 4 6.7'-11.6 Lo, 3 Sy OF-3 OI-388 OI-387 4 6.3'-8.4 Lo, .2 Sy PP-4 4 7.5'-7.0 Le, 1.8 Sy 10 3.9'-15.9 +/Sy 4 11.8' Some Le and Sy GS-22

10 8.8'-20.1 Sy, Some Su 6 Some Su 5 Some Su 4 Some Su 3 Some Su 2 Some Su 1 Some Su OD-4

S-23 10 NM 9 NM 8 NM 7 NM 1 NM

31 A-24 10 NW 4 NE 3 NW 2 NE 1 NW AEC-1 36 31

9 Some Su 8 Some Le and Sy 7 Some Le and Sy 6 Some Le and Sy 5 Some Le and Sy 4 Some Le and Sy 3 Some Le and Sy 2 Some Le and Sy 1 Some Le and Sy D-3

A-8 6 S-110 10 3.0'-13 Le, 3 Sy, 5.1 Le 4 NM 3 SM 2 SM 1 NM 1 S-15 10 SM 9 SM 8 SM 7 2.0'-4.6 Le, 1.6 Sy, 1.8 Le 6 SM 6

V.R.N.C.F. MICROGRAPHICS
BEST AVAILABLE COPY

R 29 E.

36 31 1 6

TRUNCATION
FIRST ORE ZONE

TRUNCATION
TENTH ORE ZONE

FIRST, SECOND, THIRD, FOURTH, AND TENTH ORE ZONES DATA
LELAND A. HODGES, TRUSTEE
SALT LAKE AREA
EDDY COUNTY, NEW MEXICO

SCALE: 4 inches = 1 Mile

LEGEND

o POTASH CORE TEST

3 5.7'- 20.8 Sy = ORE ZONE — THICKNESS — % K_2O — MINERAL

La—LANGBEINITE Sy—SYLVITE Gl—GLASERITE

Le—LEONITE Ka—KAINITE Su—SULFATE

SM—SLIGHTLY MINERALIZED NM—NOT MINERALIZED

HIGH GRADE x THICKNESS AREA, THIRD ORE ZONE

INTERMEDIATE GRADE x THICKNESS AREA, THIRD ORE ZONE

POTASH-OIL AREA, RULE III-A, AS AMENDED

PROPOSED EXTENSION OF POTASH-OIL AREA

BEFORE THE
OIL CONSERVATION COMMISSION
Santa Fe, New Mexico
Case No. 5876 Exhibit No. 12
Submitted by Hodges
Hearing Date 7-31-74

U.S.N.C.F. MICROGRAPHICS
BEST AVAILABLE COPY

R 30 E.

T 22 S

T 23 S

T 24 S

31 36 31

6 1 6

31 36 31

6 1 6

I-57 D-223 D-216 D-219 D-232 D-200 D-198 I-374

I-400 OD-61 OD-178 OD-165 OD-38 D-168O D-229 D-360

D-222 D-217 D-218 D-230

I-406 D-20 D-201 OD-187 D-226 OD-170 OD-195 D-196O OD-228 D-186 D-180 D-160

D-13 OD-239 D-220 OD-221

OGS-3

I-181 OD-30 OD-197 OD-76 OD-31

I-264 I-179 I-276 OD-227

I-3310 I-275 D-27 D-177 D-179 I-383

D-28 D-26 I-409 I-140

I-266 D-17

I-274 OI-176 I-178 D-1

OI-408 D-180

I-182 I-277 I-278 D-11 I-411 I-373AO

4 5.3'-9.9 Ls, 2 Sy, 3 Ks 4 6.5'-8.1 Ls, 4 Sy 4 6.3'-7.5 Ls, 2.8 Sy

D-22 OI-384

OD-6

D-16 D-19

4 5.7'-6.8 Lo
3 Stone Ls

10 3.3'-2.6 Ls, 4.9 Sy
4 4.6'-2.3 Ls
3 NM
2 NM
1 NM

S-6 10 6.7'-11.6 Ls, 6.0 Sy, 1.7 Ls
4 NM
3 NM
2 NM
1 NM

OI-385 4 4.1'-7.3 Ls, 1.3 Sy I-370 D-5A OI-369

D-2
10 3.0'-18.9 Sy

I-415 I-3710

D-10
4 6.0'-8.0 Lo

D-25
10 4.2'-15.3 Ls and Sy

I-417

OI-386
4 8.7'-.2 Ls, .1 Sy

PP-5O

S-20O S-70 I-3720
4 4.7'-11.6 Ls, 3 Sy

10 3.5'-3.5 Ls, 6.2 Ls, 1.1 Ks
4 4.3'-9.5 Ls, .8 Sy, .7 Ls
3 NM
2 NM
1 NM

OF-3

OI-388

OI-387
4 6.3'-8.4 Ls, .2 Sy

PP-4
4 7.3'-7.0 Ls, 1.8 Sy

10 3.5'-15.9 w/Sy
4 11.8' Some Ls and Sy
GS-22

10 5.9'-11.1 Sy, Some Sy
4 Some Sy
3 Some Sy
2 Some Sy
1 Some Sy

OD-4

S-23

31 A-24 AEC-1 36 31

D-3

A-8 S-110 S-15

6 6

10 3.0'-1.3 Ls, 3 Sy, .5 Ls
4 NM
3 NM
2 NM
1 NM

7.0'-4.6 Ls, 1.6 Sy, 1.8 Ls

OS-16
10 5.8'-8.6 Ls

U.S.G.S. TOPOGRAPHIC

WHITE ARCHIVABLE COPY



FIRST, SECOND, THIRD, FOURTH, AND TENTH ORE ZONES DATA

LELAND A. HODGES, TRUSTEE

SALT LAKE AREA

EDDY COUNTY, NEW MEXICO

SCALE: 4 inches = 1 Mile

LEGEND

o POTASH CORE TEST

3 5.7'–20.8 Sy = ORE ZONE — THICKNESS — % K_2O — MINERAL

La—LANGBEINITE Sy—SYLVITE Gl—GLASERITE

Le—LEONITE Ka—KAINITE Su—SULFATE

SM—SLIGHTLY MINERALIZED NM—NOT MINERALIZED

HIGH GRADE x THICKNESS AREA, _____ ORE ZONE

INTERMEDIATE GRADE x THICKNESS AREA, SECOND ORE ZONE

POTASH-OIL AREA, RULE 111-A, AS AMENDED

PROPOSED EXTENSION OF POTASH-OIL AREA

BEFORE THE
OIL CONSERVATION COMMISSION
Santa Fe, New Mexico
Case No. 5276 Exhibit No. 14
Submitted by Hodges
Hearing Date 5-31-74

U.S.N.C.F. MICROGRAPHICS
BEST AVAILABLE COPY

R 30 E

T 22 S

T 23 S

T 24 S

I-57
D-223
D-216
D-219
D-232
D-200
D-198
I-374
I-400
OD-61
OD-178
OD-165
OD-38
D-168O
D-229
D-360
D-222
OD-217
OD-218
D-230
I-406
31
D-20
D-201
D-226
OD-187
OD-170
OD-195
D-196O
OD-228
D-188
D-180
D-160
36
31
D-13
OD-239
D-220
OD-221
OGS-3
I-181
I-264
I-179
OD-30
OD-197
OD-76
OD-31
I-3310
OD-227
I-276
I-275
D-28
6
D-26
I-409
I-140
D-27
D-177
D-179
I-383
1
6
I-266
D-17
I-274
OI-176
I-178
OI-408
D-1
D-180
I-182
6 Sy, 6 La
4 5.5'-9.9 La, 2 Sy, .3 Ka
I-277
4 6.5'-8.1 La, 4 Sy
I-278
D-11
4 6.5'-7.5 La, 2.5 Sy
D-22
I-411
I-373AO
OD-6
OI-384
D-16
4 5.7'-6.8 La
3 Stone La
D-19
10 3.5'-2.6 La, 14.9 Sy
4 4.6'-2.3 La
3 NM
2 SM
1 NM
S-6
10 6.2'-11.6 La, 6.0 Sy, 1.7 La
9 NM
8 NM
7 NM
1 NM
OI-385 4 4.1'-7.3 La, 1.3 Sy
I-370
D-5A
OI-369
D-2
10 3.0'-16.9 Sy
I-415
I-3710
D-10
4 6.0'-8.0 La
D-25
10 4.2'-18.3 La and Sy
I-417
OI-386
4 8.7'-.2 La, 1 Sy
PP-5O
S-20O
10 SM
9 NM
8 NM
7 NM
1 NM
S-70
10 3.3'-5.5 La, 6.2 La, 1.1 Ka
9 SM
8 SM
7 SM
1 NM
I-3720
4 6.7'-11.6 La, 3 Sy
OF-3
OI-388
OI-387
4 6.3'-8.4 La, 2 Sy
PP-4
4 7.5'-7.0 La, 1 8 Sy
10 5.8'-11.1 Sy, Some Su
9 Some Su
8 Some Su
7 Some Su
1 Some Su
OD-4
10 3.8'-15.9 w/Sy
4 11.8' Some La and Sy
OS-22
S-23
10 NM
9 NM
8 NM
7 NM
1 NM
31
A-24
10 NM
9 NM
8 NM
7 NM
1 NM
AEC-1
36
10 Some Su
9 Some La and Sy
8 Some La and Sy
7 Some La and Sy
1 Some La 1 Sy
D-3
31
A-8
6
S-110
10 3.0'-13 La, 3 Sy, .5 La
9 NM
8 SM
7 SM
1 SM
1
S-15
10 SM
9 SM
8 SM
7 7.0'-4.5 La, 1.6 Sy, 1.8 La
6
10 SM
9 3.5'-9.6 La
8 SM
7 SM
1 SM
OS-16

V.S.U.C.F. MICROGRAPHICS
BEST AVAILABLE COPY



FIRST, SECOND, THIRD, FOURTH, AND TENTH ORE ZONES DATA

LELAND A. HODGES, TRUSTEE

SALT LAKE AREA

EDDY COUNTY, NEW MEXICO

SCALE: 4 inches = 1 Mile

LEGEND

o POTASH CORE TEST

3 5.7'–20.8 Sy = ORE ZONE — THICKNESS — % K_2O — MINERAL

La—LANGBEINITE Sy—SYLVITE Gl—GLASERITE

Le—LEONITE Ka—KAINITE Su—SULFATE

SM—SLIGHTLY MINERALIZED NM—NOT MINERALIZED

HIGH GRADE x THICKNESS AREA, FIRST ORE ZONE

INTERMEDIATE GRADE x THICKNESS AREA, _____ ORE ZONE

POTASH-OIL AREA, RULE III-A, AS AMENDED

PROPOSED EXTENSION OF POTASH-OIL AREA

BEFORE THE
OIL CONSERVATION COMMISSION
Santa Fe, New Mexico
Case No. 5476 Exhibit No. 15
Submitted by Hodges
Hearing Date 11-31-54

V.N.M.C.F. MICROGRAPHICS
BEST AVAILABLE COPY

R 30 E

T 22 S

T 23 S

T 24 S

31

36

6

1

I-57
D-223
D-216
D-219
D-232
D-200
D-198
I-374
I-400
OD-61
OD-178
OD-165
OD-38
D-168
D-229
D-360
D-222
OD-217
OD-218
D-230
I-406
D-20
D-201
D-187
D-226
OD-170
OD-195
D-196
D-188
D-180
D-160
OD-228
OD-239
D-220
OD-221
D-13
GS-3
I-181
OD-30
D-197
OD-76
OD-31
I-264
I-179
D-227
I-3310
I-276
I-275
D-28
D-26
I-409
I-140
D-27
D-177
D-179
I-383
I-266
D-17
I-274
I-176
I-178
OI-408
D-1
D-180
I-182
4 5.3'-9.9 Lo, 2 Sy, 3 Ks
I-277
4 6.5'-6.1 Lo, 4 Sy
I-278
D-11
4 6.5'-7.5 Lo, 2.6 Sy
D-22
I-411
I-373A
OD-6
OI-384
D-16
4 5.7'-6.8 Lo
3 Some Lo
D-19
10 3.3'-2.6 Lo, 14 9 Sy
4 4.6'-2.3 Lo
3 NM
2 SM
1 NM
S-6
10 6.7'-1.6 Lo, 6.0 Sy, 1.7 Ls
4 NM
3 NM
2 NM
1 NM
OI-385 4 4.1'-7.3 Lo, 1.3 Sy
I-370
D-5A
OI-369
D-2
10 3.0'-16.9 Sy
I-415
I-3710
D-10
4 6.0'-8.0 Lo
D-25
10 4.2'-15.3 Lo and Sy
I-417
OI-386
4 8.7'-.2 Lo, 1 Sy
PP-5
S-200
10 SM
4 NM
3 NM
2 NM
1 NM
S-70
10 3.5'-5.5 Lo, 6.2 Ls, 1.1 Ks
4 4.5'-8.3 Lo, .6 Sy, .7 Ls
3 SM
2 SM
1 NM
I-372
4 6.3'-11.6 Lo, .3 Sy
OF-3
10 5.8'-11.1 Sy, Some Su
4 Some Sy
3 Some Sy
2 Some Sy
1 Some Sy
OD-4
OI-388
10 3.9'-15.9 w/Sy
4 11.8' Some Lo and Sy
GS-22
OI-387
4 6.3'-8.4 Lo, .2 Sy
PP-4
4 7.5'-7.0 Lo, 1.8 Sy
S-23
10 NM
4 NM
3 NM
2 NM
1 NM
A-24
10 NM
4 NM
3 NM
2 NM
1 NM
AEC-1
10 Some Sy
4 Some Lo and Sy
3 Some Lo and Sy
2 Some Lo and Sy
1 Some Lo and Sy
D-3
A-8
S-110
10 3.0'-13 Lo, 3 Sy, 5.1 Ls
4 NM
3 SM
2 SM
1 SM
S-15
10 SM
4 SM
3 SM
2 SM
1 7.0'-4.6 Lo, 1.6 Sy, 1.8 Ls
10 SM
4 5.5'-8.6 Ls
3 SM
2 SM
1 SM
OS-16

U.S.N.C.F. MICROGRAPHICS
BEST AVAILABLE COPY



U.S.G.S. PHOTOGRAPHICS
BEST AVAILABLE COPY


R30E
DUVAL
S.
31
36
31
6
1
6
1
31
6
1
6
I-57
D-223
D-216
D-219
D-232
D-200
D-198
I-374
I-400
D-61
D-178
D-165
D-38
D-168
D-229
D-36
D-222
D-217
D-218
D-230
I-406
D-20
D-2010
D-187
D-226
D-170
D-188
D-160
D-195
D-180
D-239
D-221
D-220
D-228
D-13
GS-3
D-30
D-197
D-76
D-31
I-264
I-331
I-181
I-179
D-227
I-275
I-276
D-27
D-177
D-28
D-26
I-409
I-410
D-179
I-383
I-266
D-17
I-274
I-176
I-178
I-408
D-1
I-182
I-278
D-18
I-271
D-11
I-411
I-373A
D-22
I-384
D-6
D-19
I-385
I-370
D-5A
I-369
I-415
I-371
I-417
I-386
PP-5
I-372
OF-3
I-387
I-388
PP-4
GS-22
S-20
S-22
A-24
AEC-1
S-11
A-8
S-15

V.E.N.C.F. MICROGRAPHICS
BEST AVAILABLE COPY



V.A.M.C.F. MICROGRAPHICS

BEST AVAILABLE COPY



W.M.H.C.F. MICROGRAPHICS

BEST AVAILABLE COPY



W.N.N.C.F. MICROGRAPHICS

BEST AVAILABLE COPY



V.R.N.C.F. MICROGRAPHICS

BEST AVAILABLE COPY



V.T.U.C.F. MICROGRAPHICS

BEST AVAILABLE COPY







V.A.M.C.F. MICROGRAPHICS

BEST AVAILABLE COPY



U.S.N.C.F. MICROGRAPHICS

BEST AVAILABLE COPY



V.R.R.C.P. MICROGRAPHICS

BEST AVAILABLE COPY

V.N.M.C.F. MICROGRAPHICS
BEST AVAILABLE COPY



A.S.M.C.F. MICROGRAPHICS

BEST AVAILABLE COPY

CARLSBAD CURRENT-ARGUS

VOL. 87 NO. 23 [illegible] CURRENT-ARGUS, Carlsbad, N.M., Thursday, July 18, 1963 PRICE 15 CENTS

OIC Continues Potash Talks

SANTA FE, N.M. (AP) -- The state Oil and Conservation Commission has continued for two weeks a hearing on an application for expansion of the potash-oil area east of Carlsbad.

State law gives the Oil Conservation Commission authority to protect the potash mining industry from intrusion by oil and gas exploration.

A rule establishing the first potash-oil area in Eddy County was adopted by the OCC in the early 1940s. This rule has been amended seven times as additional territory was added to the potash-oil area.

It now encompasses about 300 square miles in Eddy County and western Lea County.

The latest application for expansion was submitted by Leland A. Hodges, trustee for the Hall Trust, which holds potash leases in an area adjoining the declared potash-oil area.

The application, if granted by the OCC, would extend the potash-oil area to include an additional 36 sections of land.

Also requested extension covers that about 30 miles southwest of Carlsbad and at the southwest corner of the present potash-oil area.

The OCC encourages multiple use of the land within the potash-oil area, but works to protect the industry from another.

Over the years the OCC had granted extensions of the potash-oil area as commercial deposits of potash were located.

It has also had a number of applications from oil companies to drill within the potash-oil area, but most of these have been denied.

The hearing on Hodges' application got under way Tuesday in Santa Fe, but was recessed for two weeks to give Hodges an opportunity to prepare exhibits for the OCC to show where there appear to be commercial deposits of potash within the area sought to be included in the expansion.

An OCC spokesman said the Hall Trust has signed a contract for Potash Co. of America to do development work on the Hall lease.

Opposing the extension of the potash-oil area are oil companies which have oil and gas leases in the area of the requested expansion.

U.S.N.C.F. MICROGRAPHICS

BEST AVAILABLE COPY



V.R.P.C.F. MICROGRAPHICS
BEST AVAILABLE COPY



BEFORE THE
OIL CONSERVATION COMMISSION
Santa Fe, New Mexico
No. 3276 Exhibit No. 3
Submitted by Skelly Oil
Date June 1964

A.R.M.C.P. MICROGRAPHICS
BEST AVAILABLE COPY



V.R.M.C.F. MICROGRAPHICS
BEST AVAILABLE COPY

V.R.N.C.F. MICROGRAPHICS
BEST AVAILABLE COPY

BEFORE THE
OIL CONSERVATION COMMISSION
Santa Fe, New Mexico
Case No. 5236 Exhibit No. 1
Submitted by: Hodges
Hearing Date: Hearing



EXHIBIT NO. #1

W.N.M.C.F. MICROGRAPHICS
BEST AVAILABLE COPY