
CASE 3256: Application of SOCONY
MOBIL OIL CO. FOR A WATERFLOOD
PROJECT, LEA COUNTY, N. MEX.



APPliCATION,
TYANSCHIPTS,
SMALL Exhibits
FTC.

BEFORE THE OIL CONSERVATION COMMISSION OF THE STATE OF NEW MEXICO

IN THE MATTER OF THE HEARING CALLED BY THE OIL CONSERVATION COMMISSION OF NEW MEXICO FOR THE PURPOSE OF CONSIDERIN):

> CASE No. 3256 Order No. R-2914

APPLICATION OF SOCONY MOBIL OIL COMPANY, INC., FOR A WATERFLOOD PROJECT, LEA COUNTY, NEW MEXICO.

ORDER OF THE COMMISSION

BY THE COMMISSION:

This cause came on for hearing at 9 o'clock a.m. on May 26, 1965, at Santa Fe, New Mexico, before Examiner Daniel S. Nutter.

NOW, on this lst day of June, 1965, the Commission, a quorum being present, having considered the testimony, the record, and the recommendations of the Examiner, and being fully advised in the promises,

FINDS:

- (1) That due public notice having been given as required by law, the Commission has jurisdiction of this cause and the subject matter thereof.
- (2) That the applicant, Socony Mobil Gil Company, Inc., seeks permission to institute a waterflood project in its E-K Queen Unit Area, E-K Queen Pool, by the injection of water into the Queen formation through 26 injection wells in Sections 13, 14, 23, and 24, Township 18 South, Range 33 East, and Sections 18 and 19, Township 18 South, Range 34 East, NMPM, Lea County, New Mexico.
- (3) That the wells in the project area are in an advanced state of depletion and should properly be classified as "stripper" wells.
- (4) That the proposed waterflood project should result in the recovery of otherwise unrecoverable oil, thereby preventing waste.

CASE No. 3256 Order No. R-2914

(5) That the subject application should be approved and the project should be governed by the provisions of Rules 701, 702, and 703 of the Commission Rules and Regulations.

IT IS THEREFORE ORDERED:

(1) That the applicant, Socony Mobil Oil Company, Inc., is hereby authorized to institute a waterflood project in its E-K Queen Unit Area, E-K Queen Pool, by the injection of water into the Queen formation through the following-described 26 wells in Lea County, New Mexico:

WELL	NO.	UNIT	SECTION
TOWNSHIP 18 SOUTH,	RANGE	33 EAST,	NMPM
Federal "T"	14	E	13
Federal "T"	4	M	13
Swigost	1	ĸ	13
Carper-Sivley Federal	5	0	13
Kechane Federal	2	E	14
Federal "T"	10	G	14
Resler State	1	K	14
Carper-Sivley Federal	7	1	14
Carper State	2	0	14
State "G"	5	C	23
State *CB*	1	A	23
Federal "T"	2	c	24
Federal "T"	1	A	24
Federal "T"	11	r	24
State "G"	3	E	24
Carper-Sivley Federal	3	G	24
Sivley Federal	6	K	24
Sivley Federal	7	. 0	24
TOWNSHIP 18 SOUTH,	RANGE	34 EAST,	NMPM
Fox Federal	1	E	18
Jones Federal	2	K	18
Jones Federal	4	M	18
State EKA	4	0	18
Federal "T"	6	C	19
Federal "T"	7	E	19
Sivley Federal	2	ĸ	19
Sivley Federal	4	. M	19

-3-CASE No. 3256 Order No. R-2914

- (2) That the subject waterflood project shall be governed by the provisions of Rules 701, 702, and 703 of the Commission Rules and Regulations.
- (3) That monthly progress reports of the waterflood project herein authorized shall be submitted to the Commission in accordance with Rules 704 and 1120 of the Commission Rules and Regulations.
- (4) That jurisdiction of this cause is retained for the entry of such further orders as the Commission may deem necessary.

DONE at Santa Fe, New Mexico, on the day and year hereinabove designated.

STATE OF NEW MEXICO
QIL CONSERVATION COMMISSION

JACK M. CAMPBELL Chairman

GUYTON B. HAYS, Member

A. L. PORTER, Jr., Member & Secretary

OIL CONSERVATION COMMISSION P. O. BOX 2088

SANTA FE. NEW MEXICO

June 1, 1965

Mr. James E. Sperling Modrall, Seymour, Sperling, Roehl & Harris Attorneys at Law Post Office Box 466 Albuquerque, New Mexico

Dear Sir:

Enclosed herewith is Commission Order No. R-2914, entered in Case No. 3256, approving the Socony Mobil Z-K Queen Waterflood Project.

Injection shall be through the 26 authorized injection wells each of which shall be equipped with tubing and packer. The annulus of all singly completed wells shall be loaded with corrosion inhibited fluid.

As to allowable, our calculations indicate that when all 26 of the authorized injection wells have been placed on active injection, the maximum allowable which this project will be eligible to receive under the provisions of Rule 701-E-3 is 2016 barrels per day.

Please report any error in this calculated maximum allowable immediately, both to the Santa Fe office of the commission and the appropriate district provation office.

In order that the allowable assigned to the project may be kept current, and in order that the operator may fully benefit from the allowable provisions of Rule 701, it behooves him to promptly notify both of the aforementioned Commission offices by letter of any change in the status of wells in the project area, i.e., when active injection commences, when additional injection or producing wells are

OIL CONSERVATION COMMISSION

P. O. BOX 2088

SANTA FE, NEW MEXICO

-2-Mr. James E. Sperling P. O. Box 466 Albuquerque, New Mexico June 1, 1965

drilled, when additional wells are acquired through purchase or unitization, when wells have received a response to water injection, etc.

Your cooperation in keeping the commission so informed as to the status of the project and the wells therein will be appreciated.

Very truly yours,

A. L. PORTER, Jr. secretary-Director



cc: Mr. Frank Irby

State Engineer Office Santa Fe, New Mexico

Oil Conservation Commission Hobbs, New Mexico

OIL CONSERVATION COMMISSION SANTA FE, NEW LEXICO

	Date	5/2	27/65
CV2Ē	3256 Hearing Date 90		5/26/65
	My recommendations for an order in the above numbered of		
	Enter au order u Cas	e ŝ	3256
	appearing Socony mode		
	waen fload in the E-KHG	_	_
	Lea Camily. Buthainge	Lie	injection
	of waen who the Quesen for	osne	alien for
	sec ree purposes into the		
	wells:	Ū	•
	T185-R33E		
	Federal "T" no 14. Chick E. S	echio	, /3 '
	" " 4. " M.	//	***
	Swigart " 1. " K	"	,, •
	Carper-Sivley-Federal No 5		
		"	′′
	Krohane Federal Noz " E.	11	14
	Federal "T" No 10. " G.	11	14.
-	Resler State Ko 1 " K.	//	14
	Carper Sixtery Federal No 7	"	

State It no 5 think C. Section Stea "CB" no 1 " Federal"T" no Z: " 24. A . " " " " " " \overline{I} . Thee "&" no 3 " E. Carper Dioley Feberal Us 3 Sivley Federal No 6 Township 18 South Range 34 East 704 Federal no 1 Winh E. Section 18 Jones Federal No Z M. State EKA No 4 " Federal "T" no 6 " " " T" E." Sivley Federal" 2 " K. M. "

BEFORE THE OIL CONSERVATION COMMISSION OF THE STATE OF NEW MEXICO

IN THE MATTER OF THE APPLICATION OF SOCONY MOBIL OIL COMPANY, INC. FOR AUTHORITY TO INSTITUTE A WATER-FLOOD PROJECT WITHIN AN AREA TO BE DESIGNATED THE E-K QUEEN UNIT, LEA COUNTY, NEW MEXICO.

Case No. 3.256

APPLICATION

- 1. Socony Mobil Oil Company, Inc. hereby makes application for authority for the institution of a water-flood project which contemplates the injection of water into the Queen Formation within an area to be designated as the E-K Queen Unit within Township 18 South, Ranges 33 and 34 East, N.M.P.M., Lea County, New Mexico, as shown on plats attached hereto and made a part hereof, which plats show the location of proposed injection wells and the location of all other wells within a radius of two miles from said proposed injection wells. Said plats also show the leasehold ownership within said radius.
- 2. Also attached hereto is a typical log of proposed injection wells, together with diagrammatic sketches of the proposed injection wells showing all casing strings, diameters and setting depths, as well as other pertinent information, as required by Commission Rule No. 701.
- 3. It is proposed to inject fresh water from the Ogallala Formation into the Queen Formation with the water supply well to be located in Section 7, Township 18 South, Range 35 East, N.M.P.M., Lea County, New Mexico.
- 4. It is further proposed to convert twenty-four wells within the pool to inject water initially from this source at an initial rate of approximately 385 barrels per

DOCKET MAILED

Des 3 1/2

day per well. Attached hereto is a plat showing the location of the water well and nipeline to transport water from the source well to the project.

- 5. A copy of this application, with all exhibits attached, has been submitted to the Office of the State Engineer, Santa Fe, New Mexico.
- 6. Applicant requests that the project be operated under the provisions of Commission Rule No. 701 relating to waterflood projects and the establishment of allowables in accordance therewith. It is contemplated that two additional wells will be converted to injection wells at a later date for which administrative approval and authorization will be sought pursuant to Rule No. 701B of the Commission.
- 7. Coincident herewith, applicant has filed its application for approval of unit agreement relating to operation and disposition of production of and from the proposed unit area.
- 8. Applicant further requests that the Commission issue its order granting approval to the institution of the above-mentioned waterflood project, and that such order be made effective upon the first day of the month following final approval of said unit agreement by the Commissioner of Public Lands of the State of New Mexico.

SOCONY MOBIL OIL COMPANY, INC.

by its attorneys

MODRALL SEYMOUR SPERLING ROEHL & HARRIS

1200 Simms Building

P. 0. Box 466

Albuquerque, New Mexico

- CASE 3255: Application of Socony Mobil Oil Company, Inc. for a unit agreement, Lea County, New Mexico. Applicant, in the above-styled cause, seeks approval of the E-K Queen Unit Area comprising 2,895 acres, more or less, of Federal and State lands in Township 18 South, Ranges 33 and 34 East, Lea County, New Mexico.
- CASE 3256: Application of Socony Mobil Oil Company, Inc. for a waterflood project, Lea County, New Mexico. Applicant, in the above-styled cause, seeks authority to institute a waterflood project in the E-K Queen Pool, Lea County, New Mexico, in its E-K Queen Unit Area by the injection of water into the Queen formation through twenty-six wells in Sections 13, 14, 23, and 24, Township 18 South, Range 33 East, and Sections 18 and 19, Township 18 South, Range 34 East.
- CASE 3257: Application of Skelly Oil Company for a unit agreement, Lea County, New Mexico. Applicant, in the above-styled cause, seeks approval of the Skelly Penrose "B" Unit Area comprising 2,612 acres, more or less, of State and fee lands in Townships 22 and 23 South, Range 37 East, Lea County, New Mexico.
- CASE 3258: Application of Midwest Oil Corporation for a dual completion, Lea County, New Mexico. Applicant, in the above-styled cause, seeks approval of the dual completion (conventional) of its State "C" Well No. 1 located in Unit K of Section 32, Township 13 South, Range 34 East, Lea County, New Mexico, to produce oil from the Upper and Lower Pennsylvanian formations through parallel strings of tubing.
- CASE 3259:

 Application of Midwest Oil Corporation for the creation of two new oil pools, and for special pool rules, Lea County, New Mexico. Applicant, in the above-styled cause, seeks the creation of two new oil pools for Pernsylvanian production for its dually completed State "C" Well No. 1 located in Unit K of Section 32, Township 13 South, Range 34 East, Lea County, New Mexico, and for the establishment of special pool rules, including a provision for 80-acre proration units.
- CASE 3225 (Readvertised from April 7, 1965 Examiner Hearing):

Application of Harold L. Runnels for directional drilling, Lea County, New Mexico. Applicant, in the above-styled cause, seeks authority to directionally drill his Millard Eidson B Well No. 3, the surface location which is 660 feet from the South line and 1980 feet from the East line of Section 26, Township 16 South, Range 35 East, Shoebar Field, Lea County, New Mexico. Applicant proposes to set a whipstock at 6800 feet and directionally drill in a northwesterly direction bottoming said well at a true vertical depth of approximately 10,400 feet in the Permo-Pennsylvanian pay at the point rot closer than 330 feet to the North and West lines of the NW/4 SE/4 of said Section 26.

DOCKET: EXAMINER HEARING - WEDNESDAY - MAY 26, 1965

9 A.M. - OIL CONSERVATION COMMISSION CONFERENCE ROOM, STATE LAND OFFICE BUILDING - SANTA FE, NEW MEXICO

The following cases will be heard before Daniel S. Nutter, Examiner, or Elvis A. Utz, Alternate Examiner:

- CASE 3250: Application of Amerada Petroleum Corporation for special rules for the Goodwin-Abo Pool, Lea County, New Mexico: Applicant, in the above-styled cause, seeks the promulgation of special pool rules for the Goodwin-Abo Pool, in Sections 30 and 31, Township 18 South, Range 37 East, Lea County, New Mexico, including a provision for 80-acre proration units.
- CASE 3251: Application of Continental Oil Company for a waterflood project, San Juan County, New Mexico. Applicant, in the above-styled cause, seeks authority to institute a waterflood project in the Rattlesnake Dakota Pool, San Juan County, New Mexico, by the injection of water into the upper and middle zones of the Dakota formation, through three injection wells in Sections 12 and 13, Township 29 North, Range 19 West.
- CASE 3252: Application of Harvey E. Yates and Yates Drilling Company for the creation of a new gas pool and for special pool rules, Eddy County, New Mexico. Applicant, in the above-styled cause, seeks the creation of a new Pennsylvanian gas pool comprising all of Section 13, Township 20 South, Range 26 East, and all of Sections 7 and 18, Township 18 South, Range 27 East, Eddy County, New Mexico, and the promulgation of special pool rules for said pool, including a provision for 640-acre spacing and proration units.
- CASE 3253: Application of Kennedy Oil Company for a waterflood project, Eddy County, New Mexico. Applicant, in the above-styled cause, seeks authority to institute a waterflood project in the Square Lake Pool by the injection of water into the Grayburg and San Andres formations through one or two proposed injection wells, the DOB A Well No. 3 located in Unit M of Section 21 and the Kennedy Federal Well No. 3 to be located in Unit C of Section 28, Township 16 South, Range 31 East, Eddy County, New Mexico. Applicant further seeks the designation of the SW/4 SW/4 of Section 21 and the N/2 NW/4 of Section 28 as a waterflood buffer zone offsetting a capacity-type waterflood to the West and South.
- CASE 3254: Application of Dixon & Yates Oil Company for a waterflood project, Eddy County, New Mexico. Applicant, in the above-styled cause, seeks authority to institute a waterflood project in the Loco Hills Pool by the injection of water into the Grayburg formation through one well located in Unit D of Section 14, Township 18 South, Range 29 East. Applicant further seeks the designation of the N/2 NW/4 of said Section 14 as a waterflood buffer zone offsetting a capacity-type waterflood to the North and West.

- Joseph I. O'Neill, Jr. Dorthy Swigart No!

1980' FSL & 1980' FWL Sec. 13, T185, R33E

Lea County, New Mexico

Proposed Injection Well Installation

95/8" 36#At Casing @ 259 Cemented 2 % 0.D. cemen+ with 200 Sacks of lined tubing cement Top of cement behind 51 casing estimated @ 3,500 Annulus loaded with injection water and corrosion inhibitor Tension Packer 5 Queen Perforations One joint of 1 23%" O.D. fiber-4348- 4354 52" 14#/4+ Casing @ glass tubing 4,444 Cemented with below packer 175 SACKS OF neat cement BEFORE EXAMINER MUTTER Total Depth 4,615' IL CONSERVATION CC. HE IS TO PBTD 4444' ____EXHIBIT NO. <u>3</u>

Revised 5-24-65 JEB.

CASE NO._

3256

TEXAS GULF

State "6" T.G. No. 3

1650' FNL & 990 FWL Sec. 24, T185, R33E

Lea County, New Moxico

Proposed Injection Well Installation

23 "O.D. cement lined tubing To

uned tubing C

Annulus loaded with injection water and corresion inhibitor

Tension PackerS

One joint of N 23%" O.D. fiberglass tubing below packer 85%" 24 #/H. Casing
@ 1660' Cemented
with 400 Sacks of
cement + 300'CF. Strata-Crete

Top of cement behind 52" casing estimated @ 2,200'

Queen Perforations 4324-32 \$ 4358-4370

52" 14 MA. Casing @ 4,383' Cemented with

400 sacks or neat Cement Total Depth 4,383" SOHIO Petroleum Company
Resler-State No. 1
1980'FSLE 1980'FWL Sec. 14, T185, R33E
Lea County, New Mexico
Proposed Injection Well Installation

Top of cement estimated @ 1560'

239" O.D. cement

lined tubing

Top of cement estimated

859" 24 #/pt casing

1,664' cemented

Annulus landed with injection Z water and compsion inhibitor

Tension Packer -

One joint of 23% ap. fiberglass tubing below packer Top of cement behind 52" casing estimated @ 3,750"

with 50 saces of

cement

52" 14#1/2: Casing @ 4,296 comented with

Open hole injection zone 4391-4307'
Total Depth 4313
PBTD 4307'

Socony Mobil Oil Company, Inc.
Carper-Sivley No.5
660' FSL& 1980' FEL Sec. 13, TBS, R33E
Lea County, New Mickico
Proposed Injection Well Installation

23 "O.D. Cement . lined tubing - 854" 20#ft Casing @ 292' Cemented with 195 Sacks of Cement

Top of cement behind 5½ casing estimated @ 70014

Temporarily Abandoned Lower Vates Perforations

Tension Packers

One joint of 1 23%" O.D. fiberglass tubing below packer Queen Perforations
4,3491-4,369

5½" 14#At Casing @
4378' Cemented with
425 Sacks of 466
Gel + 12% sacks of
neat Cement
Total Depth 4377

Socomy Model Oil Company, Inc.
Federal 'T" No. 14-13
1989' FING 660' FIND. Sec. 13, T185, REEE
Lea County, New Mexico
Proposed Injection Well Installation

2% 0.D. coment lined tubing Annulus loaded with injection water and Z corrosion inhibitor Tension Beker One joint of 23%" O.D. fiberglass tubing below packer 4 1/2 liner cemented in place with 50 gallons Cealment

13%" 44 this Casing

@ 250' Cemented

with 200 sacks of

cement

Cement top@ 1,530'

8% 211/4; casing
@ 1643 Cemented
with 50 sacks of
Cement

Top of coment behind 52" casing estimated @ 3,700'

52" 152 #/ft. casing @ 4,287' comented with 100 sacks of sement 42" 116 //4; Hydril F.J., liner 4,288-11,344!

Open hele injection, 2010 4,388!
Total Depth 4,388!

Revised 5-24-65 JEB.

Socony Mobil Oil Company, Inc. Federal "T" No. 4-13 660'FSL & 990'FWL Sec. 13, T185, R33E Lea County, New Mexica Proposed Injection Well Installation

23% O.D. cement
lined tubing

Tension Packer Z

One joint of 23%
O.D. fiberglass
Tubing

1338" 44"/2. Casing @ 250' Cemented with 250 sacks of cement

Cement top @ 1,500'

8 18" 24 4/11, Casing @ 1618' Cemented with 50 sacks cement

Cement top estimated

@ 2,900 ft.

Lower Vates Perforations

5½" 15½#/4.Casing @ 4,329' cemented with 250 sacks of cement

Open hole injection zone 4329-4355' Total Depth 4355' Socony Mobil Oil Company, Inc.
Carper-Sivley No. 7
1980'FSLF 660'FEL Sec.14, T185, R33E
Lea County, New Mexico.
Proposed Injection Well Installation

23 0.D. cement

856" 24#/At. Casing @ 293'Cemented with 200 sacks of cement

Annulus loaded with injection water and corresion inhibitor

Top of cement behind 5%" casing cstimated @ 40014.

Tension Packer 5

One joint of N 23%" O.D. fiberglass tubing below packer Queen Perforations
4294- 4,312'

5½" 14 4/1. Casing @ 4,351' Cemented with 600 sacks of 4% Gel

Total Depth 4,351'
Plug Back T.D. 4,320'

TEXACO, INC.

Keohane-Federal Wo.2

1980' FNL & 660' FWL Sec.14, T185, R33E

Lea County, New Mexico

Proposed Injection Well Installation

Annulus loaded
with injection ?
water and corrosion
inhibitor

Tension Packer S

One joint of N

236" O.D. fiberglass tubing
below packer

85%" 2441th. Casing @ 1608' Cemented with 1000 Sacks of cement

Top of cement behind 4½" casing (D.P.) estimated @ 2,200'

Queen Perforations 4,300-4,309'

42" 16.60"/tt. Casing @ 4,328 Cemented with

500 sacks of Neat Cement Total Depth 4,356' P.B.T.D. 4,324' Carpoir State 16.2
Carpoir State 16.2
660' FSL & 1980' FEL Sec. 14, T185, R33E
Les County, Www Moxico
Proposed Injection Wolf Install Con

2% O.D. soment

8%" 2494. Casin @ 304 Cemented with 200 Tacks of cement

And the loaded with injection Zurier and corrosion in history

Top of comen: behind 5½ cas consessions ted in 1,000

Tension Factor 5

Queen Perfora. To 1,300-4,301' (Notch) and 5½" 15½#/ft. C sing @ 4,339 Cementer with 400 sacks of 4% Gel + 125 sacks of neat cement at bottom Total Depth 4,340

Socony Wobil Oil Company, Inc. Federal 7" No. 10-14 1650 FNL & 2310' FEIL Sec. 14, TIRS, R33E Lea County, New Mexico Proposed Injection Well Installation

@ 1,450° 278 0.0. cement lined tubing eement Annulus lazded with injection water and corresion inhibitor Tension Packer -One joint of 2% ap. fiberglass tubing below packer

Coment top estimated

858" 24 7/4. casing @ 1568'cemented with 50 SACKS OF

Top of cement behind 52" casing estimated @ 3,600'

52" 14#/At. casing @ 4,304' cemented with 100 SACKS of cement

Open hole injection zone 4,304 - 4,318' Total Depth 1,318'

Socony Mobil Oil Company, Linc.
Federal-Tones No.2
1990' FSL 1980' FWL Sec. 18, 7185, 8346
Lea County, New Mexico
Proposed Injection Well Installation

23 0.D. cement

85%" 2441/4. Casing @ 311' Cemented with 175 Sacks of cement

Annulus loaded with injection Z-water and corrosion inhibitor

Top of cement behind 5% casing estimated @ 900 ft

Tension PackerS

One joint of N 23%" O.D. fiberglass tubing below packer Queen Perforations 4,470'-4,480

5½" 14 4/4. Casing @
4,509' Cemented with
400 SECKS of 4%
Gel + 125 SECKS of
nest Cement at bottom
Total Depth 4,510'

Socony Mobil Oil Company, Inc.
Federal-Jones No. 4
660' FSL & 660' FWL Sec. 18, T'185, R34E
Lea County, New Mexico
Proposed Injection Well Installation

Annulus lozded
with injection Z
water and corrosion
inhibitor

One joint of N
236" O.D. fiberglass tubing
below packer

85," 20#44. Casing @ 292' Cemented with 195 Sacks of cement

Top of cement behind 5½" casing estimated @ 900ff

Queen Perforations 4,387-4,407

5½" 14#ft Casing @
4, 431' Cemented with
400 SECKS OF 4%
Gel + 125 SECKS OF
nest Cement at bottom
Total Depth 4,432'

- Marathon -State EK"A" No. 4

660' FSL & 1980' FEL Sec. 18, T185, R34E Lea County, New Mexico Proposed Injection Well Installation

23 "O.D. Cement | 1034" 40#4 Casing @ 344' Cemented with 400 Sacks of cement

Annulus loaded | Top of cement behind 51" casing estimated @ 3/35' water and corrosion inhibitor

Tension Packer 5

One joint of N 236"O.D. fiberglass tubing below packer Queen Perforations 4,462-4,500'

51/2" 151/2 THE Casing @ 4562' Cemented with 400 SOCKS of 3 %

Total Depth 4,772 P.B.T.D. 4,5181

Rovinal con it ino

Socony Wobil Oil Company, Inc.
Fox-Federal No. !
1980 FNL \$ 660' FNL Sec. 18 T185, ROUE
Lea County, Now Mexico
Proposed Injection Well Installation

2% Q.D. cement
lined tubing

Annulus landed
with injection Z
water and corresion
inhibitor

Tension Packer
One joint of
2% Q.D. fiberglass tubing
below packer

85g" 21/1/4 casing @ 1760cemented with 50 sacks of cement

Top of cement behind 52" casing estimated @ 3,700'

52" 152 "/ft. casing @ 4,373' cemented with 100 sacres of cement

Open hole injection zone 4373'-4413'
Total Depth 4413'

Sociony Mobil Oil Company, Inc.
Sidey Federal 19" No.2.
1980 FSD +1894/1980 Sec. 8, T185, R34 =
Lea County, New Mexico
Proposed Injection Well Installation

2% O.D. cement lined tubing

Annulus looded a with injection water and corrosion inhibitor

Tension Packer


One joint of 1 2% o. v. fiberglass tubing 85%" 24 th casing Q 300' cemented with 175 sacks of cement

Top of cement behin! 5±" casing estimated @ 3,600f4

Queen Perforations

BAKER Bridge Plug @ 11/17/ Penrose Perforations 1/6/18'-4683' 5½" 14#/H casing @ 4703' cemented with 200 sacks of cement Total Depth 4704'

Scoony Mobil Oil Company, Inc. Silley Federal "19" No. 4 330' FSL & 762' FWL Sec. 19, T185, R34E Lea County, New Mexico Proposed Injection Well Installation



Top of coment behind 52" casing estimated

Queen Perforations 4,429'- 4,438'

BIKER Bridge Plug @4,450' Penrose Perforations 4698'-4,710' 52" 14#/A casing @ 4718' cemented with 225 Sacks of econent Total Depth 4,732'

Socony Mobil Oil Company, Inc.
Federal "T" No. 6-19
660' FNL & 1879' FWL Sec. 19, T185, R33E
Lea County, New Moxico
Proposed Injection Well Installation

23% O.D. cement

lincd tubing

Annulus loaded with

injection water and

corrosion inhibitor

Tension Packer Z

Che joint of 23%

C.D. fiberglass

Tubing

13%" 4474. Casing @ 250' Cemented with 250 sacks of cement

Cement top @ 1,625'

8 % 24 /4, casing

@ 1,737' comented with 50 sacks of

Top of cement behind 52" cosing estimated @ 3,300ft,

52"151214. Casing @ 4,426 cemented with 200 sacks of cement

Open hole injection zone 4426'-4447'
Total Depth 4,447'

Socony Mobil Oil Company, Inc.
Federal "T" Ib. 7-19
1980'FILL & 609.5 FWL Sec. 19, T185, R34E
Lea County, Ilaw Mexico
Proposed Injection Well Installation

13%" 41%, Casing @ 250' Cemented with 200 sacks of cement

Cement top @ 1,600

85 244/4 Casing

@ 1,705' cemented

with 50 sacks of

cement

Top of cement behind 5'5" casing estimated @ 3,800ft.

5½" 141%, Casing @ 4,377' cemented with 100 sæks of cement

Open hole injection, zone 4,347-4,425' Total Depth 4,425'

Annulus loaded with injection water and corrosion inhibitor

Tension Packer Z

One joint of 2% 1 0.0. fiberglass Tubing

TEXAS QULF State "6" No.5 660' FNL \$ 1980' FWL Sec. 23, T185, R33E Lea County, New Moxico Proposed Injection Well Installation

2% "O.D. sement _ lined tubing

Annulus loaded with injection water and corrosion inhibitor

Tension Packer 5

One joint of N 23%" O.D. fiberglass fubing below packer gh 32 tft. Casing @1653' Cemented with 400 Sacks of cement + 300 cf. Strata-Crete

Top of cement behind 5½" casing estimated @ 2,100"

Queen Perforations 4,306-4,314

51/2" 1511 THE Casing @ 4338' Cemented with

400 sacks of neat cement Total Depth 4,338 TEXACO, INC.

State of New Mexico "08" No. 1

660' FNK & 660' FEL Sec. 13, T 185, R33E

Lea County, New Mexico

Proposed Injection Well Installation

Pined tubing -

Annulus landed with injection Z water and corrosion inhibitor

Tension Packer -

One joint of 23% ad. fiberglass tubing below packer

858" 241/1/4 casing @ 1,660' cemented with \$30 sacks of coment

Top of cement behind \$\fiz\" casing estimated \$2/00'

4269' cemented with 500 sacks of cement

Open hole injection zone 4269'- 4356' Total Depth 4,356' Socony Mobil Oil Company, Inc. Federal 'T" No. 11-24 2310 FSL & 660 FEL Sec. 24, T185, R33E Lea County, New Mexico Proposed Injection Well Installation

13%" 44#14. Casing @ 130' cemented with 100 sacks of cement Cement top @ 1575' 954" 24"/4". casing 238 O.D. ecment @ 1692'cemented Ined tubing with 50 sacks of Cement Annulus leaded with injection water and Z corrosion inhibitor Top of cement behind 52" casing estimated @ 3,800 Tension Beker 5½" 15½ #fft. casing @ One joint of 23%" O.D. fiberglass tubing 4361' comented with below packer 100 SOCKS of Gement Queen Perforations 4409- 4419' 4/2" Liner cemented with 250 gallons of Cealment 42" 12.6 44. Hydril F.J liner 4336-4431 Total Depth 44133

Siccony Mahil Oll Generaly, Inc.
Foderal "" More-24
335 FM & 2310' FWL Sec. 24, T185, R335
Lea County, New Moxico
Proposed Injection Well Installation

Tension Factors

One joint of 23% op. fiberglass tubing

1334" 447%, Casing @ 250' cemented with 200 sacks of cement

Top of cement behind 5½" casing estimated © 3, 100.ft.

Temporarily Abandoned Lower Yotes Perforations 3,560-3,570'

5½" 15½#1ft, casing @ 4,349' cemented with 250 sacks of cement

Open hole injection zonc 4349'-4,374' Total Depth 4374' Socony Mobil Oil Company, Inc., Federal "T" No.1-24 660' FNL & 660' FEL Sec. 24, T185, R33E Lea County, New Mexico Proposed Injection Well Installation

23% o.D. cement
lined tubing

Annulus leaded
with injection
water and corrosion
inhibitor

Tension Packer

One joint of
23% o.D. fiberglass tubing
below packer

13%" 14#fq. casing
@ 120' cemented
with 100 sacks of
cement

Top of cement behind 5½" casing estimated @ 3,800'

5½" |5½ 1/4; Casing @ 4,371' cemented with 100 sacks of cement

Open hole injection zone 4341 - 4,398' Total Depth, 4,398' Socony Mobil Oil Compay, inc. Styley-Federal No. 1 990' FSL & 1980' FBL Sec. 2:1, T185, R33.E Lea County, New Mexico Proposed Injection Well Installation

23%" O.D. cement
lined tubing

Annulus loaded z
with injection water
and corrosion inhibitor

One joint of 1
23%" O.D. fiberglass tubing

85% 24 the casing @ 290' cemented with 175 sacks of cement

Top of cement behind 5½" casing estimated @ 3,600

Queen Perforations

Bixer Bridge Plug @ 4,620'

Penrose Perforations
4,625'- 4,634'

5½" 14#/A casing @

1,657' cemented with
2005acks of cement

Total Depth 4,657'

Socomy Mobil Oil Company, Sic.
Carper-Sivley No.3
1980' FNL & 1650 FEB Sec. 24, T185, R33E
Les County, Mew Mexico
Proposed Injection Ucll Installation

Annulus lozded
with injection Z
water and corrosion
inhibitor

Tension Packer S

One joint of N
23; O.D. fiberglass tubing
below packer

8%" 247/4, Casing @ 295' Cemented with 195 Sacks of cement

Top of cement behind 5½" casing estimated @ 900ft.

Queen Perforations 4,350-4,369'

5½" 14#/ft. Casing @
4,388' Cemented with
400 sacks of 4%
Gel + 125 sacks of
nest cement at bottom
Total Depth 4,400'

Socony Mobil Oil Comming Ing. Sivley - Mederal 24" Mr. 6 25,0 FS: 1, 5 20 Sec. 74, 7185, R34E Proposed Injection. Well Installation 54" 32 THY. Casing @ 3/9' Cemented 24" O.D. cement with 195 Sacks of lined tubing cement Top of cement behind 5½" casing estimated @ 3,300 ft, Annulus loaded with injection Z water and corrosion inhibitor Tension PackerS Queen Perforations One joint of 1 23%" O.D. fiberglass tubing 5 ½" 14/1/A. Casing @

Total Depth 4,403

4,403' Cemented with

200 sacks of 2%

below packer

	BEFORE THE NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico May 26, 1965
I.С. гланистом, м. м. рионе 325-1182	EXAMINER HEARING IN THE MATTER OF:
G SERVICE, In	APPLICATION OF SOCONY MOBIL OIL COMPANY, INC.) FOR A UNIT AGREEMENT, LEA COUNTY, NEW MEXICO) APPLICATION OF SOCONY MOBIL OIL COMPANY, INC.) FOR A WATERFLOOD PROJECT, LEA COUNTY, NEW MEXICO MEXICO
CR REPORTIN	BEFORE:
DEARNLEY-MEIER REPORTING SERVICE, Inc.	DANIEL S. NUTTER TRANSCRIPT OF HEARING
·	



120 SIMMS BLDG. • P. O. BOX 1092 • PHONE 243-6691 • ALBUQUEROUE, NEW MEXICO

MR. NUTTER: Case Number 3255.

MR. DURRETT: Application of Socony Mobil Oil Company, Inc., for a unit agreement, Lea County, New Mexico.

MR. NUTTER: We will also call Case Number 3256.

MR. DURRETT: Application of Socony Mobil Oil
Company, Inc. for a waterflood project, Lea County, New Mexico.

MR. SPERLING: J. E. Sperling, of Modrall, Seymour, Sperling, Roehl & Harris, representing the applicant. We have two witnesses. I assume that the record shows that for purposes of testimony, Cases Number 3255 and 3256 have been consolidated?

MR. NUTTER: The cases are consolidated.

PAUL E. IRWIN, the witness, having been duly sworn, was examined and testified as follows:

DIRECT EXAMINATION

BY MR. SPERLING:


- Q Will you state your name, please.
- A Paul E. Irwin.
- Q Where do you live?
- A Midland, Texas.
- Q By whom are you employed, and in what capacity?
- A I'm employed by Mobile Oil Company as joint interstaff assistant.



PECIALIZING IN:

DAILY COPY,





- A I have not.
- Q In order that your qualifications may be a matter of record, would you please give us a brief resume of your educational background and experience background.
- A I graduated from Texas A&M in 1950 with a BS degree in petroleum engineering and a BS in geological engineering. I have been employed by Mobile Oil Company since August of 1950 in various capacities as a petroleum engineer; in the past two years working in the joint interest department of the Midland division of Mobile Oil Company.
- Q In connection with the performance of your duties in your present assignment does the organization of unit areas for secondary recovery fall within your jurisdiction?
 - A Yes, sir.
- Q In that capacity, I assume you are familiar with the unit agreement for development and operation of the E-K Queen Unit which is the subject of the application in Case Number 3255, presently being considered at this hearing?
 - A Yes, sir.
- Q Would you please refer to Exhibit 1 in Case Number 3255 and identify that for us as the unit agreement to be applicable to the area which will be described by you.



ŏ




and operation of the E-K Queen Unit in Lea County, New Mexico.

The unit area to be included in the E-K Queen Unit is as follows: Township 18 South, Range 33 East. All of Section 13;

all of Section 14; the northeast quarter of the northwest quarter and the north half of the southeast quarter of Section 23; the northeast quarter of the northwest quarter and the southeast quarter of the north half of the southwest quarter, and the southeast quarter of the southwest quarter of Section 24. In Township 18 South, Range 34 East, the northwest quarter of the northwest quarter, the south half of the northwest quarter.

Of Section 18, the northwest quarter and the north half of the southwest quarter, and the southwest quarter, and the southwest quarter of the southwest quarter of the southwest quarter of the southwest quarter.

- Q Comprising approximately how many acres?
- A Approximately 3,895 acres.
- Q Is there contained as part of the unit agreement an exhibit to the unit agreement which defines in plat form the unit area which was just described by you?
 - A Yes, sit, it is Exhibit A to the unit agreement.
- Q What formation does the unit agreement purport to unitize?
 - A The Queen Formation.



A The agreement is the Federal type. It has been slightly modified to include the State lands.

Q Do you have, as part of the unit agreement, a recapitulation of the percentage of ownership by land ownership, Federal, State and fee?

A Yes, sir, in Exhibit B are listed the various tracts included in the unit area, in the nature of the owner-ship of the land.

Q Does it have the percentage of interest, so far as the land ownership division is concerned?

A Pederal lands comprise approximately 80% of the participation within the unit area. There are six Federal tracts; there are five State tracts which comprise approximately 19% of the unit participation; and there is one forty-acre tract which has a little over 1% participation.

Q I think it is set forth in Exhibit B; but in order that there won't be any misunderstanding, you might review those.

A The six Federal tracts comprise 1,975.36 acres or 68.2% of the unit area. The five State tracts comprise 880 acres or 30.4% of the unit area. Fee land, as stated, was



You have referred to the participation factor and percentages ascribed to the basic royalty interest owners. What is the basis for participation, as between the respective

The participation is a single-phase formula based tracts? on ultimate primary from each tract within the unit area.

Do I understand that the formula will be tract production over the total primary production, with the resulting factor being percentage of participation assigned to the respective tracts?

Yes, sir.

You have stated generally that the unitized formation is the Queen. Is the vertical limit of the unitized formation described in the unit agreement?

Yes, it is.

Would you state what it is.

Yes, sir. The unitized Queen sand is defined in paragraph 2.7 of the unit agreement on page 2, and is defined as "the heretofore established underground reservoirs that exist in the interval from the top of the Queen sand or Artesia Red sand member, as is picked at 4,252 feet on gamma ray neutron log, on Carper Drilling Company Number 9 Carper-Sivley log in the northeast of the southeast quarter of Section 24,



dearnlay-meier



Township 18 South, Range 33 East, 300 feet downward, and including the Penrose sand, all included in the Queen Formation of the Guadalupe series, a part of the Permian system, insofar as the same lies within the unit area."

- Q It is proposed by the unit agreement that your company, Socony Mobil Oil Company, will be the operator in this unit area?
 - A Yes, it is.
- Q Has the unit agreement as reflected in Exhibit 1 to Case Number 3255 been submitted to the respective governmental agencies?
 - A Yes, sir, it has.
 - Q And what has been their reaction?
- A The reaction was that some modifications were required. These modifications have been adopted as written, and incorporated in the agreement as it is now presented.
- Q In other words, I understand that the unit agreement as revised following initial submission has received
 preliminary approval from the US Geological Survey and the
 Office of the Commissioner of Public Lands of the State of New
 Mexico?
 - A Yes, sir.
- Q Would you review for us now the percentage of signup to the unit agreement, insofar as the respective working

ŏ

interest owners are concerned.

- A Approximately 88% of the working interest participation has signed the agreement. Texaco and Marathon are two working interest owners who have not yet signed; they have indicated that they will. The only other working interests are located in the fee land, and they have indicate that they will also sign in the near future.
- O I take it that the unit agreement in its present form, as presented by exhibit here, has been submitted to all interested parties within the unit area, and you have indicated that you have either signed or expect to sign all interested parties within the unit area, within the reasonably near future?
 - A That is correct.
- Q Is there any other comment you care to make, Mr. Irwin, concerning the unit agreement?
- A No, sir. I might state that this royalty signup—

 I did not include that as of the present time. We have

 approximately 57% of the royalty interest signed. The State

 and Federal royalty interests amount to about 30% participation.

 Again, we have had no indication from anyone that the agreement

 will not be signed, on the part of the royalty owners.
- Q The purpose of the unit agreement, as stated in it, is to institute a secondary recovery program within the unit area for the purpose of greater recovery of oil-in-place under-



lying the unit area?

MR. SPERLING: I think that's all the questions I Yes, Bir,

MR. NUTTER: Are there any questions of Mr. Irwin? have at this time. --Mr. Irwin, I was looking at Exhibit A. On this unit agreement, evidently Texaco owns 5 and 11?

- yes.
- And Marathon has Tract 9? Q
- A
- What has Texaco's attitude been toward the unit? yes.
- It's a matter of time. We submitted this on April Q A
- 19th by letter.
 - They are not opposed?
 - oh no. A
 - What about Tract 9 of Marathon's? Q
 - The same situation.
 - You anticipate that ultimately 100% of the working Α

interest will be signed?

- yes, sir, in the very near future.
- The USGS has approved the participation formula, as well as the Commissioner of Public Lands for the State of New Mexico?
 - yes, sir.



dearnley-meier

MR. NUTTER: Are there any further questions of Mr.

Irwin? -- He may be excused. (The witness thereupon withdrew from the stand.) MR. SPERLING: I'd like to offer Exhibit 1 in Case

MR. NUTTER: Applicant's Exhibit 1 will be admitted Number 3255. in evidence.

WILLIAM T. SCHREIBER, the witness, having been duly sworn, was examined and testified as follows: DIRECT EXAMINATION

Will you state your name and place of residence; BY MR. SPERLING: your occupation, and by whom you are employed.

My name is William T. Schreiber. I live in Hobbs, New Mexico and am employed by Mobil Oil Company as a senior production engineer.

Have you testified in previous occasions before this Commission?

No, sir.

Your qualifications, then, are not a matter of Q record?

No. sir.

For the record, would you please review your A Q



educational and experience background.

I was graduated from Marietta College, Marietta, Ohio, with a BS degree in petroleum engineering in 1951. I have been in Hobbs, New Mexico for almost four years, working for Mobil Oil Company as senior production engineer. I am also a registered professional engineer in the State of New Mexico. MR. SPERLING: Are Mr. Schreiber's qualifications acceptable?

MR. NUTTER: Yes, sir, they are.

MR. SPERLING: Mr. Schreiber, in the course of the performance of your duties have you made a study of the unit area and its reservoir characteristics, within the area described in the E-K Queen Unit Agreement?

"38, sir.

Please refer to what has been marked Exhibit 1 in Case Number 3256, and explain what this exhibit is designed to portray.

Exhibit A is a plan which shows the unit area and all other wells within a radius of two miles from the unit area. Also shown are lessees in the two-mile radius from the unit area.

It has been previously testified by Mr. Irwin that the formation to be unitized in connection with the operation of this unit is the Queen Formation, with vertical limits having



P. O. BOX 1092 . PHONE 243-6491 . ALBUQUERQUE, NEW MEXICO



been described in the unit agreement as testified to by Mr.

Irwin. Would you please refer to your Exhibit Number 1 and outline which of the wells are proposed as injection wells; or at least indicate on the legend, the plat itself, the wells which are to be converted to injection wells.

- A Exhibit 2 is a plat of the injection wells--proposed injection wells for the unit.
 - Q Is that essentially the same map as--
- A It's the same map, identically, except that the proposed injection wells are circled.
- Does this plat also show all the wells which have been drilled to or completed in the Queen Formation within the unit area, and within a radius of two miles?
 - A Yes, sir.
- Q Referring to Exhibit 2 and the wells shown as injection wells on the exhibit, does it also show wells which are to be converted at a later date, as set forth in the application?

A Yes, sir, these wells are also shown as proposed injection wells. These wells are the Number 2 Carper State, which is in the southwest quarter of the southeast quarter of Section 14, 18-33, and Well Number 7, the Sivley Pederal Number 7, which is in the southwest quarter of the southeast quarter of Section 24, 18-33.

¥

120 SIMMS BIDG. . P. O. BOX 1092 . PHONE 243-6691 . ALBUQUERQUE.



- Q How many wells are included within the unit area, in total?
 - A There are 48 wells within the unit area.
 - Q When were these wells drilled, approximately?
- A The first wells were drilled in 1955, and most wells were completed within the next two-year period.
- Q In what stage of depletion is the reservoir underlying the unit area?
- A The reservoir is in a very advanced stage of depletion. The original engineering committee made an estimate as to remaining primary reserves for participation, and these reserves have already been produced, so for all practical purposes most of the primary reserves are depleted.
- Q Do you have any data on the average daily production of the wells within the unit area, as of the present time?
- A Yes, sir, there are 24 producing wells--26; excuse me--producing wells presently producing, mainly from the main Queen sand in the unit area, and the average per well per day production is 3.6 barrels.
- Now, please refer to the exhibit marked 3, which is a sketch, and explain what this exhibit is designed to indicate.
- A Exhibit 3 is a diagramatic sketch of each proposed injection well, which shows all casing strings, diameter and

dearnley-meier

- Q Are these schematic diagrams essentially selfexplanatory, or do they need interpretation one by one?
- A I believe that these are self-explanatory. However, if there are any questions I'd be glad to answer them.
- Q All right; fine. Now, I refer you to Exhibit 4. Would you please explain what that shows.
- A Exhibit 4 is a typical well log of the Queen formation. This is the well location which Mr. Irwin referred to in the unit agreement. The Queen sand is picked at 4,352 feet on the gamma ray neutron log of the Carper Drilling Company's Sivley Number 9 Well.
- Q Referring back to Exhibit 3, I forgot to ask you to clarify one point. Submitted as a part, or as an exhibit to the original application file herein were similar schematic diagrams of completion of proposed injection wells. Are any changes reflected in Exhibit 3 from the diagrams which were submitted as an exhibit to the application itself?
 - A The only changes made were the addition of some more information. The information previously furnished was correct; it was just supplemented.
 - Q I see. And this additional information was supplied primarily as a result of a request by Mr. Irby of the State



Engineer's Office?

- Yes, sir.
- -- Who received a copy of the application as init-Q ially filed?
 - Yes .
 - Does the log which is Exhibit 4 show the top of Q the Queen Formation?
 - Yes, sir.
 - It has been indicated in the log? Q
 - Yes, sir.
 - And the log covers the completion interval as described in the unit agreement as the unitized formation?
 - Not quite. I think there's a few feet--the unit agreement says "from the top of the Queen, 300 feet," and this log does not go quite 300 feet below the top of the Queen.
 - But it does show all sections or portions of the formation which are expected to contribute, insofar as secondary recovery is concerned?
 - Yes, sir.
 - Now, would you refer to Exhibit 5 and describe for Q us what this indicates.
 - Exhibit 5 is a plat which shows the proposed water supply line to the E-K Queen unit. It is proposed to inject fresh water from the Ogalalla Formation into the Queen Form-



ation, with the water supply well to be located in Section 7,

Township 18 South, Range 35 East, Lea County, New Mexico. This

well has been completed and equipped. The Completion of Works

form has been submitted to the State Engineer at Roswell.

Produced water will be re-injected into the unit at such time

as it becomes available.

- Q Do I understand that a supply well was drilled.

 with the approval of the Office of the State Engineer?
 - A Yes, sir, that is correct.
 - O Is this fresh water?
 - A Yes, sir. Ogalalla Formation fresh water.
 - Now, returning to the reservoir itself, what is the cumulative production from--that is, primary, within the unit
 - A The cumulative production from the unit area to the first of March of this year has been 1,697,631 barrels of the Secondary recovery is expected to yield in the neighborhood of an additional 1,700,000 barrels, or a secondary-primary hood of one to one, approximately.
 - Q Would you describe the characteristics of this reservoir which are pertinent insofar as secondary recovery is concerned.
 - A You mean our plan of procedure?
 - Q Yes-what kind of reservoir it is.



1092 • PHON

1120 SIMMS BLDG. . F. O. BOX

¥



voir. It is a sandstone; it has an average porosity of about 13.3%. The average permeability in the unit area is thirty millidarcies. From log interpretations the water saturation was estimated to be 40%.

- Q Do those characteristics ordinarily lend themselves or adapt themselves to a waterflood operation?
 - A Yes, sir.
- Q Now, please refer to what has been marked Exhibit 5, and tell us what that is supposed to indicate.
- A Exhibit 5 we have covered, I believe, which is the water supply line to the--
 - Q This is Exibit 6--I'm sorry.
- A Exhibit 6 is a plat which, in addition to showing the unit area and the proposed injection wells, shows the tract number which has been assigned to each tract in the unit agreement. Production and injection will be reported by tract and well number.
 - Q Then I take it that this exhibit is simply an enlargement of the exhibit with the tract designations appearing on it, which is attached to the unit agreement itself?
 - A Yes, sir.
 - Q I notice that there are wells to the north and east of the unit area which appear to be Queen Formation wells?

- And not included as part of the unit area. Is there That's right. Q
- any particular reason for that? Yes, sir. There are dry holes which separate this area from the unit area. In Section 18, 18 South, 34 East, in the northwest of the northwest the Number 2 well is a dry hole. Just east of that well, the Number 3 is a dry hole, and also in Section 17 the Number 5 well on the State EKA is a dry hole; and our interpretation is that these are two separate
 - Even though they are both productive from the reservoirs. Queen Formation, there is a barrier of some sort separating the two areas?
 - And you have reference to a number of dry holes, as yes, sir. Α the basis for formation of that opinion?
 - Yes, sir.
 - What is the anticipated life of this secondary Q
 - Anticipated life of this project would range from recovery project? fourteen to sixteen years.
 - Is it the plan of your company to in any manner treat the water which is to be injected into this area?
 - No, six, not unless situations develop where we A



SIMMS BLDG. . P. O. BOX 1092 .

I see. But you are satisfied that the water supply will have to treat it. source is a fresh water source at this time?

Yes, sir.

I believe the exhibit previously referred to, which shows the location of the injection wells with relation to producing wells, indicates that you are to convert, or plan to convert initially 24 wells for injection purposes. What rates of injection do you expect to amploy initially?

We plan an initial rate of approximately 385 barrels per well per day, and then we contemplate that two additional wells will be converted to injection wells at a later date; probably when we get a response in the offset producers. These are the two injection wells which I pointed out earlier, which we would not convert at first. These were two dry holes which we feel may be of benefit as of a later date to use as backup in our flood program.

What injection pressure do you expect to employ?

The unit flood is planned as a high-rate pressure balanced eighty-acre five-spot waterflood rate, a planned 10,000 barrels per day at approximately 1,700 pounds per square inch. Injection equipment and distribution lines are designed to operate at 2,000 pounds per square inch. This design is approximately 300 pounds per square inch above operating



DAILY COPY, CONVENTIONS

NEW.

1092 · PHONE 243-6691 · ALBUQUERQUE,

pressure. Three horizontal Triplex pumps will be driven by 125 horsepower motors. All injection lines will be two-inch and 3-inch Schedule 40 cement lines, coated, wrapped and buried The water supply line will be asbestos cement pipe. The major portion of the line will be eight-inch. The injection water metering system will use turbine meters and central readout for the plant. Injection into the wells will be through cement line tubing below a packer. The tubing casing annulus will be loaded with corrosion inhibiting water,

Q - Does Socony Mobil as the applicant in this case request any exception to the Commission's Rule 701, which relates to assignment of allowables to such projects?

No, sir.

You expect to operate in accordance with those rules?

Yes, sir, we expect to operate in accordance with those rules.

Now, as part of the application it is requested that Q the order, should the application receive favorable consideration, be made effective upon the first day of the month following final approval of the unit agreement by the Commissioner of Public Lands of the State of New Mexico. When do you anticipate that this would be received?

I really don't know when we will get this approval.



NEX

We have AFEs made up to submit to the operators as soon as approval is given, and our work will start very shortly after we do get this approval.

- You heard Mr. Irwin's testimony to the effect that no difficulty is anticipated in obtaining approval?
 - Yes, sir.
 - And you have no reason to think otherwise? Q
 - No, sir.
- Were Exhibits 1 through 7 prepared by you or under your supervision?
 - Yes, sir, they were. Α

MR. SPERLING: I offer Exhibits 1 through 7, Mr. Examiner.

MR. NUTTER: Socony Mobil Exhibits 1 through 7 are admitted in evidence.

MR. SPERLING: That's all I have at this time. MR. NUTTER: Are there any questions of Mr.

Schrieber?

MR. IRBY: On your Exhibit 4, I believe it's the pipeline from the water supply well to the injection well--

- Yes, sir.
- This is asbestos cement pipe. There will be no Q appreciable pressure on this pipe, will there?
 - No, sir.



TESTIMONY, DAILY COPY,



- Q What kind of pipe is to be used in the distribution system from the injection station to the wells?
- A The distribution lines are designed to operate at 2,000 pounds per square inch pressure.
 - Q Will this be steel pipe?
 - A Yes, sir.
- Q Thank you. It isn't a part of the application and isn't a part of the record here, but I would like to bring out a point or two in Mr. Joe Gordon, Jr.'s letter to me dated May 24th. Do you have a copy of that?
 - A Yes, sir, I do.
- Q On his Item 3 regarding percentage of gell in the cement--
 - A Yes, sir?
 - Q Is this percentage expressed in weight or volume?
 - A That's volume.
 - Q In a dry state, or wet state?
 - A In a dry state.
- Q And I'm assuming this isn't true 100% Bentonite, so I'd like to ask how much the percentage would be in the wet state?
 - A I just can't answer that. I don't know.
- Q You don't know the expansive qualities of the Bentonite?



A. No, sir.

Q Further down in this Item 3 he says in one sentence here simply "sacks of cement," and doesn't tell if gell or other additives were used. What other additives are commonly used, or have been used, in these wells?

A In these wells, none that I know of. In some wells they use a fast-setting agent, and sometimes a slow-setting agent, depending on the depth of the wells. But in these particular wells I don't believe there has been any other additive.

Q Nothing to lighten the cement, like Poslanic materials, or Gilsonite?

A No, sir, not to my knowledge. This gell would be the only thing to my knowledge that has been added.

Q Referring to Item 7 in Mr. Gordon's letter, he uses the trade name "Sealmint." I assume this is a trade name?

- A Yes, sir.
- Q Can you identify that for me?
- A My impression of Sealmint is a type of cement which is similar to Hydromite or Cal-Seal, or a latex type of cement which is a very strong bonding cement, which normally some people like to use around the bottom of the shoe joint there, where it's going to be perforated. It's real strong, and when perforated it isn't as likely to shatter as normal cement would

dearnley-meier sast

243-6691 · ALBUQUERQUE, NEW

be.

Does it have enough latex in it that a perforation by bullets would re-scal?

No. sir.

Back to that same point, this fifty gallons of Sealmint used between the liner and the casing, near the bottom of the Federal T Number 1124--is this going to be sufficient to prevent a blowout from injection pressure?

Yes, sir, we feel it is. From our calculations the Sealmint was sufficient to go all the way up behind the liner and into the casing, so this should be sufficient, yes, sir.

Then it would go without saying that the 250 on the other well would be sufficient?

Yes, sir.

Now, Item 10, where we have these perforations in the casing from the annulus between tubing and casing, out to the earth--this isn't quite clear to me. Could you explain that a little bit better. He says that they are going to abandon this and that they won't load it.

Yes, sir, I believe I can answer that to your satisfaction. There are six wells in the unit area which are presently completed in the Yates Formation. We purchased this property from John Trigg, and he did this work before we



SIMMS BLDG. . P. O. BOX

dearnley-meier esci



got it. He dumped sand in the bottom of these six wells to seal off the Queen perforations. He then perforated in the Yates. These six wells, which are the Number 1 Carper State in Section 14--it's the well in the southeast of the southeast; and Number 4 well directly east of it, the Number 3 directly east of the Number 4, and the Number 5, which is directly east of the Number 3--those four wells in an east-west line, also the Mobil Federal T Number 2 well in Section 24 and the Mobil Federal T Number 13 well, which is in section 13 -- those six wells are completed in the Yates. What we propose to do is to leave these perforations open to clean out the sand that is covering their Queen Formation, and run a packer on tubing and set the packer down in the bottom of the casing, or in the liner, and inject or produce in this manner. Therefore, we won't have anything in the annulus of these wells, because the Yates perforations will still be open. We are currently getting Yates production, and we would like to go back and produce the Yates at the time this unit is dissolved. Therefore we would like to keep the Yates perforations open, and they will be separated, by a packer, from the Queen zone.

- Q This Yates production will flow into the wellbore?
- A Yes, sir, it does, but one well is all that's flowing to the surface--all the rest are on pump, so we won't have any danger from these wells being active at the time they

ğ



is the only one presently flowing, and if it would flow and had enough volume, then I guess we could meter the production, or put in a separate tank, but we don't anticipate being able to get oil out of the well while it's shut-in.

Q Even though it's flowing now, you don't think the static head is such that it will produce oil?

A That's right. It's flowing up two-inch tubing, which is easier than flowing through the annulus between the tubing and casing.

- Q I don't understand the fraction calculations there.
- this was January's production, which is fifteen barrels of oil per day. The gas-oil ratio is 810, and we would feel that there is enough gas volume to flow this well up through the annulus. However, if there is, that's fine as far as we're concerned, because we could then set another tank and produce the well, because this is a producing well-we just don't feel that it will flow; but we'll just have to wait and see.

MR. NUTTER: Would it be classified as an oil well?

A We would temporarily abandon it until we got through with the unit operation, if it would not flow.

Q Do you know an oil well in the State of New Mexico which is flowing through the annulus?

¥.

· ALBUQUEROUE.

243.6691

HONE

1092

BLDG. . P. O. BOX

I'm surs there are ... well, I don't know. No, sir I don't.

MR. IRBY: I still don't understand why it would flow through tubing and not through the annulus.

MR. NUTTER: Annular flow is wasteful flow--it's inefficient.

MR. IRBY: What would oil in the annulus--oil and gas, do to your outside of your tubing and the inside of your casing?

You mean as far as corrosion? Nothing, I don't believe. It would probably be just as well as a corrosion inhibiting water in there. I don't think we would have any problem from the corrosion standpoint.

MR. IRBY: I'm going to quit you now, but I want you to explain to me some day about static head flowing through one conductor and not through another. Thank you.

MR. NUTTER: You have two wells here that will be injection wells, which have Yates perforations?

Three. The Number 4 Federal T in Section 13 in the southwest of the southwest; the Number 2 Feceral T which is a diagonal southeast to that well; and the Number 5, which is the northeast diagonal to the Number 2. Those three wells are currently Yates producers and will be proposed injection wells.

And all other wells will have the annulus loaded



with corresion inhibiting fluid, but these three you couldn't?

- These three and the other three Yates producers. All other wells will have corrosion inhibiting water behind them.
 - Even the producing wells? Q
 - No, just the injection wells.
- The application was for 24 wells immediately, and then contemplated two additional wells on administrative approval later. Do you have any objection to all 26 wells being authorized in the original order?
 - No, sir.
- In the event it became desirable to produce the Yates while the Queen was being produced or flooded by injection well, would it be possible in this 5k-inch casing to run small diameter flush joint tubing similar to high drill, so You would have parallel strings of tubing?
- It would be possible -- I would think it would be possible.
- This is done in 5½-inch casing quite often, is it Q not?
- Yes, in 5%-inch casing. However, it doesn't leave too much working room, and I think we would probably rather just leave it behind the pipe.
 - What about Well Number 6 in Section 13, the north-Q



ŏ

east quarter of the southeast quarter? It's shown as a dry hole.

A Yes, sir.

Q That would normally fit on the injection pattern.

Is that well so tight it's impossible to use it as an injection well?

A Yes. We did not, to my knowledge, get any pay in this well. These other two dry holes did have some pay but it was very tight and not completed. This well is without pay.

Q So although its location would make it desirable for an injection well, because it has three offsetting producers, you have no plans for it?

A No, sir.

MR. NUMBER: Are there any further questions of Mr. Schreiber? ... He may be excused. Do you have anything further, Mr. Sperling?

MR. SPERLING: No. Mr. Examiner.

MR. NUTTER: Does anyone have anything they wish to offer in Case Number 3255 and Number 3256? ... We will take the cases under advisement.



STATE AIENTS, STATE AIENTS, EXPERT TESTIMONY, DAILY COPY, CONVENTIONS

dearnley-meier regerting

STATE OF NEW MEXICO)
COUNTY OF BERNALILLO)

I, ELIZABETH K. HAIE, Notary Public and Court Reporter, do hereby certify that the proceedings in the foregoing case were taken and transcribed by me, and that the foregoing is a true and correct transcript of proceedings to the best of my knowledge, skill and ability.

IN WITNESS WHEREOF, my hand and seal of office this 7th day of June, 1965.

Motary Public

My commission expires May 23, 1965.

I do hereby certify that the foregoing is a complete record of the proceedings in the Examples hearing of Case to 3255, 56 beard by the on 5000 to 500

New Mexico Oil Conservation Commission