



Case No.

118

Large Exhibits



SCHEDULED																		
Location of Well 1080' Fr. 328' L. Sec. 24-22S-37E																		
COMPANY: THE OHIO OIL CO.	WELL: HINDY #2																	
RUN NO.: 1	FIELD: BRESKARD																	
LOCATION: SEC. 24-22S-37E	COUNTY: LEA																	
STATE: NEW MEXICO	FILE NO.																	
Elevation K.S. D.F. or G.L.																		
Date: 12-21-27 First Reading: 6995 Last Reading: 2800 Footage Measured: 4095 Cig Shoe Datum: 2800 Cig Shoe Depth: 6995 Max. Depth Reached: 6995 Bottom Depth: 6995 Depth Datum: D.F. Mud Name: Castor Oil-Cabracho Density: 9.7 Viscosity: 30 Plasticity: 4.5-6.1 Maximum Temp.: 73°/8-4 3/4 Bit Size: 8" Spacing: AM AM: 38" IS OA: Observers: Hamilton Rig Time: 28 hrs.																		
REMARKS																		
<table border="1"> <thead> <tr> <th>SELF-POTENTIAL</th> <th>DEPTH</th> <th>RESISTIVITY</th> </tr> <tr> <th>millivolts</th> <th></th> <th>-ohms. m/m.</th> </tr> </thead> <tbody> <tr> <td rowspan="2">-101 +</td> <td></td> <td>NORMAL</td> </tr> <tr> <td></td> <td>0 50 100 200 300 500</td> </tr> <tr> <td></td> <td></td> <td>LATERAL</td> </tr> <tr> <td></td> <td></td> <td>0 25 30 50 100 200 300</td> </tr> </tbody> </table>		SELF-POTENTIAL	DEPTH	RESISTIVITY	millivolts		-ohms. m/m.	-101 +		NORMAL		0 50 100 200 300 500			LATERAL			0 25 30 50 100 200 300
SELF-POTENTIAL	DEPTH	RESISTIVITY																
millivolts		-ohms. m/m.																
-101 +		NORMAL																
		0 50 100 200 300 500																
		LATERAL																
		0 25 30 50 100 200 300																
CASING 2800 																		



81

