






Large Exhibits

[illegible]



THE PRECEDING DOCUMENTS WERE REFILMED DUE TO:
A MALFUNCTION IN FILMING





Case No.




1587


Large Exhibits





COMPARISON OF CLEARANCE WITH VARIOUS TYPES OF JOINTS									
1-1/2" Joints	2-1/2" Joints	3-1/2" Joints	4-1/2" Joints	5-1/2" Joints	6-1/2" Joints	7-1/2" Joints	8-1/2" Joints	9-1/2" Joints	10-1/2" Joints
1.113"	2.226"	3.339"	4.452"	5.565"	6.678"	7.791"	8.904"	10.017"	11.130"
1.113"	2.226"	3.339"	4.452"	5.565"	6.678"	7.791"	8.904"	10.017"	11.130"
1.113"	2.226"	3.339"	4.452"	5.565"	6.678"	7.791"	8.904"	10.017"	11.130"
1.113"	2.226"	3.339"	4.452"	5.565"	6.678"	7.791"	8.904"	10.017"	11.130"
1.113"	2.226"	3.339"	4.452"	5.565"	6.678"	7.791"	8.904"	10.017"	11.130"
1.113"	2.226"	3.339"	4.452"	5.565"	6.678"	7.791"	8.904"	10.017"	11.130"
1.113"	2.226"	3.339"	4.452"	5.565"	6.678"	7.791"	8.904"	10.017"	11.130"
1.113"	2.226"	3.339"	4.452"	5.565"	6.678"	7.791"	8.904"	10.017"	11.130"
1.113"	2.226"	3.339"	4.452"	5.565"	6.678"	7.791"	8.904"	10.017"	11.130"
1.113"	2.226"	3.339"	4.452"	5.565"	6.678"	7.791"	8.904"	10.017"	11.130"


















DETAIL LOG		
SPONTANEOUS POTENTIAL millivolts	RESISTIVITY ohms. m./m	RESISTIVITY ohms. m./m
	0 100 1000 10000 100000	0 100 1000 10000 100000
34	0 100 1000 10000 100000	0 100 1000 10000 100000










CALIBRATION DATA



SPONTANEOUS POTENTIAL millivolts	RESISTIVITY ohms m/m	RESISTIVITY ohms m/m
COMPANY CAROL CORP. COMPANY	RESISTIVITY ohms m/m	RESISTIVITY ohms m/m
WELL J.P. REED # 2	RESISTIVITY ohms m/m	RESISTIVITY ohms m/m
PRO KING DEVONIAN STATE NEW MEXICO	RESISTIVITY ohms m/m	RESISTIVITY ohms m/m