Form C-147 Revised April 3, 2017

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Recycli	ng Fa	cility	Only

Type of action: ☐ Permit ☐ Registration ☐ Modification ☒ Closure ☐ Other (explain)					
Be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.					
Operator:Chevron U.S.A. Inc(For multiple operators attach page with information) OGRID #: _4323					
Address: 1400 Smith Street, Houston, TX 77002					
Facility or well name (include API# if associated with a well): _Salado Draw SWD 13 ROTF Facility					
OCD Permit Number: 1RF-473 (For new facilities the permit number will be assigned by the district office)					
U/L or Qtr/Qtr M Section 13 Township 26S Range 32E County: Lea					
Surface Owner: A Federal State Private Tribal Trust or Indian Allotment					
2. Recycling Facility:					
Location of recycling facility (if applicable): Latitude 32°2'9.77"N Longitude 103°38'12.07"W NAD83					
Proposed Use: ☐ Drilling* ☐ Completion* ☐ Production* ☐ Plugging *					
*The re-use of produced water may NOT be used until fresh water zones are cased and cemented					
☐ Other, requires permit for other uses. Describe use, process, testing, volume of produced water and ensure there will be no adverse impact on					
groundwater or surface water.					
☑ Fluid Storage					
Above ground tanks Activity permitted under 19.15.17 NMAC explain type					
☐ Activity permitted under 19.15.36 NMAC explain type: ☐ Other explain					
☐ Closure Report (required within 60 days of closure completion): ☐ Recycling Facility Closure Completion Date: 12/28/2021					
3.					
3. Variances: Justifications and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, human health, and the environment. Check the below box only if a variance is requested: Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. If a Variance is requested, include the					
3. Variances: Justifications and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, human health, and the environment. Check the below box only if a variance is requested:					
3. Variances: Justifications and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, human health, and the environment. Check the below box only if a variance is requested: Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. If a Variance is requested, include the variance information on a separate page and attach it to the C-147 as part of the application. If a Variance is requested, it must be approved prior to implementation. 4. Operator Application Certification:					
3. Variances: Justifications and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, human health, and the environment. Check the below box only if a variance is requested: Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. If a Variance is requested, include the variance information on a separate page and attach it to the C-147 as part of the application. If a Variance is requested, it must be approved prior to implementation.					
3. Variances: Justifications and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, human health, and the environment. Check the below box only if a variance is requested: Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. If a Variance is requested, include the variance information on a separate page and attach it to the C-147 as part of the application. If a Variance is requested, it must be approved prior to implementation. 4. Operator Application Certification:					
3. Variances: Justifications and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, human health, and the environment. Check the below box only if a variance is requested: Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. If a Variance is requested, include the variance information on a separate page and attach it to the C-147 as part of the application. If a Variance is requested, it must be approved prior to implementation. 4. Operator Application Certification: I hereby certify that the information and attachments submitted with this application are true, accurate and complete to the best of my knowledge and belief. Name (Print):Tony Vallejo					
3. Variances: Justifications and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, human health, and the environment. Check the below box only if a variance is requested: Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. If a Variance is requested, include the variance information on a separate page and attach it to the C-147 as part of the application. If a Variance is requested, it must be approved prior to implementation. 4. Operator Application Certification: I hereby certify that the information and attachments submitted with this application are true, accurate and complete to the best of my knowledge and belief. Name (Print): Tony Vallejo Title: Sr. Workforce Safety & Environmental Specialist - Factory					
3. Variances: Justifications and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, human health, and the environment. Check the below box only if a variance is requested: Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. If a Variance is requested, include the variance information on a separate page and attach it to the C-147 as part of the application. If a Variance is requested, it must be approved prior to implementation. 4. Operator Application Certification: I hereby certify that the information and attachments submitted with this application are true, accurate and complete to the best of my knowledge and belief. Name (Print): Tony Vallejo Title: Sr. Workforce Safety & Environmental Specialist - Factory Signature: Tony Vallejo Date: 01/11/2022 e-mail address: jvallejo@chevron.com Telephone: 432-687-7524 or 325-450-1413 5. OCD Representative Signature: Victoria Venegar Approval/Registration Date: 01/21/2022					
3. Variances: Justifications and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, human health, and the environment. Check the below box only if a variance is requested: Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. If a Variance is requested, include the variance information on a separate page and attach it to the C-147 as part of the application. If a Variance is requested, it must be approved prior to implementation. 4. Operator Application Certification: I hereby certify that the information and attachments submitted with this application are true, accurate and complete to the best of my knowledge and belief. Name (Print): Tony Vallejo Title: Sr. Workforce Safety & Environmental Specialist - Factory Signature: Tony Vallejo Date: 01/11/2022 e-mail address: jvallejo@chevron.com Telephone: 432-687-7524 or 325-450-1413					
3. Variances: Justifications and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, human health, and the environment. Check the below box only if a variance is requested: Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. If a Variance is requested, include the variance information on a separate page and attach it to the C-147 as part of the application. If a Variance is requested, it must be approved prior to implementation. 4. Operator Application Certification: I hereby certify that the information and attachments submitted with this application are true, accurate and complete to the best of my knowledge and belief. Name (Print): Tony Vallejo Title: Sr. Workforce Safety & Environmental Specialist - Factory Signature: Tony Vallezo Date: 01/11/2022 e-mail address: ivallejo@chevron.com Telephone: 432-687-7524 or 325-450-1413 5. OCD Representative Signature: Victoria Variance Approval/Registration Date: 01/21/2022					

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 71537

CONDITIONS

Operator:	OGRID:
CHEVRON U S A INC	4323
6301 Deauville Blvd	Action Number:
Midland, TX 79706	71537
	Action Type:
	[C-147] Water Recycle Short (C-147S)

CONDITIONS

Created By	Condition	Condition Date
vvenegas	NMOCD has reviewed the 1RF-473 - Salado Draw SWD 13 ROTF Facility fVV2126451407 closure request submitted by [4323] CHEVRON USA INC on January 11, 2022. This closure request is approved.	1/21/2022