Western Refining Southwest LLC
A subsidiary of Marathon Petroleum Corporation

I-40 Exit 39
Jamestown, NM 87347

November 19, 2021

Mr. Kevin Pierard, Chief
New Mexico Environment Department
2905 Rodeo Park Drive East, Bldg. 1
Santa Fe, NM 87SOS-6303

RE: Marketing Tank Farm LIF/HP Investigation Report Addendum
Western Refining Southwest LLC, D/B/A Marathon Gallup Refinery
EPA ID# NMD000333211

Dear Mr. Pierard:

Western Refining Southwest LLC (D/B/A Marathon Gallup Refinery) (Refinery) is submitting this *Marketing Tank Farm Laser-Induced Fluorescence/Hydraulic Profiling (LIF/HP) Investigation Report Addendum*.

This report presents the additional data collected in the Marketing Tank Farm area in May 2021. These data were collected to complete data gaps that were identified in the *Marketing Tank Farm Laser-Induced Fluorescence/Hydraulic Profiling Investigation Report* submitted March 31, 2021.

If you have any questions or comments regarding the information contained herein, please do not hesitate to contact Mr. John Moore at (505) 879-7643.

Certification

I certify under penalty of law that this document and all attachments were prepared under my direction of supervision according to a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Sincerely,
Western Refining Southwest LLC, Marathon Gallup Refinery

Ruth A Cade

Ruth Cade
Vice-President

Enclosure

cc: D. Cobrain, NMED HWB
L. Barr, NMOCD
M. Bracey, Marathon Petroleum Company
H. Jones, Trihydro
M. Suzuki, NMED HWB
K. Luka, Marathon Petroleum Company
J. Moore, Marathon Gallup Refinery

Western Refining Southwest LLC

D/B/A Marathon Gallup Refinery

Marketing Tank Farm

Laser-Induced Fluorescence/Hydraulic Profiling Investigation Report Addendum

---

November 2021

Executive Summary

This Marketing Tank Farm (MKTF) addendum (MKTF addendum) summarizes the additional MKTF Laser-Induced Fluorescence/Hydraulic Profiling (LIF/HP) investigation conducted at the Western Refining Southwest LLC (D/B/A Marathon Gallup Refinery) (Refinery) in Gallup, New Mexico (refer to Section 1.0, Figure 1-1). This investigation was conducted to address data gaps identified in the "Marketing Tank Farm Laser-Induced Fluorescence/Hydraulic Profiling Investigation Report" (MKTF Report).

As a result of two releases in 2019, MKTF release and Tank 570 release, LIF/HP was proposed to investigate the extents. Three investigations have been conducted between November 2019 and May 2021. The investigations are summarized as follows:

- Week of November 18, 2019: Borings were drilled in the MKTF and around Tank 570 to address the releases in these areas.
- Week of February 1, 2021: Borings were drilled in the MKTF to address data gaps in the MKTF area. The results for the Marketing Tank Farm investigations (November 2019 and February 2021) were summarized in the "Marketing Tank Farm Laser-Induced Fluorescence/Hydraulic Profiling Investigation Report" (MPC March 31, 2021) submitted on March 31, 2021.
- Week of May 10, 2021: Borings were drilled at various locations around the refinery, including the northern and eastern boundary, Tank Farm, MKTF, and in and around the wastewater treatment area to further address the Tank 570 area, refinery boundaries, and other areas with data gaps. The Tank 570 (November 2019 and May 2021), Process Area (February 2021), and additional areas (May 2021) data were discussed in the "Tank 570 Release and Additional Areas Laser-Induced Fluorescence/Hydraulic Profiling Investigation Report" (Tank 570 Report) (Western October 27, 2021).

This MKTF addendum presents the MKTF LIF data collected in May 2021. This MKTF addendum can be considered complimentary to the MKTF Report (MPC March 31, 2021) and Tank 570 Report (Western October 27, 2021). Refer to Section 1.0, Table 1-1 for the LIF boring designations, associated investigation dates, and cross-reference to the applicable report where data analysis is provided.

The MKTF LIF/HP investigation spanned the three field events and consisted of advancing 18 direct push (DP) borings in November 2019, 37 DP borings in February 2021, and 7 DP borings in May 2021. The May 2021 borings were drilled due to the discovery of diesel- and naphtha-type waveforms during the February 2021 LIF/HP investigation and to delineate the SPH plume in the southwest area of the Refinery. In conjunction with the LIF/HP borings, nine soil samples were collected at four locations during the November 2019 and February 2021 events. Soil sampling activities and the results were presented in the MKTF Report (MPC March 31, 2021) and are not discussed in this MKTF addendum.

Utility clearance using ground-penetrating radar was completed by Ground Penetrating Radar Systems in the week prior to the drilling activities. Gallup Pipeline and Compliance Services performed borehole clearance using V-trenching. Terracon performed the DP drilling and Dakota Technologies, LLC performed LIF/HP probing activities.
Significant conclusions from the investigation include:

- SPH impacts appear to follow relatively coarser lithologies (sandy clays, sands, and gravel dominated lithologies).
- These appear to occur as lenses, filled in erosional surfaces, or possible paleochannels
- Product types are mixed in some areas and lighter product types are widely dispersed across the site. Releases of some lighter-end product types such as gasoline and naphtha have occurred within the last 5 years.
- To verify saturation and to aid in the design of future remedial alternatives, collection of soil cores and verification of fuel types will be evaluated.

Seven LIF DP borings were drilled during May 2021. These borings were required to address the boundaries of gasoline- and diesel-type SPH data gaps in the north and southwest area of the MKTF. MKTF-LIF-124 bounded the western edge of the MKTF SPH plume in the north. MKTF-LIF-126 showed a gasoline-type waveform (41.6%); however, this area is bounded by active refinery western boundary borings WB-LIF-125 and WB-LIF-127 (Western October 27, 2021). MKTF-LIF-134 and MKTF-LIF-135 bounded the gasoline-type plume near borings MKTF-LIF-77 and MKTF-LIF-90. A gasoline-type waveform was noted in borings MKTF-LIF-131 (37.2%) and MKTF-LIF-132 (23%). These borings are bound on the south by MKTF-LIF-78, MKTF-LIF-79, and MKTF-LIF-80 (MPC March 31, 2021), and MKTF-LIF-134. Based on the data presented in the Marketing Tank Farm LIF report (MPC March 31, 2021) and this report, sufficient data have been collected for future engineering remediation evaluations.

Received by OCD: 12/2/2021 3:30:41 PM

Table of Contents

Executive Summary 1

1.0 Introduction and Background 5

1.1 Background 6

1.2 Investigation Objectives 6

1.3 Site Surface and Subsurface Conditions 6

1.4 Existing Data 7

2.0 Investigation Methods 8

3.0 Investigation Results 10

3.1 Utility Clearance 10

3.2 Laser-Induced Fluorescence Results 10

4.0 Conclusions and Recommendations 12

5.0 References 13

List of Figures

1-1. Refinery Location, Western Refining Southwest LLC, Marathon Gallup Refinery, Gallup, New Mexico

1-2. Gallup Regional Stratigraphy, Western Refining Southwest LLC, Marathon Gallup Refinery, Gallup, New Mexico

1-3. Sitewide Maximum SPH Thickness, Western Refining Southwest LLC, Marathon Gallup Refinery, Gallup, New Mexico

3-1. 2019 and 2021 LIF Sample Locations and Residual Product Type, Western Refining Southwest LLC, Marathon Gallup Refinery, Gallup, New Mexico

3-2. 2019 and 2021 LIF Sample Locations with Greater than 20% Response, Western Refining Southwest LLC, Marathon Gallup Refinery, Gallup, New Mexico

List of Tables

1-1. LIF Boring Designation and Investigation Date, Western Refining Southwest LLC, Marathon Gallup Refinery, Gallup, New Mexico

Released to Imaging: 11/22/2022 4:04:32 PM

Received by OCD: 12/2/2021 3:30:41 PM

List of Appendices

A. Fluid Level Measurements

B. LIF/HP Methods

C. LIF/HP Logs

List of Acronyms and Abbreviations

% RE	percent of reference emitter
cm/sec	centimeters per second
DP	direct push
EC	electrical conductivity
ft	foot or feet
HP	hydraulic profiling
K	hydraulic conductivity
LIF	laser-induced fluorescence
MKTF	Marketing Tank Farm
Refinery	Marathon Gallup Refinery
NM	New Mexico
NMED	New Mexico Environment Department
SPH	separate phase hydrocarbon
UVOST®	Ultra-Violet Optical Screening Tool

Released to Imaging: 11/22/2022 4:04:32 PM

1.0 Introduction and Background

This Marketing Tank Farm (MKTF) addendum (MKTF addendum) summarizes the additional MKTF Laser-Induced Fluorescence/Hydraulic Profiling (LIF/HP) investigation conducted at the Western Refining Southwest LLC (D/B/A Marathon Gallup Refinery) (Refinery) in Gallup, New Mexico (NM) (Figure 1-1). This investigation was conducted to address data gaps identified in the "Marketing Tank Farm Laser-Induced Fluorescence/Hydraulic Profiling Investigation Report" (MKTF Report) (MPC March 31, 2021).

As a result of two releases in 2019, Marketing Tank Farm release and Tank 570 release, LIF/HP was proposed to investigate the extents. The investigation scope was conducted in accordance with a series of verbal discussions and agreements between the New Mexico Environment Department (NMED) and the Refinery. Three investigations have been conducted between November 2019 and May 2021. In total, 139 LIF/HP borings have been drilled at the site: 46 borings in November 2019, 45 borings in February 2021, and 48 borings in May 2021.

The investigations are summarized as follows:

- Week of November 18, 2019: Borings were drilled in the MKTF and around Tank 570 to address the releases in these areas.
- Week of February 1, 2021: Borings were drilled in the MKTF and the Process Area to address data gaps in the MKTF area. The results for the MKTF investigations (November 2019 and February 2021) were summarized in the "Marketing Tank Farm Laser-Induced Fluorescence/Hydraulic Profiling Investigation Report" (MPC March 31, 2021) submitted on March 31, 2021.
- Week of May 10, 2021: Borings were drilled at various locations around the refinery to further address the Tank 570 area, refinery boundaries, and areas with data gaps. The Tank 570 (November 2019 and May 2021), Process Area (February 2021), and additional areas (May 2021) data were discussed in the "Tank 570 Release and Additional Areas Laser-Induced Fluorescence/Hydraulic Profiling Investigation Report" (Tank 570 Report) (Western October 27, 2021).

This MKTF addendum report presents the MKTF LIF data collected in May 2021. This MKTF addendum can be considered complimentary to the MKTF Report (MPC March 31, 2021) and the Tank 570 Report (Western October 27, 2021). Table 1-1 presents the LIF boring designations, associated investigation dates, and cross-reference to the applicable report where data analysis is provided.

The MKTF LIF/HP investigation spanned the three field events and consisted of advancing 18 direct push (DP) borings in November 2019, 37 DP borings in February 2021, and 7 DP borings in May 2021. The May 2021 borings were drilled due to the discovery of diesel- and naphtha-type waveforms during the February 2021 LIF/HP investigation and to delineate the separate phase hydrocarbon (SPH) plume in the southwest area of the Refinery. In conjunction with the LIF/HP borings, nine soil samples were collected at four locations during the November 2019 and February 2021 events. Soil sampling and the results

were presented in the MKTF Report (MPC March 31, 2021) and are not discussed in this MKTF addendum.

1.1 Background

The Refinery is located approximately 17 miles east of Gallup, McKinley County, NM along the north side of Interstate Highway I-40 (Figure 1-1). The physical address is I-40, Exit #39 Jamestown, NM, 87347. The Refinery property covers approximately 810 acres. The Refinery was officially idled indefinitely on October 9, 2020. While operating, the Refinery processed crude oil transported by pipeline or tanker truck from the Four Corners region. Various process units operated at the Refinery included crude distillation, reformer, fluidized catalytic cracker, alkylation, sulfur recovery, merox treater, and hydrotreater. Past operations have produced gasoline, diesel fuels, jet fuels, kerosene, propane, butane, and residual fuel. Refinery operations were idled in April 2020.

1.2 Investigation Objectives

As determined by the Refinery, the objectives of the LIF investigation were to:

- Identify areas where residual and/or mobile SPH may exist.
- Use the investigation results to assist in the selection of remedial alternatives for evaluation.

1.3 Site Surface and Subsurface Conditions

Site topographic features include high ground in the southeast gradually decreasing to a lowland fluvial plain to the northwest. Elevations on the refinery property range from 7,040 feet (ft) to 6,860 ft. Surface soils within most of the area of investigation are primarily Rehobeth silty clay loam, which is a common soil type in the area.

Based on existing boring logs, shallow subsurface fluvial and alluvial soils are comprised of primarily clays and silts with minor inter-bedded sand layers. Very low permeability bedrock (e.g., claystones and siltstones) underlie the surface soils and effectively form an aquitard. The Chinle Group, from the Upper Triassic period, crops out over a large area on the southern margin of the San Juan Basin. The uppermost recognized local Formation is the Petrified Forest Formation. The Sonsela Sandstone Bed is the uppermost recognized regional aquifer. Aquifer tests of the Sonsela Bed northeast of Prewitt indicated a transmissivity of greater than 100 ft^2/day (Stone et al., 1983). The Sonsela Sandstone's highest point occurs southeast of the site and slopes downward to the northwest as it passes under the Refinery. The Sonsela Sandstone forms a water-bearing reservoir with artesian conditions throughout the central and western portions of the Refinery property. The regional stratigraphy around the Refinery is shown on Figure 1-2.

The diverse properties and complex, irregular stratigraphy of the surface soils across the Refinery cause a wide range of hydraulic conductivity (K) ranging from less than 10^{-2} centimeters per second (cm/sec) for gravel-like sands immediately overlying the Petrified Forest Formation to 10^{-8} cm/sec in the clay soils located near the surface. Generally, shallow groundwater at the Refinery follows the upper contact of

the Petrified Forest Formation (Chinle Group) with prevailing flow from the southeast to the northwest, although localized areas may have varying flow directions based on the subsurface geology.

1.4 Existing Data

Historically, releases have occurred in the investigation area, including an October 2019 gasoline release from a subsurface pipeline between the Truck Loading Rack and the Marketing Tank Farm. During this investigation, the project scope was expanded from the 2019 gasoline release to evaluate other releases in the area and diesel and naphtha occurrences. Historical measurements of SPH thickness and depth in monitoring wells across the Refinery were used to develop the scope of work for the three LIF/HP investigations. SPH thicknesses in the Refinery monitoring wells are shown on Figure 1-3. Measurements of SPH thickness and depth in the monitoring wells are provided in Appendix A.

2.0 Investigation Methods

During these investigations, site characterization was conducted with LIF. At a subset of the LIF borings, an HP tool was added to the probe. Details on the LIF/HP technique are described in Appendix B. The investigation results are presented in Section 3.0. The concepts of mobility and migration are discussed with respect to the investigation results in Sections 3.0 and 4.0.

LIF is a DP site characterization method in which a transparent sapphire window is fitted into the side of a DP probe that is pushed through the soil column. As this sapphire-windowed probe is advanced steadily down into the soil column, pulses of laser light are emitted onto passing soil. The laser light excites fluorescent molecules that exist in most petroleum fuels and oils. At this site, the type of LIF probe utilized was an Ultra-Violet Optical Screening Tool (UVOST®) probe, which is designed for detecting light to mid-weight fuels and oils containing 2- to 4-ring polycyclic aromatic hydrocarbons (PAH), such as gasoline, diesel, kerosene, motor oils, cutting fluids, hydraulic fluid, light crude oils, and fuel oils.

The HP tool is used to assess formation permeability and hydrostratigraphy. During advancement, water is injected at a controlled rate into the formation through a screened port on the side of the HP probe. A transducer in the probe measures the total pressure required to inject the water into the formation while a flow controller at the surface monitors the injection flow rate. These data can be used to estimate K in the formation. The HP tool also measures electrical conductivity (EC). EC is the proportionality factor relating to the current that flows in a medium to the electric force field that is applied. It is a measure of the ability of the material to conduct an electrical current to move through the material. The EC of subsurface materials is influenced by metal content, porosity, permeability, and clay content, among other factors. The EC log is reviewed to better define formation permeability and hydrostratigraphy.

The combination of LIF and HP tools on a single DP probe facilitates investigation of SPH while simultaneously characterizing lithologic variability that influences SPH mass storage and transport. This combination reduces time and cost, while eliminating the need to integrate LIF and HP data from adjacent borings.

The LIF/HP probing output provides a comparison of the LIF response to that of a known reference standard and is presented as percent of the reference emitter (% RE). LIF response intensity (i.e., % RE) is influenced by the quantity of SPH present and the waveform pattern is a function of the relative proportions of the PAHs present.

For clarity, in discussing the migration potential of SPH, a distinction should be drawn between potential SPH mobility and migration, as these terms can be confused (ITRC 2009). In this report, mobility and mobility potential refer to the potential of SPH to gravity drain from the soil pore space, which can only occur if the residual saturation is exceeded. This gravity drainage typically manifests itself as SPH in a monitoring well. In contrast, SPH migration refers to the lateral spread of SPH under the influence of SPH characteristics, the prevailing groundwater hydraulic gradient, and permeability, as governed by

Darcy's Law. Exceedance of local residual saturation is a necessary condition for migration, but it is not alone sufficient for migration. Sufficient SPH head and other conditions described in this report must be present for SPH to migrate downgradient.

3.0 Investigation Results

In total, 139 LIF/HP borings have been drilled at the site: 46 borings in November 2019, 45 borings in February 2021, and 48 borings in May 2021. The locations are presented on Figure 3-1 and the LIF/HP logs associated with the MKTF May 2021 investigation are provided in Appendix C. Elevation data for the LIF borings were provided in Appendix D of the Tank 570 Report (Western October 27, 2021).

The LIF/HP Investigations were conducted because of two simultaneous releases in the Marketing Tank Farm and the Tank 570 area. The November 2019 data addressed both the Marketing Tank Farm and Tank 570 releases. The February 2021 data addressed the Marketing Tank Farm Release. The May 2021 data addressed the Tank 570 Release and the refinery boundaries per NMED comments and other data gaps. The November 2019, February 2021, and May 2021 LIF data associated with the Tank 570, refinery boundaries, and other areas with data gaps (designated PA-LIF, EB-LIF, and WB-LIF) were discussed in the Tank 570 Report (Western October 27, 2021).

The MKTF data collected May 2021 are discussed in the following sections. This report can be considered a complimentary to the MKTF Report (MPC March 31, 2021) and the Tank 570 Report (Western October 27, 2021).

3.1 Utility Clearance

During the May 2021 investigation, v-trenching clearance activities were completed and LIF/HP intervals from 0 to 5 ft are representative of undisturbed subsurface conditions as required by NMED. Terracon performed the DP drilling and Dakota Technologies, LLC performed LIF/HP probing activities. Borings completed during the May 2021 investigation were abandoned using bentonite chips emplaced from the bottom of the borehole to the surface. During the November 2019 and February 2021 investigations, soil borings with no LIF response were abandoned with soil cuttings from the borehole and a bentonite plug was placed from 2 ft below ground surface. Impacted borings were abandoned using bentonite chips.

3.2 Laser-Induced Fluorescence Results

Seven LIF borings were drilled in May 2021 and are discussed in this MKTF addendum (Table 1-1). Based on the MKTF LIF logs (Appendix C), residual SPH type and extent are presented on Figure 3-1. LIF fluorescence intensity is likely to increase with SPH saturation magnitude. However, LIF data should not be taken as an indication of SPH mobility. The distinction between residual and mobile SPH is complex and depends on fine scale hydrostatic conditions which can change over time. The primary output variable of the LIF borings and the % RE from the UVOST®, is a measure of fluorescence relative to a standard reference. While it is influenced by the SPH saturation of pore space within the subsurface it is also affected by the nature of aquifer materials, and the type and composition of the SPH.

For qualitative analysis of the LIF data, values of approximately 20 % RE or less are considered a minimal response, i.e., SPH present at low levels. Values of 0 % RE were considered to have no SPH. This was determined by:

- Potential for LIF false positives having been documented for certain waveform patterns and at low % RE (Dakota 2021)
- Collection of soil samples for comparison to % RE values in general correlate to concentrations of TPH, 50% of the samples that contained Total TPH of 1000 mg/kg correlated in general to a 20 % RE threshold.

Figure 3-2 shows the LIF borings that are 20 % RE or greater.

In May 2021, seven LIF borings were advanced in the Marketing Tank Farm area to further assess the boundaries of gasoline- and diesel-type SPH. MKTF-LIF-124 and MKTF-LIF-126 were advanced as the northern most MKTF borings. No response was noted in MKTF-LIF-124, and a gasoline-type waveform was noted for MKTF-LIF-126 (41.6%). Active refinery western boundary borings WB-LIF-125 and WB-LIF-127 (Western October 27, 2021) both showed no response and are north of MKTF-LIF-126.

MKTF-LIF-131, MKTF-LIF-132, MKTF-LIF-133, MKTF-LIF-134, and MKTF-LIF-135 were advanced to delineate the western portion of the gasoline plume near borings MKTF-LIF-77 and MKTF-LIF-90. No response was noted in MKTF-LIF-133, MKTF-LIF-134, and MKTF-LIF-135. A gasoline-type waveform was noted in borings MKTF-LIF-131 (37.2%) and MKTF-LIF-132 (23%). These borings are bound on the south by MKTF-LIF-78, MKTF-LIF-79, and MKTF-LIF-80 (MPC March 31, 2021), and MKTF-LIF-134.

Based on the data presented in the Marketing Tank Farm LIF report (MPC March 31, 2021) and this report, sufficient data have been collected for future engineering remediation evaluations.

4.0 Conclusions and Recommendations

Seven LIF DP borings were drilled during May 2021. These borings were required to address the boundaries of gasoline- and diesel-type SPH data gaps in the north and southwest area of the MKTF. MKTF-LIF-124 bounded the western edge of the MKTF SPH plume in the north. MKTF-LIF-126 showed a gasoline-type waveform (41.6%); however, this area is bounded by active refinery western boundary borings WB-LIF-125 and WB-LIF-127 (Western October 27, 2021). MKTF-LIF-134 and MKTF-LIF-135 bounded the gasoline-type plume near borings MKTF-LIF-77 and MKTF-LIF-90. A gasoline-type waveform was noted in borings MKTF-LIF-131 (37.2%) and MKTF-LIF-132 (23%). These borings are bound on the south by MKTF-LIF-78, MKTF-LIF-79, and MKTF-LIF-80 (MPC March 31, 2021), and MKTF-LIF-134. Based on the data presented in the Marketing Tank Farm LIF report (MPC March 31, 2021) and this report, sufficient data have been collected for future engineering remediation evaluations.

5.0 References

Dakota Technologies Company, LLC (Dakota). 2021. https://www.dakotatechnologies.com/info/newsletters/article/2013/07/12/interpreting-lif-waveforms, viewed July 7.

Interstate Technology & Regulatory Council (ITRC). 2009. Evaluating SPH Remedial Technologies for Achieving Project Goals. SPH-2. Washington, D.C. Interstate Technology & Regulatory Council, SPHs Team. www.itrcweb.org.

New Mexico Environment Department (NMED). 2021. Disapproval, Marketing Tank Farm Laser-Induced Fluorescence/Hydraulic Profiling Investigation Report. June 2.

Marathon Petroleum Corporation (MPC). 2021. Marathon Petroleum Corporation, Gallup Refining Division, Marketing Tank Farm Laser-Induced Fluorescence/Hydraulic Profiling Investigation Report. March 31.

Western Refining Southwest LLC (Western). 2021. Western Refining Southwest LLC, D/B/A Marathon Gallup Refinery, Tank 570 Release and Additional Areas Laser-Induced Fluorescence/Hydraulic Profiling Investigation Report. October 27.

Stone, W. J., Lyford, F. P., Frenzel, P.F., Mizell, N. H., and Padgett, E. T. 1983. Hydrogeology and Water Resources of San Juan Basin, New Mexico. Socorro, New Mexico Bureau of Mines and Mineral Resources Hydrologic Report 6, 70 p.

Figures



Image Cite: U.S. Geological Survey, 1:24,000–Scale 7.5 Minute Digital Raster Graphic Quadrangle, McKinley County, Publication: 2004

NEW MEXICO

QUADRANGLE LOCATION

NOTE:

SITE LEGAL DESCRIPTION -
TOWNSHIP 15 NORTH, RANGE 15 WEST, SECTION 33

N

0 2,000'

Trihydro CORPORATION
1252 Commerce Drive
Laramie, Wyoming 82070
www.trihydro.com
(P) 307/745.7474 (F) 307/745.7729

FIGURE 1-1

REFINERY LOCATION

WESTERN REFINING SOUTHWEST LLC
MARATHON GALLUP REFINERY
GALLUP, NEW MEXICO

Drawn By: REP	Checked By: BN	Scale: 1" = 2,000'	Date: 11/4/2021	File: 697-MKTF-LIF-SITELOC-202111

M:\TON\MARATHON\CADD\GALLUP_REPORTS\LIF\202111_MKTF-LIF-ADDENDUM\697-MKTF-LIF-SITELOC-202111



SOURCE:

TRIASSIC STRATIGRAPHY IN THE ZUNI MOUNTAINS, WEST-CENTRAL NEW MEXICO, A.B. HECKERT, 2011

Trihydro CORPORATION
1252 Commerce Drive
Laramie, WY 82070
www.trihydro.com
(P) 307/745.7474 (F) 307/745.7729

FIGURE 1-2

GALLUP REGIONAL STRATIGRAPHY

WESTERN REFINING SOUTHWEST LLC
MARATHON GALLUP REFINERY
GALLUP, NEW MEXICO

Drawn By: KEJ	Checked By: PH		Date: 8/13/21	File: 1-2_GallupStratigraphy_Fig1-2.mxd

I:\TRIHYDRO.COM\CLIENTS\ITON\MARATHONGS\PROJECTS\GALLUP\REFINERY\LASER_INDUCED_FLUORESCENCE_LIF\LIF_REPORT\3_MARCH_2021\1-2_GALLUPSTRATIGRAPHY_FIG1-2.MXD

EXPLANATION

- MONITORING WELL - FOLLOWED BY SPH (SEPARATE PHASE HYDROCARBON) IN FEET
- MONITORING WELL - SPH NOT DETECTED
- SITE FEATURE

NOTES:

- SPH - SEPARATE PHASE HYDROCARBON
- MAXIMUM SPH THICKNESS BETWEEN 2019 - 2021

N

0 160 320'

Trihydro CORPORATION
1252 Commerce Drive
Laramie, WY 82070
www.trihydro.com
(P) 307/745.7474 (F) 307/745.7729

FIGURE 1-3

SITEWIDE MAXIMUM SPH THICKNESS

WESTERN REFINING SOUTHWEST LLC
MARATHON GALLUP REFINERY
GALLUP, NEW MEXICO

Drawn By: KEJ	Checked By: MS	Scale: 1" = 160'	Date: 11/8/21	File: 1-3_Sitewide_SPH_Thinkess_Fig1-3_Dsize



EXPLANATION

- 05/2021 LIF BORING LOCATION
- 02/2021 LIF BORING LOCATION
- 11/2019 LIF BORING LOCATION
- MONITORING WELL

SPH OCCURRENCE
- DIESEL
- GASOLINE
- NAPHTHA
- RESIDUAL/NO RESPONSE

- DECEMBER 2020 GROUNDWATER ELEVATION IN FT AMSL, DASHED WHERE INFERRED
- ACTIVE REFINERY WESTERN BOUNDARY LIF AREA (05/2021)
- EASTERN BOUNDARY LIF AREA (05/2021)
- MKTF LIF AREA (11/2019, 02/2021, AND 05/2021)
- PROCESS AREA LIF AREA (02/2021)

NOTES:

-LIF - LASER-INDUCED FLORESCENCE
-SPH - SEPARATE PHASE HYDROCARBON
-FT AMSL - FEET ABOVE MEAN SEA LEVEL

N

0 160 320'

Trihydro CORPORATION
1252 Commerce Drive
Laramie, WY 82070
www.trihydro.com
(P) 307/745.7474 (F) 307/745.7729

FIGURE 3-1

2019 AND 2021 LIF SAMPLE LOCATIONS AND RESIDUAL PRODUCT TYPE

WESTERN REFINING SOUTHWEST LLC MARATHON GALLUP REFINERY GALLUP, NEW MEXICO

Drawn By: KEJ	Checked By: MS	Scale: 1" = 160'	Date: 11/11/21	File: 3-1_Sitewide_LIF_Results_Fig3-1_Dsize



EXPLANATION

- 05/2021 LIF BORING LOCATION
- 02/2021 LIF BORING LOCATION
- 11/2019 LIF BORING LOCATION
- MONITORING WELL

SPH OCCURRENCE
- DIESEL
- GASOLINE
- NAPHTHA

DECEMBER 2020 GROUNDWATER ELEVATION IN FT AMSL, DASHED WHERE INFERRED

- ACTIVE REFINERY WESTERN BOUNDARY LIF AREA (05/2021)
- EASTERN BOUNDARY LIF AREA (05/2021)
- MKTF LIF AREA (11/2019, 02/2021, AND 05/2021)
- PROCESS AREA LIF AREA (02/2021)

NOTES:

-LIF - LASER-INDUCED FLORESCENCE
-SPH - SEPARATE PHASE HYDROCARBON
-FT AMSL - FEET ABOVE MEAN SEA LEVEL
-% - PERCENT

N

0 160 320'

Trihydro CORPORATION
1252 Commerce Drive
Laramie, WY 82070
www.trihydro.com
(P) 307/745.7474 (F) 307/745.7729

FIGURE 3-2

2019 AND 2021 LIF SAMPLE LOCATIONS WITH GREATER THAN 20% RESPONSE

WESTERN REFINING SOUTHWEST LLC MARATHON GALLUP REFINERY GALLUP, NEW MEXICO

Drawn By: KEJ	Checked By: MS	Scale: 1" = 160'	Date: 11/11/21	File: 3-2_LIF_20percent_3-2_Dsize

Table

TABLE 1-1. LIF BORING DESTINATION AND INVESTIGATION DATE
WESTERN REFINING SOUTHWEST LLC, MARATHON GALLUP REFINERY, GALLUP, NEW MEXICO

Location Name	LIF Investigation Date	Reported in Marketing Tank Farm Report [1]	Reported in Tank 570 Release and Additional Areas Report [2]	Reported in Marketing Tank Farm Report Addendum [3]
EB-LIF-02	Nov-19	--	Y	--
EB-LIF-03	Nov-19	--	Y	--
EB-LIF-04	Nov-19	--	Y	--
EB-LIF-05	Nov-19	--	Y	--
EB-LIF-06	Nov-19	--	Y	--
EB-LIF-07	Nov-19	--	Y	--
EB-LIF-08	Nov-19	--	Y	--
EB-LIF-09	Nov-19	--	Y	--
EB-LIF-11	Nov-19	--	Y	--
EB-LIF-12	Nov-19	--	Y	--
EB-LIF-13	Nov-19	--	Y	--
EB-LIF-14	Nov-19	--	Y	--
EB-LIF-15	Nov-19	--	Y	--
EB-LIF-16	Nov-19	--	Y	--
EB-LIF-17	Nov-19	--	Y	--
EB-LIF-18	Nov-19	--	Y	--
EB-LIF-19	Nov-19	--	Y	--
EB-LIF-20	Nov-19	--	Y	--
EB-LIF-21	Nov-19	--	Y	--
EB-LIF-22	Nov-19	--	Y	--
EB-LIF-23	Nov-19	--	Y	--
EB-LIF-25	Nov-19	--	Y	--
EB-LIF-26	Nov-19	--	Y	--
EB-LIF-27	Nov-19	--	Y	--
EB-LIF-28	Nov-19	--	Y	--
EB-LIF-30	Nov-19	--	Y	--
EB-LIF-33	Nov-19	--	Y	--
EB-LIF-34	Nov-19	--	Y	--
EB-LIF-91	May-21	--	Y	--
EB-LIF-92	May-21	--	Y	--
EB-LIF-93	May-21	--	Y	--
EB-LIF-94	May-21	--	Y	--
EB-LIF-95	May-21	--	Y	--

TABLE 1-1. LIF BORING DESTINATION AND INVESTIGATION DATE
WESTERN REFINING SOUTHWEST LLC, MARATHON GALLUP REFINERY, GALLUP, NEW MEXICO

Location Name	LIF Investigation Date	Reported in Marketing Tank Farm Report [1]	Reported in Tank 570 Release and Additional Areas Report [2]	Reported in Marketing Tank Farm Report Addendum [3]
EB-LIF-96	May-21	--	Y	--
EB-LIF-97	May-21	--	Y	--
EB-LIF-98	May-21	--	Y	--
EB-LIF-99	May-21	--	Y	--
EB-LIF-101	May-21	--	Y	--
EB-LIF-102	May-21	--	Y	--
EB-LIF-103	May-21	--	Y	--
EB-LIF-104	May-21	--	Y	--
EB-LIF-105	May-21	--	Y	--
EB-LIF-106	May-21	--	Y	--
EB-LIF-107	May-21	--	Y	--
EB-LIF-108	May-21	--	Y	--
EB-LIF-109	May-21	--	Y	--
EB-LIF-121	May-21	--	Y	--
EB-LIF-122	May-21	--	Y	--
EB-LIF-138	May-21	--	Y	--
MKTF-LIF-36	Nov-19	Y	--	--
MKTF-LIF-37	Nov-19	Y	--	--
MKTF-LIF-38	Nov-19	Y	--	--
MKTF-LIF-39	Nov-19	Y	--	--
MKTF-LIF-40	Nov-19	Y	--	--
MKTF-LIF-41	Nov-19	Y	--	--
MKTF-LIF-42	Nov-19	Y	--	--
MKTF-LIF-43	Nov-19	Y	--	--
MKTF-LIF-44	Nov-19	Y	--	--
MKTF-LIF-45	Nov-19	Y	--	--
MKTF-LIF-46	Nov-19	Y	--	--
MKTF-LIF-47	Nov-19	Y	--	--
MKTF-LIF-48	Nov-19	Y	--	--
MKTF-LIF-49	Nov-19	Y	--	--
MKTF-LIF-50	Nov-19	Y	--	--
MKTF-LIF-51	Nov-19	Y	--	--
MKTF-LIF-52	Nov-19	Y	--	--

TABLE 1-1. LIF BORING DESTINATION AND INVESTIGATION DATE
WESTERN REFINING SOUTHWEST LLC, MARATHON GALLUP REFINERY, GALLUP, NEW MEXICO

Location Name	LIF Investigation Date	Reported in Marketing Tank Farm Report [1]	Reported in Tank 570 Release and Additional Areas Report [2]	Reported in Marketing Tank Farm Report Addendum [3]
MKTF-LIF-53	Nov-19	Y	--	--
MKTF-LIF-54	Feb-21	Y	--	--
MKTF-LIF-55	Feb-21	Y	--	--
MKTF-LIF-56	Feb-21	Y	--	--
MKTF-LIF-57	Feb-21	Y	--	--
MKTF-LIF-58	Feb-21	Y	--	--
MKTF-LIF-59	Feb-21	Y	--	--
MKTF-LIF-60	Feb-21	Y	--	--
MKTF-LIF-61	Feb-21	Y	--	--
MKTF-LIF-62	Feb-21	Y	--	--
MKTF-LIF-63	Feb-21	Y	--	--
MKTF-LIF-64	Feb-21	Y	--	--
MKTF-LIF-65	Feb-21	Y	--	--
MKTF-LIF-66	Feb-21	Y	--	--
MKTF-LIF-67	Feb-21	Y	--	--
MKTF-LIF-68	Feb-21	Y	--	--
MKTF-LIF-70	Feb-21	Y	--	--
MKTF-LIF-71	Feb-21	Y	--	--
MKTF-LIF-72	Feb-21	Y	--	--
MKTF-LIF-73	Feb-21	Y	--	--
MKTF-LIF-74	Feb-21	Y	--	--
MKTF-LIF-75	Feb-21	Y	--	--
MKTF-LIF-76	Feb-21	Y	--	--
MKTF-LIF-77	Feb-21	Y	--	--
MKTF-LIF-78	Feb-21	Y	--	--
MKTF-LIF-79	Feb-21	Y	--	--
MKTF-LIF-79A	Feb-21	Y	--	--
MKTF-LIF-80	Feb-21	Y	--	--
MKTF-LIF-81	Feb-21	Y	--	--
MKTF-LIF-82	Feb-21	Y	--	--
MKTF-LIF-83	Feb-21	Y	--	--
MKTF-LIF-84	Feb-21	Y	--	--
MKTF-LIF-85	Feb-21	Y	--	--

TABLE 1-1. LIF BORING DESTINATION AND INVESTIGATION DATE
WESTERN REFINING SOUTHWEST LLC, MARATHON GALLUP REFINERY, GALLUP, NEW MEXICO

Location Name	LIF Investigation Date	Reported in Marketing Tank Farm Report [1]	Reported in Tank 570 Release and Additional Areas Report [2]	Reported in Marketing Tank Farm Report Addendum [3]
MKTF-LIF-86	Feb-21	Y	--	--
MKTF-LIF-87	Feb-21	Y	--	--
MKTF-LIF-88	Feb-21	Y	--	--
MKTF-LIF-89	Feb-21	Y	--	--
MKTF-LIF-90	Feb-21	Y	--	--
MKTF-LIF-124	May-21	--	--	Y
MKTF-LIF-126	May-21	--	--	Y
MKTF-LIF-131	May-21	--	--	Y
MKTF-LIF-132	May-21	--	--	Y
MKTF-LIF-133	May-21	--	--	Y
MKTF-LIF-134	May-21	--	--	Y
MKTF-LIF-135	May-21	--	--	Y
PA-LIF-1	Feb-21	Y	--	--
PA-LIF-2	Feb-21	Y	--	--
PA-LIF-3	Feb-21	Y	--	--
PA-LIF-4	Feb-21	Y	--	--
PA-LIF-5	Feb-21	Y	--	--
PA-LIF-6	Feb-21	Y	--	--
PA-LIF-7	Feb-21	Y	--	--
PA-LIF-8	Feb-21	Y	--	--
WB-LIF-100	May-21	--	Y	--
WB-LIF-110	May-21	--	Y	--
WB-LIF-111	May-21	--	Y	--
WB-LIF-112	May-21	--	Y	--
WB-LIF-113	May-21	--	Y	--
WB-LIF-114	May-21	--	Y	--
WB-LIF-115	May-21	--	Y	--
WB-LIF-116	May-21	--	Y	--
WB-LIF-117	May-21	--	Y	--
WB-LIF-118	May-21	--	Y	--
WB-LIF-119	May-21	--	Y	--
WB-LIF-120	May-21	--	Y	--
WB-LIF-123	May-21	--	Y	--
WB-LIF-125	May-21	--	Y	--
WB-LIF-127	May-21	--	Y	--

TABLE 1-1. LIF BORING DESTINATION AND INVESTIGATION DATE
WESTERN REFINING SOUTHWEST LLC, MARATHON GALLUP REFINERY, GALLUP, NEW MEXICO

Location Name	LIF Investigation Date	Reported in Marketing Tank Farm Report [1]	Reported in Tank 570 Release and Additional Areas Report [2]	Reported in Marketing Tank Farm Report Addendum [3]
WB-LIF-128	May-21	--	Y	--
WB-LIF-129	May-21	--	Y	--
WB-LIF-130	May-21	--	Y	--
WB-LIF-136	May-21	--	Y	--
WB-LIF-137	May-21	--	Y	--

Notes:
-- - Not applicable
LIF/HP - Laser-Induced Fluorescence/Hydraulic Profiling
Y - Yes

[1] Marketing Tank Farm LIF/HP Investigation Report. March 31, 2021.
[2] Tank 570 Release and Additional Areas LIF/HP Investigation Report. October 31, 2021.
[3] Marketing Tank Farm LIF/HP Investigation Report Addendum, November 19, 2021.

Appendix A – Fluid Level Measurements

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
BW-1A	9/8/2014	6885.12	NA	Dry	Dry	ND	NA	46.06
BW-1A	8/10/2015	6885.12	NA	Dry	Dry	ND	NA	46.06
BW-1A	9/8/2016	6885.12	NA	Dry	Dry	ND	NA	46.06
BW-1A	9/13/2017	6885.12	NA	Dry	Dry	ND	NA	46.06
BW-1A	8/15/2018	6885.12	NA	Dry	Dry	ND	NA	42.61
BW-1A	8/14/2019	6885.12	NA	Dry	Dry	ND	NA	42.61
BW-1A	9/14/2020	6885.12	NA	Dry	Dry	ND	NA	43.70
BW-1B	9/8/2014	6885.78	NA	Dry	Dry	ND	NA	76.29
BW-1B	8/10/2015	6885.78	NA	Dry	Dry	ND	NA	76.29
BW-1B	9/8/2016	6885.78	NA	Dry	Dry	ND	NA	76.29
BW-1B	9/13/2017	6885.78	NA	Dry	Dry	ND	NA	76.29
BW-1B	8/15/2018	6885.78	NA	Dry	Dry	ND	NA	73.55
BW-1B	8/14/2019	6885.78	NA	6813.56	72.22	ND	NA	73.55
BW-1B	9/14/2020	6885.78	NA	Dry	Dry	ND	NA	73.38
BW-1C	9/10/2014	6885.68	NA	6872.71	12.97	ND	NA	145.29
BW-1C	8/10/2015	6885.68	NA	6873.35	12.33	ND	NA	145.29
BW-1C	9/8/2016	6885.68	NA	6873.13	12.55	ND	NA	145.29
BW-1C	9/13/2017	6885.68	NA	6873.08	12.60	ND	NA	145.29
BW-1C	8/15/2018	6885.68	NA	6872.78	12.90	ND	NA	145.29
BW-1C	8/14/2019	6885.68	NA	6873.29	12.39	ND	NA	145.29
BW-1C	9/14/2020	6885.68	NA	6871.79	13.89	ND	NA	145.29
BW-2A	9/9/2014	6874.69	NA	6842.44	32.25	ND	NA	67.57
BW-2A	8/10/2015	6874.69	NA	6842.69	32.00	ND	NA	67.57
BW-2A	9/8/2016	6874.69	NA	6842.40	32.29	ND	NA	67.57
BW-2A	9/13/2017	6874.69	NA	6842.25	32.44	ND	NA	67.57
BW-2A	8/15/2018	6874.69	NA	6842.35	32.34	ND	NA	67.57
BW-2A	8/14/2019	6874.69	NA	6842.43	32.26	ND	NA	67.57
BW-2A	9/14/2020	6874.69	NA	6841.76	32.93	ND	NA	67.21
BW-2B	9/9/2014	6874.50	NA	6846.35	28.15	ND	NA	92.26
BW-2B	8/10/2015	6874.50	NA	6846.50	28.00	ND	NA	92.26
BW-2B	9/8/2016	6874.50	NA	6846.66	27.84	ND	NA	92.26
BW-2B	9/13/2017	6874.50	NA	6846.22	28.28	ND	NA	92.26
BW-2B	8/15/2018	6874.50	NA	6846.25	28.25	ND	NA	92.26
BW-2B	8/14/2019	6874.50	NA	6846.05	28.45	ND	NA	92.26
BW-2B	9/14/2020	6874.50	NA	6845.71	28.79	ND	NA	92.26
BW-2C	9/10/2014	6875.30	NA	6854.60	20.70	ND	NA	152.84
BW-2C	8/10/2015	6875.30	NA	6854.74	20.56	ND	NA	152.84
BW-2C	9/8/2016	6875.30	NA	6854.67	20.63	ND	NA	152.84
BW-2C	9/13/2017	6875.30	NA	6854.40	20.90	ND	NA	152.84
BW-2C	8/15/2018	6875.30	NA	6854.45	20.85	ND	NA	152.84

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
BW-2C	8/14/2019	6875.30	NA	6854.10	21.20	ND	NA	152.84
BW-2C	9/14/2020	6875.30	NA	6853.98	21.32	ND	NA	149.10
BW-3A	9/8/2014	6878.39	NA	Dry	Dry	ND	NA	52.35
BW-3A	8/10/2015	6878.39	NA	Dry	Dry	ND	NA	52.35
BW-3A	9/8/2016	6878.39	NA	Dry	Dry	ND	NA	52.35
BW-3A	9/13/2017	6878.39	NA	Dry	Dry	ND	NA	52.35
BW-3A	8/15/2018	6878.39	NA	Dry	Dry	ND	NA	52.38
BW-3A	8/14/2019	6878.39	NA	Dry	Dry	ND	NA	52.38
BW-3A	9/14/2020	6878.39	NA	Dry	Dry	ND	NA	53.30
BW-3B	9/10/2014	6878.59	NA	6845.34	33.25	ND	NA	69.40
BW-3B	8/10/2015	6878.59	NA	6845.59	33.00	ND	NA	69.40
BW-3B	9/8/2016	6878.59	NA	6845.17	33.42	ND	NA	69.40
BW-3B	9/13/2017	6878.59	NA	6845.21	33.38	ND	NA	69.40
BW-3B	8/15/2018	6878.59	NA	6845.24	33.35	ND	NA	69.40
BW-3B	8/14/2019	6878.59	NA	6845.28	33.31	ND	NA	69.40
BW-3B	9/14/2020	6878.59	NA	6844.35	34.24	ND	NA	69.54
BW-3C	9/10/2014	6877.95	NA	6870.12	7.83	ND	NA	154.55
BW-3C	8/10/2015	6877.95	NA	6870.20	7.75	ND	NA	154.55
BW-3C	9/8/2016	6877.95	NA	6869.65	8.30	ND	NA	154.55
BW-3C	9/13/2017	6877.95	NA	6870.15	7.80	ND	NA	154.55
BW-3C	8/15/2018	6877.95	NA	6869.77	8.18	ND	NA	154.55
BW-3C	8/14/2019	6877.95	NA	6870.09	7.86	ND	NA	154.55
BW-3C	9/14/2020	6877.95	NA	6869.43	8.52	ND	NA	150.20
BW-4A	9/21/2017	6873.18	NA	Dry	Dry	ND	NA	38.80
BW-4A	12/8/2017	6873.18	NA	Dry	Dry	ND	NA	38.30
BW-4A	2/26/2018	6873.18	NA	Dry	Dry	ND	NA	38.80
BW-4A	4/25/2018	6873.18	NA	Dry	Dry	ND	NA	38.80
BW-4A	8/15/2018	6873.18	NA	Dry	Dry	ND	NA	38.80
BW-4A	11/7/2018	6873.18	NA	Dry	Dry	ND	NA	38.30
BW-4A	3/27/2019	6873.18	NA	Dry	Dry	ND	NA	38.32
BW-4A	5/21/2019	6873.18	NA	Dry	Dry	ND	NA	38.32
BW-4A	8/23/2019	6873.18	NA	Dry	Dry	ND	NA	38.32
BW-4A	10/16/2019	6873.18	NA	Dry	Dry	ND	NA	38.32
BW-4A	9/14/2020	6873.18	NA	Dry	Dry	ND	NA	38.90
BW-4A	12/7/2020	6873.18	NA	Dry	Dry	ND	NA	38.90
BW-4B	9/21/2017	6873.23	NA	6841.65	31.58	ND	NA	63.50
BW-4B	12/8/2017	6873.23	NA	6835.28	37.95	ND	NA	63.50
BW-4B	2/26/2018	6873.23	NA	6834.80	38.43	ND	NA	63.50
BW-4B	4/25/2018	6873.23	NA	6829.63	43.60	ND	NA	63.50
BW-4B	8/15/2018	6873.23	NA	6834.18	39.05	ND	NA	63.50

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
BW-4B	11/13/2018	6873.23	NA	6828.36	44.87	ND	NA	63.50
BW-4B	3/27/2019	6873.23	NA	6833.93	39.30	ND	NA	63.50
BW-4B	5/21/2019	6873.23	NA	6827.22	46.01	ND	NA	63.50
BW-4B	8/23/2019	6873.23	NA	6827.23	46.00	ND	NA	63.50
BW-4B	10/16/2019	6873.23	NA	6825.73	47.50	ND	NA	63.50
BW-4B	9/14/2020	6873.23	6833.38	6833.37	39.86	39.85	0.01	63.50
BW-4B	12/7/2020	6873.23	NA	6837.37	35.86	ND	NA	63.50
BW-5A	9/21/2017	6877.00	NA	Dry	Dry	ND	NA	23.00
BW-5A	12/8/2017	6877.00	NA	Dry	Dry	ND	NA	23.02
BW-5A	2/26/2018	6877.00	NA	Dry	Dry	ND	NA	23.02
BW-5A	4/25/2018	6877.00	NA	Dry	Dry	ND	NA	23.02
BW-5A	8/15/2018	6877.00	NA	Dry	Dry	ND	NA	23.02
BW-5A	11/13/2018	6877.00	NA	Dry	Dry	ND	NA	23.02
BW-5A	3/27/2019	6877.00	NA	6853.75	23.25	ND	NA	23.00
BW-5A	5/21/2019	6877.00	NA	6853.70	23.30	ND	NA	23.00
BW-5A	8/15/2019	6877.00	NA	6855.74	21.26	ND	NA	23.02
BW-5A	10/16/2019	6877.00	NA	6853.75	23.25	ND	NA	23.30
BW-5A	9/14/2020	6877.00	NA	Dry	Dry	ND	NA	23.40
BW-5A	12/7/2020	6877.00	NA	6853.73	23.27	ND	NA	23.40
BW-5B	9/21/2017	6876.82	NA	6868.17	8.65	ND	NA	61.45
BW-5B	12/8/2017	6876.82	NA	6867.82	9.00	ND	NA	61.45
BW-5B	2/26/2018	6876.82	NA	6866.54	10.28	ND	NA	61.45
BW-5B	4/25/2018	6876.82	NA	6867.07	9.75	ND	NA	61.45
BW-5B	8/15/2018	6876.82	NA	6866.78	10.04	ND	NA	61.45
BW-5B	11/13/2018	6876.82	NA	6866.25	10.57	ND	NA	61.45
BW-5B	3/27/2019	6876.82	NA	6867.44	9.38	ND	NA	61.45
BW-5B	5/21/2019	6876.82	NA	6867.62	9.20	ND	NA	61.45
BW-5B	8/15/2019	6876.82	NA	6867.15	9.67	ND	NA	61.45
BW-5B	10/16/2019	6876.82	NA	6866.55	10.27	ND	NA	61.45
BW-5B	9/14/2020	6876.82	NA	6866.21	10.61	ND	NA	61.45
BW-5B	12/7/2020	6876.82	NA	6866.29	10.53	ND	NA	61.45
BW-5C	9/21/2017	6876.85	NA	6873.86	2.99	ND	NA	76.35
BW-5C	12/8/2017	6876.85	NA	6874.05	2.80	ND	NA	76.35
BW-5C	2/26/2018	6876.85	NA	6874.22	2.63	ND	NA	76.35
BW-5C	4/25/2018	6876.85	NA	6874.30	2.55	ND	NA	76.35
BW-5C	8/15/2018	6876.85	NA	6873.53	3.32	ND	NA	76.35
BW-5C	11/13/2018	6876.85	NA	6873.36	3.49	ND	NA	76.35
BW-5C	3/27/2019	6876.85	NA	6874.86	1.99	ND	NA	76.35
BW-5C	5/21/2019	6876.85	NA	6875.25	1.60	ND	NA	76.35
BW-5C	8/15/2019	6876.85	NA	6874.16	2.69	ND	NA	76.35

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
BW-5C	10/16/2019	6876.85	NA	6873.35	3.50	ND	NA	76.35
BW-5C	9/14/2020	6876.85	NA	6872.49	4.36	ND	NA	76.35
BW-5C	12/7/2020	6876.85	NA	6872.58	4.27	ND	NA	76.35
GWM-1	3/11/2014	6912.61	NA	6893.69	18.92	ND	NA	26.20
GWM-1	6/5/2014	6912.61	NA	6893.51	19.10	ND	NA	26.20
GWM-1	9/12/2014	6912.61	NA	6893.05	19.56	ND	NA	26.20
GWM-1	11/13/2014	6912.61	NA	6892.53	20.08	ND	NA	26.20
GWM-1	3/10/2015	6912.61	NA	6891.62	20.99	ND	NA	26.20
GWM-1	6/2/2015	6912.61	NA	6891.69	20.92	ND	NA	26.20
GWM-1	8/11/2015	6912.61	6891.21	NA	NA	21.40	NA	26.20
GWM-1	8/24/2015	6912.61	6891.61	6891.16	21.45	21.00	0.45	26.20
GWM-1	10/29/2015	6912.61	6891.48	6891.14	21.47	21.13	0.34	26.20
GWM-1	3/1/2016	6912.61	6889.77	6889.73	22.88	22.84	0.04	26.20
GWM-1	6/7/2016	6912.61	6891.25	6891.22	21.39	21.36	0.03	26.20
GWM-1	9/13/2016	6912.61	6891.32	NA	NA	21.29	NA	26.20
GWM-1	11/14/2016	6912.61	6891.11	6891.09	21.52	21.50	0.02	26.20
GWM-1	3/16/2017	6912.61	6890.87	6890.57	22.04	21.74	0.30	26.20
GWM-1	6/2/2017	6912.61	6891.07	6890.63	21.98	21.54	0.44	26.20
GWM-1	9/8/2017	6912.61	6891.12	6890.90	21.71	21.49	0.22	26.20
GWM-1	12/4/2017	6912.61	6892.91	6891.91	20.70	19.70	1.00	26.20
GWM-1	2/12/2018	6912.61	6890.78	6890.41	22.20	21.83	0.37	26.20
GWM-1	4/26/2018	6912.61	6890.76	6890.36	22.25	21.85	0.40	26.38
GWM-1	8/15/2018	6912.61	6891.11	6891.07	21.54	21.50	0.04	26.42
GWM-1	11/19/2018	6912.61	6891.19	6891.06	21.55	21.42	0.13	26.20
GWM-1	3/28/2019	6912.61	6891.02	6890.54	22.07	21.59	0.48	26.20
GWM-1	5/8/2019	6912.61	6891.29	6891.00	21.61	21.32	0.29	26.20
GWM-1	8/6/2019	6912.61	6891.84	6891.71	20.90	20.77	0.13	26.42
GWM-1	10/21/2019	6912.61	6891.97	6891.78	20.83	20.64	0.19	26.20
GWM-1	9/15/2020	6912.61	6891.88	6891.21	21.40	20.73	0.67	26.65
GWM-1	11/9/2020	6912.61	6891.73	6890.89	21.72	20.88	0.84	26.65
GWM-1	12/7/2020	6912.61	6891.70	6890.76	21.85	20.91	0.94	26.45
GWM-2	3/11/2014	6913.09	NA	Dry	Dry	ND	NA	18.81
GWM-2	6/5/2014	6913.09	NA	Dry	Dry	ND	NA	18.81
GWM-2	9/12/2014	6913.09	NA	Dry	Dry	ND	NA	18.81
GWM-2	11/11/2014	6913.09	NA	Dry	Dry	ND	NA	18.81
GWM-2	3/10/2015	6913.09	NA	Dry	Dry	ND	NA	18.81
GWM-2	6/2/2015	6913.09	NA	Dry	Dry	ND	NA	18.81
GWM-2	8/11/2015	6913.09	NA	Dry	Dry	ND	NA	18.81
GWM-2	10/29/2015	6913.09	NA	Dry	Dry	ND	NA	18.81
GWM-2	3/1/2016	6913.09	NA	Dry	Dry	ND	NA	18.81

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
GWM-2	6/7/2016	6913.09	NA	Dry	Dry	ND	NA	18.81
GWM-2	9/13/2016	6913.09	NA	Dry	Dry	ND	NA	18.81
GWM-2	11/14/2016	6913.09	NA	Dry	Dry	ND	NA	18.81
GWM-2	3/16/2017	6913.09	NA	Dry	Dry	ND	NA	18.81
GWM-2	6/2/2017	6913.09	NA	Dry	Dry	ND	NA	18.81
GWM-2	9/5/2017	6913.09	NA	Dry	Dry	ND	NA	18.81
GWM-2	12/4/2017	6913.09	NA	Dry	Dry	ND	NA	18.81
GWM-2	2/12/2018	6913.09	NA	Dry	Dry	ND	NA	19.05
GWM-2	4/26/2018	6913.09	NA	Dry	Dry	ND	NA	19.01
GWM-2	8/15/2018	6913.09	NA	Dry	Dry	ND	NA	19.04
GWM-2	11/19/2018	6913.09	NA	Dry	Dry	ND	NA	18.81
GWM-2	3/28/2019	6913.09	NA	Dry	Dry	ND	NA	19.09
GWM-2	5/8/2019	6913.09	NA	Dry	Dry	ND	NA	19.09
GWM-2	8/6/2019	6913.09	NA	Dry	Dry	ND	NA	19.04
GWM-2	10/19/2019	6913.09	NA	Dry	Dry	ND	NA	18.81
GWM-2	9/15/2020	6913.09	NA	Dry	Dry	ND	NA	18.08
GWM-2	11/10/2020	6913.09	NA	Dry	Dry	ND	NA	18.08
GWM-2	12/7/2020	6913.09	NA	Dry	Dry	ND	NA	18.08
GWM-3	3/11/2014	6910.25	NA	Dry	Dry	ND	NA	17.80
GWM-3	6/5/2014	6910.25	NA	Dry	Dry	ND	NA	17.80
GWM-3	9/12/2014	6910.25	NA	Dry	Dry	ND	NA	17.80
GWM-3	11/11/2014	6910.25	NA	Dry	Dry	ND	NA	17.80
GWM-3	3/10/2015	6910.25	NA	Dry	Dry	ND	NA	17.80
GWM-3	6/2/2015	6910.25	NA	Dry	Dry	ND	NA	17.80
GWM-3	8/11/2015	6910.25	NA	Dry	Dry	ND	NA	17.80
GWM-3	10/29/2015	6910.25	NA	Dry	Dry	ND	NA	17.80
GWM-3	3/1/2016	6910.25	NA	Dry	Dry	ND	NA	17.80
GWM-3	6/7/2016	6910.25	NA	Dry	Dry	ND	NA	17.80
GWM-3	9/13/2016	6910.25	NA	Dry	Dry	ND	NA	17.80
GWM-3	11/14/2016	6910.25	NA	Dry	Dry	ND	NA	17.80
GWM-3	3/16/2017	6910.25	NA	Dry	Dry	ND	NA	17.80
GWM-3	6/2/2017	6910.25	NA	Dry	Dry	ND	NA	17.80
GWM-3	9/5/2017	6910.25	NA	Dry	Dry	ND	NA	17.80
GWM-3	12/4/2017	6910.25	NA	Dry	Dry	ND	NA	17.80
GWM-3	2/12/2018	6910.25	NA	Dry	Dry	ND	NA	18.05
GWM-3	4/26/2018	6910.25	NA	Dry	Dry	ND	NA	18.02
GWM-3	8/15/2018	6910.25	NA	Dry	Dry	ND	NA	18.04
GWM-3	11/19/2018	6910.25	NA	Dry	Dry	ND	NA	17.80
GWM-3	3/28/2019	6910.25	NA	Dry	Dry	ND	NA	18.06
GWM-3	5/8/2019	6910.25	NA	Dry	Dry	ND	NA	18.06

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
GWM-3	8/6/2019	6910.25	NA	Dry	Dry	ND	NA	18.04
GWM-3	9/15/2020	6910.25	NA	Dry	Dry	ND	NA	19.15
GWM-3	10/11/2020	6910.25	NA	Dry	Dry	ND	NA	19.15
GWM-3	12/7/2020	6910.25	NA	Dry	Dry	ND	NA	19.15
KA-3	3/10/2014	6912.52	NA	6904.49	8.03	ND	NA	23.20
KA-3	6/5/2014	6912.52	NA	6904.57	7.95	ND	NA	23.20
KA-3	9/11/2014	6912.52	NA	6903.52	9.00	ND	NA	23.20
KA-3	11/11/2014	6912.52	NA	6904.52	8.00	ND	NA	23.20
KA-3	3/10/2015	6912.52	NA	6904.28	8.24	ND	NA	23.20
KA-3	6/2/2015	6912.52	NA	6903.93	8.59	ND	NA	23.20
KA-3	8/10/2015	6912.52	NA	6903.74	8.78	ND	NA	23.20
KA-3	10/28/2015	6912.52	NA	6904.32	8.20	ND	NA	23.20
KA-3	3/3/2016	6912.52	NA	6904.84	7.68	ND	NA	23.20
KA-3	6/6/2016	6912.52	NA	6905.10	7.42	ND	NA	23.20
KA-3	9/1/2016	6912.52	NA	6904.39	8.13	ND	NA	23.20
KA-3	11/14/2016	6912.52	NA	6904.24	8.28	ND	NA	23.20
KA-3	2/21/2017	6912.52	NA	6905.15	7.37	ND	NA	23.20
KA-3	6/1/2017	6912.52	NA	6904.30	8.22	ND	NA	23.20
KA-3	9/5/2017	6912.52	NA	6904.31	8.21	ND	NA	23.20
KA-3	12/4/2017	6912.52	NA	6904.52	8.00	ND	NA	24.28
KA-3	2/9/2018	6912.52	NA	6904.12	8.40	ND	NA	24.30
KA-3	4/26/2018	6912.52	NA	6904.02	8.50	ND	NA	24.24
KA-3	8/15/2018	6912.52	NA	NA	NA	NA	NA	24.24
KA-3	11/8/2018	6912.52	NA	NA	NA	NA	NA	24.24
KA-3	3/28/2019	6912.52	NA	NA	NA	NA	NA	24.24
KA-3	5/28/2019	6912.52	NA	6902.57	9.95	ND	NA	23.20
KA-3	8/22/2019	6912.52	NA	6903.47	9.05	ND	NA	23.20
KA-3	10/21/2019	6912.52	NA	6903.36	9.16	ND	NA	23.20
KA-3	12/7/2020	6912.52	NA	6902.96	9.56	ND	NA	23.20
MKTF-01	1/13/2014	6920.67	6912.77	6912.33	8.34	7.90	0.44	17.42
MKTF-01	2/12/2014	6920.67	6913.94	6913.19	7.48	6.73	0.75	17.42
MKTF-01	3/11/2014	6920.67	6914.57	6914.29	6.38	6.10	0.28	17.42
MKTF-01	6/6/2014	6920.67	NA	6913.67	7.00	ND	NA	17.42
MKTF-01	9/15/2014	6920.67	6913.73	6913.69	6.98	6.94	0.04	17.42
MKTF-01	11/14/2014	6920.67	6913.37	6913.35	7.32	7.30	0.02	17.42
MKTF-01	3/11/2015	6920.67	NA	6914.82	5.85	ND	NA	17.42
MKTF-01	6/9/2015	6920.67	NA	6913.52	7.15	ND	NA	17.42
MKTF-01	8/21/2015	6920.67	NA	6914.44	6.23	ND	NA	17.42
MKTF-01	11/4/2015	6920.67	NA	6914.80	5.87	ND	NA	17.42
MKTF-01	2/24/2016	6920.67	NA	6914.83	5.84	ND	NA	17.42

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
MKTF-01	6/10/2016	6920.67	NA	6913.65	7.02	ND	NA	17.42
MKTF-01	9/7/2016	6920.67	6913.55	6912.05	8.62	7.12	1.50	17.42
MKTF-01	11/4/2016	6920.67	NA	6914.80	5.87	ND	NA	17.42
MKTF-01	3/14/2017	6920.67	6916.02	6915.86	4.81	4.65	0.16	17.42
MKTF-01	6/7/2017	6920.67	6915.78	6915.25	5.42	4.89	0.53	17.42
MKTF-01	10/3/2017	6920.67	6914.47	6914.11	6.56	6.20	0.36	17.42
MKTF-01	11/20/2017	6920.67	6916.05	6915.72	4.95	4.62	0.33	17.42
MKTF-01	2/7/2018	6920.67	6915.62	6915.27	5.40	5.05	0.35	17.42
MKTF-01	4/25/2018	6920.67	6914.45	6914.15	6.52	6.22	0.30	17.35
MKTF-01	8/15/2018	6920.67	6914.27	6913.96	6.71	6.40	0.31	17.27
MKTF-01	11/27/2018	6920.67	6915.17	6914.80	5.87	5.50	0.37	17.42
MKTF-01	2/19/2019	6920.67	6916.27	6915.93	4.74	4.40	0.34	17.42
MKTF-01	5/6/2019	6920.67	6916.28	6915.93	4.74	4.39	0.35	17.42
MKTF-01	8/30/2019	6920.67	6916.09	6915.72	4.95	4.58	0.37	17.42
MKTF-01	11/19/2019	6920.67	6915.53	6915.22	5.45	5.14	0.31	17.42
MKTF-01	2/24/2020	6920.67	6915.80	6915.51	5.16	4.87	0.29	17.42
MKTF-01	6/26/2020	6920.67	6915.17	6914.96	5.71	5.50	0.21	17.42
MKTF-01	9/15/2020	6920.67	6915.06	6915.05	5.62	5.61	0.01	17.48
MKTF-01	11/10/2020	6920.67	6915.06	6914.78	5.89	5.61	0.28	17.48
MKTF-01	12/3/2020	6920.67	6914.93	6914.65	6.02	5.74	0.28	17.43
MKTF-02	1/13/2014	6917.45	NA	6909.96	7.49	ND	NA	20.48
MKTF-02	2/12/2014	6917.45	NA	6909.97	7.48	ND	NA	20.48
MKTF-02	3/11/2014	6917.45	NA	6910.42	7.03	ND	NA	20.48
MKTF-02	6/6/2014	6917.45	NA	6909.85	7.60	ND	NA	20.48
MKTF-02	9/15/2014	6917.45	NA	6909.04	8.41	ND	NA	20.48
MKTF-02	11/14/2014	6917.45	NA	6909.24	8.21	ND	NA	20.48
MKTF-02	3/11/2015	6917.45	NA	6910.57	6.88	ND	NA	20.48
MKTF-02	6/9/2015	6917.45	NA	6909.90	7.55	ND	NA	20.48
MKTF-02	8/21/2015	6917.45	NA	6910.15	7.30	ND	NA	20.48
MKTF-02	11/4/2015	6917.45	NA	6910.20	7.25	ND	NA	20.48
MKTF-02	2/24/2016	6917.45	NA	6910.23	7.22	ND	NA	20.48
MKTF-02	6/10/2016	6917.45	NA	6909.36	8.09	ND	NA	20.48
MKTF-02	9/7/2016	6917.45	NA	6909.17	8.28	ND	NA	20.48
MKTF-02	11/4/2016	6917.45	NA	6910.20	7.25	ND	NA	20.48
MKTF-02	3/16/2017	6917.45	NA	6910.11	7.34	ND	NA	20.48
MKTF-02	6/7/2017	6917.45	6910.35	6910.34	7.11	7.10	0.01	20.48
MKTF-02	10/3/2017	6917.45	NA	6910.78	6.67	ND	NA	20.48
MKTF-02	11/20/2017	6917.45	NA	6910.45	7.00	ND	NA	20.35
MKTF-02	2/6/2018	6917.45	NA	6910.01	7.44	ND	NA	20.34
MKTF-02	4/25/2018	6917.45	NA	6909.50	7.95	ND	NA	20.36

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
MKTF-02	8/15/2018	6917.45	NA	6909.05	8.40	ND	NA	20.43
MKTF-02	11/27/2018	6917.45	NA	6909.05	8.40	ND	NA	20.35
MKTF-02	3/28/2019	6917.45	NA	6911.11	6.34	ND	NA	20.48
MKTF-02	5/6/2019	6917.45	NA	6911.21	6.24	ND	NA	20.48
MKTF-02	8/23/2019	6917.45	NA	6910.40	7.05	ND	NA	20.43
MKTF-02	11/19/2019	6917.45	NA	6910.31	7.14	ND	NA	20.35
MKTF-02	2/24/2020	6917.45	NA	6910.93	6.52	ND	NA	20.48
MKTF-02	6/26/2020	6917.45	NA	6909.75	7.70	ND	NA	20.48
MKTF-02	9/15/2020	6917.45	NA	6909.57	7.88	ND	NA	20.54
MKTF-02	11/10/2020	6917.45	NA	6910.02	7.43	ND	NA	20.54
MKTF-02	12/3/2020	6917.45	NA	6909.73	7.72	ND	NA	20.54
MKTF-03	1/15/2014	6931.69	6923.59	6922.29	9.40	8.10	1.30	18.45
MKTF-03	2/13/2014	6931.69	NA	6923.36	8.33	ND	NA	18.45
MKTF-03	3/11/2014	6931.69	6923.54	6922.62	9.07	8.15	0.92	18.45
MKTF-03	6/4/2014	6931.69	6922.84	6922.37	9.32	8.85	0.47	18.45
MKTF-03	9/15/2014	6931.69	6922.63	6922.53	9.16	9.06	0.10	18.45
MKTF-03	11/13/2014	6931.69	6922.38	NA	NA	9.31	NA	18.45
MKTF-03	3/17/2015	6931.69	6923.23	6922.43	9.26	8.46	0.80	18.45
MKTF-03	6/4/2015	6931.69	6922.99	6922.37	9.32	8.70	0.62	18.45
MKTF-03	8/18/2015	6931.69	6923.60	6922.78	8.91	8.09	0.82	18.45
MKTF-03	11/3/2015	6931.69	6923.39	6922.29	9.40	8.30	1.10	18.45
MKTF-03	3/17/2016	6931.69	6923.23	6922.43	9.26	8.46	0.80	18.45
MKTF-03	6/9/2016	6931.69	6924.14	6919.86	11.83	7.55	4.28	18.45
MKTF-03	9/12/2016	6931.69	6923.77	6921.37	10.32	7.92	2.40	18.45
MKTF-03	11/3/2016	6931.69	6923.39	6922.29	9.40	8.30	1.10	18.45
MKTF-03	3/2/2017	6931.69	6925.27	6924.10	7.59	6.42	1.17	18.45
MKTF-03	6/7/2017	6931.69	6924.74	6923.44	8.25	6.95	1.30	18.45
MKTF-03	9/26/2017	6931.69	6925.34	6924.54	7.15	6.35	0.80	18.45
MKTF-03	11/28/2017	6931.69	6924.69	6923.74	7.95	7.00	0.95	18.45
MKTF-03	2/8/2018	6931.69	6924.29	6923.44	8.25	7.40	0.85	18.45
MKTF-03	4/25/2018	6931.69	6924.39	6923.47	8.22	7.30	0.92	18.45
MKTF-03	8/16/2018	6931.69	6924.39	6923.44	8.25	7.30	0.95	18.53
MKTF-03	11/19/2018	6931.69	6924.84	6923.84	7.85	6.85	1.00	18.45
MKTF-03	3/25/2019	6931.69	6927.19	6926.09	5.60	4.50	1.10	18.45
MKTF-03	5/13/2019	6931.69	6927.14	6926.03	5.66	4.55	1.11	18.45
MKTF-03	8/21/2019	6931.69	6925.65	6924.42	7.27	6.04	1.23	18.53
MKTF-03	10/30/2019	6931.69	6924.99	6923.69	8.00	6.70	1.30	18.45
MKTF-03	3/5/2020	6931.69	6925.22	6923.85	7.84	6.47	1.37	18.45
MKTF-03	6/26/2020	6931.69	6924.33	6923.06	8.63	7.36	1.27	18.45
MKTF-03	9/15/2020	6931.69	6924.61	6924.60	7.09	7.08	0.01	18.59

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
MKTF-03	11/10/2020	6931.69	6924.56	6923.26	8.43	7.13	1.30	18.59
MKTF-03	12/3/2020	6931.69	6924.23	6923.07	8.62	7.46	1.16	18.58
MKTF-04	1/15/2014	6933.57	NA	6923.29	10.28	ND	NA	22.15
MKTF-04	2/13/2014	6933.57	NA	6922.89	10.68	ND	NA	22.15
MKTF-04	3/11/2014	6933.57	NA	6923.37	10.20	ND	NA	22.15
MKTF-04	6/4/2014	6933.57	NA	6922.58	10.99	ND	NA	22.15
MKTF-04	9/15/2014	6933.57	NA	6922.48	11.09	ND	NA	22.15
MKTF-04	11/13/2014	6933.57	NA	6922.22	11.35	ND	NA	22.15
MKTF-04	3/16/2015	6933.57	NA	6923.32	10.25	ND	NA	22.15
MKTF-04	6/4/2015	6933.57	NA	6922.57	11.00	ND	NA	22.15
MKTF-04	8/18/2015	6933.57	NA	6922.93	10.64	ND	NA	22.15
MKTF-04	11/3/2015	6933.57	NA	6929.34	4.23	ND	NA	22.15
MKTF-04	2/29/2016	6933.57	NA	6922.89	10.68	ND	NA	22.15
MKTF-04	6/9/2016	6933.57	NA	6923.27	10.30	ND	NA	22.15
MKTF-04	9/11/2016	6933.57	NA	6923.34	10.23	ND	NA	22.15
MKTF-04	11/3/2016	6933.57	NA	6923.17	10.40	ND	NA	22.15
MKTF-04	3/2/2017	6933.57	NA	6925.26	8.31	ND	NA	22.15
MKTF-04	6/7/2017	6933.57	NA	6924.29	9.28	ND	NA	22.15
MKTF-04	9/26/2017	6933.57	NA	6924.77	8.80	ND	NA	22.15
MKTF-04	11/29/2017	6933.57	NA	6924.27	9.30	ND	NA	22.30
MKTF-04	2/14/2018	6933.57	NA	6923.72	9.85	ND	NA	22.37
MKTF-04	4/25/2018	6933.57	NA	6923.87	9.70	ND	NA	22.29
MKTF-04	8/16/2018	6933.57	NA	6923.87	9.70	ND	NA	22.39
MKTF-04	11/19/2018	6933.57	NA	6925.18	8.39	ND	NA	22.30
MKTF-04	3/25/2019	6933.57	NA	6927.12	6.45	ND	NA	22.15
MKTF-04	5/13/2019	6933.57	NA	6927.02	6.55	ND	NA	22.15
MKTF-04	8/21/2019	6933.57	NA	6925.30	8.27	ND	NA	22.39
MKTF-04	10/30/2019	6933.57	NA	6924.64	8.93	ND	NA	22.30
MKTF-04	3/2/2020	6933.57	NA	6925.10	8.47	ND	NA	22.21
MKTF-04	6/26/2020	6933.57	NA	6923.82	9.75	ND	NA	22.15
MKTF-04	9/15/2020	6933.57	6924.18	6924.17	9.40	9.39	0.01	22.72
MKTF-04	11/10/2020	6933.57	NA	6924.37	9.20	ND	NA	22.72
MKTF-04	12/3/2020	6933.57	6923.87	6923.86	9.71	9.70	0.01	22.72
MKTF-05	1/13/2014	6942.22	6927.18	6927.12	15.10	15.04	0.06	17.75
MKTF-05	2/13/2014	6942.22	6926.89	6926.85	15.37	15.33	0.04	17.75
MKTF-05	3/11/2014	6942.22	NA	6926.99	15.23	ND	NA	17.75
MKTF-05	6/4/2014	6942.22	6926.62	6926.57	15.65	15.60	0.05	17.75
MKTF-05	9/15/2014	6942.22	6926.92	6926.56	15.66	15.30	0.36	17.75
MKTF-05	11/13/2014	6942.22	6926.43	6926.05	16.17	15.79	0.38	17.75
MKTF-05	3/16/2015	6942.22	6926.50	6926.14	16.08	15.72	0.36	17.75

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
MKTF-05	6/4/2015	6942.22	6926.45	6925.82	16.40	15.77	0.63	17.75
MKTF-05	8/18/2015	6942.22	6926.78	6926.59	15.63	15.44	0.19	17.75
MKTF-05	11/3/2015	6942.22	6926.75	6925.91	16.31	15.47	0.84	17.75
MKTF-05	3/16/2016	6942.22	6926.50	6926.14	16.08	15.72	0.36	17.75
MKTF-05	6/9/2016	6942.22	6926.88	6926.35	15.87	15.34	0.53	17.75
MKTF-05	9/11/2016	6942.22	6927.48	6924.44	17.78	14.74	3.04	17.75
MKTF-05	11/3/2016	6942.22	6926.75	6925.91	16.31	15.47	0.84	17.75
MKTF-05	3/2/2017	6942.22	6928.89	6928.60	13.62	13.33	0.29	17.75
MKTF-05	6/7/2017	6942.22	6928.43	6927.97	14.25	13.79	0.46	17.75
MKTF-05	9/26/2017	6942.22	6929.21	6928.72	13.50	13.01	0.49	17.75
MKTF-05	11/28/2017	6942.22	6928.24	6927.47	14.75	13.98	0.77	17.75
MKTF-05	2/8/2018	6942.22	6927.44	6927.02	15.20	14.78	0.42	17.75
MKTF-05	4/25/2018	6942.22	6927.26	6927.03	15.19	14.96	0.23	17.70
MKTF-05	8/16/2018	6942.22	6927.61	6927.42	14.80	14.61	0.19	17.75
MKTF-05	11/19/2018	6942.22	6927.60	6927.39	14.83	14.62	0.21	17.75
MKTF-05	2/19/2019	6942.22	6928.35	6928.25	13.97	13.87	0.10	17.75
MKTF-05	5/13/2019	6942.22	6929.27	6929.10	13.12	12.95	0.17	17.75
MKTF-05	8/30/2019	6942.22	6928.82	6928.62	13.60	13.40	0.20	17.75
MKTF-05	10/30/2019	6942.22	6928.32	6928.02	14.20	13.90	0.30	17.75
MKTF-05	11/12/2019	6942.22	6930.58	6925.49	16.73	11.64	5.09	17.75
MKTF-05	11/13/2019	6942.22	6931.26	6925.07	17.15	10.96	6.19	17.75
MKTF-05	11/14/2019	6942.22	6931.44	6925.05	17.17	10.78	6.39	17.75
MKTF-05	11/15/2019	6942.22	6931.68	6925.06	17.16	10.54	6.62	17.75
MKTF-05	11/19/2019	6942.22	6932.18	6925.04	17.18	10.04	7.14	17.75
MKTF-05	11/21/2019	6942.22	6932.25	6925.04	17.18	9.97	7.21	17.75
MKTF-05	12/2/2019	6942.22	6931.58	6925.05	17.17	10.64	6.53	17.75
MKTF-05	3/5/2020	6942.22	6928.64	6928.50	13.72	13.58	0.14	17.75
MKTF-05	6/25/2020	6942.22	6928.16	6927.42	14.80	14.06	0.74	17.75
MKTF-05	9/15/2020	6942.22	6928.57	6927.54	14.68	13.65	1.03	17.83
MKTF-05	11/10/2020	6942.22	6928.20	6927.32	14.90	14.02	0.88	17.83
MKTF-05	12/3/2020	6942.22	6928.10	6927.29	14.93	14.12	0.81	17.80
MKTF-06	1/13/2014	6946.81	6928.67	6928.50	18.31	18.14	0.17	23.77
MKTF-06	2/13/2014	6946.81	6928.47	6928.04	18.77	18.34	0.43	23.77
MKTF-06	3/11/2014	6946.81	6928.61	6927.86	18.95	18.20	0.75	23.77
MKTF-06	6/6/2014	6946.81	NA	6932.81	14.00	NA	NA	23.77
MKTF-06	9/15/2014	6946.81	6928.66	6927.91	18.90	18.15	0.75	23.77
MKTF-06	11/14/2014	6946.81	6928.23	NA	NA	18.58	NA	23.77
MKTF-06	3/16/2015	6946.81	6928.57	6926.87	19.94	18.24	1.70	23.77
MKTF-06	6/4/2015	6946.81	6928.25	6927.41	19.40	18.56	0.84	23.77
MKTF-06	8/15/2015	6946.81	6929.28	6928.42	18.39	17.53	0.86	23.77

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
MKTF-06	11/3/2015	6946.81	6928.77	6928.03	18.78	18.04	0.74	23.77
MKTF-06	3/16/2016	6946.81	6928.57	6926.87	19.94	18.24	1.70	23.77
MKTF-06	6/9/2016	6946.81	6928.79	6927.85	18.96	18.02	0.94	23.77
MKTF-06	9/11/2016	6946.81	6929.41	6928.33	18.48	17.40	1.08	23.77
MKTF-06	11/3/2016	6946.81	6928.77	6928.03	18.78	18.04	0.74	23.77
MKTF-06	3/15/2017	6946.81	6930.86	6930.76	16.05	15.95	0.10	23.77
MKTF-06	6/12/2017	6946.81	6930.21	6929.57	17.24	16.60	0.64	23.77
MKTF-06	9/26/2017	6946.81	6930.80	6930.09	16.72	16.01	0.71	23.77
MKTF-06	11/28/2017	6946.81	6930.26	6929.11	17.70	16.55	1.15	23.77
MKTF-06	2/8/2018	6946.81	6929.67	6928.29	18.52	17.14	1.38	23.77
MKTF-06	4/25/2018	6946.81	6929.52	6928.20	18.61	17.29	1.32	23.72
MKTF-06	8/16/2018	6946.81	6929.98	6928.81	18.00	16.83	1.17	23.79
MKTF-06	11/19/2018	6946.81	6929.96	6928.80	18.01	16.85	1.16	23.77
MKTF-06	2/19/2019	6946.81	6931.02	6930.26	16.55	15.79	0.76	23.77
MKTF-06	5/13/2019	6946.81	6931.26	6930.42	16.39	15.55	0.84	23.77
MKTF-06	8/30/2019	6946.81	6930.99	6930.21	16.60	15.82	0.78	23.79
MKTF-06	10/30/2019	6946.81	6930.01	6928.90	17.91	16.80	1.11	23.77
MKTF-06	11/12/2019	6946.81	6930.29	6929.33	17.48	16.52	0.96	23.77
MKTF-06	11/13/2019	6946.81	6930.48	6929.63	17.18	16.33	0.85	23.77
MKTF-06	11/14/2019	6946.81	6930.39	6929.50	17.31	16.42	0.89	23.77
MKTF-06	11/15/2019	6946.81	6930.46	6929.61	17.20	16.35	0.85	23.77
MKTF-06	11/19/2019	6946.81	6930.73	6929.98	16.83	16.08	0.75	23.77
MKTF-06	11/21/2019	6946.81	6930.88	6929.57	17.24	15.93	1.31	23.77
MKTF-06	12/2/2019	6946.81	6932.06	6925.45	21.36	14.75	6.61	23.77
MKTF-06	3/5/2020	6946.81	6929.92	6928.21	18.60	16.89	1.71	23.77
MKTF-06	6/25/2020	6946.81	6932.76	6927.91	18.90	14.05	4.85	23.77
MKTF-06	9/15/2020	6946.81	6930.03	6928.10	18.71	16.78	1.93	23.79
MKTF-06	11/10/2020	6946.81	6929.61	6928.22	18.59	17.20	1.39	23.79
MKTF-06	12/3/2020	6946.81	6929.43	6928.32	18.49	17.38	1.11	23.79
MKTF-07	1/13/2014	6947.18	6935.27	6934.17	13.01	11.91	1.10	17.62
MKTF-07	2/13/2014	6947.18	6935.30	6934.18	13.00	11.88	1.12	17.62
MKTF-07	3/11/2014	6947.18	6935.48	6934.33	12.85	11.70	1.15	17.62
MKTF-07	6/6/2014	6947.18	NA	6934.08	13.10	NA	NA	17.62
MKTF-07	9/15/2014	6947.18	6935.18	6933.58	13.60	12.00	1.60	17.62
MKTF-07	11/14/2014	6947.18	6933.86	NA	NA	13.32	NA	17.62
MKTF-07	3/16/2015	6947.18	6934.08	6932.95	14.23	13.10	1.13	17.62
MKTF-07	6/4/2015	6947.18	6934.23	6932.58	14.60	12.95	1.65	17.62
MKTF-07	8/18/2015	6947.18	6934.47	6933.34	13.84	12.71	1.13	17.62
MKTF-07	11/3/2015	6947.18	6934.28	6932.30	14.88	12.90	1.98	17.62
MKTF-07	3/16/2016	6947.18	6934.08	6932.95	14.23	13.10	1.13	17.62

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
MKTF-07	6/9/2016	6947.18	6935.17	6932.58	14.60	12.01	2.59	17.62
MKTF-07	9/11/2016	6947.18	6934.98	6932.57	14.61	12.20	2.41	17.62
MKTF-07	11/3/2016	6947.18	6934.28	6932.30	14.88	12.90	1.98	17.62
MKTF-07	3/15/2017	6947.18	6936.55	6934.58	12.60	10.63	1.97	17.62
MKTF-07	6/12/2017	6947.18	6936.98	6935.68	11.50	10.20	1.30	17.62
MKTF-07	9/26/2017	6947.18	6937.38	6936.08	11.10	9.80	1.30	17.62
MKTF-07	11/28/2017	6947.18	6936.78	6935.38	11.80	10.40	1.40	17.62
MKTF-07	2/8/2018	6947.18	6935.85	6934.63	12.55	11.33	1.22	17.62
MKTF-07	4/25/2018	6947.18	6936.34	6935.16	12.02	10.84	1.18	17.58
MKTF-07	8/16/2018	6947.18	6935.76	6934.68	12.50	11.42	1.08	17.47
MKTF-07	11/27/2018	6947.18	6934.83	6933.66	13.52	12.35	1.17	17.62
MKTF-07	2/19/2019	6947.18	6936.79	6935.58	11.60	10.39	1.21	17.62
MKTF-07	5/13/2019	6947.18	6936.46	6936.36	10.82	10.72	0.10	17.62
MKTF-07	8/30/2019	6947.18	6936.00	6934.89	12.29	11.18	1.11	17.47
MKTF-07	10/30/2019	6947.18	6934.98	6933.79	13.39	12.20	1.19	17.62
MKTF-07	11/12/2019	6947.18	6935.15	6933.99	13.19	12.03	1.16	17.62
MKTF-07	11/13/2019	6947.18	6935.37	6934.29	12.89	11.81	1.08	17.62
MKTF-07	11/14/2019	6947.18	6935.20	6934.04	13.14	11.98	1.16	17.62
MKTF-07	11/15/2019	6947.18	6935.18	6934.02	13.16	12.00	1.16	17.62
MKTF-07	11/19/2019	6947.18	6935.78	6933.01	14.17	11.40	2.77	17.62
MKTF-07	11/21/2019	6947.18	6936.35	6930.63	16.55	10.83	5.72	17.62
MKTF-07	12/2/2019	6947.18	6935.80	6930.06	17.12	11.38	5.74	17.62
MKTF-07	3/5/2020	6947.18	6934.68	6933.46	13.72	12.50	1.22	17.62
MKTF-07	6/25/2020	6947.18	6934.95	6933.42	13.76	12.23	1.53	17.62
MKTF-07	9/18/2020	6947.18	6935.76	6933.41	13.77	11.42	2.35	17.43
MKTF-07	11/10/2020	6947.18	6934.62	6933.42	13.76	12.56	1.20	17.43
MKTF-07	12/3/2020	6947.18	6934.25	6933.38	13.80	12.93	0.87	17.66
MKTF-08	1/13/2014	6947.09	6932.89	6932.47	14.62	14.20	0.42	21.98
MKTF-08	2/13/2014	6947.09	6932.84	6932.40	14.69	14.25	0.44	21.98
MKTF-08	3/11/2014	6947.09	6932.88	6932.44	14.65	14.21	0.44	21.98
MKTF-08	6/6/2014	6947.09	6932.79	6932.09	15.00	14.30	0.70	21.98
MKTF-08	9/15/2014	6947.09	6932.73	6932.04	15.05	14.36	0.69	21.98
MKTF-08	11/14/2014	6947.09	6932.21	NA	NA	14.88	NA	21.98
MKTF-08	3/16/2015	6947.09	6932.84	6932.59	14.50	14.25	0.25	21.98
MKTF-08	6/4/2015	6947.09	6932.74	6932.18	14.91	14.35	0.56	21.98
MKTF-08	8/18/2015	6947.09	6933.30	6932.34	14.75	13.79	0.96	21.98
MKTF-08	11/8/2015	6947.09	6933.25	6931.77	15.32	13.84	1.48	21.98
MKTF-08	3/16/2016	6947.09	6932.84	6932.59	14.50	14.25	0.25	21.98
MKTF-08	6/9/2016	6947.09	6933.61	6932.91	14.18	13.48	0.70	21.98
MKTF-08	9/11/2016	6947.09	6933.46	6932.80	14.29	13.63	0.66	21.98

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
MKTF-08	11/8/2016	6947.09	6933.25	6931.77	15.32	13.84	1.48	21.98
MKTF-08	3/15/2017	6947.09	6935.10	6934.49	12.60	11.99	0.61	21.98
MKTF-08	6/12/2017	6947.09	6935.11	6934.69	12.40	11.98	0.42	21.98
MKTF-08	9/26/2017	6947.09	6934.94	6934.49	12.60	12.15	0.45	21.98
MKTF-08	11/28/2017	6947.09	6934.41	6933.89	13.20	12.68	0.52	21.98
MKTF-08	2/8/2018	6947.09	6933.80	6933.46	13.63	13.29	0.34	21.98
MKTF-08	4/25/2018	6947.09	6934.09	6933.76	13.33	13.00	0.33	21.94
MKTF-08	8/16/2018	6947.09	6934.13	6933.74	13.35	12.96	0.39	21.98
MKTF-08	11/27/2018	6947.09	6933.68	6933.29	13.80	13.41	0.39	21.98
MKTF-08	2/19/2019	6947.09	6935.74	6935.09	12.00	11.35	0.65	21.98
MKTF-08	5/13/2019	6947.09	6935.14	6934.66	12.43	11.95	0.48	21.98
MKTF-08	8/30/2019	6947.09	6934.59	6934.19	12.90	12.50	0.40	21.98
MKTF-08	10/30/2019	6947.09	6933.55	6933.10	13.99	13.54	0.45	21.98
MKTF-08	11/21/2019	6947.09	6933.62	6933.24	13.85	13.47	0.38	21.98
MKTF-08	12/2/2019	6947.09	6933.37	6932.96	14.13	13.72	0.41	21.98
MKTF-08	3/5/2020	6947.09	6933.06	6932.72	14.37	14.03	0.34	21.98
MKTF-08	6/25/2020	6947.09	6933.09	6932.69	14.40	14.00	0.40	21.98
MKTF-08	9/18/2020	6947.09	6933.33	6932.94	14.15	13.76	0.39	22.00
MKTF-08	11/10/2020	6947.09	6932.86	6932.40	14.69	14.23	0.46	22.00
MKTF-08	12/3/2020	6947.09	6932.73	6932.33	14.76	14.36	0.40	22.01
MKTF-09	1/13/2014	6946.50	NA	6931.72	14.78	ND	NA	22.70
MKTF-09	2/13/2014	6946.50	NA	6931.68	14.82	ND	NA	22.70
MKTF-09	3/11/2014	6946.50	NA	6931.70	14.80	ND	NA	22.70
MKTF-09	6/5/2014	6946.50	NA	6931.60	14.90	ND	NA	22.70
MKTF-09	9/15/2014	6946.50	NA	6931.61	14.89	ND	NA	22.70
MKTF-09	11/14/2014	6946.50	NA	6931.29	15.21	ND	NA	22.70
MKTF-09	3/16/2015	6946.50	NA	6932.02	14.48	ND	NA	22.70
MKTF-09	6/4/2015	6946.50	NA	6931.82	14.68	ND	NA	22.70
MKTF-09	8/18/2015	6946.50	NA	6932.01	14.49	ND	NA	22.70
MKTF-09	11/3/2015	6946.50	NA	6932.21	14.29	ND	NA	22.70
MKTF-09	2/29/2016	6946.50	NA	6932.35	14.15	ND	NA	22.70
MKTF-09	6/9/2016	6946.50	NA	6932.58	13.92	ND	NA	22.70
MKTF-09	9/11/2016	6946.50	NA	6932.30	14.20	ND	NA	22.70
MKTF-09	11/3/2016	6946.50	NA	6932.21	14.29	ND	NA	22.70
MKTF-09	3/15/2017	6946.50	NA	6933.86	12.64	ND	NA	22.70
MKTF-09	6/12/2017	6946.50	NA	6933.86	12.64	ND	NA	22.70
MKTF-09	9/28/2017	6946.50	NA	6933.81	12.69	ND	NA	22.70
MKTF-09	11/29/2017	6946.50	NA	6933.35	13.15	ND	NA	22.75
MKTF-09	2/14/2018	6946.50	NA	6932.74	13.76	ND	NA	22.74
MKTF-09	4/25/2018	6946.50	NA	6933.08	13.42	ND	NA	22.69

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
MKTF-09	8/16/2018	6946.50	NA	6933.01	13.49	ND	NA	22.74
MKTF-09	11/27/2018	6946.50	NA	6932.69	13.81	ND	NA	22.75
MKTF-09	3/25/2019	6946.50	NA	6935.40	11.10	ND	NA	22.70
MKTF-09	5/13/2019	6946.50	NA	6934.23	12.27	ND	NA	22.70
MKTF-09	8/28/2019	6946.50	NA	6933.22	13.28	ND	NA	22.74
MKTF-09	11/18/2019	6946.50	NA	6932.53	13.97	ND	NA	22.75
MKTF-09	3/2/2020	6946.50	NA	6932.27	14.23	ND	NA	22.76
MKTF-09	6/25/2020	6946.50	NA	6931.95	14.55	ND	NA	22.77
MKTF-09	9/18/2020	6946.50	6932.31	6932.30	14.20	14.19	0.01	22.41
MKTF-09	11/10/2020	6946.50	6931.89	6931.88	14.62	14.61	0.01	22.41
MKTF-09	12/3/2020	6946.50	6931.75	6931.74	14.76	14.75	0.01	22.78
MKTF-10	1/13/2014	6937.16	NA	6928.41	8.75	ND	NA	15.99
MKTF-10	2/13/2014	6937.16	NA	6928.27	8.89	ND	NA	15.99
MKTF-10	3/11/2014	6937.16	NA	6928.28	8.88	ND	NA	15.99
MKTF-10	6/5/2014	6937.16	NA	6928.26	8.90	ND	NA	15.99
MKTF-10	9/15/2014	6937.16	NA	6928.17	8.99	ND	NA	15.99
MKTF-10	11/14/2014	6937.16	NA	6927.11	10.05	ND	NA	15.99
MKTF-10	3/16/2015	6937.16	NA	6928.20	8.96	ND	NA	15.99
MKTF-10	6/4/2015	6937.16	NA	6928.34	8.82	ND	NA	15.99
MKTF-10	8/18/2015	6937.16	NA	6928.44	8.72	ND	NA	15.99
MKTF-10	11/3/2015	6937.16	NA	6928.32	8.84	ND	NA	15.99
MKTF-10	2/29/2016	6937.16	NA	6928.56	8.60	ND	NA	15.99
MKTF-10	6/9/2016	6937.16	NA	6928.96	8.20	ND	NA	15.99
MKTF-10	9/11/2016	6937.16	NA	6928.71	8.45	ND	NA	15.99
MKTF-10	11/3/2016	6937.16	NA	6928.32	8.84	ND	NA	15.99
MKTF-10	3/2/2017	6937.16	NA	6929.69	7.47	ND	NA	15.99
MKTF-10	6/7/2017	6937.16	NA	6930.14	7.02	ND	NA	15.99
MKTF-10	9/27/2017	6937.16	NA	6930.38	6.78	ND	NA	15.99
MKTF-10	11/29/2017	6937.16	NA	6930.16	7.00	ND	NA	15.99
MKTF-10	2/14/2018	6937.16	NA	6929.86	7.30	ND	NA	16.10
MKTF-10	4/25/2018	6937.16	NA	6930.11	7.05	ND	NA	16.05
MKTF-10	8/16/2018	6937.16	NA	6930.08	7.08	ND	NA	16.28
MKTF-10	11/19/2018	6937.16	NA	6929.91	7.25	ND	NA	15.99
MKTF-10	3/25/2019	6937.16	NA	6931.46	5.70	ND	NA	15.99
MKTF-10	5/13/2019	6937.16	NA	6930.93	6.23	ND	NA	15.99
MKTF-10	8/21/2019	6937.16	NA	6929.51	7.65	ND	NA	16.28
MKTF-10	10/30/2019	6937.16	NA	6929.88	7.28	ND	NA	15.99
MKTF-10	3/2/2020	6937.16	NA	6929.49	7.67	ND	NA	15.99
MKTF-10	6/25/2020	6937.16	NA	6930.09	7.07	ND	NA	15.99
MKTF-10	9/18/2020	6937.16	6929.64	6929.63	7.53	7.52	0.01	16.41

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
MKTF-10	11/10/2020	6937.16	NA	6929.37	7.79	ND	NA	16.41
MKTF-10	12/3/2020	6937.16	NA	6929.36	7.80	ND	NA	16.50
MKTF-11	1/15/2014	6931.34	NA	6922.85	8.49	ND	NA	18.14
MKTF-11	2/13/2014	6931.34	NA	6922.70	8.64	ND	NA	18.14
MKTF-11	3/11/2014	6931.34	NA	6922.84	8.50	ND	NA	18.14
MKTF-11	6/5/2014	6931.34	NA	6922.14	9.20	ND	NA	18.14
MKTF-11	9/15/2014	6931.34	NA	6921.99	9.35	ND	NA	18.14
MKTF-11	11/13/2014	6931.34	NA	6921.79	9.55	ND	NA	18.14
MKTF-11	3/16/2015	6931.34	NA	6922.54	8.80	ND	NA	18.14
MKTF-11	6/4/2015	6931.34	NA	6922.34	9.00	ND	NA	18.14
MKTF-11	8/18/2015	6931.34	NA	6922.89	8.45	ND	NA	18.14
MKTF-11	11/3/2015	6931.34	NA	6922.71	8.63	ND	NA	18.14
MKTF-11	2/29/2016	6931.34	NA	6922.54	8.80	ND	NA	18.14
MKTF-11	6/9/2016	6931.34	NA	6922.68	8.66	ND	NA	18.14
MKTF-11	9/11/2016	6931.34	NA	6922.64	8.70	ND	NA	18.14
MKTF-11	11/3/2016	6931.34	NA	6922.71	8.63	ND	NA	18.14
MKTF-11	3/2/2017	6931.34	NA	6924.38	6.96	ND	NA	18.14
MKTF-11	6/7/2017	6931.34	NA	6923.95	7.39	ND	NA	18.14
MKTF-11	9/26/2017	6931.34	NA	6924.64	6.70	ND	NA	18.14
MKTF-11	11/29/2017	6931.34	NA	6923.34	8.00	ND	NA	18.14
MKTF-11	2/8/2018	6931.34	NA	6923.47	7.87	ND	NA	18.31
MKTF-11	4/25/2018	6931.34	NA	6923.49	7.85	ND	NA	18.39
MKTF-11	8/16/2018	6931.34	NA	6923.86	7.48	ND	NA	18.48
MKTF-11	11/19/2018	6931.34	NA	6924.14	7.20	ND	NA	18.14
MKTF-11	3/25/2019	6931.34	NA	6926.38	4.96	ND	NA	18.14
MKTF-11	5/13/2019	6931.34	NA	6926.10	5.24	ND	NA	18.14
MKTF-11	8/21/2019	6931.34	NA	6925.12	6.22	ND	NA	18.48
MKTF-11	10/30/2019	6931.34	NA	6924.28	7.06	ND	NA	18.14
MKTF-11	3/2/2020	6931.34	NA	6923.45	7.89	ND	NA	18.14
MKTF-11	6/26/2020	6931.34	6923.67	6923.66	7.68	7.67	0.01	18.14
MKTF-11	9/18/2020	6931.34	6923.75	6923.74	7.60	7.59	0.01	18.45
MKTF-11	11/10/2020	6931.34	NA	6923.73	7.61	ND	NA	18.45
MKTF-11	12/3/2020	6931.34	6923.45	6923.43	7.91	7.89	0.02	18.45
MKTF-12	1/13/2014	6942.11	6922.85	6922.58	19.53	19.26	0.27	25.60
MKTF-12	2/12/2014	6942.11	6922.66	6922.24	19.87	19.45	0.42	25.60
MKTF-12	3/11/2014	6942.11	6922.96	6922.68	19.43	19.15	0.28	25.60
MKTF-12	6/4/2014	6942.11	6922.37	6922.29	19.82	19.74	0.08	25.60
MKTF-12	9/15/2014	6942.11	6922.30	6921.11	21.00	19.81	1.19	25.60
MKTF-12	11/17/2014	6942.11	6921.91	6920.73	21.38	20.20	1.18	25.60
MKTF-12	3/12/2015	6942.11	6922.98	6921.17	20.94	19.13	1.81	25.60

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
MKTF-12	6/9/2015	6942.11	6922.64	6920.46	21.65	19.47	2.18	25.60
MKTF-12	8/18/2015	6942.11	6922.65	6922.12	19.99	19.46	0.53	25.60
MKTF-12	11/3/2015	6942.11	6922.45	6921.84	20.27	19.66	0.61	25.60
MKTF-12	3/12/2016	6942.11	6922.98	6921.17	20.94	19.13	1.81	25.60
MKTF-12	6/10/2016	6942.11	6923.88	6922.56	19.55	18.23	1.32	25.60
MKTF-12	9/10/2016	6942.11	6922.88	6922.56	19.55	19.23	0.32	25.60
MKTF-12	11/3/2016	6942.11	6922.45	6921.84	20.27	19.66	0.61	25.60
MKTF-12	3/15/2017	6942.11	6924.36	6924.30	17.81	17.75	0.06	25.60
MKTF-12	6/7/2017	6942.11	6923.51	6923.32	18.79	18.60	0.19	25.60
MKTF-12	10/3/2017	6942.11	6924.81	6924.68	17.43	17.30	0.13	25.60
MKTF-12	11/27/2017	6942.11	6923.68	6923.55	18.56	18.43	0.13	25.60
MKTF-12	2/7/2018	6942.11	6923.00	6922.83	19.28	19.11	0.17	25.60
MKTF-12	4/26/2018	6942.11	6923.00	6922.88	19.23	19.11	0.12	25.58
MKTF-12	8/15/2018	6942.11	6923.10	6922.91	19.20	19.01	0.19	25.60
MKTF-12	11/27/2018	6942.11	6923.71	6923.57	18.54	18.40	0.14	25.60
MKTF-12	3/26/2019	6942.11	6925.46	6925.11	17.00	16.65	0.35	25.60
MKTF-12	5/9/2019	6942.11	6924.86	6924.76	17.35	17.25	0.10	25.60
MKTF-12	8/20/2019	6942.11	6924.19	6924.10	18.01	17.92	0.09	25.60
MKTF-12	10/28/2019	6942.11	6923.76	6923.64	18.47	18.35	0.12	25.60
MKTF-12	11/12/2019	6942.11	6923.97	6923.89	18.22	18.14	0.08	25.60
MKTF-12	11/13/2019	6942.11	6924.09	6923.99	18.12	18.02	0.10	25.60
MKTF-12	11/14/2019	6942.11	6924.00	6923.92	18.19	18.11	0.08	25.60
MKTF-12	11/15/2019	6942.11	6924.01	6923.93	18.18	18.10	0.08	25.60
MKTF-12	11/19/2019	6942.11	6924.11	6924.02	18.09	18.00	0.09	25.60
MKTF-12	11/21/2019	6942.11	6924.07	6923.91	18.20	18.04	0.16	25.60
MKTF-12	12/2/2019	6942.11	6924.41	6924.36	17.75	17.70	0.05	25.60
MKTF-12	2/27/2020	6942.11	6924.27	6924.19	17.92	17.84	0.08	25.60
MKTF-12	6/29/2020	6942.11	6922.98	6922.86	19.25	19.13	0.12	25.60
MKTF-12	9/18/2020	6942.11	6923.47	6923.46	18.65	18.64	0.01	25.82
MKTF-12	11/10/2020	6942.11	6924.14	6924.11	18.00	17.97	0.03	25.82
MKTF-12	12/3/2020	6942.11	6923.21	6923.05	19.06	18.90	0.16	25.89
MKTF-13	1/13/2014	6935.18	6922.38	6922.08	13.10	12.80	0.30	21.25
MKTF-13	2/12/2014	6935.18	6922.20	6921.86	13.32	12.98	0.34	21.25
MKTF-13	3/11/2014	6935.18	6922.51	6922.18	13.00	12.67	0.33	21.25
MKTF-13	6/4/2014	6935.18	6920.58	6919.93	15.25	14.60	0.65	21.25
MKTF-13	9/15/2014	6935.18	6920.57	6919.43	15.75	14.61	1.14	21.25
MKTF-13	11/17/2014	6935.18	6920.25	6918.85	16.33	14.93	1.40	21.25
MKTF-13	3/12/2015	6935.18	6921.43	6919.36	15.82	13.75	2.07	21.25
MKTF-13	6/9/2015	6935.18	6920.96	6919.31	15.87	14.22	1.65	21.25
MKTF-13	8/21/2015	6935.18	6921.24	6919.56	15.62	13.94	1.68	21.25

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
MKTF-13	11/3/2015	6935.18	6920.96	6919.63	15.55	14.22	1.33	21.25
MKTF-13	3/12/2016	6935.18	6921.43	6919.36	15.82	13.75	2.07	21.25
MKTF-13	6/10/2016	6935.18	6922.19	6920.99	14.19	12.99	1.20	21.25
MKTF-13	9/10/2016	6935.18	6921.30	6920.32	14.86	13.88	0.98	21.25
MKTF-13	11/3/2016	6935.18	6920.96	6919.63	15.55	14.22	1.33	21.25
MKTF-13	3/15/2017	6935.18	NA	6922.58	12.60	ND	NA	21.25
MKTF-13	6/7/2017	6935.18	6921.83	6921.77	13.41	13.35	0.06	21.25
MKTF-13	10/3/2017	6935.18	6923.27	6923.24	11.94	11.91	0.03	21.25
MKTF-13	11/27/2017	6935.18	6922.04	6922.03	13.15	13.14	0.01	21.25
MKTF-13	2/7/2018	6935.18	6921.41	6921.40	13.78	13.77	0.01	21.25
MKTF-13	4/26/2018	6935.18	NA	6921.43	13.75	ND	NA	21.66
MKTF-13	8/15/2018	6935.18	NA	6921.50	13.68	ND	NA	21.55
MKTF-13	11/27/2018	6935.18	NA	6922.46	12.72	ND	NA	21.25
MKTF-13	3/26/2019	6935.18	NA	6924.28	10.90	ND	NA	21.25
MKTF-13	5/9/2019	6935.18	NA	6923.58	11.60	ND	NA	21.25
MKTF-13	8/20/2019	6935.18	NA	6922.73	12.45	ND	NA	21.55
MKTF-13	10/28/2019	6935.18	NA	6922.23	12.95	ND	NA	21.25
MKTF-13	11/12/2019	6935.18	NA	6922.36	12.82	ND	NA	21.25
MKTF-13	11/13/2019	6935.18	NA	6922.43	12.75	ND	NA	21.25
MKTF-13	11/14/2019	6935.18	NA	6922.33	12.85	ND	NA	21.25
MKTF-13	11/15/2019	6935.18	NA	6922.38	12.80	ND	NA	21.25
MKTF-13	11/19/2019	6935.18	NA	6922.47	12.71	ND	NA	21.25
MKTF-13	11/21/2019	6935.18	NA	6922.43	12.75	ND	NA	21.25
MKTF-13	12/2/2019	6935.18	NA	6922.78	12.40	ND	NA	21.25
MKTF-13	2/27/2020	6935.18	6924.05	6917.87	17.31	11.13	6.18	21.25
MKTF-13	6/29/2020	6935.18	6922.51	6916.97	18.21	12.67	5.54	21.25
MKTF-13	9/18/2020	6935.18	6922.63	6918.26	16.92	12.55	4.37	22.13
MKTF-13	11/10/2020	6935.18	6923.20	6918.82	16.36	11.98	4.38	22.13
MKTF-13	12/3/2020	6935.18	6922.34	6918.53	16.65	12.84	3.81	21.92
MKTF-14	1/13/2014	6928.02	6920.64	6919.03	8.99	7.38	1.61	17.46
MKTF-14	2/12/2014	6928.02	6920.42	6919.25	8.77	7.60	1.17	17.46
MKTF-14	3/11/2014	6928.02	6920.75	6919.60	8.42	7.27	1.15	17.46
MKTF-14	6/4/2014	6928.02	6920.11	6919.29	8.73	7.91	0.82	17.46
MKTF-14	9/15/2014	6928.02	6919.72	6919.27	8.75	8.30	0.45	17.46
MKTF-14	11/17/2014	6928.02	6919.45	6919.08	8.94	8.57	0.37	17.46
MKTF-14	3/12/2015	6928.02	6920.42	6919.87	8.15	7.60	0.55	17.46
MKTF-14	6/9/2015	6928.02	6920.02	6919.65	8.37	8.00	0.37	17.46
MKTF-14	8/21/2015	6928.02	6920.41	6919.99	8.03	7.61	0.42	17.46
MKTF-14	11/3/2015	6928.02	6920.31	6919.92	8.10	7.71	0.39	17.46
MKTF-14	3/12/2016	6928.02	6920.42	6919.87	8.15	7.60	0.55	17.46

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
MKTF-14	6/10/2016	6928.02	6920.89	6918.56	9.46	7.13	2.33	17.46
MKTF-14	9/10/2016	6928.02	6920.71	6919.02	9.00	7.31	1.69	17.46
MKTF-14	11/3/2016	6928.02	6920.31	6919.92	8.10	7.71	0.39	17.46
MKTF-14	3/8/2017	6928.02	6922.25	6921.27	6.75	5.77	0.98	17.46
MKTF-14	6/7/2017	6928.02	6921.34	6920.50	7.52	6.68	0.84	17.46
MKTF-14	10/3/2017	6928.02	6922.32	6921.91	6.11	5.70	0.41	17.46
MKTF-14	11/27/2017	6928.02	6921.46	6921.09	6.93	6.56	0.37	17.46
MKTF-14	2/7/2018	6928.02	6921.04	6920.63	7.39	6.98	0.41	17.46
MKTF-14	4/26/2018	6928.02	6921.01	6920.63	7.39	7.01	0.38	17.43
MKTF-14	8/15/2018	6928.02	6921.07	6920.72	7.30	6.95	0.35	17.45
MKTF-14	11/27/2018	6928.02	6921.76	6921.37	6.65	6.26	0.39	17.46
MKTF-14	3/25/2019	6928.02	6924.13	6923.77	4.25	3.89	0.36	17.46
MKTF-14	5/9/2019	6928.02	6923.37	6922.98	5.04	4.65	0.39	17.46
MKTF-14	8/20/2019	6928.02	6922.38	6922.10	5.92	5.64	0.28	17.45
MKTF-14	10/28/2019	6928.02	6922.00	6921.63	6.39	6.02	0.37	17.46
MKTF-14	2/27/2020	6928.02	6922.67	6922.37	5.65	5.35	0.30	17.46
MKTF-14	6/29/2020	6928.02	6921.64	6919.44	8.58	6.38	2.20	17.46
MKTF-14	9/18/2020	6928.02	6921.84	6919.86	8.16	6.18	1.98	17.32
MKTF-14	11/10/2020	6928.02	6922.04	6921.74	6.28	5.98	0.30	17.32
MKTF-14	12/3/2020	6928.02	6921.23	6920.96	7.06	6.79	0.27	17.55
MKTF-15	1/13/2014	6943.48	NA	6929.60	13.88	ND	NA	19.48
MKTF-15	2/13/2014	6943.48	NA	6929.60	13.88	ND	NA	19.48
MKTF-15	3/11/2014	6943.48	NA	6929.62	13.86	ND	NA	19.48
MKTF-15	6/5/2014	6943.48	NA	6929.67	13.81	ND	NA	19.48
MKTF-15	9/15/2014	6943.48	NA	6929.77	13.71	ND	NA	19.48
MKTF-15	11/14/2014	6943.48	6929.98	6928.93	14.55	13.50	1.05	19.48
MKTF-15	3/16/2015	6943.48	6930.31	6929.56	13.92	13.17	0.75	19.48
MKTF-15	6/4/2015	6943.48	6930.28	6929.70	13.78	13.20	0.58	19.48
MKTF-15	8/18/2015	6943.48	6930.39	6930.14	13.34	13.09	0.25	19.48
MKTF-15	11/3/2015	6943.48	6930.58	6929.93	13.55	12.90	0.65	19.48
MKTF-15	3/16/2016	6943.48	6930.31	6929.56	13.92	13.17	0.75	19.48
MKTF-15	6/9/2016	6943.48	6930.88	6930.66	12.82	12.60	0.22	19.48
MKTF-15	9/11/2016	6943.48	NA	6930.48	13.00	ND	NA	19.48
MKTF-15	11/3/2016	6943.48	6930.58	6929.93	13.55	12.90	0.65	19.48
MKTF-15	3/2/2017	6943.48	NA	6931.33	12.15	ND	NA	19.48
MKTF-15	6/7/2017	6943.48	NA	6931.55	11.93	ND	NA	19.48
MKTF-15	9/26/2017	6943.48	6931.48	6931.38	12.10	12.00	0.10	19.48
MKTF-15	11/29/2017	6943.48	NA	6931.35	12.13	ND	NA	19.48
MKTF-15	2/8/2018	6943.48	6931.08	6931.01	12.47	12.40	0.07	19.48
MKTF-15	4/25/2018	6943.48	NA	6931.28	12.20	ND	NA	19.40

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
MKTF-15	8/16/2018	6943.48	NA	6931.08	12.40	ND	NA	19.50
MKTF-15	11/19/2018	6943.48	6930.91	6930.78	12.70	12.57	0.13	19.48
MKTF-15	3/25/2019	6943.48	6932.50	6932.48	11.00	10.98	0.02	19.48
MKTF-15	5/13/2019	6943.48	NA	6931.89	11.59	ND	NA	19.48
MKTF-15	8/21/2019	6943.48	6931.46	6931.45	12.03	12.02	0.01	19.50
MKTF-15	10/30/2019	6943.48	6930.83	6930.78	12.70	12.65	0.05	19.48
MKTF-15	2/3/2020	6943.48	6930.46	6930.37	13.11	13.02	0.09	19.48
MKTF-15	6/26/2020	6943.48	6930.37	6930.31	13.17	13.11	0.06	19.48
MKTF-15	9/18/2020	6943.48	6930.48	6930.45	13.03	13.00	0.03	19.18
MKTF-15	11/10/2020	6943.48	6930.09	6929.88	13.60	13.39	0.21	19.52
MKTF-16	1/13/2014	6950.58	NA	6941.13	9.45	ND	NA	14.10
MKTF-16	2/13/2014	6950.58	NA	6940.95	9.63	ND	NA	14.10
MKTF-16	3/11/2014	6950.58	NA	6940.92	9.66	ND	NA	14.10
MKTF-16	6/5/2014	6950.58	NA	6940.06	10.52	ND	NA	14.10
MKTF-16	9/15/2014	6950.58	NA	6939.98	10.60	ND	NA	14.10
MKTF-16	11/18/2014	6950.58	NA	6938.92	11.66	ND	NA	14.10
MKTF-16	3/16/2015	6950.58	NA	6939.65	10.93	ND	NA	14.10
MKTF-16	6/8/2015	6950.58	NA	6941.72	8.86	ND	NA	14.10
MKTF-16	8/23/2015	6950.58	NA	6940.79	9.79	ND	NA	14.10
MKTF-16	11/3/2015	6950.58	NA	6941.09	9.49	ND	NA	14.10
MKTF-16	2/29/2016	6950.58	NA	6940.68	9.90	ND	NA	14.10
MKTF-16	6/8/2016	6950.58	NA	6941.00	9.58	ND	NA	14.10
MKTF-16	9/11/2016	6950.58	NA	6940.93	9.65	ND	NA	14.10
MKTF-16	11/3/2016	6950.58	NA	6941.09	9.49	ND	NA	14.10
MKTF-16	3/14/2017	6950.58	NA	6943.13	7.45	ND	NA	14.10
MKTF-16	6/7/2017	6950.58	NA	6942.92	7.66	ND	NA	14.10
MKTF-16	9/26/2017	6950.58	NA	6942.58	8.00	ND	NA	14.10
MKTF-16	11/28/2017	6950.58	NA	6942.36	8.22	ND	NA	14.10
MKTF-16	2/14/2018	6950.58	NA	6941.78	8.80	ND	NA	14.10
MKTF-16	4/25/2018	6950.58	NA	6942.23	8.35	ND	NA	13.96
MKTF-16	8/16/2018	6950.58	NA	6942.03	8.55	ND	NA	14.08
MKTF-16	11/29/2018	6950.58	NA	6941.04	9.54	ND	NA	14.10
MKTF-16	2/20/2019	6950.58	NA	6943.53	7.05	ND	NA	14.10
MKTF-16	5/13/2019	6950.58	NA	6942.23	8.35	ND	NA	14.10
MKTF-16	8/21/2019	6950.58	NA	6941.36	9.22	ND	NA	14.08
MKTF-16	10/30/2019	6950.58	NA	6940.69	9.89	ND	NA	14.10
MKTF-16	2/5/2020	6950.58	NA	6940.90	9.68	ND	NA	14.10
MKTF-16	6/26/2020	6950.58	NA	6941.04	9.54	ND	NA	14.10
MKTF-16	9/18/2020	6950.58	6941.40	6941.39	9.19	9.18	0.01	10.92
MKTF-16	11/10/2020	6950.58	NA	6943.38	7.20	ND	NA	10.92

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
MKTF-16	12/8/2020	6950.58	NA	6940.88	9.70	ND	NA	10.95
MKTF-17	1/13/2014	6945.76	NA	6936.95	8.81	ND	NA	24.11
MKTF-17	2/13/2014	6945.76	NA	6935.95	9.81	ND	NA	24.11
MKTF-17	3/11/2014	6945.76	NA	6935.76	10.00	ND	NA	24.11
MKTF-17	6/6/2014	6945.76	NA	6934.48	11.28	ND	NA	24.11
MKTF-17	9/15/2014	6945.76	NA	6934.49	11.27	ND	NA	24.11
MKTF-17	11/18/2014	6945.76	NA	6933.01	12.75	ND	NA	24.11
MKTF-17	3/12/2015	6945.76	NA	6932.95	12.81	ND	NA	24.11
MKTF-17	6/8/2015	6945.76	NA	6932.36	13.40	ND	NA	24.11
MKTF-17	8/18/2015	6945.76	NA	6933.78	11.98	ND	NA	24.11
MKTF-17	11/3/2015	6945.76	NA	6933.42	12.34	ND	NA	24.11
MKTF-17	2/25/2016	6945.76	NA	6933.94	11.82	ND	NA	24.11
MKTF-17	6/10/2016	6945.76	NA	6934.46	11.30	ND	NA	24.11
MKTF-17	9/12/2016	6945.76	NA	6933.36	12.40	ND	NA	24.11
MKTF-17	11/3/2016	6945.76	NA	6933.42	12.34	ND	NA	24.11
MKTF-17	3/8/2017	6945.76	NA	6937.56	8.20	ND	NA	24.11
MKTF-17	6/14/2017	6945.76	NA	6935.78	9.98	ND	NA	24.11
MKTF-17	9/26/2017	6945.76	NA	6936.43	9.33	ND	NA	24.11
MKTF-17	11/30/2017	6945.76	NA	6932.08	13.68	ND	NA	24.65
MKTF-17	2/15/2018	6945.76	NA	6934.11	11.65	ND	NA	24.68
MKTF-17	4/26/2018	6945.76	NA	6933.48	12.28	ND	NA	24.55
MKTF-17	8/15/2018	6945.76	NA	6933.26	12.50	ND	NA	24.68
MKTF-17	11/27/2018	6945.76	NA	6932.11	13.65	ND	NA	24.65
MKTF-17	3/25/2019	6945.76	NA	6935.06	10.70	ND	NA	24.11
MKTF-17	5/9/2019	6945.76	NA	6931.71	14.05	ND	NA	24.11
MKTF-17	8/19/2019	6945.76	NA	6934.97	10.79	ND	NA	24.68
MKTF-17	10/28/2019	6945.76	NA	6936.76	9.00	ND	NA	24.65
MKTF-17	10/29/2019	6945.76	NA	6930.56	15.20	ND	NA	24.65
MKTF-17	11/12/2019	6945.76	NA	6933.90	11.86	ND	NA	24.65
MKTF-17	11/19/2019	6945.76	6933.41	6931.81	13.95	12.35	1.60	24.65
MKTF-17	11/21/2019	6945.76	6933.34	6930.46	15.30	12.42	2.88	24.65
MKTF-17	12/2/2019	6945.76	6932.59	6927.71	18.05	13.17	4.88	24.65
MKTF-17	2/3/2020	6945.76	6934.32	6928.91	16.85	11.44	5.41	24.11
MKTF-17	6/29/2020	6945.76	6935.57	6930.26	15.50	10.19	5.31	24.11
MKTF-17	9/14/2020	6945.76	6935.76	6930.39	15.37	10.00	5.37	24.67
MKTF-17	11/10/2020	6945.76	6934.37	6934.17	11.59	11.39	0.20	24.67
MKTF-17	12/4/2020	6945.76	6934.48	6934.29	11.47	11.28	0.19	24.66
MKTF-18	1/13/2014	6950.65	NA	6942.32	8.33	ND	NA	25.38
MKTF-18	2/13/2014	6950.65	NA	6942.32	8.33	ND	NA	25.38
MKTF-18	3/11/2014	6950.65	NA	6942.56	8.09	ND	NA	25.38

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
MKTF-18	6/6/2014	6950.65	NA	6942.20	8.45	ND	NA	25.38
MKTF-18	9/15/2014	6950.65	NA	6941.84	8.81	ND	NA	25.38
MKTF-18	11/18/2014	6950.65	NA	6941.19	9.46	ND	NA	25.38
MKTF-18	3/17/2015	6950.65	NA	6941.73	8.92	ND	NA	25.38
MKTF-18	6/8/2015	6950.65	NA	6941.79	8.86	ND	NA	25.38
MKTF-18	8/18/2015	6950.65	NA	6941.82	8.83	ND	NA	25.38
MKTF-18	11/3/2015	6950.65	NA	6942.13	8.52	ND	NA	25.38
MKTF-18	2/26/2016	6950.65	NA	6942.31	8.34	ND	NA	25.38
MKTF-18	6/10/2016	6950.65	NA	6938.80	11.85	ND	NA	25.38
MKTF-18	9/12/2016	6950.65	NA	6942.90	7.75	ND	NA	25.38
MKTF-18	11/3/2016	6950.65	NA	6942.13	8.52	ND	NA	25.38
MKTF-18	3/1/2017	6950.65	NA	6942.84	7.81	ND	NA	25.38
MKTF-18	6/14/2017	6950.65	NA	6944.35	6.30	ND	NA	25.38
MKTF-18	9/27/2017	6950.65	6944.30	6944.28	6.37	6.35	0.02	25.38
MKTF-18	11/30/2017	6950.65	6944.36	6944.35	6.30	6.29	0.01	25.38
MKTF-18	2/15/2018	6950.65	NA	6944.18	6.47	ND	NA	26.80
MKTF-18	4/26/2018	6950.65	NA	6942.43	8.22	ND	NA	26.70
MKTF-18	8/16/2018	6950.65	NA	6943.53	7.12	ND	NA	27.45
MKTF-18	11/27/2018	6950.65	NA	6942.71	7.94	ND	NA	25.38
MKTF-18	3/25/2019	6950.65	NA	6943.33	7.32	ND	NA	25.38
MKTF-18	5/16/2019	6950.65	NA	6943.11	7.54	ND	NA	25.38
MKTF-18	8/19/2019	6950.65	6942.94	6942.93	7.72	7.71	0.01	27.45
MKTF-18	10/28/2019	6950.65	NA	6942.86	7.79	ND	NA	25.38
MKTF-18	10/29/2019	6950.65	NA	6942.35	8.30	ND	NA	25.38
MKTF-18	11/12/2019	6950.65	NA	6942.46	8.19	ND	NA	25.38
MKTF-18	2/5/2020	6950.65	NA	6941.55	9.10	ND	NA	25.38
MKTF-18	6/30/2020	6950.65	NA	6941.67	8.98	ND	NA	25.38
MKTF-18	9/18/2020	6950.65	6942.16	6942.15	8.50	8.49	0.01	21.73
MKTF-18	11/10/2020	6950.65	NA	6941.91	8.74	ND	NA	21.73
MKTF-18	12/4/2020	6950.65	NA	6941.85	8.80	ND	NA	25.50
MKTF-19	6/4/2014	6944.67	NA	6932.76	11.91	ND	NA	17.47
MKTF-19	9/24/2014	6944.67	NA	6932.20	12.47	ND	NA	17.47
MKTF-19	11/18/2014	6944.67	NA	6930.91	13.76	ND	NA	17.47
MKTF-19	3/12/2015	6944.67	NA	6931.72	12.95	ND	NA	17.47
MKTF-19	6/8/2015	6944.67	NA	6931.91	12.76	ND	NA	17.47
MKTF-19	8/18/2015	6944.67	NA	6932.07	12.60	ND	NA	17.47
MKTF-19	11/3/2015	6944.67	NA	6931.83	12.84	ND	NA	17.47
MKTF-19	2/25/2016	6944.67	NA	6932.05	12.62	ND	NA	17.47
MKTF-19	6/10/2016	6944.67	NA	6932.77	11.90	ND	NA	17.47
MKTF-19	9/12/2016	6944.67	NA	6933.42	11.25	ND	NA	17.47

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
MKTF-19	11/3/2016	6944.67	NA	6931.83	12.84	ND	NA	17.47
MKTF-19	3/8/2017	6944.67	NA	6934.85	9.82	ND	NA	17.47
MKTF-19	6/14/2017	6944.67	NA	6934.09	10.58	ND	NA	17.47
MKTF-19	9/26/2017	6944.67	NA	6933.67	11.00	ND	NA	17.47
MKTF-19	11/30/2017	6944.67	NA	6932.97	11.70	ND	NA	18.20
MKTF-19	2/15/2018	6944.67	NA	6932.67	12.00	ND	NA	18.45
MKTF-19	4/26/2018	6944.67	NA	6932.62	12.05	ND	NA	18.19
MKTF-19	8/15/2018	6944.67	NA	6932.47	12.20	ND	NA	19.30
MKTF-19	11/27/2018	6944.67	NA	6932.30	12.37	ND	NA	18.20
MKTF-19	3/25/2019	6944.67	NA	6933.27	11.40	ND	NA	17.47
MKTF-19	5/9/2019	6944.67	NA	6933.36	11.31	ND	NA	17.47
MKTF-19	8/19/2019	6944.67	NA	6933.61	11.06	ND	NA	19.30
MKTF-19	10/28/2019	6944.67	NA	6933.76	10.91	ND	NA	18.20
MKTF-19	10/29/2019	6944.67	NA	6928.91	15.76	ND	NA	18.20
MKTF-19	11/12/2019	6944.67	NA	6933.82	10.85	ND	NA	18.20
MKTF-19	11/19/2019	6944.67	NA	6933.77	10.90	ND	NA	18.20
MKTF-19	11/21/2019	6944.67	NA	6933.62	11.05	ND	NA	18.20
MKTF-19	12/2/2019	6944.67	6933.04	6932.17	12.50	11.63	0.87	18.20
MKTF-19	2/3/2020	6944.67	6933.32	6932.27	12.40	11.35	1.05	17.47
MKTF-19	6/29/2020	6944.67	6932.59	6931.38	13.29	12.08	1.21	17.47
MKTF-19	9/14/2020	6944.67	6932.72	6932.70	11.97	11.95	0.02	19.24
MKTF-19	11/10/2020	6944.67	6932.45	6931.12	13.55	12.22	1.33	19.24
MKTF-19	12/4/2020	6944.67	6932.49	6931.25	13.42	12.18	1.24	19.38
MKTF-20	6/4/2014	6951.78	NA	6943.87	7.91	ND	NA	9.89
MKTF-20	9/23/2014	6951.78	NA	6943.40	8.38	ND	NA	9.89
MKTF-20	11/18/2014	6951.78	NA	6943.38	8.40	ND	NA	9.89
MKTF-20	3/16/2015	6951.78	NA	6944.52	7.26	ND	NA	9.89
MKTF-20	6/8/2015	6951.78	NA	6943.89	7.89	ND	NA	9.89
MKTF-20	8/23/2015	6951.78	NA	6943.99	7.79	ND	NA	9.89
MKTF-20	11/9/2015	6951.78	NA	6944.00	7.78	ND	NA	9.89
MKTF-20	2/29/2016	6951.78	NA	6943.97	7.81	ND	NA	9.89
MKTF-20	6/8/2016	6951.78	NA	6944.55	7.23	ND	NA	9.89
MKTF-20	9/11/2016	6951.78	NA	6944.13	7.65	ND	NA	9.89
MKTF-20	11/9/2016	6951.78	NA	6944.00	7.78	ND	NA	9.89
MKTF-20	3/14/2017	6951.78	NA	6946.08	5.70	ND	NA	9.89
MKTF-20	6/12/2017	6951.78	NA	6946.21	5.57	ND	NA	9.89
MKTF-20	9/26/2017	6951.78	NA	6945.55	6.23	ND	NA	9.89
MKTF-20	11/28/2017	6951.78	NA	6945.25	6.53	ND	NA	9.58
MKTF-20	2/14/2018	6951.78	NA	6944.33	7.45	ND	NA	9.55
MKTF-20	4/25/2018	6951.78	NA	6944.88	6.90	ND	NA	9.50

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
MKTF-20	8/16/2018	6951.78	NA	6944.58	7.20	ND	NA	9.56
MKTF-20	11/29/2018	6951.78	NA	6944.26	7.52	ND	NA	9.58
MKTF-20	2/20/2019	6951.78	NA	6945.49	6.29	ND	NA	8.83
MKTF-20	5/13/2019	6951.78	NA	6944.64	7.14	ND	NA	8.83
MKTF-20	8/20/2019	6951.78	NA	6943.75	8.03	ND	NA	8.83
MKTF-20	11/4/2019	6951.78	NA	6944.10	7.68	ND	NA	8.83
MKTF-20	2/5/2020	6951.78	NA	6942.76	9.02	ND	NA	8.83
MKTF-20	6/26/2020	6951.78	NA	6943.11	8.67	ND	NA	8.83
MKTF-20	9/15/2020	6951.78	6943.24	6942.43	9.35	8.54	0.81	9.62
MKTF-20	11/10/2020	6951.78	6943.68	6942.88	8.90	8.10	0.80	9.62
MKTF-20	12/8/2020	6951.78	6943.02	6942.83	8.95	8.76	0.19	9.60
MKTF-21	6/4/2014	6952.57	NA	6944.89	7.68	ND	NA	9.89
MKTF-21	9/23/2014	6952.57	NA	6944.18	8.39	ND	NA	9.89
MKTF-21	11/18/2014	6952.57	NA	6944.57	8.00	ND	NA	9.89
MKTF-21	3/16/2015	6952.57	NA	6944.95	7.62	ND	NA	9.89
MKTF-21	6/10/2015	6952.57	NA	6944.61	7.96	ND	NA	9.89
MKTF-21	8/23/2015	6952.57	NA	6944.95	7.62	ND	NA	9.89
MKTF-21	11/9/2015	6952.57	NA	6945.11	7.46	ND	NA	9.89
MKTF-21	2/29/2016	6952.57	NA	6945.33	7.24	ND	NA	9.89
MKTF-21	6/8/2016	6952.57	NA	6945.59	6.98	ND	NA	9.89
MKTF-21	9/11/2016	6952.57	NA	6944.95	7.62	ND	NA	9.89
MKTF-21	11/9/2016	6952.57	NA	6945.11	7.46	ND	NA	9.89
MKTF-21	3/14/2017	6952.57	NA	6947.07	5.50	ND	NA	9.89
MKTF-21	6/21/2017	6952.57	NA	6947.48	5.09	ND	NA	9.89
MKTF-21	9/26/2017	6952.57	NA	6946.88	5.69	ND	NA	9.89
MKTF-21	11/28/2017	6952.57	NA	6946.32	6.25	ND	NA	8.81
MKTF-21	2/14/2018	6952.57	NA	6945.69	6.88	ND	NA	8.80
MKTF-21	4/25/2018	6952.57	NA	6946.25	6.32	ND	NA	8.75
MKTF-21	8/16/2018	6952.57	NA	6946.52	6.05	ND	NA	8.80
MKTF-21	11/29/2018	6952.57	NA	6945.05	7.52	ND	NA	8.81
MKTF-21	2/20/2019	6952.57	NA	6946.95	5.62	ND	NA	8.81
MKTF-21	5/13/2019	6952.57	NA	6945.87	6.70	ND	NA	8.81
MKTF-21	8/20/2019	6952.57	NA	6945.35	7.22	ND	NA	8.81
MKTF-21	10/30/2019	6952.57	NA	6944.25	8.32	ND	NA	8.81
MKTF-21	2/5/2020	6952.57	NA	6944.32	8.25	ND	NA	8.83
MKTF-21	6/26/2020	6952.57	6944.40	6944.37	8.20	8.17	0.03	8.83
MKTF-21	9/15/2020	6952.57	6945.49	6945.48	7.09	7.08	0.01	8.84
MKTF-21	11/10/2020	6952.57	NA	6946.16	6.41	ND	NA	8.84
MKTF-21	12/4/2020	6952.57	6944.53	6944.52	8.05	8.04	0.01	8.80
MKTF-22	6/4/2014	6942.31	NA	6916.06	26.25	ND	NA	35.25

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
MKTF-22	11/17/2014	6942.31	NA	6915.64	26.67	ND	NA	35.25
MKTF-22	3/12/2015	6942.31	NA	6916.24	26.07	ND	NA	35.25
MKTF-22	6/9/2015	6942.31	NA	6916.13	26.18	ND	NA	35.25
MKTF-22	8/20/2015	6942.31	NA	6916.11	26.20	ND	NA	36.25
MKTF-22	11/9/2015	6942.31	NA	6916.26	26.05	ND	NA	35.25
MKTF-22	2/25/2016	6942.31	NA	6916.18	26.13	ND	NA	35.25
MKTF-22	6/10/2016	6942.31	NA	6916.25	26.06	ND	NA	35.25
MKTF-22	9/10/2016	6942.31	NA	6916.18	26.13	ND	NA	36.25
MKTF-22	11/9/2016	6942.31	NA	6916.26	26.05	ND	NA	35.25
MKTF-22	3/8/2017	6942.31	NA	6917.21	25.10	ND	NA	35.25
MKTF-22	6/7/2017	6942.31	NA	6917.00	25.31	ND	NA	35.25
MKTF-22	10/3/2017	6942.31	NA	6917.12	25.19	ND	NA	35.25
MKTF-22	11/27/2017	6942.31	NA	6917.13	25.18	ND	NA	35.60
MKTF-22	2/7/2018	6942.31	NA	6916.81	25.50	ND	NA	35.60
MKTF-22	4/26/2018	6942.31	NA	6916.91	25.40	ND	NA	35.51
MKTF-22	8/15/2018	6942.31	NA	6916.51	25.80	ND	NA	35.62
MKTF-22	11/27/2018	6942.31	NA	6916.74	25.57	ND	NA	35.60
MKTF-22	3/25/2019	6942.31	NA	6917.88	24.43	ND	NA	35.25
MKTF-22	5/9/2019	6942.31	NA	6917.67	24.64	ND	NA	35.25
MKTF-22	8/20/2019	6942.31	NA	6917.36	24.95	ND	NA	35.62
MKTF-22	10/24/2019	6942.31	NA	6916.91	25.40	ND	NA	35.60
MKTF-22	2/27/2020	6942.31	6917.83	6916.78	25.53	24.48	1.05	35.25
MKTF-22	6/29/2020	6942.31	6917.74	6914.60	27.71	24.57	3.14	35.25
MKTF-22	9/14/2020	6942.31	6917.33	6914.63	27.68	24.98	2.70	35.09
MKTF-22	11/10/2020	6942.31	6917.37	6915.02	27.29	24.94	2.35	35.09
MKTF-22	12/4/2020	6942.31	6917.21	6914.76	27.55	25.10	2.45	35.09
MKTF-23	6/4/2014	6929.98	NA	6915.13	14.85	ND	NA	20.36
MKTF-23	9/23/2014	6929.98	NA	6914.59	15.39	ND	NA	20.36
MKTF-23	11/17/2014	6929.98	NA	6914.71	15.27	ND	NA	20.36
MKTF-23	3/12/2015	6929.98	NA	6915.19	14.79	ND	NA	20.36
MKTF-23	6/9/2015	6929.98	NA	6916.16	13.82	ND	NA	20.36
MKTF-23	8/21/2015	6929.98	NA	6915.22	14.76	ND	NA	21.36
MKTF-23	11/9/2015	6929.98	NA	6915.37	14.61	ND	NA	20.36
MKTF-23	2/25/2016	6929.98	NA	6915.31	14.67	ND	NA	20.36
MKTF-23	6/10/2016	6929.98	NA	6915.34	14.64	ND	NA	20.36
MKTF-23	9/10/2016	6929.98	6914.94	6914.83	15.15	15.04	0.11	21.36
MKTF-23	11/9/2016	6929.98	NA	6915.37	14.61	ND	NA	20.36
MKTF-23	3/8/2017	6929.98	NA	6915.78	14.20	ND	NA	20.36
MKTF-23	6/7/2017	6929.98	6915.78	6915.08	14.90	14.20	0.70	20.36
MKTF-23	10/3/2017	6929.98	6915.79	6915.73	14.25	14.19	0.06	20.36

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
MKTF-23	11/27/2017	6929.98	6916.05	6916.04	13.94	13.93	0.01	20.36
MKTF-23	2/7/2018	6929.98	6915.87	6915.78	14.20	14.11	0.09	20.36
MKTF-23	4/26/2018	6929.98	6915.91	6915.89	14.09	14.07	0.02	20.27
MKTF-23	8/15/2018	6929.98	6914.50	6914.40	15.58	15.48	0.10	20.38
MKTF-23	11/27/2018	6929.98	6915.78	6915.74	14.24	14.20	0.04	20.36
MKTF-23	3/25/2019	6929.98	NA	6917.43	12.55	ND	NA	20.36
MKTF-23	5/9/2019	6929.98	6917.03	6916.96	13.02	12.95	0.07	20.36
MKTF-23	8/20/2019	6929.98	6916.51	6916.48	13.50	13.47	0.03	20.38
MKTF-23	10/28/2019	6929.98	NA	6916.03	13.95	ND	NA	20.36
MKTF-23	2/27/2020	6929.98	NA	6916.56	13.42	ND	NA	20.36
MKTF-23	6/29/2020	6929.98	NA	6916.73	13.25	ND	NA	20.36
MKTF-23	9/19/2020	6929.98	6914.56	6914.54	15.44	15.42	0.02	20.02
MKTF-23	11/10/2020	6929.98	NA	6915.75	14.23	ND	NA	20.02
MKTF-23	12/4/2020	6929.98	6915.83	6915.82	14.16	14.15	0.01	20.39
MKTF-24	6/4/2014	6928.72	NA	6907.22	21.50	ND	NA	30.47
MKTF-24	9/23/2014	6928.72	NA	6906.15	22.57	ND	NA	30.47
MKTF-24	11/14/2014	6928.72	NA	6906.51	22.21	ND	NA	30.47
MKTF-24	3/11/2015	6928.72	NA	6907.18	21.54	ND	NA	30.47
MKTF-24	6/10/2015	6928.72	NA	6907.07	21.65	ND	NA	30.47
MKTF-24	8/20/2015	6928.72	NA	6907.19	21.53	ND	NA	31.47
MKTF-24	11/4/2015	6928.72	NA	6907.00	21.72	ND	NA	30.47
MKTF-24	2/22/2016	6928.72	NA	6907.38	21.34	ND	NA	30.47
MKTF-24	6/8/2016	6928.72	NA	6907.49	21.23	ND	NA	30.47
MKTF-24	9/7/2016	6928.72	NA	6906.03	22.69	ND	NA	31.47
MKTF-24	11/4/2016	6928.72	NA	6907.00	21.72	ND	NA	30.47
MKTF-24	3/6/2017	6928.72	NA	6908.11	20.61	ND	NA	30.47
MKTF-24	6/5/2017	6928.72	NA	6907.65	21.07	ND	NA	30.47
MKTF-24	10/3/2017	6928.72	NA	6907.20	21.52	ND	NA	30.47
MKTF-24	11/20/2017	6928.72	NA	6907.19	21.53	ND	NA	30.82
MKTF-24	2/6/2018	6928.72	NA	6907.12	21.60	ND	NA	30.83
MKTF-24	4/25/2018	6928.72	NA	6906.96	21.76	ND	NA	30.78
MKTF-24	8/15/2018	6928.72	NA	6906.07	22.65	ND	NA	30.85
MKTF-24	11/14/2018	6928.72	NA	6905.42	23.30	ND	NA	30.82
MKTF-24	2/25/2019	6928.72	NA	6906.29	22.43	ND	NA	30.47
MKTF-24	5/6/2019	6928.72	NA	6907.19	21.53	ND	NA	30.47
MKTF-24	8/23/2019	6928.72	NA	6906.67	22.05	ND	NA	30.85
MKTF-24	10/22/2019	6928.72	NA	6905.51	23.21	ND	NA	30.82
MKTF-24	2/24/2020	6928.72	NA	6906.55	22.17	ND	NA	30.47
MKTF-24	6/26/2020	6928.72	NA	6905.92	22.80	ND	NA	30.47
MKTF-24	9/15/2020	6928.72	NA	6905.37	23.35	ND	NA	31.13

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
MKTF-24	11/10/2020	6928.72	NA	6905.40	23.32	ND	NA	31.13
MKTF-24	12/4/2020	6928.72	NA	6905.50	23.22	ND	NA	31.18
MKTF-25	6/6/2014	6916.19	NA	6905.31	10.88	ND	NA	19.43
MKTF-25	9/23/2014	6916.19	NA	6904.06	12.13	ND	NA	19.43
MKTF-25	11/5/2014	6916.19	NA	6904.99	11.20	ND	NA	19.43
MKTF-25	11/14/2014	6916.19	NA	6904.73	11.46	ND	NA	19.43
MKTF-25	3/11/2015	6916.19	NA	6905.34	10.85	ND	NA	19.43
MKTF-25	6/10/2015	6916.19	NA	6905.15	11.04	ND	NA	19.43
MKTF-25	8/21/2015	6916.19	NA	6905.59	10.60	ND	NA	20.43
MKTF-25	2/23/2016	6916.19	NA	6905.36	10.83	ND	NA	19.43
MKTF-25	6/9/2016	6916.19	NA	6904.97	11.22	ND	NA	19.43
MKTF-25	9/8/2016	6916.19	NA	6904.02	12.17	ND	NA	20.43
MKTF-25	11/5/2016	6916.19	NA	6904.99	11.20	ND	NA	19.43
MKTF-25	3/6/2017	6916.19	NA	6906.67	9.52	ND	NA	19.43
MKTF-25	6/5/2017	6916.19	NA	6905.96	10.23	ND	NA	19.43
MKTF-25	9/25/2017	6916.19	NA	6905.15	11.04	ND	NA	19.43
MKTF-25	11/21/2017	6916.19	NA	6905.08	11.11	ND	NA	19.80
MKTF-25	2/5/2018	6916.19	NA	6904.99	11.20	ND	NA	19.55
MKTF-25	4/25/2018	6916.19	NA	6905.01	11.18	ND	NA	19.50
MKTF-25	8/15/2018	6916.19	NA	6903.83	12.36	ND	NA	19.78
MKTF-25	11/14/2018	6916.19	NA	6902.84	13.35	ND	NA	19.80
MKTF-25	2/14/2019	6916.19	NA	6903.06	13.13	ND	NA	19.43
MKTF-25	5/6/2019	6916.19	NA	6904.19	12.00	ND	NA	19.43
MKTF-25	8/23/2019	6916.19	NA	6903.07	13.12	ND	NA	19.78
MKTF-25	8/27/2019	6916.19	NA	6902.96	13.23	ND	NA	20.78
MKTF-25	10/22/2019	6916.19	NA	6902.47	13.72	ND	NA	19.80
MKTF-25	2/26/2020	6916.19	NA	6903.25	12.94	ND	NA	19.43
MKTF-25	6/26/2020	6916.19	NA	6902.86	13.33	ND	NA	19.43
MKTF-25	9/15/2020	6916.19	NA	6902.29	13.90	ND	NA	20.09
MKTF-25	11/10/2020	6916.19	NA	6902.44	13.75	ND	NA	20.09
MKTF-25	12/4/2020	6916.19	NA	6902.57	13.62	ND	NA	20.38
MKTF-26	6/4/2014	6915.31	NA	6906.68	8.63	ND	NA	17.15
MKTF-26	9/23/2014	6915.31	NA	6906.01	9.30	ND	NA	17.15
MKTF-26	11/14/2014	6915.31	NA	6906.59	8.72	ND	NA	17.15
MKTF-26	3/11/2015	6915.31	NA	6907.31	8.00	ND	NA	17.15
MKTF-26	6/10/2015	6915.31	NA	6906.74	8.57	ND	NA	17.15
MKTF-26	8/20/2015	6915.31	NA	6906.77	8.54	ND	NA	18.15
MKTF-26	11/4/2015	6915.31	NA	6906.91	8.40	ND	NA	17.15
MKTF-26	2/22/2016	6915.31	NA	6907.14	8.17	ND	NA	17.15
MKTF-26	6/9/2016	6915.31	NA	6905.71	9.60	ND	NA	17.15

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
MKTF-26	9/7/2016	6915.31	6905.87	6904.50	10.81	9.44	1.37	18.15
MKTF-26	11/4/2016	6915.31	NA	6906.91	8.40	ND	NA	17.15
MKTF-26	3/6/2017	6915.31	6907.87	6907.12	8.19	7.44	0.75	17.15
MKTF-26	6/5/2017	6915.31	6907.28	6906.32	8.99	8.03	0.96	17.15
MKTF-26	10/3/2017	6915.31	6907.54	6906.71	8.60	7.77	0.83	17.15
MKTF-26	11/20/2017	6915.31	6907.22	6906.38	8.93	8.09	0.84	17.15
MKTF-26	2/7/2018	6915.31	6906.78	6905.95	9.36	8.53	0.83	17.15
MKTF-26	4/25/2018	6915.31	6906.75	6905.94	9.37	8.56	0.81	17.05
MKTF-26	8/15/2018	6915.31	6906.58	6905.74	9.57	8.73	0.84	17.17
MKTF-26	11/14/2018	6915.31	6906.86	6905.41	9.90	8.45	1.45	17.15
MKTF-26	2/14/2019	6915.31	6906.93	6906.16	9.15	8.38	0.77	17.15
MKTF-26	5/6/2019	6915.31	6907.51	6906.66	8.65	7.80	0.85	17.15
MKTF-26	8/23/2019	6915.31	6907.09	6906.26	9.05	8.22	0.83	17.17
MKTF-26	10/22/2019	6915.31	6906.68	6905.95	9.36	8.63	0.73	17.15
MKTF-26	2/26/2020	6915.31	6906.96	6906.20	9.11	8.35	0.76	17.15
MKTF-26	6/26/2020	6915.31	6906.70	6905.81	9.50	8.61	0.89	17.15
MKTF-26	9/15/2020	6915.31	6906.50	6905.75	9.56	8.81	0.75	16.85
MKTF-26	11/10/2020	6915.31	6906.66	6905.95	9.36	8.65	0.71	16.85
MKTF-26	12/4/2020	6915.31	6907.64	6905.92	9.39	7.67	1.72	17.16
MKTF-27	6/4/2014	6917.90	NA	6910.23	7.67	ND	NA	14.72
MKTF-27	9/23/2014	6917.90	NA	6909.30	8.60	ND	NA	14.72
MKTF-27	11/14/2014	6917.90	NA	6909.75	8.15	ND	NA	14.72
MKTF-27	3/11/2015	6917.90	NA	6910.80	7.10	ND	NA	14.72
MKTF-27	6/9/2015	6917.90	NA	6910.46	7.44	ND	NA	14.72
MKTF-27	8/20/2015	6917.90	NA	6910.05	7.85	ND	NA	15.72
MKTF-27	11/4/2015	6917.90	NA	6910.37	7.53	ND	NA	14.72
MKTF-27	2/22/2016	6917.90	NA	6910.70	7.20	ND	NA	14.72
MKTF-27	6/8/2016	6917.90	NA	6910.39	7.51	ND	NA	14.72
MKTF-27	9/7/2016	6917.90	NA	6909.84	8.06	ND	NA	15.72
MKTF-27	11/4/2016	6917.90	NA	6910.37	7.53	ND	NA	14.72
MKTF-27	3/6/2017	6917.90	NA	6911.88	6.02	ND	NA	14.72
MKTF-27	6/5/2017	6917.90	NA	6911.58	6.32	ND	NA	14.72
MKTF-27	10/3/2017	6917.90	NA	6912.00	5.90	ND	NA	14.72
MKTF-27	11/20/2017	6917.90	NA	6911.92	5.98	ND	NA	14.72
MKTF-27	2/6/2018	6917.90	NA	6911.65	6.25	ND	NA	14.72
MKTF-27	4/25/2018	6917.90	NA	6911.56	6.34	ND	NA	14.62
MKTF-27	8/15/2018	6917.90	NA	6911.75	6.15	ND	NA	14.72
MKTF-27	11/14/2018	6917.90	NA	6911.59	6.31	ND	NA	14.72
MKTF-27	2/25/2019	6917.90	NA	6914.15	3.75	ND	NA	14.72
MKTF-27	5/6/2019	6917.90	NA	6912.17	5.73	ND	NA	14.72

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
MKTF-27	8/21/2019	6917.90	NA	6912.24	5.66	ND	NA	14.72
MKTF-27	10/30/2019	6917.90	NA	6911.76	6.14	ND	NA	14.72
MKTF-27	2/24/2020	6917.90	NA	6914.29	3.61	ND	NA	14.72
MKTF-27	6/30/2020	6917.90	NA	6911.20	6.70	ND	NA	14.72
MKTF-27	9/15/2020	6917.90	NA	6911.69	6.21	ND	NA	14.72
MKTF-27	11/10/2020	6917.90	NA	6911.18	6.72	ND	NA	14.72
MKTF-27	12/4/2020	6917.90	NA	6911.43	6.47	ND	NA	14.74
MKTF-28	6/6/2014	6921.52	NA	6909.72	11.80	ND	NA	16.16
MKTF-28	9/23/2014	6921.52	NA	6915.32	6.20	ND	NA	16.16
MKTF-28	11/14/2014	6921.52	NA	6915.52	6.00	ND	NA	16.16
MKTF-28	3/11/2015	6921.52	NA	6914.88	6.64	ND	NA	16.16
MKTF-28	6/9/2015	6921.52	NA	6916.12	5.40	ND	NA	16.16
MKTF-28	8/20/2015	6921.52	NA	6915.10	6.42	ND	NA	17.16
MKTF-28	11/4/2015	6921.52	NA	6915.78	5.74	ND	NA	16.16
MKTF-28	2/23/2016	6921.52	NA	6916.20	5.32	ND	NA	16.16
MKTF-28	6/8/2016	6921.52	NA	6916.24	5.28	ND	NA	16.16
MKTF-28	9/8/2016	6921.52	NA	6915.12	6.40	ND	NA	17.16
MKTF-28	11/4/2016	6921.52	NA	6915.78	5.74	ND	NA	16.16
MKTF-28	3/6/2017	6921.52	NA	6916.84	4.68	ND	NA	16.16
MKTF-28	6/5/2017	6921.52	NA	6913.62	7.90	ND	NA	16.16
MKTF-28	10/3/2017	6921.52	NA	6917.24	4.28	ND	NA	16.16
MKTF-28	11/20/2017	6921.52	NA	6913.62	7.90	ND	NA	16.13
MKTF-28	2/6/2018	6921.52	NA	6914.79	6.73	ND	NA	16.13
MKTF-28	4/25/2018	6921.52	NA	6914.54	6.98	ND	NA	16.04
MKTF-28	8/15/2018	6921.52	NA	6917.07	4.45	ND	NA	16.15
MKTF-28	11/14/2018	6921.52	NA	6915.40	6.12	ND	NA	16.13
MKTF-28	2/25/2019	6921.52	NA	6916.61	4.91	ND	NA	16.16
MKTF-28	5/6/2019	6921.52	NA	6912.25	9.27	ND	NA	16.16
MKTF-28	8/21/2019	6921.52	NA	6917.70	3.82	ND	NA	16.15
MKTF-28	10/22/2019	6921.52	NA	6915.14	6.38	ND	NA	16.13
MKTF-28	2/24/2020	6921.52	NA	6916.99	4.53	ND	NA	16.16
MKTF-28	6/30/2020	6921.52	NA	6916.68	4.84	ND	NA	16.16
MKTF-28	9/15/2020	6921.52	NA	6916.93	4.59	ND	NA	16.17
MKTF-28	11/10/2020	6921.52	NA	6912.71	8.81	ND	NA	16.17
MKTF-28	12/4/2020	6921.52	NA	6914.39	7.13	ND	NA	16.16
MKTF-29	6/6/2014	6901.62	NA	6899.48	2.14	ND	NA	22.84
MKTF-29	9/23/2014	6901.62	NA	6897.22	4.40	ND	NA	22.84
MKTF-29	11/14/2014	6901.62	NA	6898.57	3.05	ND	NA	22.84
MKTF-29	3/11/2015	6901.62	NA	6899.58	2.04	ND	NA	22.84
MKTF-29	6/10/2015	6901.62	NA	6898.93	2.69	ND	NA	22.84

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
MKTF-29	8/20/2015	6901.62	NA	6899.32	2.30	ND	NA	23.84
MKTF-29	11/4/2015	6901.62	NA	6899.22	2.40	ND	NA	22.84
MKTF-29	2/23/2016	6901.62	NA	6899.70	1.92	ND	NA	22.84
MKTF-29	6/9/2016	6901.62	NA	6898.93	2.69	ND	NA	22.84
MKTF-29	9/7/2016	6901.62	NA	6897.10	4.52	ND	NA	23.84
MKTF-29	11/4/2016	6901.62	NA	6899.22	2.40	ND	NA	22.84
MKTF-29	3/6/2017	6901.62	NA	6900.63	0.99	ND	NA	22.84
MKTF-29	6/5/2017	6901.62	NA	6900.67	0.95	ND	NA	22.84
MKTF-29	10/3/2017	6901.62	NA	6900.03	1.59	ND	NA	22.84
MKTF-29	11/20/2017	6901.62	NA	6899.71	1.91	ND	NA	22.80
MKTF-29	2/6/2018	6901.62	NA	6899.69	1.93	ND	NA	22.81
MKTF-29	4/25/2018	6901.62	NA	6899.50	2.12	ND	NA	22.77
MKTF-29	8/15/2018	6901.62	NA	6897.70	3.92	ND	NA	22.82
MKTF-29	11/14/2018	6901.62	NA	6897.53	4.09	ND	NA	22.80
MKTF-29	2/25/2019	6901.62	NA	6897.89	3.73	ND	NA	22.84
MKTF-29	5/6/2019	6901.62	NA	6897.90	3.72	ND	NA	22.84
MKTF-29	8/23/2019	6901.62	NA	6895.79	5.83	ND	NA	22.82
MKTF-29	10/22/2019	6901.62	NA	6895.30	6.32	ND	NA	22.80
MKTF-29	2/24/2020	6901.62	NA	6897.13	4.49	ND	NA	22.84
MKTF-29	6/26/2020	6901.62	NA	6895.20	6.42	ND	NA	22.84
MKTF-29	9/15/2020	6901.62	NA	6893.61	8.01	ND	NA	22.78
MKTF-29	11/10/2020	6901.62	NA	6894.64	6.98	ND	NA	22.78
MKTF-29	12/4/2020	6901.62	NA	6895.22	6.40	ND	NA	22.85
MKTF-30	6/4/2014	6900.80	NA	6886.09	14.71	ND	NA	23.20
MKTF-30	9/23/2014	6900.80	NA	6884.91	15.89	ND	NA	23.20
MKTF-30	11/17/2014	6900.80	NA	6884.93	15.87	ND	NA	23.20
MKTF-30	3/11/2015	6900.80	NA	6886.06	14.74	ND	NA	23.20
MKTF-30	6/10/2015	6900.80	NA	6886.23	14.57	ND	NA	23.20
MKTF-30	8/20/2015	6900.80	NA	6885.51	15.29	ND	NA	24.20
MKTF-30	11/4/2015	6900.80	NA	6886.06	14.74	ND	NA	23.20
MKTF-30	2/23/2016	6900.80	NA	6886.40	14.40	ND	NA	23.20
MKTF-30	6/9/2016	6900.80	NA	6886.79	14.01	ND	NA	23.20
MKTF-30	9/7/2016	6900.80	NA	6885.32	15.48	ND	NA	24.20
MKTF-30	11/4/2016	6900.80	NA	6886.06	14.74	ND	NA	23.20
MKTF-30	3/6/2017	6900.80	NA	6886.67	14.13	ND	NA	23.20
MKTF-30	6/5/2017	6900.80	NA	6886.93	13.87	ND	NA	23.20
MKTF-30	10/3/2017	6900.80	NA	6885.77	15.03	ND	NA	23.20
MKTF-30	11/20/2017	6900.80	NA	6885.89	14.91	ND	NA	23.19
MKTF-30	2/6/2018	6900.80	NA	6886.60	14.20	ND	NA	23.20
MKTF-30	4/25/2018	6900.80	NA	6887.01	13.79	ND	NA	23.10

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
MKTF-30	8/15/2018	6900.80	NA	6886.15	14.65	ND	NA	23.20
MKTF-30	11/14/2018	6900.80	NA	6885.65	15.15	ND	NA	23.19
MKTF-30	3/28/2019	6900.80	NA	6887.12	13.68	ND	NA	23.20
MKTF-30	5/6/2019	6900.80	NA	6886.99	13.81	ND	NA	23.20
MKTF-30	8/23/2019	6900.80	NA	6885.92	14.88	ND	NA	23.20
MKTF-30	10/22/2019	6900.80	NA	6884.98	15.82	ND	NA	23.19
MKTF-30	2/26/2020	6900.80	NA	6885.49	15.31	ND	NA	23.20
MKTF-30	6/26/2020	6900.80	NA	6884.61	16.19	ND	NA	23.20
MKTF-30	9/15/2020	6900.80	NA	6884.14	16.66	ND	NA	23.22
MKTF-30	11/10/2020	6900.80	NA	6883.93	16.87	ND	NA	23.22
MKTF-30	12/4/2020	6900.80	NA	6884.04	16.76	ND	NA	23.22
MKTF-31	6/4/2014	6906.87	NA	6899.17	7.70	ND	NA	22.81
MKTF-31	9/23/2014	6906.87	NA	6898.52	8.35	ND	NA	22.81
MKTF-31	11/17/2014	6906.87	NA	6898.47	8.40	ND	NA	22.81
MKTF-31	3/11/2015	6906.87	NA	6898.89	7.98	ND	NA	22.81
MKTF-31	6/10/2015	6906.87	NA	6899.12	7.75	ND	NA	22.81
MKTF-31	8/21/2015	6906.87	NA	6898.78	8.09	ND	NA	23.81
MKTF-31	11/4/2015	6906.87	NA	6898.73	8.14	ND	NA	22.81
MKTF-31	2/23/2016	6906.87	NA	6898.92	7.95	ND	NA	22.81
MKTF-31	6/9/2016	6906.87	NA	6899.12	7.75	ND	NA	22.81
MKTF-31	9/8/2016	6906.87	NA	6898.39	8.48	ND	NA	23.81
MKTF-31	11/4/2016	6906.87	NA	6898.73	8.14	ND	NA	22.81
MKTF-31	3/7/2017	6906.87	NA	6899.03	7.84	ND	NA	22.81
MKTF-31	6/5/2017	6906.87	NA	6899.29	7.58	ND	NA	22.81
MKTF-31	9/25/2017	6906.87	NA	6898.58	8.29	ND	NA	23.81
MKTF-31	11/21/2017	6906.87	NA	6898.72	8.15	ND	NA	19.30
MKTF-31	2/5/2018	6906.87	NA	6898.97	7.90	ND	NA	19.31
MKTF-31	4/25/2018	6906.87	NA	6899.14	7.73	ND	NA	19.26
MKTF-31	8/15/2018	6906.87	NA	6898.62	8.25	ND	NA	19.35
MKTF-31	11/14/2018	6906.87	NA	6898.43	8.44	ND	NA	19.30
MKTF-31	2/14/2019	6906.87	NA	6898.62	8.25	ND	NA	22.81
MKTF-31	5/6/2019	6906.87	NA	6899.15	7.72	ND	NA	22.81
MKTF-31	8/23/2019	6906.87	NA	6898.57	8.30	ND	NA	19.35
MKTF-31	10/22/2019	6906.87	NA	6898.23	8.64	ND	NA	19.30
MKTF-31	2/24/2020	6906.87	NA	6898.77	8.10	ND	NA	22.81
MKTF-31	6/26/2020	6906.87	NA	6898.62	8.25	ND	NA	22.81
MKTF-31	9/15/2020	6906.87	NA	6898.12	8.75	ND	NA	19.34
MKTF-31	11/10/2020	6906.87	NA	6898.08	8.79	ND	NA	19.34
MKTF-31	12/4/2020	6906.87	NA	6898.14	8.73	ND	NA	19.37
MKTF-32	6/4/2014	6911.11	NA	6894.59	16.52	ND	NA	27.75

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
MKTF-32	9/23/2014	6911.11	NA	6894.43	16.68	ND	NA	27.75
MKTF-32	11/17/2014	6911.11	NA	6894.63	16.48	ND	NA	27.75
MKTF-32	3/12/2015	6911.11	NA	6895.62	15.49	ND	NA	27.75
MKTF-32	6/9/2015	6911.11	NA	6895.62	15.49	ND	NA	27.75
MKTF-32	8/21/2015	6911.11	NA	6895.96	15.15	ND	NA	28.75
MKTF-32	11/5/2015	6911.11	NA	6896.27	14.84	ND	NA	27.75
MKTF-32	2/24/2016	6911.11	NA	6896.58	14.53	ND	NA	27.75
MKTF-32	6/9/2016	6911.11	NA	6896.80	14.31	ND	NA	27.75
MKTF-32	9/9/2016	6911.11	NA	6896.71	14.40	ND	NA	28.75
MKTF-32	11/5/2016	6911.11	NA	6896.27	14.84	ND	NA	27.75
MKTF-32	3/7/2017	6911.11	NA	6897.41	13.70	ND	NA	27.75
MKTF-32	6/6/2017	6911.11	NA	6897.32	13.79	ND	NA	27.75
MKTF-32	9/25/2017	6911.11	NA	6897.00	14.11	ND	NA	28.75
MKTF-32	11/27/2017	6911.11	NA	6897.54	13.57	ND	NA	27.75
MKTF-32	2/7/2018	6911.11	NA	6897.41	13.70	ND	NA	27.75
MKTF-32	4/25/2018	6911.11	NA	6897.63	13.48	ND	NA	27.66
MKTF-32	8/15/2018	6911.11	NA	6897.11	14.00	ND	NA	27.77
MKTF-32	11/14/2018	6911.11	NA	6897.01	14.10	ND	NA	27.75
MKTF-32	2/13/2019	6911.11	NA	6897.62	13.49	ND	NA	27.75
MKTF-32	5/7/2019	6911.11	NA	6897.86	13.25	ND	NA	27.75
MKTF-32	8/20/2019	6911.11	NA	6897.08	14.03	ND	NA	27.77
MKTF-32	10/23/2019	6911.11	NA	6897.10	14.01	ND	NA	27.75
MKTF-32	2/26/2020	6911.11	NA	6897.33	13.78	ND	NA	27.75
MKTF-32	6/29/2020	6911.11	NA	6896.86	14.25	ND	NA	27.75
MKTF-32	9/14/2020	6911.11	NA	6896.53	14.58	ND	NA	27.46
MKTF-32	11/10/2020	6911.11	NA	6896.80	14.31	ND	NA	27.46
MKTF-32	12/4/2020	6911.11	NA	6896.86	14.25	ND	NA	27.82
MKTF-33	6/6/2014	6939.75	NA	6916.35	23.40	ND	NA	33.20
MKTF-33	9/23/2014	6939.75	NA	6916.06	23.69	ND	NA	33.20
MKTF-33	11/17/2014	6939.75	NA	6915.96	23.79	ND	NA	33.20
MKTF-33	3/12/2015	6939.75	NA	6916.43	23.32	ND	NA	33.20
MKTF-33	6/9/2015	6939.75	NA	6916.45	23.30	ND	NA	33.20
MKTF-33	8/21/2015	6939.75	NA	6916.43	23.32	ND	NA	34.20
MKTF-33	11/9/2015	6939.75	NA	6916.56	23.19	ND	NA	33.20
MKTF-33	2/25/2016	6939.75	NA	6916.55	23.20	ND	NA	33.20
MKTF-33	6/10/2016	6939.75	NA	6916.46	23.29	ND	NA	33.20
MKTF-33	9/10/2016	6939.75	NA	6916.55	23.20	ND	NA	34.20
MKTF-33	11/9/2016	6939.75	NA	6916.56	23.19	ND	NA	33.20
MKTF-33	3/8/2017	6939.75	NA	6917.59	22.16	ND	NA	33.20
MKTF-33	6/7/2017	6939.75	NA	6917.68	22.07	ND	NA	33.20

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
MKTF-33	9/25/2017	6939.75	NA	6917.25	22.50	ND	NA	33.20
MKTF-33	11/27/2017	6939.75	NA	6917.48	22.27	ND	NA	33.22
MKTF-33	2/7/2018	6939.75	NA	6917.10	22.65	ND	NA	33.20
MKTF-33	4/26/2018	6939.75	NA	6917.20	22.55	ND	NA	33.11
MKTF-33	8/15/2018	6939.75	NA	6916.90	22.85	ND	NA	33.23
MKTF-33	11/27/2018	6939.75	NA	6917.03	22.72	ND	NA	33.22
MKTF-33	3/25/2019	6939.75	NA	6917.75	22.00	ND	NA	33.20
MKTF-33	5/9/2019	6939.75	NA	6917.71	22.04	ND	NA	33.20
MKTF-33	8/20/2019	6939.75	NA	6917.40	22.35	ND	NA	33.23
MKTF-33	10/24/2019	6939.75	NA	6917.25	22.50	ND	NA	33.22
MKTF-33	2/27/2020	6939.75	NA	6917.04	22.71	ND	NA	33.20
MKTF-33	6/29/2020	6939.75	NA	6918.58	21.17	ND	NA	33.20
MKTF-33	9/14/2020	6939.75	6918.14	6911.73	28.02	21.61	6.41	33.15
MKTF-33	11/10/2020	6939.75	6918.10	6911.94	27.81	21.65	6.16	33.15
MKTF-33	12/4/2020	6939.75	6918.06	6911.98	27.77	21.69	6.08	33.57
MKTF-34	6/6/2014	6945.35	NA	6926.76	18.59	ND	NA	27.68
MKTF-34	9/23/2014	6945.35	NA	6926.27	19.08	ND	NA	27.68
MKTF-34	11/17/2014	6945.35	NA	6925.77	19.58	ND	NA	27.68
MKTF-34	3/12/2015	6945.35	NA	6926.58	18.77	ND	NA	27.68
MKTF-34	6/8/2015	6945.35	NA	6926.45	18.90	ND	NA	27.68
MKTF-34	8/18/2015	6945.35	NA	6926.61	18.74	ND	NA	28.68
MKTF-34	11/3/2015	6945.35	NA	6926.35	19.00	ND	NA	27.68
MKTF-34	2/25/2016	6945.35	NA	6926.15	19.20	ND	NA	27.68
MKTF-34	6/10/2016	6945.35	NA	6926.75	18.60	ND	NA	27.68
MKTF-34	9/12/2016	6945.35	NA	6927.32	18.03	ND	NA	28.68
MKTF-34	11/3/2016	6945.35	NA	6926.35	19.00	ND	NA	27.68
MKTF-34	3/1/2017	6945.35	NA	6928.85	16.50	ND	NA	27.68
MKTF-34	6/14/2017	6945.35	NA	6927.72	17.63	ND	NA	27.68
MKTF-34	9/26/2017	6945.35	NA	6927.73	17.62	ND	NA	27.68
MKTF-34	11/30/2017	6945.35	NA	6927.32	18.03	ND	NA	27.70
MKTF-34	2/15/2018	6945.35	NA	6926.55	18.80	ND	NA	27.71
MKTF-34	4/26/2018	6945.35	NA	6926.72	18.63	ND	NA	27.60
MKTF-34	8/15/2018	6945.35	NA	6926.77	18.58	ND	NA	27.70
MKTF-34	11/27/2018	6945.35	NA	6926.40	18.95	ND	NA	27.70
MKTF-34	3/25/2019	6945.35	NA	6928.40	16.95	ND	NA	27.68
MKTF-34	5/9/2019	6945.35	NA	6927.26	18.09	ND	NA	27.68
MKTF-34	8/19/2019	6945.35	NA	6927.65	17.70	ND	NA	27.70
MKTF-34	10/29/2019	6945.35	NA	6927.32	18.03	ND	NA	27.70
MKTF-34	11/12/2019	6945.35	NA	6927.29	18.06	ND	NA	27.70
MKTF-34	2/5/2020	6945.35	NA	6927.57	17.78	ND	NA	27.70

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
MKTF-34	6/29/2020	6945.35	6926.31	6926.29	19.06	19.04	0.02	27.70
MKTF-34	9/14/2020	6945.35	NA	6926.26	19.09	ND	NA	27.76
MKTF-34	11/10/2020	6945.35	NA	6926.27	19.08	ND	NA	27.76
MKTF-34	12/4/2020	6945.35	6926.44	6926.43	18.92	18.91	0.01	27.78
MKTF-35	11/20/2014	6951.65	NA	6942.00	9.65	ND	NA	16.45
MKTF-35	3/17/2015	6951.65	NA	6942.72	8.93	ND	NA	16.45
MKTF-35	6/4/2015	6951.65	NA	6942.72	8.93	ND	NA	16.45
MKTF-35	8/18/2015	6951.65	NA	6942.74	8.91	ND	NA	16.45
MKTF-35	11/3/2015	6951.65	NA	6942.63	9.02	ND	NA	16.45
MKTF-35	2/26/2016	6951.65	NA	6943.25	8.40	ND	NA	16.45
MKTF-35	6/10/2016	6951.65	NA	6944.28	7.37	ND	NA	16.45
MKTF-35	9/12/2016	6951.65	NA	6945.00	6.65	ND	NA	16.45
MKTF-35	11/3/2016	6951.65	NA	6942.63	9.02	ND	NA	16.45
MKTF-35	3/1/2017	6951.65	NA	6945.47	6.18	ND	NA	16.45
MKTF-35	6/14/2017	6951.65	NA	6944.53	7.12	ND	NA	16.45
MKTF-35	9/27/2017	6951.65	NA	6943.95	7.70	ND	NA	16.45
MKTF-35	11/30/2017	6951.65	NA	6943.50	8.15	ND	NA	16.45
MKTF-35	2/15/2018	6951.65	NA	6942.95	8.70	ND	NA	16.47
MKTF-35	4/26/2018	6951.65	NA	6943.12	8.53	ND	NA	16.40
MKTF-35	8/16/2018	6951.65	NA	6942.95	8.70	ND	NA	16.48
MKTF-35	11/27/2018	6951.65	NA	6942.55	9.10	ND	NA	16.45
MKTF-35	3/25/2019	6951.65	NA	6943.11	8.54	ND	NA	16.45
MKTF-35	5/16/2019	6951.65	NA	6943.16	8.49	ND	NA	16.45
MKTF-35	8/19/2019	6951.65	NA	6943.56	8.09	ND	NA	16.48
MKTF-35	10/28/2019	6951.65	NA	6943.23	8.42	ND	NA	16.45
MKTF-35	10/29/2019	6951.65	NA	6943.25	8.40	ND	NA	16.45
MKTF-35	11/12/2019	6951.65	NA	6943.05	8.60	ND	NA	16.45
MKTF-35	2/5/2020	6951.65	NA	6942.37	9.28	ND	NA	16.45
MKTF-35	6/30/2020	6951.65	NA	6942.40	9.25	ND	NA	16.45
MKTF-35	9/14/2020	6951.65	NA	6943.06	8.59	ND	NA	16.23
MKTF-35	11/10/2020	6951.65	NA	6942.79	8.86	ND	NA	16.23
MKTF-35	12/4/2020	6951.65	6942.63	6942.62	9.03	9.02	0.01	16.39
MKTF-36	11/20/2014	NA	NA	NA	7.99	ND	NA	15.45
MKTF-36	3/17/2015	NA	NA	NA	7.71	ND	NA	15.45
MKTF-36	6/4/2015	NA	NA	NA	7.53	ND	NA	15.45
MKTF-36	8/18/2015	NA	NA	NA	7.50	ND	NA	15.45
MKTF-36	11/3/2015	NA	NA	NA	7.66	7.00	0.66	15.45
MKTF-36	3/17/2016	NA	NA	NA	7.71	ND	NA	15.45
MKTF-36	6/10/2016	NA	NA	NA	6.80	6.78	0.02	15.45
MKTF-36	9/13/2016	NA	NA	NA	6.55	6.54	0.01	15.45

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
MKTF-36	11/3/2016	NA	NA	NA	7.66	7.00	0.66	15.45
MKTF-36	3/1/2017	NA	NA	NA	5.56	ND	NA	15.45
MKTF-36	6/14/2017	NA	NA	NA	5.40	ND	NA	15.45
MKTF-36	9/27/2017	NA	NA	NA	5.80	ND	NA	15.45
MKTF-36	11/30/2017	NA	NA	NA	6.45	ND	NA	15.45
MKTF-36	2/15/2018	NA	NA	NA	6.86	ND	NA	15.45
MKTF-36	4/26/2018	NA	NA	NA	6.56	ND	NA	15.40
MKTF-36	9/5/2018	NA	NA	NA	6.52	ND	NA	15.43
MKTF-36	11/29/2018	NA	NA	NA	NA	NA	NA	15.43
MKTF-36	3/25/2019	NA	NA	NA	NA	NA	NA	15.43
MKTF-36	5/14/2019	NA	NA	NA	NA	NA	NA	15.43
MKTF-36	8/19/2019	NA	NA	NA	NA	NA	NA	15.43
MKTF-36	11/6/2019	NA	NA	NA	10.33	5.08	5.25	15.40
MKTF-36	11/7/2019	NA	NA	NA	10.21	4.30	5.91	15.61
MKTF-36	11/12/2019	NA	NA	NA	9.65	6.80	2.85	15.61
MKTF-36	11/13/2019	NA	NA	NA	9.40	6.95	2.45	15.61
MKTF-36	11/14/2019	NA	NA	NA	9.61	7.14	2.47	15.61
MKTF-36	11/15/2019	NA	NA	NA	9.46	7.31	2.15	15.61
MKTF-36	11/19/2019	NA	NA	NA	8.98	7.80	1.18	15.61
MKTF-36	11/21/2019	NA	NA	NA	8.78	8.00	0.78	15.61
MKTF-36	12/2/2019	NA	NA	NA	8.95	8.25	0.70	15.61
MKTF-36	2/3/2020	6950.12	6942.23	6941.68	8.44	7.89	0.55	15.61
MKTF-36	6/30/2020	6950.12	6942.08	6941.87	8.25	8.04	0.21	15.61
MKTF-36	9/14/2020	6950.12	NA	6942.25	7.87	ND	NA	15.58
MKTF-36	11/10/2020	6950.12	6942.14	6942.09	8.03	7.98	0.05	15.58
MKTF-36	12/4/2020	6950.12	6942.02	6941.95	8.17	8.10	0.07	15.58
MKTF-37	11/20/2014	6958.87	NA	6943.82	15.05	ND	NA	24.60
MKTF-37	3/17/2015	6958.87	NA	6949.66	9.21	ND	NA	24.60
MKTF-37	6/4/2015	6958.87	NA	6949.39	9.48	ND	NA	24.60
MKTF-37	8/18/2015	6958.87	NA	6949.42	9.45	ND	NA	24.60
MKTF-37	11/3/2015	6958.87	6949.33	6949.30	9.57	9.54	0.03	24.60
MKTF-37	3/17/2016	6958.87	NA	6949.66	9.21	ND	NA	24.60
MKTF-37	6/10/2016	6958.87	6950.66	6950.64	8.23	8.21	0.02	24.60
MKTF-37	9/12/2016	6958.87	NA	6951.22	7.65	ND	NA	24.60
MKTF-37	11/3/2016	6958.87	6949.33	6949.30	9.57	9.54	0.03	24.60
MKTF-37	3/1/2017	6958.87	NA	6951.97	6.90	ND	NA	24.60
MKTF-37	6/14/2017	6958.87	6951.67	6951.63	7.24	7.20	0.04	24.60
MKTF-37	9/27/2017	6958.87	6951.04	6950.98	7.89	7.83	0.06	24.60
MKTF-37	11/30/2017	6958.87	6950.48	6950.46	8.41	8.39	0.02	24.60
MKTF-37	2/15/2018	6958.87	6949.91	6949.87	9.00	8.96	0.04	24.60

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
MKTF-37	4/26/2018	6958.87	NA	6950.35	8.52	ND	NA	24.54
MKTF-37	8/16/2018	6958.87	NA	6950.17	8.70	ND	NA	24.59
MKTF-37	11/27/2018	6958.87	6949.47	6949.35	9.52	9.40	0.12	24.60
MKTF-37	3/25/2019	6958.87	NA	6950.48	8.39	ND	NA	24.60
MKTF-37	5/16/2019	6958.87	6949.77	6949.69	9.18	9.10	0.08	24.60
MKTF-37	8/23/2019	6958.87	6950.02	6950.00	8.87	8.85	0.02	24.59
MKTF-37	10/28/2019	6958.87	6949.57	6949.54	9.33	9.30	0.03	24.60
MKTF-37	10/29/2019	6958.87	6949.70	6949.67	9.20	9.17	0.03	24.60
MKTF-37	11/12/2019	6958.87	6949.35	6949.31	9.56	9.52	0.04	24.60
MKTF-37	2/3/2020	6958.87	6949.10	6948.98	9.89	9.77	0.12	24.60
MKTF-37	6/30/2020	6958.87	6949.26	6949.24	9.63	9.61	0.02	24.60
MKTF-37	9/14/2020	6958.87	NA	6950.11	8.76	ND	NA	24.54
MKTF-37	11/10/2020	6958.87	6949.51	6949.50	9.37	9.36	0.01	24.54
MKTF-37	12/4/2020	6958.87	6949.23	6949.22	9.65	9.64	0.01	24.61
MKTF-38	3/16/2015	6954.89	NA	6945.89	9.00	ND	NA	20.29
MKTF-38	6/10/2015	6954.89	NA	6945.55	9.34	ND	NA	20.29
MKTF-38	8/24/2015	6954.89	NA	6945.64	9.25	ND	NA	20.29
MKTF-38	11/9/2015	6954.89	NA	6945.44	9.45	ND	NA	20.29
MKTF-38	2/29/2016	6954.89	NA	6946.26	8.63	ND	NA	20.29
MKTF-38	6/8/2016	6954.89	NA	6946.46	8.43	ND	NA	20.29
MKTF-38	9/13/2016	6954.89	NA	6946.89	8.00	ND	NA	20.29
MKTF-38	11/9/2016	6954.89	NA	6945.44	9.45	ND	NA	20.29
MKTF-38	3/14/2017	6954.89	NA	6948.48	6.41	ND	NA	20.29
MKTF-38	6/21/2017	6954.89	NA	6948.49	6.40	ND	NA	20.29
MKTF-38	9/28/2017	6954.89	NA	6948.57	6.32	ND	NA	20.29
MKTF-38	11/30/2017	6954.89	NA	6947.06	7.83	ND	NA	20.29
MKTF-38	2/12/2018	6954.89	NA	6946.49	8.40	ND	NA	20.30
MKTF-38	4/25/2018	6954.89	NA	6947.10	7.79	ND	NA	20.28
MKTF-38	8/16/2018	6954.89	NA	6946.84	8.05	ND	NA	20.27
MKTF-38	11/19/2018	6954.89	NA	6945.90	8.99	ND	NA	20.29
MKTF-38	3/26/2019	6954.89	NA	6943.59	11.30	ND	NA	20.29
MKTF-38	5/14/2019	6954.89	NA	6946.23	8.66	ND	NA	20.29
MKTF-38	6/27/2019	6954.89	NA	6946.14	8.75	ND	NA	20.29
MKTF-38	8/20/2019	6954.89	NA	6946.12	8.77	ND	NA	20.27
MKTF-38	12/3/2019	6954.89	NA	6945.39	9.50	ND	NA	20.29
MKTF-38	3/4/2020	6954.89	NA	6945.28	9.61	ND	NA	20.31
MKTF-38	6/26/2020	6954.89	NA	6945.51	9.38	ND	NA	20.33
MKTF-38	9/14/2020	6954.89	NA	6946.34	8.55	ND	NA	20.18
MKTF-38	11/10/2020	6954.89	NA	6945.77	9.12	ND	NA	20.18
MKTF-38	12/4/2020	6954.89	6945.54	6945.53	9.36	9.35	0.01	21.30

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
MKTF-39	11/18/2014	6953.75	NA	6943.50	10.25	ND	NA	15.20
MKTF-39	3/16/2015	6953.75	NA	6944.87	8.88	ND	NA	15.20
MKTF-39	6/10/2015	6953.75	NA	6944.44	9.31	ND	NA	15.20
MKTF-39	8/23/2015	6953.75	NA	6944.51	9.24	ND	NA	15.20
MKTF-39	11/9/2015	6953.75	NA	6944.36	9.39	ND	NA	15.20
MKTF-39	3/3/2016	6953.75	NA	6945.25	8.50	ND	NA	15.20
MKTF-39	6/8/2016	6953.75	NA	6945.42	8.33	ND	NA	15.20
MKTF-39	9/13/2016	6953.75	NA	6945.35	8.40	ND	NA	15.20
MKTF-39	11/9/2016	6953.75	NA	6944.36	9.39	ND	NA	15.20
MKTF-39	3/14/2017	6953.75	NA	6947.31	6.44	ND	NA	15.20
MKTF-39	6/8/2017	6953.75	NA	6947.50	6.25	ND	NA	15.20
MKTF-39	9/28/2017	6953.75	NA	6946.43	7.32	ND	NA	15.20
MKTF-39	11/28/2017	6953.75	NA	6946.20	7.55	ND	NA	15.18
MKTF-39	2/8/2018	6953.75	NA	6945.57	8.18	ND	NA	15.20
MKTF-39	4/25/2018	6953.75	NA	6945.93	7.82	ND	NA	15.13
MKTF-39	8/16/2018	6953.75	NA	6945.45	8.30	ND	NA	15.20
MKTF-39	11/19/2018	6953.75	NA	6944.75	9.00	ND	NA	15.18
MKTF-39	3/28/2019	6953.75	NA	NA	NA	NA	NA	15.20
MKTF-39	6/5/2019	6953.75	NA	6945.06	8.69	ND	NA	15.20
MKTF-39	8/20/2019	6953.75	NA	6944.71	9.04	ND	NA	15.20
MKTF-39	11/4/2019	6953.75	NA	6944.16	9.59	ND	NA	15.18
MKTF-39	2/3/2020	6953.75	NA	6943.65	10.10	ND	NA	15.20
MKTF-39	6/26/2020	6953.75	NA	6944.12	9.63	ND	NA	15.00
MKTF-39	9/15/2020	6953.75	NA	6944.17	9.58	ND	NA	14.19
MKTF-39	11/10/2020	6953.75	NA	6943.70	10.05	ND	NA	14.19
MKTF-39	12/4/2020	6953.75	NA	6943.60	10.15	ND	NA	15.19
MKTF-40	11/18/2014	6894.33	NA	6874.39	19.94	ND	NA	23.64
MKTF-40	3/11/2015	6894.33	NA	6879.73	14.60	ND	NA	23.64
MKTF-40	6/10/2015	6894.33	NA	6880.13	14.20	ND	NA	23.64
MKTF-40	8/21/2015	6894.33	NA	6880.50	13.83	ND	NA	23.64
MKTF-40	11/4/2015	6894.33	NA	6880.42	13.91	ND	NA	23.64
MKTF-40	2/23/2016	6894.33	NA	6880.45	13.88	ND	NA	23.64
MKTF-40	6/9/2016	6894.33	NA	6881.02	13.31	ND	NA	23.64
MKTF-40	9/8/2016	6894.33	NA	6880.81	13.52	ND	NA	23.64
MKTF-40	11/4/2016	6894.33	NA	6880.42	13.91	ND	NA	23.64
MKTF-40	3/7/2017	6894.33	NA	6881.19	13.14	ND	NA	23.64
MKTF-40	6/5/2017	6894.33	NA	6881.04	13.29	ND	NA	23.64
MKTF-40	9/25/2017	6894.33	NA	6881.05	13.28	ND	NA	23.64
MKTF-40	11/21/2017	6894.33	NA	6880.62	13.71	ND	NA	23.62
MKTF-40	2/5/2018	6894.33	NA	6881.15	13.18	ND	NA	23.62

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
MKTF-40	4/25/2018	6894.33	NA	6881.39	12.94	ND	NA	23.53
MKTF-40	8/15/2018	6894.33	NA	6881.59	12.74	ND	NA	23.54
MKTF-40	11/14/2018	6894.33	NA	6880.69	13.64	ND	NA	23.62
MKTF-40	2/20/2019	6894.33	NA	6881.54	12.79	ND	NA	23.64
MKTF-40	5/6/2019	6894.33	NA	6881.97	12.36	ND	NA	23.64
MKTF-40	8/22/2019	6894.33	NA	6882.18	12.15	ND	NA	23.54
MKTF-40	10/22/2019	6894.33	NA	6881.29	13.04	ND	NA	23.62
MKTF-40	2/27/2020	6894.33	NA	6881.10	13.23	ND	NA	23.64
MKTF-40	6/26/2020	6894.33	NA	6881.58	12.75	ND	NA	23.64
MKTF-40	9/15/2020	6894.33	NA	6880.94	13.39	ND	NA	23.66
MKTF-40	11/10/2020	6894.33	NA	6880.62	13.71	ND	NA	23.66
MKTF-40	12/4/2020	6894.33	NA	6880.34	13.99	ND	NA	23.67
MKTF-41	11/18/2014	6893.64	NA	6866.74	26.90	ND	NA	40.10
MKTF-41	3/12/2015	6893.64	NA	6873.57	20.07	ND	NA	40.10
MKTF-41	6/9/2015	6893.64	NA	6873.87	19.77	ND	NA	40.10
MKTF-41	8/21/2015	6893.64	NA	6873.74	19.90	ND	NA	40.10
MKTF-41	11/5/2015	6893.64	NA	6873.87	19.77	ND	NA	40.10
MKTF-41	2/24/2016	6893.64	NA	6873.74	19.90	ND	NA	40.10
MKTF-41	6/9/2016	6893.64	NA	6873.99	19.65	ND	NA	40.10
MKTF-41	9/9/2016	6893.64	NA	6873.53	20.11	ND	NA	40.10
MKTF-41	11/5/2016	6893.64	NA	6873.87	19.77	ND	NA	40.10
MKTF-41	3/7/2017	6893.64	NA	6874.04	19.60	ND	NA	40.10
MKTF-41	6/6/2017	6893.64	NA	6875.15	18.49	ND	NA	40.10
MKTF-41	9/25/2017	6893.64	NA	6873.39	20.25	ND	NA	40.10
MKTF-41	11/27/2017	6893.64	NA	6873.83	19.81	ND	NA	39.71
MKTF-41	2/7/2018	6893.64	NA	6873.41	20.23	ND	NA	39.72
MKTF-41	4/25/2018	6893.64	NA	6873.67	19.97	ND	NA	39.91
MKTF-41	8/15/2018	6893.64	NA	6873.38	20.26	ND	NA	39.74
MKTF-41	11/14/2018	6893.64	NA	6873.13	20.51	ND	NA	39.71
MKTF-41	2/13/2019	6893.64	NA	6873.54	20.10	ND	NA	40.10
MKTF-41	5/7/2019	6893.64	NA	6874.12	19.52	ND	NA	40.10
MKTF-41	8/22/2019	6893.64	NA	6874.09	19.55	ND	NA	39.74
MKTF-41	10/23/2019	6893.64	NA	6873.62	20.02	ND	NA	39.71
MKTF-41	2/26/2020	6893.64	NA	6873.49	20.15	ND	NA	40.10
MKTF-41	6/29/2020	6893.64	NA	6873.87	19.77	ND	NA	40.10
MKTF-41	9/14/2020	6893.64	NA	6872.92	20.72	ND	NA	39.66
MKTF-41	11/10/2020	6893.64	NA	6872.63	21.01	ND	NA	39.66
MKTF-41	12/4/2020	6893.64	NA	6872.74	20.90	ND	NA	39.80
MKTF-42	11/18/2014	6892.95	NA	6874.16	18.79	ND	NA	33.15
MKTF-42	3/11/2015	6892.95	NA	6874.98	17.97	ND	NA	33.15

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
MKTF-42	6/9/2015	6892.95	NA	6875.35	17.60	ND	NA	33.15
MKTF-42	8/21/2015	6892.95	NA	6875.51	17.44	ND	NA	33.15
MKTF-42	11/5/2015	6892.95	NA	6875.69	17.26	ND	NA	33.15
MKTF-42	2/24/2016	6892.95	NA	6875.26	17.69	ND	NA	33.15
MKTF-42	6/9/2016	6892.95	NA	6875.65	17.30	ND	NA	33.15
MKTF-42	9/9/2016	6892.95	NA	6875.65	17.30	ND	NA	33.15
MKTF-42	11/5/2016	6892.95	NA	6875.69	17.26	ND	NA	33.15
MKTF-42	3/7/2017	6892.95	NA	6877.23	15.72	ND	NA	33.15
MKTF-42	6/6/2017	6892.95	NA	6875.83	17.12	ND	NA	33.15
MKTF-42	9/25/2017	6892.95	NA	6876.12	16.83	ND	NA	33.15
MKTF-42	11/27/2017	6892.95	NA	6876.14	16.81	ND	NA	33.18
MKTF-42	2/7/2018	6892.95	NA	6875.54	17.41	ND	NA	32.90
MKTF-42	4/25/2018	6892.95	NA	6875.82	17.13	ND	NA	33.08
MKTF-42	8/15/2018	6892.95	NA	6876.18	16.77	ND	NA	33.20
MKTF-42	11/14/2018	6892.95	NA	6876.01	16.94	ND	NA	33.18
MKTF-42	2/13/2019	6892.95	NA	6875.77	17.18	ND	NA	33.15
MKTF-42	5/7/2019	6892.95	NA	6876.27	16.68	ND	NA	33.15
MKTF-42	8/22/2019	6892.95	NA	6876.55	16.40	ND	NA	33.20
MKTF-42	10/23/2019	6892.95	NA	6876.43	16.52	ND	NA	33.18
MKTF-42	2/26/2020	6892.95	NA	6876.16	16.79	ND	NA	33.15
MKTF-42	6/30/2020	6892.95	NA	6876.70	16.25	ND	NA	33.15
MKTF-42	9/14/2020	6892.95	NA	6876.60	16.35	ND	NA	33.10
MKTF-42	11/10/2020	6892.95	NA	6877.65	15.30	ND	NA	33.10
MKTF-42	12/4/2020	6892.95	NA	6876.54	16.41	ND	NA	32.95
MKTF-43	11/18/2014	6876.90	NA	6869.95	6.95	ND	NA	15.43
MKTF-43	3/11/2015	6876.90	NA	6871.70	5.20	ND	NA	15.43
MKTF-43	6/10/2015	6876.90	NA	6873.27	3.63	ND	NA	15.43
MKTF-43	8/21/2015	6876.90	NA	6873.10	3.80	ND	NA	15.43
MKTF-43	11/5/2015	6876.90	NA	6871.78	5.12	ND	NA	15.43
MKTF-43	2/24/2016	6876.90	NA	6871.90	5.00	ND	NA	15.43
MKTF-43	6/9/2016	6876.90	NA	6873.23	3.67	ND	NA	15.43
MKTF-43	9/9/2016	6876.90	NA	6872.92	3.98	ND	NA	15.43
MKTF-43	11/5/2016	6876.90	NA	6871.78	5.12	ND	NA	15.43
MKTF-43	3/8/2017	6876.90	NA	6871.56	5.34	ND	NA	15.43
MKTF-43	6/6/2017	6876.90	NA	6873.28	3.62	ND	NA	15.43
MKTF-43	9/25/2017	6876.90	NA	6872.76	4.14	ND	NA	15.43
MKTF-43	11/27/2017	6876.90	NA	6871.25	5.65	ND	NA	15.38
MKTF-43	2/7/2018	6876.90	NA	6870.47	6.43	ND	NA	15.38
MKTF-43	4/25/2018	6876.90	NA	6871.85	5.05	ND	NA	15.30
MKTF-43	8/15/2018	6876.90	NA	6874.24	2.66	ND	NA	15.41

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
MKTF-43	11/14/2018	6876.90	NA	6871.48	5.42	ND	NA	15.38
MKTF-43	2/13/2019	6876.90	NA	6870.91	5.99	ND	NA	15.43
MKTF-43	5/8/2019	6876.90	NA	6872.93	3.97	ND	NA	15.43
MKTF-43	8/22/2019	6876.90	NA	6873.23	3.67	ND	NA	15.41
MKTF-43	10/24/2019	6876.90	NA	6872.56	4.34	ND	NA	15.38
MKTF-43	2/26/2020	6876.90	NA	6870.57	6.33	ND	NA	15.43
MKTF-43	6/30/2020	6876.90	NA	6871.40	5.50	ND	NA	15.43
MKTF-43	9/14/2020	6876.90	NA	6870.45	6.45	ND	NA	16.22
MKTF-43	11/10/2020	6876.90	NA	6869.42	7.48	ND	NA	16.22
MKTF-43	12/4/2020	6876.90	NA	6868.78	8.12	ND	NA	16.92
MKTF-44	11/18/2014	6869.95	NA	6821.15	48.80	ND	NA	51.15
MKTF-44	3/12/2015	6869.95	NA	6831.51	38.44	ND	NA	51.15
MKTF-44	6/10/2015	6869.95	NA	6840.40	29.55	ND	NA	51.15
MKTF-44	8/17/2015	6869.95	NA	6838.72	31.23	ND	NA	51.15
MKTF-44	11/9/2015	6869.95	NA	6836.63	33.32	ND	NA	51.15
MKTF-44	2/24/2016	6869.95	NA	6841.21	28.74	ND	NA	51.15
MKTF-44	6/9/2016	6869.95	NA	6842.12	27.83	ND	NA	51.15
MKTF-44	9/8/2016	6869.95	NA	6838.61	31.34	ND	NA	51.15
MKTF-44	11/9/2016	6869.95	NA	6836.63	33.32	ND	NA	51.15
MKTF-44	3/8/2017	6869.95	NA	6844.56	25.39	ND	NA	51.15
MKTF-44	6/5/2017	6869.95	NA	6837.05	32.90	ND	NA	51.15
MKTF-44	9/25/2017	6869.95	NA	6839.77	30.18	ND	NA	51.15
MKTF-44	11/27/2017	6869.95	NA	6836.25	33.70	ND	NA	51.16
MKTF-44	2/7/2018	6869.95	NA	6832.39	37.56	ND	NA	51.16
MKTF-44	4/25/2018	6869.95	NA	6833.23	36.72	ND	NA	51.08
MKTF-44	8/15/2018	6869.95	NA	6834.25	35.70	ND	NA	51.20
MKTF-44	11/14/2018	6869.95	NA	6843.53	26.42	ND	NA	51.16
MKTF-44	2/13/2019	6869.95	NA	6836.56	33.39	ND	NA	51.15
MKTF-44	5/8/2019	6869.95	NA	6835.75	34.20	ND	NA	51.15
MKTF-44	8/22/2019	6869.95	NA	6838.99	30.96	ND	NA	51.20
MKTF-44	10/24/2019	6869.95	NA	6831.41	38.54	ND	NA	51.16
MKTF-44	3/4/2020	6869.95	NA	6839.61	30.34	ND	NA	51.15
MKTF-44	6/26/2020	6869.95	NA	6836.87	33.08	ND	NA	51.15
MKTF-44	9/14/2020	6869.95	NA	6841.95	28.00	ND	NA	51.95
MKTF-44	12/4/2020	6869.95	NA	6830.36	39.59	ND	NA	51.39
MKTF-45	2/10/2015	6949.59	6936.01	6933.07	16.52	13.58	2.94	30.24
MKTF-45	3/17/2015	6949.59	6936.45	6934.65	14.94	13.14	1.80	30.24
MKTF-45	6/8/2015	6949.59	6936.39	6932.84	16.75	13.20	3.55	30.24
MKTF-45	8/18/2015	6949.59	6936.09	6935.98	13.61	13.50	0.11	30.24
MKTF-45	11/3/2015	6949.59	6935.89	6935.57	14.02	13.70	0.32	30.24

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
MKTF-45	3/17/2016	6949.59	6936.45	6934.65	14.94	13.14	1.80	30.24
MKTF-45	6/10/2016	6949.59	6937.11	6936.79	12.80	12.48	0.32	30.24
MKTF-45	9/13/2016	6949.59	6937.64	6937.19	12.40	11.95	0.45	30.24
MKTF-45	11/3/2016	6949.59	6935.89	6935.57	14.02	13.70	0.32	30.24
MKTF-45	3/1/2017	6949.59	6939.27	6938.96	10.63	10.32	0.31	30.24
MKTF-45	6/14/2017	6949.59	6938.09	6937.59	12.00	11.50	0.50	30.24
MKTF-45	10/3/2017	6949.59	6938.11	6937.58	12.01	11.48	0.53	30.24
MKTF-45	11/30/2017	6949.59	6936.83	6936.36	13.23	12.76	0.47	30.24
MKTF-45	2/15/2018	6949.59	6936.50	6936.35	13.24	13.09	0.15	30.24
MKTF-45	4/26/2018	6949.59	6936.72	6936.29	13.30	12.87	0.43	30.28
MKTF-45	8/16/2018	6949.59	6936.44	6936.01	13.58	13.15	0.43	30.33
MKTF-45	11/27/2018	6949.59	6935.99	6935.44	14.15	13.60	0.55	30.24
MKTF-45	3/26/2019	6949.59	6937.59	6937.09	12.50	12.00	0.50	30.24
MKTF-45	5/14/2019	6949.59	6937.16	6936.57	13.02	12.43	0.59	30.24
MKTF-45	8/19/2019	6949.59	6935.57	6935.11	14.48	14.02	0.46	30.33
MKTF-45	10/28/2019	6949.59	6937.62	6936.59	13.00	11.97	1.03	30.24
MKTF-45	10/29/2019	6949.59	6938.21	6935.84	13.75	11.38	2.37	30.24
MKTF-45	11/6/2019	6949.59	6940.02	6927.07	22.52	9.57	12.95	30.24
MKTF-45	11/7/2019	6949.59	6940.59	6927.34	22.25	9.00	13.25	30.24
MKTF-45	11/11/2019	6949.59	6940.84	6925.99	23.60	8.75	14.85	30.24
MKTF-45	11/12/2019	6949.59	6939.97	6925.67	23.92	9.62	14.30	30.24
MKTF-45	11/13/2019	6949.59	6939.89	6923.66	25.93	9.70	16.23	30.24
MKTF-45	11/14/2019	6949.59	6939.53	6924.30	25.29	10.06	15.23	30.24
MKTF-45	11/15/2019	6949.59	6939.31	6925.02	24.57	10.28	14.29	30.24
MKTF-45	11/19/2019	6949.59	6938.75	6926.84	22.75	10.84	11.91	30.24
MKTF-45	11/21/2019	6949.59	6938.59	6927.69	21.90	11.00	10.90	30.24
MKTF-45	12/2/2019	6949.59	6937.21	6930.64	18.95	12.38	6.57	30.24
MKTF-45	2/3/2020	6949.59	6939.99	6930.97	18.62	9.60	9.02	30.24
MKTF-45	6/30/2020	6949.59	6938.51	6930.51	19.08	11.08	8.00	30.24
MKTF-45	9/14/2020	6949.59	6936.45	6931.16	18.43	13.14	5.29	37.45
MKTF-45	11/10/2020	6949.59	6936.65	6934.83	14.76	12.94	1.82	37.45
MKTF-45	12/4/2020	6949.59	6936.93	6935.08	14.51	12.66	1.85	30.45
MKTF-46	10/29/2019	NA	NA	NA	10.28	ND	NA	21.29
MKTF-46	11/12/2019	NA	NA	NA	10.46	ND	NA	21.29
MKTF-46	12/2/2019	NA	NA	NA	10.70	ND	NA	21.29
MKTF-46	3/5/2020	6957.60	NA	6946.67	10.93	ND	NA	18.00
MKTF-46	6/30/2020	6957.60	NA	6946.52	11.08	ND	NA	18.00
MKTF-46	9/14/2020	6957.60	NA	6947.42	10.18	ND	NA	25.29
MKTF-46	11/10/2020	6957.60	NA	6947.03	10.57	ND	NA	25.29
MKTF-46	12/4/2020	6957.60	NA	6946.83	10.77	ND	NA	21.30

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
MKTF-47	12/2/2019	NA	NA	NA	9.78	ND	NA	14.30
MKTF-47	3/5/2020	6959.09	NA	6949.20	9.89	ND	NA	14.00
MKTF-47	6/29/2020	6959.09	NA	6949.59	9.50	ND	NA	14.00
MKTF-47	9/15/2020	6959.09	6950.56	6950.55	8.54	8.53	0.01	14.31
MKTF-47	11/10/2020	6959.09	NA	6949.76	9.33	ND	NA	14.31
MKTF-47	12/4/2020	6959.09	6949.51	6949.50	9.59	9.58	0.01	14.31
MKTF-48	12/2/2019	NA	NA	NA	11.85	ND	NA	20.92
MKTF-48	3/3/2020	6961.73	6949.07	6948.91	12.82	12.66	0.16	18.00
MKTF-48	6/29/2020	6961.73	NA	6950.15	11.58	ND	NA	18.00
MKTF-48	9/15/2020	6961.73	6949.88	6949.87	11.86	11.85	0.01	19.91
MKTF-48	11/10/2020	6961.73	6949.33	6949.22	12.51	12.40	0.11	19.91
MKTF-48	12/4/2020	6961.73	6948.96	6948.63	13.10	12.77	0.33	20.94
MKTF-49	12/3/2019	NA	NA	NA	19.90	ND	NA	24.90
MKTF-49	3/4/2020	6946.76	NA	6926.49	20.27	ND	NA	28.00
MKTF-49	6/30/2020	6946.76	NA	6926.11	20.65	ND	NA	28.00
MKTF-49	9/15/2020	6946.76	NA	6926.43	20.33	ND	NA	24.96
MKTF-49	11/10/2020	6946.76	NA	6926.01	20.75	ND	NA	24.96
MKTF-49	12/4/2020	6946.76	NA	6925.95	20.81	ND	NA	24.97
MKTF-50	12/3/2019	NA	NA	NA	15.61	ND	NA	21.65
MKTF-50	3/4/2020	6942.82	NA	6926.95	15.87	ND	NA	26.00
MKTF-50	6/30/2020	6942.82	NA	6926.82	16.00	ND	NA	26.00
MKTF-50	9/15/2020	6942.82	6927.46	6927.45	15.37	15.36	0.01	22.64
MKTF-50	11/10/2020	6942.82	NA	6926.79	16.03	ND	NA	22.64
MKTF-50	12/4/2020	6942.82	NA	6926.65	16.17	ND	NA	21.63
MW-1	9/16/2014	6878.12	NA	6871.01	7.11	ND	NA	130.83
MW-1	8/10/2015	6878.12	NA	6871.22	6.90	ND	NA	130.83
MW-1	9/7/2016	6878.12	NA	6871.11	7.01	ND	NA	130.83
MW-1	9/20/2017	6878.12	NA	6871.10	7.02	ND	NA	130.83
MW-1	8/15/2018	6878.12	NA	6870.37	7.75	ND	NA	130.83
MW-1	12/5/2018	6878.12	NA	6870.76	7.36	ND	NA	130.83
MW-1	8/12/2019	6878.12	NA	6871.18	6.94	ND	NA	130.83
MW-1	9/14/2020	6878.12	NA	6870.40	7.72	ND	NA	135.30
MW-2	9/16/2014	6880.30	NA	6871.10	9.20	ND	NA	137.48
MW-2	8/10/2015	6880.30	NA	6871.17	9.13	ND	NA	137.48
MW-2	9/7/2016	6880.30	NA	6866.20	14.10	ND	NA	137.48
MW-2	9/20/2017	6880.30	NA	6864.66	15.64	ND	NA	137.48
MW-2	8/15/2018	6880.30	NA	6870.95	9.35	ND	NA	137.48
MW-2	12/5/2018	6880.30	NA	6863.67	16.63	ND	NA	137.48
MW-2	8/13/2019	6880.30	NA	6871.30	9.00	ND	NA	137.48
MW-2	9/14/2020	6880.30	NA	6870.56	9.74	ND	NA	138.20

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
MW-4	9/17/2014	6881.63	NA	6873.95	7.68	ND	NA	121.72
MW-4	8/10/2015	6881.63	NA	6874.33	7.30	ND	NA	121.72
MW-4	9/7/2016	6881.63	NA	6874.25	7.38	ND	NA	121.72
MW-4	9/21/2017	6881.63	NA	6874.07	7.56	ND	NA	121.72
MW-4	8/15/2018	6881.63	NA	6873.92	7.71	ND	NA	121.72
MW-4	12/5/2018	6881.63	NA	6873.80	7.83	ND	NA	121.72
MW-4	8/13/2019	6881.63	NA	6874.63	7.00	ND	NA	121.72
MW-4	9/14/2020	6881.63	NA	6873.63	8.00	ND	NA	125.90
MW-5	9/17/2014	6882.83	NA	6871.45	11.38	ND	NA	130.83
MW-5	8/10/2015	6882.83	NA	6871.63	11.20	ND	NA	130.83
MW-5	9/7/2016	6882.83	NA	6869.33	13.50	ND	NA	130.83
MW-5	9/11/2017	6882.83	NA	6871.61	11.22	ND	NA	130.83
MW-5	8/15/2018	6882.83	NA	6871.32	11.51	ND	NA	130.83
MW-5	12/6/2018	6882.83	NA	6866.03	16.80	ND	NA	130.83
MW-5	8/14/2019	6882.83	NA	6871.78	11.05	ND	NA	130.83
MW-5	9/14/2020	6882.83	NA	6870.84	11.99	ND	NA	133.00
NAPIS-1	3/10/2014	6913.86	NA	6907.08	6.78	ND	NA	13.53
NAPIS-1	6/5/2014	6913.86	NA	6907.00	6.86	ND	NA	13.53
NAPIS-1	9/11/2014	6913.86	NA	6907.01	6.85	ND	NA	13.53
NAPIS-1	11/11/2014	6913.86	NA	6906.90	6.96	ND	NA	13.53
NAPIS-1	3/10/2015	6913.86	NA	6906.96	6.90	ND	NA	13.53
NAPIS-1	6/2/2015	6913.86	NA	6906.86	7.00	ND	NA	13.53
NAPIS-1	8/10/2015	6913.86	NA	6906.86	7.00	ND	NA	13.53
NAPIS-1	10/28/2015	6913.86	NA	6906.66	7.20	ND	NA	13.53
NAPIS-1	3/1/2016	6913.86	NA	6907.21	6.65	ND	NA	13.53
NAPIS-1	6/7/2016	6913.86	NA	6907.22	6.64	ND	NA	13.53
NAPIS-1	9/1/2016	6913.86	NA	6906.87	6.99	ND	NA	13.53
NAPIS-1	11/14/2016	6913.86	NA	6907.04	6.82	ND	NA	13.53
NAPIS-1	2/21/2017	6913.86	NA	6907.16	6.70	ND	NA	13.53
NAPIS-1	6/2/2017	6913.86	NA	6907.01	6.85	ND	NA	13.53
NAPIS-1	9/5/2017	6913.86	6907.54	6906.68	7.18	6.32	0.86	13.53
NAPIS-1	12/4/2017	6913.86	6907.66	6907.01	6.85	6.20	0.65	13.75
NAPIS-1	2/12/2018	6913.86	6907.71	6905.76	8.10	6.15	1.95	13.53
NAPIS-1	4/25/2018	6913.86	6907.28	6906.04	7.82	6.58	1.24	13.76
NAPIS-1	8/15/2018	6913.86	NA	NA	NA	NA	NA	13.76
NAPIS-1	11/8/2018	6913.86	NA	NA	NA	NA	NA	13.76
NAPIS-1	3/28/2019	6913.86	NA	NA	NA	NA	NA	13.76
NAPIS-1	5/28/2019	6913.86	6906.14	6905.98	7.88	7.72	0.16	13.53
NAPIS-1	8/22/2019	6913.86	6906.41	6906.33	7.53	7.45	0.08	13.53
NAPIS-1	10/21/2019	6913.86	6906.20	6906.00	7.86	7.66	0.20	13.53

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
NAPIS-1	9/15/2020	6913.86	6907.16	6907.15	6.71	6.70	0.01	13.58
NAPIS-1	11/10/2020	6913.86	6906.67	6906.66	7.20	7.19	0.01	13.58
NAPIS-1	12/7/2020	6913.86	NA	6906.42	7.44	ND	NA	13.76
NAPIS-2	3/10/2014	6912.65	NA	6904.62	8.03	ND	NA	13.61
NAPIS-2	6/5/2014	6912.65	NA	6904.45	8.20	ND	NA	13.61
NAPIS-2	9/11/2014	6912.65	NA	6904.55	8.10	ND	NA	13.61
NAPIS-2	11/11/2014	6912.65	NA	6904.45	8.20	ND	NA	13.61
NAPIS-2	3/10/2015	6912.65	NA	6904.21	8.44	ND	NA	13.61
NAPIS-2	6/2/2015	6912.65	NA	6904.11	8.54	ND	NA	13.61
NAPIS-2	8/10/2015	6912.65	NA	6904.25	8.40	ND	NA	13.61
NAPIS-2	10/28/2015	6912.65	NA	6904.33	8.32	ND	NA	13.61
NAPIS-2	3/1/2016	6912.65	NA	6905.00	7.65	ND	NA	13.61
NAPIS-2	6/7/2016	6912.65	NA	6906.25	6.40	ND	NA	13.61
NAPIS-2	9/1/2016	6912.65	NA	6903.81	8.84	ND	NA	13.61
NAPIS-2	11/14/2016	6912.65	NA	6904.45	8.20	ND	NA	13.61
NAPIS-2	2/21/2017	6912.65	NA	6904.76	7.89	ND	NA	13.61
NAPIS-2	6/1/2017	6912.65	NA	6904.30	8.35	ND	NA	13.61
NAPIS-2	9/5/2017	6912.65	NA	6904.33	8.32	ND	NA	13.61
NAPIS-2	12/4/2017	6912.65	NA	6904.67	7.98	ND	NA	14.60
NAPIS-2	2/9/2018	6912.65	NA	6904.40	8.25	ND	NA	14.60
NAPIS-2	4/26/2018	6912.65	NA	6904.07	8.58	ND	NA	14.52
NAPIS-2	8/15/2018	6912.65	NA	NA	NA	NA	NA	14.52
NAPIS-2	11/8/2018	6912.65	NA	NA	NA	NA	NA	14.52
NAPIS-2	3/28/2019	6912.65	NA	NA	NA	NA	NA	14.52
NAPIS-2	5/28/2019	6912.65	NA	6903.11	9.54	ND	NA	13.61
NAPIS-2	8/22/2019	6912.65	NA	6903.50	9.15	ND	NA	13.61
NAPIS-2	10/21/2019	6912.65	NA	6903.25	9.40	ND	NA	13.61
NAPIS-2	9/15/2020	6912.65	NA	6904.53	8.12	ND	NA	14.60
NAPIS-2	11/10/2020	6912.65	NA	6904.14	8.51	ND	NA	14.60
NAPIS-2	12/7/2020	6912.65	NA	6903.93	8.72	ND	NA	14.61
NAPIS-3	3/10/2014	6912.76	NA	6903.86	8.90	ND	NA	30.42
NAPIS-3	6/5/2014	6912.76	NA	6903.91	8.85	ND	NA	30.42
NAPIS-3	9/11/2014	6912.76	NA	6904.79	7.97	ND	NA	30.42
NAPIS-3	11/13/2014	6912.76	NA	6903.58	9.18	ND	NA	30.42
NAPIS-3	3/10/2015	6912.76	NA	6903.17	9.59	ND	NA	30.42
NAPIS-3	6/2/2015	6912.76	NA	6903.66	9.10	ND	NA	30.42
NAPIS-3	8/10/2015	6912.76	NA	6904.27	8.49	ND	NA	30.42
NAPIS-3	10/28/2015	6912.76	NA	6903.54	9.22	ND	NA	30.42
NAPIS-3	3/1/2016	6912.76	NA	6904.21	8.55	ND	NA	30.42
NAPIS-3	6/7/2016	6912.76	NA	6905.04	7.72	ND	NA	30.42

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
NAPIS-3	9/1/2016	6912.76	NA	6903.66	9.10	ND	NA	30.42
NAPIS-3	11/14/2016	6912.76	NA	6903.65	9.11	ND	NA	30.42
NAPIS-3	2/21/2017	6912.76	NA	6903.56	9.20	ND	NA	30.42
NAPIS-3	6/1/2017	6912.76	NA	6902.56	10.20	ND	NA	30.42
NAPIS-3	9/8/2017	6912.76	NA	6903.66	9.10	ND	NA	30.42
NAPIS-3	12/14/2017	6912.76	NA	6903.76	9.00	ND	NA	31.58
NAPIS-3	2/9/2018	6912.76	NA	6903.06	9.70	ND	NA	31.60
NAPIS-3	4/26/2018	6912.76	NA	6903.16	9.60	ND	NA	31.51
NAPIS-3	8/15/2018	6912.76	NA	NA	NA	NA	NA	31.51
NAPIS-3	11/8/2018	6912.76	NA	NA	NA	NA	NA	31.51
NAPIS-3	3/28/2019	6912.76	NA	NA	NA	NA	NA	31.51
NAPIS-3	5/28/2019	6912.76	NA	6902.19	10.57	ND	NA	30.42
NAPIS-3	8/22/2019	6912.76	NA	6902.58	10.18	ND	NA	30.42
NAPIS-3	10/21/2019	6912.76	NA	6902.74	10.02	ND	NA	30.42
NAPIS-3	9/15/2020	6912.76	NA	6903.51	9.25	ND	NA	31.50
NAPIS-3	11/10/2020	6912.76	NA	6903.29	9.47	ND	NA	31.50
NAPIS-3	12/7/2020	6912.76	NA	6904.25	8.51	ND	NA	31.50
OAPIS-1	3/10/2014	6916.73	NA	6905.23	11.50	ND	NA	28.30
OAPIS-1	6/5/2014	6916.73	NA	6904.98	11.75	ND	NA	28.30
OAPIS-1	9/12/2014	6916.73	NA	6905.62	11.11	ND	NA	28.30
OAPIS-1	11/11/2014	6916.73	NA	6899.52	17.21	ND	NA	28.30
OAPIS-1	3/10/2015	6916.73	NA	6904.89	11.84	ND	NA	28.30
OAPIS-1	6/2/2015	6916.73	NA	6904.72	12.01	ND	NA	28.30
OAPIS-1	8/10/2015	6916.73	NA	6905.40	11.33	ND	NA	28.30
OAPIS-1	10/29/2015	6916.73	NA	6905.71	11.02	ND	NA	28.30
OAPIS-1	3/1/2016	6916.73	NA	6904.87	11.86	ND	NA	28.30
OAPIS-1	6/7/2016	6916.73	NA	6905.23	11.50	ND	NA	28.30
OAPIS-1	9/1/2016	6916.73	NA	6905.41	11.32	ND	NA	28.30
OAPIS-1	11/14/2016	6916.73	NA	6905.29	11.44	ND	NA	28.30
OAPIS-1	2/21/2017	6916.73	NA	6905.13	11.60	ND	NA	28.30
OAPIS-1	6/1/2017	6916.73	NA	6905.27	11.46	ND	NA	28.30
OAPIS-1	9/5/2017	6916.73	NA	6905.64	11.09	ND	NA	28.30
OAPIS-1	12/4/2017	6916.73	NA	6904.85	11.88	ND	NA	27.78
OAPIS-1	2/9/2018	6916.73	NA	6904.13	12.60	ND	NA	27.78
OAPIS-1	4/26/2018	6916.73	NA	6904.31	12.42	ND	NA	27.75
OAPIS-1	8/15/2018	6916.73	NA	6905.13	11.60	ND	NA	27.86
OAPIS-1	11/19/2018	6916.73	NA	6904.84	11.89	ND	NA	27.78
OAPIS-1	3/28/2019	6916.73	NA	6905.30	11.43	ND	NA	26.00
OAPIS-1	5/8/2019	6916.73	NA	6904.64	12.09	ND	NA	26.00
OAPIS-1	8/22/2019	6916.73	NA	6905.64	11.09	ND	NA	27.86

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
OAPIS-1	10/21/2019	6916.73	NA	6905.29	11.44	ND	NA	27.78
OAPIS-1	9/15/2020	6916.73	NA	6904.83	11.90	ND	NA	28.00
OAPIS-1	11/10/2020	6916.73	NA	6904.71	12.02	ND	NA	28.00
OAPIS-1	12/7/2020	6916.73	NA	6904.42	12.31	ND	NA	28.00
OW-01	3/7/2014	6866.62	NA	6866.62	0.00	ND	NA	94.55
OW-01	6/3/2014	6866.62	NA	6866.62	0.00	ND	NA	94.55
OW-01	9/11/2014	6866.62	NA	6866.61	0.01	ND	NA	94.55
OW-01	11/10/2014	6866.62	NA	6866.62	0.00	ND	NA	94.55
OW-01	3/9/2015	6866.62	NA	6866.62	0.00	ND	NA	94.55
OW-01	6/3/2015	6866.62	NA	6866.62	0.00	ND	NA	94.55
OW-01	8/12/2015	6866.62	NA	6866.62	0.00	ND	NA	94.55
OW-01	10/28/2015	6866.62	NA	6866.62	0.00	ND	NA	94.55
OW-01	3/3/2016	6866.62	NA	6866.62	0.00	ND	NA	94.55
OW-01	6/6/2016	6866.62	NA	6866.62	0.00	ND	NA	94.55
OW-01	9/6/2016	6866.62	NA	6866.62	0.00	ND	NA	94.55
OW-01	11/15/2016	6866.62	NA	6864.90	1.72	ND	NA	94.55
OW-01	2/27/2017	6866.62	NA	6864.91	1.71	ND	NA	94.55
OW-01	5/31/2017	6866.62	NA	6864.85	1.77	ND	NA	94.55
OW-01	9/6/2017	6866.62	NA	6864.92	1.70	ND	NA	94.55
OW-01	12/8/2017	6866.62	NA	6864.91	1.71	ND	NA	94.55
OW-01	2/27/2018	6866.62	NA	6865.17	1.45	ND	NA	94.55
OW-01	4/25/2018	6866.62	NA	6864.82	1.80	ND	NA	94.54
OW-01	8/14/2018	6866.62	NA	6864.82	1.80	ND	NA	94.55
OW-01	11/7/2018	6866.62	NA	6865.29	1.33	ND	NA	94.55
OW-01	3/27/2019	6866.62	NA	6864.93	1.69	ND	NA	94.55
OW-01	5/21/2019	6866.62	NA	6864.89	1.73	ND	NA	94.55
OW-01	8/15/2019	6866.62	NA	6865.25	1.37	ND	NA	94.55
OW-01	10/16/2019	6866.62	NA	6865.17	1.45	ND	NA	94.55
OW-01	9/15/2020	6866.62	NA	6865.17	1.45	ND	NA	99.39
OW-01	12/7/2020	6866.62	NA	6864.87	1.75	ND	NA	99.39
OW-10	3/7/2014	6874.91	NA	6874.91	0.00	ND	NA	60.33
OW-10	6/3/2014	6874.91	NA	6873.46	1.45	ND	NA	60.33
OW-10	9/12/2014	6874.91	NA	6872.58	2.33	ND	NA	60.33
OW-10	11/10/2014	6874.91	NA	6872.11	2.80	ND	NA	60.33
OW-10	3/9/2015	6874.91	NA	6873.95	0.96	ND	NA	60.33
OW-10	6/3/2015	6874.91	NA	6873.91	1.00	ND	NA	60.33
OW-10	8/12/2015	6874.91	NA	6874.53	0.38	ND	NA	60.33
OW-10	10/28/2015	6874.91	NA	6873.44	1.47	ND	NA	60.33
OW-10	3/3/2016	6874.91	NA	6873.49	1.42	ND	NA	60.33
OW-10	6/6/2016	6874.91	NA	6873.69	1.22	ND	NA	60.33

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
OW-10	9/6/2016	6874.91	NA	6873.21	1.70	ND	NA	60.33
OW-10	11/15/2016	6874.91	NA	6874.37	0.54	ND	NA	60.33
OW-10	2/27/2017	6874.91	NA	6874.35	0.56	ND	NA	60.33
OW-10	5/31/2017	6874.91	NA	6873.84	1.07	ND	NA	60.33
OW-10	9/7/2017	6874.91	NA	6873.03	1.88	ND	NA	60.33
OW-10	12/7/2017	6874.91	NA	6872.66	2.25	ND	NA	60.33
OW-10	2/27/2018	6874.91	NA	6872.93	1.98	ND	NA	60.33
OW-10	4/25/2018	6874.91	NA	6873.05	1.86	ND	NA	60.13
OW-10	8/15/2018	6874.91	NA	6872.50	2.41	ND	NA	60.13
OW-10	11/8/2018	6874.91	NA	6872.41	2.50	ND	NA	60.33
OW-10	3/27/2019	6874.91	NA	6874.91	0.00	ND	NA	60.33
OW-10	5/22/2019	6874.91	NA	6874.91	0.00	ND	NA	60.33
OW-10	8/15/2019	6874.91	NA	6873.89	1.02	ND	NA	60.13
OW-10	10/17/2019	6874.91	NA	6872.58	2.33	ND	NA	60.33
OW-10	9/20/2020	6874.91	NA	6867.21	7.70	ND	NA	66.30
OW-10	10/9/2020	6874.91	NA	6867.21	7.70	ND	NA	66.30
OW-10	12/7/2020	6874.91	NA	6867.30	7.61	ND	NA	66.30
OW-11	9/12/2014	6923.51	NA	6903.40	20.11	ND	NA	65.79
OW-11	8/10/2015	6923.51	NA	6904.21	19.30	ND	NA	65.79
OW-11	9/9/2016	6923.51	NA	6904.72	18.79	ND	NA	65.79
OW-11	9/18/2017	6923.51	NA	6905.43	18.08	ND	NA	65.79
OW-11	8/15/2018	6923.51	NA	6904.31	19.20	ND	NA	65.79
OW-11	8/20/2019	6923.51	NA	6905.81	17.70	ND	NA	65.79
OW-11	9/15/2020	6923.51	NA	6905.00	18.51	ND	NA	65.83
OW-12	9/12/2014	6940.69	NA	6892.91	47.78	ND	NA	128.85
OW-12	8/13/2015	6940.69	NA	6893.27	47.42	ND	NA	128.85
OW-12	9/8/2016	6940.69	NA	6893.46	47.23	ND	NA	128.85
OW-12	9/19/2017	6940.69	NA	6893.95	46.74	ND	NA	128.85
OW-12	8/15/2018	6940.69	NA	6894.19	46.50	ND	NA	128.85
OW-12	9/14/2020	6940.69	NA	6894.24	46.45	ND	NA	131.20
OW-12	11/9/2020	6940.69	NA	6894.20	46.49	ND	NA	131.20
OW-13	3/7/2014	6920.07	NA	6898.30	21.77	ND	NA	99.15
OW-13	6/3/2014	6920.07	NA	6898.12	21.95	ND	NA	99.15
OW-13	9/15/2014	6920.07	NA	6897.46	22.61	ND	NA	99.15
OW-13	11/10/2014	6920.07	NA	6897.62	22.45	ND	NA	99.15
OW-13	3/9/2015	6920.07	NA	6898.15	21.92	ND	NA	99.15
OW-13	6/1/2015	6920.07	NA	6898.31	21.76	ND	NA	99.15
OW-13	8/10/2015	6920.07	NA	6897.93	22.14	ND	NA	99.15
OW-13	10/27/2015	6920.07	NA	6897.97	22.10	ND	NA	99.15
OW-13	3/4/2016	6920.07	NA	6898.64	21.43	ND	NA	99.15

Released to Imaging: 11/22/2022 4:04:32 PM

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
OW-13	6/6/2016	6920.07	NA	6898.62	21.45	ND	NA	99.15
OW-13	8/31/2016	6920.07	NA	6898.13	21.94	ND	NA	99.15
OW-13	11/15/2016	6920.07	NA	6898.39	21.68	ND	NA	99.15
OW-13	2/27/2017	6920.07	NA	6898.96	21.11	ND	NA	99.15
OW-13	5/31/2017	6920.07	NA	6898.62	21.45	ND	NA	99.15
OW-13	9/6/2017	6920.07	NA	6898.66	21.41	ND	NA	99.15
OW-13	12/11/2017	6920.07	NA	6899.07	21.00	ND	NA	99.15
OW-13	2/28/2018	6920.07	NA	6899.57	20.50	ND	NA	99.15
OW-13	4/26/2018	6920.07	NA	6899.66	20.41	ND	NA	99.00
OW-13	8/14/2018	6920.07	NA	6899.37	20.70	ND	NA	102.00
OW-13	11/6/2018	6920.07	NA	6899.37	20.70	ND	NA	99.15
OW-13	2/5/2019	6920.07	NA	6899.69	20.38	ND	NA	99.15
OW-13	5/1/2019	6920.07	NA	6900.07	20.00	ND	NA	99.15
OW-13	8/12/2019	6920.07	NA	6899.57	20.50	ND	NA	102.00
OW-13	10/14/2019	6920.07	NA	6899.33	20.74	ND	NA	99.15
OW-13	9/14/2020	6920.07	NA	6899.08	20.99	ND	NA	91.65
OW-13	11/9/2020	6920.07	NA	6899.69	20.38	ND	NA	91.65
OW-13	12/7/2020	6920.07	NA	6899.83	20.24	ND	NA	91.65
OW-14	3/7/2014	6926.65	NA	6902.53	24.12	ND	NA	46.52
OW-14	6/3/2014	6926.65	NA	6902.50	24.15	ND	NA	46.52
OW-14	9/15/2014	6926.65	NA	6902.25	24.40	ND	NA	46.52
OW-14	11/10/2014	6926.65	NA	6902.40	24.25	ND	NA	46.52
OW-14	3/9/2015	6926.65	NA	6902.70	23.95	ND	NA	46.52
OW-14	6/1/2015	6926.65	NA	6902.77	23.88	ND	NA	46.52
OW-14	8/10/2015	6926.65	NA	6902.69	23.96	ND	NA	46.52
OW-14	10/27/2015	6926.65	NA	6902.96	23.69	ND	NA	46.52
OW-14	3/4/2016	6926.65	NA	6903.45	23.20	ND	NA	46.52
OW-14	6/6/2016	6926.65	NA	6903.47	23.18	ND	NA	46.52
OW-14	8/31/2016	6926.65	NA	6903.15	23.50	ND	NA	46.52
OW-14	11/15/2016	6926.65	NA	6903.37	23.28	ND	NA	46.52
OW-14	2/27/2017	6926.65	NA	6903.82	22.83	ND	NA	46.52
OW-14	5/30/2017	6926.65	NA	6903.47	23.18	ND	NA	46.52
OW-14	9/6/2017	6926.65	NA	6904.09	22.56	ND	NA	46.52
OW-14	12/11/2017	6926.65	NA	6904.45	22.20	ND	NA	46.52
OW-14	2/27/2018	6926.65	NA	6904.85	21.80	ND	NA	46.52
OW-14	4/26/2018	6926.65	NA	6904.90	21.75	ND	NA	46.75
OW-14	8/14/2018	6926.65	NA	6904.70	21.95	ND	NA	46.78
OW-14	11/6/2018	6926.65	NA	6904.83	21.82	ND	NA	46.52
OW-14	2/5/2019	6926.65	NA	6905.01	21.64	ND	NA	46.52
OW-14	5/1/2019	6926.65	NA	6905.20	21.45	ND	NA	46.52

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
OW-14	8/12/2019	6926.65	NA	NA	NA	NA	NA	46.78
OW-14	11/1/2019	6926.65	NA	NA	NA	NA	NA	46.52
OW-14	9/14/2020	6926.65	NA	NA	NA	NA	NA	46.52
OW-14	12/7/2020	6926.65	NA	6902.25	24.40	NA	NA	46.52
OW-29	3/7/2014	6917.00	NA	6898.15	18.85	ND	NA	51.08
OW-29	6/2/2014	6917.00	NA	6898.05	18.95	ND	NA	51.08
OW-29	9/15/2014	6917.00	NA	6897.65	19.35	ND	NA	51.08
OW-29	11/11/2014	6917.00	NA	6897.84	19.16	ND	NA	51.08
OW-29	3/9/2015	6917.00	NA	6898.33	18.67	ND	NA	51.08
OW-29	6/1/2015	6917.00	NA	6898.33	18.67	ND	NA	51.08
OW-29	8/10/2015	6917.00	NA	6898.06	18.94	ND	NA	51.08
OW-29	10/27/2015	6917.00	NA	6898.28	18.72	ND	NA	51.08
OW-29	3/4/2016	6917.00	NA	6898.85	18.15	ND	NA	51.08
OW-29	6/6/2016	6917.00	NA	6898.84	18.16	ND	NA	51.08
OW-29	8/31/2016	6917.00	NA	6898.40	18.60	ND	NA	51.08
OW-29	11/15/2016	6917.00	NA	6898.77	18.23	ND	NA	51.08
OW-29	2/27/2017	6917.00	NA	6899.18	17.82	ND	NA	51.08
OW-29	5/30/2017	6917.00	NA	6898.84	18.16	ND	NA	51.08
OW-29	9/6/2017	6917.00	NA	6898.95	18.05	ND	NA	51.08
OW-29	12/11/2017	6917.00	NA	6899.50	17.50	ND	NA	51.08
OW-29	2/27/2018	6917.00	NA	6899.88	17.12	ND	NA	51.08
OW-29	4/26/2018	6917.00	NA	6900.02	16.98	ND	NA	51.90
OW-29	8/14/2018	6917.00	NA	6899.48	17.52	ND	NA	52.40
OW-29	11/6/2018	6917.00	NA	6899.78	17.22	ND	NA	51.08
OW-29	2/5/2019	6917.00	NA	6900.08	16.92	ND	NA	51.08
OW-29	5/1/2019	6917.00	NA	6900.29	16.71	ND	NA	51.08
OW-29	8/12/2019	6917.00	NA	6899.84	17.16	ND	NA	52.40
OW-29	10/14/2019	6917.00	NA	6899.76	17.24	ND	NA	51.08
OW-29	9/14/2020	6917.00	NA	6902.43	14.57	ND	NA	51.05
OW-29	11/9/2020	6917.00	NA	6899.77	17.23	ND	NA	51.05
OW-29	12/7/2020	6917.00	NA	6899.85	17.15	ND	NA	51.05
OW-30	3/7/2014	6924.69	NA	6901.27	23.42	ND	NA	49.90
OW-30	6/3/2014	6924.69	NA	6901.18	23.51	ND	NA	49.90
OW-30	9/17/2014	6924.69	NA	6900.85	23.84	ND	NA	49.90
OW-30	11/11/2014	6924.69	NA	6900.99	23.70	ND	NA	49.90
OW-30	3/9/2015	6924.69	NA	6901.44	23.25	ND	NA	49.90
OW-30	6/1/2015	6924.69	NA	6901.49	23.20	ND	NA	49.90
OW-30	8/10/2015	6924.69	NA	6901.27	23.42	ND	NA	49.90
OW-30	10/27/2015	6924.69	NA	6901.55	23.14	ND	NA	49.90
OW-30	3/8/2016	6924.69	NA	6902.14	22.55	ND	NA	49.90

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
OW-30	6/6/2016	6924.69	NA	6902.05	22.64	ND	NA	49.90
OW-30	8/31/2016	6924.69	NA	6901.39	23.30	ND	NA	49.90
OW-30	11/14/2016	6924.69	NA	6901.94	22.75	ND	NA	49.90
OW-30	2/27/2017	6924.69	NA	6902.45	22.24	ND	NA	49.90
OW-30	5/31/2017	6924.69	NA	6902.05	22.64	ND	NA	49.90
OW-30	9/6/2017	6924.69	NA	6902.41	22.28	ND	NA	49.90
OW-30	12/12/2017	6924.69	NA	6902.94	21.75	ND	NA	49.90
OW-30	2/28/2018	6924.69	NA	6903.36	21.33	ND	NA	49.90
OW-30	4/26/2018	6924.69	NA	6903.41	21.28	ND	NA	50.20
OW-30	8/15/2018	6924.69	NA	6902.99	21.70	ND	NA	51.40
OW-30	12/3/2018	6924.69	NA	6903.39	21.30	ND	NA	49.90
OW-30	3/27/2019	6924.69	NA	6903.56	21.13	ND	NA	49.90
OW-30	6/5/2019	6924.69	NA	6903.55	21.14	ND	NA	49.90
OW-30	8/12/2019	6924.69	NA	NA	NA	NA	NA	51.40
OW-30	11/1/2019	6924.69	NA	NA	NA	ND	NA	49.90
OW-30	9/15/2020	6924.69	NA	NA	NA	ND	NA	49.90
OW-30	12/7/2020	6924.69	NA	6902.47	22.22	ND	NA	49.90
OW-50	9/15/2014	6914.21	NA	6897.35	16.86	ND	NA	64.00
OW-50	8/10/2015	6914.21	NA	6897.74	16.47	ND	NA	64.00
OW-50	9/9/2016	6914.21	NA	6898.02	16.19	ND	NA	64.00
OW-50	9/11/2017	6914.21	NA	6898.61	15.60	ND	NA	64.00
OW-50	8/14/2018	6914.21	NA	6899.09	15.12	ND	NA	65.25
OW-50	11/7/2018	6914.21	NA	6899.01	15.20	ND	NA	64.00
OW-50	3/27/2019	6914.21	NA	6899.81	14.40	ND	NA	64.00
OW-50	5/1/2019	6914.21	NA	6899.82	14.39	ND	NA	64.00
OW-50	8/16/2019	6914.21	NA	6899.47	14.74	ND	NA	64.00
OW-50	10/15/2019	6914.21	NA	6899.29	14.92	ND	NA	64.00
OW-50	9/14/2020	6914.21	NA	6899.10	15.11	ND	NA	39.02
OW-50	11/9/2020	6914.21	NA	6899.34	14.87	ND	NA	39.02
OW-50	12/7/2020	6914.21	NA	6899.49	14.72	ND	NA	39.02
OW-52	9/15/2014	6907.68	NA	6891.88	15.80	ND	NA	77.74
OW-52	8/10/2015	6907.68	NA	6892.19	15.49	ND	NA	77.74
OW-52	9/9/2016	6907.68	NA	6892.40	15.28	ND	NA	77.74
OW-52	9/11/2017	6907.68	NA	6892.83	14.85	ND	NA	77.74
OW-52	8/15/2018	6907.68	NA	6893.16	14.52	ND	NA	79.00
OW-52	11/7/2018	6907.68	NA	6893.24	14.44	ND	NA	77.74
OW-52	3/27/2019	6907.68	NA	6893.71	13.97	ND	NA	77.74
OW-52	5/1/2019	6907.68	NA	6893.94	13.74	ND	NA	77.74
OW-52	8/16/2019	6907.68	NA	6893.47	14.21	ND	NA	77.74
OW-52	10/15/2019	6907.68	NA	6893.28	14.40	ND	NA	77.74

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
OW-52	9/14/2020	6907.68	NA	6893.12	14.56	ND	NA	40.43
OW-52	10/9/2020	6907.68	NA	6893.16	14.52	ND	NA	40.43
OW-52	12/7/2020	6907.68	NA	6893.26	14.42	ND	NA	40.43
OW-53	3/29/2017	6914.38	NA	Dry	Dry	ND	NA	33.90
OW-53	6/21/2017	6914.38	NA	Dry	Dry	ND	NA	33.90
OW-53	9/11/2017	6914.38	NA	Dry	Dry	ND	NA	33.90
OW-53	12/5/2017	6914.38	NA	Dry	Dry	ND	NA	33.90
OW-53	2/21/2018	6914.38	NA	Dry	Dry	ND	NA	33.90
OW-53	4/26/2018	6914.38	NA	Dry	Dry	ND	NA	33.90
OW-53	8/15/2018	6914.38	NA	Dry	Dry	ND	NA	33.91
OW-53	11/6/2018	6914.38	NA	Dry	Dry	ND	NA	33.90
OW-53	2/6/2019	6914.38	NA	Dry	Dry	ND	NA	33.91
OW-53	5/2/2019	6914.38	NA	Dry	Dry	ND	NA	33.91
OW-53	8/21/2019	6914.38	NA	Dry	Dry	ND	NA	33.91
OW-53	10/15/2019	6914.38	NA	Dry	Dry	ND	NA	33.91
OW-53	9/14/2020	6914.38	NA	Dry	Dry	ND	NA	33.91
OW-53	11/9/2020	6914.38	NA	Dry	Dry	ND	NA	33.91
OW-53	12/7/2020	6914.38	NA	Dry	Dry	ND	NA	33.91
OW-54	3/29/2017	6918.92	NA	6900.48	18.44	ND	NA	31.04
OW-54	6/21/2017	6918.92	NA	6900.29	18.63	ND	NA	31.04
OW-54	9/11/2017	6918.92	NA	6900.22	18.70	ND	NA	31.04
OW-54	12/5/2017	6918.92	NA	6900.65	18.27	ND	NA	31.06
OW-54	2/21/2018	6918.92	NA	6900.87	18.05	ND	NA	30.87
OW-54	4/26/2018	6918.92	NA	6901.09	17.83	ND	NA	29.70
OW-54	8/14/2018	6918.92	NA	6900.69	18.23	ND	NA	29.62
OW-54	11/6/2018	6918.92	NA	6901.02	17.90	ND	NA	31.06
OW-54	2/6/2019	6918.92	NA	6901.34	17.58	ND	NA	31.04
OW-54	5/2/2019	6918.92	NA	6901.40	17.52	ND	NA	31.04
OW-54	8/21/2019	6918.92	NA	6900.92	18.00	ND	NA	29.62
OW-54	10/15/2019	6918.92	NA	6900.83	18.09	ND	NA	31.06
OW-54	9/14/2020	6918.92	NA	6900.75	18.17	ND	NA	24.58
OW-54	10/9/2020	6918.92	NA	6901.00	17.92	ND	NA	24.58
OW-54	12/7/2020	6918.92	NA	6901.14	17.78	ND	NA	24.58
OW-55	3/29/2017	6923.25	NA	6904.86	18.39	ND	NA	30.70
OW-55	6/21/2017	6923.25	NA	6904.78	18.47	ND	NA	30.70
OW-55	9/11/2017	6923.25	NA	6904.76	18.49	ND	NA	30.70
OW-55	12/5/2017	6923.25	NA	6905.20	18.05	ND	NA	30.90
OW-55	2/21/2018	6923.25	NA	6905.45	17.80	ND	NA	30.95
OW-55	4/26/2018	6923.25	NA	6905.64	17.61	ND	NA	30.92
OW-55	8/14/2018	6923.25	NA	6905.31	17.94	ND	NA	30.70

Released to Imaging: 11/22/2022 4:04:32 PM

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
OW-55	11/6/2018	6923.25	NA	6905.53	17.72	ND	NA	30.90
OW-55	2/6/2019	6923.25	NA	6905.88	17.37	ND	NA	30.70
OW-55	5/2/2019	6923.25	NA	6905.87	17.38	ND	NA	30.70
OW-55	8/21/2019	6923.25	NA	6905.55	17.70	ND	NA	30.70
OW-55	10/15/2019	6923.25	NA	6905.52	17.73	ND	NA	30.90
OW-55	9/14/2020	6923.25	NA	6905.29	17.96	ND	NA	24.48
OW-55	10/9/2020	6923.25	NA	6905.55	17.70	ND	NA	24.48
OW-55	12/7/2020	6923.25	NA	6905.64	17.61	ND	NA	24.48
OW-56	3/29/2017	6920.18	NA	6907.89	12.29	ND	NA	18.59
OW-56	6/21/2017	6920.18	NA	6906.65	13.53	ND	NA	18.59
OW-56	9/11/2017	6920.18	NA	6905.68	14.50	ND	NA	18.59
OW-56	12/5/2017	6920.18	NA	6906.75	13.43	ND	NA	18.58
OW-56	2/21/2018	6920.18	NA	6907.34	12.84	ND	NA	18.59
OW-56	4/26/2018	6920.18	NA	6907.56	12.62	ND	NA	18.59
OW-56	8/14/2018	6920.18	NA	6906.36	13.82	ND	NA	18.59
OW-56	11/6/2018	6920.18	NA	6906.13	14.05	ND	NA	18.58
OW-56	2/6/2019	6920.18	NA	6907.18	13.00	ND	NA	18.59
OW-56	5/2/2019	6920.18	NA	6907.68	12.50	ND	NA	18.59
OW-56	8/21/2019	6920.18	NA	6906.52	13.66	ND	NA	18.59
OW-56	10/15/2019	6920.18	NA	6905.80	14.38	ND	NA	18.58
OW-56	9/14/2020	6920.18	NA	6905.82	14.36	ND	NA	18.58
OW-56	11/9/2020	6920.18	NA	6905.97	14.21	ND	NA	18.58
OW-56	12/7/2020	6920.18	NA	6906.45	13.73	ND	NA	18.58
OW-57	3/30/2017	6933.10	NA	NA	NA	NA	NA	28.35
OW-57	6/20/2017	6933.10	NA	6912.58	20.52	ND	NA	28.35
OW-57	9/19/2017	6933.10	NA	6912.95	20.15	ND	NA	28.35
OW-57	12/5/2017	6933.10	NA	6912.99	20.11	ND	NA	28.35
OW-57	2/19/2018	6933.10	NA	6913.22	19.88	ND	NA	28.35
OW-57	4/25/2018	6933.10	NA	6913.08	20.02	ND	NA	28.06
OW-57	8/15/2018	6933.10	NA	6912.94	20.16	ND	NA	28.07
OW-57	11/29/2018	6933.10	NA	6912.80	20.30	ND	NA	28.35
OW-57	2/19/2019	6933.10	NA	6912.81	20.29	ND	NA	28.10
OW-57	5/15/2019	6933.10	NA	6913.08	20.02	ND	NA	28.10
OW-57	8/20/2019	6933.10	NA	6913.32	19.78	ND	NA	28.07
OW-57	11/4/2019	6933.10	NA	6913.13	19.97	ND	NA	28.35
OW-57	9/14/2020	6933.10	NA	6912.60	20.50	ND	NA	28.09
OW-57	11/9/2020	6933.10	NA	6912.57	20.53	ND	NA	28.09
OW-57	12/7/2020	6933.10	NA	6912.46	20.64	ND	NA	28.39
OW-58	3/29/2017	6934.50	NA	6908.50	26.00	ND	NA	47.55
OW-58	6/21/2017	6934.50	NA	6909.36	25.14	ND	NA	47.55

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
OW-58	9/19/2017	6934.50	NA	6909.46	25.04	ND	NA	47.55
OW-58	12/6/2017	6934.50	NA	6909.83	24.67	ND	NA	47.50
OW-58	2/20/2018	6934.50	NA	6909.98	24.52	ND	NA	47.62
OW-58	4/25/2018	6934.50	NA	6910.25	24.25	ND	NA	47.50
OW-58	8/16/2018	6934.50	NA	6910.02	24.48	ND	NA	47.49
OW-58	11/29/2018	6934.50	NA	6910.23	24.27	ND	NA	47.50
OW-58	3/28/2019	6934.50	NA	6910.22	24.28	ND	NA	47.30
OW-58	6/5/2019	6934.50	NA	6910.41	24.09	ND	NA	47.30
OW-58	8/20/2019	6934.50	NA	6910.50	24.00	ND	NA	47.49
OW-58	11/18/2019	6934.50	NA	6910.51	23.99	ND	NA	47.50
OW-58	9/14/2020	6934.50	NA	6910.95	23.55	ND	NA	48.00
OW-58	11/9/2020	6934.50	NA	6911.19	23.31	ND	NA	48.00
OW-58	12/8/2020	6934.50	NA	6910.18	24.32	ND	NA	47.95
OW-58A	9/15/2020	6935.88	NA	6909.01	26.87	ND	NA	36.00
OW-58A	11/9/2020	6935.88	NA	6911.57	24.31	ND	NA	36.91
OW-58A	12/8/2020	6935.88	NA	6909.17	26.71	ND	NA	36.38
OW-59	9/21/2017	6889.73	NA	6865.43	24.30	ND	NA	38.30
OW-59	12/5/2017	6889.73	NA	6865.43	24.30	ND	NA	38.50
OW-59	2/21/2018	6889.73	NA	6865.73	24.00	ND	NA	38.55
OW-59	4/26/2018	6889.73	NA	6865.68	24.05	ND	NA	38.48
OW-59	8/14/2018	6889.73	NA	6865.60	24.13	ND	NA	38.52
OW-59	11/6/2018	6889.73	NA	6865.83	23.90	ND	NA	38.50
OW-59	2/13/2019	6889.73	NA	6865.83	23.90	ND	NA	38.30
OW-59	5/2/2019	6889.73	NA	6865.93	23.80	ND	NA	38.30
OW-59	8/21/2019	6889.73	NA	6865.71	24.02	ND	NA	38.52
OW-59	10/15/2019	6889.73	NA	6865.62	24.11	ND	NA	38.50
OW-59	9/14/2020	6889.73	NA	6865.67	24.06	ND	NA	38.52
OW-59	12/7/2020	6889.73	NA	6865.82	23.91	ND	NA	38.55
OW-60	9/21/2017	6893.51	NA	6877.06	16.45	ND	NA	45.55
OW-60	12/5/2017	6893.51	NA	6877.11	16.40	ND	NA	45.70
OW-60	2/21/2018	6893.51	NA	6877.25	16.26	ND	NA	46.06
OW-60	4/26/2018	6893.51	NA	6876.99	16.52	ND	NA	46.15
OW-60	8/14/2018	6893.51	NA	6876.99	16.52	ND	NA	46.42
OW-60	11/6/2018	6893.51	NA	6877.26	16.25	ND	NA	45.70
OW-60	2/13/2019	6893.51	NA	6877.08	16.43	ND	NA	45.50
OW-60	5/2/2019	6893.51	NA	6876.96	16.55	ND	NA	45.50
OW-60	8/21/2019	6893.51	NA	6876.98	16.53	ND	NA	46.42
OW-60	10/15/2019	6893.51	NA	6877.10	16.41	ND	NA	45.70
OW-60	9/14/2020	6893.51	NA	6876.94	16.57	ND	NA	45.70
OW-60	11/9/2020	6893.51	NA	6877.16	16.35	ND	NA	45.70

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
OW-60	12/7/2020	6893.51	NA	6876.96	16.55	ND	NA	45.70
OW-61	3/21/2018	NA	NA	NA	16.80	16.71	0.09	31.68
OW-61	4/24/2018	NA	NA	NA	18.04	17.22	0.82	31.67
OW-61	8/16/2018	NA	NA	NA	22.10	17.40	4.70	31.70
OW-61	11/29/2018	NA	NA	NA	22.00	17.95	4.05	32.00
OW-61	2/19/2019	NA	NA	NA	22.09	18.00	4.09	32.00
OW-61	5/15/2019	NA	NA	NA	21.13	17.62	3.51	32.00
OW-61	8/20/2019	NA	NA	NA	20.15	17.42	2.73	31.70
OW-61	11/4/2019	NA	NA	NA	20.63	17.54	3.09	32.00
OW-61	9/15/2020	6963.57	6946.69	6944.17	19.40	16.88	2.52	31.85
OW-61	11/9/2020	6963.57	6945.35	6943.99	19.58	18.22	1.36	31.85
OW-61	12/8/2020	6963.57	6945.17	6943.27	20.30	18.40	1.90	31.33
OW-62	3/21/2018	6937.36	NA	6914.43	22.93	ND	NA	31.57
OW-62	4/24/2018	6937.36	NA	6914.22	23.14	ND	NA	31.58
OW-62	8/15/2018	6937.36	NA	6913.66	23.70	ND	NA	31.59
OW-62	11/29/2018	6937.36	NA	6913.37	23.99	ND	NA	31.59
OW-62	2/19/2019	6937.36	6913.61	6912.41	24.95	23.75	1.20	31.47
OW-62	5/15/2019	6937.36	6913.96	6913.36	24.00	23.40	0.60	31.47
OW-62	8/20/2019	6937.36	6913.50	6913.07	24.29	23.86	0.43	31.47
OW-62	11/18/2019	6937.36	6913.64	6913.02	24.34	23.72	0.62	31.47
OW-62	9/15/2020	6937.36	6913.74	6913.49	23.87	23.62	0.25	32.05
OW-62	11/9/2020	6937.36	6913.66	6913.36	24.00	23.70	0.30	32.05
OW-62	12/8/2020	6937.36	6913.67	6913.38	23.98	23.69	0.29	31.66
OW-63	3/21/2018	NA	NA	NA	20.19	ND	NA	32.18
OW-63	4/24/2018	NA	NA	NA	20.33	ND	NA	32.18
OW-63	8/16/2018	NA	NA	NA	20.60	ND	NA	32.20
OW-63	11/29/2018	NA	NA	NA	20.95	ND	NA	32.00
OW-63	2/19/2019	NA	NA	NA	20.74	ND	NA	32.00
OW-63	5/15/2019	NA	NA	NA	20.35	ND	NA	32.00
OW-63	8/19/2019	NA	NA	NA	20.12	ND	NA	32.20
OW-63	11/18/2019	NA	NA	NA	20.30	ND	NA	32.00
OW-63	9/14/2020	6935.06	NA	6914.33	20.73	ND	NA	32.05
OW-63	11/9/2020	6935.06	NA	6914.21	20.85	ND	NA	32.05
OW-63	12/8/2020	6935.06	NA	6914.09	20.97	ND	NA	32.22
OW-64	3/21/2018	NA	NA	NA	7.72	ND	NA	27.62
OW-64	4/24/2018	NA	NA	NA	7.85	ND	NA	27.63
OW-64	8/16/2018	NA	NA	NA	7.51	ND	NA	27.35
OW-64	11/29/2018	NA	NA	NA	8.11	8.06	0.05	27.35
OW-64	2/19/2019	NA	NA	NA	7.02	7.00	0.02	27.63
OW-64	5/15/2019	NA	NA	NA	6.83	ND	NA	27.63

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
OW-64	8/19/2019	NA	NA	NA	7.10	ND	NA	27.35
OW-64	11/18/2019	NA	NA	NA	8.40	ND	NA	27.35
OW-64	9/14/2020	6947.40	NA	6939.45	7.95	ND	NA	27.35
OW-64	11/9/2020	6947.40	NA	6939.22	8.18	ND	NA	27.35
OW-64	12/7/2020	6947.40	NA	6939.14	8.26	ND	NA	27.35
OW-65	3/21/2018	NA	NA	NA	23.60	23.40	0.20	41.66
OW-65	4/24/2018	NA	NA	NA	26.35	23.61	2.74	41.65
OW-65	8/16/2018	NA	NA	NA	26.64	24.96	1.68	41.66
OW-65	11/29/2018	NA	NA	NA	31.80	24.05	7.75	40.00
OW-65	2/19/2019	NA	NA	NA	31.51	22.24	9.27	40.00
OW-65	5/15/2019	NA	NA	NA	32.21	23.47	8.74	40.00
OW-65	8/20/2019	NA	NA	NA	31.15	21.97	9.18	41.66
OW-65	9/14/2020	6954.05	6929.35	6923.29	30.76	24.70	6.06	42.80
OW-65	11/9/2020	6954.05	6929.00	6921.70	32.35	25.05	7.30	42.80
OW-65	12/8/2020	6954.05	6928.26	6922.10	31.95	25.79	6.16	42.50
RW-1	3/14/2014	6946.06	6917.95	6914.41	31.65	28.11	3.54	43.04
RW-1	6/9/2014	6946.06	6918.01	6913.00	33.06	28.05	5.01	43.04
RW-1	9/18/2014	6946.06	6917.75	NA	NA	28.31	NA	43.04
RW-1	11/13/2014	6946.06	6917.91	6913.02	33.04	28.15	4.89	43.04
RW-1	3/23/2015	6946.06	6917.96	6913.26	32.80	28.10	4.70	43.04
RW-1	6/9/2015	6946.06	6918.36	6913.96	32.10	27.70	4.40	43.04
RW-1	8/23/2015	6946.06	6917.98	6916.04	30.02	28.08	1.94	43.04
RW-1	10/29/2015	6946.06	6918.41	6915.96	30.10	27.65	2.45	43.04
RW-1	3/4/2016	6946.06	6918.01	6915.51	30.55	28.05	2.50	43.04
RW-1	6/8/2016	6946.06	6918.08	6914.26	31.80	27.98	3.82	43.04
RW-1	9/13/2016	6946.06	6918.16	6914.02	32.04	27.90	4.14	43.04
RW-1	11/16/2016	6946.06	6918.26	6915.16	30.90	27.80	3.10	43.04
RW-1	3/16/2017	6946.06	6919.01	6915.51	30.55	27.05	3.50	43.04
RW-1	6/20/2017	6946.06	6919.29	6917.64	28.42	26.77	1.65	43.04
RW-1	9/19/2017	6946.06	6919.54	6918.46	27.60	26.52	1.08	43.04
RW-1	12/12/2017	6946.06	6919.56	6918.56	27.50	26.50	1.00	43.04
RW-1	2/13/2018	6946.06	6919.12	6918.84	27.22	26.94	0.28	43.04
RW-1	4/25/2018	6946.06	6919.12	6918.85	27.21	26.94	0.27	43.35
RW-1	8/16/2018	6946.06	6918.62	6918.36	27.70	27.44	0.26	43.45
RW-1	11/7/2018	6946.06	NA	NA	NA	NA	NA	43.45
RW-1	3/28/2019	6946.06	NA	NA	NA	NA	NA	43.45
RW-1	5/8/2019	6946.06	NA	NA	NA	NA	NA	43.45
RW-1	8/16/2019	6946.06	NA	NA	NA	NA	NA	43.45
RW-1	11/1/2019	6946.06	NA	NA	NA	NA	NA	43.45
RW-1	9/19/2020	6946.06	6917.99	6915.86	30.20	28.07	2.13	43.45

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
RW-1	11/10/2020	6946.06	6916.56	6915.73	30.33	29.50	0.83	43.45
RW-1	12/8/2020	6946.06	6916.56	6915.73	30.33	29.50	0.83	43.45
RW-2	3/17/2014	6928.53	NA	6903.94	24.59	ND	NA	39.80
RW-2	6/9/2014	6928.53	NA	6904.74	23.79	ND	NA	39.80
RW-2	9/18/2014	6928.53	NA	6904.58	23.95	ND	NA	39.80
RW-2	11/13/2014	6928.53	NA	6904.63	23.90	ND	NA	39.80
RW-2	3/23/2015	6928.53	NA	6905.01	23.52	ND	NA	39.80
RW-2	6/9/2015	6928.53	NA	6905.51	23.02	ND	NA	39.80
RW-2	8/23/2015	6928.53	NA	6905.16	23.37	ND	NA	39.80
RW-2	10/29/2015	6928.53	NA	6905.73	22.80	ND	NA	39.80
RW-2	3/4/2016	6928.53	NA	6906.08	22.45	ND	NA	39.80
RW-2	6/8/2016	6928.53	NA	6906.22	22.31	ND	NA	39.80
RW-2	9/13/2016	6928.53	NA	6906.06	22.47	ND	NA	39.80
RW-2	11/16/2016	6928.53	NA	6906.31	22.22	ND	NA	39.80
RW-2	3/16/2017	6928.53	NA	6906.88	21.65	ND	NA	39.80
RW-2	6/20/2017	6928.53	NA	6907.34	21.19	ND	NA	39.80
RW-2	9/19/2017	6928.53	NA	6907.82	20.71	ND	NA	39.80
RW-2	12/5/2017	6928.53	NA	6908.19	20.34	ND	NA	40.00
RW-2	2/19/2018	6928.53	NA	6908.53	20.00	ND	NA	40.00
RW-2	4/25/2018	6928.53	NA	6908.50	20.03	ND	NA	39.99
RW-2	8/16/2018	6928.53	NA	6908.43	20.10	ND	NA	40.00
RW-2	11/7/2018	6928.53	NA	NA	NA	NA	NA	40.00
RW-2	3/28/2019	6928.53	NA	NA	NA	NA	NA	40.00
RW-2	5/8/2019	6928.53	NA	NA	NA	NA	NA	40.00
RW-2	8/16/2019	6928.53	NA	NA	NA	NA	NA	40.00
RW-2	11/1/2019	6928.53	NA	NA	NA	NA	NA	40.00
RW-2	9/19/2020	6928.53	6906.43	6906.30	22.23	22.10	0.13	40.00
RW-2	11/9/2020	6928.53	6906.44	6906.25	22.28	22.09	0.19	40.00
RW-2	12/8/2020	6928.53	6906.33	6906.15	22.38	22.20	0.18	40.00
RW-5	3/14/2014	6943.57	NA	6915.65	27.92	ND	NA	39.59
RW-5	6/9/2014	6943.57	NA	6914.77	28.80	ND	NA	39.59
RW-5	9/18/2014	6943.57	NA	6914.76	28.81	ND	NA	39.59
RW-5	11/13/2014	6943.57	NA	6914.87	28.70	ND	NA	39.59
RW-5	3/23/2015	6943.57	NA	6914.47	29.10	ND	NA	39.59
RW-5	6/9/2015	6943.57	NA	6914.77	28.80	ND	NA	39.59
RW-5	8/23/2015	6943.57	NA	6914.49	29.08	ND	NA	39.59
RW-5	10/29/2015	6943.57	NA	6915.60	27.97	ND	NA	39.59
RW-5	3/4/2016	6943.57	NA	6915.35	28.22	ND	NA	39.59
RW-5	6/7/2016	6943.57	NA	6915.35	28.22	ND	NA	39.59
RW-5	9/13/2016	6943.57	NA	6915.87	27.70	ND	NA	39.59

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
RW-5	11/16/2016	6943.57	NA	6916.17	27.40	ND	NA	39.59
RW-5	3/16/2017	6943.57	NA	6916.04	27.53	ND	NA	39.59
RW-5	6/20/2017	6943.57	6918.27	6910.27	33.30	25.30	8.00	39.59
RW-5	9/19/2017	6943.57	6918.11	6911.92	31.65	25.46	6.19	39.59
RW-5	12/12/2017	6943.57	6918.82	6909.57	34.00	24.75	9.25	39.59
RW-5	2/9/2018	6943.57	6918.07	6909.97	33.60	25.50	8.10	39.59
RW-5	4/25/2018	6943.57	6916.95	6911.23	32.34	26.62	5.72	39.59
RW-5	8/16/2018	6943.57	6916.37	6910.99	32.58	27.20	5.38	39.51
RW-5	11/7/2018	6943.57	NA	NA	NA	NA	NA	39.51
RW-5	3/28/2019	6943.57	NA	NA	NA	NA	NA	39.51
RW-5	5/8/2019	6943.57	NA	NA	NA	NA	NA	39.51
RW-5	8/16/2019	6943.57	NA	NA	NA	NA	NA	39.51
RW-5	11/1/2019	6943.57	NA	NA	NA	NA	NA	39.51
RW-5	9/19/2020	6943.57	6913.98	6910.76	32.81	29.59	3.22	39.51
RW-5	11/9/2020	6943.57	6913.71	6910.54	33.03	29.86	3.17	39.51
RW-5	12/8/2020	6943.57	6910.42	6904.06	39.51	33.15	6.36	39.51
RW-6	3/17/2014	6944.01	NA	6915.97	28.04	ND	NA	40.90
RW-6	6/23/2014	6944.01	NA	6915.16	28.85	ND	NA	40.90
RW-6	9/18/2014	6944.01	NA	6915.12	28.89	ND	NA	40.90
RW-6	11/13/2014	6944.01	NA	6915.18	28.83	ND	NA	40.90
RW-6	3/23/2015	6944.01	NA	6914.83	29.18	ND	NA	40.90
RW-6	6/9/2015	6944.01	NA	6915.33	28.68	ND	NA	40.90
RW-6	8/23/2015	6944.01	NA	6914.95	29.06	ND	NA	40.90
RW-6	10/29/2015	6944.01	NA	6916.04	27.97	ND	NA	40.90
RW-6	3/4/2016	6944.01	NA	6915.76	28.25	ND	NA	40.90
RW-6	6/7/2016	6944.01	NA	6915.77	28.24	ND	NA	40.90
RW-6	9/13/2016	6944.01	NA	6916.02	27.99	ND	NA	40.90
RW-6	11/16/2016	6944.01	NA	6916.29	27.72	ND	NA	40.90
RW-6	3/16/2017	6944.01	NA	6916.44	27.57	ND	NA	40.90
RW-6	6/20/2017	6944.01	6918.51	6910.39	33.62	25.50	8.12	40.90
RW-6	9/19/2017	6944.01	6918.12	6913.04	30.97	25.89	5.08	40.90
RW-6	12/12/2017	6944.01	6919.18	6910.16	33.85	24.83	9.02	40.90
RW-6	2/9/2018	6944.01	6918.36	6910.96	33.05	25.65	7.40	40.90
RW-6	4/25/2018	6944.01	6917.08	6912.32	31.69	26.93	4.76	40.83
RW-6	8/16/2018	6944.01	6916.58	6912.23	31.78	27.43	4.35	40.85
RW-6	11/7/2018	6944.01	NA	NA	NA	NA	NA	40.85
RW-6	3/28/2019	6944.01	NA	NA	NA	NA	NA	40.85
RW-6	5/8/2019	6944.01	NA	NA	NA	NA	NA	40.85
RW-6	8/16/2019	6944.01	NA	NA	NA	NA	NA	40.85
RW-6	9/19/2020	6944.01	6914.29	6911.37	32.64	29.72	2.92	40.85

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
RW-6	11/9/2020	6944.01	6914.03	6910.96	33.05	29.98	3.07	40.85
RW-6	12/8/2020	6944.01	6913.83	6910.70	33.31	30.18	3.13	40.85
SMW-2	9/11/2014	6883.97	NA	6858.87	25.10	ND	NA	52.80
SMW-2	8/10/2015	6883.97	NA	6859.09	24.88	ND	NA	52.80
SMW-2	9/9/2016	6883.97	NA	6859.13	24.84	ND	NA	52.80
SMW-2	9/11/2017	6883.97	NA	6859.18	24.79	ND	NA	52.80
SMW-2	8/15/2018	6883.97	NA	6859.48	24.49	ND	NA	52.80
SMW-2	8/19/2019	6883.97	NA	6858.67	25.30	ND	NA	52.80
SMW-2	9/14/2020	6883.97	NA	6859.27	24.70	ND	NA	53.11
SMW-4	9/11/2014	6879.52	NA	6850.42	29.10	ND	NA	69.68
SMW-4	8/10/2015	6879.52	NA	6850.20	29.32	ND	NA	69.68
SMW-4	9/6/2016	6879.52	NA	6850.52	29.00	ND	NA	69.68
SMW-4	9/11/2017	6879.52	NA	6850.19	29.33	ND	NA	69.68
SMW-4	8/15/2018	6879.52	NA	6850.48	29.04	ND	NA	69.68
SMW-4	12/6/2018	6879.52	NA	6850.27	29.25	ND	NA	69.68
SMW-4	8/13/2019	6879.52	NA	6850.42	29.10	ND	NA	69.68
SMW-4	9/14/2020	6879.52	NA	6850.37	29.15	ND	NA	62.90
STP1-NW	3/10/2015	6904.47	NA	6883.73	20.74	ND	NA	50.00
STP1-NW	6/2/2015	6904.47	NA	6883.75	20.72	ND	NA	50.00
STP1-NW	8/11/2015	6904.47	NA	6883.68	20.79	ND	NA	50.00
STP1-NW	10/29/2015	6904.47	NA	6883.87	20.60	ND	NA	50.00
STP1-NW	3/1/2016	6904.47	NA	6883.92	20.55	ND	NA	50.00
STP1-NW	6/7/2016	6904.47	NA	6883.58	20.89	ND	NA	50.00
STP1-NW	9/9/2016	6904.47	NA	6883.27	21.20	ND	NA	50.00
STP1-NW	11/14/2016	6904.47	NA	6883.45	21.02	ND	NA	50.00
STP1-NW	2/21/2017	6904.47	NA	6884.00	20.47	ND	NA	50.00
STP1-NW	6/2/2017	6904.47	NA	6883.81	20.66	ND	NA	50.00
STP1-NW	9/5/2017	6904.47	NA	6883.66	20.81	ND	NA	50.00
STP1-NW	12/4/2017	6904.47	NA	6883.92	20.55	ND	NA	49.74
STP1-NW	2/9/2018	6904.47	NA	6883.92	20.55	ND	NA	49.73
STP1-NW	4/26/2018	6904.47	NA	6883.83	20.64	ND	NA	49.65
STP1-NW	8/15/2018	6904.47	NA	6883.55	20.92	ND	NA	49.78
STP1-NW	11/19/2018	6904.47	NA	NA	NA	NA	NA	49.78
STP1-NW	2/13/2019	6904.47	NA	6884.12	20.35	ND	NA	50.00
STP1-NW	5/8/2019	6904.47	NA	6884.93	19.54	ND	NA	50.00
STP1-NW	8/21/2019	6904.47	NA	6883.68	20.79	ND	NA	50.00
STP1-NW	10/22/2019	6904.47	NA	6883.71	20.76	ND	NA	50.00
STP1-NW	12/8/2020	6904.47	NA	6883.69	20.78	ND	NA	50.28
STP1-SW	3/10/2015	6912.38	NA	Dry	Dry	ND	NA	29.10
STP1-SW	6/2/2015	6912.38	NA	Dry	Dry	ND	NA	29.10

APPENDIX A. FLUID LEVEL MEASUREMENTS
MARATHON PETROLEUM COMPANY
GALLUP REFINING DIVISION, GALLUP, NEW MEXICO

Location	Date Measured	Measuring Point Elevation (ft amsl)	Product Surface Elevation (ft amsl)	Water Surface Elevation (ft amsl)	Depth To Water (ft)	Depth To Product (ft)	Product Thickness (ft)	Total Depth (ft)
STP1-SW	8/11/2015	6912.38	NA	Dry	Dry	ND	NA	29.10
STP1-SW	10/29/2015	6912.38	NA	Dry	Dry	ND	NA	29.10
STP1-SW	3/8/2016	6912.38	NA	Dry	Dry	ND	NA	29.10
STP1-SW	6/7/2016	6912.38	NA	Dry	Dry	ND	NA	29.10
STP1-SW	9/9/2016	6912.38	NA	Dry	Dry	ND	NA	29.10
STP1-SW	11/14/2016	6912.38	NA	Dry	Dry	ND	NA	29.10
STP1-SW	2/21/2017	6912.38	NA	NA	NA	NA	NA	29.10
STP1-SW	6/2/2017	6912.38	NA	NA	NA	NA	NA	29.10
STP1-SW	9/5/2017	6912.38	NA	NA	NA	NA	NA	29.10
STP1-SW	12/4/2017	6912.38	NA	NA	NA	NA	NA	29.10
STP1-SW	2/9/2018	6912.38	NA	NA	NA	NA	NA	29.10
STP1-SW	4/26/2018	6912.38	NA	NA	NA	NA	NA	29.10
STP1-SW	8/15/2018	6912.38	NA	NA	NA	NA	NA	29.10
STP1-SW	11/19/2018	6912.38	NA	NA	NA	NA	NA	29.10
STP1-SW	2/13/2019	6912.38	NA	NA	NA	NA	NA	29.10
STP1-SW	5/8/2019	6912.38	NA	NA	NA	NA	NA	29.10
STP1-SW	8/21/2019	6912.38	NA	NA	NA	NA	NA	29.10
STP1-SW	10/22/2019	6912.38	NA	NA	NA	NA	NA	29.10
STP1-SW	12/8/2020	6912.38	NA	6883.15	29.23	NA	NA	29.25

Notes:
amsl = above mean sea level
ft = feet
NA = Not applicable
ND = Not detected

Appendix B – LIF/HP Methods

APPENDIX B. LIF/HP TECHNOLOGY
LIF/HP INVESTIGATION REPORT
GALLUP REFINERY, GALLUP, NEW MEXICO

Laser-Induced Fluorescence

Dakota Technologies, LLC, describes LIF technology as a direct optical sensing tool that uses laser light to cause certain polycyclic aromatic hydrocarbons (PAHs) found in petroleum derived SPH to fluoresce (Dakota 2021). The UVOST® is housed in a shock-protected optical compartment attached to the end of a DP probe string. Fiber optic cable, pre-strung in the probe rods, continuously transmits fluorescence data back to the rig-mounted computer, providing a real time log of fluorescence data points at sub-inch intervals. The Optical Screening Tool computer software transforms the fluorescence data into multi-wavelength waveforms that are specific to the types of PAHs present in a particular SPH mixture. LIF response intensity is influenced by the quantity of hydrocarbons present and the waveform pattern is a function of the relative proportions of the PAHs present. The LIF response is compared to that of a known reference standard and is presented as percent of the reference emitter (% RE). Direct-push drilling application of LIF provides vertical high-resolution data on SPH distribution in the subsurface. UVOST® signal responses correlate to free phase and residual SPH only. Vapor, sorbed, and dissolved hydrocarbon phases are invisible to the UVOST® system.

The UVOST® LIF log displays total signal logs consisting of four wavelength channels and can callout individual waveforms, a wavelength "fingerprint" display, to aid in identification and depth specific relative SPH quantities. The LIF data log displays depth on the vertical axis and fluorescence signal intensity on the horizontal axis. The signal intensity in % RE is based on a proprietary, calibrated reference emitter, which is a known fluorescence and not a specific petroleum hydrocarbon concentration. In general, the subsurface-SPH instrument responses depend on the SPH properties (e.g., quantity and type) and subsurface soil properties. However, the signal response is not directly correlated to whether a SPH is mobile or to a specific SPH recoverability. In this sense, a UVOST® log provides a semi-quantitative representation of the SPH saturation magnitude and reveals the SPH-impacted soil depth and breadth (Dakota 2021).

Hydraulic Profiling Tool

For this investigation an HP tool was coupled with the LIF tool. The HP tool provides formation permeability data through water injection pressure measurement as the tool is advanced into the subsurface (Geoprobe 2013). The LIF/HP probe is advanced into unconsolidated soils to assess centimeter-scale subsurface permeability. As the probe is pushed through the soil, water is injected into the soil column at a controlled rate. Total injection pressure is measured by a transducer while the injection flow rate is measured (McCall 2011).

The HP tool measures downhole hydraulic pressure (P Dwn), in pounds per square inch (psi), in response to the constant pumping rate of water into the saturated formation. Flow rate (Q) in milliliters per minute (mL/min) is the rate at which water is pumped out of the HP tool probe port. Normally, water is pumped out at a constant Q of 60 mL/min. A change in Q (usually accompanied by an inverse change in P Dwn) is an indicator of soil hydraulic properties. An estimated hydraulic conductivity (K) in feet per day (ft/d) can be internally calculated utilizing pressure and flow data in conjunction with location specific dissipation test(s). If a dissipation test is performed below the water table and the test successfully stabilizes, the result can be corrected to an absolute hydrostatic value, from which a potentiometric surface (water table) can be calculated.

The estimated K (ft/d) is calculated using the equation:

$$K = \ln(Q/P')*20.0 + 7.0$$

where: P'= downhole pressure in psi – (0.433 (psi/ft) * depth below water table (ft)) – atmospheric pressure (psi)

0.433 psi/ft = hydrostatic pressure gradient
Q = flow rate (mL/min).

Vadose zone K values are reported as estimates of the varying dry soil permeability. These values maintain qualitative value and may lend insight into vadose zone preferential pathways (Dakota 2021).

Electrical Conductivity Tool

For this investigation an EC tool was coupled with the LIF tool. The EC tool provides formation conductivity data. The electrical conductivity of unconsolidated materials is a function of the moisture content of the material and the con-ducting properties of the pore fluids and sediments. In the saturated zone, where variations in moisture content are small, fluid and matrix properties are the major factors. In formations where variations in ground water chemistry are small, differences in sediment size and type are the dominant control on electrical conductivity (Schulmeister, et al. 2003).

The electrical conductivity associated with sedimentary materials varies with particle size and mineral species. Silt-and sand-sized particles of covalently bonded minerals, such as quartz, mica, and feldspar, are generally nonconductive.

For this reason, electrical conductivity in sand and gravel aquifers primarily reflects variations in concentrations of dissolved constituents. Clay-sized particles, such as phyllosilicates, humic substances, and iron and manganese oxides and oxyhydroxides, tend to be highly conductive due to their extremely small size, relatively high surface area per unit volume, and charge characteristics. Thus, in formations where clay-sized particles are present, both lateral and vertical variations in lithology may be assessed using EC logs (Schulmeister, et al. 2003).

References

Dakota Technologies Company, LLC (Dakota). 2021. High Resolution Site Characterization Report – UVOST®-HP Investigation, Marathon Marketing Tank Farm, Gallup, NM. Project Number: 0049.21. February 10.

Geoprobe Systems (Geoprobe). 2013. Hydraulic Profiling Tool (HPT). Accessed from: https://geoprobe.com/sites/default/files/storage/pdfs/ps_2013_di_hpt_0_0.pdf.

McCall, W. 2011. Application of the Geoprobe® HPT Logging System for Geo-Environmental Investigations. Geoprobe® Technical Bulletin No. MK3184. February.

Schulmeister, M. K., Butler Jr., J. J., Healey, J. M., Zheng, L., Wysocki, D. A., and McCall, G. W. 2003. Direct-Push Electrical Conductivity Logging for High-Resolution Hydrostratigraphic Characterization. Ground Water Monitoring and Remediation. V. 23, No. 3, p 52-62.



Dakota Technologies, Inc.
Fargo, ND (701)237-4908
www.DakotaTechnologies.com

Various products on sand

UVOST By Dakota
www.DakotaTechnologies.com

Site: **Examples**	*Latitude / Datum:* **Unavailable / NA**	*Final depth:* **47.10 ft**
Client: **DTI**	*Longitude / Fix:* **Unavailable / NA**	*Max signal:* **826.6 % @ 33.20 ft**
Job:	*Operator/Unit:* **T.Rudolph/UVOST1002**	*Date & Time:* **2007-08-24 14:25 CDT**



Dakota Technologies, Inc.
Fargo, ND (701)237-4908
www.DakotaTechnologies.com

Various products on sand

UVOST By Dakota
www.DakotaTechnologies.com

Site: **Examples**	*Latitude / Datum:* **Unavailable / NA**	*Final depth:* **47.10 ft**
Client: **DTI**	*Longitude / Fix:* **Unavailable / NA**	*Max signal:* **826.6 % @ 33.20 ft**
Job:	*Operator/Unit:* **T.Rudolph/UVOST1002**	*Date & Time:* **2007-08-24 14:25 CDT**



Dakota Technologies, Inc.
Fargo, ND (701)237-4908
www.DakotaTechnologies.com

Various products on sand

UVOST By Dakota
www.DakotaTechnologies.com

Site: **Examples**	*Latitude / Datum:* **Unavailable / NA**	*Final depth:* **47.10 ft**
Client: **DTI**	*Longitude / Fix:* **Unavailable / NA**	*Max signal:* **826.6 % @ 33.20 ft**
Job:	*Operator/Unit:* **T.Rudolph/UVOST1002**	*Date & Time:* **2007-08-24 14:25 CDT**



Dakota Technologies, Inc.
Fargo, ND (701)237-4908
www.DakotaTechnologies.com

Various products on sand

UVOST By Dakota
www.DakotaTechnologies.com

Site: **Examples**	*Latitude / Datum:* **Unavailable / NA**	*Final depth:* **47.10 ft**
Client: **DTI**	*Longitude / Fix:* **Unavailable / NA**	*Max signal:* **826.6 % @ 33.20 ft**
Job:	*Operator/Unit:* **T.Rudolph/UVOST1002**	*Date & Time:* **2007-08-24 14:25 CDT**



Dakota Technologies, Inc.
Fargo, ND (701)237-4908
www.DakotaTechnologies.com

Various products on sand

UVOST By Dakota
www.DakotaTechnologies.com

Site: **Examples**	*Latitude / Datum:* **Unavailable / NA**	*Final depth:* **47.10 ft**
Client: **DTI**	*Longitude / Fix:* **Unavailable / NA**	*Max signal:* **826.6 % @ 33.20 ft**
Job:	*Operator/Unit:* **T.Rudolph/UVOST1002**	*Date & Time:* **2007-08-24 14:25 CDT**

Released to Imaging: 11/22/2022 4:04:32 PM

Received by OCD: 12/2/2021 3:30:41 PM

Dakota Technologies
UVOST®-HP Reference Log

Callouts: Waveforms from selected depths or depth ranges showing the multi-wavelength waveform for that depth. The four peaks are due to fluorescence at four wavelengths and referred to as "channels". Each channel is assigned a color. Various NAPLs will have a unique waveform "fingerprint" due to the relative amplitude of the four channels and/or broadening of one or more channels. Basic waveform statistics and any operator notes are given below the callout.

Main Plot: Signal (total fluorescence) versus depth where signal is relative to the Reference Emitter (RE). The total area of the waveform is divided by the total area of the Reference Emitter yielding the %RE. This %RE scales with the NAPL fluorescence. The fill color is based on the relative distribution of each channel's area to the total waveform area (see callout waveform). The channel-to-color relationship and corresponding wavelengths are given in the upper right corner of the plot.

Hydraulic Pressure (P Dwn): Downhole hydraulic pressure is measured in response to pumping water into the formation at a constant rate. Measurements are logged simultaneously with UVOST data. The resulting log gives insight into the permeability of the soils.

Flow (Q): Water is pumped out of the port of the UVOST-HP probe at a constant rate of 60 mL/min. A change in flow (usually accompanied by an inverse pressure change) is an indicator of hydraulic properties of the soil.

Estimated K: The estimated hydraulic conductivity (K) is internally calculated by utilizing pressure and flow data in conjunction with dissipation test(s) performed at each location. The estimated K is calculated by the equation: K = ln(Q/P')*20.0 + 7.0.



Note A: The water table has been calculated and plotted at 24.4' bgs.

Note B: The circle on the Estimated K plot represents the location(s) of dissipation tests. Here, a single dissipation test was performed at 26.67 bgs'.

Note C: The highest LNAPL response in this log is present in an area of relatively higher permeability, as indicated by low pressure and higher estimated k values at approximately 26' to 28'.

Note D: The increase in pressure starting near 29' (transducer is maxed out, 100 psi) is due to low permeability conditions. In this example, the increase in pressure below the LNAPL represents a potential confining unit.

Appendix C – LIF/HP Logs

Callouts

REFUSAL AT 9.54 FEET.



DAKOTA TECHNOLOGIES
WWW.DAKOTATECHNOLOGIES.COM

MKTF-LIF-124

UVOST® By Dakota
www.DakotaTechnologies.com

Site: **Marathon Gallup Refinery**	Y Coord.(Lat/North): **Unavailable**	Final Depth: **9.54 ft**
Client / Job: **Trihydro / 0049B.21**	X Coord.(Long/East): **Unavailable**	Max Signal: **2.3 %RE @ 1.43 ft**
Operator / Unit: **BG / UVOST1612**	Elevation: **Unavailable**	Date & Time: **2021-05-12 14:36 MDT**



DAKOTA TECHNOLOGIES

WWW.DAKOTATECHNOLOGIES.COM

MKTF-LIF-126

UVOST® By Dakota
www.DakotaTechnologies.com

Site: **Marathon Gallup Refinery**	Y Coord.(Lat/North): **Unavailable**	Final Depth: **14.09 ft**
Client / Job: **Trihydro / 0049B.21**	X Coord.(Long/East): **Unavailable**	Max Signal: **41.6 %RE @ 5.53 ft**
Operator / Unit: **BG / UVOST1612**	Elevation: **Unavailable**	Date & Time: **2021-05-12 14:04 MDT**



DAKOTA TECHNOLOGIES
WWW.DAKOTATECHNOLOGIES.COM

MKTF-LIF-131

UVOST® By Dakota
www.DakotaTechnologies.com

Site: **Marathon Gallup Refinery**	Y Coord.(Lat/North): **Unavailable**	Final Depth: **30.10 ft**
Client / Job: **Trihydro / 0049B.21**	X Coord.(Long/East): **Unavailable**	Max Signal: **37.2 %RE @ 17.18 ft**
Operator / Unit: **BG / UVOST1612**	Elevation: **Unavailable**	Date & Time: **2021-05-13 12:54 MDT**



DAKOTA TECHNOLOGIES
WWW.DAKOTATECHNOLOGIES.COM

MKTF-LIF-132

UVOST® By Dakota
www.DakotaTechnologies.com

Site: **Marathon Gallup Refinery**	Y Coord.(Lat/North): **Unavailable**	Final Depth: **30.07 ft**
Client / Job: **Trihydro / 0049B.21**	X Coord.(Long/East): **Unavailable**	Max Signal: **23.0 %RE @ 19.50 ft**
Operator / Unit: **BG / UVOST1612**	Elevation: **Unavailable**	Date & Time: **2021-05-13 15:06 MDT**



DAKOTA TECHNOLOGIES
WWW.DAKOTATECHNOLOGIES.COM

MKTF-LIF-133

UVOST® By Dakota
www.DakotaTechnologies.com

Site: **Marathon Gallup Refinery**	Y Coord.(Lat/North): **Unavailable**	Final Depth: **30.05 ft**
Client / Job: **Trihydro / 0049B.21**	X Coord.(Long/East): **Unavailable**	Max Signal: **7.0 %RE @ 17.72 ft**
Operator / Unit: **BG / UVOST1612**	Elevation: **Unavailable**	Date & Time: **2021-05-13 15:47 MDT**



DAKOTA TECHNOLOGIES
WWW.DAKOTATECHNOLOGIES.COM

MKTF-LIF-134

UVOST® By Dakota
www.DakotaTechnologies.com

Site: **Marathon Gallup Refinery**	Y Coord.(Lat/North): **Unavailable**	Final Depth: **30.10 ft**
Client / Job: **Trihydro / 0049B.21**	X Coord.(Long/East): **Unavailable**	Max Signal: **2.2 %RE @ 3.80 ft**
Operator / Unit: **BG / UVOST1612**	Elevation: **Unavailable**	Date & Time: **2021-05-13 14:26 MDT**

Callouts

REFUSAL AT 7.68 FEET.



DAKOTA TECHNOLOGIES

WWW.DAKOTATECHNOLOGIES.COM

MKTF-LIF-135

UVOST® By Dakota
www.DakotaTechnologies.com

Site: **Marathon Gallup Refinery**	Y Coord.(Lat/North): **Unavailable**	Final Depth: **7.68 ft**
Client / Job: **Trihydro / 0049B.21**	X Coord.(Long/East): **Unavailable**	Max Signal: **1.9 %RE @ 0.89 ft**
Operator / Unit: **BG / UVOST1612**	Elevation: **Unavailable**	Date & Time: **2021-05-14 07:01 MDT**

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 64822

CONDITIONS

Operator: Western Refining Southwest LLC 539 South Main Street Findlay, OH 45840	OGRID: 267595
	Action Number: 64822
	Action Type: [UF-DP] Discharge Permit (DISCHARGE PERMIT)

CONDITIONS

Created By	Condition	Condition Date
jburdine	Accepted for Record Retention Purposes-Only	11/22/2022