



State of New Mexico  
Energy, Minerals, and Natural Resources Department  
Oil Conservation Division  
1625 N. French Dr.  
Hobbs, NM 88240

May 10, 2024

**Re: Mesa Verde Recycling Facility and East Recycling Containment (1RF-14) C-147 Extension**

To Whom It May Concern,

Oxy USA Inc. submits the enclosed C-147 form and summary of monthly containment and leak detection inspections for the Mesa Verde Recycling Facility and East Containment (1RF-14). In accordance with NMAC 19.15.34.10 RECYCLING CONTAINMENTS, Oxy USA Inc. requests a one-year permit extension for the above-mentioned facility, valid from June 15, 2024, through June 15, 2025.

Included with this submittal is a summary of the monthly inspections, including the monitoring of the leak detection system, showing the containment's integrity has not been compromised, from the previous registration renewal to the present. For original site plans and supporting documents, please refer to the facility's original permit application, OCD Registration number 1RF-14.

Should you have any questions or require additional information, please contact me at your convenience.

Sincerely,

A handwritten signature in black ink, appearing to read "Justin Steinmann", with a long horizontal flourish extending to the right.

**Justin Steinmann**  
ENVIRONMENTAL ADVISOR  
OXY USA INC.

✉ Justin\_Steinmann@oxy.com

☎ (713) 350-4633

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources  
Department  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-147  
Revised April 3, 2017

## Recycling Facility and/or Recycling Containment

Type of Facility:  Recycling Facility  Recycling Containment\*  
Type of action:  Permit  Registration  
 Modification  Extension Annual Extension 06/15/2024-06/15/2025  
 Closure  Other (explain) \_\_\_\_\_

\* At the time C-147 is submitted to the division for a Recycling Containment, a copy shall be provided to the surface owner.

Be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

1.  
Operator: Oxy USA Inc. (For multiple operators attach page with information) OGRID #: 16696  
Address: 1600 Gehrig Drive, Midland TX 79706  
Facility or well name (include API# if associated with a well): Mesa Verde East Recycling Facility and Containment  
OCD Permit Number: 1RF-14 (For new facilities the permit number will be assigned by the district office)  
U/L or Qtr/Qtr K Section 18 Township 24S Range 32E County: Lea  
Surface Owner:  Federal  State  Private  Tribal Trust or Indian Allotment

2.  
 **Recycling Facility:**  
Location of recycling facility (if applicable): Latitude 32.214192 Longitude -103.715251 NAD83  
Proposed Use:  Drilling\*  Completion\*  Production\*  Plugging \*  
*\*The re-use of produced water may NOT be used until fresh water zones are cased and cemented*  
 Other, requires permit for other uses. Describe use, process, testing, volume of produced water and ensure there will be no adverse impact on groundwater or surface water.  
 Fluid Storage  
 Above ground tanks  Recycling containment  Activity permitted under 19.15.17 NMAC explain type \_\_\_\_\_  
 Activity permitted under 19.15.36 NMAC explain type: \_\_\_\_\_  Other explain \_\_\_\_\_  
 For multiple or additional recycling containments, attach design and location information of each containment  
 **Closure Report (required within 60 days of closure completion):**  Recycling Facility Closure Completion Date: \_\_\_\_\_

3.  
 **Recycling Containment:** Mesa Verde East Containment 1RF-14  
 Annual Extension after initial 5 years (attach summary of monthly leak detection inspections for previous year)  
Center of Recycling Containment (if applicable): Latitude 32.214192 Longitude -103.715251 NAD83  
 For multiple or additional recycling containments, attach design and location information of each containment  
 Lined  Liner type: Thickness 60 mil  LLDPE  HDPE  PVC  Other \_\_\_\_\_  
 String-Reinforced  
Liner Seams:  Welded  Factory  Other \_\_\_\_\_ Volume: 251,000 bbl Dimensions: L 461' x W 431'30" x D 16'  
 Recycling Containment Closure Completion Date: \_\_\_\_\_

4.

**Bonding:**

Covered under bonding pursuant to 19.15.8 NMAC per 19.15.34.15(A)(2) NMAC (These containments are limited to only the wells owned or operated by the owners of the containment.)

Bonding in accordance with 19.15.34.15(A)(1). Amount of bond \$ \_\_\_\_\_ (work on these facilities cannot commence until bonding amounts are approved)

Attach closure cost estimate and documentation on how the closure cost was calculated.

5.

**Fencing:**

Four foot height, four strands of barbed wire evenly spaced between one and four feet

Alternate. Please specify 6 ft. chain-link with barbed wire top

6.

**Signs:**

12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Signed in compliance with 19.15.16.8 NMAC

7.

**Variances:**

Justifications and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, human health, and the environment.

**Check the below box only if a variance is requested:**

Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. If a Variance is requested, include the variance information on a separate page and attach it to the C-147 as part of the application.

**If a Variance is requested, it must be approved prior to implementation.**

8.

**Siting Criteria for Recycling Containment**

*Instructions: The applicant must provide attachments that demonstrate compliance for each siting criteria below as part of the application. Potential examples of the siting attachment source material are provided below under each criteria.*

<u>General siting</u>	
<b>Ground water is less than 50 feet below the bottom of the Recycling Containment.</b> NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; written approval obtained from the municipality	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Minerals Division	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; topographic map	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within a 100-year floodplain. FEMA map	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; aerial photo; satellite image	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; topographic map; visual inspection (certification) of the proposed site	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

9.

**Recycling Facility and/or Containment Checklist:**

*Instructions: Each of the following items must be attached to the application. Indicate, by a check mark in the box, that the documents are attached.*

- Design Plan - based upon the appropriate requirements.
- Operating and Maintenance Plan - based upon the appropriate requirements.
- Closure Plan - based upon the appropriate requirements.
- Site Specific Groundwater Data -
- Siting Criteria Compliance Demonstrations -
- Certify that notice of the C-147 (only) has been sent to the surface owner(s)

10.

**Operator Application Certification:**

I hereby certify that the information and attachments submitted with this application are true, accurate and complete to the best of my knowledge and belief.

Name (Print): Justin Steinmann Title: Environmental Advisor  
 Signature:  Date: 05/10/2024  
 e-mail address: Justin\_Steinmann@oxy.com Telephone: (713) 350-4633

11.

OCD Representative Signature: Victoria Venegas Approval Date: 05/10/2024

Title: Environmental Specialist OCD Permit Number: 1RF-14

- OCD Conditions \_\_\_\_\_
- Additional OCD Conditions on Attachment \_\_\_\_\_

## Venegas, Victoria, EMNRD

---

**From:** Venegas, Victoria, EMNRD  
**Sent:** Friday, May 10, 2024 1:16 PM  
**To:** Steinmann, Justin (Arcadis US Inc)  
**Subject:** 1RF-14 - Mesa Verde East Recycling Containment #2 FACILITY ID [fOY1716651072].  
**Attachments:** C-147 1RF-14 - Mesa Verde East Recycling Containment #2 FACILITY ID [fOY1716651072] 05.10.2024.pdf

### 1RF-14 - Mesa Verde East Recycling Containment #2 FACILITY ID [fOY1716651072].


Good afternoon Mr. Steinmann,  
NMOCD has reviewed the determination of registration/permit extension request for 1RF-14 - Mesa Verde East Recycling Containment #2 FACILITY ID [fOY1716651072] received from [16696] OXY USA INC on May 10, 2024, Application ID 342845. The registration/permit extension request is approved with the following conditions of approval:


- The 1RF-14 - Mesa Verde East Recycling Containment #2 FACILITY ID [fOY1716651072] is approved for one (1) year of operation from the date of the previous registration/permit expiration date of June 14, 2024. The new registration/permit expiration date is June 14, 2025.
- [16696] OXY USA INC will continue to operate, maintain, and close the 1RF-14 - Mesa Verde East Recycling Containment #2 FACILITY ID [fOY1716651072] in compliance with 19.15.34 NMAC, to include but not limited to the performance of weekly inspections regardless of fluid levels in the containment; recording of detailed inspection reports; removal of debris, foreign objects and oil from the containment; and monthly reporting of recycling and reuse of produced water, drilling fluids, and liquid oil field waste via from C-148.
- [16696] OXY USA INC will maintain a liquid level in the containment that is at least equal to the weight of the liner plus 20%. [16696] OXY USA INC may maintain a higher liquid level if they choose.
- If less than 20% of the total fluid capacity is utilized every consecutive six months, operation of the facility is considered ceased and notification of cessation of operations should be sent electronically to OCD Online. An extension to extend the cessation of operations, not to exceed six months, may be submitted using a C-147 form through OCD Online.
- The recycling containment is bonded pursuant to 19.15.8 NMAC per 19.15.34.15(A)(2) NMAC. Water reuse and recycling from 1RF-14 - Mesa Verde East Recycling Containment #2 FACILITY ID [fOY1716651072] is limited to wells owned or operated by [16696] OXY USA INC.
- A minimum of 3-feet freeboard must be maintained in the recycling containment at all times.
- [16696] OXY USA INC will comply with 19.15.29 NMAC Releases in the event of any release of produced water or produced water or other oil field wastes at 1RF-14 - Mesa Verde East Recycling Containment #2 FACILITY ID [fOY1716651072].
- [16696] OXY USA INC will comply with all other NMOCD rules.
- [16696] OXY USA INC must perform weekly inspections of the containment and leak detection system.
- If [16696] OXY USA INC wishes to extend the registration/permit past June 14, 2025, a registration/permit extension request must be submitted to OCD. Extension requests are reviewed on a case-by-case basis and evaluated on their merit. Extensions are considered for a maximum length of one year. Additional extension requests must be submitted to OCD through OCD Online on a Form C-147 (long form) as an Extension request and should include a formal extension request letter, a summary of the prior registration/permit period inspection reports, and the copies of the detailed inspection records for the prior permit period. The extension request should be submitted no later than May 14, 2025.


Please let me know if you have any additional questions.  
Regards,

**Victoria Venegas** • Environmental Specialist  
Environmental Bureau  
EMNRD - Oil Conservation Division  
506 W. Texas Ave. Artesia, NM 88210  
(575) 909-0269 | [Victoria.Venegas@emnrn.nm.gov](mailto:Victoria.Venegas@emnrn.nm.gov)  
<https://www.emnrn.nm.gov/oed/>




		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): jessica franklin <i>Jessica Franklin</i>				Date/Time: 5-2023
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?*	YES	GOOD		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
Additional Comments (including any equipment not checked off):	ID #1RF-014			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature) Jessica franklin <i>Jessica Franklin</i>				Date/Time: 6-2023
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?*	YES	GOOD		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
Additional Comments (including any equipment not checked off):	ID #1RF-014			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature):		jessica franklin <i>Jessica Franklin</i>		Date/Time: 7-2023
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded? **	YES	GOOD		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
Additional Comments (including any equipment not checked off):	ID #1RF-014 EAST POND			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): jessica franklin <i>Jessica Franklin</i>				Date/Time: 8-2023
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?**	YES	GOOD		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
Additional Comments (including any equipment not checked off):	ID #1RF-014 EAST POND			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature):		jessica franklin <i>Jessica Franklin</i>		Date/Time: 9-2023
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring ** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148				
Additional Comments (including any equipment not checked off):	ID #1RF-014 EAST POND			



## Monthly Inspection Report

Treated Water Containment / Pond

Work Order No:

Inspected by (name and signature): *Jessica Franklin* *Jessica Franklin* Date/Time: 10-2023


Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)		Comments
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?**	YES	GOOD		

\* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring

\*\* Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148

Additional Comments (including any equipment not checked off):  

ID #1RF-014  
EAST POND

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature):		jessica franklin <i>Jessica Franklin</i>		Date/Time: 11-2023
<b>Review of Prior Corrections</b>	<b>Yes</b>	<b>No</b>	<b>N/A</b>	<b>Comments</b>
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>	<b>Comments</b>	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?**	YES	GOOD		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
<b>Additional Comments (including any equipment not checked off):</b>	ID #1RF-014 EAST POND			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature) <i>Jessica Franklin</i>			Date/Time: 12-2023	
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded? **	YES	GOOD		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
Additional Comments (including any equipment not checked off):	ID #1RF-014 EAST POND			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by	jessica franklin	<i>Jessica Franklin</i>		Date/Time: 1-2024
Review of Prior Corrections	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
Equipment Description	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
Additional Comments (including any equipment not checked off):	ID #1RF-014			

		<b>Monthly Inspection Report</b> Treated Water Containment / Pond		
Work Order No:				
Inspected by	jessica franklin	:	<i>Jessica Franklin</i>	Date/Time: 2-2024
<b>Review of Prior Corrections</b>	Yes	No	N/A	Comments
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
<b>Equipment Description</b>	Yes or No	Working condition? (Good / Needs Repairs)	Comments	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring ** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148				
<b>Additional Comments (including any equipment not checked off):</b>	ID #1RF-014			

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (n) <input type="text" value="jessica franklin"/>		<i>Jessica Franklin</i>		Date/Time: 3-2024
<b>Review of Prior Corrections</b>		Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
Have all identified issues from the previous facility inspection report been corrected and noted?		X		
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>		<b>Comments</b>
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
<b>Additional Comments (including any equipment not checked off):</b>		ID #1RF-014		

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (n) <u>Jessica franklin</u>		<i>Jessica Franklin</i>		Date/Time: 4-2024
<b>Review of Prior Corrections</b>		Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	N/A <input type="checkbox"/>
Have all identified issues from the previous facility inspection report been corrected and noted?		X		
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>		<b>Comments</b>
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
<b>Additional Comments (including any equipment not checked off):</b>		ID #1RF-014		

		<h2>Monthly Inspection Report</h2> <p>Treated Water Containment / Pond</p>		
Work Order No:				
Inspected by (name and signature): Marcos Montano <i>Marcos Montano</i>				Date/Time: 05-2024
<b>Review of Prior Corrections</b>	<b>Yes</b>	<b>No</b>	<b>N/A</b>	<b>Comments</b>
Have all identified issues from the previous facility inspection report been corrected and noted?	X			
<b>Equipment Description</b>	<b>Yes or No</b>	<b>Working condition? (Good / Needs Repairs)</b>	<b>Comments</b>	
Are diversion ditches and berms around the containment secure? (check for erosion and collection of surface water run-on)	YES	GOOD		
Is the leak detection system intact? (check for evidence of damage or malfunction and monitor for leakage).	YES	GOOD		
Are there any dead migratory birds and other wildlife inside pond/treated water?*	NO	GOOD		
Are the sources and disposition of all recycled water recorded?***	YES	GOOD		
<p>* Within 30 days of discovery, report the discovery of dead migratory birds or other wildlife to the appropriate wildlife agency and to the division district office in order to facilitate assessment and implementation of measures to prevent incidents from reoccurring</p> <p>** Report to the division the total volume of water received for recycling, with the amount of fresh water received listed separately, and the total volume of water leaving the facility for disposition by use of the form C-148</p>				
<b>Additional Comments (including any equipment not checked off):</b>	ID #1RF-014 EAST POND			

**District I**  
 1625 N. French Dr., Hobbs, NM 88240  
 Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
 811 S. First St., Artesia, NM 88210  
 Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
 1220 S. St Francis Dr., Santa Fe, NM 87505  
 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 342845

**CONDITIONS**

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 342845
	Action Type: [C-147] Water Recycle Long (C-147L)

**CONDITIONS**

Created By	Condition	Condition Date
venegas	The 1RF-14 - Mesa Verde East Recycling Containment #2 FACILITY ID [FOY1716651072] is approved for one (1) year of operation from the date of the previous registration/permit expiration date of June 14, 2024. The new registration/permit expiration date is June 14, 2025. If [16696] OXY USA INC wishes to extend the registration/permit past June 14, 2025, a registration/permit extension request must be submitted to OCD no later than May 14, 2025.	5/10/2024