



Kristen Houston
Regulatory Advisor
(432)894-1588
XTO Permian Operating, LLC
6401 Holiday Hill Road, Bldg 5
Midland, TX 79707

May 20, 2025

Victoria Venegas
ENMRD-Oil Conservation Division
Environmental Bureau -
506 W. Texas Ave.
Artesia, NM 88210

Re: Administrative Order 2RF-145
Shanghai Recycling Facility
Facility ID(fSL19343534776)

Victoria,

XTO Permian Operating, LLC. Respectfully requests a one-year extension to the existing C-147 permit for the BEU DI 5 Recycling Facility. The annual extension requests of the Permit 2RF-145 BEU DI 5 Recycling Facility ID (fSL1934534776) from March 15, 2025, to March 14, 2026.

If you have any questions or need any additional information, please feel free to contact me at (432)894-1588.

Sincerely,

A handwritten signature in black ink that reads 'Kristen Houston'.

Kristen Houston
Regulatory Advisor

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-147
Revised April 3, 2017

Recycling Facility and/or Recycling Containment

Type of Facility: ☒ Recycling Facility ☒ Recycling Containment*
Type of action: ☒ Permit ☒ Registration
☐ Modification ☒ Extension
☐ Closure ☐ Other (explain) _____

* At the time C-147 is submitted to the division for a Recycling Containment, a copy shall be provided to the surface owner.

Be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

1.

Operator: XTO Permian Operating, LLC (For multiple operators attach page with information) OGRID #: 373075
 Address: 6401 Holiday Hill Road Bldg 5 Midland, Texas 79707
 Facility or well name (include API# if associated with a well): BEU DI 5 Recycling Pond
 OCD Permit Number: 2RF-145 (For new facilities the permit number will be assigned by the district office)
 U/L or Qtr/Qtr NENW/NWNE Section 27 Township 20S Range 31E County: Eddy
 Surface Owner: ☒ Federal ☐ State ☐ Private ☐ Tribal Trust or Indian Allotment

2.

☒ **Recycling Facility:**

Location of recycling facility (if applicable): Latitude 32.5481855 Longitude -103.8589454 NAD83
 Proposed Use: ☒ Drilling* ☒ Completion* ☒ Production* ☒ Plugging*
**The re-use of produced water may NOT be used until fresh water zones are cased and cemented*
☐ Other, *requires permit for other uses. Describe use, process, testing, volume of produced water and ensure there will be no adverse impact on groundwater or surface water.*
☒ Fluid Storage
☐ Above ground tanks ☐ Recycling containment ☐ Activity permitted under 19.15.17 NMAC explain type _____
☐ Activity permitted under 19.15.36 NMAC explain type: _____ ☐ Other explain _____
☐ For multiple or additional recycling containments, attach design and location information of each containment
☐ **Closure Report (required within 60 days of closure completion):** ☐ Recycling Facility Closure Completion Date: _____

3.

☒ **Recycling Containment:**

☐ Annual Extension after initial 5 years (attach summary of monthly leak detection inspections for previous year)
 Center of Recycling Containment (if applicable): Latitude 32.5481855 Longitude -103.8589454 NAD83
☐ For multiple or additional recycling containments, attach design and location information of each containment
☒ Lined ☒ Liner type: Thickness 60 mil ☐ LLDPE ☒ HDPE ☐ PVC ☒ Other 40mil HDPE
☐ String-Reinforced
 Liner Seams: ☒ Welded ☐ Factory ☒ Other Field Volume: 1,000,000 bbl Dimensions: L 520 x W 1200 x D 20
☐ Recycling Containment Closure Completion Date: _____

4.

Bonding:

- ☒ Covered under bonding pursuant to 19.15.8 NMAC per 19.15.34.15(A)(2) NMAC (These containments are limited to only the wells owned or operated by the owners of the containment.)
- ☐ Bonding in accordance with 19.15.34.15(A)(1). Amount of bond \$ _____ (work on these facilities cannot commence until bonding amounts are approved)
- ☐ Attach closure cost estimate and documentation on how the closure cost was calculated.

5.

Fencing:

- ☐ Four foot height, four strands of barbed wire evenly spaced between one and four feet
- ☒ Alternate. Please specify 8' game fence w/3 strands barbed wire

6.

Signs:

- ☒ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers
- ☐ Signed in compliance with 19.15.16.8 NMAC

7.

Variances:

Justifications and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, human health, and the environment.

Check the below box only if a variance is requested:

- ☒ Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. If a Variance is requested, include the variance information on a separate page and attach it to the C-147 as part of the application.

If a Variance is requested, it must be approved prior to implementation.

8.

Siting Criteria for Recycling Containment

Instructions: The applicant must provide attachments that demonstrate compliance for each siting criteria below as part of the application. Potential examples of the siting attachment source material are provided below under each criteria.

General siting**Ground water is less than 50 feet below the bottom of the Recycling Containment.**

NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells

☐ Yes ☐ No
☐ NA

Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.

- Written confirmation or verification from the municipality; written approval obtained from the municipality

☐ Yes ☐ No
☐ NA

Within the area overlying a subsurface mine.

- Written confirmation or verification or map from the NM EMNRD-Mining and Minerals Division

☐ Yes ☐ No

Within an unstable area.

- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; topographic map

☐ Yes ☐ No

Within a 100-year floodplain. FEMA map

☐ Yes ☐ No

Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).

- Topographic map; visual inspection (certification) of the proposed site

☐ Yes ☐ No

Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.

- Visual inspection (certification) of the proposed site; aerial photo; satellite image

☐ Yes ☐ No

Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.

- NM Office of the State Engineer - iWATERS database search; visual inspection (certification) of the proposed site

☐ Yes ☐ No

Within 500 feet of a wetland.

- US Fish and Wildlife Wetland Identification map; topographic map; visual inspection (certification) of the proposed site

☐ Yes ☐ No

9.

Recycling Facility and/or Containment Checklist:


Instructions: Each of the following items must be attached to the application. Indicate, by a check mark in the box, that the documents are attached.

- ☒ Design Plan - based upon the appropriate requirements.
- ☒ Operating and Maintenance Plan - based upon the appropriate requirements.
- ☒ Closure Plan - based upon the appropriate requirements.
- ☒ Site Specific Groundwater Data -
- ☒ Siting Criteria Compliance Demonstrations –
- ☒ Certify that notice of the C-147 (only) has been sent to the surface owner(s)

10.

Operator Application Certification:

I hereby certify that the information and attachments submitted with this application are true, accurate and complete to the best of my knowledge and belief.

Name (Print): Kristen Houston Title: Regulatory Advisor
Signature:  Date: 05/20/2025
e-mail address: kristen.houston@exxonmobil.com Telephone: 432-894-1588

11.

OCD Representative Signature: Victoria Venegas **Approval Date:** 07/17/2025

Title: Environmental Specialist **OCD Permit Number:** 2RF-145

- ☒ OCD Conditions
- ☒ Additional OCD Conditions on Attachment

BEU DI-5 FRAC PIT

LEAK DETECTION DATA

Procedure for Performing Monthly Leak Detection Test for NCFR(Non-commercial fluid recycling) Pits

- 1) Drain sump to establish a zero baseline and note time
- 2) After 24 hours, drain sump and note volume of water recovered

EAST PIT: Brackish Water						
Month	Action	Date	Pump Time	Volume Recovered from Sump (gal)	Meter Start/Stop	NOTES:
Jan-24	INITIAL Pond Drain	01/05/24			-	
	24 HR Leak Detection		24hr	224	224.00	
	INITIAL Pond Drain	01/11/24			-	
	24 HR Leak Detection		24hr	652	652.00	
	INITIAL Pond Drain	01/19/24			-	
Feb-24	24 HR Leak Detection		24hr	149	149.00	
	INITIAL Pond Drain	01/30/24			-	
	24 HR Leak Detection		24hr	187	187.00	
	INITIAL Pond Drain	02/09/24			-	
	24 HR Leak Detection		24hr	539	539.00	
Mar-24	INITIAL Pond Drain	02/15/24			-	
	24 HR Leak Detection		24hr	1,363	1,363.00	
	INITIAL Pond Drain	02/19/24			-	
	24 HR Leak Detection		24hr	326	326.00	
	INITIAL Pond Drain	02/28/24			-	
Apr-24	24 HR Leak Detection		24hr	263	263.00	
	INITIAL Pond Drain	03/05/24			-	
	24 HR Leak Detection		24hr	483	483.00	
	INITIAL Pond Drain	03/12/24			-	
	24 HR Leak Detection		24hr	1,169	1,169.00	
May-24	INITIAL Pond Drain	03/17/24			-	
	24 HR Leak Detection		24hr	67	67.30	
	INITIAL Pond Drain	03/24/24			-	
	24 HR Leak Detection		24 Hr	368	368.00	
	INITIAL Pond Drain	04/06/24			-	
Jun-24	24 HR Leak Detection		24HR	2	2.00	
	INITIAL Pond Drain	04/14/24			-	
	24 HR Leak Detection		24hr	70	70.00	
	INITIAL Pond Drain	04/19/24			-	
	24 HR Leak Detection		24hr	20	20.00	
Jul-24	INITIAL Pond Drain	04/19/24			-	
	24 HR Leak Detection		24 hr	265	265.00	
	INITIAL Pond Drain				-	
	24 HR Leak Detection				-	
	INITIAL Pond Drain				-	

May-24	INITIAL Pond Drain	05/04/24			125	-	
	24 HR Leak Detection		24hr			125.00	
	INITIAL Pond Drain	05/11/24			?	-	empty -JD
	24 HR Leak Detection		24hr			?	
	INITIAL Pond Drain	05/17/24			106	-	
Jun-24	24 HR Leak Detection		24hr			106.00	
	INITIAL Pond Drain	05/26/24			8	-	empty -JD
	24 HR Leak Detection		24hr			8.30	
	INITIAL Pond Drain	06/03/24			2	-	empty LG
	24 HR Leak Detection		24hr			2.00	
Jul-24	INITIAL Pond Drain	06/11/24			0	-	empty -JD
	24 HR Leak Detection		24hr			-	
	INITIAL Pond Drain	06/16/24			0	-	no flw LG
	24 HR Leak Detection		24hr			-	
	INITIAL Pond Drain	06/30/24			0	-	no flw LG
Aug-24	24 HR Leak Detection		24hr			-	
	INITIAL Pond Drain	07/07/24			274	-	empty -JD
	24 HR Leak Detection		24hr			274.00	
	INITIAL Pond Drain	07/14/24			84	-	
	24 HR Leak Detection		24hr			84.00	
Sep-24	INITIAL Pond Drain	07/22/24			58	-	empty -JD
	24 HR Leak Detection		24hr			58.00	
	INITIAL Pond Drain	07/28/24			34	-	
	24 HR Leak Detection		24hr			34.00	
	INITIAL Pond Drain	08/05/24			16	-	Empty -JD
Oct-24	24 HR Leak Detection		24hr			16.00	
	INITIAL Pond Drain	08/11/24			4	-	
	24 HR Leak Detection		24hr			4.00	
	INITIAL Pond Drain	08/21/24			5	-	Empty -JD
	24 HR Leak Detection		24hr			5.00	
Nov-24	INITIAL Pond Drain	08/25/24			0	-	empty LG
	24 HR Leak Detection		24hr			-	
	INITIAL Pond Drain	09/02/24			2	-	Empty -JD
	24 HR Leak Detection		24hr			2.00	
	INITIAL Pond Drain	09/10/24			0	-	empty LG
Dec-24	24 HR Leak Detection		24hr			-	
	INITIAL Pond Drain	09/14/24			4	-	Empty -JD
	24 HR Leak Detection		24hr			4.00	
	INITIAL Pond Drain	09/27/24				-	
	24 HR Leak Detection		24hr			-	
Jan-25	INITIAL Pond Drain	10/04/24			6	-	Empty -JD
	24 HR Leak Detection		24hr			6.00	
	INITIAL Pond Drain	10/11/24			0	-	empty LG
	24 HR Leak Detection		24hr			-	
	INITIAL Pond Drain	10/17/24			25	-	24 hr test D/A
Feb-25	24 HR Leak Detection		24hr			25.00	
	INITIAL Pond Drain	10/24/24			18	-	
	24 HR Leak Detection		24hr			-	
	INITIAL Pond Drain					18.00	
	24 HR Leak Detection						

Nov-24	INITIAL Pond Drain	11/02/24			0	-	no flow LG
	24 HR Leak Detection		24hr			-	
	INITIAL Pond Drain	11/09/24			0	-	
	24 HR Leak Detection		24hr			-	
	INITIAL Pond Drain	11/17/24			0	-	no flow empty LG
	24 HR Leak Detection		24hr			-	
	INITIAL Pond Drain	11/29/24			30	-	empty LG
	24 HR Leak Detection		24hr			30.00	
Dec-24	INITIAL Pond Drain	12/07/24			23	-	Empty -JD
	24 HR Leak Detection		24hr			23.00	
	INITIAL Pond Drain	12/14/24			15	-	empty LG
	24 HR Leak Detection		24hr			15.00	
	INITIAL Pond Drain	12/22/24			18	-	Empty -JD
	24 HR Leak Detection		24hr			18.00	
	INITIAL Pond Drain	12/28/24			63	-	10 min pump empty LG
	24 HR Leak Detection		24hr			63.00	

West PIT: Recycled Produced Water

Month	Action	Date	Pump Time	Volume Recovered from Sump (gal)	Meter Start/Stop	NOTES:
Jan-24	INITIAL Pond Drain	01/05/24	24hr	322	-	
	24 HR Leak Detection				322.00	
	INITIAL Pond Drain	01/11/24	24hr	368	-	
	24 HR Leak Detection				368.00	
	INITIAL Pond Drain	01/19/24	24hr	248	-	
	24 HR Leak Detection				248.00	
	INITIAL Pond Drain	01/30/24	24hr	198	-	
	24 HR Leak Detection				198.00	
Feb-24	INITIAL Pond Drain	02/09/24	24hr	654	-	
	24 HR Leak Detection				654.00	
	INITIAL Pond Drain	02/15/24	24hr	426	-	
	24 HR Leak Detection				426.00	
	INITIAL Pond Drain	02/19/24	24hr	380	-	
	24 HR Leak Detection				380.00	
	INITIAL Pond Drain	02/28/24	24hr	268	-	
	24 HR Leak Detection				268.00	
Mar-24	INITIAL Pond Drain	03/05/24	24hr	443	-	
	24 HR Leak Detection				443.00	
	INITIAL Pond Drain	03/12/24	24hr	378	-	
	24 HR Leak Detection				378.00	
	INITIAL Pond Drain	03/17/24	24hr	612	-	
	24 HR Leak Detection				612.00	
	INITIAL Pond Drain	03/24/24	24 Hr	270	-	
	24 HR Leak Detection				270.00	
	INITIAL Pond Drain		24HR	468	-	

Apr-24	24 HR Leak Detection				468.00	
	INITIAL Pond Drain	04/06/24			-	
	24 HR Leak Detection		24hr	442	442.00	
	INITIAL Pond Drain	04/14/24			-	
	24 HR Leak Detection		24hr	113	113.00	
May-24	INITIAL Pond Drain	04/19/24			-	
	24 HR Leak Detection		24 hr	268	268.00	
	INITIAL Pond Drain	05/04/24			-	
	24 HR Leak Detection		24hr	189	189.00	
	INITIAL Pond Drain	05/11/24			-	
Jun-24	24 HR Leak Detection		24hr	130	130.00	
	INITIAL Pond Drain	05/17/24			-	
	24 HR Leak Detection		24hr	298	298.00	
	INITIAL Pond Drain	05/26/24			-	
	24 HR Leak Detection		24hr	74	74.00	
Jul-24	INITIAL Pond Drain	06/03/24			-	
	24 HR Leak Detection		24hr	0	-	
	INITIAL Pond Drain	06/11/24			-	
	24 HR Leak Detection		24hr	195	195.00	
	INITIAL Pond Drain	06/16/24			-	
Aug-24	24 HR Leak Detection		24hr	125	125.00	
	INITIAL Pond Drain	06/30/24			-	
	24 HR Leak Detection		24hr	96	96.00	
	INITIAL Pond Drain	07/07/24			-	
	24 HR Leak Detection		24hr	42	42.00	
Sep-24	INITIAL Pond Drain	07/14/24			-	
	24 HR Leak Detection		24hr	76	76.00	
	INITIAL Pond Drain	07/22/24			-	
	24 HR Leak Detection		24hr	78	78.00	
	INITIAL Pond Drain	07/28/24			-	
Oct-24	24 HR Leak Detection		24hr	76	76.00	
	INITIAL Pond Drain	08/05/24			-	
	24 HR Leak Detection		24hr	143	143.00	Empty -JD
	INITIAL Pond Drain	08/11/24			-	pump not working-new one on order-LG
	24 HR Leak Detection		24hr	0	-	pump not working new one on order -JD
Nov-24	INITIAL Pond Drain	08/21/24			-	
	24 HR Leak Detection		24hr	0	-	pump not working new one on order -JD
	INITIAL Pond Drain	08/25/24			-	
	24 HR Leak Detection		24hr	0	-	needs new pump LG
	INITIAL Pond Drain	09/02/24			-	
Dec-24	24 HR Leak Detection		24hr	0	-	pump not working new one on order -JD
	INITIAL Pond Drain	09/10/24			-	
	24 HR Leak Detection		24hr	0	-	8/
	INITIAL Pond Drain	09/14/24			-	
	24 HR Leak Detection		24hr	0	-	pump not working new one on order -JD
Jan-25	INITIAL Pond Drain	09/27/24			-	
	24 HR Leak Detection		24hr		-	
	INITIAL Pond Drain				-	
	24 HR Leak Detection				-	
	INITIAL Pond Drain				-	

Oct-24	INITIAL Pond Drain	10/04/24			0	-	Pump not working new one on order -JD
	24 HR Leak Detection		24hr			-	
	INITIAL Pond Drain	10/11/24			0	-	empty LG
	24 HR Leak Detection		24hr			-	
	INITIAL Pond Drain	10/17/24			0	-	No flow D/A
	24 HR Leak Detection		24hr			-	
Nov-24	INITIAL Pond Drain	10/24/24			0	-	
	24 HR Leak Detection		24hr			-	
	INITIAL Pond Drain	11/02/24			0	-	no flow LG
	24 HR Leak Detection		24hr			-	
	INITIAL Pond Drain	11/09/24			0	-	
	24 HR Leak Detection		24hr			-	
Dec-24	INITIAL Pond Drain	11/17/24			0	-	not working electriction notified LG
	24 HR Leak Detection		24hr			-	
	INITIAL Pond Drain	11/29/24			316	-	
	24 HR Leak Detection		24hr			316.00	
	INITIAL Pond Drain	12/07/24			256	-	
	24 HR Leak Detection		24hr			256.00	
	INITIAL Pond Drain	12/14/24			398	-	
	24 HR Leak Detection		24hr			398.00	
	INITIAL Pond Drain	12/22/24			149	-	
	24 HR Leak Detection		24hr			149.00	
	INITIAL Pond Drain	12/28/24			189	-	
	24 HR Leak Detection		24hr			189.00	

Venegas, Victoria, EMNRD

From: Venegas, Victoria, EMNRD
Sent: Thursday, July 17, 2025 11:32 AM
To: Houston, Kristen /C
Subject: 2RF-145 - BEU DI 5 RECYCLING CONTAINMENT FACILITY [fSL1934534776]
Attachments: C-147 2RF-145 - BEU DI 5 RECYCLING CONTAINMENT FACILITY [fSL1934534776]
07.17.2025.pdf

2RF-145 - BEU DI 5 RECYCLING CONTAINMENT FACILITY [fSL1934534776]

Good morning Ms. Houston.

The NMOCD has reviewed the registration /permit extension request for 2RF-145 - BEU DI 5 RECYCLING CONTAINMENT FACILITY [fSL1934534776] received from [373075] XTO PERMIAN OPERATING LLC on 07/07/2025, Application ID **482136**. The registration/permit extension request is approved with the following conditions of approval:

- 2RF-145 - BEU DI 5 RECYCLING CONTAINMENT FACILITY [fSL1934534776] is approved for one (1) year of operation from the date of the previous registration/permit expiration date of March 15, 2025. The new registration/permit expiration date is March 15, 2026.
- [373075] XTO PERMIAN OPERATING LLC will continue to operate, maintain, and close the for 2RF-145 - BEU DI 5 RECYCLING CONTAINMENT FACILITY [fSL1934534776] in compliance with 19.15.34 NMAC, to include but not limited to the performance of weekly inspections regardless of fluid levels in the containment; recording of detailed inspection reports; removal of debris, foreign objects and oil from the containment; and monthly reporting of recycling and reuse of produced water, drilling fluids, and liquid oil field waste via from C-148.
- [373075] XTO PERMIAN OPERATING LLC will maintain a liquid level in the containment that is at least equal to the weight of the liner plus 20%. [373075] XTO PERMIAN OPERATING LLC may maintain a higher liquid level if they choose.
- If less than 20% of the total fluid capacity is utilized every consecutive six months, operation of the facility is considered ceased and a notification of cessation of operations should be sent electronically through OCD Permitting. An extension to extend the cessation of operations, not to exceed six months, may be submitted using a C-147 form through OCD Permitting. If after that 6-month extension period, the containment is not utilized at a minimum of 20% fluid capacity, no additional extensions would be granted, and the operator would be directed to remove all fluids and proceed with the closure requirements.
- The recycling containment is bonded pursuant to 19.15.8 NMAC per 19.15.34.15(A)(2) NMAC. Water reused and recycled from 2RF-145 - BEU DI 5 RECYCLING CONTAINMENT FACILITY [fSL1934534776] is limited to wells owned or operated by [373075] XTO PERMIAN OPERATING LLC.
- A minimum of 3-feet freeboard must be maintained in the recycling containment at all times.
- [373075] XTO PERMIAN OPERATING LLC will comply with 19.15.29 NMAC Releases in the event of any release of produced water or produced water or other oil field wastes at 2RF-145 - BEU DI 5 RECYCLING CONTAINMENT FACILITY [fSL1934534776]. [373075] XTO PERMIAN OPERATING LLC will comply with all other OCD rules.
- [373075] XTO PERMIAN OPERATING LLC must perform weekly inspections of the containment and leak detection system.
- If [373075] XTO PERMIAN OPERATING LLC wishes to extend the registration/permit past March 15, 2026, a registration/permit extension request must be submitted to OCD. Extension requests are reviewed on a case-by-case basis and evaluated on their merit. Extensions are considered for a maximum length of one year. Additional requests must be submitted to OCD through OCD Online on a Form C-147 (long form) as an

extension request and should include a formal extension request letter, a summary of the prior registration/permit period inspection reports, and the copies of the detailed inspection records for the prior permit period. The extension request should be submitted no later than February 15, 2026.

Please let me know if you have any additional questions.
Best regards,

Victoria Venegas • Environmental Specialist Advanced
EMNRD - Oil Conservation Division
506 W. Texas Ave. Artesia, NM 88210
575.909.0269 | Victoria.Venegas@emnrd.nm.gov

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 482136

CONDITIONS

Operator: XTO PERMIAN OPERATING LLC. 6401 HOLIDAY HILL ROAD MIDLAND, TX 79707	OGRID: 373075
	Action Number: 482136
	Action Type: [C-147] Water Recycle Long (C-147L)

CONDITIONS

Created By	Condition	Condition Date
vvenegas	2RF-145 - BEU DI 5 RECYCLING CONTAINMENT FACILITY [fSL1934534776] is approved for one (1) year of operation from the date of the previous registration/permit expiration date of March 15, 2025. The new registration/permit expiration date is March 15, 2026. If [373075] XTO PERMIAN OPERATING LLC wishes to extend the registration/permit past March 15, 2026, a registration/permit extension request must be submitted to OCD no later than February 15, 2026.	7/17/2025