EXonMobil

September 5, 2025

To: Victoria Venegas

ENMRD-Oil Conservation Division

Environmental Bureau

506 W. Texas Ave. Artesia, NM 88210

From: Kristen Houston

Regulatory Analyst

XTO Permian Operating, LLC (OGRID: 373075)

6401 Holiday Hill Road, Bldg 5

Midland, TX 79707

Subject: PLU Central 1 Recycling Facility

Administrative Order 2RF-123 Facility ID fAB1805932167

Victoria,

XTO Permian Operating, LLC (OGRID: 373075)—hereafter "XTO"—respectfully requests a one-year extension to the existing C-147 permit for the PLU Central 1 Recycling Facility (Administrative Order: 2RF-123; Facility ID: fab1805932167)—hereafter "PLUC 1." XTO respectfully requests the C-147 permit for PLUC 1 be extended from February 27, 2025 to February 27, 2026.

Please find attached the weekly leak detection logs (measured in US gallons) for the recycling containments at PLUC 1, as re-verified by XTO Operations.

A variance was noted for the reading recorded on 2024-07-19 of 8,671 US gallons of water recovered from the leak detection sump on pit 2RF-123B (the southern pit; pit numbering per pab1805932282). After consultation between XTO Operations and XTO Engineering, it is believed that this variance is due to inconsistent procedures for reading and recording values between operators.

Please note: a standardized operating procedure for weekly leak detection is being developed by XTO Operations and XTO Engineering to improve reliability of leak detection reporting and will be implemented moving forward.

The leak detection data show the pond empty starting in October 2024 to complete the upgrades outlined in Application ID 369981 (PLU Central 1 Recycling Facility Containment Upgrade).

If you have any questions or need any additional information, please feel free to contact me at (432) 894-1588.

Sincerely,

Kristen Houston Regulatory Analyst

Kristen Howston

State of New Mexico
Energy Minerals and Natural Resources
Department Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-147 Revised October 11, 2022

https://www.emnrd.nm.gov/ocd/ocd-e-permitting/

Recycling Facility and/or Recycling Containment
Type of Facility: X Recycling Facility X Recycling Containment* Type of action: Permit Registration Modification X Extension Closure Other (explain)
At the time C-147 is submitted to the division for a Recycling Containment, a copy shall be provided to the surface owner.
e advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. or does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: XTO Permian Operating LLC (For multiple operators attach page with information) OGRID #: 373075 Address: 6401 Holiday Hill Rd Bldg 5 Midland Tx 79707
Facility or well name (include API# if associated with a well): PLU Central 1 Recycling Facility
OCD Permit Number: 2RF-123/fAB1805932167 (For new facilities the permit number will be assigned by the district office) U/L or Qtr/Qtr G/J Section 24 Township 24S Range 30E County: Eddy
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment
Recycling Facility: Location of recycling facility (if applicable): Latitude 32.244969 Longitude -103.83298 NAD83 Proposed Use: Drilling* Completion* Production* Plugging * *The re-use of produced water may NOT be used until fresh water zones are cased and cemented Other, requires permit for other uses. Describe use, process, testing, volume of produced water and ensure there will be no adverse impact on groundwater or surface water. Fluid Storage Above ground tanks Recycling containment Activity permitted under 19.15.17 NMAC explain type Activity permitted under 19.15.36 NMAC explain type: For multiple or additional recycling containments, attach design and location information of each containment Closure Report (required within 60 days of closure completion): Recycling Facility Closure Completion Date:
X Recycling Containment: X Annual Extension after initial 5 years (attach summary of monthly leak detection inspections for previous year) Center of Recycling Containment (if applicable): Latitude
String-Reinforced
Liner Seams: Welded Factory Other Volume: 500,000 x 2 bbl Dimensions: L 1500' x W 800' x D 16' Recycling Containment Closure Completion Date:

Bonding: Covered under bonding pursuant to 19.15.8 NMAC per 19.15.34.15(A)(2) NMAC (These containments are limited to only the wells operated by the owners of the containment.) Bonding in accordance with 19.15.34.15(A)(1). Amount of bond \$ (work on these facilities cannot commence amounts are approved) Attach closure cost estimate and documentation on how the closure cost was calculated.	
Fencing: Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify 8' game fence w/ 3 strands barbed wire	
6. Signs: \[\sum 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers \[\sum Signed in compliance with 19.15.16.8 NMAC \]	
Variances: Justifications and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, humenvironment. Check the below box only if a variance is requested: \[\sum \text{Variance}(s): Requests must be submitted to the appropriate division district for consideration of approval. If a Variance is requested variance information on a separate page and attach it to the C-147 as part of the application. If a Variance is requested, it must be approved prior to implementation.	
8. Siting Criteria for Recycling Containment Instructions: The applicant must provide attachments that demonstrate compliance for each siting criteria below as part of the applicate examples of the siting attachment source material are provided below under each criteria.	ntion. Potential
General siting	
Ground water is less than 50 feet below the bottom of the Recycling Containment. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☒ No ☐ NA
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; written approval obtained from the municipality	Yes X No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Minerals Division	☐ Yes ☒ No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; topographic map	☐ Yes 🏻 No
Within a 100-year floodplain. FEMA map	Yes X No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; visual inspection (certification) of the proposed site	☐ Yes 🏻 No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; aerial photo; satellite image	☐ Yes ☒ No
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; visual inspection (certification) of the proposed site	☐ Yes 🏻 No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; topographic map; visual inspection (certification) of the proposed site	☐ Yes X No

Pecveling Facility and/or Containment Checklist: Instructions: Each of the following items must be attached to the application Design Plan - based upon the appropriate requirements. Operating and Maintenance Plan - based upon the appropriate requirements. Closure Plan - based upon the appropriate requirements. Site Specific Groundwater Data - Siting Criteria Compliance Demonstrations - Certify that notice of the C-147 (only) has been sent to the surface of	ents.
Operator Application Certification: I hereby certify that the information and attachments submitted with this appli Name (Print): Kristen Houston Signature: Certification: e-mail address: kristen.houston@exxonmobil.com	cation are true, accurate and complete to the best of my knowledge and belief. Title: Regulatory Analyst Date: 9/09/2025 Telephone: (432)894-1588
OCD Representative Signature: Victoria Venegas Title: Environmental Specialist \[\text{\tiket}}}}}}} \end{ent}}}}}}}}}}}} \endrespective \text{\tex{	Approval Date: 10/08/2025 OCD Permit Number: 2RF-123

PLU CENTRAL 1 FRAC PIT
LEAK DETECTION DATA
PLU CENTRALI Recycling Facility

			NORTH PIT: E	NORTH PIT: Brackish Water		
Month	Action	Date	Pump Time	Volume Recovered from Sump (gal)	Meter Start/Stop	NOTES:
	INITIAI Pond Orain	01/05/24			O	
	24 HR Leak Detection	04/00/ET	24hr	136	136	ran to empty D/A
	INITIAL Pond Drain	01/11/24		7 10 7	0	CA Street of act
20-24	24 HR Leak Detection		24hr	154	154	ran to empty -AO
12-112	INITIAL Pond Drain	01/19/24		130	0	In a party - ID
	24 HR Leak Detection		24hr	OCT	130	ar falling of the
	INITIAL Pond Drain	01/30/24	-4/VC	161	0 121	ran to empty -AO
	24 UN LEAK DETECTION		11145		TOT	
	INITIAL Pond Drain	02/09/24			0	<u>.</u>
	24 HR Leak Detection		24hr	164	164	ran to empty -JID
	INITIAL Pond Drain	02/15/24		135	0	O Lydermo of acr
10h-24	24 HR Leak Detection		24hr	155	135	ran to empty co
t2-03-1	INITIAL Pond Drain	02/19/24		130	0	Ol stromo of any
	24 HR Leak Detection		24hr	120	128	ian to empty -jo
	INITIAL Pond Drain	02/28/24		100	0	31 stamp of acr
	24 HR Leak Detection		24hr	144	144	lair to empty co
	INITIAL Pond Drain	03/05/24		13.7	0	ran to empty - ID
	24 HR Leak Detection		24hr		137	
	INITIAL Pond Drain	03/09/24		140	0	ran to empty LG
Mar-24	24 HR Leak Detection		24hr		140	
	INITIAL Pond Drain	03/17/24		122	0	ran to empty -JD
	24 HR Leak Detection	10100	24hr		122	
	24 HR Leak Detection	03/22/24	24 Hr	153	0 C L	ran to empty LG
	THE FERN DESCRIPTION		24111		CCT	
	INITIAL Pond Drain	04/01/24	24HR	177	0	<u> </u>
	24 HR Leak Detection			797	167	lan to empty -JD
	INITIAL Pond Drain	04/07/24		113	0	Olystamo of acc
200	24 HR Leak Detection		24hr	717	112	iali to enipty co
Apl-24	INITIAL Pond Drain	04/16/24		770	0	CI stances of the second
	24 HR Leak Detection		24hr	110	118	מני (יפוודים טיוודי
	INITIAL Pond Drain	04/19/24		136	0	Olytoma of ner
	24 HR Leak Detection		24 hr	021	126	ימון נס פווויים איני
	INITIAL Pond Drain	05/03/24		143	0	ran to empty I G
	24 HR Leak Detection		24hr		143	

10 05/20/24 240		diena basa INITINI	NC/11/30			c	
NITIAL FORD Early 1977/242 2444 130 133 13		24 HB Leak Detection	42/11/CO	24hr	201	201	ran to empty -JD
ATHER LOAD Desired STAND 2249 12.9 12.9 ATHER LOAD Desired 0502224 2404 12.0 0.0 ATHER LOAD Desired Desired 0502224 2404 2.0 0.0 ATHER LOAD Desired Desired 0502224 2404 2.0 0.0 ATHER LOAD Desired Desired 0502224 2404 2.0 0.0 ATHER LOAD Desired Desired 0502224 2404 2.7 1.0 ATHER LOAD Desired Desired 0502224 2404 2.7 1.0 ATHER LOAD Desired 0502224 2404 2.7 1.0 ATHER LOAD Desired 0502224 2404 2.0 1.0 ATHER LOAD Desired 0702224 2404 2.0 1.0 <td>May-24</td> <td>INITIAL Bond Drain</td> <td>05/18/24</td> <td>11157</td> <td></td> <td>102</td> <td></td>	May-24	INITIAL Bond Drain	05/18/24	11157		102	
MITIAL Front Denies		24 HB Leak Detection	12/21/CO	24hr	129	129	ran to empty LG
24 HR Lase Detection		INITIAL Bond Drain	05/35/34	11147		CZT	
MITTAL FORD Crisis Fig. Fort Fort		24 HR Leak Detection		24hr	110	110	ran to empty -JD
NATURAL Pond Chesin OK/NIZAT ZAHY 2.0 0 NATURAL Pond Chesin OK/NIZAT ZAHY 3.3 0 2.0 NATURAL Pond Chesin OK/NIZAT ZAHY 3.31 0.0 0 NATURAL Pond Chesin OK/NIZAT ZAHY 3.21 0.0 0 NATURAL Pond Chesin OK/NIZAT ZAHY 3.21 0.0 0 NATURAL Pond Chesin OT/NIZATA ZAHY 3.21 0.0 0 NATURAL Pond Chesin OT/NIZATA ZAHY 3.24 0.0 0 NATURAL Pond Chesin OT/NIZATA ZAHY 3.24 0.0 0 NATURAL Pond Chesin OT/NIZATA ZAHY 3.0 0 0 NATURAL Pond Chesin OT/NIZATA							
24 MRTHAL Pool Drain CAMPA 240 240 24 MRTHAL Pool Drain 06/09/24 240 133 0 24 MRTHAL Pool Drain 06/77/24 240 127 0 24 MRTHAL Pool Drain 06/77/24 240 127 0 24 MRTHAL Pool Drain 07/20/24 240 133 0 24 MRTHAL Pool Drain 07/20/24 240 136 0 24 MRTHAL Pool Drain 07/20/24 240 136 0 24 MR Losk Decircion 07/20/24 240 136 10 14 MRTHAL Pool Drain 07/20/24 240 136 123 15 MRTHAL Pool Drain 06/21/24 240 136 124 15 MRTHAL Pool Drain 06/21/24 240 136 124 15 MR Losk Decircion </td <td></td> <td>INITIAL Pond Drain</td> <td>06/01/24</td> <td>24hr</td> <td>OVC</td> <td>0</td> <td>O Liberary of way</td>		INITIAL Pond Drain	06/01/24	24hr	OVC	0	O Liberary of way
MITTAL Food Drain 06/07/24 24/07 133 0 NATIAL Food Drain 06/17/24 24/07 24/07 127 129 NATIAL Food Drain 06/17/24 24/07 24/07 127 127 NATIAL Food Drain 07/15/24 24/07 24/07 127 127 A HILL Load Drain 07/15/24 24/07 24/07 123 123 24 HILL Load Drain 07/15/24 24/07 24/07 143 123 24 HILL Load Drain 07/15/24 24/07 24/07 143 123 123 14 HILL Load Drain 07/15/24 24/07		24 HR Leak Detection			240	240	ian to empty Lo
24 HR Leak Detection 06/17/24 24hr 133 24 HR Leak Detection 06/75/24 24hr 137 0 24 HR Leak Detection 06/75/24 24hr 131 0 24 HR Leak Detection 07/25/24 24hr 131 0 24 HR Leak Detection 07/25/24 24hr 133 0 24 HR Leak Detection 07/25/24 24hr 133 0 15 HR Leak Detection 07/25/24 24hr 150 0 16 HR Leak Detection 07/25/24 24hr 150 0 17 HR Leak Detection 07/25/24 24hr 150 0 24 HR Leak Detection 07/25/24 24hr 154 154 25 HR Leak Detection 07/25/24 24hr 154 150 26 HR Le		INITIAL Pond Drain	06/09/24		133	0	(II - Mame of nex
MYTHAL Power Detection	10 mil	24 HR Leak Detection		24hr	557	133	ian to empty so
24 Hit Loak Detection 24th Teak Detection 24th Teak Detection 24th Teak Detection 24th Teak Detection 274 1 MITLAL Fond Drain 07/29/24 24th Teak Detection 07/29/24 24th Teak Detection 228 0 1 MITLAL Fond Drain 07/29/24 24th Teak Detection 07/29/24 24th Teak Detection 113 113 1 MITLAL Fond Drain 07/29/24 24th Teak Detection 07/29/24 24th Teak Detection 111 111 1 MITLAL Fond Drain 07/29/24 24th Teak Detection 08/25/24 24th Teak Detection 10/20/24 10/20/24 10/20/24 10/	77-III	INITIAL Pond Drain			127	0	5 Atamo of act
MITAL Pond Drain 06/29/24 24hr 131		24 HR Leak Detection		24hr	(31	127	22 (14 22
24 HR tab Detection 27 cm / 22 cm 28 cm / 22 cm 20 cm / 22 cm 24 HR tab Detection 07/14/24 24 hr tab Detection 07/14/24 24 hr tab Detection 07/14/24 111 113 24 HR tab Detection 07/14/24 113 14 HR tab Detection 08/14/24 24 hr tab Detection 08/14/24 24 hr tab Detection 07/14/24 24 hr tab Detection 07/14/24 24 hr tab Detection 08/14/24 14 hr tab Detection 08/14/24 24 hr tab Det		INITIAL Pond Drain	06/29/24		131	0	6 Virginia of ner
NHTAL Pond Drain O7/9/24 24hr 228 0 NHTAL Pond Drain O7/13/24 24hr 143 0 NHTAL Pond Drain O7/13/24 24hr 111 0 PART Leak Detection O7/13/24 24hr 111 0 NHTAL Pond Drain O7/13/24 24hr 150 10 NHTAL Pond Drain O7/13/24 24hr 150 10 NHTAL Pond Drain O8/05/24 24hr 230 0 NHTAL Pond Drain O8/12/24 24hr 230 0 NHTAL Pond Drain O8/12/24 24hr 1144 0 NHTAL Pond Drain O8/12/24 24hr 138 0 NHTAL Pond Drain O8/12/24 </td <td></td> <td>24 HR Leak Detection</td> <td></td> <td>24hr</td> <td>101</td> <td>131</td> <td></td>		24 HR Leak Detection		24hr	101	131	
All High Lond Drain 07/09/24 24hr 228 0 All High Lond Drain 07/32/24 24hr 143 20 All High Lond Drain 07/32/24 24hr 111 0 24 Hig Leak Detection 07/32/24 24hr 150 111 24 Hig Leak Detection 07/32/24 24hr 150 0 24 Hig Leak Detection 07/32/24 24hr 20 0 24 Hig Leak Detection 068/27/24 24hr 20 0 24 Hig Leak Detection 068/27/24 24hr 230 0 24 Hig Leak Detection 068/27/24 24hr 134 144 12 Hig Leak Detection 068/27/24 24hr 138 0 24 Hig Leak Detection 069/27/24 24hr 126 126							
24 HR Leak Detection 07/39/24 24hr 143 0.28 24 HR Leak Detection 07/39/24 24hr 111 0 24 HR Leak Detection 07/39/24 24hr 111 0 24 HR Leak Detection 07/39/24 24hr 160 0 24 HR Leak Detection 07/30/24 24hr 160 0 24 HR Leak Detection 06/32/24 24hr 20 0 24 HR Leak Detection 06/32/24 24hr 30 0 NITIAL Doug Drain 06/32/24 24hr 34 0 A HR Leak Detection 06/32/24 24hr 34 0 A HR Leak Detection 06/32/24 24hr 34 34 A H		INITIAL Pond Drain	07/09/24		228	0	(II- vtame of acr
All High Even Every Characteristics O7/12/24 24hr 143 0 All Mill Level Drain 07/12/24 24hr 111 10 1 24 HR Leak Detection 07/26/24 24hr 150 0 0 A MITAL Fond Drain 08/06/24 24hr 230 0 0 24 HR Leak Detection 08/06/24 24hr 201 0 0 24 HR Leak Detection 08/25/24 24hr 201 0 0 24 HR Leak Detection 08/25/24 24hr 201 0 0 24 HR Leak Detection 08/25/24 24hr 138 0 0 24 HR Leak Detection 08/25/24 24hr 138 0 0 24 HR Leak Detection 08/25/24 24hr 138 0 0 24 HR Leak Detection 08/25/24 24hr 149 144 24 HR Leak Detection 08/25/24 24hr 128 128 24 HR Leak Detection 08/25/24 24hr 149		24 HR Leak Detection		24hr	077	228	ac Admis of the
24 ME Leak Detection 07/19/24 24hr 111 0.43 24 ME Leak Detection 07/26/24 24hr 111 0.4 24 ME Leak Detection 07/26/24 24hr 150 0. 24 ME Leak Detection 07/26/24 24hr 230 0. 1MITAL Pond Drain 08/31/24 24hr 201 0. 1MITAL Pond Drain 08/15/24 24hr 201 0. 1MITAL Pond Drain 08/15/24 24hr 3.44 0. 24 ME Leak Detection 08/15/24 24hr 3.49 3.49 24 ME Leak Detection 08/15/24 24hr 3.49 3.49 24 ME Leak Detection 08/15/24 24hr 3.49 3.49 24 ME Leak Detection 10/15/24 24hr 3.49 3.49		INITIAL Pond Drain	07/13/24		143	0	ran to empty LG
NITIAL Fond Drain	Jul-24	24 HR Leak Detection		24hr		143	
ATH ALE ADD Drain 09/26/24 24nr 160 0.1 ATH Hale Pond Drain 08/05/24 24hr 200 0 24 HR Leak Detection 08/12/24 24hr 201 0 24 HR Leak Detection 08/12/24 24hr 201 0 INITIAL Pond Drain 08/12/24 24hr 0 0 INITIAL Pond Drain 08/15/24 24hr 144 0 INITIAL Pond Drain 08/15/24 24hr 138 0 INITIAL Pond Drain 08/15/24 24hr 138 138 INITIAL Pond Drain 09/10/24 24hr 149 0 24 HR Leak Detection 09/10/24 24hr 149 0 1 MITIAL Pond Drain 09/10/24 24hr 149 10 24 HR Leak Detection 09/10/24 24hr 149 10 24 HR Leak Detection 09/10/24 24hr 149 10 24 HR Leak Detection 10/10/24 24hr 24hr 10 2		INITIAL Pond Drain	07/19/24		111	0 ;	ran to empty -JD
INTIAL Pond Drain		24 HK Leak Detection	10,00,00	24nr		111	
INTIAL Pond Drain C86/06/24 24hr 230 0 24 HR Leab Detection C86/06/24 24hr 201 0 AMTAL Pond Drain C86/12/24 24hr 201 0 AMTAL Pond Drain C86/12/24 24hr 144 0 INTIAL Pond Drain C86/12/24 24hr 138 0 INTIAL Pond Drain C86/12/24 24hr 0 134 INTIAL Pond Drain C86/12/24 24hr 101 0 0 24 HR Leab Detection C86/12/24 24hr 138 138 10 AMTAL Pond Drain C85/12/24 24hr 24hr 149 0 0 AMTAL Pond Drain C95/12/24 24hr 128 138 0 0 AMTAL Pond Drain C95/12/24 24hr 24hr 128 138 128 INITIAL Pond Drain 130/12/24 24hr 24hr 63 63 63 AMTAL Pond Drain 10/25/24 24hr 24hr		24 HP Lock Detection		24hr	160	091	ran to empty LG
INTITAL Pond Drain 08/05/24 24hr 230 0 24 HR Leak Detection 08/12/24 24hr 201 0 124 HR Leak Detection 08/12/24 24hr 144 0 124 HR Leak Detection 08/15/24 24hr 138 0 124 HR Leak Detection 08/15/24 24hr 138 0 124 HR Leak Detection 08/12/24 24hr 101 0 124 HR Leak Detection 08/12/24 24hr 138 138 124 HR Leak Detection 08/12/24 24hr 149 0 124 HR Leak Detection 09/12/24 24hr 149 0 124 HR Leak Detection 09/12/24 24hr 149 0 124 HR Leak Detection 09/12/24 24hr 149 0 124 HR Leak Detection 10/12/24 24hr 104 0 124 HR Leak Detection 10/12/24 24hr 63 63 124 HR Leak Detection 10/12/24 24hr 104 0		24 IIII LEGN DETECTION		11147		000	
24 H Leak Detection 08/12/24 24hr 201 20 24 H R Leak Detection 08/12/24 24hr 201 0 24 H R Leak Detection 08/12/24 24hr 144 0 24 H R Leak Detection 08/12/24 24hr 138 0 12 H R Leak Detection 08/12/24 24hr 138 0 12 H R Leak Detection 08/10/24 24hr 101 0 12 H R Leak Detection 09/10/24 24hr 152 0 12 H R Leak Detection 09/10/24 24hr 149 0 12 H R Leak Detection 09/10/24 24hr 149 149 12 H R Leak Detection 09/10/24 24hr 149 149 12 H R Leak Detection 10/10/24 24hr 149 149 12 H R Leak Detection 10/10/24 24hr 149 149 12 H R Leak Detection 10/10/24 24hr 149 0 12 H R Leak Detection 10/10/24 24hr 149 0		INITIAL Pond Drain	08/06/24		;	0	!
MITIAL Pond Drain 08/12/24 2dhr 0 24 H. Leak Detection 08/15/24 2dhr 144 0 124 H. Leak Detection 08/15/24 2dhr 144 0 124 H. Leak Detection 08/15/24 2dhr 138 144 1 MITIAL Pond Drain 08/10/24 2dhr 101 0 24 H. Leak Detection 08/10/24 2dhr 135 138 I MITIAL Pond Drain 08/10/24 2dhr 136 0 1 MITIAL Pond Drain 09/10/24 2dhr 128 149 1 MITIAL Pond Drain 09/10/24 2dhr 128 149 24 H. Leak Detection 10/07/24 2dhr 128 169 1 MITIAL Pond Drain 10/07/24 2dhr 104 104 24 H. Leak Detection 10/07/24 2dhr 104 104 1 MITIAL Pond Drain 10/07/24 2dhr 2dhr 104 24 H. Leak Detection 10/07/24 2dhr 2dhr 104 2		24 HR Leak Detection		24hr	230	230	ran to empty -JD
ATH Leak Detection 08/15/24 24Hr 201 14H Leak Detection 08/15/24 24hr 144 0 24 HR Leak Detection 08/25/24 24hr 138 0 124 HR Leak Detection 08/10/24 24hr 101 0 124 HR Leak Detection 09/10/24 24hr 149 0 1 MITAL Pond Drain 09/10/24 24hr 149 0 24 HR Leak Detection 09/25/24 24hr 149 0 1 MITAL Pond Drain 09/26/24 24hr 149 0 24 HR Leak Detection 09/26/24 24hr 128 128 1 MITAL Pond Drain 10/07/24 24hr 63 0 24 HR Leak Detection 10/07/24 24hr 63 0 1 MITAL Pond Drain 10/24/24 24hr 63 0 24 HR Leak Detection 10/24/24 24hr 63 0 1 MITAL Pond Drain 10/24/24 24hr 24hr 24hr 24hr		INITIAL Pond Drain	08/12/24		201	0	SI viame of nex
ATHINIAL Pond Drain 08/15/24 24hr 144 0 ALHK Leak Detection 08/25/24 24hr 138 138 INITIAL Pond Drain 08/12/24 24hr 101 0 24 HR Leak Detection 09/12/24 24hr 152 0 24 HR Leak Detection 09/12/24 24hr 149 0 24 HR Leak Detection 09/12/24 24hr 149 0 24 HR Leak Detection 09/12/24 24hr 128 0 1 MITIAL Pond Drain 09/25/24 24hr 128 0 24 HR Leak Detection 10/17/24 24hr 63 63 1 MITIAL Pond Drain 10/17/24 24hr 63 63 24 HR Leak Detection 10/17/24 24hr 63 63 1 MITIAL Pond Drain 10/17/24 24hr 63 63 24 HR Leak Detection 10/30/24 24hr 63 63 1 MITIAL Pond Drain 10/30/24 24hr 63 63 <td< td=""><td>Aug-24</td><td>24 HR Leak Detection</td><td></td><td>24hr</td><td>1</td><td>201</td><td>ST Admin Street</td></td<>	Aug-24	24 HR Leak Detection		24hr	1	201	ST Admin Street
LATH Leak Detection 24hr Leak Detection 24hr Leak Detection 24hr Leak Detection 24hr Leak Detection 144 LINITIAL Pond Drain 09/01/24 24hr 101 0 24 HR Leak Detection 09/10/24 24hr 152 0 1 INITIAL Pond Drain 09/10/24 24hr 149 0 24 HR Leak Detection 09/12/24 24hr 149 0 24 HR Leak Detection 09/12/24 24hr 149 0 24 HR Leak Detection 09/26/24 24hr 128 0 1 INITIAL Pond Drain 10/07/24 24hr 104 0 24 HR Leak Detection 10/07/24 24hr 104 0 24 HR Leak Detection 10/07/24 24hr 104 0 24 HR Leak Detection 10/24/24	0	INITIAL Pond Drain	08/15/24		144	0	ran to empty -JD
MITAL Pond Drain 08/25/24 24hr 101		24 HR Leak Detection		24hr		144	To de la companya de
NITIAL Pond Drain 09/01/24 24hr 101 10		INITIAL Pond Drain	08/25/24	246.5	138	0 07	ran to empty LG
INITIAL Pond Drain 09/10/24 24hr 101 0 24 HR Leak Detection 09/10/24 24hr 152 0 24 HR Leak Detection 09/10/24 24hr 149 0 24 HR Leak Detection 09/26/24 24hr 149 0 1 INITIAL Pond Drain 09/26/24 24hr 128 0 24 HR Leak Detection 09/26/24 24hr 0 0 1 INITIAL Pond Drain 10/07/24 24hr 0 0 24 HR Leak Detection 10/12/24 24hr 0 0 1 INITIAL Pond Drain 10/24/24 24hr 0 0 1 INITIAL Pond Drain 10/30/24 24hr 0 0 24 HR Leak Detection 10/30/24 24hr 24hr 0 0 1 INITIAL Pond Drain 11/07/24 24hr 24hr 24hr 0 0 24 HR Leak Detection 11/07/24 24hr 24hr 0 0 0 24 HR Leak Detection 11/13/24 <td></td> <td>24 FIN LEGN DETECTION</td> <td></td> <td>74111</td> <td></td> <td>001</td> <td></td>		24 FIN LEGN DETECTION		74111		001	
24 HK Leak Detection C4HK Leak Detection 101 102 103		INITIAL Pond Drain	09/01/24			0	
INITIAL Pond Drain 09/10/24 24hr 152 0 24 HR Leak Detection 09/17/24 24hr 149 0 INITIAL Pond Drain 09/26/24 24hr 128 0 INITIAL Pond Drain 10/07/24 24hr 104 0 1MITIAL Pond Drain 10/17/24 24hr 0 0 24 HR Leak Detection 10/17/24 24hr 63 63 1MITIAL Pond Drain 10/24/24 24hr 63 63 1MITIAL Pond Drain 10/30/24 24hr 24hr 104 1MITIAL Pond Drain 10/30/24 24hr 24hr 24hr 24 HR Leak Detection 10/30/24 24hr 24hr 24hr 24 HR Leak Detection 10/30/24 24hr 24hr 24hr 24 HR Leak Detection 11/30/24 24hr 24hr 24hr 24 HR Leak Detection 11/30/24 24hr 24hr 24hr 24 HR Leak Detection 11/33/24 24hr 24hr 24hr		24 HR Leak Detection		24hr	101	101	ran to empty -JD
24 HR Leak Detection 24hr 152 152 INITIAL Pond Drain 09/17/24 24hr 149 0 124 HR Leak Detection 09/26/24 24hr 128 0 124 HR Leak Detection 10/07/24 24hr 104 0 124 HR Leak Detection 10/17/24 24hr 0 0 124 HR Leak Detection 10/17/24 24hr 0 0 124 HR Leak Detection 10/24/24 24hr 0 0 124 HR Leak Detection 10/30/24 24hr 0 0 184 H Leak Detection 10/30/24 24hr 0 0 184 H Leak Detection 10/30/24 24hr 0 0 184 H Leak Detection 11/07/24 24hr 0 0 184 H Leak Detection 11/07/24 24hr 0 0 184 H Leak Detection 11/07/24 24hr 0 0 184 H Leak Detection 11/30/34 24hr 0 0 184 H Leak Detection		INITIAL Pond Drain	09/10/24		, ,	0	
NITIAL Pond Drain 09/17/24 24hr 149 0 24 HR Leak Detection 09/26/24 24hr 128 149 INITIAL Pond Drain 10/07/24 24hr 104 108 INITIAL Pond Drain 10/17/24 24hr 104 104 INITIAL Pond Drain 10/17/24 24hr 63 63 INITIAL Pond Drain 10/24/24 24hr 54hr 63 63 INITIAL Pond Drain 10/30/24 24hr 24hr 54hr 63 63 INITIAL Pond Drain 10/30/24 24hr 24hr 54hr 63 63 INITIAL Pond Drain 11/07/24 24hr 24hr 63 63 63 INITIAL Pond Drain 11/07/24 24hr 24hr 63 63 63 INITIAL Pond Drain 11/32/4 24hr 24hr 63 63 63 INITIAL Pond Drain 11/13/24 24hr 63 63 63	7. ac	24 HR Leak Detection		24hr	152	152	ran to empty Lo
24 HR Leak Detection 24hr Leak Detection 24hr Leak Detection 24hr Leak Detection 149 INITIAL Pond Drain 10/07/24 24hr 104 0 24 HR Leak Detection 10/17/24 24hr 0 0 INITIAL Pond Drain 10/17/24 24hr 63 63 INITIAL Pond Drain 10/34/24 24hr 54hr 63 63 INITIAL Pond Drain 10/30/24 24hr 24hr 54hr 63 63 INITIAL Pond Drain 10/30/24 24hr 24hr 34hr 54hr 63 63 INITIAL Pond Drain 10/30/24 24hr 24hr 54hr 63 63 63 INITIAL Pond Drain 11/07/24 24hr 24hr 24hr 63 63 63 63 A HR Leak Detection 11/32/4 24hr 24hr 63 63 63 63 63 63 63 63 63 63 63 63 63 63 63 63 </td <td>17.000</td> <td>INITIAL Pond Drain</td> <td>09/17/24</td> <td></td> <td>149</td> <td>0</td> <td>BigD patched minor holes around the rim of the ponds</td>	17.000	INITIAL Pond Drain	09/17/24		149	0	BigD patched minor holes around the rim of the ponds
INITIAL Pond Drain 09/26/24 24hr 128 0 LA HR Leak Detection 10/07/24 24hr 0 0 24 HR Leak Detection 10/17/24 24hr 63 63 63 1 NITIAL Pond Drain 10/24/24 24hr 8ump empty 63 63 63 24 HR Leak Detection 10/30/24 24hr 24hr 24hr 8ump empty 63 63 1 NITIAL Pond Drain 10/30/24 24hr 24hr 24hr 24hr 24hr 24hr 24hr 1 NITIAL Pond Drain 11/07/24 24hr 24hr </td <td></td> <td>24 HR Leak Detection</td> <td></td> <td>24hr</td> <td>:</td> <td>149</td> <td>ran to empty -JD</td>		24 HR Leak Detection		24hr	:	149	ran to empty -JD
INITIAL Pond Drain 10/07/24 24hr 104 1		INITIAL Pond Drain	09/26/24	20hr	128	0 178	draining pond. Ran to empty LG
INITIAL Pond Drain 10/07/24 24hr 104 0 24 HR Leak Detection 10/17/24 24hr 63 0 INITIAL Pond Drain 10/24/24 24hr 63 63 24 HR Leak Detection 10/34/24 24hr 63 63 1NITIAL Pond Drain 10/30/24 24hr 24hr 24hr 24 HR Leak Detection 11/07/24 24hr 24hr 1NITIAL Pond Drain 11/07/24 24hr 24hr 24 HR Leak Detection 11/37/24 24hr 24hr		TOTAL PORCEION		111.57		021	
24 HR Leak Detection 1044 104		INITIAL Pond Drain	10/07/24		707	0	GI Company of the state of the
INITIAL Pond Drain 10/17/24 24hr 63 0 24 HR Leak Detection 10/24/24 24hr 63 63 INITIAL Pond Drain 10/30/24 24hr 24hr 24hr INITIAL Pond Drain 11/07/24 24hr 24hr INITIAL Pond Drain 11/13/24 24hr 24hr INITIAL Pond Drain 11/13/24 24hr 24hr		24 HR Leak Detection		24hr	104	104	ran to empty -1D
24 HR Leak Detection 24hr 63 INITIAL Pond Drain 10/24/24 24hr sump empty 63 1A HR Leak Detection 24hr 24hr 24hr 24hr 1 INITIAL Pond Drain 11/07/24 24hr 24hr 24hr 24 HR Leak Detection 24hr 24hr 24hr 24hr 1 INITIAL Pond Drain 11/13/24 24hr 24hr 24hr		INITIAL Pond Drain	10/17/24		89	0	61 ytame of dea
INITIAL Pond Drain 10/24/24 24hr sump empty cather lead brain 24 HR Lead brain 24 HR Lead brain 10/30/24 24hr 24hr 24 HR Lead brain 11/07/24 24hr 24 HR Lead brain 11/37/24 24hr	Oct-24	24 HR Leak Detection		24hr	3	63	fording on the
10/30/24 24hr 11/07/24 24hr 11/13/24 24hr		INITIAL Pond Drain	10/24/24		sump empty		no flow from pump. pond empty D/A
11/07/24 24hr 24hr 11/13/24 24hr		24 HR Leak Detection		24hr			
11/07/24 24hr 11/13/24		INITIAL Pond Drain	10/30/24	34hr			pond empty LG
11/07/24 24hr 11/13/24 24hr		TOTAL CONTRACTOR		11127			
11/13/24 24hr		INITIAL Pond Drain	11/07/24				5 I vtama baca
11/13/24		24 HR Leak Detection		24hr			ליכונס פווואל דס
		INITIAL Pond Drain	11/13/24				A/O what amore

:	24 HR Leak Detection		24hr			איוח בוווחנא חווש
Nov-24	INITIAL Pond Drain	11/17/24				
	24 HR Leak Detection		24hr			pond empty LG
	INITIAL Pond Drain	11/29/24				
	24 HR Leak Detection		24hr			pond empty LG
	INITIAL Pond Drain	12/08/24				Ol-vtama basa
	24 HR Leak Detection		24hr			ar Aiding prod
	INITIAL Pond Drain	12/16/24				bond empty LG
Dec-24	24 HR Leak Detection		24hr			
	INITIAL Pond Drain	12/23/24				pond empty -JD
	24 HR Leak Detection		24hr			
	INITIAL Pond Drain	12/28/24				pond empty LG
	24 HK Leak Detection		24hr			
			SOUTH PIT: Recvo	SOUTH PIT: Recycled Produced Water		
Month	Action	Date	Pump Time	Volume Recovered from Sump (gal)	Meter Start/Stop	NOTES:
	INITIAL Pond Drain 24 HR Leak Detection	01/05/24	24hr	461	0 461	ran to empty D/A
	INITIAL Pond Drain	01/11/24		C i	0	-
12n-7/	24 HR Leak Detection		24hr	540	540	ran to empty -AU
12-126	INITIAL Pond Drain	01/19/24	346.0	385	0	ran to empty -JD
	1 INITIAL Pond Drain	01/30/24	24111		383	
	24 HR Leak Detection	+2/00/to	24hr	377	377	ran to empty -AO
	INITIAL Pond Drain	02/09/24	306.	428	0	ran to empty -JD
	INITIAL Pond Drain	02/15/24		700	0	
Fob. 24	24 HR Leak Detection		24hr	204	204	ran to empty LG
+7-03-	INITIAL Pond Drain	02/19/24		389	0	ran to empty -JD
	24 HR Leak Detection	80700700	24hr		389	
	24 HR Leak Detection	02/20/24	24hr	563	563	ran to empty LG
	INITIAL Pond Drain	03/05/24		0	0	pump not working. Notified electricians -JD
	24 HR Leak Detection		24hr	,	0	0
	INITIAL Pond Drain	03/09/24		4/N	0	waiting on electricians LG
Mar-24	24 HK Leak Detection	NC/ENCO	24hr		N/A	
	24 HR Leak Detection	03/11/24	24hr	A/N	N/A	waiting on electricians -JD
	INITIAL Pond Drain	03/22/24			0	
	24 HR Leak Detection		24 Hr	/65	765	pump fixes. ran to empty LG
	INITIAL Pond Drain	04/01/24	24HR	239	0	ran to empty -JD
	24 HR Leak Detection				239	
	JAIID Led Drain	04/07/24	. 140	180	0 00,	ran to empty LG
Apr-24	24 HK Leak Detection	NC/31/NO	24nr		180	
	24 HR Leak Detection	04/15/24	24hr	398	398	ran to empty -JD
	INITIAL Bond Prain	04/10/24	74111		998	
	INTIAL POLICI DIGILI	04/T9/54		1,70	5	

	24 UB Lost Dataction		24 hr	677'T	1130	ומוו נח בווולמלו דם
	24 IIIN LEGN DETECTION		111+7		6711	
	6	10,00,00			C	
	34 UP Lock Potention	05/03/24	2460	440	0	ran to empty LG
	24 HR Leak Detection		24nr		440	
	INITIAL Pond Drain	05/11/24		643	0	ran to empty -JD
May-24	24 HR Leak Detection		24hr	·	643	
7 2 4	INITIAL Pond Drain	05/18/24		325	0	O Lytomo ot acc
	24 HR Leak Detection		24hr	677	225	all to empty Lo
	INITIAL Pond Drain	05/25/24		373	0	CII- vtame of aer
	24 HR Leak Detection		24hr	550	323	ar Adus or usi
	INITIAL Pond Drain	06/01/24	24hr	655	0	ran to empty LG
	24 HR Leak Detection				655	
	INITIAL Pond Drain	06/09/24		139	0	CI- vtome to
Jun-24	24 HR Leak Detection		24hr		139	
	INITIAL Pond Drain	06/17/24		006	0	ran to empty LG
	24 HR Leak Detection		24hr		006	
	INITIAL Pond Drain	06/29/24		250	0	ran to empty [G
	24 HR Leak Detection		24hr	2007	250	all to enibtly Ed
	INITIAL Pond Drain	07/09/24		flow meter didn't count	0	
	24 HR Leak Detection		24hr	gallon amount	0	ran to empty -JD
	INITIAL Pond Drain	07/13/24		032	0	O Lithurson of social
Lul. 24	24 HR Leak Detection		24hr	667	759	Idil to enipty Ed
+2-inc	INITIAL Pond Drain	07/19/24		123 8	0	Cl. viamo of acc
	24 HR Leak Detection		24hr	100	8671	ar Company
	INITIAL Pond Drain	07/26/24		1 300	0	O Lytama ot acr
	24 HR Leak Detection		24hr	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1300	ST Addus ST ust
	TITE OF THE PARTY	10,000			c	
	34 UP Look Potoction	08/06/24	2465	4,133	0 0	ran to empty -JD
	INITIAL Bond Drain	16/17/80	24111		6514	
	24 LIB Leaf, Potation	08/12/24	. 744	655	0	ran to empty LG
Aug-24	A TIR Leak Detection	100	2411		653	
	34 UP Look Detection	08/15/24	24hr	3,384	0	ran to empty -JD
	INITIAI Pond Drain	08/25/24	1147		torr	
	24 HR Leak Detection		24hr	130	130	ran to empty LG
	INITIAL Pond Drain	09/01/24		903	0	CI stance of part
	24 HR Leak Detection		24hr	enc.	909	طر- hall to empty
	INITIAL Pond Drain	09/10/24		867	0	an to empty G
San24	24 HR Leak Detection		24hr	2001	498	
t7_dac	INITIAL Pond Drain	09/17/24		433	0	BigD patched minor holes around the rim of the ponds
	24 HR Leak Detection		24hr	77.7	422	ran to empty -JD
	INITIAL Pond Drain	09/26/24		459	0	Pl baca painish
	24 HR Leak Detection		24hr	7	459	Da prod Grimps
	INITIAL Pond Drain	10/07/24		351	0	OI - vtame of aga
	24 HR Leak Detection		24hr	1000	351	
	INITIAL Pond Drain	10/17/24		126	0	bond empty. Ban pilmp to empty 16
Oct-24	24 HR Leak Detection		24hr		126	
	INITIAL Pond Drain	10/24/24		sump empty	0	pond empty D/A
	24 HR Leak Detection		24hr	f. d	sump empty	
	INITIAL Pond Drain	10/30/24				nond amnty I G

אחוות בווואנא דים		bond empty LG	V) U record proces	pond empty D/A	C I supramo process	bong empty LG	C The state of the	pond empty co	Cl. vitamo bacca	dr- pond empty	O Listance bases	point empty co	Cl. Separate Property	dr- Volue empty	C Transfer of the Control of the Con	bond empty LG
24hr		24hr		24hr		24hr		24hr		24hr		24hr		24hr		24hr
	11/07/24		11/13/24		11/17/24		11/29/24		12/08/24		12/16/24		12/23/24		12/28/24	
24 HR Leak Detection	INITIAL Pond Drain	24 HR Leak Detection	INITIAL Pond Drain	24 HR Leak Detection	INITIAL Pond Drain	24 HR Leak Detection	INITIAL Pond Drain	24 HR Leak Detection	INITIAL Pond Drain	24 HR Leak Detection	INITIAL Pond Drain	24 HR Leak Detection	INITIAL Pond Drain	24 HR Leak Detection	INITIAL Pond Drain	24 HR Leak Detection
				200	NOV-24							2000	15-79 <i>D</i>			

Venegas, Victoria, EMNRD

From: Venegas, Victoria, EMNRD

Sent: Wednesday, October 8, 2025 9:27 AM **To:** kristen.houston@exxonmobil.com

Subject: 2RF-123 - PLU Central 1 Recycling FACILITY ID [fAB1805932167]

Attachments: C-147 2RF-123 - PLU Central 1 Recycling FACILITY ID [fAB1805932167] 10.08.2025.pdf

2RF-123 - PLU Central 1 Recycling FACILITY ID [fAB1805932167]

Good morning Ms. Houston,

NMOCD has reviewed the annual registration /permit extension request for 2RF-123 - PLU Central 1 Recycling FACILITY ID [fAB1805932167] received from [373075] XTO PERMIAN OPERATING LLC on 09/09/2025, Action ID **504582**. The registration/permit extension request is approved with the following conditions of approval:

- 2RF-123 PLU Central 1 Recycling FACILITY ID [fAB1805932167] is approved for one (1) year of operation from the date of the previous registration/permit expiration date of February 27, 2025. The new registration/permit expiration date is February 27, 2026.
- [373075] XTO PERMIAN OPERATING LLC will continue to operate, maintain, and close the for 2RF-123 PLU Central 1 Recycling FACILITY ID [fAB1805932167] in compliance with 19.15.34 NMAC, to include but not limited to the performance of weekly inspections regardless of fluid levels in the containment; recording of detailed inspection reports; removal of debris, foreign objects and oil from the containment; and monthly reporting of recycling and reuse of produced water, drilling fluids, and liquid oil field waste via form C-148.
- [373075] XTO PERMIAN OPERATING LLC will maintain a liquid level in the containment that is at least equal to the weight of the liner plus 20%. [373075] XTO PERMIAN OPERATING LLC may maintain a higher liquid level if they choose.
- If less than 20% of the total fluid capacity is utilized every consecutive six months, operation of the facility is considered ceased and a notification of cessation of operations should be sent electronically to OCD Permitting. An extension to extend the cessation of operations, not to exceed six months, may be submitted using a C-147 form to OCD Permitting.
- If after that 6-month extension period, the containment is not utilized at a minimum of 20% fluid capacity, no additional extensions would be granted, and the operator would be directed to remove all fluids and proceed with the closure requirements.
- The recycling containment is bonded pursuant to 19.15.8 NMAC per 19.15.34.15(A)(2) NMAC. Water reuse and recycling from for 2RF-123 PLU Central 1 Recycling FACILITY ID [fAB1805932167] is limited to wells owned or operated by [373075] XTO PERMIAN OPERATING LLC.
- A minimum of 3-feet freeboard must be maintained in the recycling containment at all times.
- [373075] XTO PERMIAN OPERATING LLC will comply with 19.15.29 NMAC Releases in the event of any
 release of produced water or produced water or other oil field wastes at 2RF-123 PLU Central 1 Recycling
 FACILITY ID [fAB1805932167]. [373075] XTO PERMIAN OPERATING LLC will comply with all other OCD
 rules.
- [373075] XTO PERMIAN OPERATING LLC must perform weekly inspections of the containment and leak detection system.
- If [373075] XTO PERMIAN OPERATING LLC wishes to extend the registration/permit past February 27, 2026, a registration/permit extension request must be submitted to OCD. Extension requests are reviewed on a case-by-case basis and evaluated on their merit. Extensions are considered for a maximum length of one year. Additional requests must be submitted to OCD through OCD Online on a Form C-147 as an extension request and should include a formal extension request letter, a summary of the prior registration/permit

period inspection reports, and the copies of the detailed inspection records for the prior permit period. <u>The extension request should be submitted no later than January 27, 2026.</u>

Please let me know if you have any additional questions. Regards,

Victoria Venegas • Senior Environmental Scientist EMNRD - Oil Conservation Division 506 W. Texas Ave. Artesia, NM 88210 575.909.0269 | Victoria.Venegas@emnrd.nm.gov Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 504582

CONDITIONS

Operator:	OGRID:
XTO PERMIAN OPERATING LLC.	373075
6401 HOLIDAY HILL ROAD	Action Number:
MIDLAND, TX 79707	504582
	Action Type:
	[C-147] Water Recycle Long (C-147L)

CONDITIONS

Created By		Condition Date
vvenegas	• 2RF-123 - PLU Central 1 Recycling FACILITY ID [fAB1805932167] is approved for one (1) year of operation from the date of the previous registration/permit expiration date of February 27, 2025. The new registration/permit expiration date is February 27, 2026. • If [373075] XTO PERMIAN OPERATING LLC wishes to extend the registration/permit past February 27, 2026, a registration/permit extension request must be submitted to OCD no later than January 27, 2026.	10/8/2025