





October 28, 2020

Mike Bratcher  
 New Mexico Energy, Minerals and Natural Resources Department  
 Oil Conservation Division, District 2  
 811 S. First Street  
 Artesia, NM 88210

**Re: Closure Report  
 N-Line Leak 3  
 GPS: Latitude 32.734912 Longitude -103.772112  
 UL "F", Sec. 21, T18S, R32E  
 Lea County, NM  
 NMOCD Ref. No.**

Tasman Geosciences (Tasman), on behalf of DCP Midstream (DCP), has prepared this Closure Report for the historical Release Site known as the N-Line Leak 3. Details of the release are summarized below:

RELEASE DETAILS			
<b>Type of Release:</b>	Natural Gas, Condensate	<b>Volume of Release:</b>	Unknown
		<b>Volume Recovered:</b>	Unknown
<b>Source of Release:</b>	Historical	<b>Date of Discovery:</b>	Not Applicable
<b>Was Immediate Notice Given?</b>	Not Required	<b>If, YES, to Whom?</b>	Not Applicable
<b>Was a Watercourse Reached?</b>	No	<b>If YES, Volume Impacting the Watercourse:</b>	N/A
<b>Surface Owner:</b>	BLM	<b>Mineral Owner:</b>	BLM

**Describe Cause of Problem and Remedial Action Taken:**

A leak was discovered due to internal corrosion causing a hole in the pipe. Operators were dispatched to shut in line. The line is isolated and has been shut down.

Site Characteristics Map is provided as Attachment #1. General Site Photographs are provided as Attachment #4. A Copy of the Initial Release Notification and Corrective Action (NMOCD Form C-141) is provided as Attachment #6

### REGULATORY FRAMEWORK

Surface impacts from unauthorized releases of crude oil, gases, produced water, condensate or other oil field waste which occur during normal oilfield operations are generally regulated by the New Mexico Oil Conservation Division (NMOCD) in accordance with 19.15.29 of the New Mexico Administrative Code (NMAC). 19.15.29 NMAC establishes reporting, site assessment/characterization, remediation, closure, variance and enforcement procedures. Table I of 19.15.29.12 NMAC determines the closure criteria for soils impacted by a release based on the depth to groundwater and the following site characteristics:

Site Characteristics	
Approximate Depth to Groundwater	<b>~275 Ft.</b>
Within 300 ft. of any continuously flowing or significant watercourse?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 200 ft. of any lakebed, sinkhole, or playa lake?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 300 ft. of an occupied permanent residence, school, hospital, or institution?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 500 ft. of a spring or private, domestic fresh water well?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 1,000 ft. of any fresh water well?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within the incorporated municipal boundaries or within a municipal well field?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within 300 ft. of a wetland?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within the area overlying a subsurface mine?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within an unstable area?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Within a 100-year floodplain?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

A search of a groundwater database maintained by The New Mexico Office of the State Engineer (NMOSE) was conducted to determine the average depth to groundwater within a 1 Mile radius of the release site and identify any registered water wells within a 1/2 Mile of the release site. If none were identified, the approximate depth to groundwater was extrapolated from a Depth to Groundwater Map utilized by the NMOCD. Depth to groundwater information is provided as Attachment #3.

Based on the approximate depth to groundwater and site characteristics, the NMOCD Closure Criteria are as follows:

Minimum depth below any point within the horizontal boundary of the release to ground water less than 10,000 mg/l TDS	Constituent	Method*	Limit**
> 100 feet	Chloride***	EPA 300.0 or SM4500 Cl B	20,000 mg/kg
	TPH (GRO+DRO+MRO)	EPA SW-846 Method 8015M	2,500 mg/kg
	BTEX	EPA SW-846 Method 8021B or 8260B	50 mg/kg
	Benzene	EPA SW-846 Method 8021B or 8260B	10 mg/kg

### SUMMARY OF FIELD ACTIVITIES

Impacted soil within the release margins was excavated and temporarily stockpiled on-site, atop an impermeable liner, pending final disposition. The floor and sidewalls of the excavated area were advanced until laboratory analytical results from confirmation soil samples indicated TPH concentrations were below the NMOCD Closure Criteria. Upon excavating impacted soil from within the release margins, six (6) confirmation soil samples were collected from the floor and sidewalls of the excavated area representing no more than 200 Sq. Ft. The collected soil samples were submitted to an NMOCD-approved laboratory for analysis of TPH, BTEX, and chloride concentrations. Upon receiving laboratory analytical data showing samples were below NMOCD Closure Criteria, impacted soil was transported under manifest to a NMOCD-approved disposal facility and the excavated area was backfilled with locally sourced, non-impacted "like" material. A table summarizing laboratory analytical results from confirmation soil samples is provided below:

Concentrations of Benzene, BTEX, TPH, and/or Chloride in Soil											
Sample ID	Date	Depth	Soil Status	SW 846 8021B		SW 846 8015M Ext.					EPA 300
				Benzene (mg/kg)	BTEX (mg/kg)	GRO C <sub>6</sub> -C <sub>10</sub> (mg/kg)	DRO C <sub>10</sub> -C <sub>28</sub> (mg/kg)	GRO + DRO C <sub>6</sub> -C <sub>28</sub> (mg/kg)	MRO C <sub>28</sub> -C <sub>35</sub> (mg/kg)	TPH C <sub>6</sub> -C <sub>35</sub> (mg/kg)	Chloride (mg/kg)
Bottom Comp 1 @ 5'	5/13/2020	5'	In-Situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<16.0
Bottom Comp 2 @ 5'	5/13/2020	5'	In-Situ	<0.050	<0.300	<10.0	320	320	36.8	356.8	16.0
5pt. Wall Comp 1	5/13/2020	2.5'	In-Situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	32.0
5pt. Wall Comp 2	5/13/2020	2.5'	In-Situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<16.0
5pt. Wall Comp 3	10/1/2020	2.5'	In-Situ	<0.050	<0.300	<10.0	28.6	<10.0	<10.0	28.6	<16.0
5pt. Wall Comp 4	10/1/2020	2.5'	In-Situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<16.0
<b>Closure Criteria</b>				<b>10</b>	<b>50</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>2,500</b>	<b>20,000</b>

### SITE CLOSURE REQUEST

Based on laboratory analytical results from soil samples collected during the final site assessment, impacted soil within the release margins has been determined to be remediated below the Table I of 19.15.29.12 NMAC Closure Criteria for Soils Impacted by a Release. Tasman on behalf of DCP Midstream, respectfully requests the NMOCD grant closure approval for the historical release site known as N-Line Leak 3.

### RESTORATION, RECLAMATION AND RE-VEGETATION

Areas affected by the Release and associated remediation activities will be substantially restored to the condition which existed prior to the Release to the maximum extent practicable. Excavated areas will be backfilled with locally sourced, non-impacted "like" material. The affected area will be contoured and/or compacted to achieve erosion control, stability and preservation of surface water flow to the extent practicable. Affected areas not on production pads and/or lease roads will be reseeded with the applicable areal mixture during the first favorable growing season following closure of the site in accordance with the applicable regulatory agency.

If you have any questions, or if additional information is required, please feel free to contact Stephen Weathers or the undersigned by phone or email.


Respectfully,

Kyle Norman  
Regional Project Manager  
Tasman Geosciences, Inc.  
Phone: 575-318-5017

Email: knorman@tasman-geo.com

<b>Attachments:</b>	Attachment #1-	Figure 1 - Site Characteristics Map
	Attachment #2-	Figure 2 - Site Sample Location Map
	Attachment #3-	Depth to Groundwater Information
	Attachment #4-	General Site Photographs
	Attachment #5-	Laboratory Analytical Reports
	Attachment #6-	Release Notification and Corrective Action (FORM C-141)

**Attachment #1- Figure 1 – Site Characteristics Map**



**LEGEND:**

- Site Location
- Fresh Water Well
- ~ 100-Year Floodplain
- L High/Critical Karst
- 🏠 Non-Industrial Building
- Municipal Well Field
- Subsurface Mine
- 1/2 Mile Radius

**DGW Approximately: 275'-300'**

Google Earth

©20 Google

DATE: June 2020
DESIGNED BY : BC
DRAWN BY: BC <small>Released to Imaging: 3/30/2021 8:47:08 AM</small>



*Tasman Geosciences, Inc.*  
2620 W. Marland Blvd.  
Hobbs, NM 88240

**DCP Midstream**  
**N Line Leak #3 (3.3.2020)**  
 GPS: 32.734912, -103.772112  
 UL "F", Section 21, Township 18 South, Range 32 East  
 Lea County, New Mexico

Site Characteristics  
Map

**Figure**  
**1**


**Attachment #2- Figure 2 - Site Sample Location Map**

Concentrations of Benzene, BTEX, TPH, and/or Chloride in Soil

Sample ID	Date	Depth	Soil Status	SW 846 8021B		SW 846 8015M Ext.					EPA 300
				Benzene (mg/kg)	BTEX (mg/kg)	GRO C <sub>6</sub> -C <sub>10</sub> (mg/kg)	DRO C <sub>10</sub> -C <sub>28</sub> (mg/kg)	GRO + DRO C <sub>6</sub> -C <sub>28</sub> (mg/kg)	MRO C <sub>28</sub> -C <sub>35</sub> (mg/kg)	TPH C <sub>6</sub> -C <sub>35</sub> (mg/kg)	Chloride (mg/kg)
Bottom Comp 1 @ 5'	5/13/2020	5'	In-Situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<16.0
Bottom Comp 2 @ 5'	5/13/2020	5'	In-Situ	<0.050	<0.300	<10.0	320	320	36.8	356.8	16.0
5pt. Wall Comp 1	5/13/2020	2.5'	In-Situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	32.0
5pt. Wall Comp 2	5/13/2020	2.5'	In-Situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<16.0
5pt. Wall Comp 3	10/1/2020	2.5'	In-Situ	<0.050	<0.300	<10.0	28.6	<10.0	<10.0	28.6	<16.0
5pt. Wall Comp 4	10/1/2020	2.5'	In-Situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<16.0
Closure Criteria				10	50	-	-	-	-	2,500	20,000

**LEGEND:**

- 5' Excavated Area (640 sq.ft.)
- ⊗ 5 Point Comp. Sample Area
- Approximate N-Line Pipeline Location



Google Earth

DATE: October 2020  
 DESIGNED BY : KN  
 DRAWN BY: KN  
Released to Imaging: 3/30/2021 8:47:08 AM



**TASMAN  
GEOSCIENCES**  
*Tasman Geosciences, Inc.*  
 2620 W. Marland Blvd.  
 Hobbs, NM 88240

**DCP Midstream**  
**N Line Leak #3 (3.3.2020)**  
 GPS: 32.734912, -103.772112  
 Lea County, New Mexico

Sample Location  
 Overview Map - Confirmation

**Figure  
2**

## **Attachment #3- Depth to Groundwater Information**



# New Mexico Office of the State Engineer Water Column/Average Depth to Water

---

No records found.

**UTMNAD83 Radius Search (in meters):**

**Easting (X):** 614908


**Northing (Y):** 3622605

**Radius:** 1610

---

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

---



17S32E

17S33E

18S32E

18S33E

19S32E

19S33E

SPRINGS BED 2

WELL # 2

SPRINGS BED 1

WELL # 1

WELL # 2

WELL # 3

WELL # 4

WELL # 5

WELL # 6

WELL # 7

WELL # 8

WELL # 9

WELL # 10

WELL # 11

WELL # 12

WELL # 13

WELL # 14

WELL # 15

WELL # 16

WELL # 17

WELL # 18

WELL # 19

## **Attachment #4- General Site Photographs**

SW

W

NW

N

210

240

270

300

330

0

◎ 32.734882°, -103.772127° ±22ft





● 32.734921°, -103.772298° ±36ft



## **Attachment #5- Laboratory Analytical Reports**



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

---

May 14, 2020

KYLE NORMAN  
TASMAN GEOSCIENCES  
6899 PECOS ST. UNIT C  
DENVER, CO 80221

RE: DCP

Enclosed are the results of analyses for samples received by the laboratory on 05/13/20 13:40.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-19-12. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at [www.tceq.texas.gov/field/qa/lab\\_accred\\_certif.html](http://www.tceq.texas.gov/field/qa/lab_accred_certif.html).

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, flowing "C" at the beginning.

Celey D. Keene  
Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

TASMAN GEOSCIENCES  
 KYLE NORMAN  
 6899 PECOS ST. UNIT C  
 DENVER CO, 80221  
 Fax To:

Received:	05/13/2020	Sampling Date:	05/13/2020
Reported:	05/14/2020	Sampling Type:	Soil
Project Name:	DCP	Sampling Condition:	Cool & Intact
Project Number:	N LINE LEAK 3	Sample Received By:	Tamara Oldaker
Project Location:	NONE GIVEN		

**Sample ID: BOTTOM COMP 1 @ 5' (H001321-01)**

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2020	ND	1.99	99.7	2.00	2.11	
Toluene*	<0.050	0.050	05/13/2020	ND	2.03	102	2.00	2.14	
Ethylbenzene*	<0.050	0.050	05/13/2020	ND	2.09	104	2.00	2.24	
Total Xylenes*	<0.150	0.150	05/13/2020	ND	6.10	102	6.00	1.97	
Total BTEX	<0.300	0.300	05/13/2020	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/14/2020	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2020	ND	209	105	200	1.29	
DRO >C10-C28*	<10.0	10.0	05/13/2020	ND	214	107	200	3.94	
EXT DRO >C28-C36	<10.0	10.0	05/13/2020	ND					

Surrogate: 1-Chlorooctane 84.7 % 44.3-144

Surrogate: 1-Chlorooctadecane 75.2 % 42.2-156

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

TASMAN GEOSCIENCES  
 KYLE NORMAN  
 6899 PECOS ST. UNIT C  
 DENVER CO, 80221  
 Fax To:

Received: 05/13/2020  
 Reported: 05/14/2020  
 Project Name: DCP  
 Project Number: N LINE LEAK 3  
 Project Location: NONE GIVEN

Sampling Date: 05/13/2020  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: BOTTOM COMP 2 @ 5' (H001321-02)**

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2020	ND	1.99	99.7	2.00	2.11	
Toluene*	<0.050	0.050	05/13/2020	ND	2.03	102	2.00	2.14	
Ethylbenzene*	<0.050	0.050	05/13/2020	ND	2.09	104	2.00	2.24	
Total Xylenes*	<0.150	0.150	05/13/2020	ND	6.10	102	6.00	1.97	
Total BTEX	<0.300	0.300	05/13/2020	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 73.3-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>16.0</b>	16.0	05/14/2020	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2020	ND	209	105	200	1.29	
<b>DRO &gt;C10-C28*</b>	<b>320</b>	10.0	05/13/2020	ND	214	107	200	3.94	
<b>EXT DRO &gt;C28-C36</b>	<b>36.8</b>	10.0	05/13/2020	ND					

Surrogate: 1-Chlorooctane 91.7 % 44.3-144

Surrogate: 1-Chlorooctadecane 90.6 % 42.2-156

Cardinal Laboratories

\* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

TASMAN GEOSCIENCES  
 KYLE NORMAN  
 6899 PECOS ST. UNIT C  
 DENVER CO, 80221  
 Fax To:

Received: 05/13/2020  
 Reported: 05/14/2020  
 Project Name: DCP  
 Project Number: N LINE LEAK 3  
 Project Location: NONE GIVEN

Sampling Date: 05/13/2020  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: WALL COMP 1 (H001321-03)**

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2020	ND	1.99	99.7	2.00	2.11	
Toluene*	<0.050	0.050	05/13/2020	ND	2.03	102	2.00	2.14	
Ethylbenzene*	<0.050	0.050	05/13/2020	ND	2.09	104	2.00	2.24	
Total Xylenes*	<0.150	0.150	05/13/2020	ND	6.10	102	6.00	1.97	
Total BTEX	<0.300	0.300	05/13/2020	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 73.3-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	05/14/2020	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2020	ND	209	105	200	1.29	
DRO >C10-C28*	<10.0	10.0	05/13/2020	ND	214	107	200	3.94	
EXT DRO >C28-C36	<10.0	10.0	05/13/2020	ND					

Surrogate: 1-Chlorooctane 90.0 % 44.3-144

Surrogate: 1-Chlorooctadecane 84.9 % 42.2-156

Cardinal Laboratories

\* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

TASMAN GEOSCIENCES  
 KYLE NORMAN  
 6899 PECOS ST. UNIT C  
 DENVER CO, 80221  
 Fax To:

Received:	05/13/2020	Sampling Date:	05/13/2020
Reported:	05/14/2020	Sampling Type:	Soil
Project Name:	DCP	Sampling Condition:	Cool & Intact
Project Number:	N LINE LEAK 3	Sample Received By:	Tamara Oldaker
Project Location:	NONE GIVEN		

**Sample ID: WALL COMP 2 (H001321-04)**

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/13/2020	ND	1.99	99.7	2.00	2.11	
Toluene*	<0.050	0.050	05/13/2020	ND	2.03	102	2.00	2.14	
Ethylbenzene*	<0.050	0.050	05/13/2020	ND	2.09	104	2.00	2.24	
Total Xylenes*	<0.150	0.150	05/13/2020	ND	6.10	102	6.00	1.97	
Total BTEX	<0.300	0.300	05/13/2020	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 73.3-129

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	05/14/2020	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/13/2020	ND	209	105	200	1.29	
DRO >C10-C28*	<10.0	10.0	05/13/2020	ND	214	107	200	3.94	
EXT DRO >C28-C36	<10.0	10.0	05/13/2020	ND					

Surrogate: 1-Chlorooctane 83.2 % 44.3-144

Surrogate: 1-Chlorooctadecane 79.7 % 42.2-156

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- \*\* Samples not received at proper temperature of 6°C or below.
- \*\*\* Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C  
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

*Celey D. Keene*

Celey D. Keene, Lab Director/Quality Manager





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

---

October 07, 2020

KYLE NORMAN  
TASMAN GEOSCIENCES  
6899 PECOS ST. UNIT C  
DENVER, CO 80221

RE: DCP

Enclosed are the results of analyses for samples received by the laboratory on 10/02/20 8:05.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-20-13. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at [www.tceq.texas.gov/field/qa/lab\\_accred\\_certif.html](http://www.tceq.texas.gov/field/qa/lab_accred_certif.html).

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, flowing "C" at the beginning.

Celey D. Keene  
Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

TASMAN GEOSCIENCES  
 KYLE NORMAN  
 6899 PECOS ST. UNIT C  
 DENVER CO, 80221  
 Fax To:

Received: 10/02/2020  
 Reported: 10/07/2020  
 Project Name: DCP  
 Project Number: N- LINE LEAK 3  
 Project Location: NONE GIVEN

Sampling Date: 10/01/2020  
 Sampling Type: Soil  
 Sampling Condition: Cool & Intact  
 Sample Received By: Tamara Oldaker

**Sample ID: 5 PT WALL COMP 3 (H002617-01)**

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/03/2020	ND	2.28	114	2.00	3.79	
Toluene*	<0.050	0.050	10/03/2020	ND	2.21	111	2.00	3.24	
Ethylbenzene*	<0.050	0.050	10/03/2020	ND	2.27	114	2.00	4.04	
Total Xylenes*	<0.150	0.150	10/03/2020	ND	6.64	111	6.00	4.26	
Total BTEX	<0.300	0.300	10/03/2020	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	10/06/2020	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/02/2020	ND	218	109	200	5.87	
<b>DRO &gt;C10-C28*</b>	<b>28.6</b>	10.0	10/02/2020	ND	223	112	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	10/02/2020	ND					

Surrogate: 1-Chlorooctane 107 % 44.3-144

Surrogate: 1-Chlorooctadecane 117 % 42.2-156

Cardinal Laboratories

\* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

TASMAN GEOSCIENCES  
 KYLE NORMAN  
 6899 PECOS ST. UNIT C  
 DENVER CO, 80221  
 Fax To:

Received:	10/02/2020	Sampling Date:	10/01/2020
Reported:	10/07/2020	Sampling Type:	Soil
Project Name:	DCP	Sampling Condition:	Cool & Intact
Project Number:	N- LINE LEAK 3	Sample Received By:	Tamara Oldaker
Project Location:	NONE GIVEN		

**Sample ID: 5 PT WALL COMP 4 (H002617-02)**

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/03/2020	ND	2.28	114	2.00	3.79	
Toluene*	<0.050	0.050	10/03/2020	ND	2.21	111	2.00	3.24	
Ethylbenzene*	<0.050	0.050	10/03/2020	ND	2.27	114	2.00	4.04	
Total Xylenes*	<0.150	0.150	10/03/2020	ND	6.64	111	6.00	4.26	
Total BTEX	<0.300	0.300	10/03/2020	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 73.3-129

Chloride, SM4500Cl-B		mg/kg		Analyzed By: GM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	10/06/2020	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/02/2020	ND	218	109	200	5.87	
DRO >C10-C28*	<10.0	10.0	10/02/2020	ND	223	112	200	10.1	
EXT DRO >C28-C36	<10.0	10.0	10/02/2020	ND					

Surrogate: 1-Chlorooctane 112 % 44.3-144

Surrogate: 1-Chlorooctadecane 121 % 42.2-156

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- \*\* Samples not received at proper temperature of 6°C or below.
- \*\*\* Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C  
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

*Celey D. Keene*

Celey D. Keene, Lab Director/Quality Manager



**CARDINAL LABORATORIES**

101 East Marland, Hobbs, NM 88240 2111 Beechwood, Abilene, TX 79603  
 (505) 393-2326 FAX (505) 393-2476 (325) 673-7001 FAX (325)673-7020

**CHAIN-OF-CUSTODY AND ANALYSIS REQUEST**

Company Name: Tasman Geosciences  
 Project Manager: Kyle Norman  
 Address: 2620 W. Marland Blvd.  
 City: Hobbs State: NM Zip: 88240  
 Phone #: 575-318-5017 Fax #:  
 Project #: Project Owner: DCP Midstream  
 Project Name: N-Line Leak 3  
 Project Location:  
 Sampler Name: Becky Griffin  
 FOR LAB USE ONLY

**BILL TO**  
 P.O. #:  
 Company: Tasman Geo  
 Attn: Kyle Norman  
 Address: 2620 W. Marland  
 City: Hobbs  
 State: NM Zip: 88240  
 Phone #: 575-318-5017  
 Fax #:

**ANALYSIS REQUEST**

Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX						DATE	TIME	Chlorides	TPH 8015 M	BTEX	Texas TPH	Complete Cations/Anions	TDS	HOLD
				GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :									
H00417	1		1			<input checked="" type="checkbox"/>				10-1-20		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				
	2	Spt. Wall Comp. 4	1			<input checked="" type="checkbox"/>				10-1-20		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>				

**PLEASE NOTE:** Liability and Damages: Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal. Cardinal's liability shall be limited to the amount paid by the client for the analysis.

Relinquished By: *[Signature]* Date: 10-1-20 Received By: *[Signature]* Date: 10-1-20  
 Relinquished By: *[Signature]* Date: 08-05 Received By: *[Signature]* Date: 10-1-20

Delivered By: (Circle One)  
 Sampler - UPS - Bus - Other: *2.1e #113*  
 Sample Condition: Cool  Intact   
 Checked By: *[Signature]*  
 Phone Result:  Yes  No Add'l Phone #:  
 Fax Result:  Yes  No Add'l Fax #:  
 REMARKS:  
 email results: knorman@tasman-geo.com;  
 bgriffin@tasman-geo.com  
 Cook, John W <JWCook@dcpmidstream.com>  
 Hyman, Albert L <ALHyman@dcpmidstream.com>  
 Hyman, Janice L <JHyman@dcpmidstream.com>

**Attachment #6- Release Notification and Corrective Action  
(FORM C-141)**

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural  
Resources Department  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-141  
Revised August 24, 2018  
Submit to appropriate OCD District Office

Incident ID	
District RP	
Facility ID	
Application ID	

## Release Notification

### Responsible Party

Responsible Party	DCP Midstream, LP	OGRID	36785
Contact Name	Stephen W. Weathers	Contact Telephone	(303) 605-1718
Contact Email	SWWeathers@dcpmidstream.com	Incident # (assigned by OCD)	
Contact Mailing Address	370 17th Street, Suite 2500, Denver, CO 80202		

### Location of Release Source

Latitude 32.734912 Longitude -103.772112  
(Nad 83 in decimal degrees to 5 decimal places)

Site Name	N-Line Leak 3	Site Type	Historical
Date Release Discovered	Not Applicable	API # (if applicable)	

Unit Letter	Section	Township	Range	County
F	21	18S	32E	Lea County, NM

Surface Owner:  State  Federal  Tribal  Private (Name: \_\_\_\_\_)

### Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input type="checkbox"/> Crude Oil	Volume Released (bbls)	0	Volume Recovered (bbls)	0
<input type="checkbox"/> Produced Water	Volume Released (bbls)	0	Volume Recovered (bbls)	0
	Is the concentration of total dissolved solids (TDS) in the produced water >10,000 mg/l?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA		
<input checked="" type="checkbox"/> Condensate	Volume Released (bbls)	Unknown	Volume Recovered (bbls)	Unknown
<input checked="" type="checkbox"/> Natural Gas	Volume Released (Mcf)	Unknown	Volume Recovered (Mcf)	Unknown
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Released (provide units)		

Cause of Release:

A leak was discovered due to internal corrosion causing a hole in the pipe. Operators were dispatched to shut in line. The line is isolated and has been shut down.

Form C-141

State of New Mexico  
Oil Conservation Division


Page 2

Incident ID	
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, for what reason(s) does the responsible party consider this a major release?
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means? (phone, email, etc)?	

### Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

<input checked="" type="checkbox"/> The source of the release has been stopped. <input checked="" type="checkbox"/> The impacted area has been secured to protect human health and the environment. <input checked="" type="checkbox"/> Release materials have been contained via the use of berms or dikes, absorbent pads, or other containment. <input checked="" type="checkbox"/> All free liquids and recoverable materials have been removed and managed appropriately.
If all the actions described above have <u>not</u> been undertaken, explain why:
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11 (A)(5)(a) NMAC), please attach all information needed for closure evaluation.
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.
Printed Name: <u>          Kyle Norman          </u> Title: <u>          Regional Project Manager          </u> Signature: <u>                    </u> Date: <u>          10/28/2020          </u> email: <u>          knorman@tasman-geo.com          </u> Telephone: <u>          575-318-5017          </u>
<b><u>OCD Only</u></b> Received by: _____ Date: _____



**District I**  
 1625 N. French Dr., Hobbs, NM 88240  
 Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**  
 811 S. First St., Artesia, NM 88210  
 Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
 1220 S. St Francis Dr., Santa Fe, NM 87505  
 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 10884

**CONDITIONS OF APPROVAL**

Operator:	DCP OPERATING COMPANY, LP	370 17th Street, Suite 2500	Denver, CO80202	OGRID:	36785	Action Number:	10884	Action Type:	C-141
-----------	---------------------------	-----------------------------	-----------------	--------	-------	----------------	-------	--------------	-------

OCD Reviewer	Condition
rhamlet	We have received your closure report and final C-141 for Incident #NRM2030857815 N-LINE LEAK 3, thank you. This closure is approved.