EOG Resources, Inc.

Monthly Meter Analysis

June, 2021

Meter #: 90187057

Name: PERDOMO BATTERY FLARE

Sample

Date: 12/16/2020

Type: Spot

Pressure:

H2O:

lbs/mm

Temperature:

74.0 74.0

H2S:

0 ppm

| Component | Mole % | Ideal Liq. Content @ 14.696 | Mass % |
|-----------------------|---------|-----------------------------------|---------|
| Carbon Dioxide, CO2 | 0.2012 | | 0.4009 |
| Nitrogen, N2 | 2.0556 | | 2.6068 |
| Methane, C1 | 73.8472 | | 53.6311 |
| Ethane, C2 | 12.4232 | 3.3139 | 16.9108 |
| Propane, C3 | 6.2654 | 1.7217 | 12.5070 |
| Isobutane, iC4 | 0.9352 | 0.3053 | 2.4607 |
| n-Butane, nC4 | 2.2129 | 0.6959 | 5.8226 |
| Isopentane, iC5 | 0.4581 | 0.1671 | 1.4962 |
| n-Pentane, nC5 | 0.4502 | 0.1628 | 1.4704 |
| Hexanes Plus, C6+ | 0.5687 | 0.2333 | 2.2186 |
| Water, H2O | 0.5823 | | 0.4749 |
| Hydrogen Sulfide, H2S | 0.0000 | | 0.0000 |
| Oxygen, O2 | 0.0000 | | 0.0000 |
| Carbon Monoxide, CO | | | |
| Hydrogen, H2 | 0.0000 | | 0.0000 |
| Helium, He | 0.0000 | | 0.0000 |
| Argon, Ar | | | |
| | | | |

| Property | Total Sample |
|-------------------------------|-----------------|
| Pressure Base | 14.730 |
| Temperature Base | 0.00 |
| Relative Density | 0.7669 |
| HV, Dry @ Base P,T | 1307.25 |
| HV, Sat @ Base P, T | 1285.04 |
| HV, Sat @ Sample P, T | |
| Fws Factor | |
| Cricondentherm | |
| HCDP @ Sample Pressure | |
| Free Water GPM | |
| Stock Tank Condensate Brls/mm | |
| 26 # RVP Gasoline | 0.843 |
| Testcar Permian | 0.775 |
| Testcar Panhandle | 0.767 |
| Testcar Midcon | 0.668 |
| | |

100.0000 100.0000 6.6000 Totals

*** End of Report ***

HOURLY GAS VOLUME STATEMENT

June 2, 2021

Meter #: 90187057

Name: PERDOMO BATTERY FLARE

EOG Resources, Inc.

| | | | | | | | | | WILLIAM STREET, | |
|---------------------------------|-----------------------------------|--|-------|-------|--------|--------|-------|--------|---|-------|
| Pressure Base: | Meter Status: | annia patia il tara da comincia de Arraptorna a contra de Caracia. | CO2 | N2 | C1 | C2 | C3 | I-C4 | N-C4 | I-C5 |
| Temperature Base: | Contract Hr.: | 9 AM | 0.201 | 2.056 | 73.847 | 12.423 | 6.265 | 0.935 | 2.213 | 0.458 |
| Atmos Pressure: Calc Method: | Full Wellstream: WV Technique: | | N-C5 | NeoC5 | C6 | C7 | C8 | C9 | C10 | |
| Z Method: | WV Method: | | 0.450 | | 0.569 | | | | | |
| | HV Cond: | Wet | O2 | H2 | со | He | Ar | H2S | H2S ppm | H2O |
| Tap Location: Tap Type: | Meter Type: Interval: | EFM 1 Hour | 0.000 | 0.000 | | 0.000 | | 0.0000 | 0.000 | 0.582 |

| | | | | Flow | Relative | | | Heating | | |
|-------|--------------|----------|--------|-------|----------|----------|--------|---------|---------|--------|
| Hour | Differential | Pressure | Temp. | Time | Density | Plate | Volume | Value | Energy | Edited |
| | (In. H2O) | (psi) | (°F) | (hrs) | | (inches) | (Mcf) | () | (MMBtu) | |
| 0 | 1.35 | 44.79 | 68.14 | 0.01 | 0.7669 | 1.2500 | 0.02 | 1285.04 | 0.03 | Yes |
| 1 | 1.96 | 44.65 | 65.69 | 0.01 | 0.7669 | 1.2500 | 0.04 | 1285.04 | 0.06 | Yes |
| 2 | 1.56 | 44.44 | 63.29 | 0.01 | 0.7669 | 1.2500 | 0.02 | 1285.04 | 0.03 | Yes |
| 3 | 1.51 | 44.17 | 61.95 | 0.01 | 0.7669 | 1.2500 | 0.04 | 1285.04 | 0.05 | Yes |
| 4 | 1.98 | 44.02 | 60.97 | 0.02 | 0.7669 | 1.2500 | 0.06 | 1285.04 | 0.08 | Yes |
| 5 | 1.48 | 43.83 | 60.17 | 0.01 | 0.7669 | 1.2500 | 0.04 | 1285.04 | 0.05 | Yes |
| 6 | 1.53 | 43.80 | 63.05 | 0.01 | 0.7669 | 1.2500 | 0.04 | 1285.04 | 0.05 | Yes |
| 7 | 1.65 | 44.16 | 71.21 | 0.01 | 0.7669 | 1.2500 | 0.03 | 1285.04 | 0.04 | Yes |
| 8 | 1.45 | 44.85 | 79.65 | 0.01 | 0.7669 | 1.2500 | 0.03 | 1285.04 | 0.04 | Yes |
| 9 | 20.00 | 46.30 | 88.77 | 0.16 | 0.7669 | 1.2500 | 1.55 | 1285.04 | 2.00 | Yes |
| 10 | 187.21 | 56.06 | 99.76 | 0.99 | 0.7669 | 1.2500 | 33.95 | 1285.04 | 43.63 | Yes |
| 11 | 248.51 | 65.28 | 103.29 | 1.00 | 0.7669 | 1.2500 | 42.88 | 1285.04 | 55.11 | Yes |
| 12 | 255.38 | 65.43 | 106.86 | 1.00 | 0.7669 | 1.2500 | 43.39 | 1285.04 | 55.76 | Yes |
| 13 | 251.50 | 67.99 | 105.94 | 1.00 | 0.7669 | 1.2500 | 44.02 | 1285.04 | 56.57 | Yes |
| 14 | 200.68 | 59.29 | 110.04 | 1.00 | 0.7669 | 1.2500 | 36.21 | 1285.04 | 46.53 | Yes |
| 15 | 156.95 | 53.35 | 97.47 | 0.98 | 0.7669 | 1.2500 | 30.11 | 1285.04 | 38.69 | Yes |
| 16 | 187.76 | 55.45 | 85.60 | 0.80 | 0.7669 | 1.2500 | 27.54 | 1285.04 | 35.39 | Yes |
| 17 | 0.00 | 43.09 | 78.72 | 0.00 | 0.7669 | 1.2500 | 0.00 | 1285.04 | 0.00 | Yes |
| 18 | 0.00 | 43.15 | 76.83 | 0.00 | 0.7669 | 1.2500 | 0.00 | 1285.04 | 0.00 | Yes |
| 19 | 138.00 | 51.19 | 75.29 | 0.13 | 0.7669 | 1.2500 | 3.56 | 1285.04 | 4.58 | Yes |
| 20 | 0.00 | 42.56 | 71.58 | 0.00 | 0.7669 | 1.2500 | 0.00 | 1285.04 | 0.00 | Yes |
| 21 | 0.00 | 41.72 | 67.68 | 0.00 | 0.7669 | 1.2500 | 0.00 | 1285.04 | 0.00 | Yes |
| 22 | 0.00 | 42.65 | 67.28 | 0.00 | 0.7669 | 1.2500 | 0.00 | 1285.04 | 0.00 | Yes |
| 23 | 0.00 | 41.90 | 65.61 | 0.00 | 0.7669 | 1.2500 | 0.00 | 1285.04 | 0.00 | Yes |
| Total | 215.72 | 61.03 | 101.77 | 7.17 | 0.7669 | | 263.55 | | 338.67 | |

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 30598

QUESTIONS

| Operator: | OGRID: |
|-------------------|--|
| EOG RESOURCES INC | 7377 |
| P.O. Box 2267 | Action Number: |
| Midland, TX 79702 | 30598 |
| | Action Type: |
| | [C-129] Venting and/or Flaring (C-129) |

QUESTIONS

| Determination of Reporting Requirements | | | | |
|---|---|--|--|--|
| Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide addional guidance. | | | | |
| Was or is this venting or flaring caused by an emergency or malfunction | Yes | | | |
| Did or will this venting or flaring last eight hours or more cumulatively within any 24-hour period from a single event | No | | | |
| Is this considered a submission for a notification of a major venting or flaring | Yes, minor venting or flaring of natural gas. | | | |
| The operator shall file a form C-141 instead of a form C-129 for a release that includes liquid during vi | nting or flaring that is or may be a major or minor release under | | | |
| Was there or will there be at least 50 MCF of natural gas vented or flared during this event | Yes | | | |
| Did this venting or flaring result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water | No | | | |

| Unregistered Facility Site | | |
|--|---------------|--|
| Please provide the facility details, if the venting or flaring occurred or is occuring at a facility that does not have an Facility ID (f#) yet. | | |
| Facility or Site Name Not answered. | | |
| Facility Type | Not answered. | |

| Equipment Involved | |
|---|---------------|
| Primary Equipment Involved | Not answered. |
| Additional details for Equipment Involved. Please specify | Not answered. |

| Representative Compositional Analysis of Vented or Flared Natural Gas | | |
|---|---------------|--|
| Please provide the mole percent for the percentage questions in this group. | | |
| Methane (CH4) percentage | 74 | |
| Nitrogen (N2) percentage, if greater than one percent | 2 | |
| Hydrogen Sulfide (H2S) PPM, rounded up | 0 | |
| Carbon Dioxide (C02) percentage, if greater than one percent | 0 | |
| Oxygen (02) percentage, if greater than one percent | 0 | |
| If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas. | | |
| Methane (CH4) percentage quality requirement | Not answered. | |
| Nitrogen (N2) percentage quality requirement | Not answered. | |
| Hydrogen Sufide (H2S) PPM quality requirement | Not answered. | |
| Carbon Dioxide (C02) percentage quality requirement | Not answered. | |
| Oxygen (02) percentage quality requirement | Not answered. | |

| Date(s) and Time(s) | |
|---|------------|
| Date venting or flaring was discovered or commenced | 06/03/2021 |
| Time venting or flaring was discovered or commenced | 10:00 AM |
| Is the venting or flaring event complete | Yes |
| Date venting or flaring was terminated | 06/03/2021 |
| Time venting or flaring was terminated | 05:00 PM |
| Total duration of venting or flaring in hours, if venting or flaring has terminated | 7 |
| Longest duration of cumulative hours within any 24-hour period during this event | 7 |

| Measured or Estimated Volume of Vented or Flared Natural Gas | |
|--|---|
| Natural Gas Vented (Mcf) Details | Not answered. |
| Natural Gas Flared (Mcf) Details | Not answered. |
| Other Released Details | Cause: High Line Pressure Pipeline (Any) Natural Gas Flared Spilled: 260 Mcf Recovered: 0 Mcf Lost: 260 Mcf] |
| Additional details for Measured or Estimated Volume(s). Please specify | Not answered. |
| Is this a gas only submission (i.e. only Mcf values reported) | Yes, according to supplied volumes this appears to be a "gas only" report. |

| Venting or Flaring Resulting from Downstream Activity | |
|--|---------------|
| Was or is this venting or flaring a result of downstream activity | Not answered. |
| Date notified of downstream activity requiring this venting or flaring | Not answered. |
| Time notified of downstream activity requiring this venting or flaring | Not answered. |

Steps and Actions to Prevent Waste

| For this event, the operator could not have reasonably anticipated the current event and it was beyond the operator's control. | True |
|--|---|
| Please explain reason for why this event was beyond your operator's control | Event was caused by outside source(s) which EOG does not have direct control over. |
| Steps taken to limit the duration and magnitude of venting or flaring | Monitored event and volumes real time and confirmed proper flare operating settings. Shift gas to other markets if possible to relieve constraints. |
| Corrective actions taken to eliminate the cause and reoccurrence of venting or flaring | Corrective actions are not in our control and reliant on outside source(s) |

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 30598

CONDITIONS

| Operator: | OGRID: |
|-------------------|--|
| EOG RESOURCES INC | 7377 |
| P.O. Box 2267 | Action Number: |
| Midland, TX 79702 | 30598 |
| | Action Type: |
| | [C-129] Venting and/or Flaring (C-129) |

CONDITIONS

| Created By | Condition | Condition Date |
|------------|--|----------------|
| system | If the information provided in this report requires an amendment, submit a [C-129] Request to Amend Venting and/or Flaring Incident, utilizing your incident number from this event. | 6/4/2021 |