

SITE INFORMATION

Report Type: Work Plan 1RP-4388

General Site Information:

Site:	MCA 123 Injection Line Release					
Company:	ConocoPhillips					
Section, Township and Range	Unit Letter D	Sec. 26	T 17S	R 32E		
Lease Number:	Associated API No. 30-025-00705					
County:	Lea					
GPS:	32.810736°			-103.742846°		
Surface Owner:	Bureau of Land Management (Federal)					
Mineral Owner:	N/A					
Directions:	Depart from Maljamar (NM82/Maljamar Rd). Head south on Maljamar Rd for 3.0 miles. Turn left onto dirt road. Head east for 1.13 miles. Turn right onto dirt road. Head south for 0.12 miles. Arrive at location on the left.					

Release Data:

Date Released:	8/4/2016	
Type Release:	Produced Water	
Source of Contamination:	Leak at a tinhorn on a 3-inch injection line	
Fluid Released:	20 bbl	
Fluids Recovered:	15 bbl	

Official Communication:

Name:	Marvin Soriwei		Christian M. Llull
Company:	Conoco Phillips - RMR		Tetra Tech
Address:	935 N. Eldridge Pkwy.		8911 North Capital of Texas Highway
			Building 2, Suite 2310
City:	Houston, Texas 77079		Austin, Texas
Phone number:	(832) 486-2730		(512) 338-2861
Fax:			
Email:	Marvin.Soriwei@conocophillips.com		christian.llull@tetrattech.com

Site Characterization

Shallowest Depth to Groundwater:	126' below surface
Impact to groundwater or surface water:	No
Extents within 300 feet of a watercourse:	No
Extents within 200 feet of lakebed, sinkhole, or playa lake:	No
Extents within 300 feet of an occupied structure:	No
Extents within 500 horizontal feet of a private water well:	No
Extents within 1000 feet of any water well or spring:	No
Extents within incorporated municipal well field:	No
Extents within 300 feet of a wetland:	No
Extents overlying a subsurface mine:	No
Karst Potential:	Low
Extents within a 100-year floodplain:	No
Impact to areas not on a production site:	No

Recommended Remedial Action Levels (RRALs)

Benzene	Total BTEX	TPH (GRO+DRO)	TPH (GRO+DRO+MRO)	Chlorides
10 mg/kg	50 mg/kg	1,000 mg/kg	2,500 mg/kg	20,000 mg/kg



May 25, 2020

District Supervisor
Oil Conservation Division, District 1
1625 N. French Dr
Hobbs, NM 88240

**Re: Release Characterization and Remediation Work Plan
ConocoPhillips
MCA Unit #123 Injection Line Release
Unit Letter D, Section 26, Township 17 South, Range 32 East
Lea County, New Mexico
1RP-4388
Incident ID nJXK1621825385**

Sir or Madam:

Tetra Tech, Inc. (Tetra Tech) was contacted by ConocoPhillips to assess a release that occurred from an injection line near the MCA Unit #123 injection well, located in Public Land Survey System (PLSS) Unit Letter D, Section 26, Township 17 South, Range 32 East, in Lea County, New Mexico (Site). The release site coordinates are 32.810736°, -103.742846°. The Site location is shown on Figures 1 and 2.

BACKGROUND

According to the State of New Mexico C-141 Initial Report (Appendix A), on August 4, 2016 a leak was found inside a tinhorn on a 3-inch injection line at the MCA Unit #123 injection well (API No. 30-025-00705). The leak resulted in a release of 20 barrels (bbls) of produced water, of which 15 bbls were recovered with a vacuum truck. Immediate action taken by ConocoPhillips was to shut in the line to stop the release and submit a work order for repairs. The C-141 describes the affected area as an 8-inch deep 20-foot (ft) by 20-ft area of pasture. The NMOCD was notified of the release later that same day, and subsequently assigned the Site the Remediation Permit (RP) number 1RP-4388 and the Incident ID nJXK1621825385.

SITE CHARACTERIZATION

A site characterization was performed and no watercourses, lakebeds, sinkholes, playa lakes, residences, schools, hospitals, institutions, churches, springs, private domestic water wells, springs, wetlands, incorporated municipal boundaries, subsurface mines, or floodplains are located within the specified distances. The site is in an area with low karst potential.

There are no water wells listed in Section 26, Township 17 South, Range 32 East on the New Mexico Office of the State Engineer (NMOSE) database. The average depth to groundwater in all of Township 17 South, Range 32 East is 126 ft below ground surface (bgs). Site characterization data are included in Appendix B.

REGULATORY FRAMEWORK

Based upon the release footprint and in accordance with Subsection E of 19.15.29.12 NMAC, per 19.15.29.11 NMAC, the site characterization data was used to determine recommended remedial action levels (RRALs) for benzene, toluene, ethylbenzene, and xylene (collectively referred to as BTEX), total

Tetra Tech

901 West Wall St., Suite 100, Midland, TX 79701

Tel 432.682.4559 Fax 432.682.3946 www.tetrattech.com

petroleum hydrocarbons (TPH), and chlorides in soil. Based on the depth to groundwater at the Site, the RRALs for the Site are as follows:

CONSTITUENT	RRAL
Chloride (0 – 4 ft bgs)	600 mg/kg
Chloride (>4 ft bgs)	20,000 mg/kg
TPH (GRO+DRO+MRO)	2,500 mg/kg
BTEX	50 mg/kg
Benzene	10 mg/kg

INITIAL SITE ASSESSMENT

In August 2016, Basin Environmental Service Technologies (Basin) conducted soil field screening on behalf of ConocoPhillips at three locations within the release extent, though the precise locations are unknown. No samples were submitted for laboratory analysis. The initial stain map produced by Basin indicated that the impact from the release covered approximately 2,032 square ft and was an irregular-shaped area that flowed west from the release point along topographically lower elevations within the dunes. The release was mapped as extending 130 ft west of the former tinhorn. The initial release extent mapped by Basin and soil screening results are shown in Appendix C.

On January 22, 2020, Tetra Tech personnel were onsite to visually assess the Site. cursory review of aerial imagery shows that the tinhorn was removed prior to February 2017 (Google Earth imagery date). The tinhorn was not observed during the field visit, and soils near the former tinhorn appeared to have been worked and or backfilled. Vegetation throughout the remainder of the observed release extent appeared stressed. Photographic documentation from the visual site assessment are included in Appendix D.

ADDITIONAL SITE ASSESSMENT

In order to verify the reported release extent from Basin and achieve horizontal and vertical delineation of the release footprint, Tetra Tech personnel were onsite to conduct soil sampling on March 23rd and 24th, 2020. A total of eight (8) borings (BH-1 through BH-8) were installed using an air rotary drilling rig. Three 10-ft borings (BH-2, BH-3, and BH-5) and three 7-ft borings (BH-6 through BH-8) were installed along the perimeter of the release to achieve horizontal delineation. The boring locations chosen for the horizontal delineation were based upon visual cues such as stressed vegetation. Care was taken to install borings for horizontal delineation outside of the observed impacted area. The remaining two borings, BH-1 and BH-4, were drilled within the release extent footprint to 50- and 60-ft depths, respectively, to achieve vertical delineation. Boring logs, included as Appendix E, present soil descriptions, sample depths and field screening data from the March 2020 assessment activities.

A total of twenty-nine (29) samples were collected from the eight (8) borings and submitted to Pace Analytical National Center for Testing & Innovation in Nashville, Tennessee to be analyzed for chlorides via EPA Method 300.0, TPH via EPA Method 8015M, and BTEX via EPA Method 8021B. A copy of the laboratory analytical report and chain-of-custody documentation are included in Appendix F. Boring locations are shown in Figure 4. Photographic documentation of the site assessment is included in Appendix D.

SUMMARY OF SAMPLING RESULTS

Results from the March 2020 soil assessment activities are summarized in Table 1. The assessment successfully delineated the release. It is apparent from the analytical data that there are elevated chloride concentrations at depth at the former tinhorn location (BH-1). However, the excavation and backfilling in the vicinity of the former tinhorn resulted in the upper four feet were below reclamation limits for chlorides. Analytical results associated with the interior borings (BH-1 and BH-4) did not exceed the delineation criteria

for BTEX or TPH in the upper 4 ft. There were no detections of BTEX or TPH above their respective Site RRALs of 50 mg/kg and 2,500 mg/kg in any of the analyzed samples below 4 ft bgs.

Laboratory analytical results for chloride exceeded the 0-4 ft bgs RRAL of 600 mg/kg in BH-4 (3-4 ft bgs). There were no results that exceeded the >4 ft bgs RRAL of 20,000 mg/kg for chlorides. Per NMOCD 19.015.29.11(A)(5)(c), the vertical extent of the release was delineated to 600 mg/kg chlorides in BH-1 at 49 ft bgs and in BH-4 at 59 ft bgs.

REMEDATION WORK PLAN

Based on the analytical results, ConocoPhillips proposes to remove the impacted material as depicted in Figure 4. Given the fact that the release footprint was observed to be larger than the extent indicated by Basin in 2016, as well as the clean backfill noted in the vicinity of BH-1, the area proposed for remediation is slightly smaller than the observed extent of distressed vegetation. However, screening samples will be collected during the excavation process to determine if the remediation footprint for the site will be modified based on field conditions. Impacted soils will be excavated using heavy equipment (backhoes, hoe rams, and track hoes) to a maximum depth of 4 ft below surface or until a representative sample from the walls and bottom of the excavation is below the RRAL. The area of the release extent that runs along the buried line within the release extent will be hand-dug to a depth of 4 ft or the maximum extent practicable.

Excavated soils will be transported offsite and disposed of at an NMOCD-approved or permitted facility. Confirmation floor and sidewall samples will be collected for verification of remedial activities, and analyzed for TPH, BTEX and chloride. Once the sample results are received, NMOCD will be notified and the excavation will then be backfilled with clean material to surface grade. The estimated volume of material to be remediated is 700 cubic yards.

ALTERNATIVE CONFIRMATION SAMPLING PLAN

In accordance with 19.15.29.12(D)(1)(b) NMAC, ConocoPhillips proposes the following alternative confirmation sampling plan to adhere with NMOCD requirements. The proposed confirmation sample locations are depicted in Figure 5. Ten (10) confirmation floor samples and fifteen (15) confirmation sidewall samples are proposed for verification of remedial activities. The proposed excavation encompasses an area of approximately 4,800 square feet.

These confirmation sidewall and floor samples will be representative of no more than approximately 500 square feet of excavated area. Confirmation samples will be sent to Pace Laboratories for analysis of TPH, BTEX, and chlorides. Once results are received, NMOCD will be notified and the excavation will then be backfilled with clean material to surface grade.

SITE RECLAMATION AND RESTORATION PLAN

The backfilled areas will be seeded in Spring 2020 (first favorable growing season) to aid in revegetation. Based on the soils at the site, the New Mexico State Land Office (NMSLO) Sandy (S) Sites Seed Mixture will be used for seeding and will be planted in the amount specified in the pounds pure live seed (PLS) per acre. The seed mixture will be spread by a drill equipped with a depth regulator or a hand-held broadcaster and raked. If a hand-held broadcaster is used for dispersal, the pounds pure live seed per acre will be doubled.

Site inspections will be performed to assess the revegetation progress and evaluate the site for the presence of primary or secondary noxious weeds. If noxious weeds are identified, the NMSLO will be contacted to determine an effective method for eradication. If the site does not show revegetation after one growing season, the area will be reseeded as appropriate. The NMSLO seed mixture details and corresponding pounds pure live seed per acre are included in Appendix G.

Release Characterization and Remediation Work Plan
May 25, 2020

ConocoPhillips

CONCLUSION

ConocoPhillips proposes to complete remediation activities at the Site within 90 days of NMOCD approval of this submittal. Upon completion of the proposed work, a final closure report detailing the remediation activities and the results of the confirmation sampling will be submitted to NMOCD. If you have any questions concerning the soil assessment or the proposed remediation activities for the Site, please call me at (512) 338-2861 or Greg at (432) 682-4559.

Sincerely,
Tetra Tech, Inc.



Christian M. Llull, P.G.
Project Manager



Greg W. Pope, P.G.
Program Manager

cc:
Mr. Marvin Soriwei, RMR – ConocoPhillips
Mr. Charles Beauvais, GPBU - ConocoPhillips

LIST OF ATTACHMENTS

Figures:

- Figure 1 – Overview Map
- Figure 2 – Site Location/Topographic Map
- Figure 3 – Release Extent and Assessment Map
- Figure 4 – Proposed Remediation Areas
- Figure 5 – Alternative Confirmation Sampling Plan


Tables:

- Table 1 – Summary of Analytical Results – Soil Assessment

Appendices:

- Appendix A – C-141 Forms
- Appendix B – Site Characterization Data
- Appendix C – Basin Map
- Appendix D – Photographic Documentation
- Appendix E – Boring Logs
- Appendix F – Laboratory Analytical Data
- Appendix G – NMSLO Seed Mixture Details

FIGURES



DOCUMENT PATH: D:\CONOCOPHILLIPS\MXD\MCA 123\FIGURE 1 OVERVIEW MAP_MCA 123.MXD



TETRA TECH

www.tetrattech.com

901 West Wall Street, Suite 100
Midland, Texas 79701
Phone: (432) 682-4559
Fax: (432) 682-3946

CONOCOPHILLIPS

1RP-4388
(32.810733°, -103.742843°)
LEA COUNTY, NEW MEXICO

**MCA 123 INJECTION LINE RELEASE
SITE LOCATION MAP**


PROJECT NO.: 212C-MD-02067

DATE: JANUARY 23, 2020

DESIGNED BY: AAM

Figure No.

1



DOCUMENT PATH: D:\CONOCOPHILLIPS\MCA 123\FIGURE 2 TOPO MAP MCA 123.MXD


TETRA TECH
www.tetrattech.com

 901 West Wall Street, Suite 100
 Midland, Texas 79701
 Phone: (432) 682-4559
 Fax: (432) 682-3946

CONOCOPHILLIPS

 1RP-4388
 (32.810733°, -103.742843°)
 LEA COUNTY, NEW MEXICO

**MCA 123 INJECTION LINE RELEASE
 TOPOGRAPHIC MAP**


PROJECT NO.: 212C-MD-02067


DATE: JANUARY 23, 2020


DESIGNED BY: AAM

Figure No.

2







TABLES

TABLE 1
SUMMARY OF ANALYTICAL RESULTS
SOIL ASSESSMENT - 1RP-4388
CONOCOPHILLIPS
MCA 123 INJECTION LINE RELEASE
LEA COUNTY, NM

Sample ID	Sample Date	Sample Depth Interval	Field Screening Results		Chloride ¹		BTEX ²										TPH ³					
			Chloride	PID			Benzene		Toluene		Ethylbenzene		Total Xylenes		Total BTEX	GRO ⁴		DRO		ORO		Total TPH (GRO+DRO+ORO)
			mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg
BH-1	3/23/2020	ft. bgs	ppm		mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg
		0-1	132	1.4	98.4		< 0.00105		< 0.00524		< 0.00262		< 0.00681		-	0.0357	J	8.20		4.87		13.1
		2-3	177	1.6	151		< 0.00106		< 0.00530		< 0.00265		< 0.00689		-	< 0.106		< 4.24		1.56	J	1.56
		3-4	191	1.2	146		< 0.00105		< 0.00527		< 0.00264		< 0.00686		-	0.0245	J	1.88	J	1.15	J	3.05
		4-5	1480	1.3	-		-		-		-		-		-	-		-		-		-
		6-7	1470	0.9	11100		< 0.00117		< 0.00586		< 0.00293		< 0.00762		-	0.0259	J	5.42		1.91	J	7.36
		9-10	3050	2.1	-		-		-		-		-		-	-		-		-		-
		14-15	>15000	2.2	8120		< 0.00113		< 0.00667		< 0.00334		< 0.00868		-	0.0390	J	2.28	J	3.24	J	5.56
		19-20	7970	1.8	-		-		-		-		-		-	-		-		-		-
		24-25	4530	3.1	-		-		-		-		-		-	-		-		-		-
		29-30	8300	1.1	-		-		-		-		-		-	-		-		-		-
		34-35	7500	1.2	-		-		-		-		-		-	-		-		-		-
		44-45	515	0.9	860		< 0.00117		< 0.00586		< 0.00293		< 0.00762		-	0.0463	J	16.2		8.81		25.1
		49-50	210	0.8	50.3		< 0.00110		< 0.00548		< 0.00274		< 0.00712		-	0.0520	J	4.53		< 4.38		4.58
BH-2	3/23/2020	0-1	43.3	0.8	6.96	B J	< 0.00121		< 0.00607		< 0.00303		< 0.00789		-	0.0559	J	3.51	J	11.2		14.8
		2-3	60.1	0.7	23.5		< 0.00105		< 0.00526		< 0.00263		< 0.00684		-	0.0608	J	9.10		24.0		33.2
		3-4	49.7	0.9	9.75	B J	< 0.00106		< 0.00528		< 0.00264		< 0.00686		-	0.0315	J	1.93	J	2.88	J	4.84
		4-5	1800	1.1	416		< 0.00142		< 0.00712		< 0.00356		< 0.00926		-	< 0.142		< 5.70		1.78	J	1.78
		6-7	4810	4.5	-		-		-		-		-		-	-		-		-		-
		9-10	6710	1.3	-		-		-		-		-		-	-		-		-		-
BH-3	3/23/2020	0-1	157	1.7	13.8		< 0.00107		< 0.00534		< 0.00267		< 0.00694		-	0.0529	J	6.94		15.6		22.6
		2-3	74.9	2.1	3.36	B J	< 0.00104		< 0.00520		< 0.00260		< 0.00646		-	0.0256	J	< 4.16		0.582	J	0.608
		3-4	58.8	2.6	9.28	B J	< 0.00105		< 0.00527		< 0.00264		< 0.00685		-	0.0289	J	< 4.22		2.36	J	2.39
		4-5	83.1	2.3	-		-		-		-		-		-	-		-		-		-
		6-7	176	1.8	62.8		< 0.00126		< 0.00632		< 0.00316		< 0.00822		-	0.0331	J	2.14	J	< 5.06		2.17
		9-10	204	1.4	-		-		-		-		-		-	-		-		-		-
BH-4	3/23/2020	0-1	208	1.6	9.20	B J	< 0.00105		< 0.00527		< 0.00264		< 0.00685		-	0.0481	J	1.89	J	2.22	J	4.16
		2-3	361	1.7	184		< 0.00107		< 0.00537		< 0.00268		< 0.00698		-	< 0.107		14.1		6.75		20.9
		3-4	657	1.9	1890		< 0.00106		< 0.00532		< 0.00266		< 0.00692		-	< 0.106		5.14		2.95	B J	8.09
		4-5	2010	2.1	-		-		-		-		-		-	-		-		-		-
		6-7	2030	1.9	-		-		-		-		-		-	-		-		-		-
		9-10	1950	2.0	-		-		-		-		-		-	-		-		-		-
		14-15	9450	3.1	-		-		-		-		-		-	-		-		-		-
		19-20	3750	3.2	-		-		-		-		-		-	-		-		-		-
		24-25	2810	1.4	-		-		-		-		-		-	-		-		-		-
		29-30	1870	1.7	-		-		-		-		-		-	-		-		-		-
		39-40	1670	1.8	1690		< 0.00114		< 0.00569		< 0.00284		< 0.00739		-	< 0.114		< 4.55		< 4.55		-
		49-50	587	1.7	-		-		-		-		-		-	-		-		-		-
		59-60	491	1.4	329		< 0.00106		< 0.00529		< 0.00265		< 0.00688		-	< 0.106		3.13	J	0.788	B J	3.92

TABLE 1
SUMMARY OF ANALYTICAL RESULTS
SOIL ASSESSMENT - 1RP-4388
CONOCOPHILLIPS
MCA 123 INJECTION LINE RELEASE
LEA COUNTY, NM

Sample ID	Sample Date	Sample Depth Interval	Field Screening Results		Chloride ¹		BTEX ²										TPH ³					
			Chloride	PID			Benzene		Toluene		Ethylbenzene		Total Xylenes		Total BTEX	GRO ⁴		DRO		ORO		Total TPH (GRO+DRO+ORO)
			mg/kg	mg/kg	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg	mg/kg	Q	mg/kg	Q	mg/kg	Q	mg/kg
BH-5	3/23/2020	0-1	38.7	1.1	2.58	B J	< 0.00105		< 0.00524		< 0.00262		< 0.00681		-	< 0.105		1.76	J	1.18	B J	2.94
		2-3	42.1	1.2	4.20	B J	< 0.00106		< 0.00530		< 0.00265		< 0.00689		-	< 0.106		2.92	J	2.35	B J	5.27
		3-4	38.5	1.2	17.8		< 0.00105		< 0.00527		< 0.00264		< 0.00685		-	< 0.105		3.63	J	1.82	B J	5.45
		4-5	74.4	1.4	-		-		-		-		-		-	-		-		-		-
		6-7	235	2.1	15.7		< 0.00103		< 0.00517		< 0.00259		< 0.00672		-	< 0.103		5.17		0.465	B J	5.64
		9-10	307	2.2	-		-		-		-		-		-	-		-		-		-
BH-6	3/23/2020	0-1	34.8	1.0	59.9		< 0.00103		< 0.00515		< 0.00258		< 0.00670		-	0.0747	J	6.88		20.2		27.2
		2-3	52.1	0.9	10.6	B	0.000413	J	< 0.00517		< 0.00258		< 0.00672		0.000413	< 0.103		< 4.13		5.18		5.18
		3-4	76.3	0.7	9.93	B J	< 0.00103		< 0.00514		< 0.00257		< 0.00668		-	< 0.103		2.13	J	16.1		18.2
		4-5	108	1.6	-		-		-		-		-		-	-		-		-		-
		6-7	232	1.8	16.8		< 0.00106		< 0.00530		< 0.00265		< 0.00689		-	< 0.106		< 4.24		0.463	J	0.463
BH-7	3/23/2020	0-1	52.8	1.3	5.81	B J	< 0.00114		< 0.00570		< 0.00285		< 0.00740		-	< 0.114		5.92		39.0		44.9
		2-3	61.7	1.1	9.00	B J	< 0.00103		< 0.00513		< 0.00257		< 0.00667		-	< 0.103		2.92	J J6	5.89		8.81
		3-4	71.8	0.9	11.4	B	< 0.00103		< 0.00513		< 0.00256		< 0.00667		-	< 0.103		3.40	J	4.55		7.95
		4-5	58.8	1.3	-		-		-		-		-		-	-		-		-		-
		6-7	34.3	1.4	7.71	B J	< 0.00113		< 0.00565		< 0.00282		< 0.00734		-	< 0.113		1.88	J	0.528	J	2.41
BH-8	3/23/2020	0-1	32.7	0.9	3.63	B J	< 0.00105		< 0.00523		< 0.00262		< 0.00680		-	< 0.105		< 4.19		1.33	J	1.33
		2-3	48.5	0.8	12.5	B	< 0.00105		< 0.00523		< 0.00262		< 0.00680		-	< 0.105		1.71	J	1.20	J	2.91
		3-4	64.4	1.3	5.24	B J	< 0.00111		< 0.00557		< 0.00279		< 0.00724		-	< 0.111		< 4.46		1.55	J	1.55
		4-5	86.7	1.4	-		-		-		-		-		-	-		-		-		-
		6-7	264	1.7	80.5		< 0.00108		< 0.00538		< 0.00269		< 0.00700		-	< 0.108		< 4.31		< 4.31		-

NOTES:

ft. Feet

bgs Below ground surface

ppm Parts per million

mg/kg Milligrams per kilogram

HOLD -HOLD on sample analysis

TPH Total Petroleum Hydrocarbons

GRO Gasoline range organics

DRO Diesel range organics

ORO Oil range organics

Shaded rows indicate depth intervals proposed for excavation and remediation.

Bold and italicized values indicate exceedance of proposed RRALs

1 EPA Method 300.0

2 EPA Method 8260B

3 EPA Method 8015

4 EPA Method 8015D/GRO

QUALIFIERS:

B The same analyte is found in the associated blank.

J The identification of the analyte is acceptable; the reported value is an estimate.

APPENDIX A C-141 Forms

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

RECEIVED

By JKeyes at 7:05 am, Aug 05, 2016

Submit 1 Copy to appropriate District Office in
accordance with 19.15.29 NMAC.

Release Notification and Corrective Action**OPERATOR**
☒ Initial Report ☐ Final Report

Name of Company: ConocoPhillips	Contact: Jose A Zepeda
Address: 29 Vacuum Complex Lane	Telephone No. 575-391-3165
Facility Name: MCA 123	Facility Type: Injection Line
Surface Owner: BLM	Mineral Owner: N/A
API No. 30-025-00705	

LOCATION OF RELEASE

Unit Letter D	Section 26	Township 17S	Range 32E	Feet from the	North/South Line	Feet from the	East/West Line	County Lea
-------------------------	----------------------	------------------------	---------------------	---------------	------------------	---------------	----------------	----------------------

Latitude _____ Longitude _____

NATURE OF RELEASE

Type of Release: Produce Water	Volume of Release: 20	Volume Recovered: 15
Source of Release: Injection Line	Date and Hour of Occurrence 08/04/2016 1119	Date and Hour of Discovery SAME
Was Immediate Notice Given? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? Jamie Keyes	
By Whom? Jose A Zepeda	Date and Hour: 08/04/16 1630 via email	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

If a Watercourse was Impacted, Describe Fully.*

N/A

Describe Cause of Problem and Remedial Action Taken. *


ENV – Agency Reportable – MCBU – Permian – 20 bbls of Produced Water – MCA 123 – Buckeye – RR2 – On August 04, 2016 at 1119 MDT, at MCA 123, operator found a leak originating from inside a tin horn on a 3" injection line. Spill resulted in a release of 20 bbls of produced water with 15 bbls recovered. Immediate action was to shut in line and turn in work order for repairs. Spill site will be remediated according to COPC and NMOCD guidelines.

Describe Area Affected and Cleanup Action Taken. *

Pasture area 20' X 20' X 8" deep.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

OIL CONSERVATION DIVISION

Signature: JOSE A ZEPEDA	Approved by Environmental Specialist: 	
Printed Name: Jose A Zepeda		
Title: LEAD HSE	Approval Date: 08/05/2016	Expiration Date: 10/05/2016
E-mail Address: Jose. A. Zepeda@conocophillips.com	Conditions of Approval: Discrete samples only. Delineate and remediate per NMOCD guidelines. Ensure BLM concurrence/approval.	Attached <input type="checkbox"/> IRP 4388
Date: 08/04/2016	Phone: 575-391-3165	

* Attach Additional Sheets If Necessary

nJXK1621825385
pJXK1621825456

Incident ID	
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	_____ (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Did the release impact areas not on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: *Each of the following items must be included in the report.*

- ☐ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- ☐ Field data
- ☐ Data table of soil contaminant concentration data
- ☐ Depth to water determination
- ☐ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- ☐ Boring or excavation logs
- ☐ Photographs including date and GIS information
- ☐ Topographic/Aerial maps
- ☐ Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

State of New Mexico
Oil Conservation Division

Page 4

Incident ID	
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: _____ Title: _____

Signature:  _____ Date: _____

email: _____ Telephone: _____

OCD Only

Received by: _____ Date: _____

Incident ID	
District RP	
Facility ID	
Application ID	

Remediation Plan


Remediation Plan Checklist: *Each of the following items must be included in the plan.*

- ☐ Detailed description of proposed remediation technique
- ☐ Scaled sitemap with GPS coordinates showing delineation points
- ☐ Estimated volume of material to be remediated
- ☐ Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC
- ☐ Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)

Deferral Requests Only: *Each of the following items must be confirmed as part of any request for deferral of remediation.*

- ☐ Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.
- ☐ Extents of contamination must be fully delineated.
- ☐ Contamination does not cause an imminent risk to human health, the environment, or groundwater.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: _____ Title: _____
Signature:  Date: _____
email: _____ Telephone: _____

OCD Only

Received by: _____ Date: _____

☐ Approved ☐ Approved with Attached Conditions of Approval ☐ Denied ☐ Deferral Approved

Signature: Bradford Billings Date: _____

APPENDIX B

Site Characterization Data



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced,
O=orphaned,
C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	POD Sub-Code	basin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	Depth Well	Depth Water	Water Column
L 03980	L	LE		2	2	2	01	17S	32E	620466	3637594*	270	200	70
L 03980 S	L	LE		4	4	4	02	17S	32E	618870	3636170*	255	179	76
L 03980 S2	L	LE		3	2	3	01	17S	32E	619470	3636581*	225	175	50
L 04019	L	LE		4	3	4	02	17S	32E	618468	3636166*	182		
L 04020	L	LE		3	3	4	02	17S	32E	618268	3636166*	200		
L 04021	R	L	LE	3	4	4	02	17S	32E	618670	3636170*	190		
L 04021 POD3	L	LE			3	4	03	17S	32E	616761	3636252*	247		
L 04021 S	L	LE		2	4	4	03	17S	32E	617262	3636354*	260		
L 13047 POD1	L	LE					11	17S	32E	618187	3635254*	140		
L 13050 POD1	L	LE		2	2	1	10	17S	32E	616463	3635945*	156	132	24
RA 08855	RA	LE		4	1	1	10	17S	32E	616061	3635742*	158		
RA 09505	RA	LE		2	2	1	10	17S	32E	616462	3635944	147		
RA 09505 S	RA	LE		2	2	1	10	17S	32E	616463	3635945*	144		
RA 10175	RA	LE			2	1	28	17S	32E	614814	3631005*	158		
RA 11684 POD1	RA	LE		1	1	4	11	17S	32E	618216	3635124	275		
RA 11684 POD2	RA	LE		1	1	4	11	17S	32E	618313	3635248	275		
RA 11684 POD3	RA	LE		3	3	1	11	17S	32E	618262	3635371	275		
RA 11684 POD4	RA	LE		1	3	2	11	17S	32E	618334	3635521	275		
RA 11684 POD5	RA	LE		3	1	4	11	17S	32E	618353	3635047	275		
RA 11734 POD1	RA	LE		2	2	1	10	17S	32E	616556	3635929	165		
RA 11911 POD1	RA	LE		1	3	1	24	17S	32E	619192	3632296	35		
RA 12020 POD1	RA	LE		2	2	1	28	17S	32E	614828	3630954	120	81	39
RA 12020 POD3	RA	LE		2	1	2	28	17S	32E	615152	3631019	112	83	29
RA 12042 POD1	RA	LE		2	2	1	28	17S	32E	614891	3631181	400		
RA 12436 POD1	RA	LE		2	2	1	10	17S	32E	616556	3635929	160	125	35
RA 12521 POD1	RA	LE		3	3	4	21	17S	32E	615127	3631271	105	92	13

*UTM location was derived from PLSS - see Help

(A CLW##### in the
POD suffix indicates the
POD has been replaced
& no longer serves a
water right file.)

(R=POD has
been replaced,
O=orphaned,
C=the file is
closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest) (NAD83 UTM in meters)

(In feet)

POD Number	POD Sub- Code	basin	County	Q 6	Q 4	Q 16	Sec	Tws	Rng	X	Y	Depth Well	Depth Water	Water Column
RA 12522 POD1	RA	LE		3	3	4	21	17S	32E	614941	3631122	100		
RA 12522 POD2	RA	LE		2	2	1	28	17S	32E	614949	3631098	100		
RA 12522 POD3	RA	LE		4	4	3	28	17S	32E	614980	3631093	100		
RA 12721 POD1	RA	LE		3	2	3	28	17S	32E	614645	3630141	125		
RA 12721 POD2	RA	LE		1	1	4	28	17S	32E	615055	3630407	124	75	49
RA 12721 POD3	RA	LE		2	3	4	28	17S	32E	615417	3629979	115		
RA 12721 POD4	RA	LE		1	1	2	33	17S	32E	615055	3629589	140		

Average Depth to Water: **126 feet**

Minimum Depth: **75 feet**

Maximum Depth: **200 feet**

Record Count: 33

PLSS Search:

Township: 17S

Range: 32E

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

1/23/20 12:40 PM





Page 2 of 2


WATER COLUMN/ AVERAGE
DEPTH TO WATER

Karst Potential

MCA 123 Injection Line Release

Legend

-  32.810733, -103.742843
-  High
-  Low
-  Medium




Google Earth

© 2019 Google


Image Landsat / Copernicus
Released to Imaging: 9/7/2021 10:45:21 AM

MCA 123 Injection Line - Water Bodies



1/23/2020, 1:30:12 PM

- ★ OCD District Offices
- PLSS Townships
- OSE Streams
- OCD Districts
- OSE Water-bodies
- PLSS First Division
- PLJV Probable Playas



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS,

New Mexico Oil Conservation Division


NM OCD Oil and Gas Map. <http://nm-ernrd.maps.arcgis.com/apps/webappviewer/index.html?id=4d017f2306164de29fd2fb9f8f35ca75>: New Mexico Oil Conservation Division

APPENDIX C

Basin Map

Initial Sampling

RecPage 27 of 138 2/2



CONOCOPHILLIPS

MC 123

UL D SECTION 26

T-17-S R-12-E

LEA COUNTY, NM

Underground facilities are spatially projected and need to be re-projected.


Scale 1:1000
GPS date: 8/8/10 JC
Drawing date: 8/15/10
Drawn by: T. Gross




Released to Imaging:

APPENDIX D

Photographic Documentation




TETRA TECH, INC. PROJECT NO. 212C-MD-02067	DESCRIPTION	View NW of former tinhorn area, source of the injection line release. Lease road visible.	1
	SITE NAME	MCA Unit #123 Injection Line Release	3/24/2020



TETRA TECH, INC. PROJECT NO. 212C-MD-02067	DESCRIPTION	View E of release extent (right) and lease road (left). Former tinhorn area in background.	2
	SITE NAME	MCA Unit #123 Injection Line Release	3/24/2020



TETRA TECH, INC. PROJECT NO. 212C-MD-02067	DESCRIPTION	Close view of soil in footprint. Distressed vegetation shown.	3
	SITE NAME	MCA Unit #123 Injection Line Release	1/22/2020



TETRA TECH, INC. PROJECT NO. 212C-MD-02067	DESCRIPTION	View NW of release extent with stressed vegetation. MCA Unit #123 injection well pad and pumping unit visible in background.	4
	SITE NAME	MCA Unit #123 Injection Line Release	3/24/2020

APPENDIX E

Boring Logs

212C-MD-02067	TETRA TECH	LOG OF BORING BH-1	Page 1 of 2
Project Name: MCA 123 Injection Line Release			
Borehole Location: GPS: 32.810737°, -103.742845°		Surface Elevation: 3974 ft	
Borehole Number: BH-1		Borehole Diameter (in.): 8	Date Started: 3/23/2020 Date Finished: 3/23/2020

DEPTH (ft)	OPERATION TYPE	SAMPLE	CHLORIDE FIELD SCREENING (ppm)	VOC FIELD SCREENING (ppm)	SAMPLE RECOVERY (%)	MOISTURE CONTENT (%)	DRY DENSITY (pcf)	LIQUID LIMIT	PLASTICITY INDEX	MINUS NO. 200 (%)	GRAPHIC LOG	WATER LEVEL OBSERVATIONS				
												While Drilling	Upon Completion of Drilling			
												While Drilling <u>▽</u> DRY ft Upon Completion of Drilling <u>▽</u> DRY ft Remarks:				
												MATERIAL DESCRIPTION	DEPTH (ft)	REMARKS		
5			132	1.4									-SM- SILTY SAND; Brown, medium dense, dry, with no odor, with no staining.	3	BH-1 (0'-1')	
			177	1.6											BH-1 (2'-3')	
			191	1.2											BH-1 (3'-4')	
			1.48	1.3											BH-1 (4'-5')	
10			1.47	0.9									-SM- SILTY SAND; Light brown, dense, dry, with no odor, with no staining.	3	BH-1 (6'-7')	
			3.05	2.1												BH-1 (9'-10')
15			>10000	2.2								-SM- SILTY SAND; Brown, dense, dry, with no odor, with no staining.	19	BH-1 (14'-15')		
20			7.97	1.8								-SM- SILTY SAND; Brown, dense, dry, with no odor, with no staining.	19	BH-1 (19'-20')		
25			4.53	3.1											BH-1 (24'-25')	

Sampler Types: Split Spoon Shelby Bulk Sample Grab Sample	Acetate Liner Vane Shear California Test Pit	Operation Types: Mud Rotary Continuous Flight Auger Wash Rotary	Hand Auger Air Rotary Direct Push Core Barrel
Notes: Analytical samples are shown in the "Remarks" column. Surface elevation is an estimated value.			

Logger: Devin Dominguez	Drilling Equipment: Air Rotary	Driller: Scarborough Drilling
-------------------------	--------------------------------	-------------------------------

212C-MD-02067		TETRA TECH		LOG OF BORING BH-1				Page 2 of 2	
Project Name: MCA 123 Injection Line Release									
Borehole Location: GPS: 32.810737°, -103.742845°					Surface Elevation: 3974 ft				
Borehole Number: BH-1				Borehole Diameter (in.): 8		Date Started: 3/23/2020		Date Finished: 3/23/2020	

DEPTH (ft)	OPERATION TYPE	SAMPLE	CHLORIDE FIELD SCREENING (ppm)	VOC FIELD SCREENING (ppm)	SAMPLE RECOVERY (%)	MOISTURE CONTENT (%)	DRY DENSITY (pcf)	LIQUID LIMIT	PLASTICITY INDEX	MINUS NO. 200 (%)	GRAPHIC LOG	WATER LEVEL OBSERVATIONS		DEPTH (ft)	REMARKS	
												While Drilling	Upon Completion of Drilling			
												While Drilling <u>▽</u> DRY ft Upon Completion of Drilling <u>▽</u> DRY ft Remarks:				
			ExStik	PID				LL	PI			MATERIAL DESCRIPTION				
30			8.30	1.1										29		
												-SM- SILTY SAND; Tan, dense, dry, with no odor, with no staining.			BH-1 (29'-30')	
35			7.50	1.2										34		
												-SM- SILTY SAND; Brown, dense, dry, with gravel, with no odor, with no staining.			BH-1 (34'-35')	
40																
45			515	0.9										44		
												-CL- CLAYSTONE; Red, moderately hard, moist, with no odor, with no staining.			BH-1 (44'-45')	
50			210	0.8										50		
																BH-1 (49'-50')

Sampler Types: <div style="display: flex; flex-wrap: wrap;"> <div style="width: 50%;"> <input checked="" type="checkbox"/> Split Spoon <input type="checkbox"/> Shelby <input type="checkbox"/> Bulk Sample <input type="checkbox"/> Grab Sample </div> <div style="width: 50%;"> <input type="checkbox"/> Acetate Liner <input type="checkbox"/> Vane Shear <input checked="" type="checkbox"/> California <input type="checkbox"/> Test Pit </div> </div>	Operation Types: <div style="display: flex; flex-wrap: wrap;"> <div style="width: 50%;"> <input type="checkbox"/> Mud Rotary <input type="checkbox"/> Continuous Flight Auger <input type="checkbox"/> Wash Rotary </div> <div style="width: 50%;"> <input type="checkbox"/> Hand Auger <input type="checkbox"/> Air Rotary <input type="checkbox"/> Direct Push <input type="checkbox"/> Core Barrel </div> </div>	Bottom of borehole at 50.0 feet. Notes: Analytical samples are shown in the "Remarks" column. Surface elevation is an estimated value.
---	--	---

Logger: Devin Dominguez	Drilling Equipment: Air Rotary	Driller: Scarborough Drilling
-------------------------	--------------------------------	-------------------------------

212C-MD-02067		TETRA TECH		LOG OF BORING BH-2				Page 1 of 1							
Project Name: MCA 123 Injection Line Release															
Borehole Location: GPS: 32.810727°, -103.743124°						Surface Elevation: 3974 ft									
Borehole Number: BH-2				Borehole Diameter (in.): 8		Date Started: 3/23/2020		Date Finished: 3/23/2020							
DEPTH (ft)	OPERATION TYPE	SAMPLE	CHLORIDE FIELD SCREENING (ppm)	VOC FIELD SCREENING (ppm)	SAMPLE RECOVERY (%)	MOISTURE CONTENT (%)	DRY DENSITY (pcf)	LIQUID LIMIT	PLASTICITY INDEX	MINUS NO. 200 (%)	GRAPHIC LOG	WATER LEVEL OBSERVATIONS While Drilling <u>▽</u> DRY ft Upon Completion of Drilling <u>▽</u> DRY ft Remarks:			
			ExStik	PID	LL	PI	MATERIAL DESCRIPTION	DEPTH (ft)	REMARKS						
5	5	X	43.3	0.8								4	-SM- SILTY SAND; Tan, dense, dry, with no odor, with no staining.		BH-2 (0'-1')
			60.1	0.7										BH-2 (2'-3')	
			49.7	0.9										BH-2 (3'-4')	
			1.80	1.1										BH-2 (4'-5')	
			4.81	4.5										BH-2 (6'-7')	
10	10	X	6.71	1.3								10	-SM- SILTY SAND; Brown, dense, dry, with no odor, with no staining.		BH-2 (9'-10')

Bottom of borehole at 10.0 feet.

Sampler Types: <div style="display: flex; flex-wrap: wrap;"> <div style="width: 50%;"> Split Spoon Shelby Bulk Sample Grab Sample </div> <div style="width: 50%;"> Acetate Liner Vane Shear California Test Pit </div> </div>	Operation Types: <div style="display: flex; flex-wrap: wrap;"> <div style="width: 50%;"> Mud Rotary Continuous Flight Auger Wash Rotary </div> <div style="width: 50%;"> Hand Auger Air Rotary Direct Push Core Barrel </div> </div>	Notes: Analytical samples are shown in the "Remarks" column. Surface elevation is an estimated value.
Logger: Devin Dominguez	Drilling Equipment: Air Rotary	Driller: Scarborough Drilling

212C-MD-02067		TETRA TECH		LOG OF BORING BH-3				Page 1 of 1							
Project Name: MCA 123 Injection Line Release															
Borehole Location: GPS: 32.810779°, -103.743262°					Surface Elevation: 3973 ft										
Borehole Number: BH-3				Borehole Diameter (in.): 8		Date Started: 3/23/2020		Date Finished: 3/23/2020							
DEPTH (ft)	OPERATION TYPE	SAMPLE	CHLORIDE FIELD SCREENING (ppm)	VOC FIELD SCREENING (ppm)	SAMPLE RECOVERY (%)	MOISTURE CONTENT (%)	DRY DENSITY (pcf)	LIQUID LIMIT	PLASTICITY INDEX	MINUS NO. 200 (%)	GRAPHIC LOG	WATER LEVEL OBSERVATIONS While Drilling <u>▽</u> DRY ft Upon Completion of Drilling <u>▽</u> DRY ft Remarks:			
			ExStik	PID				LL	PI			MATERIAL DESCRIPTION	DEPTH (ft)	REMARKS	
5			157	1.7									-SM- SILTY SAND; Brown, dense, dry, with no odor, with no staining.		BH-3 (0'-1')
			74.9	2.1											
			58.8	2.6											
			33.1	2.3											
			176	1.8											
10			204	1.9									-SM- SILTY SAND; Tan, dense, dry, with no odor, with no staining.		BH-3 (9'-10')

Bottom of borehole at 10.0 feet.

Sampler Types: Split Spoon Shelby Bulk Sample Grab Sample Acetate Liner Vane Shear California Test Pit	Operation Types: Mud Rotary Continuous Flight Auger Wash Rotary Hand Auger Air Rotary Direct Push Core Barrel	Notes: Analytical samples are shown in the "Remarks" column. Surface elevation is an estimated value.
Logger: Devin Dominguez Drilling Equipment: Air Rotary Driller: Scarborough Drilling		

212C-MD-02067		TETRA TECH		LOG OF BORING BH-4				Page 1 of 3	
Project Name: MCA 123 Injection Line Release									
Borehole Location: GPS: 32.810847°, -103.743217°						Surface Elevation: 3973 ft			
Borehole Number: BH-4				Borehole Diameter (in.): 8		Date Started: 3/23/2020		Date Finished: 3/23/2020	

DEPTH (ft)	OPERATION TYPE	SAMPLE	CHLORIDE FIELD SCREENING (ppm)	VOC FIELD SCREENING (ppm)	SAMPLE RECOVERY (%)	MOISTURE CONTENT (%)	DRY DENSITY (pcf)	LIQUID LIMIT	PLASTICITY INDEX	MINUS NO. 200 (%)	GRAPHIC LOG	WATER LEVEL OBSERVATIONS				
												While Drilling	Upon Completion of Drilling			
												While Drilling <u>▽</u> DRY ft Upon Completion of Drilling <u>▽</u> DRY ft Remarks:				
												MATERIAL DESCRIPTION	DEPTH (ft)	REMARKS		
5			208	1.6									-SM- SILTY SAND; Brown, dense, dry, with no odor, with no staining.	4	BH-4 (0'-1')	
			361	1.7											BH-4 (2'-3')	
			657	1.9											BH-4 (3'-4')	
			2.0	2.1											BH-4 (4'-5')	
10			2.03	1.9									-SM- SILTY SAND; Tan, dense, dry, with no odor, with no staining.	14	BH-4 (6'-7')	
			1.95	2												BH-4 (9'-10')
			9.45	3.1												BH-4 (14'-15')
20			3.75	3.2								-SM- SILTY SAND; Light brown, dense, dry, with no odor, with no staining.	14	BH-4 (19'-20')		
			2.81	1.4												BH-4 (24'-25')

Sampler Types: Split Spoon Shelby Bulk Sample Grab Sample Acetate Liner Vane Shear California Test Pit	Operation Types: Mud Rotary Continuous Flight Auger Wash Rotary Hand Auger Air Rotary Direct Push Core Barrel	Notes: Analytical samples are shown in the "Remarks" column. Surface elevation is an estimated value.
---	---	--

Logger: Devin Dominguez	Drilling Equipment: Air Rotary	Driller: Scarborough Drilling
-------------------------	--------------------------------	-------------------------------

212C-MD-02067		TETRA TECH		LOG OF BORING BH-4				Page 2 of 3	
Project Name: MCA 123 Injection Line Release									
Borehole Location: GPS: 32.810847°, -103.743217°						Surface Elevation: 3973 ft			
Borehole Number: BH-4				Borehole Diameter (in.): 8		Date Started: 3/23/2020		Date Finished: 3/23/2020	

DEPTH (ft)	OPERATION TYPE	SAMPLE	CHLORIDE FIELD SCREENING (ppm)	VOC FIELD SCREENING (ppm)	SAMPLE RECOVERY (%)	MOISTURE CONTENT (%)	DRY DENSITY (pcf)	LIQUID LIMIT	PLASTICITY INDEX	MINUS NO. 200 (%)	GRAPHIC LOG	WATER LEVEL OBSERVATIONS		DEPTH (ft)	REMARKS
												While Drilling	Upon Completion of Drilling		
												While Drilling <u>▽</u> DRY ft Upon Completion of Drilling <u>▽</u> DRY ft Remarks:			
			ExStik	PID				LL	PI			MATERIAL DESCRIPTION			
30			1.87	1.7										29	
												-SM- SILTY SAND; Tan, dense, dry, with no odor, with no staining.		BH-4 (29'-30')	
35															
															BH-4 (34'-35')
40			1.67	1.8										39	
												-CL- CLAYSTONE; Red, moderately hard, moist, with no odor, with no staining.		BH-4 (39'-40')	
45															
50			587	1.7											BH-4 (49'-50')

Sampler Types: <div style="display: flex; flex-wrap: wrap;"> <div style="width: 50%;"> Split Spoon Shelby Bulk Sample Grab Sample </div> <div style="width: 50%;"> Acetate Liner Vane Shear California Test Pit </div> </div>	Operation Types: <div style="display: flex; flex-wrap: wrap;"> <div style="width: 50%;"> Mud Rotary Continuous Flight Auger Wash Rotary </div> <div style="width: 50%;"> Hand Auger Air Rotary Direct Push Core Barrel </div> </div>	Notes: Analytical samples are shown in the "Remarks" column. Surface elevation is an estimated value.
---	--	--

Logger: Devin Dominguez	Drilling Equipment: Air Rotary	Driller: Scarborough Drilling
-------------------------	--------------------------------	-------------------------------

212C-MD-02067		TETRA TECH		LOG OF BORING BH-4				Page 3 of 3										
Project Name: MCA 123 Injection Line Release																		
Borehole Location: GPS: 32.810847°, -103.743217°						Surface Elevation: 3973 ft												
Borehole Number: BH-4				Borehole Diameter (in.): 8		Date Started: 3/23/2020		Date Finished: 3/23/2020										
DEPTH (ft)	OPERATION TYPE	SAMPLE	CHLORIDE FIELD SCREENING (ppm)	VOC FIELD SCREENING (ppm)	SAMPLE RECOVERY (%)	MOISTURE CONTENT (%)	DRY DENSITY (pcf)	LIQUID LIMIT	PLASTICITY INDEX	MINUS NO. 200 (%)	GRAPHIC LOG	WATER LEVEL OBSERVATIONS While Drilling <u>▽</u> DRY ft Upon Completion of Drilling <u>▽</u> DRY ft Remarks:						
			ExStik	PID				LL	PI			MATERIAL DESCRIPTION	DEPTH (ft)	REMARKS				
55																		
60			491	1.4											60	BH-4 (59'-60')		

Bottom of borehole at 60.0 feet.

Sampler Types: <div style="display: flex; flex-wrap: wrap;"> <div style="width: 50%;"> Split Spoon Shelby Bulk Sample Grab Sample </div> <div style="width: 50%;"> Acetate Liner Vane Shear California Test Pit </div> </div>	Operation Types: <div style="display: flex; flex-wrap: wrap;"> <div style="width: 50%;"> Mud Rotary Continuous Flight Auger Wash Rotary </div> <div style="width: 50%;"> Hand Auger Air Rotary Direct Push Core Barrel </div> </div>	Notes: Analytical samples are shown in the "Remarks" column. Surface elevation is an estimated value.
Logger: Devin Dominguez		Drilling Equipment: Air Rotary
Driller: Scarborough Drilling		

212C-MD-02067		TETRA TECH		LOG OF BORING BH-5				Page 1 of 1												
Project Name: MCA 123 Injection Line Release																				
Borehole Location: GPS: 32.810853°, -103.743299°					Surface Elevation: 3973 ft															
Borehole Number: BH-5				Borehole Diameter (in.): 8		Date Started: 3/24/2020		Date Finished: 3/24/2020												
DEPTH (ft)	OPERATION TYPE	SAMPLE	CHLORIDE FIELD SCREENING (ppm)	VOC FIELD SCREENING (ppm)	SAMPLE RECOVERY (%)	MOISTURE CONTENT (%)	DRY DENSITY (pcf)	LIQUID LIMIT	PLASTICITY INDEX	MINUS NO. 200 (%)	GRAPHIC LOG	WATER LEVEL OBSERVATIONS								
												While Drilling <u>▽</u> DRY ft Upon Completion of Drilling <u>▽</u> DRY ft Remarks:								
MATERIAL DESCRIPTION												DEPTH (ft)	REMARKS							
5			38.7	1.1									-SM- SILTY SAND; Brown, dense, dry, with no odor, with no staining.		4	BH-5 (0'-1')				
			42.1	1.2																
			38.5	1.2																
			74.4	1.4																
			10			235	2.1											-SM- SILTY SAND; Tan, dense, dry, with no odor, with no staining.		4
307	2.2																			
																	10	BH-5 (3'-4')		
																		10	BH-5 (4'-5')	
																			10	BH-5 (6'-7')
																			10	BH-5 (9'-10')

Bottom of borehole at 10.0 feet.

Sampler Types: Split Spoon Shelby Bulk Sample Grab Sample	Acetate Liner Vane Shear California Test Pit	Operation Types: Mud Rotary Continuous Flight Auger Wash Rotary	Hand Auger Air Rotary Direct Push Core Barrel	Notes: Analytical samples are shown in the "Remarks" column. Surface elevation is an estimated value.
Logger: Devin Dominguez		Drilling Equipment: Air Rotary		Driller: Scarborough Drilling

212C-MD-02067		TETRA TECH		LOG OF BORING BH-6				Page 1 of 1													
Project Name: MCA 123 Injection Line Release																					
Borehole Location: GPS: 32.810921°, -103.743077°						Surface Elevation: 3973 ft															
Borehole Number: BH-6				Borehole Diameter (in.): 8		Date Started: 3/24/2020		Date Finished: 3/24/2020													
DEPTH (ft)	OPERATION TYPE	SAMPLE	CHLORIDE FIELD SCREENING (ppm)	VOC FIELD SCREENING (ppm)	SAMPLE RECOVERY (%)	MOISTURE CONTENT (%)	DRY DENSITY (pcf)	LIQUID LIMIT	PLASTICITY INDEX	MINUS NO. 200 (%)	GRAPHIC LOG	WATER LEVEL OBSERVATIONS While Drilling <u>▽</u> DRY ft Upon Completion of Drilling <u>▽</u> DRY ft Remarks:									
			ExStik	PID	LL	PI	MATERIAL DESCRIPTION	DEPTH (ft)	REMARKS												
5	5	X	34.8	1							5	5	-SM- SILTY SAND; Brown, dense, dry, with no odor, with no staining.		BH-6 (0'-1')						
						52.1	0.9													BH-6 (2'-3')	
			76.3	0.7											BH-6 (3'-4')						
			108	1.6											BH-6 (4'-5')						
			232	1.8											BH-6 (6'-7')						

Bottom of borehole at 7.0 feet.

Sampler Types: <div style="display: flex; flex-wrap: wrap;"> <div style="width: 50%;"> Split Spoon Shelby Bulk Sample Grab Sample </div> <div style="width: 50%;"> Acetate Liner Vane Shear California Test Pit </div> </div>	Operation Types: <div style="display: flex; flex-wrap: wrap;"> <div style="width: 50%;"> Mud Rotary Continuous Flight Auger Wash Rotary </div> <div style="width: 50%;"> Hand Auger Air Rotary Direct Push Core Barrel </div> </div>	Notes: Analytical samples are shown in the "Remarks" column. Surface elevation is an estimated value.
Logger: Devin Dominguez		Drilling Equipment: Air Rotary
		Driller: Scarborough Drilling

212C-MD-02067		TETRA TECH		LOG OF BORING BH-7				Page 1 of 1							
Project Name: MCA 123 Injection Line Release															
Borehole Location: GPS: 32.810839°, -103.742828°						Surface Elevation: 3973 ft									
Borehole Number: BH-7				Borehole Diameter (in.): 8		Date Started: 3/24/2020		Date Finished: 3/24/2020							
DEPTH (ft)	OPERATION TYPE	SAMPLE	CHLORIDE FIELD SCREENING (ppm)	VOC FIELD SCREENING (ppm)	SAMPLE RECOVERY (%)	MOISTURE CONTENT (%)	DRY DENSITY (pcf)	LIQUID LIMIT	PLASTICITY INDEX	MINUS NO. 200 (%)	GRAPHIC LOG	WATER LEVEL OBSERVATIONS			
												While Drilling <u>▽</u> DRY ft Upon Completion of Drilling <u>▽</u> DRY ft			
Remarks:												DEPTH (ft)	REMARKS		
MATERIAL DESCRIPTION															
5	5	X	52.8	1.3								5	-SM- SILTY SAND; Brown, dense, dry, with no odor, with no staining.	4	BH-7 (0'-1')
			61.7	1.1										5	BH-7 (2'-3')
			71.8	0.9										6	BH-7 (3'-4')
			58.8	1.3										7	BH-7 (4'-5')
			34.3	1.4											8

Bottom of borehole at 7.0 feet.

Sampler Types: <div style="display: flex; flex-wrap: wrap;"> <div style="width: 50%;"> Split Spoon Shelby Bulk Sample Grab Sample </div> <div style="width: 50%;"> Acetate Liner Vane Shear California Test Pit </div> </div>	Operation Types: <div style="display: flex; flex-wrap: wrap;"> <div style="width: 50%;"> Mud Rotary Continuous Flight Auger Wash Rotary </div> <div style="width: 50%;"> Hand Auger Air Rotary Direct Push Core Barrel </div> </div>	Notes: Analytical samples are shown in the "Remarks" column. Surface elevation is an estimated value.
Logger: Devin Dominguez		Drilling Equipment: Air Rotary
		Driller: Scarborough Drilling

212C-MD-02067		TETRA TECH		LOG OF BORING BH-8				Page 1 of 1							
Project Name: MCA 123 Injection Line Release															
Borehole Location: GPS: 32.810717°, -103.742964°						Surface Elevation: 3974 ft									
Borehole Number: BH-8				Borehole Diameter (in.): 8		Date Started: 3/24/2020		Date Finished: 3/24/2020							
DEPTH (ft)	OPERATION TYPE	SAMPLE	CHLORIDE FIELD SCREENING (ppm)	VOC FIELD SCREENING (ppm)	SAMPLE RECOVERY (%)	MOISTURE CONTENT (%)	DRY DENSITY (pcf)	LIQUID LIMIT	PLASTICITY INDEX	MINUS NO. 200 (%)	GRAPHIC LOG	WATER LEVEL OBSERVATIONS			
												While Drilling <u>▽</u> DRY ft Upon Completion of Drilling <u>▽</u> DRY ft			
Remarks:												DEPTH (ft)	REMARKS		
MATERIAL DESCRIPTION															
5	5	X	32.7	0.9								5	-SM- SILTY SAND; Brown, dense, dry, with no odor, with no staining.	4	BH-8 (0'-1')
			48.5	0.8										5	BH-8 (2'-3')
			64.4	1.3										6	BH-8 (3'-4')
			86.7	1.4										7	BH-8 (4'-5')
			264	1.7											8

Bottom of borehole at 7.0 feet.

Sampler Types: <div style="display: flex; flex-wrap: wrap;"> <div style="width: 50%;"> Split Spoon Shelby Bulk Sample Grab Sample </div> <div style="width: 50%;"> Acetate Liner Vane Shear California Test Pit </div> </div>	Operation Types: <div style="display: flex; flex-wrap: wrap;"> <div style="width: 50%;"> Mud Rotary Continuous Flight Auger Wash Rotary </div> <div style="width: 50%;"> Hand Auger Air Rotary Direct Push Core Barrel </div> </div>	Notes: Analytical samples are shown in the "Remarks" column. Surface elevation is an estimated value.
Logger: Devin Dominguez		Drilling Equipment: Air Rotary
		Driller: Scarborough Drilling

APPENDIX F

Laboratory Analytical Data



ANALYTICAL REPORT

April 07, 2020

ConocoPhillips - Tetra Tech


Sample Delivery Group: L1204259
Samples Received: 03/28/2020
Project Number: 212C-MD-02067
Description: MCA 123 Injection Line Release

Report To: Christian Llull
901 West Wall
Suite 100
Midland, TX 79701

Entire Report Reviewed By:

Chris McCord
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.



Cp: Cover Page	1
Tc: Table of Contents	2
Ss: Sample Summary	4
Cn: Case Narrative	12
Sr: Sample Results	13
BH-1 0'-1' L1204259-01	13
BH-1 2'-3' L1204259-02	14
BH-1 3'-4' L1204259-03	15
BH-1 6'-7' L1204259-04	16
BH-1 14'-15' L1204259-05	17
BH-1 44'-45' L1204259-06	18
BH-1 49'-50' L1204259-07	19
BH-2 0'-1' L1204259-08	20
BH-2 2'-3' L1204259-09	21
BH-2 3'-4' L1204259-10	22
BH-2 4'-5' L1204259-11	23
BH-3 0'-1' L1204259-12	24
BH-3 2'-3' L1204259-13	25
BH-3 3'-4' L1204259-14	26
BH-3 6'-7' L1204259-15	27
BH-4 0'-1' L1204259-16	28
BH-4 2'-3' L1204259-17	29
BH-4 3'-4' L1204259-18	30
BH-4 39'-40' L1204259-19	31
BH-4 59'-60' L1204259-20	32
BH-5 0'-1' L1204259-21	33
BH-5 2'-3' L1204259-22	34
BH-5 3'-4' L1204259-23	35
BH-5 6'-7' L1204259-24	36
BH-6 0'-1' L1204259-25	37
BH-6 2'-3' L1204259-26	38
BH-6 3'-4' L1204259-27	39
BH-6 6'-7' L1204259-28	40
BH-7 0'-1' L1204259-29	41
BH-7 2'-3' L1204259-30	42
BH-7 3'-4' L1204259-31	43
BH-7 6'-7' L1204259-32	44
BH-8 0'-1' L1204259-33	45
BH-8 2'-3' L1204259-34	46
BH-8 3'-4' L1204259-35	47

¹ Cp
² Tc
³ Ss
⁴ Cn
⁵ Sr
⁶ Qc
⁷ Gl
⁸ Al
⁹ Sc

BH-8 6'-7' L1204259-36	48
Qc: Quality Control Summary	49
Total Solids by Method 2540 G-2011	49
Wet Chemistry by Method 300.0	54
Volatile Organic Compounds (GC) by Method 8015D/GRO	57
Volatile Organic Compounds (GC/MS) by Method 8260B	59
Semi-Volatile Organic Compounds (GC) by Method 8015	63
Gl: Glossary of Terms	67
Al: Accreditations & Locations	68
Sc: Sample Chain of Custody	69

¹ Cp
² Tc
³ Ss
⁴ Cn
⁵ Sr
⁶ Qc
⁷ Gl
⁸ Al
⁹ Sc

BH-1 0-1' L1204259-01 Solid

Collected by Devin Dominguez
 Collected date/time 03/23/20 00:00
 Received date/time 03/28/20 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1453699	1	04/01/20 21:22	04/01/20 21:33	KBC	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1453918	1	04/02/20 14:53	04/03/20 02:32	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1453948	1	04/01/20 03:53	04/03/20 00:59	JHH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1454074	1	04/01/20 03:53	04/02/20 05:52	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1453630	1	04/01/20 05:24	04/03/20 04:10	SHG	Mt. Juliet, TN

¹ Cp² Tc³ Ss⁴ Cn

BH-1 2'-3' L1204259-02 Solid

Collected by Devin Dominguez
 Collected date/time 03/23/20 00:00
 Received date/time 03/28/20 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1453699	1	04/01/20 21:22	04/01/20 21:33	KBC	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1453918	1	04/02/20 14:53	04/03/20 02:41	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1453948	1	04/01/20 03:53	04/03/20 01:20	JHH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1454074	1	04/01/20 03:53	04/02/20 06:11	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1453630	1	04/01/20 05:24	04/03/20 04:26	SHG	Mt. Juliet, TN

⁵ Sr⁶ Qc⁷ Gl⁸ Al

BH-1 3'-4' L1204259-03 Solid

Collected by Devin Dominguez
 Collected date/time 03/23/20 00:00
 Received date/time 03/28/20 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1453699	1	04/01/20 21:22	04/01/20 21:33	KBC	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1453918	1	04/02/20 14:53	04/03/20 02:51	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1453948	1	04/01/20 03:53	04/03/20 01:40	JHH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1454079	1	04/01/20 03:53	04/02/20 03:25	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1453630	1	04/01/20 05:24	04/03/20 04:41	SHG	Mt. Juliet, TN

⁹ Sc

BH-1 6'-7' L1204259-04 Solid

Collected by Devin Dominguez
 Collected date/time 03/23/20 00:00
 Received date/time 03/28/20 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1453699	1	04/01/20 21:22	04/01/20 21:33	KBC	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1453918	100	04/02/20 14:53	04/03/20 03:20	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1453948	1	04/01/20 03:53	04/03/20 02:01	JHH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1454079	1	04/01/20 03:53	04/02/20 03:44	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1453630	1	04/01/20 05:24	04/03/20 04:58	SHG	Mt. Juliet, TN

BH-1 14'-15' L1204259-05 Solid

Collected by Devin Dominguez
 Collected date/time 03/23/20 00:00
 Received date/time 03/28/20 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1453699	1	04/01/20 21:22	04/01/20 21:33	KBC	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1453918	20	04/02/20 14:53	04/03/20 03:39	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1453948	1	04/01/20 03:53	04/03/20 02:22	JHH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1454079	1	04/01/20 03:53	04/02/20 04:03	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1453630	1	04/01/20 05:24	04/03/20 08:08	SHG	Mt. Juliet, TN

BH-1 44'-45' L1204259-06 Solid

Collected by Devin Dominguez
Collected date/time 03/23/20 00:00
Received date/time 03/28/20 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1453699	1	04/01/20 21:22	04/01/20 21:33	KBC	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1453918	5	04/02/20 14:53	04/03/20 03:48	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1453948	1	04/01/20 03:53	04/03/20 02:42	JHH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1454079	1	04/01/20 03:53	04/02/20 04:22	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1453630	1	04/01/20 05:24	04/03/20 05:13	SHG	Mt. Juliet, TN

1 Cp

2 Tc

3 Ss

4 Cn

BH-1 49'-50' L1204259-07 Solid

Collected by Devin Dominguez
Collected date/time 03/23/20 00:00
Received date/time 03/28/20 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1453700	1	04/01/20 21:09	04/01/20 21:18	KBC	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1453918	1	04/02/20 14:53	04/03/20 03:58	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1453948	1	04/01/20 03:53	04/03/20 03:03	JHH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1454079	1	04/01/20 03:53	04/02/20 04:41	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1453630	1	04/01/20 05:24	04/03/20 05:29	SHG	Mt. Juliet, TN

5 Sr

6 Qc

7 Gl

8 Al

BH-2 0-1' L1204259-08 Solid

Collected by Devin Dominguez
Collected date/time 03/23/20 00:00
Received date/time 03/28/20 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1453700	1	04/01/20 21:09	04/01/20 21:18	KBC	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1453918	1	04/02/20 14:53	04/03/20 04:07	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1453948	1	04/01/20 03:53	04/03/20 03:23	JHH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1454257	1	04/01/20 03:53	04/02/20 01:00	JAH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1453630	1	04/01/20 05:24	04/03/20 07:36	SHG	Mt. Juliet, TN

9 Sc

BH-2 2'-3' L1204259-09 Solid

Collected by Devin Dominguez
Collected date/time 03/23/20 00:00
Received date/time 03/28/20 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1453700	1	04/01/20 21:09	04/01/20 21:18	KBC	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1453401	1	04/02/20 23:05	04/03/20 02:05	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1453948	1	04/01/20 03:53	04/03/20 03:44	JHH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1453798	1	04/01/20 03:53	04/01/20 15:34	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1453630	1	04/01/20 05:24	04/03/20 07:52	SHG	Mt. Juliet, TN

BH-2 3'-4' L1204259-10 Solid

Collected by Devin Dominguez
Collected date/time 03/23/20 00:00
Received date/time 03/28/20 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1453700	1	04/01/20 21:09	04/01/20 21:18	KBC	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1453401	1	04/02/20 23:05	04/03/20 02:41	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1453948	1	04/01/20 03:53	04/03/20 04:04	JHH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1453798	1	04/01/20 03:53	04/01/20 15:53	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1453630	1	04/01/20 05:24	04/03/20 05:45	SHG	Mt. Juliet, TN

BH-2 4'-5' L1204259-11 Solid

Collected by Devin Dominguez
Collected date/time 03/23/20 00:00
Received date/time 03/28/20 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1453700	1	04/01/20 21:09	04/01/20 21:18	KBC	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1453401	1	04/02/20 23:05	04/03/20 02:59	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1453948	1	04/01/20 03:53	04/03/20 04:25	JHH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1453798	1	04/01/20 03:53	04/01/20 16:12	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1453630	1	04/01/20 05:24	04/03/20 06:01	SHG	Mt. Juliet, TN

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

BH-3 0-1' L1204259-12 Solid

Collected by Devin Dominguez
Collected date/time 03/23/20 00:00
Received date/time 03/28/20 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1453700	1	04/01/20 21:09	04/01/20 21:18	KBC	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1453401	1	04/02/20 23:05	04/03/20 03:17	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1453948	1	04/01/20 03:53	04/03/20 04:46	JHH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1453798	1	04/01/20 03:53	04/01/20 16:31	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1453630	1	04/01/20 05:24	04/03/20 09:11	SHG	Mt. Juliet, TN

BH-3 2'-3' L1204259-13 Solid

Collected by Devin Dominguez
Collected date/time 03/23/20 00:00
Received date/time 03/28/20 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1453700	1	04/01/20 21:09	04/01/20 21:18	KBC	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1453401	1	04/02/20 23:05	04/03/20 03:35	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1453948	1	04/01/20 03:53	04/03/20 05:06	JHH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1453798	1	04/01/20 03:53	04/01/20 16:50	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1453630	1	04/01/20 05:24	04/03/20 06:17	SHG	Mt. Juliet, TN

BH-3 3'-4' L1204259-14 Solid

Collected by Devin Dominguez
Collected date/time 03/23/20 00:00
Received date/time 03/28/20 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1453700	1	04/01/20 21:09	04/01/20 21:18	KBC	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1453401	1	04/02/20 23:05	04/03/20 05:04	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1453948	1	04/01/20 03:53	04/03/20 05:27	JHH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1453798	1	04/01/20 03:53	04/01/20 17:09	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1453630	1	04/01/20 05:24	04/03/20 06:32	SHG	Mt. Juliet, TN

BH-3 6'-7' L1204259-15 Solid

Collected by Devin Dominguez
Collected date/time 03/23/20 00:00
Received date/time 03/28/20 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1453700	1	04/01/20 21:09	04/01/20 21:18	KBC	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1453401	1	04/02/20 23:05	04/03/20 05:22	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1453948	1	04/01/20 03:53	04/03/20 05:47	JHH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1453798	1	04/01/20 03:53	04/01/20 17:28	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1453630	1	04/01/20 05:24	04/03/20 06:48	SHG	Mt. Juliet, TN

BH-4 0'-1' L1204259-16 Solid

Collected by Devin Dominguez
Collected date/time 03/23/20 00:00
Received date/time 03/28/20 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1453700	1	04/01/20 21:09	04/01/20 21:18	KBC	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1453401	1	04/02/20 23:05	04/03/20 05:40	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1453948	1	04/01/20 03:53	04/03/20 06:08	JHH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1453798	1	04/01/20 03:53	04/01/20 17:47	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1453630	1	04/01/20 05:24	04/03/20 07:04	SHG	Mt. Juliet, TN

1 Cp

2 Tc

3 Ss

4 Cn

BH-4 2'-3' L1204259-17 Solid

Collected by Devin Dominguez
Collected date/time 03/23/20 00:00
Received date/time 03/28/20 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1453842	1	04/01/20 20:34	04/01/20 21:02	KBC	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1453401	1	04/02/20 23:05	04/03/20 05:58	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1453948	1	04/01/20 03:53	04/03/20 06:28	JHH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1453798	1	04/01/20 03:53	04/01/20 18:05	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1453630	1	04/01/20 05:24	04/03/20 07:20	SHG	Mt. Juliet, TN

5 Sr

6 Qc

7 Gl

8 Al

BH-4 3'-4' L1204259-18 Solid

Collected by Devin Dominguez
Collected date/time 03/23/20 00:00
Received date/time 03/28/20 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1453843	1	04/01/20 20:01	04/01/20 20:26	KBC	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1453401	10	04/02/20 23:05	04/03/20 06:16	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1453960	1	04/01/20 03:53	04/03/20 01:55	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1453798	1	04/01/20 03:53	04/01/20 18:24	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1453985	1	04/01/20 18:26	04/02/20 11:30	KME	Mt. Juliet, TN

9 Sc

BH-4 39'-40' L1204259-19 Solid

Collected by Devin Dominguez
Collected date/time 03/23/20 00:00
Received date/time 03/28/20 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1453843	1	04/01/20 20:01	04/01/20 20:26	KBC	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1453401	10	04/02/20 23:05	04/03/20 06:34	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1453960	1	04/01/20 06:41	04/03/20 02:19	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1453798	1	04/01/20 06:41	04/01/20 18:43	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1453985	1	04/01/20 18:26	04/02/20 11:48	KME	Mt. Juliet, TN

BH-4 59'-60' L1204259-20 Solid

Collected by Devin Dominguez
Collected date/time 03/23/20 00:00
Received date/time 03/28/20 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1453843	1	04/01/20 20:01	04/01/20 20:26	KBC	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1453401	1	04/02/20 23:05	04/03/20 06:52	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1453960	1	04/01/20 06:41	04/03/20 02:43	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1453798	1	04/01/20 06:41	04/01/20 19:02	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1453985	1	04/01/20 18:26	04/02/20 12:01	KME	Mt. Juliet, TN

BH-5 0-1' L1204259-21 Solid

Collected by Devin Dominguez
Collected date/time 03/23/20 00:00
Received date/time 03/28/20 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1453843	1	04/01/20 20:01	04/01/20 20:26	KBC	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1453401	1	04/02/20 23:05	04/03/20 07:10	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1453960	1	04/01/20 06:41	04/03/20 03:06	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1453798	1	04/01/20 06:41	04/01/20 19:21	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1453985	1	04/01/20 18:26	04/02/20 12:21	KME	Mt. Juliet, TN

1 Cp

2 Tc

3 Ss

4 Cn

BH-5 2'-3' L1204259-22 Solid

Collected by Devin Dominguez
Collected date/time 03/23/20 00:00
Received date/time 03/28/20 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1453843	1	04/01/20 20:01	04/01/20 20:26	KBC	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1453401	1	04/02/20 23:05	04/03/20 07:46	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1453960	1	04/01/20 06:41	04/03/20 03:30	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1453798	1	04/01/20 06:41	04/01/20 19:40	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1453985	1	04/01/20 18:26	04/02/20 12:33	KME	Mt. Juliet, TN

5 Sr

6 Qc

7 Gl

8 Al

BH-5 3'-4' L1204259-23 Solid

Collected by Devin Dominguez
Collected date/time 03/23/20 00:00
Received date/time 03/28/20 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1453843	1	04/01/20 20:01	04/01/20 20:26	KBC	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1453401	1	04/02/20 23:05	04/03/20 08:39	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1453960	1	04/01/20 06:41	04/03/20 03:54	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1453798	1	04/01/20 06:41	04/01/20 19:59	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1453985	1	04/01/20 18:26	04/02/20 12:46	KME	Mt. Juliet, TN

9 Sc

BH-5 6'-7' L1204259-24 Solid

Collected by Devin Dominguez
Collected date/time 03/23/20 00:00
Received date/time 03/28/20 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1453843	1	04/01/20 20:01	04/01/20 20:26	KBC	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1453401	1	04/02/20 23:05	04/03/20 08:57	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1453960	1	04/01/20 06:41	04/03/20 04:18	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1454079	1	04/01/20 06:41	04/02/20 05:00	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1453985	1	04/01/20 18:26	04/02/20 12:59	KME	Mt. Juliet, TN

BH-6 0-1' L1204259-25 Solid

Collected by Devin Dominguez
Collected date/time 03/23/20 00:00
Received date/time 03/28/20 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1453843	1	04/01/20 20:01	04/01/20 20:26	KBC	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1453401	1	04/02/20 23:05	04/03/20 09:15	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1453960	1	04/01/20 06:41	04/03/20 04:42	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1454079	1	04/01/20 06:41	04/02/20 05:19	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1454173	1	04/01/20 23:46	04/02/20 16:45	FM	Mt. Juliet, TN

BH-6 2'-3' L1204259-26 Solid

Collected by Devin Dominguez
Collected date/time 03/23/20 00:00
Received date/time 03/28/20 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1453843	1	04/01/20 20:01	04/01/20 20:26	KBC	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1453401	1	04/02/20 23:05	04/03/20 09:33	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1453960	1	04/01/20 06:41	04/03/20 05:06	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1454079	1	04/01/20 06:41	04/02/20 05:38	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1454173	1	04/01/20 23:46	04/02/20 15:27	FM	Mt. Juliet, TN

1 Cp

2 Tc

3 Ss

4 Cn

BH-6 3'-4' L1204259-27 Solid

Collected by Devin Dominguez
Collected date/time 03/23/20 00:00
Received date/time 03/28/20 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1453843	1	04/01/20 20:01	04/01/20 20:26	KBC	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1453401	1	04/02/20 23:05	04/03/20 09:51	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1453960	1	04/01/20 06:41	04/03/20 05:30	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1454079	1	04/01/20 06:41	04/02/20 05:57	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1454173	1	04/01/20 23:46	04/02/20 15:40	FM	Mt. Juliet, TN

5 Sr

6 Qc

7 Gl

8 Al

BH-6 6'-7' L1204259-28 Solid

Collected by Devin Dominguez
Collected date/time 03/23/20 00:00
Received date/time 03/28/20 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1453844	1	04/01/20 19:43	04/01/20 19:53	KBC	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1453401	1	04/02/20 23:05	04/03/20 10:09	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1453960	1	04/01/20 06:41	04/03/20 05:54	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1454079	1	04/01/20 06:41	04/02/20 06:16	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1454173	1	04/01/20 23:46	04/02/20 14:21	FM	Mt. Juliet, TN

9 Sc

BH-7 0-1' L1204259-29 Solid

Collected by Devin Dominguez
Collected date/time 03/23/20 00:00
Received date/time 03/28/20 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1453844	1	04/01/20 19:43	04/01/20 19:53	KBC	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1455065	1	04/03/20 14:26	04/03/20 17:19	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1453960	1	04/01/20 06:41	04/03/20 06:18	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1454079	1	04/01/20 06:41	04/02/20 06:35	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1454173	1	04/01/20 23:46	04/02/20 15:53	FM	Mt. Juliet, TN

BH-7 2'-3' L1204259-30 Solid

Collected by Devin Dominguez
Collected date/time 03/23/20 00:00
Received date/time 03/28/20 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1453844	1	04/01/20 19:43	04/01/20 19:53	KBC	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1455065	1	04/03/20 14:26	04/03/20 17:28	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1453960	1	04/01/20 06:41	04/03/20 06:42	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1454079	1	04/01/20 06:41	04/02/20 06:54	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1454173	1	04/01/20 23:46	04/02/20 16:06	FM	Mt. Juliet, TN

BH-7 3'-4' L1204259-31 Solid

Collected by Devin Dominguez
Collected date/time 03/23/20 00:00
Received date/time 03/28/20 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1453844	1	04/01/20 19:43	04/01/20 19:53	KBC	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1455065	1	04/03/20 14:26	04/03/20 17:48	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1453960	1	04/01/20 06:41	04/03/20 07:06	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1454079	1	04/01/20 06:41	04/02/20 07:12	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1454173	1	04/01/20 23:46	04/02/20 14:47	FM	Mt. Juliet, TN

¹ Cp² Tc³ Ss⁴ Cn

BH-7 6'-7' L1204259-32 Solid

Collected by Devin Dominguez
Collected date/time 03/23/20 00:00
Received date/time 03/28/20 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1453844	1	04/01/20 19:43	04/01/20 19:53	KBC	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1455065	1	04/03/20 14:26	04/03/20 17:57	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1453960	1	04/01/20 06:41	04/03/20 07:30	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1454079	1	04/01/20 06:41	04/02/20 07:32	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1454173	1	04/01/20 23:46	04/02/20 14:34	FM	Mt. Juliet, TN

⁵ Sr⁶ Qc⁷ Gl⁸ Al

BH-8 0-1' L1204259-33 Solid

Collected by Devin Dominguez
Collected date/time 03/23/20 00:00
Received date/time 03/28/20 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1453844	1	04/01/20 19:43	04/01/20 19:53	KBC	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1455065	1	04/03/20 14:26	04/03/20 18:26	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1453960	1	04/01/20 06:41	04/03/20 07:54	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1454079	1	04/01/20 06:41	04/02/20 08:31	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1454173	1	04/01/20 23:46	04/02/20 15:13	FM	Mt. Juliet, TN

⁹ Sc

BH-8 2'-3' L1204259-34 Solid

Collected by Devin Dominguez
Collected date/time 03/23/20 00:00
Received date/time 03/28/20 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1453844	1	04/01/20 19:43	04/01/20 19:53	KBC	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1455065	1	04/03/20 14:26	04/03/20 18:35	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1453960	1	04/01/20 06:41	04/03/20 08:18	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1454079	1	04/01/20 06:41	04/02/20 08:50	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1454243	1	04/02/20 01:57	04/03/20 05:21	KME	Mt. Juliet, TN

BH-8 3'-4' L1204259-35 Solid

Collected by Devin Dominguez
Collected date/time 03/23/20 00:00
Received date/time 03/28/20 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1453844	1	04/01/20 19:43	04/01/20 19:53	KBC	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1455065	1	04/03/20 14:26	04/03/20 18:45	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1453960	1	04/01/20 06:41	04/03/20 08:41	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1454079	1	04/01/20 06:41	04/02/20 09:09	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1454243	1	04/02/20 01:57	04/03/20 03:23	KME	Mt. Juliet, TN

BH-8 6'-7' L1204259-36 Solid

Collected by Devin Dominguez
Collected date/time 03/23/20 00:00
Received date/time 03/28/20 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1453844	1	04/01/20 19:43	04/01/20 19:53	KBC	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1455065	1	04/03/20 14:26	04/03/20 18:54	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1453960	1	04/01/20 06:41	04/03/20 09:05	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1454079	1	04/01/20 06:41	04/02/20 09:28	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015	WG1454243	1	04/02/20 01:57	04/03/20 03:36	KME	Mt. Juliet, TN

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl


⁸Al

⁹Sc

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Chris McCord
Project Manager



Collected date/time: 03/23/20 00:00

L1204259

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	95.5		1	04/01/2020 21:33	WG1453699

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	98.4		0.832	10.5	1	04/03/2020 02:32	WG1453918

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0357	J	0.0227	0.105	1	04/03/2020 00:59	WG1453948
(S) a,a,a-Trifluorotoluene(FID)	95.8			77.0-120		04/03/2020 00:59	WG1453948

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000419	0.00105	1	04/02/2020 05:52	WG1454074
Toluene	U		0.00131	0.00524	1	04/02/2020 05:52	WG1454074
Ethylbenzene	U		0.000555	0.00262	1	04/02/2020 05:52	WG1454074
Total Xylenes	U		0.00501	0.00681	1	04/02/2020 05:52	WG1454074
(S) Toluene-d8	112			75.0-131		04/02/2020 05:52	WG1454074
(S) 4-Bromofluorobenzene	86.4			67.0-138		04/02/2020 05:52	WG1454074
(S) 1,2-Dichloroethane-d4	110			70.0-130		04/02/2020 05:52	WG1454074

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	8.20		1.69	4.19	1	04/03/2020 04:10	WG1453630
C28-C40 Oil Range	4.87		0.287	4.19	1	04/03/2020 04:10	WG1453630
(S) o-Terphenyl	89.6			18.0-148		04/03/2020 04:10	WG1453630

Collected date/time: 03/23/20 00:00

L1204259

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	94.4		1	04/01/2020 21:33	WG1453699

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	151		0.843	10.6	1	04/03/2020 02:41	WG1453918

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0230	0.106	1	04/03/2020 01:20	WG1453948
(S) a,a,a-Trifluorotoluene(FID)	96.1			77.0-120		04/03/2020 01:20	WG1453948

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000424	0.00106	1	04/02/2020 06:11	WG1454074
Toluene	U		0.00132	0.00530	1	04/02/2020 06:11	WG1454074
Ethylbenzene	U		0.000562	0.00265	1	04/02/2020 06:11	WG1454074
Total Xylenes	U		0.00507	0.00689	1	04/02/2020 06:11	WG1454074
(S) Toluene-d8	110			75.0-131		04/02/2020 06:11	WG1454074
(S) 4-Bromofluorobenzene	88.3			67.0-138		04/02/2020 06:11	WG1454074
(S) 1,2-Dichloroethane-d4	112			70.0-130		04/02/2020 06:11	WG1454074

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	U		1.71	4.24	1	04/03/2020 04:26	WG1453630
C28-C40 Oil Range	1.56	J	0.290	4.24	1	04/03/2020 04:26	WG1453630
(S) o-Terphenyl	92.2			18.0-148		04/03/2020 04:26	WG1453630

Collected date/time: 03/23/20 00:00

L1204259

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	94.8		1	04/01/2020 21:33	WG1453699

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	146		0.839	10.5	1	04/03/2020 02:51	WG1453918

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0245	J	0.0229	0.105	1	04/03/2020 01:40	WG1453948
(S) a,a,a-Trifluorotoluene(FID)	95.7			77.0-120		04/03/2020 01:40	WG1453948

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000422	0.00105	1	04/02/2020 03:25	WG1454079
Toluene	U		0.00132	0.00527	1	04/02/2020 03:25	WG1454079
Ethylbenzene	U		0.000559	0.00264	1	04/02/2020 03:25	WG1454079
Total Xylenes	U		0.00504	0.00686	1	04/02/2020 03:25	WG1454079
(S) Toluene-d8	105			75.0-131		04/02/2020 03:25	WG1454079
(S) 4-Bromofluorobenzene	102			67.0-138		04/02/2020 03:25	WG1454079
(S) 1,2-Dichloroethane-d4	98.2			70.0-130		04/02/2020 03:25	WG1454079

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	1.88	J	1.70	4.22	1	04/03/2020 04:41	WG1453630
C28-C40 Oil Range	1.15	J	0.289	4.22	1	04/03/2020 04:41	WG1453630
(S) o-Terphenyl	85.7			18.0-148		04/03/2020 04:41	WG1453630

Collected date/time: 03/23/20 00:00

L1204259

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	85.3		1	04/01/2020 21:33	WG1453699

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	11100		93.1	1170	100	04/03/2020 03:20	WG1453918

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	0.0259	J	0.0254	0.117	1	04/03/2020 02:01	WG1453948
(S) a,a,a-Trifluorotoluene(FID)	95.2			77.0-120		04/03/2020 02:01	WG1453948

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000469	0.00117	1	04/02/2020 03:44	WG1454079
Toluene	U		0.00146	0.00586	1	04/02/2020 03:44	WG1454079
Ethylbenzene	U		0.000621	0.00293	1	04/02/2020 03:44	WG1454079
Total Xylenes	U		0.00560	0.00762	1	04/02/2020 03:44	WG1454079
(S) Toluene-d8	105			75.0-131		04/02/2020 03:44	WG1454079
(S) 4-Bromofluorobenzene	103			67.0-138		04/02/2020 03:44	WG1454079
(S) 1,2-Dichloroethane-d4	97.7			70.0-130		04/02/2020 03:44	WG1454079

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	5.42		1.89	4.69	1	04/03/2020 04:58	WG1453630
C28-C40 Oil Range	1.91	J	0.321	4.69	1	04/03/2020 04:58	WG1453630
(S) o-Terphenyl	89.8			18.0-148		04/03/2020 04:58	WG1453630

Collected date/time: 03/23/20 00:00

L1204259

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	74.9		1	04/01/2020 21:33	WG1453699

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	8120		21.2	267	20	04/03/2020 03:39	WG1453918

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0390	J	0.0290	0.133	1	04/03/2020 02:22	WG1453948
(S) a,a,a-Trifluorotoluene(FID)	96.1			77.0-120		04/03/2020 02:22	WG1453948

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000534	0.00133	1	04/02/2020 04:03	WG1454079
Toluene	U		0.00167	0.00667	1	04/02/2020 04:03	WG1454079
Ethylbenzene	U		0.000708	0.00334	1	04/02/2020 04:03	WG1454079
Total Xylenes	U		0.00638	0.00868	1	04/02/2020 04:03	WG1454079
(S) Toluene-d8	104			75.0-131		04/02/2020 04:03	WG1454079
(S) 4-Bromofluorobenzene	105			67.0-138		04/02/2020 04:03	WG1454079
(S) 1,2-Dichloroethane-d4	99.1			70.0-130		04/02/2020 04:03	WG1454079

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	2.28	J	2.15	5.34	1	04/03/2020 08:08	WG1453630
C28-C40 Oil Range	3.24	J	0.366	5.34	1	04/03/2020 08:08	WG1453630
(S) o-Terphenyl	89.6			18.0-148		04/03/2020 08:08	WG1453630

Collected date/time: 03/23/20 00:00

L1204259

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	85.3		1	04/01/2020 21:33	WG1453699

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	860		4.66	58.6	5	04/03/2020 03:48	WG1453918

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0463	J	0.0254	0.117	1	04/03/2020 02:42	WG1453948
(S) a,a,a-Trifluorotoluene(FID)	95.4			77.0-120		04/03/2020 02:42	WG1453948

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000469	0.00117	1	04/02/2020 04:22	WG1454079
Toluene	U		0.00146	0.00586	1	04/02/2020 04:22	WG1454079
Ethylbenzene	U		0.000621	0.00293	1	04/02/2020 04:22	WG1454079
Total Xylenes	U		0.00560	0.00762	1	04/02/2020 04:22	WG1454079
(S) Toluene-d8	103			75.0-131		04/02/2020 04:22	WG1454079
(S) 4-Bromofluorobenzene	103			67.0-138		04/02/2020 04:22	WG1454079
(S) 1,2-Dichloroethane-d4	98.8			70.0-130		04/02/2020 04:22	WG1454079

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	16.2		1.89	4.69	1	04/03/2020 05:13	WG1453630
C28-C40 Oil Range	8.81		0.321	4.69	1	04/03/2020 05:13	WG1453630
(S) o-Terphenyl	80.1			18.0-148		04/03/2020 05:13	WG1453630

Collected date/time: 03/23/20 00:00

L1204259

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	91.3		1	04/01/2020 21:18	WG1453700

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	50.3		0.871	11.0	1	04/03/2020 03:58	WG1453918

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0520	J	0.0238	0.110	1	04/03/2020 03:03	WG1453948
(S) a,a,a-Trifluorotoluene(FID)	96.4			77.0-120		04/03/2020 03:03	WG1453948

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000438	0.00110	1	04/02/2020 04:41	WG1454079
Toluene	U		0.00137	0.00548	1	04/02/2020 04:41	WG1454079
Ethylbenzene	U		0.000581	0.00274	1	04/02/2020 04:41	WG1454079
Total Xylenes	U		0.00524	0.00712	1	04/02/2020 04:41	WG1454079
(S) Toluene-d8	104			75.0-131		04/02/2020 04:41	WG1454079
(S) 4-Bromofluorobenzene	101			67.0-138		04/02/2020 04:41	WG1454079
(S) 1,2-Dichloroethane-d4	97.2			70.0-130		04/02/2020 04:41	WG1454079

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	4.53		1.76	4.38	1	04/03/2020 05:29	WG1453630
C28-C40 Oil Range	U		0.300	4.38	1	04/03/2020 05:29	WG1453630
(S) o-Terphenyl	89.0			18.0-148		04/03/2020 05:29	WG1453630

Collected date/time: 03/23/20 00:00

L1204259

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	82.4		1	04/01/2020 21:18	WG1453700

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	6.96	B J	0.965	12.1	1	04/03/2020 04:07	WG1453918

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0559	J	0.0263	0.121	1	04/03/2020 03:23	WG1453948
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	96.6			77.0-120		04/03/2020 03:23	WG1453948

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000485	0.00121	1	04/02/2020 01:00	WG1454257
Toluene	U		0.00152	0.00607	1	04/02/2020 01:00	WG1454257
Ethylbenzene	U		0.000643	0.00303	1	04/02/2020 01:00	WG1454257
Total Xylenes	U		0.00580	0.00789	1	04/02/2020 01:00	WG1454257
(S) <i>Toluene-d8</i>	103			75.0-131		04/02/2020 01:00	WG1454257
(S) <i>4-Bromofluorobenzene</i>	101			67.0-138		04/02/2020 01:00	WG1454257
(S) <i>1,2-Dichloroethane-d4</i>	97.7			70.0-130		04/02/2020 01:00	WG1454257

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	3.51	J	1.95	4.85	1	04/03/2020 07:36	WG1453630
C28-C40 Oil Range	11.2		0.332	4.85	1	04/03/2020 07:36	WG1453630
(S) <i>o</i> -Terphenyl	87.6			18.0-148		04/03/2020 07:36	WG1453630

Collected date/time: 03/23/20 00:00

L1204259

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	95.0		1	04/01/2020 21:18	WG1453700

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
Chloride	23.5		0.837	10.5	1	04/03/2020 02:05	WG1453401

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	0.0608	J	0.0228	0.105	1	04/03/2020 03:44	WG1453948
(S) a,a,a-Trifluorotoluene(FID)	96.8			77.0-120		04/03/2020 03:44	WG1453948

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
Benzene	U		0.000421	0.00105	1	04/01/2020 15:34	WG1453798
Toluene	U		0.00132	0.00526	1	04/01/2020 15:34	WG1453798
Ethylbenzene	U		0.000558	0.00263	1	04/01/2020 15:34	WG1453798
Total Xylenes	U		0.00503	0.00684	1	04/01/2020 15:34	WG1453798
(S) Toluene-d8	114			75.0-131		04/01/2020 15:34	WG1453798
(S) 4-Bromofluorobenzene	92.0			67.0-138		04/01/2020 15:34	WG1453798
(S) 1,2-Dichloroethane-d4	92.4			70.0-130		04/01/2020 15:34	WG1453798

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	9.10		1.69	4.21	1	04/03/2020 07:52	WG1453630
C28-C40 Oil Range	24.0		0.288	4.21	1	04/03/2020 07:52	WG1453630
(S) o-Terphenyl	90.8			18.0-148		04/03/2020 07:52	WG1453630

Collected date/time: 03/23/20 00:00

L1204259

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	94.7		1	04/01/2020 21:18	WG1453700

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	9.75	B J	0.840	10.6	1	04/03/2020 02:41	WG1453401

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	0.0315	J	0.0229	0.106	1	04/03/2020 04:04	WG1453948
(S) a,a,a-Trifluorotoluene(FID)	96.1			77.0-120		04/03/2020 04:04	WG1453948

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000422	0.00106	1	04/01/2020 15:53	WG1453798
Toluene	U		0.00132	0.00528	1	04/01/2020 15:53	WG1453798
Ethylbenzene	U		0.000560	0.00264	1	04/01/2020 15:53	WG1453798
Total Xylenes	U		0.00505	0.00686	1	04/01/2020 15:53	WG1453798
(S) Toluene-d8	114			75.0-131		04/01/2020 15:53	WG1453798
(S) 4-Bromofluorobenzene	92.4			67.0-138		04/01/2020 15:53	WG1453798
(S) 1,2-Dichloroethane-d4	92.6			70.0-130		04/01/2020 15:53	WG1453798

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	1.93	J	1.70	4.22	1	04/03/2020 05:45	WG1453630
C28-C40 Oil Range	2.88	J	0.289	4.22	1	04/03/2020 05:45	WG1453630
(S) o-Terphenyl	85.2			18.0-148		04/03/2020 05:45	WG1453630

Collected date/time: 03/23/20 00:00

L1204259

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	70.2		1	04/01/2020 21:18	WG1453700

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	416		1.13	14.2	1	04/03/2020 02:59	WG1453401

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0309	0.142	1	04/03/2020 04:25	WG1453948
(S) a,a,a-Trifluorotoluene(FID)	96.4			77.0-120		04/03/2020 04:25	WG1453948

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000570	0.00142	1	04/01/2020 16:12	WG1453798
Toluene	U		0.00178	0.00712	1	04/01/2020 16:12	WG1453798
Ethylbenzene	U		0.000755	0.00356	1	04/01/2020 16:12	WG1453798
Total Xylenes	U		0.00681	0.00926	1	04/01/2020 16:12	WG1453798
(S) Toluene-d8	114			75.0-131		04/01/2020 16:12	WG1453798
(S) 4-Bromofluorobenzene	92.7			67.0-138		04/01/2020 16:12	WG1453798
(S) 1,2-Dichloroethane-d4	93.6			70.0-130		04/01/2020 16:12	WG1453798

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	U		2.29	5.70	1	04/03/2020 06:01	WG1453630
C28-C40 Oil Range	1.78	J	0.390	5.70	1	04/03/2020 06:01	WG1453630
(S) o-Terphenyl	68.1			18.0-148		04/03/2020 06:01	WG1453630

Collected date/time: 03/23/20 00:00

L1204259

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	93.7		1	04/01/2020 21:18	WG1453700

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	13.8		0.848	10.7	1	04/03/2020 03:17	WG1453401

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0529	J	0.0232	0.107	1	04/03/2020 04:46	WG1453948
(S) a,a,a-Trifluorotoluene(FID)	95.8			77.0-120		04/03/2020 04:46	WG1453948

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000427	0.00107	1	04/01/2020 16:31	WG1453798
Toluene	U		0.00133	0.00534	1	04/01/2020 16:31	WG1453798
Ethylbenzene	U		0.000566	0.00267	1	04/01/2020 16:31	WG1453798
Total Xylenes	U		0.00510	0.00694	1	04/01/2020 16:31	WG1453798
(S) Toluene-d8	114			75.0-131		04/01/2020 16:31	WG1453798
(S) 4-Bromofluorobenzene	90.8			67.0-138		04/01/2020 16:31	WG1453798
(S) 1,2-Dichloroethane-d4	91.9			70.0-130		04/01/2020 16:31	WG1453798

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	6.94		1.72	4.27	1	04/03/2020 09:11	WG1453630
C28-C40 Oil Range	15.6		0.292	4.27	1	04/03/2020 09:11	WG1453630
(S) o-Terphenyl	86.5			18.0-148		04/03/2020 09:11	WG1453630

Collected date/time: 03/23/20 00:00

L1204259

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	96.1		1	04/01/2020 21:18	WG1453700

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	3.36	B J	0.827	10.4	1	04/03/2020 03:35	WG1453401

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	0.0256	J	0.0226	0.104	1	04/03/2020 05:06	WG1453948
(S) a,a,a-Trifluorotoluene(FID)	96.1			77.0-120		04/03/2020 05:06	WG1453948

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000416	0.00104	1	04/01/2020 16:50	WG1453798
Toluene	U		0.00130	0.00520	1	04/01/2020 16:50	WG1453798
Ethylbenzene	U		0.000552	0.00260	1	04/01/2020 16:50	WG1453798
Total Xylenes	U		0.00497	0.00676	1	04/01/2020 16:50	WG1453798
(S) Toluene-d8	114			75.0-131		04/01/2020 16:50	WG1453798
(S) 4-Bromofluorobenzene	90.9			67.0-138		04/01/2020 16:50	WG1453798
(S) 1,2-Dichloroethane-d4	90.9			70.0-130		04/01/2020 16:50	WG1453798

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	U		1.68	4.16	1	04/03/2020 06:17	WG1453630
C28-C40 Oil Range	0.582	J	0.285	4.16	1	04/03/2020 06:17	WG1453630
(S) o-Terphenyl	84.2			18.0-148		04/03/2020 06:17	WG1453630

Collected date/time: 03/23/20 00:00

L1204259

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	94.8		1	04/01/2020 21:18	WG1453700

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	9.28	B J	0.838	10.5	1	04/03/2020 05:04	WG1453401

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	0.0289	J	0.0229	0.105	1	04/03/2020 05:27	WG1453948
(S) a,a,a-Trifluorotoluene(FID)	96.7			77.0-120		04/03/2020 05:27	WG1453948

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000422	0.00105	1	04/01/2020 17:09	WG1453798
Toluene	U		0.00132	0.00527	1	04/01/2020 17:09	WG1453798
Ethylbenzene	U		0.000559	0.00264	1	04/01/2020 17:09	WG1453798
Total Xylenes	U		0.00504	0.00685	1	04/01/2020 17:09	WG1453798
(S) Toluene-d8	115			75.0-131		04/01/2020 17:09	WG1453798
(S) 4-Bromofluorobenzene	90.3			67.0-138		04/01/2020 17:09	WG1453798
(S) 1,2-Dichloroethane-d4	90.8			70.0-130		04/01/2020 17:09	WG1453798

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	U		1.70	4.22	1	04/03/2020 06:32	WG1453630
C28-C40 Oil Range	2.36	J	0.289	4.22	1	04/03/2020 06:32	WG1453630
(S) o-Terphenyl	92.4			18.0-148		04/03/2020 06:32	WG1453630

Collected date/time: 03/23/20 00:00

L1204259

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	79.1		1	04/01/2020 21:18	WG1453700

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	62.8		1.01	12.6	1	04/03/2020 05:22	WG1453401

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0331	J	0.0274	0.126	1	04/03/2020 05:47	WG1453948
(S) a,a,a-Trifluorotoluene(FID)	96.5			77.0-120		04/03/2020 05:47	WG1453948

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000506	0.00126	1	04/01/2020 17:28	WG1453798
Toluene	U		0.00158	0.00632	1	04/01/2020 17:28	WG1453798
Ethylbenzene	U		0.000670	0.00316	1	04/01/2020 17:28	WG1453798
Total Xylenes	U		0.00604	0.00822	1	04/01/2020 17:28	WG1453798
(S) Toluene-d8	115			75.0-131		04/01/2020 17:28	WG1453798
(S) 4-Bromofluorobenzene	91.2			67.0-138		04/01/2020 17:28	WG1453798
(S) 1,2-Dichloroethane-d4	92.7			70.0-130		04/01/2020 17:28	WG1453798

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	2.14	J	2.04	5.06	1	04/03/2020 06:48	WG1453630
C28-C40 Oil Range	U		0.346	5.06	1	04/03/2020 06:48	WG1453630
(S) o-Terphenyl	70.6			18.0-148		04/03/2020 06:48	WG1453630

Collected date/time: 03/23/20 00:00

L1204259

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	94.8		1	04/01/2020 21:18	WG1453700

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	9.20	B J	0.838	10.5	1	04/03/2020 05:40	WG1453401

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	0.0481	J	0.0229	0.105	1	04/03/2020 06:08	WG1453948
(S) a,a,a-Trifluorotoluene(FID)	96.2			77.0-120		04/03/2020 06:08	WG1453948

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000422	0.00105	1	04/01/2020 17:47	WG1453798
Toluene	U		0.00132	0.00527	1	04/01/2020 17:47	WG1453798
Ethylbenzene	U		0.000559	0.00264	1	04/01/2020 17:47	WG1453798
Total Xylenes	U		0.00504	0.00685	1	04/01/2020 17:47	WG1453798
(S) Toluene-d8	114			75.0-131		04/01/2020 17:47	WG1453798
(S) 4-Bromofluorobenzene	90.9			67.0-138		04/01/2020 17:47	WG1453798
(S) 1,2-Dichloroethane-d4	92.1			70.0-130		04/01/2020 17:47	WG1453798

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	1.89	J	1.70	4.22	1	04/03/2020 07:04	WG1453630
C28-C40 Oil Range	2.22	J	0.289	4.22	1	04/03/2020 07:04	WG1453630
(S) o-Terphenyl	87.8			18.0-148		04/03/2020 07:04	WG1453630

Collected date/time: 03/23/20 00:00

L1204259

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	93.2		1	04/01/2020 21:02	WG1453842

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	184		0.853	10.7	1	04/03/2020 05:58	WG1453401

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0233	0.107	1	04/03/2020 06:28	WG1453948
(S) a,a,a-Trifluorotoluene(FID)	95.1			77.0-120		04/03/2020 06:28	WG1453948

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000429	0.00107	1	04/01/2020 18:05	WG1453798
Toluene	U		0.00134	0.00537	1	04/01/2020 18:05	WG1453798
Ethylbenzene	U		0.000569	0.00268	1	04/01/2020 18:05	WG1453798
Total Xylenes	U		0.00513	0.00698	1	04/01/2020 18:05	WG1453798
(S) Toluene-d8	115			75.0-131		04/01/2020 18:05	WG1453798
(S) 4-Bromofluorobenzene	92.5			67.0-138		04/01/2020 18:05	WG1453798
(S) 1,2-Dichloroethane-d4	91.9			70.0-130		04/01/2020 18:05	WG1453798

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	14.1		1.73	4.29	1	04/03/2020 07:20	WG1453630
C28-C40 Oil Range	6.75		0.294	4.29	1	04/03/2020 07:20	WG1453630
(S) o-Terphenyl	87.9			18.0-148		04/03/2020 07:20	WG1453630

Collected date/time: 03/23/20 00:00

L1204259

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	93.9		1	04/01/2020 20:26	WG1453843

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	1890		8.46	106	10	04/03/2020 06:16	WG1453401

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0231	0.106	1	04/03/2020 01:55	WG1453960
(S) a,a,a-Trifluorotoluene(FID)	96.4			77.0-120		04/03/2020 01:55	WG1453960

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000426	0.00106	1	04/01/2020 18:24	WG1453798
Toluene	U		0.00133	0.00532	1	04/01/2020 18:24	WG1453798
Ethylbenzene	U		0.000564	0.00266	1	04/01/2020 18:24	WG1453798
Total Xylenes	U		0.00509	0.00692	1	04/01/2020 18:24	WG1453798
(S) Toluene-d8	114			75.0-131		04/01/2020 18:24	WG1453798
(S) 4-Bromofluorobenzene	90.9			67.0-138		04/01/2020 18:24	WG1453798
(S) 1,2-Dichloroethane-d4	94.0			70.0-130		04/01/2020 18:24	WG1453798

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	5.14		1.71	4.26	1	04/02/2020 11:30	WG1453985
C28-C40 Oil Range	2.95	B J	0.292	4.26	1	04/02/2020 11:30	WG1453985
(S) o-Terphenyl	58.5			18.0-148		04/02/2020 11:30	WG1453985

Collected date/time: 03/23/20 00:00

L1204259

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	87.9		1	04/01/2020 20:26	WG1453843

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	1690		9.04	114	10	04/03/2020 06:34	WG1453401

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0247	0.114	1	04/03/2020 02:19	WG1453960
(S) a,a,a-Trifluorotoluene(FID)	97.1			77.0-120		04/03/2020 02:19	WG1453960

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000455	0.00114	1	04/01/2020 18:43	WG1453798
Toluene	U		0.00142	0.00569	1	04/01/2020 18:43	WG1453798
Ethylbenzene	U		0.000603	0.00284	1	04/01/2020 18:43	WG1453798
Total Xylenes	U		0.00544	0.00739	1	04/01/2020 18:43	WG1453798
(S) Toluene-d8	115			75.0-131		04/01/2020 18:43	WG1453798
(S) 4-Bromofluorobenzene	91.6			67.0-138		04/01/2020 18:43	WG1453798
(S) 1,2-Dichloroethane-d4	91.0			70.0-130		04/01/2020 18:43	WG1453798

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	U		1.83	4.55	1	04/02/2020 11:48	WG1453985
C28-C40 Oil Range	U		0.312	4.55	1	04/02/2020 11:48	WG1453985
(S) o-Terphenyl	69.1			18.0-148		04/02/2020 11:48	WG1453985

Collected date/time: 03/23/20 00:00

L1204259

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	94.5		1	04/01/2020 20:26	WG1453843

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
Chloride	329		0.841	10.6	1	04/03/2020 06:52	WG1453401

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0230	0.106	1	04/03/2020 02:43	WG1453960
(S) a,a,a-Trifluorotoluene(FID)	96.5			77.0-120		04/03/2020 02:43	WG1453960

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
Benzene	U		0.000423	0.00106	1	04/01/2020 19:02	WG1453798
Toluene	U		0.00132	0.00529	1	04/01/2020 19:02	WG1453798
Ethylbenzene	U		0.000561	0.00265	1	04/01/2020 19:02	WG1453798
Total Xylenes	U		0.00506	0.00688	1	04/01/2020 19:02	WG1453798
(S) Toluene-d8	115			75.0-131		04/01/2020 19:02	WG1453798
(S) 4-Bromofluorobenzene	91.6			67.0-138		04/01/2020 19:02	WG1453798
(S) 1,2-Dichloroethane-d4	92.3			70.0-130		04/01/2020 19:02	WG1453798

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	3.13	J	1.70	4.23	1	04/02/2020 12:01	WG1453985
C28-C40 Oil Range	0.788	B J	0.290	4.23	1	04/02/2020 12:01	WG1453985
(S) o-Terphenyl	48.9			18.0-148		04/02/2020 12:01	WG1453985

Collected date/time: 03/23/20 00:00

L1204259

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	95.4		1	04/01/2020 20:26	WG1453843

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	2.58	B J	0.833	10.5	1	04/03/2020 07:10	WG1453401

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0227	0.105	1	04/03/2020 03:06	WG1453960
(S) a,a,a-Trifluorotoluene(FID)	96.6			77.0-120		04/03/2020 03:06	WG1453960

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000419	0.00105	1	04/01/2020 19:21	WG1453798
Toluene	U		0.00131	0.00524	1	04/01/2020 19:21	WG1453798
Ethylbenzene	U		0.000555	0.00262	1	04/01/2020 19:21	WG1453798
Total Xylenes	U		0.00501	0.00681	1	04/01/2020 19:21	WG1453798
(S) Toluene-d8	114			75.0-131		04/01/2020 19:21	WG1453798
(S) 4-Bromofluorobenzene	92.1			67.0-138		04/01/2020 19:21	WG1453798
(S) 1,2-Dichloroethane-d4	91.8			70.0-130		04/01/2020 19:21	WG1453798

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	1.76	J	1.69	4.19	1	04/02/2020 12:21	WG1453985
C28-C40 Oil Range	1.18	B J	0.287	4.19	1	04/02/2020 12:21	WG1453985
(S) o-Terphenyl	52.9			18.0-148		04/02/2020 12:21	WG1453985

Collected date/time: 03/23/20 00:00

L1204259

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	94.4		1	04/01/2020 20:26	WG1453843

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	4.20	B J	0.842	10.6	1	04/03/2020 07:46	WG1453401

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0230	0.106	1	04/03/2020 03:30	WG1453960
(S) a,a,a-Trifluorotoluene(FID)	97.3			77.0-120		04/03/2020 03:30	WG1453960

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000424	0.00106	1	04/01/2020 19:40	WG1453798
Toluene	U		0.00132	0.00530	1	04/01/2020 19:40	WG1453798
Ethylbenzene	U		0.000561	0.00265	1	04/01/2020 19:40	WG1453798
Total Xylenes	U		0.00506	0.00689	1	04/01/2020 19:40	WG1453798
(S) Toluene-d8	115			75.0-131		04/01/2020 19:40	WG1453798
(S) 4-Bromofluorobenzene	92.2			67.0-138		04/01/2020 19:40	WG1453798
(S) 1,2-Dichloroethane-d4	92.9			70.0-130		04/01/2020 19:40	WG1453798

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	2.92	J	1.71	4.24	1	04/02/2020 12:33	WG1453985
C28-C40 Oil Range	2.35	B J	0.290	4.24	1	04/02/2020 12:33	WG1453985
(S) o-Terphenyl	59.2			18.0-148		04/02/2020 12:33	WG1453985

Collected date/time: 03/23/20 00:00

L1204259

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	94.9		1	04/01/2020 20:26	WG1453843

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	17.8		0.838	10.5	1	04/03/2020 08:39	WG1453401

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0229	0.105	1	04/03/2020 03:54	WG1453960
(S) a,a,a-Trifluorotoluene(FID)	97.0			77.0-120		04/03/2020 03:54	WG1453960

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000422	0.00105	1	04/01/2020 19:59	WG1453798
Toluene	U		0.00132	0.00527	1	04/01/2020 19:59	WG1453798
Ethylbenzene	U		0.000559	0.00264	1	04/01/2020 19:59	WG1453798
Total Xylenes	U		0.00504	0.00685	1	04/01/2020 19:59	WG1453798
(S) Toluene-d8	115			75.0-131		04/01/2020 19:59	WG1453798
(S) 4-Bromofluorobenzene	93.3			67.0-138		04/01/2020 19:59	WG1453798
(S) 1,2-Dichloroethane-d4	91.1			70.0-130		04/01/2020 19:59	WG1453798

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	3.63	J	1.70	4.22	1	04/02/2020 12:46	WG1453985
C28-C40 Oil Range	1.82	B J	0.289	4.22	1	04/02/2020 12:46	WG1453985
(S) o-Terphenyl	64.7			18.0-148		04/02/2020 12:46	WG1453985

Collected date/time: 03/23/20 00:00

L1204259

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	96.7		1	04/01/2020 20:26	WG1453843

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	15.7		0.822	10.3	1	04/03/2020 08:57	WG1453401

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0225	0.103	1	04/03/2020 04:18	WG1453960
(S) a,a,a-Trifluorotoluene(FID)	97.2			77.0-120		04/03/2020 04:18	WG1453960

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000414	0.00103	1	04/02/2020 05:00	WG1454079
Toluene	U		0.00129	0.00517	1	04/02/2020 05:00	WG1454079
Ethylbenzene	U		0.000548	0.00259	1	04/02/2020 05:00	WG1454079
Total Xylenes	U		0.00495	0.00672	1	04/02/2020 05:00	WG1454079
(S) Toluene-d8	106			75.0-131		04/02/2020 05:00	WG1454079
(S) 4-Bromofluorobenzene	98.2			67.0-138		04/02/2020 05:00	WG1454079
(S) 1,2-Dichloroethane-d4	96.5			70.0-130		04/02/2020 05:00	WG1454079

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	5.17		1.67	4.14	1	04/02/2020 12:59	WG1453985
C28-C40 Oil Range	0.465	B J	0.283	4.14	1	04/02/2020 12:59	WG1453985
(S) o-Terphenyl	61.8			18.0-148		04/02/2020 12:59	WG1453985

Collected date/time: 03/23/20 00:00

L1204259

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	97.1		1	04/01/2020 20:26	WG1453843

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	59.9		0.819	10.3	1	04/03/2020 09:15	WG1453401

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0747	J	0.0224	0.103	1	04/03/2020 04:42	WG1453960
(S) a,a,a-Trifluorotoluene(FID)	94.3			77.0-120		04/03/2020 04:42	WG1453960

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000412	0.00103	1	04/02/2020 05:19	WG1454079
Toluene	U		0.00129	0.00515	1	04/02/2020 05:19	WG1454079
Ethylbenzene	U		0.000546	0.00258	1	04/02/2020 05:19	WG1454079
Total Xylenes	U		0.00492	0.00670	1	04/02/2020 05:19	WG1454079
(S) Toluene-d8	107			75.0-131		04/02/2020 05:19	WG1454079
(S) 4-Bromofluorobenzene	103			67.0-138		04/02/2020 05:19	WG1454079
(S) 1,2-Dichloroethane-d4	96.9			70.0-130		04/02/2020 05:19	WG1454079

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	6.88		1.66	4.12	1	04/02/2020 16:45	WG1454173
C28-C40 Oil Range	20.2		0.282	4.12	1	04/02/2020 16:45	WG1454173
(S) o-Terphenyl	84.3			18.0-148		04/02/2020 16:45	WG1454173

Collected date/time: 03/23/20 00:00

L1204259

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	96.8		1	04/01/2020 20:26	WG1453843

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	10.6	<u>B</u>	0.821	10.3	1	04/03/2020 09:33	WG1453401

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0224	0.103	1	04/03/2020 05:06	WG1453960
(S) a,a,a-Trifluorotoluene(FID)	97.4			77.0-120		04/03/2020 05:06	WG1453960

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	0.000413	<u>J</u>	0.000413	0.00103	1	04/02/2020 05:38	WG1454079
Toluene	U		0.00129	0.00517	1	04/02/2020 05:38	WG1454079
Ethylbenzene	U		0.000548	0.00258	1	04/02/2020 05:38	WG1454079
Total Xylenes	U		0.00494	0.00672	1	04/02/2020 05:38	WG1454079
(S) Toluene-d8	105			75.0-131		04/02/2020 05:38	WG1454079
(S) 4-Bromofluorobenzene	102			67.0-138		04/02/2020 05:38	WG1454079
(S) 1,2-Dichloroethane-d4	97.6			70.0-130		04/02/2020 05:38	WG1454079

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	U		1.66	4.13	1	04/02/2020 15:27	WG1454173
C28-C40 Oil Range	5.18		0.283	4.13	1	04/02/2020 15:27	WG1454173
(S) o-Terphenyl	71.5			18.0-148		04/02/2020 15:27	WG1454173

Collected date/time: 03/23/20 00:00

L1204259

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	97.3		1	04/01/2020 20:26	WG1453843

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	9.93	B J	0.817	10.3	1	04/03/2020 09:51	WG1453401

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0223	0.103	1	04/03/2020 05:30	WG1453960
(S) a,a,a-Trifluorotoluene(FID)	96.6			77.0-120		04/03/2020 05:30	WG1453960

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000411	0.00103	1	04/02/2020 05:57	WG1454079
Toluene	U		0.00129	0.00514	1	04/02/2020 05:57	WG1454079
Ethylbenzene	U		0.000545	0.00257	1	04/02/2020 05:57	WG1454079
Total Xylenes	U		0.00491	0.00668	1	04/02/2020 05:57	WG1454079
(S) Toluene-d8	104			75.0-131		04/02/2020 05:57	WG1454079
(S) 4-Bromofluorobenzene	104			67.0-138		04/02/2020 05:57	WG1454079
(S) 1,2-Dichloroethane-d4	100			70.0-130		04/02/2020 05:57	WG1454079

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	2.13	J	1.66	4.11	1	04/02/2020 15:40	WG1454173
C28-C40 Oil Range	16.1		0.282	4.11	1	04/02/2020 15:40	WG1454173
(S) o-Terphenyl	73.2			18.0-148		04/02/2020 15:40	WG1454173

Collected date/time: 03/23/20 00:00

L1204259

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	94.4		1	04/01/2020 19:53	WG1453844

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	16.8		0.843	10.6	1	04/03/2020 10:09	WG1453401

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0230	0.106	1	04/03/2020 05:54	WG1453960
(S) a,a,a-Trifluorotoluene(FID)	96.4			77.0-120		04/03/2020 05:54	WG1453960

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000424	0.00106	1	04/02/2020 06:16	WG1454079
Toluene	U		0.00132	0.00530	1	04/02/2020 06:16	WG1454079
Ethylbenzene	U		0.000562	0.00265	1	04/02/2020 06:16	WG1454079
Total Xylenes	U		0.00507	0.00689	1	04/02/2020 06:16	WG1454079
(S) Toluene-d8	106			75.0-131		04/02/2020 06:16	WG1454079
(S) 4-Bromofluorobenzene	101			67.0-138		04/02/2020 06:16	WG1454079
(S) 1,2-Dichloroethane-d4	97.2			70.0-130		04/02/2020 06:16	WG1454079

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	U		1.71	4.24	1	04/02/2020 14:21	WG1454173
C28-C40 Oil Range	0.463	J	0.290	4.24	1	04/02/2020 14:21	WG1454173
(S) o-Terphenyl	62.7			18.0-148		04/02/2020 14:21	WG1454173

Collected date/time: 03/23/20 00:00

L1204259

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	87.8		1	04/01/2020 19:53	WG1453844

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	5.81	B J	0.906	11.4	1	04/03/2020 17:19	WG1455065

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0247	0.114	1	04/03/2020 06:18	WG1453960
(S) <i>a,a,a</i> -Trifluorotoluene(FID)	97.5			77.0-120		04/03/2020 06:18	WG1453960

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000456	0.00114	1	04/02/2020 06:35	WG1454079
Toluene	U		0.00142	0.00570	1	04/02/2020 06:35	WG1454079
Ethylbenzene	U		0.000604	0.00285	1	04/02/2020 06:35	WG1454079
Total Xylenes	U		0.00545	0.00740	1	04/02/2020 06:35	WG1454079
(S) <i>Toluene-d8</i>	102			75.0-131		04/02/2020 06:35	WG1454079
(S) <i>4-Bromofluorobenzene</i>	105			67.0-138		04/02/2020 06:35	WG1454079
(S) <i>1,2-Dichloroethane-d4</i>	102			70.0-130		04/02/2020 06:35	WG1454079

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	5.92		1.83	4.56	1	04/02/2020 15:53	WG1454173
C28-C40 Oil Range	39.0		0.312	4.56	1	04/02/2020 15:53	WG1454173
(S) <i>o</i> -Terphenyl	69.6			18.0-148		04/02/2020 15:53	WG1454173

Collected date/time: 03/23/20 00:00

L1204259

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	97.5		1	04/01/2020 19:53	WG1453844

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	9.00	B J	0.816	10.3	1	04/03/2020 17:28	WG1455065

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0223	0.103	1	04/03/2020 06:42	WG1453960
(S) a,a,a-Trifluorotoluene(FID)	97.4			77.0-120		04/03/2020 06:42	WG1453960

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000410	0.00103	1	04/02/2020 06:54	WG1454079
Toluene	U		0.00128	0.00513	1	04/02/2020 06:54	WG1454079
Ethylbenzene	U		0.000544	0.00257	1	04/02/2020 06:54	WG1454079
Total Xylenes	U		0.00490	0.00667	1	04/02/2020 06:54	WG1454079
(S) Toluene-d8	104			75.0-131		04/02/2020 06:54	WG1454079
(S) 4-Bromofluorobenzene	102			67.0-138		04/02/2020 06:54	WG1454079
(S) 1,2-Dichloroethane-d4	98.3			70.0-130		04/02/2020 06:54	WG1454079

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	2.92	J J6	1.65	4.10	1	04/02/2020 16:06	WG1454173
C28-C40 Oil Range	5.89		0.281	4.10	1	04/02/2020 16:06	WG1454173
(S) o-Terphenyl	64.6			18.0-148		04/02/2020 16:06	WG1454173

Collected date/time: 03/23/20 00:00

L1204259

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	97.5		1	04/01/2020 19:53	WG1453844

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	11.4	<u>B</u>	0.815	10.3	1	04/03/2020 17:48	WG1455065

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0223	0.103	1	04/03/2020 07:06	WG1453960
(S) a,a,a-Trifluorotoluene(FID)	99.3			77.0-120		04/03/2020 07:06	WG1453960

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000410	0.00103	1	04/02/2020 07:12	WG1454079
Toluene	U		0.00128	0.00513	1	04/02/2020 07:12	WG1454079
Ethylbenzene	U		0.000543	0.00256	1	04/02/2020 07:12	WG1454079
Total Xylenes	U		0.00490	0.00667	1	04/02/2020 07:12	WG1454079
(S) Toluene-d8	105			75.0-131		04/02/2020 07:12	WG1454079
(S) 4-Bromofluorobenzene	99.3			67.0-138		04/02/2020 07:12	WG1454079
(S) 1,2-Dichloroethane-d4	96.4			70.0-130		04/02/2020 07:12	WG1454079

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	3.40	<u>J</u>	1.65	4.10	1	04/02/2020 14:47	WG1454173
C28-C40 Oil Range	4.55		0.281	4.10	1	04/02/2020 14:47	WG1454173
(S) o-Terphenyl	68.7			18.0-148		04/02/2020 14:47	WG1454173

Collected date/time: 03/23/20 00:00

L1204259

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	88.5		1	04/01/2020 19:53	WG1453844

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	7.71	B J	0.898	11.3	1	04/03/2020 17:57	WG1455065

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0245	0.113	1	04/03/2020 07:30	WG1453960
(S) a,a,a-Trifluorotoluene(FID)	96.6			77.0-120		04/03/2020 07:30	WG1453960

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000452	0.00113	1	04/02/2020 07:32	WG1454079
Toluene	U		0.00141	0.00565	1	04/02/2020 07:32	WG1454079
Ethylbenzene	U		0.000599	0.00282	1	04/02/2020 07:32	WG1454079
Total Xylenes	U		0.00540	0.00734	1	04/02/2020 07:32	WG1454079
(S) Toluene-d8	107			75.0-131		04/02/2020 07:32	WG1454079
(S) 4-Bromofluorobenzene	102			67.0-138		04/02/2020 07:32	WG1454079
(S) 1,2-Dichloroethane-d4	97.1			70.0-130		04/02/2020 07:32	WG1454079

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	1.88	J	1.82	4.52	1	04/02/2020 14:34	WG1454173
C28-C40 Oil Range	0.528	J	0.310	4.52	1	04/02/2020 14:34	WG1454173
(S) o-Terphenyl	65.8			18.0-148		04/02/2020 14:34	WG1454173

Collected date/time: 03/23/20 00:00

L1204259

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Total Solids	95.6		1	04/01/2020 19:53	WG1453844

Wet Chemistry by Method 300.0

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Chloride	3.63	B J	0.832	10.5	1	04/03/2020 18:26	WG1455065

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
TPH (GC/FID) Low Fraction	U		0.0227	0.105	1	04/03/2020 07:54	WG1453960
(S) a,a,a-Trifluorotoluene(FID)	97.1			77.0-120		04/03/2020 07:54	WG1453960

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
Benzene	U		0.000419	0.00105	1	04/02/2020 08:31	WG1454079
Toluene	U		0.00131	0.00523	1	04/02/2020 08:31	WG1454079
Ethylbenzene	U		0.000555	0.00262	1	04/02/2020 08:31	WG1454079
Total Xylenes	U		0.00500	0.00680	1	04/02/2020 08:31	WG1454079
(S) Toluene-d8	105			75.0-131		04/02/2020 08:31	WG1454079
(S) 4-Bromofluorobenzene	102			67.0-138		04/02/2020 08:31	WG1454079
(S) 1,2-Dichloroethane-d4	98.1			70.0-130		04/02/2020 08:31	WG1454079

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry) mg/kg	Qualifier	MDL (dry) mg/kg	RDL (dry) mg/kg	Dilution	Analysis date / time	Batch
C10-C28 Diesel Range	U		1.68	4.19	1	04/02/2020 15:13	WG1454173
C28-C40 Oil Range	1.33	J	0.287	4.19	1	04/02/2020 15:13	WG1454173
(S) o-Terphenyl	65.6			18.0-148		04/02/2020 15:13	WG1454173

Collected date/time: 03/23/20 00:00

L1204259

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	95.5		1	04/01/2020 19:53	WG1453844

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	12.5	<u>B</u>	0.832	10.5	1	04/03/2020 18:35	WG1455065

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0227	0.105	1	04/03/2020 08:18	WG1453960
(S) a,a,a-Trifluorotoluene(FID)	96.1			77.0-120		04/03/2020 08:18	WG1453960

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000419	0.00105	1	04/02/2020 08:50	WG1454079
Toluene	U		0.00131	0.00523	1	04/02/2020 08:50	WG1454079
Ethylbenzene	U		0.000555	0.00262	1	04/02/2020 08:50	WG1454079
Total Xylenes	U		0.00500	0.00680	1	04/02/2020 08:50	WG1454079
(S) Toluene-d8	105			75.0-131		04/02/2020 08:50	WG1454079
(S) 4-Bromofluorobenzene	99.0			67.0-138		04/02/2020 08:50	WG1454079
(S) 1,2-Dichloroethane-d4	95.4			70.0-130		04/02/2020 08:50	WG1454079

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	1.71	<u>J</u>	1.69	4.19	1	04/03/2020 05:21	WG1454243
C28-C40 Oil Range	1.20	<u>J</u>	0.287	4.19	1	04/03/2020 05:21	WG1454243
(S) o-Terphenyl	76.0			18.0-148		04/03/2020 05:21	WG1454243

Collected date/time: 03/23/20 00:00

L1204259

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	89.7		1	04/01/2020 19:53	WG1453844

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	5.24	B J	0.886	11.1	1	04/03/2020 18:45	WG1455065

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0242	0.111	1	04/03/2020 08:41	WG1453960
(S) a,a,a-Trifluorotoluene(FID)	98.5			77.0-120		04/03/2020 08:41	WG1453960

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000446	0.00111	1	04/02/2020 09:09	WG1454079
Toluene	U		0.00139	0.00557	1	04/02/2020 09:09	WG1454079
Ethylbenzene	U		0.000591	0.00279	1	04/02/2020 09:09	WG1454079
Total Xylenes	U		0.00533	0.00724	1	04/02/2020 09:09	WG1454079
(S) Toluene-d8	106			75.0-131		04/02/2020 09:09	WG1454079
(S) 4-Bromofluorobenzene	99.2			67.0-138		04/02/2020 09:09	WG1454079
(S) 1,2-Dichloroethane-d4	95.7			70.0-130		04/02/2020 09:09	WG1454079

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.79	4.46	1	04/03/2020 03:23	WG1454243
C28-C40 Oil Range	1.55	J	0.305	4.46	1	04/03/2020 03:23	WG1454243
(S) o-Terphenyl	63.3			18.0-148		04/03/2020 03:23	WG1454243

Collected date/time: 03/23/20 00:00

L1204259

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	92.9		1	04/01/2020 19:53	WG1453844

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	80.5		0.856	10.8	1	04/03/2020 18:54	WG1455065

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0234	0.108	1	04/03/2020 09:05	WG1453960
(S) a,a,a-Trifluorotoluene(FID)	95.8			77.0-120		04/03/2020 09:05	WG1453960

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000431	0.00108	1	04/02/2020 09:28	WG1454079
Toluene	U		0.00135	0.00538	1	04/02/2020 09:28	WG1454079
Ethylbenzene	U		0.000570	0.00269	1	04/02/2020 09:28	WG1454079
Total Xylenes	U		0.00515	0.00700	1	04/02/2020 09:28	WG1454079
(S) Toluene-d8	106			75.0-131		04/02/2020 09:28	WG1454079
(S) 4-Bromofluorobenzene	103			67.0-138		04/02/2020 09:28	WG1454079
(S) 1,2-Dichloroethane-d4	95.8			70.0-130		04/02/2020 09:28	WG1454079

Semi-Volatile Organic Compounds (GC) by Method 8015

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.73	4.31	1	04/03/2020 03:36	WG1454243
C28-C40 Oil Range	U		0.295	4.31	1	04/03/2020 03:36	WG1454243
(S) o-Terphenyl	61.3			18.0-148		04/03/2020 03:36	WG1454243

Total Solids by Method 2540 G-2011 [L1204259-01,02,03,04,05,06](#)

Method Blank (MB)

(MB) R3514954-1 04/01/20 21:33

	MB Result	<u>MB Qualifier</u>	MB MDL	MB RDL
Analyte	%		%	%
Total Solids	0.00500			

L1204246-38 Original Sample (OS) • Duplicate (DUP)

(OS) L1204246-38 04/01/20 21:33 • (DUP) R3514954-3 04/01/20 21:33

	Original Result	DUP Result	Dilution	DUP RPD	<u>DUP Qualifier</u>	DUP RPD Limits
Analyte	%	%		%		%
Total Solids	92.3	92.5	1	0.138		10

Laboratory Control Sample (LCS)

(LCS) R3514954-2 04/01/20 21:33

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	<u>LCS Qualifier</u>
Analyte	%	%	%	%	
Total Solids	50.0	50.0	100	85.0-115	

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Total Solids by Method 2540 G-2011 [L1204259-07,08,09,10,11,12,13,14,15,16](#)

Method Blank (MB)

(MB) R3514951-1 04/01/20 21:18

	MB Result	MB Qualifier	MB MDL	MB RDL
Analyte	%		%	%
Total Solids	0.00100			

L1204259-12 Original Sample (OS) • Duplicate (DUP)

(OS) L1204259-12 04/01/20 21:18 • (DUP) R3514951-3 04/01/20 21:18

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	%	%		%		%
Total Solids	93.7	94.7	1	1.08		10

Laboratory Control Sample (LCS)

(LCS) R3514951-2 04/01/20 21:18

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Analyte	%	%	%	%	
Total Solids	50.0	50.0	100	85.0-115	

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Total Solids by Method 2540 G-2011 [L1204259-17](#)

Method Blank (MB)

(MB) R3514949-1 04/01/20 21:02

	MB Result	<u>MB Qualifier</u>	MB MDL	MB RDL
Analyte	%		%	%
Total Solids	0.00200			

L1203806-25 Original Sample (OS) • Duplicate (DUP)

(OS) L1203806-25 04/01/20 21:02 • (DUP) R3514949-3 04/01/20 21:02

	Original Result	DUP Result	Dilution	DUP RPD	<u>DUP Qualifier</u>	DUP RPD Limits
Analyte	%	%		%		%
Total Solids	76.4	77.0	1	0.771		10

Laboratory Control Sample (LCS)

(LCS) R3514949-2 04/01/20 21:02

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	<u>LCS Qualifier</u>
Analyte	%	%	%	%	
Total Solids	50.0	50.0	100	85.0-115	

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Total Solids by Method 2540 G-2011 [L1204259-18,19,20,21,22,23,24,25,26,27](#)

Method Blank (MB)

(MB) R3514948-1 04/01/20 20:26

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	%		%	%
Total Solids	0.00200			

L1204259-23 Original Sample (OS) • Duplicate (DUP)

(OS) L1204259-23 04/01/20 20:26 • (DUP) R3514948-3 04/01/20 20:26

Analyte	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
	%	%		%		%
Total Solids	94.9	95.0	1	0.171		10

Laboratory Control Sample (LCS)

(LCS) R3514948-2 04/01/20 20:26

Analyte	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
	%	%	%	%	
Total Solids	50.0	50.0	99.9	85.0-115	

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Total Solids by Method 2540 G-2011 [L1204259-28,29,30,31,32,33,34,35,36](#)

Method Blank (MB)

(MB) R3514942-1 04/01/20 19:53

	MB Result	<u>MB Qualifier</u>	MB MDL	MB RDL
Analyte	%		%	%
Total Solids	0.00200			

L1204259-34 Original Sample (OS) • Duplicate (DUP)

(OS) L1204259-34 04/01/20 19:53 • (DUP) R3514942-3 04/01/20 19:53

	Original Result	DUP Result	Dilution	DUP RPD	<u>DUP Qualifier</u>	DUP RPD Limits
Analyte	%	%		%		%
Total Solids	95.5	94.8	1	0.774		10

Laboratory Control Sample (LCS)

(LCS) R3514942-2 04/01/20 19:53

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	<u>LCS Qualifier</u>
Analyte	%	%	%	%	
Total Solids	50.0	50.0	100	85.0-115	

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Wet Chemistry by Method 300.0

L1204259-09,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28

Method Blank (MB)

(MB) R3515252-1 04/03/20 01:12

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Chloride	1.03	⬇	0.795	10.0

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

L1204259-09 Original Sample (OS) • Duplicate (DUP)

(OS) L1204259-09 04/03/20 02:05 • (DUP) R3515252-3 04/03/20 02:23

Analyte	Original Result (dry) mg/kg	DUP Result (dry) mg/kg	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Chloride	23.5	25.8	1	9.26		20

L1204259-21 Original Sample (OS) • Duplicate (DUP)

(OS) L1204259-21 04/03/20 07:10 • (DUP) R3515252-6 04/03/20 07:28

Analyte	Original Result (dry) mg/kg	DUP Result (dry) mg/kg	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Chloride	2.58	2.30	1	11.4	⬇	20

Laboratory Control Sample (LCS)

(LCS) R3515252-2 04/03/20 01:30

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Chloride	200	210	105	90.0-110	

L1204259-13 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1204259-13 04/03/20 03:35 • (MS) R3515252-4 04/03/20 03:53 • (MSD) R3515252-5 04/03/20 04:11

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Chloride	520	3.36	531	530	101	101	1	80.0-120			0.211	20

Wet Chemistry by Method 300.0

L1204259-01,02,03,04,05,06,07,08

Method Blank (MB)

(MB) R3515206-1 04/02/20 23:21

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Chloride	2.23	⬇	0.795	10.0

L1204246-27 Original Sample (OS) • Duplicate (DUP)

(OS) L1204246-27 04/02/20 23:50 • (DUP) R3515206-3 04/03/20 00:00

Analyte	Original Result (dry) mg/kg	DUP Result (dry) mg/kg	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Chloride	152	156	5	2.19		20

L1204259-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1204259-04 04/03/20 03:20 • (DUP) R3515206-6 04/03/20 03:29

Analyte	Original Result (dry) mg/kg	DUP Result (dry) mg/kg	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Chloride	11100	10800	100	2.82		20

Laboratory Control Sample (LCS)

(LCS) R3515206-2 04/02/20 23:31

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Chloride	200	191	95.6	90.0-110	

L1204246-34 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1204246-34 04/03/20 01:25 • (MS) R3515206-4 04/03/20 01:35 • (MSD) R3515206-5 04/03/20 01:44

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Chloride	523	7.66	505	504	95.1	95.0	1	80.0-120			0.103	20

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Wet Chemistry by Method 300.0

L1204259-29,30,31,32,33,34,35,36

Method Blank (MB)

(MB) R3515502-1 04/03/20 16:16				
	MB Result	MB Qualifier	MB MDL	MB RDL
Analyte	mg/kg		mg/kg	mg/kg
Chloride	2.20	⬇	0.795	10.0

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

L1204259-30 Original Sample (OS) • Duplicate (DUP)

(OS) L1204259-30 04/03/20 17:28 • (DUP) R3515502-5 04/03/20 17:38						
	Original Result (dry)	DUP Result (dry)	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	mg/kg	mg/kg		%		%
Chloride	9.00	8.89	1	1.29	⬇	20

L1204689-05 Original Sample (OS) • Duplicate (DUP)

(OS) L1204689-05 04/03/20 19:42 • (DUP) R3515502-6 04/03/20 19:51						
	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	mg/kg	mg/kg		%		%
Chloride	1920	1920	10	0.166		20

Laboratory Control Sample (LCS)

(LCS) R3515502-2 04/03/20 16:25					
	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Analyte	mg/kg	mg/kg	%	%	
Chloride	200	181	90.6	90.0-110	

L1204232-11 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1204232-11 04/03/20 16:51 • (MS) R3515502-3 04/03/20 17:00 • (MSD) R3515502-4 04/03/20 17:09												
	Spike Amount (dry)	Original Result (dry)	MS Result (dry)	MSD Result (dry)	MS Rec.	MSD Rec.	Dilution	Rec. Limits	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD	RPD Limits
Analyte	mg/kg	mg/kg	mg/kg	mg/kg	%	%		%			%	%
Chloride	509	1.18	529	521	104	102	1	80.0-120			1.43	20

Volatile Organic Compounds (GC) by Method 8015D/GRO

L1204259-01,02,03,04,05,06,07,08,09,10,11,12,13,14,15,16,17

Method Blank (MB)

(MB) R3515682-2 04/02/20 22:55

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
TPH (GC/FID) Low Fraction	U		0.0217	0.100
(S) a,a,a-Trifluorotoluene(FID)	100			77.0-120

Laboratory Control Sample (LCS)

(LCS) R3515682-1 04/02/20 22:14

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
TPH (GC/FID) Low Fraction	5.50	5.83	106	72.0-127	
(S) a,a,a-Trifluorotoluene(FID)			115	77.0-120	

L1204246-38 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1204246-38 04/03/20 00:38 • (MS) R3515682-3 04/03/20 06:49 • (MSD) R3515682-4 04/03/20 07:09

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
TPH (GC/FID) Low Fraction	5.96	0.0258	3.53	3.10	58.8	51.6	1	10.0-151			13.1	28
(S) a,a,a-Trifluorotoluene(FID)					102	100		77.0-120				

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Volatile Organic Compounds (GC) by Method 8015D/GRO

[L1204259-18,19,20,21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36](#)

Method Blank (MB)

(MB) R3515260-2 04/03/20 01:07

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
TPH (GC/FID) Low Fraction	U		0.0217	0.100
(S) a,a,a-Trifluorotoluene(FID)	98.4			77.0-120

Laboratory Control Sample (LCS)

(LCS) R3515260-1 04/03/20 00:19

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
TPH (GC/FID) Low Fraction	5.50	5.41	98.4	72.0-127	
(S) a,a,a-Trifluorotoluene(FID)			106	77.0-120	

L1204030-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1204030-01 04/03/20 09:29 • (MS) R3515260-3 04/03/20 11:05 • (MSD) R3515260-4 04/03/20 11:29

Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MSD Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
TPH (GC/FID) Low Fraction	550	76.8	561	667	88.0	107	100	10.0-151			17.3	28
(S) a,a,a-Trifluorotoluene(FID)					107	107		77.0-120				

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

L1204259-09,10,11,12,13,14,15,16,17,18,19,20,21,22,23

Method Blank (MB)

(MB) R3515029-3 04/01/20 10:25

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Benzene	U		0.000400	0.00100
Ethylbenzene	U		0.000530	0.00250
Toluene	U		0.00125	0.00500
Xylenes, Total	U		0.00478	0.00650
(S) Toluene-d8	114			75.0-131
(S) 4-Bromofluorobenzene	91.8			67.0-138
(S) 1,2-Dichloroethane-d4	93.8			70.0-130

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3515029-1 04/01/20 09:10 • (LCSD) R3515029-2 04/01/20 09:28

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Benzene	0.125	0.112	0.116	89.6	92.8	70.0-123			3.51	20
Ethylbenzene	0.125	0.123	0.123	98.4	98.4	74.0-126			0.000	20
Toluene	0.125	0.121	0.120	96.8	96.0	75.0-121			0.830	20
Xylenes, Total	0.375	0.345	0.348	92.0	92.8	72.0-127			0.866	20
(S) Toluene-d8				111	109	75.0-131				
(S) 4-Bromofluorobenzene				96.2	94.7	67.0-138				
(S) 1,2-Dichloroethane-d4				103	103	70.0-130				

L1204259-23 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1204259-23 04/01/20 19:59 • (MS) R3515029-4 04/01/20 21:14 • (MSD) R3515029-5 04/01/20 21:33

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Benzene	0.132	U	0.122	0.118	92.8	89.6	1	10.0-149			3.51	37
Ethylbenzene	0.132	U	0.135	0.132	102	100	1	10.0-160			2.37	38
Toluene	0.132	U	0.139	0.138	106	105	1	10.0-156			0.760	38
Xylenes, Total	0.395	U	0.378	0.373	95.7	94.4	1	10.0-160			1.40	38
(S) Toluene-d8					114	115		75.0-131				
(S) 4-Bromofluorobenzene					92.8	92.6		67.0-138				
(S) 1,2-Dichloroethane-d4					95.7	94.8		70.0-130				

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

L1204259-01,02

Method Blank (MB)

(MB) R3515600-2 04/01/20 23:47

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Benzene	U		0.000400	0.00100
Ethylbenzene	U		0.000530	0.00250
Toluene	U		0.00125	0.00500
Xylenes, Total	U		0.00478	0.00650
(S) Toluene-d8	112			75.0-131
(S) 4-Bromofluorobenzene	87.7			67.0-138
(S) 1,2-Dichloroethane-d4	112			70.0-130

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Laboratory Control Sample (LCS)

(LCS) R3515600-1 04/01/20 22:50

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Benzene	0.125	0.116	92.8	70.0-123	
Ethylbenzene	0.125	0.104	83.2	74.0-126	
Toluene	0.125	0.110	88.0	75.0-121	
Xylenes, Total	0.375	0.299	79.7	72.0-127	
(S) Toluene-d8			103	75.0-131	
(S) 4-Bromofluorobenzene			89.9	67.0-138	
(S) 1,2-Dichloroethane-d4			117	70.0-130	

L1204246-27 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1204246-27 04/02/20 02:01 • (MS) R3515600-3 04/02/20 06:30 • (MSD) R3515600-4 04/02/20 06:49

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Benzene	0.142	U	0.128	0.125	90.4	88.0	1	10.0-149			2.69	37
Ethylbenzene	0.142	U	0.116	0.112	81.6	78.6	1	10.0-160			3.80	38
Toluene	0.142	U	0.128	0.125	90.4	88.0	1	10.0-156			2.69	38
Xylenes, Total	0.426	U	0.331	0.319	77.6	74.9	1	10.0-160			3.50	38
(S) Toluene-d8					106	105		75.0-131				
(S) 4-Bromofluorobenzene					87.6	82.8		67.0-138				
(S) 1,2-Dichloroethane-d4					108	116		70.0-130				

Volatile Organic Compounds (GC/MS) by Method 8260B

[L1204259-03,04,05,06,07,24,25,26,27,28,29,30,31,32,33,34,35,36](#)

Method Blank (MB)

(MB) R3515629-2 04/02/20 02:47

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Benzene	U		0.000400	0.00100
Ethylbenzene	U		0.000530	0.00250
Toluene	U		0.00125	0.00500
Xylenes, Total	U		0.00478	0.00650
(S) Toluene-d8	104			75.0-131
(S) 4-Bromofluorobenzene	105			67.0-138
(S) 1,2-Dichloroethane-d4	100			70.0-130

Cp

Tc

Ss

Cn

Sr

Qc

Gl

Al

Sc

Laboratory Control Sample (LCS)

(LCS) R3515629-1 04/02/20 01:51

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Benzene	0.125	0.123	98.4	70.0-123	
Ethylbenzene	0.125	0.117	93.6	74.0-126	
Toluene	0.125	0.134	107	75.0-121	
Xylenes, Total	0.375	0.358	95.5	72.0-127	
(S) Toluene-d8			103	75.0-131	
(S) 4-Bromofluorobenzene			103	67.0-138	
(S) 1,2-Dichloroethane-d4			106	70.0-130	

L1204259-29 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1204259-29 04/02/20 06:35 • (MS) R3515629-3 04/02/20 10:06 • (MSD) R3515629-4 04/02/20 10:26

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Benzene	0.142	U	0.136	0.136	95.2	95.2	1	10.0-149			0.000	37
Ethylbenzene	0.142	U	0.141	0.132	99.2	92.8	1	10.0-160			6.67	38
Toluene	0.142	U	0.156	0.149	110	105	1	10.0-156			4.48	38
Xylenes, Total	0.427	U	0.410	0.393	96.0	92.0	1	10.0-160			4.26	38
(S) Toluene-d8					105	103		75.0-131				
(S) 4-Bromofluorobenzene					101	99.0		67.0-138				
(S) 1,2-Dichloroethane-d4					95.6	96.9		70.0-130				

Method Blank (MB)

(MB) R3514842-3 04/01/20 21:51

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Benzene	U		0.000400	0.00100
Ethylbenzene	U		0.000530	0.00250
Toluene	U		0.00125	0.00500
Xylenes, Total	U		0.00478	0.00650
(S) Toluene-d8	105			75.0-131
(S) 4-Bromofluorobenzene	100			67.0-138
(S) 1,2-Dichloroethane-d4	88.4			70.0-130

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3514842-1 04/01/20 20:36 • (LCSD) R3514842-2 04/01/20 20:55

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Benzene	0.125	0.107	0.111	85.6	88.8	70.0-123			3.67	20
Ethylbenzene	0.125	0.102	0.105	81.6	84.0	74.0-126			2.90	20
Toluene	0.125	0.109	0.113	87.2	90.4	75.0-121			3.60	20
Xylenes, Total	0.375	0.317	0.332	84.5	88.5	72.0-127			4.62	20
(S) Toluene-d8				99.7	100	75.0-131				
(S) 4-Bromofluorobenzene				101	100	67.0-138				
(S) 1,2-Dichloroethane-d4				104	103	70.0-130				

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Semi-Volatile Organic Compounds (GC) by Method 8015

[L1204259-01,02,03,04,05,06,07,08,09,10,11,12,13,14,15,16,17](#)

Method Blank (MB)

(MB) R3515135-1 04/02/20 15:40

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
C10-C28 Diesel Range	U		1.61	4.00
C28-C40 Oil Range	U		0.274	4.00
(S) o-Terphenyl	93.5			18.0-148

Laboratory Control Sample (LCS)

(LCS) R3515135-2 04/02/20 15:56

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
C10-C28 Diesel Range	50.0	50.4	101	50.0-150	
(S) o-Terphenyl			121	18.0-148	

L1204246-37 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1204246-37 04/03/20 08:24 • (MS) R3515135-3 04/03/20 08:39 • (MSD) R3515135-4 04/03/20 08:55

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
C10-C28 Diesel Range	53.5	7.41	56.0	62.2	90.7	102	1	50.0-150			10.5	20
(S) o-Terphenyl					110	118		18.0-148				

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Semi-Volatile Organic Compounds (GC) by Method 8015

L1204259-18,19,20,21,22,23,24

Method Blank (MB)

(MB) R3514867-1 04/02/20 08:51

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
C10-C28 Diesel Range	U		1.61	4.00
C28-C40 Oil Range	0.431	J	0.274	4.00
(S) o-Terphenyl	65.2			18.0-148

Laboratory Control Sample (LCS)

(LCS) R3514867-4 04/02/20 10:20

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
C10-C28 Diesel Range	50.0	33.0	66.0	50.0-150	
(S) o-Terphenyl			44.9	18.0-148	

L1203806-25 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1203806-25 04/02/20 09:16 • (MS) R3514867-2 04/02/20 09:29 • (MSD) R3514867-3 04/02/20 09:41

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
C10-C28 Diesel Range	61.7	ND	50.8	44.5	77.0	66.2	1	50.0-150			13.2	20
(S) o-Terphenyl					58.6	41.2		18.0-148				

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Semi-Volatile Organic Compounds (GC) by Method 8015

[L1204259-25,26,27,28,29,30,31,32,33](#)

Method Blank (MB)

(MB) R3514944-1 04/02/20 09:13

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
C10-C28 Diesel Range	U		1.61	4.00
C28-C40 Oil Range	U		0.274	4.00
(S) o-Terphenyl	63.7			18.0-148

Laboratory Control Sample (LCS)

(LCS) R3514944-2 04/02/20 09:26

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
C10-C28 Diesel Range	50.0	37.5	75.0	50.0-150	
(S) o-Terphenyl			65.9	18.0-148	

L1204259-30 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1204259-30 04/02/20 16:06 • (MS) R3514944-3 04/02/20 16:19 • (MSD) R3514944-4 04/02/20 16:32

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
C10-C28 Diesel Range	51.3	2.92	ND	ND	0.000	0.000	1	50.0-150	J6	J6	0.000	20
(S) o-Terphenyl					63.8	69.7		18.0-148				

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Semi-Volatile Organic Compounds (GC) by Method 8015

L1204259-34,35,36

Method Blank (MB)

(MB) R3515188-1 04/03/20 01:51

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
C10-C28 Diesel Range	U		1.61	4.00
C28-C40 Oil Range	U		0.274	4.00
(S) o-Terphenyl	63.5			18.0-148

Laboratory Control Sample (LCS)

(LCS) R3515188-2 04/03/20 02:04

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
C10-C28 Diesel Range	50.0	36.1	72.2	50.0-150	
(S) o-Terphenyl			69.4	18.0-148	

L1204172-09 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1204172-09 04/03/20 04:42 • (MS) R3515188-3 04/03/20 04:55 • (MSD) R3515188-4 04/03/20 05:08

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
C10-C28 Diesel Range	61.6	23.8	53.1	47.6	47.6	38.6	1	50.0-150	J6	J6	11.0	20
(S) o-Terphenyl					50.9	50.3		18.0-148				

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.


Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

(dry)	Results are reported based on the dry weight of the sample. [this will only be present on a dry report basis for soils].
MDL	Method Detection Limit.
MDL (dry)	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
RDL (dry)	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier Description

B	The same analyte is found in the associated blank.
J	The identification of the analyte is acceptable; the reported value is an estimate.
J6	The sample matrix interfered with the ability to make any accurate determination; spike value is low.



Pace National is the only environmental laboratory accredited/certified to support your work nationwide from one location. One phone call, one point of contact, one laboratory. No other lab is as accessible or prepared to handle your needs throughout the country. Our capacity and capability from our single location laboratory is comparable to the collective totals of the network laboratories in our industry. The most significant benefit to our one location design is the design of our laboratory campus. The model is conducive to accelerated productivity, decreasing turn-around time, and preventing cross contamination, thus protecting sample integrity. Our focus on premium quality and prompt service allows us to be YOUR LAB OF CHOICE.

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace National.

State Accreditations

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN-03-2002-34
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey-NELAP	TN002
California	2932	New Mexico ¹	n/a
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio-VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1 6}	90010	South Carolina	84004
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1 4}	2006
Louisiana ¹	LA180010	Texas	T104704245-18-15
Maine	TN0002	Texas ⁵	LAB0152
Maryland	324	Utah	TN00003
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	460132
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	9980939910
Montana	CERT0086	Wyoming	A2LA


Third Party Federal Accreditations

A2LA – ISO 17025	1461.01	AIHA-LAP, LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

Our Locations

Pace National has sixty-four client support centers that provide sample pickup and/or the delivery of sampling supplies. If you would like assistance from one of our support offices, please contact our main office. Pace National performs all testing at our central laboratory.



Analysis Request of Chain of Custody Record

L1204259

Page 1 of 6



Tetra Tech, Inc.

900 West Wall Street, Ste 100
Midland, Texas 79701
Tel (432) 682-4559
Fax (432) 682-3946

Client Name:	ConocoPhillips	Site Manager:	Christian Llull
Project Name:	MCA 123 Injection Line Release		
Project Location: (county, state)	Lea County, New Mexico	Project #:	212C-MD-02067
Invoice to:	Accounts Payable 901 West Wall St. Suite 100, Midland TX 79701		
Receiving Laboratory:	Pace Analytical	Sampler Signature:	Devin Dominguez
Comments:	Contact PM regarding holds ; COPTETRA acctnum		

ANALYSIS REQUEST
(Circle or Specify Method No.)

F190

LAB # (LAB USE ONLY)	SAMPLE IDENTIFICATION	SAMPLING		MATRIX		PRESERVATIVE METHOD				# CONTAINERS	FILTERED (Y/N)																	Hold								
		YEAR: 2020		WATER	SOIL	HCL	HNO ₃	ICE	None			BTEX 8021B	BTEX 8260B / 624	TPH TX1005 (Ext to C35)	TPH 8015M (GRO - DRO - ORO - MRO)	PAH 8270C	Total Metals Ag As Ba Cd Cr Pb Se Hg	TCLP Metals Ag As Ba Cd Cr Pb Se Hg	TCLP Volatiles	TCLP Semi Volatiles	RCI	GC/MS Vol. 8260B / 624	GC/MS Semi. Vol. 8270C/625	PCB's 8082 / 608	NORM	PLM (Asbestos)	Chloride		Sulfate	General Water Chemistry (see attached)	Anion/Cation Balance	TPH 8015R				
		DATE	TIME																																	
-01	BH-1 0'-1'	3/23/2020		X			X			1	N	X	X																							
-02	BH-1 2'-3'	3/23/2020		X			X			1	N	X	X																							
-03	BH-1 3'-4'	3/23/2020		X			X			1	N	X	X																							
	BH-1 4'-5'	3/23/2020		X			X			1	N																									X
-04	BH-1 6'-7'	3/23/2020		X			X			1	N	X	X																							
	BH-1 9'-10'	3/23/2020		X			X			1	N																									X
-05	BH-1 14'-15'	3/23/2020		X			X			1	N	X	X																							
	BH-1 19'-20'	3/23/2020		X			X			1	N																									X
	BH-1 24'-25'	3/23/2020		X			X			1	N																									X
	BH-1 29'-30'	3/23/2020		X			X			1	N																									X

Relinquished by:	Date:	Time:	Received by:	Date:	Time:
	3/27	12:00		3/27/20	12:00
Relinquished by:	Date:	Time:	Received by:	Date:	Time:
	3/22/20	15:00	SWA	3/27/20	15:00
Relinquished by:	Date:	Time:	Received by:	Date:	Time:
				3/28/20	8:30

LAB USE ONLY

REMARKS:

☒ STANDARD☐ RUSH: Same Day 24 hr 48 hr 72 hr☐ Rush Charges Authorized☐ Special Report Limits or TRRP Report

Sample Temperature

0.2 to 1.0 0.3 to 0.6

(Circle) HAND DELIVERED FEDEX UPS Tracking #:

ORIGINAL COPY

RAD SCREEN: <0.5 mR/hr

03-214

Page 2 of 6

Analysis Request of Chain of Custody Record

Tetra Tech, Inc.

900 West Wall Street, Ste 100
Midland, Texas 79701
Tel (432) 682-4559
Fax (432) 682-3946

Client Name:	ConocoPhillips	Site Manager:	Christian Lull
Project Name:	MCA 123 Injection Line Release		
Project Location: (county, state)	Lea County, New Mexico	Project #:	212C-MD-02067
Invoice to:	Accounts Payable 901 West Wall St. Suite 100, Midland TX 79701		
Receiving Laboratory:	Pace Analytical	Sampler Signature:	Devin Dominguez
Comments:	Contact PM regarding holds ; COPTETRA acctnum		

ANALYSIS REQUEST (Circle or Specify Method No.)

LAB # (LAB USE ONLY)	SAMPLE IDENTIFICATION	SAMPLING		MATRIX		PRESERVATIVE METHOD				# CONTAINERS	FILTERED (Y/N)																	Hold						
		YEAR: 2020		WATER	SOIL	HCL	HNO ₃	ICE	None			BTEX 8260B	BTEX 8260B	TPH TX1005 (Ext to C35)	TPH 8015M (GRO - DRO - ORO - MRO)	PAH 8270C	Total Metals Ag As Ba Cd Cr Pb Se Hg	TCLP Metals Ag As Ba Cd Cr Pb Se Hg	TCLP Volatiles	TCLP Semi Volatiles	RCI	GC/MS Vol. 8260B / 624	GC/MS Semi. Vol. 8270C/625	PCB's 8082 / 608	NORM	PLM (Asbestos)	Chloride	Chloride Sulfate TDS	General Water Chemistry (see attached list)	Anion/Cation Balance	TPH 8015R			
		DATE	TIME																															
	BH-1 34-35'	3/23/2020		X			X			1	N																							X
06	BH-1 44'-45'	3/23/2020		X			X			1	N	X	X														X							
07	BH-1 49'-50'	3/23/2020		X			X			1	N	X	X														X							
08	BH-2 0-1'	3/23/2020		X			X			1	N	X	X														X							
09	BH-2 2'-3'	3/23/2020		X			X			1	N	X	X														X							
10	BH-2 3'-4'	3/23/2020		X			X			1	N	X	X														X							
11	BH-2 4'-5'	3/23/2020		X			X			1	N	X	X														X							
	BH-2 6'-7'	3/23/2020		X			X			1	N																							X
	BH-2 9'-10'	3/23/2020		X			X			1	N																							X
12	BH-3 0-1'	3/23/2020		X			X			1	N	X	X														X							

Relinquished by:	Date:	Time:	Received by:	Date:	Time:
	3/27	12:00		3/27/20	12:00
Relinquished by:	Date:	Time:	Received by:	Date:	Time:
	3/27/20	5:00		3/27/20	1:00
Relinquished by:	Date:	Time:	Received by:	Date:	Time:
				3/28/20	08:30

LAB USE ONLY	REMARKS:
	<input checked="" type="checkbox"/> STANDARD
	<input type="checkbox"/> RUSH: Same Day 24 hr 48 hr 72 hr
Sample Temperature 0.2±0.1-0.3A	<input type="checkbox"/> Rush Charges Authorized
	<input type="checkbox"/> Special Report Limits or TRRP Report

(Circle) HAND DELIVERED FEDEX UPS Tracking #:

L1204259

Page 3 of 6

Analysis Request of Chain of Custody Record



Tetra Tech, Inc.

900 West Wall Street, Ste 100
Midland, Texas 79701
Tel (432) 682-4559
Fax (432) 682-3946

Client Name:	ConocoPhillips	Site Manager:	Christian Llull
Project Name:	MCA 123 Injection Line Release		
Project Location: (county, state)	Lea County, New Mexico	Project #:	212C-MD-02067
Invoice to:	Accounts Payable 901 West Wall St. Suite 100, Midland TX 79701		
Receiving Laboratory:	Pace Analytical	Sampler Signature:	Devin Dominguez
Comments:	Contact PM regarding holds ; COPTETRA acctnum		

ANALYSIS REQUEST

(Circle or Specify Method No.)

LAB # (LAB USE ONLY)	SAMPLE IDENTIFICATION	SAMPLING		MATRIX		PRESERVATIVE METHOD				# CONTAINERS	FILTERED (Y/N)	ANALYSIS REQUEST																		Hold						
		YEAR: 2020		WATER	SOIL	HCL	HNO ₃	ICE	None			BTEX 8021B	TPH TX1005 (Ext to C35)	TPH 8015M (GRO - DRO - ORO - MRO)	PAH 8270C	Total Metals Ag As Ba Cd Cr Pb Se Hg	TCLP Metals Ag As Ba Cd Cr Pb Se Hg	TCLP Volatiles	TCLP Semi Volatiles	RCI	GC/MS Vol. 8260B / 624	GC/MS Semi. Vol. 8270C/625	PCB's 8082 / 608	NORM	PLM (Asbestos)	Chloride	Sulfate	General Water Chemistry (see attached list)	Anion/Cation Balance		TPH 8015R					
		DATE	TIME																																	
-13	BH-3 2'-3' *	3/23/2020			X			X		1	N	X	X																							
-14	BH-3 3'-4' *	3/23/2020			X			X		1	N	X	X																							
	BH-3 4'-5' *	3/23/2020			X			X		1	N																									X
-15	BH-3 6'-7' *	3/23/2020			X			X		1	N	X	X																							
	BH-3 9-10' *	3/23/2020			X			X		1	N																									X
-16	no bottom BH-4 0-1' *	3/23/2020			X			X		1	N	X	X																							
-17	BH-4 2'-3' *	3/23/2020			X			X		1	N	X	X																							
-18	BH-4 3'-4' *	3/23/2020			X			X		1	N	X	X																							
	BH-4 4'-5' *	3/23/2020			X			X		1	N																									X

Relinquished by:	Date:	Time:	Received by:	Date:	Time:	LAB USE ONLY Sample Temperature 0.2°C = 0.3°F	REMARKS: <input checked="" type="checkbox"/> STANDARD <input type="checkbox"/> RUSH: Same Day 24 hr 48 hr 72 hr <input type="checkbox"/> Rush Charges Authorized <input type="checkbox"/> Special Report Limits or TRRP Report
Relinquished by:	Date:	Time:	Received by:	Date:	Time:		
Relinquished by:	Date:	Time:	Received by:	Date:	Time:		

ORIGINAL COPY

(Circle) HAND DELIVERED FEDEX UPS Tracking #: _____

RAD SCREEN - 0.5 mR/hr

Analysis Request of Chain of Custody Record

Page 4 of 6

**Tetra Tech, Inc.**
 900 West Wall Street, Ste 100
 Midland, Texas 79701
 Tel (432) 682-4559
 Fax (432) 682-3946

Client Name:	ConocoPhillips	Site Manager:	Christian Llull
Project Name:	MCA 123 Injection Line Release		
Project Location: (county, state)	Lea County, New Mexico	Project #:	212C-MD-02067
Invoice to:	Accounts Payable 901 West Wall St. Suite 100, Midland TX 79701		
Receiving Laboratory:	Pace Analytical	Sampler Signature:	Devin Dominguez
Comments:	Contact PM regarding holds ; COPTETRA acctnum		

ANALYSIS REQUEST
 (Circle or Specify Method No.)

LAB # (LAB USE ONLY)	SAMPLE IDENTIFICATION	SAMPLING		MATRIX		PRESERVATIVE METHOD				# CONTAINERS	FILTERED (Y/N)	BTEX 8021B	BTEX 8260B (Ext to C35)	TPH 8015M (GRO - DRG)	PAH 8270C	Total Metals Ag As Ba Cd Cr Pb Se Hg	TCLP Metals Ag As Ba Cd Cr Pb Se Hg	TCLP Volatiles	TCLP Semi Volatiles	RCI	GC/MS Vol. 8260B / 624	GC/MS Semi. Vol. 8270C/625	PCB's 8082 / 608	NORM	PLM (Asbestos)	Chloride	Sulfate	TD	General Water Chemistry	Anion/Cation Balance	TPH 8015R	Hold
		YEAR: 2020		WATER	SOIL	HCL	HNO ₃	ICE	None																							
		DATE	TIME																													

	BH-4 6'-7'	3/23/2020		X			X		1	N																							X
	BH-4 9'-10'	3/23/2020		X			X		1	N																							X
	BH-4 14'-15'	3/23/2020		X			X		1	N																							X
	BH-4 19'-20'	3/23/2020		X			X		1	N																							X
	BH-4 24'-25'	3/23/2020		X			X		1	N																							X
	BH-4 29'-30'	3/23/2020		X			X		1	N																							X
-19	BH-4 39'-40'	3/23/2020		X			X		1	N	X		X													X							X
-20	BH-4 49'-50'	3/23/2020		X			X		1	N																							X
-21	BH-4 59'-60'	3/23/2020		X			X		1	N	X		X													X							
	BH-5 0-1'	3/23/2020		X			X		1	N	X		X												X								

Relinquished by: _____ Date: _____ Time: _____

Relinquished by:	Date:	Time:	Received by:	Date:	Time:
<i>[Signature]</i>	3/27	12:00	<i>[Signature]</i>	3/27/20	12:00
Relinquished by:	Date:	Time:	Received by:	Date:	Time:
<i>[Signature]</i>	3/27/20	15:00	<i>[Signature]</i>	3/27/20	15:00
Relinquished by:	Date:	Time:	Received by:	Date:	Time:
<i>[Signature]</i>			<i>[Signature]</i>	3/28/20	08:30

LAB USE ONLY

 Sample Temperature
 0.240.1-0.32

REMARKS:

- ☒ STANDARD
- ☐ RUSH: Same Day 24 hr 48 hr 72 hr
- ☐ Rush Charges Authorized
- ☐ Special Report Limits or TRRP Report

ORIGINAL COPY

(Circle) HAND DELIVERED FEDEX UPS Tracking #:

RAD SCREEN: <0.5 mR/hr

Analysis Request of Chain of Custody Record



Tetra Tech, Inc.

900 West Wall Street, Ste 100
Midland, Texas 79701
Tel (432) 682-4559
Fax (432) 682-3946

Client Name:	ConocoPhillips	Site Manager:	Christian Llull
Project Name:	MCA 123 Injection Line Release		
Project Location: (county, state)	Lea County, New Mexico	Project #:	212C-MD-02067
Invoice to:	Accounts Payable 901 West Wall St. Suite 100, Midland TX 79701		
Receiving Laboratory:	Pace Analytical	Sampler Signature:	Devin Dominguez
Comments:	Contact PM regarding holds ; COPTETRA acctnum		

ANALYSIS REQUEST

(Circle or Specify Method No.)

LAB # (LAB USE ONLY)	SAMPLE IDENTIFICATION	SAMPLING		MATRIX		PRESERVATIVE METHOD				# CONTAINERS	FILTERED (Y/N)	BTEX 8021B	TPH TX1005 (Ext to	TPH 8015M (GRO -	PAH 8270C	Total Metals Ag As B	TCLP Metals Ag As B	TCLP Volatiles	TCLP Semi Volatiles	RCI	GC/MS Vol. 8260B /	GC/MS Semi. Vol. 82	PCBs 8082 / 608	NORM	PLM (Asbestos)	Chloride	Sulfate	General Water Chem	Anion/Cation Balanc	TPH 8015R	Hold	
		YEAR: 2020		WATER	SOIL	HCL	HNO ₃	ICE	None																							
		DATE	TIME																													
- 22	BH-5 2'-3' *	3/23/2020		X			X		1	N	X	X													X							
- 23	BH-5 3'-4' *	3/23/2020		X			X		1	N	X	X													X							
	BH-5 4'-5' *	3/23/2020		X			X		1	N																						X
- 24	BH-5 6'-7' *	3/23/2020		X			X		1	N	X	X													X							
	BH-5 9'-10' *	3/23/2020		X			X		1	N																						X
- 25	BH-6 0-1' *	3/23/2020		X			X		1	N	X	X													X							
- 26	BH-6 2'-3' *	3/23/2020		X			X		1	N	X	X													X							
+ 27	BH-6 3'-4' *	3/23/2020		X			X		1	N	X	X													X							
	BH-6 4'-5' *	3/23/2020		X			X		1	N																						X
- 28	BH-6 6'-7' *	3/23/2020		X			X		1	N	X	X													X							

Relinquished by:	Date:	Time:	Received by:	Date:	Time:	LAB USE ONLY Sample Temperature 0.20.1-0.32	REMARKS: <input checked="" type="checkbox"/> STANDARD <input type="checkbox"/> RUSH: Same Day 24 hr 48 hr 72 hr <input type="checkbox"/> Rush Charges Authorized <input type="checkbox"/> Special Report Limits or TRRP Report
Relinquished by:	Date:	Time:	Received by:	Date:	Time:		
Relinquished by:	Date:	Time:	Received by:	Date:	Time:		

(Circle) HAND DELIVERED FEDEX UPS Tracking #: _____

ORIGINAL COPY

RAD SCREEN: <0.5 mR/hr

L1204257

Page 6 of 6

Analysis Request of Chain of Custody Record



Tetra Tech, Inc.

900 West Wall Street, Ste 100
Midland, Texas 79701
Tel (432) 682-4559
Fax (432) 682-3946

Client Name:	ConocoPhillips	Site Manager:	Christian Llull
Project Name:	MCA 123 Injection Line Release		
Project Location: (county, state)	Lea County, New Mexico	Project #:	212C-MD-02067
Invoice to:	Accounts Payable 901 West Wall St. Suite 100, Midland TX 79701		
Receiving Laboratory:	Pace Analytical	Sampler Signature:	Devin Dominguez

Comments: Contact PM regarding holds ; COPTETRA acctnum

LAB # (LAB USE ONLY)	SAMPLE IDENTIFICATION	SAMPLING		MATRIX		PRESERVATIVE METHOD				# CONTAINERS	FILTERED (Y/N)	BTEX 8021B	TPH TX1005 (Ext to GRO)	TPH 8015M (GRO)	PAH 8270C	Total Metals Ag As B Cd Cr Pb Se Hg	TCLP Metals Ag As B Cd Cr Pb Se Hg	TCLP Volatiles	TCLP Semi Volatiles	RCI	GC/MS Vol. 8260B	GC/MS Semi. Vol. 8270C/625	PCB's 8082 / 608	NORM	PLM (Asbestos)	Chloride	Chloride Sulfate	General Water Chem	Anion/Cation Balance	TPH 8015R	Hold		
		YEAR: 2020		WATER	SOIL	HCL	HNO ₃	ICE	None																								
		DATE	TIME																														
29	BH-7 0-1'	3/23/2020		X			X			1	N	X	X													X							
30	BH-7 2'-3'	3/23/2020		X			X			1	N	X	X													X							
31	BH-7 3'-4'	3/23/2020		X			X			1	N	X	X													X							
	BH-7 4'-5'	3/23/2020		X			X			1	N																						X
32	BH-7 6'-7'	3/23/2020		X			X			1	N	X	X													X							
33	BH-8 0-1'	3/23/2020		X			X			1	N	X	X													X							
34	BH-8 2'-3'	3/23/2020		X			X			1	N	X	X													X							
35	BH-8 3'-4'	3/23/2020		X			X			1	N	X	X													X							
	BH-8 4'-5'	3/23/2020		X			X			1	N																						X
36	BH-8 6'-7'	3/23/2020		X			X			1	N	X	X													X							

Relinquished by:	Date:	Time:	Received by:	Date:	Time:
<i>[Signature]</i>	3/27	12:00	<i>[Signature]</i>	3/27/20	12:00
Relinquished by:	Date:	Time:	Received by:	Date:	Time:
<i>[Signature]</i>	3/27/20	15:00	<i>[Signature]</i>	3/27/20	15:00
Relinquished by:	Date:	Time:	Received by:	Date:	Time:
<i>[Signature]</i>			<i>[Signature]</i>	3/28/20	08:30

LAB USE ONLY	REMARKS:
Sample Temperature 0.2+0.1-0.3°C	<input checked="" type="checkbox"/> STANDARD
	<input type="checkbox"/> RUSH: Same Day 24 hr 48 hr 72 hr
	<input type="checkbox"/> Rush Charges Authorized
	<input type="checkbox"/> Special Report Limits or TRRP Report
(Circle) HAND DELIVERED FEDEX UPS Tracking #:	

ORIGINAL COPY

RAD SCREEN 0.5 mPa

APPENDIX G

NMSLO Seed Mixture Details



United States
Department of
Agriculture

NRCS

Natural
Resources
Conservation
Service

A product of the National
Cooperative Soil Survey,
a joint effort of the United
States Department of
Agriculture and other
Federal agencies, State
agencies including the
Agricultural Experiment
Stations, and local
participants

Custom Soil Resource Report for **Lea County, New Mexico**

MCA 123 Injection Line Release



April 10, 2020

Preface

Soil surveys contain information that affects land use planning in survey areas. They highlight soil limitations that affect various land uses and provide information about the properties of the soils in the survey areas. Soil surveys are designed for many different users, including farmers, ranchers, foresters, agronomists, urban planners, community officials, engineers, developers, builders, and home buyers. Also, conservationists, teachers, students, and specialists in recreation, waste disposal, and pollution control can use the surveys to help them understand, protect, or enhance the environment.

Various land use regulations of Federal, State, and local governments may impose special restrictions on land use or land treatment. Soil surveys identify soil properties that are used in making various land use or land treatment decisions. The information is intended to help the land users identify and reduce the effects of soil limitations on various land uses. The landowner or user is responsible for identifying and complying with existing laws and regulations.

Although soil survey information can be used for general farm, local, and wider area planning, onsite investigation is needed to supplement this information in some cases. Examples include soil quality assessments (<http://www.nrcs.usda.gov/wps/portal/nrcs/main/soils/health/>) and certain conservation and engineering applications. For more detailed information, contact your local USDA Service Center (<https://offices.sc.egov.usda.gov/locator/app?agency=nrcs>) or your NRCS State Soil Scientist (http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/contactus/?cid=nrcs142p2_053951).

Great differences in soil properties can occur within short distances. Some soils are seasonally wet or subject to flooding. Some are too unstable to be used as a foundation for buildings or roads. Clayey or wet soils are poorly suited to use as septic tank absorption fields. A high water table makes a soil poorly suited to basements or underground installations.

The National Cooperative Soil Survey is a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local agencies. The Natural Resources Conservation Service (NRCS) has leadership for the Federal part of the National Cooperative Soil Survey.

Information about soils is updated periodically. Updated information is available through the NRCS Web Soil Survey, the site for official soil survey information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require

alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410 or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

Contents

Preface..... 2

How Soil Surveys Are Made.....5

Soil Map..... 8

 Soil Map.....9

 Legend.....10

 Map Unit Legend..... 11

 Map Unit Descriptions.....11

 Lea County, New Mexico..... 13

 PU—Pyote and maljamar fine sands..... 13

 PY—Pyote soils and dune land..... 14

References..... 17

How Soil Surveys Are Made

Soil surveys are made to provide information about the soils and miscellaneous areas in a specific area. They include a description of the soils and miscellaneous areas and their location on the landscape and tables that show soil properties and limitations affecting various uses. Soil scientists observed the steepness, length, and shape of the slopes; the general pattern of drainage; the kinds of crops and native plants; and the kinds of bedrock. They observed and described many soil profiles. A soil profile is the sequence of natural layers, or horizons, in a soil. The profile extends from the surface down into the unconsolidated material in which the soil formed or from the surface down to bedrock. The unconsolidated material is devoid of roots and other living organisms and has not been changed by other biological activity.

Currently, soils are mapped according to the boundaries of major land resource areas (MLRAs). MLRAs are geographically associated land resource units that share common characteristics related to physiography, geology, climate, water resources, soils, biological resources, and land uses (USDA, 2006). Soil survey areas typically consist of parts of one or more MLRA.

The soils and miscellaneous areas in a survey area occur in an orderly pattern that is related to the geology, landforms, relief, climate, and natural vegetation of the area. Each kind of soil and miscellaneous area is associated with a particular kind of landform or with a segment of the landform. By observing the soils and miscellaneous areas in the survey area and relating their position to specific segments of the landform, a soil scientist develops a concept, or model, of how they were formed. Thus, during mapping, this model enables the soil scientist to predict with a considerable degree of accuracy the kind of soil or miscellaneous area at a specific location on the landscape.

Commonly, individual soils on the landscape merge into one another as their characteristics gradually change. To construct an accurate soil map, however, soil scientists must determine the boundaries between the soils. They can observe only a limited number of soil profiles. Nevertheless, these observations, supplemented by an understanding of the soil-vegetation-landscape relationship, are sufficient to verify predictions of the kinds of soil in an area and to determine the boundaries.

Soil scientists recorded the characteristics of the soil profiles that they studied. They noted soil color, texture, size and shape of soil aggregates, kind and amount of rock fragments, distribution of plant roots, reaction, and other features that enable them to identify soils. After describing the soils in the survey area and determining their properties, the soil scientists assigned the soils to taxonomic classes (units). Taxonomic classes are concepts. Each taxonomic class has a set of soil characteristics with precisely defined limits. The classes are used as a basis for comparison to classify soils systematically. Soil taxonomy, the system of taxonomic classification used in the United States, is based mainly on the kind and character of soil properties and the arrangement of horizons within the profile. After the soil

Custom Soil Resource Report

scientists classified and named the soils in the survey area, they compared the individual soils with similar soils in the same taxonomic class in other areas so that they could confirm data and assemble additional data based on experience and research.

The objective of soil mapping is not to delineate pure map unit components; the objective is to separate the landscape into landforms or landform segments that have similar use and management requirements. Each map unit is defined by a unique combination of soil components and/or miscellaneous areas in predictable proportions. Some components may be highly contrasting to the other components of the map unit. The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The delineation of such landforms and landform segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Soil scientists make many field observations in the process of producing a soil map. The frequency of observation is dependent upon several factors, including scale of mapping, intensity of mapping, design of map units, complexity of the landscape, and experience of the soil scientist. Observations are made to test and refine the soil-landscape model and predictions and to verify the classification of the soils at specific locations. Once the soil-landscape model is refined, a significantly smaller number of measurements of individual soil properties are made and recorded. These measurements may include field measurements, such as those for color, depth to bedrock, and texture, and laboratory measurements, such as those for content of sand, silt, clay, salt, and other components. Properties of each soil typically vary from one point to another across the landscape.

Observations for map unit components are aggregated to develop ranges of characteristics for the components. The aggregated values are presented. Direct measurements do not exist for every property presented for every map unit component. Values for some properties are estimated from combinations of other properties.

While a soil survey is in progress, samples of some of the soils in the area generally are collected for laboratory analyses and for engineering tests. Soil scientists interpret the data from these analyses and tests as well as the field-observed characteristics and the soil properties to determine the expected behavior of the soils under different uses. Interpretations for all of the soils are field tested through observation of the soils in different uses and under different levels of management. Some interpretations are modified to fit local conditions, and some new interpretations are developed to meet local needs. Data are assembled from other sources, such as research information, production records, and field experience of specialists. For example, data on crop yields under defined levels of management are assembled from farm records and from field or plot experiments on the same kinds of soil.

Predictions about soil behavior are based not only on soil properties but also on such variables as climate and biological activity. Soil conditions are predictable over long periods of time, but they are not predictable from year to year. For example, soil scientists can predict with a fairly high degree of accuracy that a given soil will have a high water table within certain depths in most years, but they cannot predict that a high water table will always be at a specific level in the soil on a specific date.

After soil scientists located and identified the significant natural bodies of soil in the survey area, they drew the boundaries of these bodies on aerial photographs and


Custom Soil Resource Report

identified each as a specific map unit. Aerial photographs show trees, buildings, fields, roads, and rivers, all of which help in locating boundaries accurately.

Soil Map

The soil map section includes the soil map for the defined area of interest, a list of soil map units on the map and extent of each map unit, and cartographic symbols displayed on the map. Also presented are various metadata about data used to produce the map, and a description of each soil map unit.


Custom Soil Resource Report Soil Map




Custom Soil Resource Report

MAP LEGEND

Area of Interest (AOI)

 Area of Interest (AOI)


Soils


 Soil Map Unit Polygons


 Soil Map Unit Lines


 Soil Map Unit Points

Special Point Features

 Blowout

 Borrow Pit


 Clay Spot


 Closed Depression

 Gravel Pit

 Gravelly Spot


 Landfill

 Lava Flow

 Marsh or swamp

 Mine or Quarry

 Miscellaneous Water


 Perennial Water

 Rock Outcrop

 Saline Spot

 Sandy Spot

 Severely Eroded Spot


 Sinkhole


 Slide or Slip


 Sodic Spot


 Spoil Area

 Stony Spot


 Very Stony Spot

 Wet Spot


 Other

 Special Line Features

Water Features

 Streams and Canals


Transportation

 Rails


 Interstate Highways

 US Routes

 Major Roads

 Local Roads

Background

 Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
Web Soil Survey URL:
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Lea County, New Mexico
Survey Area Data: Version 16, Sep 15, 2019

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Sep 18, 2016—Nov 20, 2017

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Custom Soil Resource Report

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
PU	Pyote and maljamar fine sands	0.2	41.3%
PY	Pyote soils and dune land	0.3	58.7%
Totals for Area of Interest		0.6	100.0%

Map Unit Descriptions

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however,

Custom Soil Resource Report

onsite investigation is needed to define and locate the soils and miscellaneous areas.

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. Except for differences in texture of the surface layer, all the soils of a series have major horizons that are similar in composition, thickness, and arrangement.

Soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An *association* is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

Custom Soil Resource Report

Lea County, New Mexico

PU—Pyote and maljamar fine sands

Map Unit Setting

National map unit symbol: dmqq
Elevation: 3,000 to 3,900 feet
Mean annual precipitation: 10 to 12 inches
Mean annual air temperature: 60 to 62 degrees F
Frost-free period: 190 to 205 days
Farmland classification: Not prime farmland

Map Unit Composition

Maljamar and similar soils: 45 percent
Pyote and similar soils: 45 percent
Minor components: 10 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Maljamar

Setting

Landform: Plains
Landform position (three-dimensional): Rise
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Sandy eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 24 inches: fine sand
Bt - 24 to 50 inches: sandy clay loam
Bkm - 50 to 60 inches: cemented material

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: 40 to 60 inches to petrocalcic
Natural drainage class: Well drained
Runoff class: Very low
Capacity of the most limiting layer to transmit water (Ksat): Very low to moderately low (0.00 to 0.06 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum in profile: 5 percent
Gypsum, maximum in profile: 1 percent
Salinity, maximum in profile: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum in profile: 2.0
Available water storage in profile: Low (about 5.6 inches)

Interpretive groups

Land capability classification (irrigated): 6e
Land capability classification (nonirrigated): 7e
Hydrologic Soil Group: B
Ecological site: Loamy Sand (R042XC003NM)
Hydric soil rating: No

Custom Soil Resource Report

Description of Pyote**Setting**

Landform: Plains
Landform position (three-dimensional): Rise
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Sandy eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 30 inches: fine sand
Bt - 30 to 60 inches: fine sandy loam

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: More than 80 inches
Natural drainage class: Well drained
Runoff class: Negligible
Capacity of the most limiting layer to transmit water (Ksat): High (2.00 to 6.00 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum in profile: 5 percent
Gypsum, maximum in profile: 1 percent
Salinity, maximum in profile: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum in profile: 2.0
Available water storage in profile: Low (about 5.1 inches)

Interpretive groups

Land capability classification (irrigated): 6e
Land capability classification (nonirrigated): 7s
Hydrologic Soil Group: A
Ecological site: Loamy Sand (R042XC003NM)
Hydric soil rating: No

Minor Components**Kermit**

Percent of map unit: 10 percent
Ecological site: Sandhills (R042XC022NM)
Hydric soil rating: No

PY—Pyote soils and dune land**Map Unit Setting**

National map unit symbol: dmqr
Elevation: 3,000 to 4,400 feet

Custom Soil Resource Report

Mean annual precipitation: 10 to 15 inches
Mean annual air temperature: 60 to 64 degrees F
Frost-free period: 190 to 220 days
Farmland classification: Not prime farmland

Map Unit Composition

Pyote and similar soils: 45 percent
Dune land: 45 percent
Minor components: 10 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Pyote**Setting**

Landform: Depressions
Landform position (two-dimensional): Footslope
Landform position (three-dimensional): Base slope
Down-slope shape: Concave
Across-slope shape: Concave
Parent material: Sandy eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 30 inches: fine sand
Bt - 30 to 60 inches: fine sandy loam

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: More than 80 inches
Natural drainage class: Well drained
Runoff class: Negligible
Capacity of the most limiting layer to transmit water (Ksat): High (2.00 to 6.00 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum in profile: 5 percent
Gypsum, maximum in profile: 1 percent
Salinity, maximum in profile: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum in profile: 2.0
Available water storage in profile: Low (about 5.1 inches)

Interpretive groups

Land capability classification (irrigated): 6e
Land capability classification (nonirrigated): 7s
Hydrologic Soil Group: A
Ecological site: Loamy Sand (R042XC003NM)
Hydric soil rating: No

Description of Dune Land**Setting**

Landform: Dunes
Landform position (two-dimensional): Backslope, shoulder
Landform position (three-dimensional): Side slope
Down-slope shape: Linear, convex
Across-slope shape: Convex

Custom Soil Resource Report

Typical profile

A - 0 to 6 inches: fine sand
C - 6 to 60 inches: fine sand

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 8e
Hydrologic Soil Group: A
Hydric soil rating: No

Minor Components

Kermit

Percent of map unit: 5 percent
Ecological site: Sandhills (R042XC022NM)
Hydric soil rating: No

Maljamar, fine sand

Percent of map unit: 3 percent
Ecological site: Loamy Sand (R042XC003NM)
Hydric soil rating: No

Wink

Percent of map unit: 2 percent
Ecological site: Loamy Sand (R042XC003NM)
Hydric soil rating: No

References

- American Association of State Highway and Transportation Officials (AASHTO). 2004. Standard specifications for transportation materials and methods of sampling and testing. 24th edition.
- American Society for Testing and Materials (ASTM). 2005. Standard classification of soils for engineering purposes. ASTM Standard D2487-00.
- Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deep-water habitats of the United States. U.S. Fish and Wildlife Service FWS/OBS-79/31.
- Federal Register. July 13, 1994. Changes in hydric soils of the United States.
- Federal Register. September 18, 2002. Hydric soils of the United States.
- Hurt, G.W., and L.M. Vasilas, editors. Version 6.0, 2006. Field indicators of hydric soils in the United States.
- National Research Council. 1995. Wetlands: Characteristics and boundaries.
- Soil Survey Division Staff. 1993. Soil survey manual. Soil Conservation Service. U.S. Department of Agriculture Handbook 18. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_054262
- Soil Survey Staff. 1999. Soil taxonomy: A basic system of soil classification for making and interpreting soil surveys. 2nd edition. Natural Resources Conservation Service, U.S. Department of Agriculture Handbook 436. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053577
- Soil Survey Staff. 2010. Keys to soil taxonomy. 11th edition. U.S. Department of Agriculture, Natural Resources Conservation Service. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053580
- Tiner, R.W., Jr. 1985. Wetlands of Delaware. U.S. Fish and Wildlife Service and Delaware Department of Natural Resources and Environmental Control, Wetlands Section.
- United States Army Corps of Engineers, Environmental Laboratory. 1987. Corps of Engineers wetlands delineation manual. Waterways Experiment Station Technical Report Y-87-1.
- United States Department of Agriculture, Natural Resources Conservation Service. National forestry manual. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/home/?cid=nrcs142p2_053374
- United States Department of Agriculture, Natural Resources Conservation Service. National range and pasture handbook. <http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/landuse/rangepasture/?cid=stelprdb1043084>

Custom Soil Resource Report

United States Department of Agriculture, Natural Resources Conservation Service. National soil survey handbook, title 430-VI. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/scientists/?cid=nrcs142p2_054242

United States Department of Agriculture, Natural Resources Conservation Service. 2006. Land resource regions and major land resource areas of the United States, the Caribbean, and the Pacific Basin. U.S. Department of Agriculture Handbook 296. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053624

United States Department of Agriculture, Soil Conservation Service. 1961. Land capability classification. U.S. Department of Agriculture Handbook 210. http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_052290.pdf

NMSLO Seed Mix**Sandy (S)****SANDY (S) SITES SEED MIXTURE:**

COMMON NAME	VARIETY	APPLICATION RATE (PLS/Acre)	DRILL BOX
Grasses:			
Sand bluestem	Elida, VNS, So.	2.0	F
Little bluestem	Cimarron, Pastura	3.0	F
Black grama	VNS, Southern	1.0	D
Sand dropseed	VNS, Southern	4.0	S
Plains bristlegrass	VNS, Southern	2.0	D
Forbs:			
Firewheel (Gaillardia)	VNS, Southern	1.0	D
Annual Sunflower	VNS, Southern	1.0	D
Shrubs:			
Fourwing Saltbush	VNS, Southern	1.0	F
Total PLS/acre		16.0	

S = Small seed drill box, D = Standard seed drill box, F = Fluffy seed drill box
VNS = Variety Not Stated, PLS = Pure Live Seed

- Seed mixes should be provided in bags separating seed types into the three categories: small (S), standard (D) and fluffy (F).
- VNS, Southern – Seed should be from a southern latitude collection of this species.
- Double seed application rate for broadcast or hydroseeding.
- If one species is not available, contact the SLO for an approved substitute; alternatively the SLO may require other species proportionately increased.
- Additional information on these seed species can be found on the USDA Plants Database website at <http://plants.usda.gov>.



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 18543

CONDITIONS

Operator: CONOCOPHILLIPS COMPANY 600 W. Illinois Avenue Midland, TX 79701	OGRID: 217817
	Action Number: 18543
	Action Type: [C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
bbillings	As DTW was not defined, yet dry to greater that 51 feet, can use the 51-100 feet from Table I in rule for purposes. Do not exceed proposed confirmation sampling scheme.	9/7/2021