# Diablo Analytical BTU Report GPA 2145-16 Analysis

## **Sample Information**

	Sample Information
Sample Name	P36-404H R2
Station Number	
Taken By	Gas Analysis Service
Operator	DJR
Method Name/Type	GAS High w H2S.met
Injection Date	2021-11-01 10:02:49
Report Date	2021-11-01 10:06:39
EZReporter Configuration File	Standard Sample GAS edit SC 7-12-21.cfgx
Source Data File	2021-11-01 10-02-37 (GMT -06-00)P36-404H R-Rep2.dat
EZReporter Data File	20211101-100639-P36-404H R2.ezrx
Data Source	Agilent EZChrom Connector

### **Component Results**

Component Name	Raw Amount	Norm%	Gross HV (Dry) (BTU / Ideal cu.ft.)	GPM (Dry) (Gal. / 1000 cu.ft.)
Nitrogen	2.8601	2.9734	0.0	0.328
Methane	73.0228	75.9165	768.5	12.914
Carbon Dioxide	0.2252	0.2341	0.0	0.040
Ethane	10.3841	10.7956	191.5	2.897
Hydrogen Sulfide	0.0000	0.0000	0.0	0.000
Propane	6.3321	6.5830	166.0	1.820
i-Butane	0.7228	0.7514	24.5	0.247
n-Butane	1.5848	1.6476	53.9	0.521
i-Pentane	0.3321	0.3453	13.8	0.127
n-Pentane	0.2809	0.2920	11.7	0.106
Hexanes Plus	0.4435	0.4611	23.7	0.201
Total:	96.1884	100.0000	1253.7	19.201

### **Results Summary**

Result	Dry	Sat. (Base)
Total Raw Mole% (Dry)	96.1884	
Total Normalzed Mole%	100.0000	0.0000
Pressure Base (psia)	14.730	
Temperature Base	60.0	
Flowing Temperature (Deg. F)	0.0	
Flowing Pressure (psia)	0.0	
Water Mole%	-	0.0000
Gross Heating Value (BTU / Ideal cu.ft.)	1253.7	0.0
Gross Heating Value (BTU / Real cu.ft.)	1258.3	0.0
Net Heating Value (BTU / Ideal cu.ft.)	1137.8	0.0
Relative Density (G), Real	0.7464	0.0000
Compressibility (Z) Factor	0.9964	0.0000
Total GPM	19.201	0.000

ı

DJR Operating, LLC

$\approx$	
~	
10	
C	
0	
Ξ.	
2	
ã	
6	
,	
Æ	
$\sim$	
~	
1	
$\boldsymbol{\sigma}$	
• •	
-	
-	
6	
17	
1	
-	
cas	
S	
4	
7	
~	
4	
1	
. 0	
-	
-	

Site	API	Date	Prams Total	<b>Hours Flared</b>	Hours produced	Actual Gas TDAY	Flared Volumes
NAU P36 404H	30-045-38188	11/1/2021	1465	24	0	0.0	1465.0

19.81708333





 DJR Vertical Surface Locations Existing Pad DJR Horizontal Surface Locations **Ghost Area Roads**  Minor Roads Pad Locations, Existing and Planned Highways Planned Pad



Highways

NAU CLF

County Roads

- <all other values>

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 59547

Q	UESTIONS	
Operator:		OGRID:
DJR OPERATING, LLC 1 Road 3263		371838 Action Number:
Aztec, NM 87410		59547
		Action Type: [C-129] Venting and/or Flaring (C-129)
		[O-125] Venting and/or Flaming (O-125)
QUESTIONS		
Prerequisites		
Any messages presented in this section, will prevent submission of this application. Please resolve	these issues before continuing wi	ith the rest of the questions.
Incident Well	[30-045-38188] N ALAMIT	O UNIT #404H
Incident Facility	Not answered.	
Determination of Reporting Requirements		
Answer all questions that apply. The Reason(s) statements are calculated based on your answers at	nd may provide addional quidance	
Was or is this venting and/or flaring caused by an emergency or malfunction	Yes	
Did or will this venting and/or flaring last eight hours or more cumulatively within	103	
any 24-hour period from a single event	Yes	
Is this considered a submission for a venting and/or flaring event	Yes, major venting and/or	flaring of natural gas.
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during v	enting and/or flaring that is or may	y be a major or minor release under 19.15.29.7 NMAC.
Was there or will there be at least 50 MCF of natural gas vented and/or flared during this event	Yes	
Did this venting and/or flaring result in the release of <b>ANY</b> liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public	No	
health, the environment or fresh water  Was the venting and/or flaring within an incorporated municipal boundary or		
withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No	
Equipment Involved		
Equipment Involved Primary Equipment Involved	Producing Well	
	, and the second	g O2 to be introduced into the facility.
Primary Equipment Involved	, and the second	g O2 to be introduced into the facility.
Primary Equipment Involved	, and the second	g O2 to be introduced into the facility.
Primary Equipment Involved  Additional details for Equipment Involved. Please specify	VRT malfunctioned causing	g O2 to be introduced into the facility.
Primary Equipment Involved Additional details for Equipment Involved. Please specify  Representative Compositional Analysis of Vented or Flared Natural Gas  Please provide the mole percent for the percentage questions in this group.  Methane (CH4) percentage	VRT malfunctioned causing	g O2 to be introduced into the facility.
Primary Equipment Involved Additional details for Equipment Involved. Please specify  Representative Compositional Analysis of Vented or Flared Natural Gas  Please provide the mole percent for the percentage questions in this group.	VRT malfunctioned causing	g O2 to be introduced into the facility.
Primary Equipment Involved Additional details for Equipment Involved. Please specify  Representative Compositional Analysis of Vented or Flared Natural Gas  Please provide the mole percent for the percentage questions in this group.  Methane (CH4) percentage  Nitrogen (N2) percentage, if greater than one percent  Hydrogen Sulfide (H2S) PPM, rounded up	VRT malfunctioned causing 74 3 0	g O2 to be introduced into the facility.
Primary Equipment Involved Additional details for Equipment Involved. Please specify  Representative Compositional Analysis of Vented or Flared Natural Gas  Please provide the mole percent for the percentage questions in this group.  Methane (CH4) percentage  Nitrogen (N2) percentage, if greater than one percent  Hydrogen Sulfide (H2S) PPM, rounded up  Carbon Dioxide (C02) percentage, if greater than one percent	VRT malfunctioned causing 74 3 0	g O2 to be introduced into the facility.
Primary Equipment Involved Additional details for Equipment Involved. Please specify  Representative Compositional Analysis of Vented or Flared Natural Gas  Please provide the mole percent for the percentage questions in this group.  Methane (CH4) percentage  Nitrogen (N2) percentage, if greater than one percent  Hydrogen Sulfide (H2S) PPM, rounded up	VRT malfunctioned causing 74 3 0	g O2 to be introduced into the facility.
Primary Equipment Involved Additional details for Equipment Involved. Please specify  Representative Compositional Analysis of Vented or Flared Natural Gas  Please provide the mole percent for the percentage questions in this group.  Methane (CH4) percentage  Nitrogen (N2) percentage, if greater than one percent  Hydrogen Sulfide (H2S) PPM, rounded up  Carbon Dioxide (C02) percentage, if greater than one percent	74 3 0 0	g O2 to be introduced into the facility.
Primary Equipment Involved Additional details for Equipment Involved. Please specify  Representative Compositional Analysis of Vented or Flared Natural Gas  Please provide the mole percent for the percentage questions in this group.  Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up  Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent	74 3 0 0	g O2 to be introduced into the facility.
Primary Equipment Involved Additional details for Equipment Involved. Please specify  Representative Compositional Analysis of Vented or Flared Natural Gas  Please provide the mole percent for the percentage questions in this group.  Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up  Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent	VRT malfunctioned causing 74 3 0 0 0 iffications for each gas.	g O2 to be introduced into the facility.
Primary Equipment Involved Additional details for Equipment Involved. Please specify  Representative Compositional Analysis of Vented or Flared Natural Gas  Please provide the mole percent for the percentage questions in this group.  Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent  If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (CH4) percentage quality requirement	VRT malfunctioned causing 74 3 0 0 0 iffications for each gas. Not answered.	g O2 to be introduced into the facility.
Primary Equipment Involved Additional details for Equipment Involved. Please specify  Representative Compositional Analysis of Vented or Flared Natural Gas  Please provide the mole percent for the percentage questions in this group.  Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent  If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (CH4) percentage quality requirement Nitrogen (N2) percentage quality requirement	VRT malfunctioned causing  74  3  0  0  iffications for each gas.  Not answered.	g O2 to be introduced into the facility.
Primary Equipment Involved Additional details for Equipment Involved. Please specify  Representative Compositional Analysis of Vented or Flared Natural Gas  Please provide the mole percent for the percentage questions in this group.  Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent  If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (CH4) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sulfide (H2S) PPM quality requirement	74 3 0 0 0 iffications for each gas. Not answered. Not answered.	g O2 to be introduced into the facility.
Primary Equipment Involved Additional details for Equipment Involved. Please specify  Representative Compositional Analysis of Vented or Flared Natural Gas  Please provide the mole percent for the percentage questions in this group.  Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up  Carbon Dioxide (C02) percentage, if greater than one percent  Oxygen (02) percentage, if greater than one percent  If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (N2) percentage quality requirement  Nitrogen (N2) percentage quality requirement  Hydrogen Sufide (H2S) PPM quality requirement  Carbon Dioxide (C02) percentage quality requirement	VRT malfunctioned causing 74 3 0 0 0 iffications for each gas. Not answered. Not answered. Not answered. Not answered.	g O2 to be introduced into the facility.
Primary Equipment Involved Additional details for Equipment Involved. Please specify  Representative Compositional Analysis of Vented or Flared Natural Gas  Please provide the mole percent for the percentage questions in this group.  Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent  If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sufide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement Oxygen (02) percentage quality requirement  Date(s) and Time(s)	VRT malfunctioned causing 74 3 0 0 0 iffications for each gas. Not answered.	g O2 to be introduced into the facility.
Primary Equipment Involved Additional details for Equipment Involved. Please specify  Representative Compositional Analysis of Vented or Flared Natural Gas  Please provide the mole percent for the percentage questions in this group.  Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent  If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sufide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement Oxygen (02) percentage quality requirement  Date(s) and Time(s)  Date venting and/or flaring was discovered or commenced	VRT malfunctioned causing 74 3 0 0 0 iffications for each gas. Not answered. Not answered. Not answered. Not answered. Not answered. Not answered.	g O2 to be introduced into the facility.
Primary Equipment Involved Additional details for Equipment Involved. Please specify  Representative Compositional Analysis of Vented or Flared Natural Gas  Please provide the mole percent for the percentage questions in this group.  Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent  If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Suffide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement Oxygen (02) percentage quality requirement  Date(s) and Time(s)  Date venting and/or flaring was discovered or commenced	74 3 0 0 0 iffications for each gas. Not answered. Not answered. Not answered. Not answered. Not answered. 11/01/2021 12:01 AM	g O2 to be introduced into the facility.
Primary Equipment Involved Additional details for Equipment Involved. Please specify  Representative Compositional Analysis of Vented or Flared Natural Gas  Please provide the mole percent for the percentage questions in this group.  Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent  If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sufide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement Oxygen (02) percentage quality requirement  Date(s) and Time(s)  Date venting and/or flaring was discovered or commenced Time venting and/or flaring was terminated	VRT malfunctioned causing 74 3 0 0 0 iffications for each gas. Not answered. Not answered. Not answered. Not answered. 11/01/2021 12:01 AM 11:59 PM	g O2 to be introduced into the facility.
Primary Equipment Involved Additional details for Equipment Involved. Please specify  Representative Compositional Analysis of Vented or Flared Natural Gas  Please provide the mole percent for the percentage questions in this group.  Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent  If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sulfide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement Oxygen (02) percentage quality requirement  Date(s) and Time(s)  Date venting and/or flaring was discovered or commenced Time venting and/or flaring was discovered or commenced	74 3 0 0 0 iffications for each gas. Not answered. Not answered. Not answered. Not answered. Not answered. 11/01/2021 12:01 AM	g O2 to be introduced into the facility.

Not answered.

Natural Gas Vented (Mcf) Details

Natural Gas Flared (Mcf) Details	Cause: Equipment Failure   Producing Well   Natural Gas Flared   Released: 1,465 Mcf   Recovered: 0 Mcf   Lost: 1,465 Mcf ]
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Not answered.
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity	
Was or is this venting and/or flaring a result of downstream activity	No
Was notification of downstream activity received by you or your operator	No
Downstream OGRID that should have notified you or your operator	Not answered.
Date notified of downstream activity requiring this venting and/or flaring	Not answered.
Time notified of downstream activity requiring this venting and/or flaring	Not answered.

Steps and Actions to Prevent Waste		
For this event, the operator could not have reasonably anticipated the current event and it was beyond the operator's control.	True	
Please explain reason for why this event was beyond your operator's control	VRT malfunctioned causing oxygen to be introduced into the facility	
Steps taken to limit the duration and magnitude of venting and/or flaring	Flaring is only occurring in order to remove the oxygen levels to appropriate levels in order to go to pipeline.	
Corrective actions taken to eliminate the cause and reoccurrence of venting and/or flaring	Only flaring to remove the O2 from the facility.	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 59547

**CONDITIONS** 

Operator:	OGRID:		
DJR OPERATING, LLC	371838		
1 Road 3263	Action Number:		
Aztec, NM 87410	59547		
	Action Type:		
	[C-129] Venting and/or Flaring (C-129)		

#### CONDITIONS

Created By	Condition	Condition Date
farrell	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	11/2/2021