MANLEY GAS TESTING, INC.

P.O. DRAWER 193 OFFICE(432)367-3024

FAX(432)367-1166

ODESSA, TEXAS 79760 E-MAIL: MANLEYGAST@AOL.COM

150 - 0 CHARGE.... REC. NO.

DATE SAMPLED..... 04-27-21 DATE RUN.... 04-30-21

TEST NUMBER..

51298

EFFEC. DATE..... 04-01-21

STATION NO. ... 633048

PRODUCER DURANGO MIDSTREAM

SAMPLE NAME.... FADEAWAY RIDGE COMP. FLARE

TYPE: SPOT

RECEIVED FROM.. FRONTIER FIELD SERVICES LLC - MALJAMAR

FLOWING PRESSURE 570.1 PSIA

FLOWING TEMPERATURE 100 F

SAMPLED BY:

FT

CYLINDER NO.

FRACTIONAL ANALYSIS CALCULATED @ 14.650 PSIA AND 60F

	MOL%	GPM (REAL)
HYDROGEN SULFIDE NITROGEN CARBON DIOXIDE METHANE ETHANE PROPANE ISO-BUTANE NOR-BUTANE ISO-PENTANE NOR-PENTANE HEXANES + TOTALS	0.000 1.462 0.319 77.487 11.644 5.365 0.734 1.698 0.399 0.398 0.494	3.107 1.475 0.240 0.534 0.146 0.144 0.215

'Z' FACTOR (DRY) = 0.9963 'Z' FACTOR (WET) = 0.9960

CALC. MOL. WT. = 21.29

..CALCULATED SPECIFIC GRAVITIES...

REAL, DRY 0.7377

REAL, WET 0.7360

..CALCULATED GROSS HEATING VALUES..

BTU/CF - REAL, DRY 1261

BTU/CF - REAL, WET 1239

DISTRIBUTION AND REMARKS:

ANALYZED BY: JT ** R **

APPROVED:

Released to Imaging: 11/23/2021 1:31:29 PM



Facility: Fadeaway Ridge CS

Date: 11/18/2021

FL-1_Flare		
		Flare Volume
Time	Event Type	(Mcf)
0:00	-	0.0
1:00	-	0.0
2:00	-	0.0
3:00	-	0.0
4:00	-	0.0
5:00	SSM	10.1
6:00	SSM	6.1
7:00	SSM	5.2
8:00	SSM	2.6
9:00	SSM	4.3
10:00	SSM	5.0
11:00	SSM	7.2
12:00	SSM	1.2
13:00	SSM	0.2
14:00	SSM	0.1
15:00	SSM	0.5
16:00	SSM	0.4
17:00	SSM	2.7
18:00	SSM	4.2
19:00	SSM	6.0
20:00	SSM	6.2
21:00	SSM	5.8
22:00	SSM	5.9
23:00	SSM	5.4

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 63321

Q	UESTIONS	
Operator:		OGRID:
FRONTIER FIELD SERVICES, LLC 10077 Grogans Mill Rd.		221115 Action Number:
The Woodlands, TX 77380		63321
		Action Type: [C-129] Venting and/or Flaring (C-129)
QUESTIONS		[O 120] Ventuing director Finding (O 120)
Prerequisites		
Any messages presented in this section, will prevent submission of this application. Please resolve	these issues before continuing wi	th the rest of the questions.
Incident Well	Not answered.	
Incident Facility	[fAPP2123032975] Fadea	way Ridge Compressor Station
Determination of Reporting Requirements		
Answer all questions that apply. The Reason(s) statements are calculated based on your answers at).
Was or is this venting and/or flaring caused by an emergency or malfunction	No	
Did or will this venting and/or flaring last eight hours or more cumulatively within any 24-hour period from a single event	Yes	
Is this considered a submission for a venting and/or flaring event	Yes, minor venting and/or	flaring of natural gas.
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during v	enting and/or flaring that is or maj	y be a major or minor release under 19.15.29.7 NMAC.
Was there or will there be at least 50 MCF of natural gas vented and/or flared	Yes	
during this event		
Did this venting and/or flaring result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a	No	
surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water		
Was the venting and/or flaring within an incorporated municipal boundary or		
withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No	
Equipment Involved		
	Not answered.	
Primary Equipment Involved Additional details for Equipment Involved. Please specify	Not answered. Not answered.	
Primary Equipment Involved		
Primary Equipment Involved		
Primary Equipment Involved Additional details for Equipment Involved. Please specify		
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas	Not answered.	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group.	Not answered.	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage	Not answered.	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent	Not answered. 78	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up	78 1	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent	78 1 0 0 0	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent	78 1 0 0 0	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent	Not answered. 78 1 0 0 0 iffications for each gas.	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (CH4) percentage quality requirement Nitrogen (N2) percentage quality requirement	Not answered. 78 1 0 0 0 iffications for each gas. Not answered.	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (CH4) percentage quality requirement	78 1 0 0 0 Not answered.	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sufide (H2S) PPM quality requirement	78 1 0 0 0 iffications for each gas. Not answered. Not answered. Not answered.	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Suffide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement	Not answered. 78 1 0 0 0 iffications for each gas. Not answered. Not answered. Not answered. Not answered.	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Suffide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement	Not answered. 78 1 0 0 0 iffications for each gas. Not answered. Not answered. Not answered. Not answered.	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sulfide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement Oxygen (02) percentage quality requirement Oxygen (02) percentage quality requirement	Not answered. 78 1 0 0 0 iffications for each gas. Not answered. Not answered. Not answered. Not answered.	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (CH4) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sufide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement Oxygen (02) percentage quality requirement Date(s) and Time(s)	78 1 0 0 0 iffications for each gas. Not answered.	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sufide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement Oxygen (02) percentage quality requirement Date(s) and Time(s) Date venting and/or flaring was discovered or commenced	78 1 0 0 0 iffications for each gas. Not answered. Not answered. Not answered. Not answered. Not answered. Not answered. 11/18/2021	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Sulfide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement Oxygen (02) percentage quality requirement Date(s) and Time(s) Date venting and/or flaring was discovered or commenced	Not answered. 78 1 0 0 0 iffications for each gas. Not answered. Not answered. Not answered. Not answered. Not answered. 11/18/2021 05:00 AM	
Primary Equipment Involved Additional details for Equipment Involved. Please specify Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent Hydrogen Sulfide (H2S) PPM, rounded up Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent If you are venting and/or flaring because of Pipeline Specification, please provide the required specification (N2) percentage quality requirement Nitrogen (N2) percentage quality requirement Hydrogen Suffide (H2S) PPM quality requirement Carbon Dioxide (C02) percentage quality requirement Oxygen (02) percentage quality requirement Date(s) and Time(s) Date venting and/or flaring was discovered or commenced Time venting and/or flaring was terminated	Not answered. 78 1 0 0 0 0 iffications for each gas. Not answered. Not answered. Not answered. Not answered. 11/18/2021 05:00 AM 11:59 PM	

Not answered.

Natural Gas Vented (Mcf) Details

Natural Gas Flared (Mcf) Details	Cause: Repair and Maintenance Gas Compressor Station Natural Gas Flared Released: 79 Mcf Recovered: 0 Mcf Lost: 79 Mcf]
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Not answered.
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity	
Was or is this venting and/or flaring a result of downstream activity	Not answered.
Was notification of downstream activity received by you or your operator	Not answered.
Downstream OGRID that should have notified you or your operator	Not answered.
Date notified of downstream activity requiring this venting and/or flaring	Not answered.
Time notified of downstream activity requiring this venting and/or flaring	Not answered.

Steps and Actions to Prevent Waste	
For this event, the operator could not have reasonably anticipated the current event and it was beyond the operator's control.	False
Please explain reason for why this event was beyond your operator's control	Not answered.
Steps taken to limit the duration and magnitude of venting and/or flaring	Maintenance called out, repairs made as needed. Units were restarted expeditiously.
Corrective actions taken to eliminate the cause and reoccurrence of venting and/or flaring	This event was routine operation and maintenance. Recurrence is likely, however units are operating as designed now.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 63321

CONDITIONS

Operator:	OGRID:
FRONTIER FIELD SERVICES, LLC	221115
10077 Grogans Mill Rd.	Action Number:
The Woodlands, TX 77380	63321
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
aakhgar	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	11/23/2021