



Volumetrics US Inc.
3001 N Cameron St, Victoria, TX-77901
Phone: 361-827-4024

Company: OXY USA INC
Field/Location : NMSW
Station Name : DIMENSIONS CTB CHECK B
Station Number : 18500D
Sample Date: 7/9/21 9:34 AM
Analysis Date: 7/19/21 4:17 PM
Instrument: ABB
Calibration/Verification Date: 7/19/2021
Heat Trace used: YES

Work Order 4000335857
Sampled by: VOLUMETRICS/JA
Sample Type : SPOT-CYLINDER
Sample Temperature (F): 95
Sample Pressure (PSIG): 109
Flow rate (MCF/Day): 29931
Ambient Temperature (F): 91
Sampling method: FILL & EMPTY
Cylinder Number: 1455

NATURAL GAS ANALYSIS: GPA 2261

Components	Un-Normalized Mol%	Normalized Mol%	GPM 14.650	GPM 14.730	GPM 15.025
Hydrogen Sulfide	0.0000	0.0000			
Nitrogen	1.6063	1.6107			
Methane	75.6764	75.8823			
Carbon Dioxide	1.8299	1.8349			
Ethane	11.1178	11.1481	2.976	2.992	3.052
Propane	5.3947	5.4094	1.487	1.496	1.526
Isobutane	0.6852	0.6871	0.224	0.226	0.230
N-butane	1.7116	1.7162	0.540	0.543	0.554
Isopentane	0.4079	0.4090	0.149	0.150	0.153
N-Pentane	0.4790	0.4803	0.174	0.175	0.178
Hexanes Plus	0.8198	0.8220	0.358	0.360	0.367
Total	99.7286	100.0000			

Hexanes plus split (60%-30%-10%)

Physical Properties (Calculated)	14.650 psia	14.730 psia	15.025 psia
Total GPM Ethane+	5.909	5.941	6.060
Total GPM Iso-Pentane+	0.681	0.685	0.699
Compressibility (Z)	0.9962	0.9962	0.9961
Specific Gravity (Air=1) @ 60 °F	0.7613	0.7613	0.7614
Molecular Weight	21.974	21.974	21.974

Gross Heating Value	14.650 psia	14.730 psia	15.025 psia
Dry, Real (BTU/Ft ³)	1256.8	1263.7	1289.1
Wet, Real (BTU/Ft ³)	1234.9	1241.7	1266.6
Dry, Ideal (BTU/Ft ³)	1252.0	1258.8	1284.0
Wet, Ideal (BTU/Ft ³)	1230.2	1236.9	1261.7

Temperature base 60 °F

Comment: FIELD H2S = 0 PPM

Verified by

Mostaq Ahammad
Petroleum Chemist

Scott Beasley

Approved by

Deann Friend

Deann Friend
Laboratory Manager

VCU FLARING EVENT SPECIFIC JUSTIFICATIONS FORM**Facility:** Dimension 6 CTB**Date:** 11/22/2021**Duration of event:** >8 hours/day**MCF Flared:** 50**Start Time:** 12:00 AM**End Time:** 11:59 PM**Cause:** Routine Combustion of storage tank vapors using an enclosed combustion device (VCU)**Method of Flared Gas Measurement:** VCU Meter F6161 223948 tracking combusted gas**Well API Associated with Facility:** 30-015-45630 Height CC 6 7 Federal Com # 311H

Comments: No wells were involved with this flaring event as this event is due to combustion of storage tank vapors by an enclosed combustion device which is used routinely at this facility, pursuant to Federal US EPA NSPS OOOO/OOOOa regulations and state air permitting requirements that require the use of such a device to reduce storage tank emissions by 95%.

Actual volume flared was 50 MCF. NMOCD's online system will not accept a volume of 50 MCF, therefore, a volume of 50.6 MCF was entered into the online reporting system. Please see Justification Form for further information

1. Reason why this event was beyond Operator's control:

On May 17, 2021, NMOCD issued a notice entitled, "Frequently Asked Questions Regarding the Natural Gas Waste Rules," and states that "... pursuant to 19.15.27.8(G) NMAC, an operator who vents or flares for any reason and that lasts more than 8 hours cumulatively during any 24-hour period must report that event on Form C-129." Combustion of storage tank vapors by this enclosed combustion device is used routinely at this facility pursuant to Federal US EPA NSPS OOOO/OOOOa regulations and state air permitting requirements that require the use of such a device to reduce storage tank emissions by 95%.

2. Steps Taken to limit duration and magnitude of venting or flaring:

On May 17, 2021, NMOCD issued a notice entitled, "Frequently Asked Questions Regarding the Natural Gas Waste Rules," and states that "... pursuant to 19.15.27.8(G) NMAC, an operator who vents or flares for any reason and that lasts more than 8 hours cumulatively during any 24-hour period must report that event on Form C-129." Combustion of storage tank vapors by this enclosed combustion device is used routinely at this facility pursuant to Federal US EPA NSPS OOOO/OOOOa regulations and state air permitting requirements that require the use of such a device to reduce storage tank emissions by 95%.

3. Corrective Actions taken to eliminate the cause and reoccurrence of venting or flaring:

On May 17, 2021, NMOCD issued a notice entitled, "Frequently Asked Questions Regarding the Natural Gas Waste Rules," and states that "... pursuant to 19.15.27.8(G) NMAC, an operator who vents or flares for any reason and that lasts more than 8 hours cumulatively during any 24-hour period must report that event on Form C-129." Combustion of storage tank vapors by this enclosed combustion device is used routinely at this facility pursuant to Federal US EPA NSPS OOOO/OOOOa regulations and state air permitting requirements that require the use of such a device to reduce storage tank emissions by 95%.

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 65003

QUESTIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 65003
	Action Type: [C-129] Venting and/or Flaring (C-129)

QUESTIONS**Prerequisites**

Any messages presented in this section, will prevent submission of this application. Please resolve these issues before continuing with the rest of the questions.

Incident Well	Not answered.
Incident Facility	[fAPP2126637631] DIMENSION 6 CTB

Determination of Reporting Requirements

Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide additional guidance.

Was or is this venting and/or flaring caused by an emergency or malfunction	No
Did or will this venting and/or flaring last eight hours or more cumulatively within any 24-hour period from a single event	Yes
Is this considered a submission for a venting and/or flaring event	Yes, minor venting and/or flaring of natural gas.
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during venting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC.	
Was there or will there be at least 50 MCF of natural gas vented and/or flared during this event	Yes
Did this venting and/or flaring result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No
Was the venting and/or flaring within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No

Equipment Involved

Primary Equipment Involved	Other (Specify)
Additional details for Equipment Involved. Please specify	VCU Meter F6161 223948 tracking combusted gas- No wells were involved with this flaring event as this event is due to combustion of storage tank vapors by an enclosed combustion device which is used routinely at this facility, pursuant to Federal US EPA NSPS OOOO/OOOOa regulations and state air permitting requirements that require the use of such a device to reduce storage tank emissions by 95%. Actual volume flared was 50 MCF. NMOCD's online system will not accept a volume of 50 MCF, therefore, a volume of 50.6 MCF was entered into the online reporting system. Please see Justification Form for further information

Representative Compositional Analysis of Vented or Flared Natural Gas

Please provide the mole percent for the percentage questions in this group.

Methane (CH4) percentage	76
Nitrogen (N2) percentage, if greater than one percent	2
Hydrogen Sulfide (H2S) PPM, rounded up	0
Carbon Dioxide (CO2) percentage, if greater than one percent	2
Oxygen (O2) percentage, if greater than one percent	0

If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas.

Methane (CH4) percentage quality requirement	Not answered.
Nitrogen (N2) percentage quality requirement	Not answered.
Hydrogen Sulfide (H2S) PPM quality requirement	Not answered.
Carbon Dioxide (CO2) percentage quality requirement	Not answered.
Oxygen (O2) percentage quality requirement	Not answered.

Date(s) and Time(s)

Date venting and/or flaring was discovered or commenced	11/22/2021
Time venting and/or flaring was discovered or commenced	12:00 AM
Time venting and/or flaring was terminated	11:59 PM

Cumulative hours during this event	24
------------------------------------	----

Measured or Estimated Volume of Vented or Flared Natural Gas	
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Cause: Other Other (Specify) Natural Gas Flared Released: 51 Mcf Recovered: 0 Mcf Lost: 51 Mcf]
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	VCU Meter F6161 223948 tracking combusted gas - The actual volume flared was 50 MCF. NMOCD's online system will not accept a volume of 50 MCF, therefore, a volume of 50.6 MCF was entered into the online reporting system. Please see Justification Form for further information.
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity	
Was or is this venting and/or flaring a result of downstream activity	No
Was notification of downstream activity received by you or your operator	Not answered.
Downstream OGRID that should have notified you or your operator	Not answered.
Date notified of downstream activity requiring this venting and/or flaring	Not answered.
Time notified of downstream activity requiring this venting and/or flaring	Not answered.

Steps and Actions to Prevent Waste	
For this event, the operator could not have reasonably anticipated the current event and it was beyond the operator's control.	True
Please explain reason for why this event was beyond your operator's control	On May 17, 2021, NMOCD issued a notice entitled, "Frequently Asked Questions Regarding the Natural Gas Waste Rules," and states that "... pursuant to 19.15.27.8(G) NMAC, an operator who vents or flares for any reason and that lasts more than 8 hours cumulatively during any 24-hour period must report that event on Form C-129." Combustion of storage tank vapors by this enclosed combustion device is used routinely at this facility pursuant to Federal US EPA NSPS OOOO/OOOOa regulations and state air permitting requirements that require the use of such a device to reduce storage tank emissions by 95%.
Steps taken to limit the duration and magnitude of venting and/or flaring	On May 17, 2021, NMOCD issued a notice entitled, "Frequently Asked Questions Regarding the Natural Gas Waste Rules," and states that "... pursuant to 19.15.27.8(G) NMAC, an operator who vents or flares for any reason and that lasts more than 8 hours cumulatively during any 24-hour period must report that event on Form C-129." Combustion of storage tank vapors by this enclosed combustion device is used routinely at this facility pursuant to Federal US EPA NSPS OOOO/OOOOa regulations and state air permitting requirements that require the use of such a device to reduce storage tank emissions by 95%.
Corrective actions taken to eliminate the cause and reoccurrence of venting and/or flaring	On May 17, 2021, NMOCD issued a notice entitled, "Frequently Asked Questions Regarding the Natural Gas Waste Rules," and states that "... pursuant to 19.15.27.8(G) NMAC, an operator who vents or flares for any reason and that lasts more than 8 hours cumulatively during any 24-hour period must report that event on Form C-129." Combustion of storage tank vapors by this enclosed combustion device is used routinely at this facility pursuant to Federal US EPA NSPS OOOO/OOOOa regulations and state air permitting requirements that require the use of such a device to reduce storage tank emissions by 95%.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 65003

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 65003
	Action Type: [C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
shelbyschoepf	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	12/5/2021