

**GAS VOLUME STATEMENT****May 2021**

Meter #: 727901-00

Name: Morris Boyd 26 Fee

Closed Data

Standard Conditions

**Pressure Base:** 14.730 psia **Meter Status:** Active  
**Temperature Base:** 60.00 °F **Contract Hr.:** Midnight  
**Atmos Pressure:** 13.200 psi **Full Wellstream:** No  
**Calc Method:** AGA3-1992 **WV Technique:** Equivalent Dry Volume  
**Z Method:** AGA-8 Detail (1992) **WV Method:** 1955 IGT-Bulletin 8  
**Tube I.D.:** 3.0690 in **HV Cond:** Dry  
**Tap Location:** Upstream **Meter Type:** EFM  
**Tap Type:** Flange **Interval:** 1 Hour

| CO2   | N2    | C1     | C2     | C3    | IC4   | NC4   | IC5       |
|-------|-------|--------|--------|-------|-------|-------|-----------|
| 4.308 | 1.292 | 68.461 | 13.444 | 6.226 | 0.738 | 1.672 | 0.422     |
| NC5   | neo   | C6     | C7     | C8    | C9    | C10   |           |
| 0.395 |       | 0.578  |        |       |       |       |           |
| Ar    | CO    | H2     | O2     | He    | H2O   | H2S   | H2S ppm   |
|       |       |        | 0.000  | 0.000 |       | 2.462 | 24616.000 |

| Day          | Differential<br>(In. H2O) | Pressure<br>(psia) | Temp.<br>(°F) | Flow<br>Time<br>(hrs) | Relative<br>Density | Plate<br>(inches) | Volume<br>(Mcf) | Heating<br>Value<br>(Btu/scf) | Energy<br>(MMBtu) |
|--------------|---------------------------|--------------------|---------------|-----------------------|---------------------|-------------------|-----------------|-------------------------------|-------------------|
| 1            | 1.22                      | 47.01              | 73.16         | 23.79                 | 0.8108              | 0.5000            | 10              | 1234.85                       | 12                |
| 2            | 1.15                      | 44.97              | 77.44         | 23.84                 | 0.8108              | 0.5000            | 9               | 1234.85                       | 12                |
| 3            | 0.95                      | 48.39              | 78.39         | 17.53                 | 0.8108              | 0.5000            | 7               | 1234.85                       | 8                 |
| 4            | 5.19                      | 46.03              | 54.33         | 6.41                  | 0.8108              | 0.5000            | 3               | 1234.85                       | 4                 |
| 5            | 17.30                     | 48.25              | 77.90         | 22.48                 | 0.8108              | 0.5000            | 31              | 1234.85                       | 38                |
| 6            | 12.24                     | 54.49              | 79.86         | 20.51                 | 0.8108              | 0.5000            | 24              | 1234.85                       | 30                |
| 7            | 12.34                     | 51.10              | 84.22         | 17.72                 | 0.8108              | 0.5000            | 21              | 1234.85                       | 25                |
| 8            | 13.81                     | 48.86              | 81.81         | 17.21                 | 0.8108              | 0.5000            | 20              | 1234.85                       | 25                |
| 9            | 14.78                     | 48.54              | 83.72         | 17.50                 | 0.8108              | 0.5000            | 21              | 1234.85                       | 26                |
| 10           | 13.49                     | 49.38              | 77.50         | 17.66                 | 0.8108              | 0.5000            | 21              | 1234.85                       | 26                |
| 11           | 15.96                     | 47.23              | 74.19         | 18.31                 | 0.8108              | 0.5000            | 22              | 1234.85                       | 28                |
| 12           | 16.03                     | 47.65              | 64.74         | 18.44                 | 0.8108              | 0.5000            | 24              | 1234.85                       | 29                |
| 13           | 16.76                     | 48.95              | 71.34         | 19.21                 | 0.8108              | 0.5000            | 25              | 1234.85                       | 31                |
| 14           | 17.42                     | 49.62              | 77.12         | 19.70                 | 0.8108              | 0.5000            | 26              | 1234.85                       | 32                |
| 15           | 15.73                     | 53.50              | 77.27         | 20.41                 | 0.8108              | 0.5000            | 27              | 1234.85                       | 34                |
| 16           | 17.60                     | 49.69              | 82.74         | 21.33                 | 0.8108              | 0.5000            | 29              | 1234.85                       | 35                |
| 17           | 14.39                     | 54.70              | 80.46         | 21.93                 | 0.8108              | 0.5000            | 29              | 1234.85                       | 36                |
| 18           | 20.34                     | 48.48              | 79.63         | 21.73                 | 0.8108              | 0.5000            | 31              | 1234.85                       | 38                |
| 19           | 21.41                     | 48.54              | 83.94         | 22.47                 | 0.8108              | 0.5000            | 33              | 1234.85                       | 41                |
| 20           | 21.09                     | 48.48              | 85.24         | 22.56                 | 0.8108              | 0.5000            | 34              | 1234.85                       | 42                |
| 21           | 20.81                     | 49.64              | 85.23         | 22.49                 | 0.8108              | 0.5000            | 33              | 1234.85                       | 41                |
| 22           | 20.14                     | 50.39              | 77.00         | 22.56                 | 0.8108              | 0.5000            | 34              | 1234.85                       | 42                |
| 23           | 19.53                     | 51.22              | 84.28         | 22.48                 | 0.8108              | 0.5000            | 33              | 1234.85                       | 41                |
| 24           | 18.83                     | 50.89              | 85.68         | 21.22                 | 0.8108              | 0.5000            | 30              | 1234.85                       | 37                |
| 25           | 12.20                     | 52.27              | 88.32         | 16.41                 | 0.8108              | 0.5000            | 19              | 1234.85                       | 23                |
| 26           | 12.96                     | 57.98              | 85.29         | 21.62                 | 0.8108              | 0.5000            | 29              | 1234.85                       | 36                |
| 27           | 17.44                     | 54.00              | 88.02         | 22.35                 | 0.8108              | 0.5000            | 31              | 1234.85                       | 39                |
| 28           | 18.73                     | 50.65              | 85.90         | 22.12                 | 0.8108              | 0.5000            | 32              | 1234.85                       | 38                |
| 29           | 17.22                     | 52.71              | 79.12         | 22.05                 | 0.8108              | 0.5000            | 31              | 1234.85                       | 39                |
| 30           | 18.25                     | 51.50              | 79.80         | 22.03                 | 0.8108              | 0.5000            | 31              | 1234.85                       | 38                |
| 31           | 18.37                     | 48.88              | 70.61         | 21.89                 | 0.8108              | 0.5000            | 30              | 1234.85                       | 38                |
| <b>Total</b> | <b>16.68</b>              | <b>50.53</b>       | <b>80.31</b>  | <b>627.96</b>         | <b>0.8108</b>       |                   | <b>780</b>      |                               | <b>964</b>        |

Volume at 15.025 = 765 Energy = 964

| Name of well or facility                    | Lat        | Long         | Daily Volume of Flared Natural Gas (MCF/D) | Commencement | Duration   | Proposed Remedy |
|---------------------------------------------|------------|--------------|--------------------------------------------|--------------|------------|-----------------|
| SHELBY 23 TANK BATTERY                      | 32.636495  | -104.449015  | 1386 MCF/D                                 | 12/28/2021   | Continuous | ACO Requested   |
| ROSS RANCH 09.13.14 BATTERY                 | 32.636187  | -104.47781   | 934 MCF/D                                  | 12/28/2021   | Continuous | ACO Requested   |
| OSAGE BOYD 15 FED 09.12.13.14 TANK BATTERY  | 32.652839  | -104.478905  | 1097 MCF/D                                 | 12/28/2021   | Continuous | ACO Requested   |
| LAKEWOOD FEDERAL COM NORTH BATTERY          | 32.625808  | -104.469155  | 2029 MCF/D                                 | 12/28/2021   | Continuous | ACO Requested   |
| LAKEWOOD FEDERAL COM SOUTH BATTERY          | 32.608649  | -104.479201  | 1287 MCF/D                                 | 12/28/2021   | Continuous | ACO Requested   |
| DORAMI 33 FEDERAL COM 2H.4H.9H TANK BATTERY | 32.614416  | -104.478493  | 736 MCF/D                                  | 12/28/2021   | Continuous | ACO Requested   |
| HUBER 10, 11, 12 FEDERAL OIL TANK BATTERY   | 32.610648  | -104.472851  | 646 MCF/D                                  | 12/28/2021   | Continuous | ACO Requested   |
| LIVE OAK TANK BATTERY                       | 32.63657   | -104.46929   | 1811 MCF/D                                 | 12/28/2021   | Continuous | ACO Requested   |
| ROSE SOUTH TANK BATTERY                     | 32.67021   | -104.42768   | 1995 MCF/D                                 | 12/28/2021   | Continuous | Pipeline Specs  |
| MORRIS BOYD TANK BATTERY                    | 32.6250267 | -104.4488373 | 1954 MCF/D                                 | 12/28/2021   | Continuous | Gas Rerouted    |
| NIRVANA TANK BATTERY                        | 32.84504   | -104.09012   | 1554 MCF/D                                 | 12/28/2021   | Continuous | Pipeline Specs  |

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

DEFINITIONS  
  
Action 69626

DEFINITIONS

|                                                                                     |                                                                   |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| Operator:<br><br>Spur Energy Partners LLC<br>9655 Katy Freeway<br>Houston, TX 77024 | OGRID:<br><br>328947                                              |
|                                                                                     | Action Number:<br><br>69626                                       |
|                                                                                     | Action Type:<br><br>[C-129] Amend Venting and/or Flaring (C-129A) |

DEFINITIONS

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application:</p> <ul style="list-style-type: none"><li>• this application's operator, hereinafter "this operator";</li><li>• venting and/or flaring, hereinafter "vent or flare";</li><li>• any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";</li><li>• the statements in (and/or attached to) this, hereinafter "the statements in this";</li><li>• and the past tense will be used in lieu of mixed past/present tense questions and statements.</li></ul> |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**District I**

1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**

811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS

Action 69626

**QUESTIONS**

|                                                                                 |                                                               |
|---------------------------------------------------------------------------------|---------------------------------------------------------------|
| Operator:<br>Spur Energy Partners LLC<br>9655 Katy Freeway<br>Houston, TX 77024 | OGRID:<br>328947                                              |
|                                                                                 | Action Number:<br>69626                                       |
|                                                                                 | Action Type:<br>[C-129] Amend Venting and/or Flaring (C-129A) |

**QUESTIONS****Prerequisites**

Any messages presented in this section, will prevent submission of this application. Please resolve these issues before continuing with the rest of the questions.

|                   |                                          |
|-------------------|------------------------------------------|
| Incident Operator | [328947] Spur Energy Partners LLC        |
| Incident Type     | Flare                                    |
| Incident Status   | Closure Not Approved                     |
| Incident Well     | Not answered.                            |
| Incident Facility | [APP2127036204] MORRIS BOYD TANK BATTERY |

Only valid Vent, Flare or Vent with Flaring incidents (selected above in the Application Details section) that are assigned to your current operator can be amended with this C-129A application.

**Determination of Reporting Requirements**

Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide additional guidance.

|                                                                                                            |                                                   |
|------------------------------------------------------------------------------------------------------------|---------------------------------------------------|
| Was this vent or flare caused by an emergency or malfunction                                               | No                                                |
| Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event | Yes                                               |
| Is this considered a submission for a vent or flare event                                                  | Yes, major venting and/or flaring of natural gas. |

An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during venting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC.

|                                                                                                                                                                                                                                                                                     |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Was there at least 50 MCF of natural gas vented and/or flared during this event                                                                                                                                                                                                     | Yes |
| Did this vent or flare result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water | No  |
| Was the vent or flare within an incorporated municipal boundary or within 300 feet from an occupied permanent residence, school, hospital, institution or church in existence                                                                                                       | No  |

**Equipment Involved**

|                                                           |               |
|-----------------------------------------------------------|---------------|
| Primary Equipment Involved                                | Not answered. |
| Additional details for Equipment Involved. Please specify | Not answered. |

**Representative Compositional Analysis of Vented or Flared Natural Gas**

Please provide the mole percent for the percentage questions in this group.

|                                                              |        |
|--------------------------------------------------------------|--------|
| Methane (CH4) percentage                                     | 68     |
| Nitrogen (N2) percentage, if greater than one percent        | 1      |
| Hydrogen Sulfide (H2S) PPM, rounded up                       | 24,616 |
| Carbon Dioxide (CO2) percentage, if greater than one percent | 4      |
| Oxygen (O2) percentage, if greater than one percent          | 0      |

If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas.

|                                                     |               |
|-----------------------------------------------------|---------------|
| Methane (CH4) percentage quality requirement        | Not answered. |
| Nitrogen (N2) percentage quality requirement        | Not answered. |
| Hydrogen Sulfide (H2S) PPM quality requirement      | Not answered. |
| Carbon Dioxide (CO2) percentage quality requirement | Not answered. |
| Oxygen (O2) percentage quality requirement          | Not answered. |

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 69626

QUESTIONS (continued)

|                                                                                 |                                                               |
|---------------------------------------------------------------------------------|---------------------------------------------------------------|
| Operator:<br>Spur Energy Partners LLC<br>9655 Katy Freeway<br>Houston, TX 77024 | OGRID:<br>328947                                              |
|                                                                                 | Action Number:<br>69626                                       |
|                                                                                 | Action Type:<br>[C-129] Amend Venting and/or Flaring (C-129A) |

QUESTIONS

| Date(s) and Time(s)                            |            |
|------------------------------------------------|------------|
| Date vent or flare was discovered or commenced | 12/28/2021 |
| Time vent or flare was discovered or commenced | 12:00 AM   |
| Time vent or flare was terminated              | 12:00 AM   |
| Cumulative hours during this event             | 24         |

| Measured or Estimated Volume of Vented or Flared Natural Gas              |                                                                                                                             |
|---------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| Natural Gas Vented (Mcf) Details                                          | Not answered.                                                                                                               |
| Natural Gas Flared (Mcf) Details                                          | Cause: High Line Pressure   Other (Specify)   Natural Gas Flared   Released: 1,954 Mcf   Recovered: 0 Mcf   Lost: 1,954 Mcf |
| Other Released Details                                                    | Cause:     Other (Specify)   Released: 0 (Unknown Released Amount)   Recovered: 0   Lost: 0                                 |
| Additional details for Measured or Estimated Volume(s). Please specify    | Not answered.                                                                                                               |
| Is this a gas only submission (i.e. only significant Mcf values reported) | Yes, according to supplied volumes this appears to be a "gas only" report.                                                  |

| Venting or Flaring Resulting from Downstream Activity             |               |
|-------------------------------------------------------------------|---------------|
| Was this vent or flare a result of downstream activity            | No            |
| Was notification of downstream activity received by this operator | Not answered. |
| Downstream OGRID that should have notified this operator          | Not answered. |
| Date notified of downstream activity requiring this vent or flare | Not answered. |
| Time notified of downstream activity requiring this vent or flare | Not answered. |

| Steps and Actions to Prevent Waste                                                                                              |                                                                                                                                           |
|---------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control | True                                                                                                                                      |
| Please explain reason for why this event was beyond this operator's control                                                     | 3rd party take away refusal due to capacity restraints.                                                                                   |
| Steps taken to limit the duration and magnitude of vent or flare                                                                | Executed contract with midstream company to gather gas by 12/1/2021. Delays on approved ROWs have pushed the tie-in date to late January. |
| Corrective actions taken to eliminate the cause and reoccurrence of vent or flare                                               | Executed contract with midstream company to gather gas by 12/1/2021. Delays on approved ROWs have pushed the tie-in date to late January. |

**District I**

1625 N. French Dr., Hobbs, NM 88240  
 Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**

811 S. First St., Artesia, NM 88210  
 Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410  
 Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505  
 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 69626

**ACKNOWLEDGMENTS**

|                                                                                 |                                                               |
|---------------------------------------------------------------------------------|---------------------------------------------------------------|
| Operator:<br>Spur Energy Partners LLC<br>9655 Katy Freeway<br>Houston, TX 77024 | OGRID:<br>328947                                              |
|                                                                                 | Action Number:<br>69626                                       |
|                                                                                 | Action Type:<br>[C-129] Amend Venting and/or Flaring (C-129A) |

**ACKNOWLEDGMENTS**

|                                     |                                                                                                                                                                                                                                                                                                     |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <input checked="" type="checkbox"/> | I acknowledge that with this application I will be amending an existing incident file (assigned to this operator) for a vent or flare event, pursuant to 19.15.27 and 19.15.28 NMAC.                                                                                                                |
| <input checked="" type="checkbox"/> | I acknowledge that amending an incident file does not replace original submitted application(s) or information and understand that any C-129 forms submitted to the OCD will be logged and stored as public record.                                                                                 |
| <input checked="" type="checkbox"/> | I hereby certify the statements in this amending report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.                                                                         |
| <input checked="" type="checkbox"/> | I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment. |
| <input checked="" type="checkbox"/> | I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.                                                                                                    |

**District I**

1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**

811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 69626

**CONDITIONS**

|                                                                                 |                                                               |
|---------------------------------------------------------------------------------|---------------------------------------------------------------|
| Operator:<br>Spur Energy Partners LLC<br>9655 Katy Freeway<br>Houston, TX 77024 | OGRID:<br>328947                                              |
|                                                                                 | Action Number:<br>69626                                       |
|                                                                                 | Action Type:<br>[C-129] Amend Venting and/or Flaring (C-129A) |

**CONDITIONS**

| Created By | Condition                                                                                                                                                                                  | Condition Date |
|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| schapman01 | If the information provided in this report requires further amendment(s), submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event. | 12/30/2021     |