

Incident ID	nAPP2132035437
District RP	
Facility ID	
Application ID	


Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: *Each of the following items must be included in the closure report.*

- ☒ A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- ☒ Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- ☒ Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- ☒ Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Joseph Vargo Title: Director of Regulatory Affairs
Signature:  Date: 2.4.2022
email: Joseph.Vargo@nglep.com Telephone: (303) 815-1010

OCD Only

Received by: Chad Hensley Date: 02/22/2022

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by:  Date: 02/22/2022
Printed Name: Chad Hensley Title: Environmental Specialist Advanced



Site Information

Closure Report
Vaca Draw Booster
Lea County, New Mexico
Unit P Sec 21 T25S R33E
Incident #: nAPP2132035437
32.110844°, -103.570967°

Produced Water Release
Source: Failed 24" poly
Release Date: 11/14/2021
Volume Released: 60 bbls/ Produced Water
Volume Recovered: 30 bbls/ Produced Water

Prepared for:
NGL Energy Partners, LLC
865 North Albion Street
Denver, CO 80220

Prepared by:
NTG Environmental
701 Tradewinds Blvd
Suite C
Midland, TX 79706



TABLE OF CONTENTS

FIGURES

FIGURE 1	OVERVIEW MAP
FIGURE 2	TOPOGRAPHIC MAP
FIGURE 3	SAMPLE LOCATION MAP
FIGURE 4A	EXCAVATION DEPTH MAP
FIGURE 4B	EXCAVATION DEPTH MAP

TABLES/PHOTOLOG

TABLE 1	INITIAL SOIL ANALYTICAL RESULTS
TABLE 2	REMEDIATION SOIL ANALYTICAL RESULTS
PHOTOS	PHOTOLOG

APPENDICES

APPENDIX A	C-141 INITIAL AND FINAL
APPENDIX B	GROUNDWATER RESEARCH
APPENDIX C	LABORATORY ANALYTICAL REPORTS



701 Tradewinds Boulevard, Suite C
Midland, Texas 79706
Tel. 432.685.3898
www.ntglobal.com

February 4, 2022

New Mexico Oil Conservation Division
1220 South St, Francis Drive
Sante Fe, NM 87505

**Re: Closure Report
Vaca Draw Booster
NGL Energy Partners
Site Location: Unit P, S21, T25S, R33E
Incident #: nAPP2132035437
(Lat 32.110844°, Long -103.570967°)
Lea County, New Mexico**

To whom it may concern:

On behalf of NGL Energy Partners (NGL), New Tech Global Environmental, LLC (NTGE) has prepared this letter to document site assessment activities Vaca Draw Booster. The site is located at 32.110844°, -103.570967° within Unit P, S21, T25S, R33E, in Lea County (Figures 1 and 2).

Background

Based on the initial C-141 obtained from the New Mexico Oil Conservation Division (NMOCD), the release was discovered on November 14, 2021, caused by a 24"-inch polyline failure. It resulted in the release of approximately sixty (60) barrels of produced water, and thirty (30) barrels of produced water were recovered. The impacted area measured approximately 220' x 90', as shown on Figure 3. The initial C-141 form is attached in Appendix A.

Site Characterization

The site is located within a low karst area. Based on a review of the New Mexico Office of State Engineers and USGS databases, no known water sources are within a 0.50-mile radius of the location. The nearest identified well is located approximately 0.97 miles Southwest of the site in S20, T25S, R33E, and drilled in 1981, with a reported depth to groundwater of 204.36' feet below ground surface (ft bgs). A copy of the associated *Point of Diversion Summary* report is attached in Appendix B.

Regulatory Criteria

In accordance with the NMOCD regulatory criteria established in 19.15.29.12 NMAC, the following criteria were utilized in assessing the site.

- Benzene: 10 milligrams per kilogram (mg/kg).
- Benzene, toluene, ethylbenzene, and total xylenes (BTEX): 50 mg/kg.
- TPH: 100 mg/kg (GRO + DRO + MRO).
- Chloride: 600 mg/kg

Assessment Activities

Initial Assessment

On November 22, 2021, NTGE personnel were on site to horizontally and vertically define the release. A total of ten (10) soil sample points (S-1 through S-5) and eight (8) horizontal sample points (H-1 through H-8) were installed to total depths ranging from surface to 4ft below the surface. Soil samples were collected and submitted to the laboratory for TPH analysis by EPA method 8015 modified, BTEX by EPA Method 8021B, and chloride by EPA method 300.0. Copies of laboratory analysis and chain-of-custody documentation are included in Appendix C. The results of the sampling are summarized in Table 1. The sample locations are shown on Figure 3.

Referring to Table 1, the areas of (S-1, S-2, S-3, and S-5) had chloride concentrations ranging from 4,110 mg/kg to 10,600 mg/kg at a depth from the surface to 1-1.5' below surface. The area of (S-4) had chloride concentrations of 684 mg/kg at a depth from the surface to 1.0' below surface and 275 mg/kg at a depth from 1.0'-1.5' below surface. The area of (S-1) showed a high TPH concentration of 219 mg/kg at surface to 1.0' below surface. Due to the dense layer, NTG was not able to vertically delineate via hand auger the areas of (S-1, S-2, S-3, and S-5).

Trenches

On December 21, 2021, NTGE personnel were on site to vertically define the release. A total of four (4) trenches (Trench-1 through Trench-4) were installed to total depths ranging from surface to 4.0' ft below surface. Soil samples were collected and submitted to the laboratory for TPH analysis by EPA method 8015 modified, BTEX by EPA Method 8021B, and chloride by EPA method 300.0. Copies of laboratory analysis and chain-of-custody documentation are included in Appendix C. The results of the sampling are summarized in Table 1. The sample locations are shown on Figure 3.

The areas of S-1 (Trench-1), S-2 (Trench-2), S-3 (Trench-3), S-5 (Trench-4) were all vertically delineated. Refer to Table 1.

Remediation Activities and Confirmation Sampling

New Tech Global Environmental personnel were onsite between January 18 - 28, 2021, to supervise the remediation activities and collect confirmation samples.

A total of fifty six (56) confirmation samples were collected (CS-1 through CS-36), and twenty (20) sidewall samples (SW-1 through SW-20) were collected every 200 square feet to ensure proper removal of the contaminated soils. All collected samples were analyzed for TPH analysis by EPA method 8015 modified, BTEX by EPA Method 8021B, and chloride by EPA method 300.0 at Eurofins Laboratories in Midland, Texas. Copies of laboratory analysis and chain-of-custody documentation are included in Appendix C. The results of the sampling are summarized in Table 2, and Figures 4A, and 4B show the excavation depths and confirmation sample locations.

All the final confirmation samples were below the 19.15.29.12 NMAC criteria. Refer to Table 2.


Once the remediation activities were completed, the excavated areas were backfilled with clean material to surface grade. Approximately 400 cubic yards of material were excavated and transported offsite for proper disposal.

Conclusions

Based on the assessment finding and the analytical results, no further actions are required at the site. The final C-141 is attached, and NGL formally requests closure of ther spill. If you have any questions regarding this report or need additional information, please contact us at 432-813-0263.

Sincerely,

NTG Environmental


A handwritten signature in black ink, appearing to read 'Clinton Merritt', written in a cursive style.

Clinton Merritt
Project Manager



Figures

Document Path: P:\2021 PROJECTS\NGL\214924 - Vaca Draw Booster (11.14.21)\7 - Figures\GIS\Geodatabase\Vaca Draw Booster (11.14.21) Figures.aprx



SITE LOCATION MAP
NGL ENERGY PARTNERS
VACA DRAW BOOSTER (11.14.21)
LEA COUNTY, NEW MEXICO
32.110844, -103.570967

SCALE: As Shown

Date: 12/21/2021

PROJECT #: 214924



New Tech Global Environmental, LLC
911 Regional Park Drive
Houston, Texas 77060
T - 281.872.9300
F - 281.872.4521
Web: www.ntglobal.com

NOTES:

1. Base Image: ESRI Maps & Data 2013
2. Map Projection: NAD 1983 UTM Zone 13N


DRAWING NUMBER:

FIGURE 1

SHEET NUMBER:

1 of 1

Document Path: P:\2021 PROJECTS\NGL\214924 - Vaca Draw Booster (11.14.21)\7 - Figures\GIS\Geodatabase\Vaca Draw Booster (11.14.21) Figures.aprx




AREA MAP NGL ENERGY PARTNERS VACA DRAW BOOSTER (11.14.21) LEA COUNTY, NEW MEXICO 32.110844, -103.570967		
SCALE: As Shown	Date: 12/21/2021	PROJECT #: 214924

 New Tech Global Environmental, LLC 911 Regional Park Drive Houston, Texas 77060 T - 281.872.9300 F - 281.872.4521 Web: www.ntglobal.com

NOTES: 1. Base Image: ESRI Maps & Data 2013 2. Map Projection: NAD 1983 UTM Zone 13N

DRAWING NUMBER:
FIGURE 2
SHEET NUMBER:
1 of 1

Document Path: P:\2021 PROJECTS\NGL\214924 - Vaca Draw Booster (11.14.21)\7 - Figures\GIS\Geodatabase\Vaca Draw Booster (11.14.21) Figures.aprx



SAMPLE LOCATION MAP
NGL ENERGY PARTNERS
 VACA DRAW BOOSTER (11.14.21)
 LEA COUNTY, NEW MEXICO
 32.110844, -103.570967

SCALE: As Shown

Date: 1/5/2022

PROJECT #: 214924

New Tech Global Environmental, LLC
 911 Regional Park Drive
 Houston, Texas 77060
 T - 281.872.9300
 F - 281.872.4521
 Web: www.ntglobal.com

**NOTES:**

1. Base Image: ESRI Maps & Data 2013
2. Map Projection: NAD 1983 UTM Zone 13N


DRAWING NUMBER:

FIGURE 3

SHEET NUMBER:

1 of 1

Document Path: P:\2021 PROJECTS\NGL 214924 - aca Dra Booster 11.14.21 7 - Figures\GIS Geodatabase - aca Dra Booster 11.14.21 Figures.aprx



EXCAVATION DEPTH MAP
NGL ENERGY PARTNERS
 ACA DRA BOOSTER 11.14.21
 LEA CO NTY NE MEXICO
 32.110844 -103.570967

SCALE: As Shown

Date: 1/31/2022

PROJECT : 214924



New Tech Global Environmental, LLC
 911 Regional Park Drive
 Houston, Texas 77060
 T - 281.872.9300
 F - 281.872.4521
 web: .ntglobal.com

NOTES:

1. Base Image: ESRI Maps Data 2013
2. Map Projection: NAD 1983 T M one 13N


DRAWING NUMBER:

FIGURE 4A

SHEET NUMBER:

1 of 1

Document Path: P:\2021 PROJECTS\NGL 214924 - aca Dra Booster 11.14.21 7 - Figures\GIS Geodatabase - aca Dra Booster 11.14.21 Figures.aprx



EXCAVATION DEPTH MAP
NGL ENERGY PARTNERS
 ACA DRA BOOSTER 11.14.21
 LEA COUNTY, NEW MEXICO
 32.110844 -103.570967

SCALE: As Shown

Date: 1/31/2022

PROJECT: 214924



New Tech Global Environmental, LLC
 911 Regional Park Drive
 Houston, Texas 77060
 T - 281.872.9300
 F - 281.872.4521
 web: .ntglobal.com

NOTES:

1. Base Image: ESRI Maps Data 2013
2. Map Projection: NAD 1983 TM Zone 13N

DRAWING NUMBER:

FIGURE 4B

SHEET NUMBER:

1 of 1



Tables

Table 1
NGL Energy Partners
Vaca Draw Booster (11.14.21)
Lea County, New Mexico

Sample ID	Date	Sample Depth (ft)	TPH (mg/kg)				Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Xylene (mg/kg)	Total BTEX (mg/kg)	Chloride (mg/kg)
			DRO	GRO	MRO	Total						
S-1	11/22/2021	0-1'	<50.0	219	<50.0	219	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399	10,600
	"	1-1.5'	<49.9	<49.9	<49.9	<49.9	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402	6,410
T-1	12/21/2021	0-1'	410	<49.9	<49.9	410	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	9,550
	"	1'	60.0	<50.0	<50.0	60.0	<0.00200	<0.00200	<0.00200	<0.00400	<0.00400	459
	"	2'	<50.0	<50.0	<50.0	<50.0	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402	669
	"	3'	66.6	<49.9	<49.9	66.6	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399	<4.95
	"	4'	<49.8	<49.8	<49.8	<49.8	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	<5.04
S-2	11/22/2021	0-1'	<50.0	<50.0	<50.0	<50.0	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	8,970
	"	1-1.5'	<49.9	<49.9	<49.9	<49.9	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	4,620
T-2	12/21/2021	0-1'	193	<49.9	<49.9	193	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399	9,130
	"	1'	<50.0	<50.0	<50.0	<50.0	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	3,140
	"	2'	<49.9	<49.9	<49.9	<49.9	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399	636
	"	3'	<49.9	<49.9	<49.9	<49.9	<0.00202	<0.00202	<0.00202	<0.00403	<0.00403	670
	"	4'	<50.0	<50.0	<50.0	<50.0	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399	<4.98
S-3	11/22/2021	0-1'	<50.0	<50.0	<50.0	<50.0	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	8,690
	"	1-1.5'	<49.8	<49.8	<49.8	<49.8	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402	4,110
T-3	12/21/2021	0-1'	<50.0	<50.0	<50.0	<50.0	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	1,450
	"	1'	<50.0	<50.0	<50.0	<50.0	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399	362
	"	2'	<49.9	<49.9	<49.9	<49.9	<0.00200	<0.00200	<0.00200	<0.00401	<0.00401	131
	"	3'	<50.0	<50.0	<50.0	<50.0	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	58.3
S-4	11/22/2021	0-1'	<49.9	<49.9	<49.9	<49.9	<0.00202	<0.00202	<0.00202	<0.00403	<0.00403	684
	"	1-1.5'	<49.9	<49.9	<49.9	<49.9	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399	275
S-5	11/22/2021	0-1'	<50.0	<50.0	<50.0	<50.0	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402	6,380
	"	1-1.5'	<50.0	<50.0	<50.0	<50.0	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	4,870
T-4	12/21/2021	0-1'	<49.9	<49.9	<49.9	<49.9	<0.00198	<0.00198	<0.00198	<0.00397	<0.00397	1,660
	"	1'	<49.9	<49.9	<49.9	<49.9	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402	608
	"	2'	<50.0	<50.0	<50.0	<50.0	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399	741
	"	3'	<49.9	<49.9	<49.9	<49.9	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399	453
	"	4'	<50.0	<50.0	<50.0	<50.0	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	108

Table 1
NGL Energy Partners
Vaca Draw Booster (11.14.21)
Lea County, New Mexico

Sample ID	Date	Sample Depth (ft)	TPH (mg/kg)				Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Xylene (mg/kg)	Total BTEX (mg/kg)	Chloride (mg/kg)
			DRO	GRO	MRO	Total						
H-1	11/22/2021	0-0.5'	<50.0	<50.0	<50.0	<50.0	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402	7.90
H-2	11/22/2021	0-0.5'	<49.8	<49.8	<49.8	<49.8	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399	7.55
H-3	11/22/2021	0-0.5'	<49.9	<49.9	<49.9	<49.9	<0.00200	<0.00200	<0.00200	<0.00401	<0.00401	9.89
H-4	11/22/2021	0-0.5'	<49.9	<49.9	<49.9	<49.9	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	53.4
H-5	11/22/2021	0-0.5'	<49.9	<49.9	<49.9	<49.9	<0.00202	<0.00202	<0.00202	<0.00403	<0.00403	81.4
H-6	11/22/2021	0-0.5'	<50.0	<50.0	<50.0	<50.0	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402	42.6
H-7	11/22/2021	0-0.5'	<50.0	<50.0	<50.0	<50.0	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402	9.04
H-8	11/22/2021	0-0.5'	<49.8	<49.8	<49.8	<49.8	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	26.9
Regulatory Limits^A						100 mg/kg	10 mg/kg				50 mg/kg	600 mg/kg

- Excavated

^A – Table 1 - 19.15.29 NMAC

mg/kg - milligram per kilogram

TPH- Total Petroleum Hydrocarbons

ft-feet

Table 2
NGL Energy Partners
Vaca Draw Booster(11.14.21)
Lea County, New Mexico

Sample ID	Date	Sample Depth (ft)	TPH (mg/kg)				Benzene (mg/kg)	Toluene (mg/kg)	Ethlybenzene (mg/kg)	Xylene (mg/kg)	Total BTEX (mg/kg)	Chloride (mg/kg)
			GRO	DRO	MRO	Total						
CS-1	1/26/2022	3'	<49.9	<49.9	<49.9	<49.9	0.00627	0.00594	<0.00199	0.00972	0.0219	32.2
CS-2	1/26/2022	3'	<49.9	<49.9	<49.9	<49.9	0.00467	0.00431	<0.00200	<0.00400	0.00898	32.1
CS-3	1/26/2022	3'	<50.0	<50.0	<50.0	<50.0	<0.00200	<0.00200	<0.00200	<0.00400	<0.00400	34.2
CS-4	1/26/2022	3'	<50.0	<50.0	<50.0	<50.0	<0.00202	<0.00202	<0.00202	<0.00403	<0.00403	<4.97
CS-5	1/26/2022	1.5'	<49.9	<49.9	<49.9	<49.9	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	27.2
CS-6	1/26/2022	1.5'	<50.0	<50.0	<50.0	<50.0	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402	29.0
CS-7	1/26/2022	1.5'	<49.9	<49.9	<49.9	<49.9	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402	23.9
CS-8	1/26/2022	1.5'	<50.0	<50.0	<50.0	<50.0	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	24.5
CS-9	1/26/2022	1.5'	<50.0	<50.0	<50.0	<50.0	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399	23.0
CS-10	1/26/2022	1.5'	<49.9	<49.9	<49.9	<49.9	<0.00198	<0.00198	<0.00198	<0.00397	<0.00397	21.3
CS-11	1/26/2022	1.5'	<50.0	<50.0	<50.0	<50.0	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	21.0
CS-12	1/26/2022	1.5'	<50.0	<50.0	<50.0	<50.0	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	21.2
CS-13	1/26/2022	1.5'	<49.9	<49.9	<49.9	<49.9	<0.00198	<0.00198	<0.00198	<0.00396	<0.00396	31.9
CS-14	1/26/2022	1.5'	<50.0	<50.0	<50.0	<50.0	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	25.0
CS-15	1/26/2022	1.5'	<49.9	<49.9	<49.9	<49.9	<0.00202	<0.00202	<0.00202	<0.00404	<0.00404	21.4
CS-16	1/26/2022	1.5'	<49.9	<49.9	<49.9	<49.9	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402	19.8
CS-17	1/26/2022	1.5'	<50.0	<50.0	<50.0	<50.0	<0.00202	<0.00202	<0.00202	<0.00403	<0.00403	11.4
CS-18	1/26/2022	1.5'	<50.0	<50.0	<50.0	<50.0	<0.00200	<0.00200	<0.00200	<0.00401	<0.00401	10.7
CS-19	1/26/2022	1.5'	<50.0	<50.0	<50.0	<50.0	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	11.0
CS-20	1/26/2022	1.5'	<50.0	<50.0	<50.0	<50.0	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399	10.2
CS-21	1/26/2022	1.5'	<49.9	<49.9	<49.9	<49.9	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	13.4
CS-22	1/26/2022	1.5'	<49.9	<49.9	<49.9	<49.9	<0.00198	<0.00198	<0.00198	<0.00397	<0.00397	12.4
CS-23	1/26/2022	1.5'	<50.0	<50.0	<50.0	<50.0	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402	14.2
CS-24	1/26/2022	1.5'	<50.0	<50.0	<50.0	<50.0	<0.00200	<0.00200	<0.00200	<0.00401	<0.00401	47.0

Table 2
NGL Energy Partners
Vaca Draw Booster(11.14.21)
Lea County, New Mexico

Sample ID	Date	Sample Depth (ft)	TPH (mg/kg)				Benzene (mg/kg)	Toluene (mg/kg)	Ethlybenzene (mg/kg)	Xylene (mg/kg)	Total BTEX (mg/kg)	Chloride (mg/kg)
			GRO	DRO	MRO	Total						
CS-25	1/26/2022	1.5'	<49.9	<49.9	<49.9	<49.9	<0.00200	<0.00200	<0.00200	<0.00401	<0.00401	35.2
CS-26	1/26/2022	1.5'	<50.0	<50.0	<50.0	<50.0	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	24.3
CS-27	1/26/2022	1.5'	<49.9	<49.9	<49.9	<49.9	<0.00200	<0.00200	<0.00200	<0.00400	<0.00400	28.2
CS-28	1/26/2022	1.5'	<50.0	<50.0	<50.0	<50.0	<0.00202	<0.00202	<0.00202	<0.00403	<0.00403	28.1
CS-29	1/26/2022	4'	<50.0	<50.0	<50.0	<50.0	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	23.3
CS-30	1/26/2022	4'	<49.9	<49.9	<49.9	<49.9	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402	21.2
CS-31	1/26/2022	4'	<50.0	<50.0	<50.0	<50.0	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399	22.9
CS-32	1/26/2022	4'	<50.0	<50.0	<50.0	<50.0	<0.00198	<0.00198	<0.00198	<0.00396	<0.00396	29.9
CS-33	1/26/2022	3'	<49.9	<49.9	<49.9	<49.9	<0.00200	<0.00200	<0.00200	<0.00400	<0.00400	33.7
CS-34	1/26/2022	3'	<50.0	<50.0	<50.0	<50.0	<0.00198	<0.00198	<0.00198	<0.00397	<0.00397	30.7
CS-35	1/26/2022	3'	<49.9	<49.9	<49.9	<49.9	<0.00200	<0.00200	<0.00200	<0.00400	<0.00400	38.1
CS-36	1/26/2022	3'	<49.9	<49.9	<49.9	<49.9	<0.00202	<0.00202	<0.00202	<0.00403	<0.00403	32.1
SW-1	1/26/2022	--	<50.0	92.5	<50.0	92.5	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	34.7
SW-2	1/26/2022	--	<50.0	85.4	<50.0	85.4	<0.00198	<0.00198	<0.00198	<0.00396	<0.00396	31.0
SW-3	1/26/2022	--	<50.0	<50.0	<50.0	<50.0	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402	30.6
SW-4	1/26/2022	--	<50.0	<50.0	<50.0	<50.0	<0.00200	<0.00200	<0.00200	<0.00400	<0.00400	18.4
SW-5	1/26/2022	--	<49.9	<49.9	<49.9	<49.9	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	15.3
SW-6	1/26/2022	--	<49.9	<49.9	<49.9	<49.9	<0.00200	<0.00200	<0.00200	<0.00400	<0.00400	22.2
SW-7	1/26/2022	--	<50.0	<50.0	<50.0	<50.0	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	11.8
SW-8	1/26/2022	--	<50.0	<50.0	<50.0	<50.0	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399	12.4
SW-9	1/26/2022	--	<49.9	<49.9	<49.9	<49.9	<0.00198	<0.00198	<0.00198	<0.00396	<0.00396	14.1
SW-10	1/26/2022	--	<50.0	<50.0	<50.0	<50.0	<0.00198	<0.00198	<0.00198	<0.00396	<0.00396	11.2
SW-11	1/26/2022	--	<49.9	<49.9	<49.9	<49.9	<0.00202	<0.00202	<0.00202	<0.00403	<0.00403	27.5
SW-12	1/26/2022	--	<50.0	<50.0	<50.0	<50.0	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	15.4

Table 2
NGL Energy Partners
Vaca Draw Booster(11.14.21)
Lea County, New Mexico

Sample ID	Date	Sample Depth (ft)	TPH (mg/kg)				Benzene (mg/kg)	Toluene (mg/kg)	Ethlybenzene (mg/kg)	Xylene (mg/kg)	Total BTEX (mg/kg)	Chloride (mg/kg)
			GRO	DRO	MRO	Total						
SW-13	1/26/2022	--	<50.0	<50.0	<50.0	<50.0	<0.00200	<0.00200	<0.00200	<0.00400	<0.00400	18.7
SW-14	1/26/2022	--	<49.9	<49.9	<49.9	<49.9	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	10.2
SW-15	1/26/2022	--	<50.0	<50.0	<50.0	<50.0	<0.00202	<0.00202	<0.00202	<0.00403	<0.00403	21.9
SW-16	1/26/2022	--	<50.0	<50.0	<50.0	<50.0	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399	17.9
SW-17	1/26/2022	--	<49.9	<49.9	<49.9	<49.9	<0.00200	<0.00200	<0.00200	<0.00400	<0.00400	28.8
SW-18	1/26/2022	--	<50.0	<50.0	<50.0	<50.0	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	25.5
SW-19	1/26/2022	--	<49.9	<49.9	<49.9	<49.9	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	26.3
SW-20	1/26/2022	--	<49.9	<49.9	<49.9	<49.9	<0.00202	<0.00202	<0.00202	<0.00404	<0.00404	28.6
Regulatory Limits^A						100 mg/kg	10 mg/kg				50 mg/kg	600 mg/kg

^A – Table 1 - 19.15.29 NMAC

mg/kg - milligram per kilogram

TPH- Total Petroleum Hydrocarbons

ft-feet



Photo Log

PHOTOGRAPHIC LOG

NGL Energy Partners, LLC

Photograph No. 1

Facility: Vaca Draw Booster (11.24.21)

County: Lea County, New Mexico

Description:

View East, areas of Confirmation Samples (1 - 4).




Photograph No. 2

Facility: Vaca Draw Booster (11.24.21)

County: Lea County, New Mexico

Description:

View Southwest, area of Confirmation Samples (5-10).



Photograph No. 3

Facility: Vaca Draw Booster (11.24.21)

County: Lea County, New Mexico

Description:

View North, area of Confirmation Samples (11-28).



PHOTOGRAPHIC LOG

NGL Energy Partners, LLC

Photograph No. 1

Facility: Vaca Draw Booster (11.24.21)

County: Lea County, New Mexico

Description:

View East, areas of Confirmation Samples (1 - 4).



Photograph No. 2

Facility: Vaca Draw Booster (11.24.21)

County: Lea County, New Mexico

Description:

View Southwest, area of Confirmation Samples (5-10).



View North, area of Confirmation Samples (11-28).



Appendix A

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	nAPP2132035437
District RP	
Facility ID	
Application ID	62012

Release Notification

Responsible Party

Responsible Party NGL Water Solutions Permian, LLC	OGRID 372338
Contact Name Joseph Vargo	Contact Telephone 303-815-1010
Contact email joseph.vargo@nglep.com	Incident # (assigned by OCD) nAPP2132035437
Contact mailing address 865 North Albion Street, Suite 400, Denver, CO 80220	

Location of Release Source

Latitude 32.11040 Longitude -103.57100
(NAD 83 in decimal degrees to 5 decimal places)

Site Name Vaca Draw SWD Booster	Site Type Salt Water Disposal
Date Release Discovered 11-14-2021	API# (if applicable) 30-025-23895

Unit Letter	Section	Township	Range	County
P	21	25S	33E	LEA

Surface Owner: ☐ State ☒ Federal ☐ Tribal ☐ Private (Name: _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

☐ Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
☒ Produced Water	Volume Released (bbls) 60	Volume Recovered (bbls) 30
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	☐ Yes ☒ No
☐ Condensate	Volume Released (bbls)	Volume Recovered (bbls)
☐ Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
☐ Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release

Failed 24 inch poly weld on the discharge manifold. Release was contained to the booster pad.


State of New Mexico
Oil Conservation Division

Incident ID	nAPP2132035437
District RP	
Facility ID	
Application ID	62012

Was this a major release as defined by 19.15.29.7(A) NMAC? ☒ Yes ☐ No	If YES, for what reason(s) does the responsible party consider this a major release? More than 25 bbls
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)? Yes, in less than 24 hours, a NOR was filed online with the OCD	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

☒ The source of the release has been stopped. ☒ The impacted area has been secured to protect human health and the environment. ☒ Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices. ☒ All free liquids and recoverable materials have been removed and managed appropriately.	
If all the actions described above have <u>not</u> been undertaken, explain why: 	
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
Printed Name: Joseph Vargo	Title: Regulatory Director
Signature: 	Date: 11-23-2021
email: Joseph.Vargo@NGLEP.com	Telephone: (303) 597-5652
<u>OCD Only</u>	
Received by: _____	Date: _____

Incident ID	
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	_____ (ft bgs)
Did this release impact groundwater or surface water?	☐ Yes ☐ No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	☐ Yes ☐ No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	☐ Yes ☐ No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	☐ Yes ☐ No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	☐ Yes ☐ No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	☐ Yes ☐ No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	☐ Yes ☐ No
Are the lateral extents of the release within 300 feet of a wetland?	☐ Yes ☐ No
Are the lateral extents of the release overlying a subsurface mine?	☐ Yes ☐ No
Are the lateral extents of the release overlying an unstable area such as karst geology?	☐ Yes ☐ No
Are the lateral extents of the release within a 100-year floodplain?	☐ Yes ☐ No
Did the release impact areas not on an exploration, development, production, or storage site?	☐ Yes ☐ No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: Each of the following items must be included in the report.

- ☐ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- ☐ Field data
- ☐ Data table of soil contaminant concentration data
- ☐ Depth to water determination
- ☐ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- ☐ Boring or excavation logs
- ☐ Photographs including date and GIS information
- ☐ Topographic/Aerial maps
- ☐ Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

State of New Mexico
Oil Conservation Division

Page 4

Incident ID	
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: _____ Title: _____

Signature:  _____ Date: _____

email: _____ Telephone: _____

OCD Only

Received by: _____ Date: _____

Incident ID	
District RP	
Facility ID	
Application ID	


Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: *Each of the following items must be included in the closure report.*

- ☐ A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- ☐ Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- ☐ Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- ☐ Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: _____ Title: _____
Signature:  _____ Date: _____
email: _____ Telephone: _____

OCD Only

Received by: _____ Date: _____

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: _____ Date: _____

Printed Name: _____ Title: _____




Appendix B

Nearest water well

NGL Energy Partners

Legend

- 0.50 Mile Radius
- 0.97 Miles
- 1.24 Miles
- 1.62 Miles
- USGS Water Well
- NMSEO Water Well
- Vaca Draw SWD #1




Low Karst

NGL Energy Partners

Legend

LOW

Vaca Draw SWD #1





New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced,
O=orphaned,
C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	POD Code	Sub-basin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	Depth Well	Depth Water	Water Column
C 02312		CUB	LE	1	2	1	05	25S	33E	632292	3559772	150	90	60
C 02313		CUB	LE	2	3	3	26	25S	33E	636971	3552098*	150	110	40
C 02373 CLW317846	O	CUB	LE	2	1	1	13	25S	33E	638518	3556544*	625	185	440
C 02373 S		CUB	LE	1	2	1	13	25S	33E	638721	3556549*	625	185	440
C 04537 POD1	C	LE		4	4	4	31	25S	33E	631847	3550243	500	280	220

Average Depth to Water: **170 feet**

Minimum Depth: **90 feet**

Maximum Depth: **280 feet**

Record Count: 5

PLSS Search:

Township: 25S

Range: 33E

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

9/21/21 4:54 PM

Page 1 of 1

WATER COLUMN/ AVERAGE
DEPTH TO WATER



New Mexico Office of the State Engineer

Point of Diversion Summary

		(quarters are 1=NW 2=NE 3=SW 4=SE)						(NAD83 UTM in meters)	
		(quarters are smallest to largest)						X	Y
Well Tag	POD Number	Q64	Q16	Q4	Sec	Tw	Rng		
	C 02313	2	3	3	26	25S	33E	636971	3552098*
Driller License:		Driller Company:							
Driller Name:		UNKNOWN							
Drill Start Date:		01/01/1925		Drill Finish Date:		06/30/1925		Plug Date:	
Log File Date:				PCW Rev Date:				Source:	
Pump Type:				Pipe Discharge Size:				Estimated Yield: 60 GPM	
Casing Size:		6.88		Depth Well:		150 feet		Depth Water: 110 feet	

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

9/21/21 5:21 PM

POINT OF DIVERSION SUMMARY



USGS Home
Contact USGS
Search USGS

National Water Information System: Web Interface

USGS Water Resources

Data Category:
Groundwater

Geographic Area:
New Mexico

GO

Click to hideNews Bulletins

- Explore the *NEW* [USGS National Water Dashboard](#) interactive map to access real-time water data from over 13,500 stations nationwide.
- [Full News](#) 

Groundwater levels for New Mexico

Click to hide state-specific text

 Important: [Next Generation Monitoring Location Page](#)

Search Results -- 1 sites found

Agency code = usgs
site_no list =

- 320631103351401

Minimum number of levels = 1
[Save file of selected sites](#) to local disk for future upload

USGS 320631103351401 25S.33E.20.443313

Lea County, New Mexico
Latitude 32°06'31", Longitude 103°35'14" NAD27
Land-surface elevation 3,398 feet above NAVD88
This well is completed in the Other aquifers (N9999OTHER) national aquifer.
This well is completed in the Chinle Formation (231CHNL) local aquifer.

Output formats

Table of data
Tab-separated data
Graph of data
Reselect period

Date	Time	? Water-level date-time accuracy	? Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	? Status	? Method of measurement	? Measuring agency	? Source measu
1981-03-25			D	62610	3192.01	NGVD29	1		Z	
1981-03-25			D	62611	3193.64	NAVD88	1		Z	
1981-03-25			D	72019	204.36		1		Z	

Explanation

Section	Code	Description
Water-level date-time accuracy	D	Date is accurate to the Day
Parameter code	62610	Groundwater level above NGVD 1929, feet
Parameter code	62611	Groundwater level above NAVD 1988, feet
Parameter code	72019	Depth to water level, feet below land surface
Referenced vertical datum	NAVD88	North American Vertical Datum of 1988
Referenced vertical datum	NGVD29	National Geodetic Vertical Datum of 1929
Status	1	Static

Section	Code	Description
Method of measurement	Z	Other.
Measuring agency		Not determined
Source of measurement		Not determined
Water-level approval status	A	Approved for publication -- Processing and review completed.

[Questions about sites/data?](#)
[Feedback on this web site](#)
[Automated retrievals](#)
[Help](#)
[Data Tips](#)
[Explanation of terms](#)
[Subscribe for system changes](#)
[News](#)

[Accessibility](#) [FOIA](#) [Privacy](#) [Policies and Notices](#)
[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)
Title: Groundwater for New Mexico: Water Levels
URL: [https://nwis.waterdata.usgs.gov/nm/nwis/gwlevels?](https://nwis.waterdata.usgs.gov/nm/nwis/gwlevels?site_no=320631103351401&agency_cd=USGS&format=html)



Page Contact Information: [New Mexico Water Data Maintainer](#)
Page Last Modified: 2021-09-21 19:20:45 EDT
0.28 0.25 nadww02



USGS Home
Contact USGS
Search USGS

National Water Information System: Web Interface

USGS Water Resources

Data Category:
Groundwater

Geographic Area:
New Mexico

GO

Click to hideNews Bulletins

- Explore the NEW [USGS National Water Dashboard](#) interactive map to access real-time water data from over 13,500 stations nationwide.
- [Full News](#)

Groundwater levels for New Mexico

Click to hide state-specific text

! Important: [Next Generation Monitoring Location Page](#)

Search Results -- 1 sites found

Agency code = usgs
site_no list =

- 320615103352601

Minimum number of levels = 1
[Save file of selected sites](#) to local disk for future upload

USGS 320615103352601 25S.33E.20.443331

Lea County, New Mexico
Latitude 32°06'15", Longitude 103°35'26" NAD27
Land-surface elevation 3,404 feet above NAVD88
This well is completed in the Other aquifers (N9999OTHER) national aquifer.
This well is completed in the Ogallala Formation (121OGLL) local aquifer.

Output formats

Table of data
Tab-separated data
Graph of data
Reselect period

Date	Time	? Water-level date-time accuracy	? Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	? Status	? Method of measurement	? Measuring agency	? Source measu
1970-12-08			D	62610	3189.60	NGVD29	1		Z	
1970-12-08			D	62611	3191.23	NAVD88	1		Z	
1970-12-08			D	72019	212.77		1		Z	
1976-01-08			D	62610	3189.40	NGVD29	1		Z	
1976-01-08			D	62611	3191.03	NAVD88	1		Z	
1976-01-08			D	72019	212.97		1		Z	

Explanation

Section	Code	Description
Water-level date-time accuracy	D	Date is accurate to the Day
Parameter code	62610	Groundwater level above NGVD 1929, feet
Parameter code	62611	Groundwater level above NAVD 1988, feet
Parameter code	72019	Depth to water level, feet below land surface

Section	Code	Description
Referenced vertical datum	NAVD88	North American Vertical Datum of 1988
Referenced vertical datum	NGVD29	National Geodetic Vertical Datum of 1929
Status	1	Static
Method of measurement	Z	Other.
Measuring agency		Not determined
Source of measurement		Not determined
Water-level approval status	A	Approved for publication -- Processing and review completed.


[Questions about sites/data?](#)
[Feedback on this web site](#)
[Automated retrievals](#)
[Help](#)
[Data Tips](#)
[Explanation of terms](#)
[Subscribe for system changes](#)
[News](#)

[Accessibility](#) [FOIA](#) [Privacy](#) [Policies and Notices](#)
[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)
Title: Groundwater for New Mexico: Water Levels
URL: <https://nwis.waterdata.usgs.gov/nm/nwis/gwlevels?>




Page Contact Information: [New Mexico Water Data Maintainer](#)
Page Last Modified: 2021-09-21 19:19:15 EDT
0.28 0.25 nadww02

New Mexico NFHL Data



September 21, 2021



FEMA
Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS,



National Water Information System: Mapper



Site Information



Appendix C



Environment Testing America

ANALYTICAL REPORT

Eurofins Xenco, Midland
1211 W. Florida Ave
Midland, TX 79701
Tel: (432)704-5440

Laboratory Job ID: 880-8635-1

Laboratory Sample Delivery Group: Lea Co, NM
Client Project/Site: Vaca Draw Booster

For:

NT Global
701 Tradewinds Blvd
Midland, Texas 79706

Attn: Mike Carmona

A handwritten signature in black ink that reads "Jessica Kramer".

Authorized for release by:
12/6/2021 3:05:14 PM

Jessica Kramer, Project Manager
(432)704-5440
jessica.kramer@eurofinset.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Client: NT Global
Project/Site: Vaca Draw Booster

Laboratory Job ID: 880-8635-1
SDG: Lea Co, NM

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Client Sample Results	5
Surrogate Summary	13
QC Sample Results	14
QC Association Summary	20
Lab Chronicle	24
Certification Summary	28
Method Summary	29
Sample Summary	30
Chain of Custody	31
Receipt Checklists	32

1

2

3

4

5

6

7

8

9

10

11

12

13

14

Definitions/Glossary

Client: NT Global
Project/Site: Vaca Draw Booster

Job ID: 880-8635-1
SDG: Lea Co, NM

Qualifiers

GC VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: NT Global
Project/Site: Vaca Draw Booster

Job ID: 880-8635-1
SDG: Lea Co, NM

Job ID: 880-8635-1

Laboratory: Eurofins Xenco, Midland

Narrative

Job Narrative
880-8635-1

Receipt

The samples were received on 11/23/2021 11:46 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.0°C

GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC Semi VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster

Job ID: 880-8635-1
SDG: Lea Co, NM

Client Sample ID: S-1 (0-1')

Lab Sample ID: 880-8635-1

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		11/24/21 10:16	11/29/21 15:59	1
Toluene	<0.00200	U	0.00200		mg/Kg		11/24/21 10:16	11/29/21 15:59	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		11/24/21 10:16	11/29/21 15:59	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		11/24/21 10:16	11/29/21 15:59	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		11/24/21 10:16	11/29/21 15:59	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		11/24/21 10:16	11/29/21 15:59	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	140	S1+	70 - 130	11/24/21 10:16	11/29/21 15:59	1
1,4-Difluorobenzene (Surr)	109		70 - 130	11/24/21 10:16	11/29/21 15:59	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			12/02/21 16:29	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	219		50.0		mg/Kg			12/01/21 20:09	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		12/01/21 16:23	12/02/21 15:59	1
Diesel Range Organics (Over C10-C28)	219		50.0		mg/Kg		12/01/21 16:23	12/02/21 15:59	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/01/21 16:23	12/02/21 15:59	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	111		70 - 130				12/01/21 16:23	12/02/21 15:59	1
o-Terphenyl	111		70 - 130				12/01/21 16:23	12/02/21 15:59	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	10600		50.2		mg/Kg			12/04/21 22:13	10

Client Sample ID: S-1 (1-1.5')

Lab Sample ID: 880-8635-2

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		11/24/21 10:16	11/29/21 16:26	1
Toluene	<0.00201	U	0.00201		mg/Kg		11/24/21 10:16	11/29/21 16:26	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		11/24/21 10:16	11/29/21 16:26	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		11/24/21 10:16	11/29/21 16:26	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		11/24/21 10:16	11/29/21 16:26	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		11/24/21 10:16	11/29/21 16:26	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	144	S1+	70 - 130	11/24/21 10:16	11/29/21 16:26	1
1,4-Difluorobenzene (Surr)	112		70 - 130	11/24/21 10:16	11/29/21 16:26	1

Eurofins Xenco, Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster

Job ID: 880-8635-1
SDG: Lea Co, NM

Client Sample ID: S-1 (1-1.5')

Lab Sample ID: 880-8635-2

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			12/02/21 16:29	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			12/01/21 20:09	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		12/01/21 16:23	12/02/21 16:20	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		12/01/21 16:23	12/02/21 16:20	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		12/01/21 16:23	12/02/21 16:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	104		70 - 130				12/01/21 16:23	12/02/21 16:20	1
o-Terphenyl	106		70 - 130				12/01/21 16:23	12/02/21 16:20	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	6410		49.7		mg/Kg			12/04/21 22:21	10

Client Sample ID: S-2 (0-1')

Lab Sample ID: 880-8635-3

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		11/24/21 10:16	11/29/21 16:52	1
Toluene	<0.00199	U	0.00199		mg/Kg		11/24/21 10:16	11/29/21 16:52	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		11/24/21 10:16	11/29/21 16:52	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		11/24/21 10:16	11/29/21 16:52	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		11/24/21 10:16	11/29/21 16:52	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		11/24/21 10:16	11/29/21 16:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	134	S1+	70 - 130				11/24/21 10:16	11/29/21 16:52	1
1,4-Difluorobenzene (Surr)	109		70 - 130				11/24/21 10:16	11/29/21 16:52	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			12/02/21 16:29	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			12/01/21 20:09	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		12/01/21 16:23	12/02/21 16:42	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/01/21 16:23	12/02/21 16:42	1

Eurofins Xenco, Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster

Job ID: 880-8635-1
SDG: Lea Co, NM

Client Sample ID: S-2 (0-1')

Lab Sample ID: 880-8635-3

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/01/21 16:23	12/02/21 16:42	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	108		70 - 130				12/01/21 16:23	12/02/21 16:42	1
o-Terphenyl	109		70 - 130				12/01/21 16:23	12/02/21 16:42	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	8970		99.0		mg/Kg			12/04/21 22:29	20

Client Sample ID: S-2 (1-1.5')

Lab Sample ID: 880-8635-4

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		11/30/21 08:45	12/01/21 03:14	1
Toluene	<0.00199	U	0.00199		mg/Kg		11/30/21 08:45	12/01/21 03:14	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		11/30/21 08:45	12/01/21 03:14	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		11/30/21 08:45	12/01/21 03:14	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		11/30/21 08:45	12/01/21 03:14	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		11/30/21 08:45	12/01/21 03:14	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	118		70 - 130				11/30/21 08:45	12/01/21 03:14	1
1,4-Difluorobenzene (Surr)	101		70 - 130				11/30/21 08:45	12/01/21 03:14	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			12/02/21 16:29	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			12/01/21 20:09	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		12/01/21 16:23	12/02/21 17:03	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		12/01/21 16:23	12/02/21 17:03	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		12/01/21 16:23	12/02/21 17:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	110		70 - 130				12/01/21 16:23	12/02/21 17:03	1
o-Terphenyl	111		70 - 130				12/01/21 16:23	12/02/21 17:03	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4620		49.9		mg/Kg			12/04/21 22:38	10

Eurofins Xenco, Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster

Job ID: 880-8635-1
SDG: Lea Co, NM

Client Sample ID: S-3 (0-1')

Lab Sample ID: 880-8635-5

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		11/30/21 08:45	12/01/21 03:35	1
Toluene	<0.00199	U	0.00199		mg/Kg		11/30/21 08:45	12/01/21 03:35	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		11/30/21 08:45	12/01/21 03:35	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		11/30/21 08:45	12/01/21 03:35	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		11/30/21 08:45	12/01/21 03:35	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		11/30/21 08:45	12/01/21 03:35	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	120		70 - 130	11/30/21 08:45	12/01/21 03:35	1
1,4-Difluorobenzene (Surr)	104		70 - 130	11/30/21 08:45	12/01/21 03:35	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			12/02/21 16:29	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			12/01/21 20:09	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		12/01/21 16:23	12/02/21 17:25	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/01/21 16:23	12/02/21 17:25	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/01/21 16:23	12/02/21 17:25	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	108		70 - 130	12/01/21 16:23	12/02/21 17:25	1
o-Terphenyl	109		70 - 130	12/01/21 16:23	12/02/21 17:25	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	8690		50.0		mg/Kg			12/04/21 22:46	10

Client Sample ID: S-3 (1-1.5')

Lab Sample ID: 880-8635-6

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		11/24/21 10:16	11/29/21 19:29	1
Toluene	<0.00201	U	0.00201		mg/Kg		11/24/21 10:16	11/29/21 19:29	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		11/24/21 10:16	11/29/21 19:29	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		11/24/21 10:16	11/29/21 19:29	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		11/24/21 10:16	11/29/21 19:29	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		11/24/21 10:16	11/29/21 19:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	168	S1+	70 - 130	11/24/21 10:16	11/29/21 19:29	1
1,4-Difluorobenzene (Surr)	100		70 - 130	11/24/21 10:16	11/29/21 19:29	1

Eurofins Xenco, Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster

Job ID: 880-8635-1
SDG: Lea Co, NM

Client Sample ID: S-3 (1-1.5')

Lab Sample ID: 880-8635-6

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			12/02/21 16:29	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			12/01/21 20:09	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		12/01/21 16:23	12/02/21 17:47	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		12/01/21 16:23	12/02/21 17:47	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		12/01/21 16:23	12/02/21 17:47	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	114		70 - 130				12/01/21 16:23	12/02/21 17:47	1
o-Terphenyl	117		70 - 130				12/01/21 16:23	12/02/21 17:47	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4110		24.8		mg/Kg			12/05/21 18:51	5

Client Sample ID: S-4 (0-1')

Lab Sample ID: 880-8635-7

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		11/24/21 10:16	11/29/21 19:55	1
Toluene	<0.00202	U	0.00202		mg/Kg		11/24/21 10:16	11/29/21 19:55	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		11/24/21 10:16	11/29/21 19:55	1
m-Xylene & p-Xylene	<0.00403	U	0.00403		mg/Kg		11/24/21 10:16	11/29/21 19:55	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		11/24/21 10:16	11/29/21 19:55	1
Xylenes, Total	<0.00403	U	0.00403		mg/Kg		11/24/21 10:16	11/29/21 19:55	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	115		70 - 130				11/24/21 10:16	11/29/21 19:55	1
1,4-Difluorobenzene (Surr)	72		70 - 130				11/24/21 10:16	11/29/21 19:55	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00403	U	0.00403		mg/Kg			12/02/21 16:29	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			12/01/21 20:09	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		12/01/21 16:23	12/02/21 18:08	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		12/01/21 16:23	12/02/21 18:08	1

Eurofins Xenco, Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster

Job ID: 880-8635-1
SDG: Lea Co, NM

Client Sample ID: S-4 (0-1')

Lab Sample ID: 880-8635-7

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		12/01/21 16:23	12/02/21 18:08	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	112		70 - 130				12/01/21 16:23	12/02/21 18:08	1
o-Terphenyl	116		70 - 130				12/01/21 16:23	12/02/21 18:08	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	684		5.04		mg/Kg			12/04/21 23:20	1

Client Sample ID: S-4 (1-1.5')

Lab Sample ID: 880-8635-8

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		11/24/21 10:16	11/29/21 20:21	1
Toluene	<0.00200	U	0.00200		mg/Kg		11/24/21 10:16	11/29/21 20:21	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		11/24/21 10:16	11/29/21 20:21	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		11/24/21 10:16	11/29/21 20:21	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		11/24/21 10:16	11/29/21 20:21	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		11/24/21 10:16	11/29/21 20:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	147	S1+	70 - 130				11/24/21 10:16	11/29/21 20:21	1
1,4-Difluorobenzene (Surr)	115		70 - 130				11/24/21 10:16	11/29/21 20:21	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			12/02/21 16:29	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			12/01/21 20:09	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		12/01/21 16:23	12/02/21 18:29	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		12/01/21 16:23	12/02/21 18:29	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		12/01/21 16:23	12/02/21 18:29	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	106		70 - 130				12/01/21 16:23	12/02/21 18:29	1
o-Terphenyl	109		70 - 130				12/01/21 16:23	12/02/21 18:29	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	275		4.98		mg/Kg			12/04/21 23:28	1

Eurofins Xenco, Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster

Job ID: 880-8635-1
SDG: Lea Co, NM

Client Sample ID: S-5 (0-1')

Lab Sample ID: 880-8635-9

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		11/24/21 10:16	11/29/21 20:47	1
Toluene	<0.00201	U	0.00201		mg/Kg		11/24/21 10:16	11/29/21 20:47	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		11/24/21 10:16	11/29/21 20:47	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		11/24/21 10:16	11/29/21 20:47	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		11/24/21 10:16	11/29/21 20:47	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		11/24/21 10:16	11/29/21 20:47	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	141	S1+	70 - 130	11/24/21 10:16	11/29/21 20:47	1
1,4-Difluorobenzene (Surr)	112		70 - 130	11/24/21 10:16	11/29/21 20:47	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			12/02/21 16:29	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			12/01/21 20:09	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		12/01/21 16:23	12/02/21 18:51	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/01/21 16:23	12/02/21 18:51	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/01/21 16:23	12/02/21 18:51	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	115		70 - 130	12/01/21 16:23	12/02/21 18:51	1
o-Terphenyl	115		70 - 130	12/01/21 16:23	12/02/21 18:51	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	6380		49.5		mg/Kg			12/04/21 23:53	10

Client Sample ID: S-5 (1-1.5')

Lab Sample ID: 880-8635-10

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		11/24/21 10:16	11/29/21 21:13	1
Toluene	<0.00199	U	0.00199		mg/Kg		11/24/21 10:16	11/29/21 21:13	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		11/24/21 10:16	11/29/21 21:13	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		11/24/21 10:16	11/29/21 21:13	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		11/24/21 10:16	11/29/21 21:13	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		11/24/21 10:16	11/29/21 21:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	144	S1+	70 - 130	11/24/21 10:16	11/29/21 21:13	1
1,4-Difluorobenzene (Surr)	114		70 - 130	11/24/21 10:16	11/29/21 21:13	1

Eurofins Xenco, Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster

Job ID: 880-8635-1
SDG: Lea Co, NM

Client Sample ID: S-5 (1-1.5')

Lab Sample ID: 880-8635-10

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			12/02/21 16:29	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			12/01/21 20:09	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		12/01/21 16:23	12/02/21 19:12	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/01/21 16:23	12/02/21 19:12	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/01/21 16:23	12/02/21 19:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	115		70 - 130				12/01/21 16:23	12/02/21 19:12	1
o-Terphenyl	116		70 - 130				12/01/21 16:23	12/02/21 19:12	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4870		25.1		mg/Kg			12/05/21 00:02	5

Surrogate Summary

Client: NT Global
Project/Site: Vaca Draw Booster

Job ID: 880-8635-1
SDG: Lea Co, NM

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	BFB1 (70-130)	DFBZ1 (70-130)
880-8635-1	S-1 (0-1')	140 S1+	109
880-8635-2	S-1 (1-1.5')	144 S1+	112
880-8635-3	S-2 (0-1')	134 S1+	109
880-8635-4	S-2 (1-1.5')	118	101
880-8635-5	S-3 (0-1')	120	104
880-8635-6	S-3 (1-1.5')	168 S1+	100
880-8635-7	S-4 (0-1')	115	72
880-8635-8	S-4 (1-1.5')	147 S1+	115
880-8635-9	S-5 (0-1')	141 S1+	112
880-8635-10	S-5 (1-1.5')	144 S1+	114
880-8671-A-1-E MS	Matrix Spike	110	101
880-8671-A-1-F MSD	Matrix Spike Duplicate	104	96
890-1631-A-21-A MS	Matrix Spike	137 S1+	120
890-1631-A-21-B MSD	Matrix Spike Duplicate	122	112
LCS 880-13161/1-A	Lab Control Sample	124	73
LCS 880-13343/1-A	Lab Control Sample	108	99
LCSD 880-13161/2-A	Lab Control Sample Dup	134 S1+	116
LCSD 880-13343/2-A	Lab Control Sample Dup	115	100
MB 880-13161/5-A	Method Blank	77	79
MB 880-13339/5-A	Method Blank	122	107
MB 880-13343/5-A	Method Blank	120	98
Surrogate Legend			
BFB = 4-Bromofluorobenzene (Surr)			
DFBZ = 1,4-Difluorobenzene (Surr)			

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO1 (70-130)	OTPH1 (70-130)
880-8635-1	S-1 (0-1')	111	111
880-8635-2	S-1 (1-1.5')	104	106
880-8635-3	S-2 (0-1')	108	109
880-8635-4	S-2 (1-1.5')	110	111
880-8635-5	S-3 (0-1')	108	109
880-8635-6	S-3 (1-1.5')	114	117
880-8635-7	S-4 (0-1')	112	116
880-8635-8	S-4 (1-1.5')	106	109
880-8635-9	S-5 (0-1')	115	115
880-8635-10	S-5 (1-1.5')	115	116
890-1655-A-1-H MS	Matrix Spike	122	114
890-1655-A-1-I MSD	Matrix Spike Duplicate	104	95
LCS 880-13684/2-A	Lab Control Sample	103	96
LCSD 880-13684/3-A	Lab Control Sample Dup	103	95
MB 880-13684/1-A	Method Blank	108	112
Surrogate Legend			
1CO = 1-Chlorooctane			
OTPH = o-Terphenyl			

Eurofins Xenco, Midland

QC Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster

Job ID: 880-8635-1
SDG: Lea Co, NM

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-13161/5-A

Matrix: Solid

Analysis Batch: 13293

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13161

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		11/24/21 10:16	11/29/21 12:26	1
Toluene	<0.00200	U	0.00200		mg/Kg		11/24/21 10:16	11/29/21 12:26	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		11/24/21 10:16	11/29/21 12:26	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		11/24/21 10:16	11/29/21 12:26	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		11/24/21 10:16	11/29/21 12:26	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		11/24/21 10:16	11/29/21 12:26	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	77		70 - 130	11/24/21 10:16	11/29/21 12:26	1
1,4-Difluorobenzene (Surr)	79		70 - 130	11/24/21 10:16	11/29/21 12:26	1

Lab Sample ID: LCS 880-13161/1-A

Matrix: Solid

Analysis Batch: 13293

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 13161

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	0.100	0.08839		mg/Kg		88	70 - 130
Toluene	0.100	0.09719		mg/Kg		97	70 - 130
Ethylbenzene	0.100	0.1011		mg/Kg		101	70 - 130
m-Xylene & p-Xylene	0.200	0.2239		mg/Kg		112	70 - 130
o-Xylene	0.100	0.1073		mg/Kg		107	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	124		70 - 130
1,4-Difluorobenzene (Surr)	73		70 - 130

Lab Sample ID: LCSD 880-13161/2-A

Matrix: Solid

Analysis Batch: 13293

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 13161

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	0.100	0.1007		mg/Kg		101	70 - 130	13	35
Toluene	0.100	0.1097		mg/Kg		110	70 - 130	12	35
Ethylbenzene	0.100	0.08493		mg/Kg		85	70 - 130	17	35
m-Xylene & p-Xylene	0.200	0.2350		mg/Kg		118	70 - 130	5	35
o-Xylene	0.100	0.1130		mg/Kg		113	70 - 130	5	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	134	S1+	70 - 130
1,4-Difluorobenzene (Surr)	116		70 - 130

Lab Sample ID: 890-1631-A-21-B MSD

Matrix: Solid

Analysis Batch: 13293

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 13161

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	<0.00200	U	0.0998	0.08962		mg/Kg					
Toluene	<0.00200	U	0.0998	0.09842		mg/Kg					

Eurofins Xenco, Midland

QC Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster

Job ID: 880-8635-1
SDG: Lea Co, NM

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 890-1631-A-21-B MSD

Matrix: Solid

Analysis Batch: 13293

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 13161

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Ethylbenzene	<0.00200	U	0.0998	0.09973		mg/Kg					
m-Xylene & p-Xylene	<0.00399	U	0.200	0.2203		mg/Kg					
o-Xylene	<0.00200	U	0.0998	0.1058		mg/Kg					

Surrogate	MSD %Recovery	MSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	122		70 - 130
1,4-Difluorobenzene (Surr)	112		70 - 130

Lab Sample ID: 890-1631-A-21-A MS

Matrix: Solid

Analysis Batch: 13293

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene (Surr)	137	S1+	70 - 130
1,4-Difluorobenzene (Surr)	120		70 - 130

Lab Sample ID: MB 880-13339/5-A

Matrix: Solid

Analysis Batch: 13426

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13339

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		11/30/21 09:00	11/30/21 12:28	1
Toluene	<0.00200	U	0.00200		mg/Kg		11/30/21 09:00	11/30/21 12:28	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		11/30/21 09:00	11/30/21 12:28	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		11/30/21 09:00	11/30/21 12:28	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		11/30/21 09:00	11/30/21 12:28	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		11/30/21 09:00	11/30/21 12:28	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	122		70 - 130	11/30/21 09:00	11/30/21 12:28	1
1,4-Difluorobenzene (Surr)	107		70 - 130	11/30/21 09:00	11/30/21 12:28	1

Lab Sample ID: MB 880-13343/5-A

Matrix: Solid

Analysis Batch: 13426

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13343

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		11/30/21 08:45	12/01/21 00:02	1
Toluene	<0.00200	U	0.00200		mg/Kg		11/30/21 08:45	12/01/21 00:02	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		11/30/21 08:45	12/01/21 00:02	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		11/30/21 08:45	12/01/21 00:02	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		11/30/21 08:45	12/01/21 00:02	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		11/30/21 08:45	12/01/21 00:02	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	120		70 - 130	11/30/21 08:45	12/01/21 00:02	1
1,4-Difluorobenzene (Surr)	98		70 - 130	11/30/21 08:45	12/01/21 00:02	1

Eurofins Xenco, Midland

QC Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster

Job ID: 880-8635-1
SDG: Lea Co, NM

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCS 880-13343/1-A

Matrix: Solid

Analysis Batch: 13426

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 13343

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	0.100	0.09692		mg/Kg		97	70 - 130
Toluene	0.100	0.09859		mg/Kg		99	70 - 130
Ethylbenzene	0.100	0.09649		mg/Kg		96	70 - 130
m-Xylene & p-Xylene	0.200	0.1910		mg/Kg		96	70 - 130
o-Xylene	0.100	0.09260		mg/Kg		93	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	108		70 - 130
1,4-Difluorobenzene (Surr)	99		70 - 130

Lab Sample ID: LCSD 880-13343/2-A

Matrix: Solid

Analysis Batch: 13426

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 13343

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	0.100	0.09954		mg/Kg		100	70 - 130	3	35
Toluene	0.100	0.09899		mg/Kg		99	70 - 130	0	35
Ethylbenzene	0.100	0.09348		mg/Kg		93	70 - 130	3	35
m-Xylene & p-Xylene	0.200	0.1853		mg/Kg		93	70 - 130	3	35
o-Xylene	0.100	0.09161		mg/Kg		92	70 - 130	1	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	115		70 - 130
1,4-Difluorobenzene (Surr)	100		70 - 130

Lab Sample ID: 880-8671-A-1-E MS

Matrix: Solid

Analysis Batch: 13426

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 13343

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	0.00699		0.100	0.09584		mg/Kg		88	70 - 130
Toluene	0.00793		0.100	0.09453		mg/Kg		86	70 - 130
Ethylbenzene	0.303	F1	0.100	0.09641	F1	mg/Kg		-206	70 - 130
m-Xylene & p-Xylene	0.449	F1	0.201	0.1930	F1	mg/Kg		-128	70 - 130
o-Xylene	0.264	F1	0.100	0.09283	F1	mg/Kg		-170	70 - 130

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene (Surr)	110		70 - 130
1,4-Difluorobenzene (Surr)	101		70 - 130

Lab Sample ID: 880-8671-A-1-F MSD

Matrix: Solid

Analysis Batch: 13426

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 13343

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	0.00699		0.0990	0.08636		mg/Kg		80	70 - 130	10	35
Toluene	0.00793		0.0990	0.09083		mg/Kg		84	70 - 130	4	35
Ethylbenzene	0.303	F1	0.0990	0.09064	F1	mg/Kg		-214	70 - 130	6	35

Eurofins Xenco, Midland

QC Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster

Job ID: 880-8635-1
SDG: Lea Co, NM

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 880-8671-A-1-F MSD

Matrix: Solid

Analysis Batch: 13426

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 13343

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
m-Xylene & p-Xylene	0.449	F1	0.198	0.1786	F1	mg/Kg		-137	70 - 130	8	35
o-Xylene	0.264	F1	0.0990	0.08652	F1	mg/Kg		-179	70 - 130	7	35
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
4-Bromofluorobenzene (Surr)	104		70 - 130								
1,4-Difluorobenzene (Surr)	96		70 - 130								

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-13684/1-A

Matrix: Solid

Analysis Batch: 13719

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13684

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		12/01/21 16:23	12/02/21 10:17	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/01/21 16:23	12/02/21 10:17	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/01/21 16:23	12/02/21 10:17	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	108		70 - 130				12/01/21 16:23	12/02/21 10:17	1
o-Terphenyl	112		70 - 130				12/01/21 16:23	12/02/21 10:17	1

Lab Sample ID: LCS 880-13684/2-A

Matrix: Solid

Analysis Batch: 13719

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 13684

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
Gasoline Range Organics (GRO)-C6-C10	1000	1052		mg/Kg		105	70 - 130		
Diesel Range Organics (Over C10-C28)	1000	1060		mg/Kg		106	70 - 130		
Surrogate	LCS %Recovery	LCS Qualifier	Limits						
1-Chlorooctane	103		70 - 130						
o-Terphenyl	96		70 - 130						

Lab Sample ID: LCSD 880-13684/3-A

Matrix: Solid

Analysis Batch: 13719

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 13684

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	1042		mg/Kg		104	70 - 130	1	20
Diesel Range Organics (Over C10-C28)	1000	1055		mg/Kg		105	70 - 130	0	20

Eurofins Xenco, Midland

QC Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster

Job ID: 880-8635-1
SDG: Lea Co, NM

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCSD 880-13684/3-A

Matrix: Solid

Analysis Batch: 13719

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 13684

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	103		70 - 130
o-Terphenyl	95		70 - 130

Lab Sample ID: 890-1655-A-1-H MS

Matrix: Solid

Analysis Batch: 13719

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 13684

	Sample	Sample	Spike	MS	MS				%Rec.	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Gasoline Range Organics (GRO)-C6-C10	<49.9	U F1	997	1394	F1	mg/Kg		135	70 - 130	
Diesel Range Organics (Over C10-C28)	<49.9	U	997	1248		mg/Kg		123	70 - 130	
Surrogate	%Recovery	Qualifier	Limits							
1-Chlorooctane	122		70 - 130							
o-Terphenyl	114		70 - 130							

Lab Sample ID: 890-1655-A-1-I MSD

Matrix: Solid

Analysis Batch: 13719

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 13684

	Sample	Sample	Spike	MSD	MSD				%Rec.		RPD	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit	
Gasoline Range Organics (GRO)-C6-C10	<49.9	U F1	999	1287		mg/Kg		124	70 - 130	8	20	
Diesel Range Organics (Over C10-C28)	<49.9	U	999	1075		mg/Kg		106	70 - 130	15	20	
Surrogate	%Recovery	Qualifier	Limits									
1-Chlorooctane	104		70 - 130									
o-Terphenyl	95		70 - 130									

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-13321/1-A

Matrix: Solid

Analysis Batch: 13925

Client Sample ID: Method Blank

Prep Type: Soluble

	MB	MB								
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	<5.00	U	5.00		mg/Kg			12/04/21 20:32	1	

Lab Sample ID: LCS 880-13321/2-A

Matrix: Solid

Analysis Batch: 13925

Client Sample ID: Lab Control Sample

Prep Type: Soluble

	Spike	LCS	LCS					%Rec.	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits		
Chloride	250	265.8		mg/Kg		106	90 - 110		

Eurofins Xenco, Midland

QC Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster

Job ID: 880-8635-1
SDG: Lea Co, NM

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCSD 880-13321/3-A

Matrix: Solid

Analysis Batch: 13925

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride			250	265.9		mg/Kg		106	90 - 110	0	20

Lab Sample ID: 880-8635-6 MS

Matrix: Solid

Analysis Batch: 13925

Client Sample ID: S-3 (1-1.5')

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	4110		1240	5308		mg/Kg		96	90 - 110		

Lab Sample ID: 880-8635-6 MSD

Matrix: Solid

Analysis Batch: 13925

Client Sample ID: S-3 (1-1.5')

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	4110		1240	5295		mg/Kg		95	90 - 110	0	20

QC Association Summary

Client: NT Global
Project/Site: Vaca Draw Booster

Job ID: 880-8635-1
SDG: Lea Co, NM

GC VOA

Prep Batch: 13161

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-8635-1	S-1 (0-1')	Total/NA	Solid	5035	
880-8635-2	S-1 (1-1.5')	Total/NA	Solid	5035	
880-8635-3	S-2 (0-1')	Total/NA	Solid	5035	
880-8635-6	S-3 (1-1.5')	Total/NA	Solid	5035	
880-8635-7	S-4 (0-1')	Total/NA	Solid	5035	
880-8635-8	S-4 (1-1.5')	Total/NA	Solid	5035	
880-8635-9	S-5 (0-1')	Total/NA	Solid	5035	
880-8635-10	S-5 (1-1.5')	Total/NA	Solid	5035	
MB 880-13161/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-13161/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-13161/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
890-1631-A-21-B MSD	Matrix Spike Duplicate	Total/NA	Solid	5035	

Analysis Batch: 13293

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-8635-1	S-1 (0-1')	Total/NA	Solid	8021B	13161
880-8635-2	S-1 (1-1.5')	Total/NA	Solid	8021B	13161
880-8635-3	S-2 (0-1')	Total/NA	Solid	8021B	13161
880-8635-6	S-3 (1-1.5')	Total/NA	Solid	8021B	13161
880-8635-7	S-4 (0-1')	Total/NA	Solid	8021B	13161
880-8635-8	S-4 (1-1.5')	Total/NA	Solid	8021B	13161
880-8635-9	S-5 (0-1')	Total/NA	Solid	8021B	13161
880-8635-10	S-5 (1-1.5')	Total/NA	Solid	8021B	13161
MB 880-13161/5-A	Method Blank	Total/NA	Solid	8021B	13161
LCS 880-13161/1-A	Lab Control Sample	Total/NA	Solid	8021B	13161
LCSD 880-13161/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	13161
890-1631-A-21-A MS	Matrix Spike	Total/NA	Solid	8021B	
890-1631-A-21-B MSD	Matrix Spike Duplicate	Total/NA	Solid	8021B	13161

Prep Batch: 13339

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-13339/5-A	Method Blank	Total/NA	Solid	5035	

Prep Batch: 13343

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-8635-4	S-2 (1-1.5')	Total/NA	Solid	5035	
880-8635-5	S-3 (0-1')	Total/NA	Solid	5035	
MB 880-13343/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-13343/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-13343/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-8671-A-1-E MS	Matrix Spike	Total/NA	Solid	5035	
880-8671-A-1-F MSD	Matrix Spike Duplicate	Total/NA	Solid	5035	

Analysis Batch: 13426

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-8635-4	S-2 (1-1.5')	Total/NA	Solid	8021B	13343
880-8635-5	S-3 (0-1')	Total/NA	Solid	8021B	13343
MB 880-13339/5-A	Method Blank	Total/NA	Solid	8021B	13339
MB 880-13343/5-A	Method Blank	Total/NA	Solid	8021B	13343
LCS 880-13343/1-A	Lab Control Sample	Total/NA	Solid	8021B	13343
LCSD 880-13343/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	13343

Eurofins Xenco, Midland

QC Association Summary

Client: NT Global
Project/Site: Vaca Draw Booster

Job ID: 880-8635-1
SDG: Lea Co, NM

GC VOA (Continued)

Analysis Batch: 13426 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-8671-A-1-E MS	Matrix Spike	Total/NA	Solid	8021B	13343
880-8671-A-1-F MSD	Matrix Spike Duplicate	Total/NA	Solid	8021B	13343

Analysis Batch: 13794

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-8635-1	S-1 (0-1')	Total/NA	Solid	Total BTEX	
880-8635-2	S-1 (1-1.5')	Total/NA	Solid	Total BTEX	
880-8635-3	S-2 (0-1')	Total/NA	Solid	Total BTEX	
880-8635-4	S-2 (1-1.5')	Total/NA	Solid	Total BTEX	
880-8635-5	S-3 (0-1')	Total/NA	Solid	Total BTEX	
880-8635-6	S-3 (1-1.5')	Total/NA	Solid	Total BTEX	
880-8635-7	S-4 (0-1')	Total/NA	Solid	Total BTEX	
880-8635-8	S-4 (1-1.5')	Total/NA	Solid	Total BTEX	
880-8635-9	S-5 (0-1')	Total/NA	Solid	Total BTEX	
880-8635-10	S-5 (1-1.5')	Total/NA	Solid	Total BTEX	

GC Semi VOA

Prep Batch: 13684

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-8635-1	S-1 (0-1')	Total/NA	Solid	8015NM Prep	
880-8635-2	S-1 (1-1.5')	Total/NA	Solid	8015NM Prep	
880-8635-3	S-2 (0-1')	Total/NA	Solid	8015NM Prep	
880-8635-4	S-2 (1-1.5')	Total/NA	Solid	8015NM Prep	
880-8635-5	S-3 (0-1')	Total/NA	Solid	8015NM Prep	
880-8635-6	S-3 (1-1.5')	Total/NA	Solid	8015NM Prep	
880-8635-7	S-4 (0-1')	Total/NA	Solid	8015NM Prep	
880-8635-8	S-4 (1-1.5')	Total/NA	Solid	8015NM Prep	
880-8635-9	S-5 (0-1')	Total/NA	Solid	8015NM Prep	
880-8635-10	S-5 (1-1.5')	Total/NA	Solid	8015NM Prep	
MB 880-13684/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-13684/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-13684/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
890-1655-A-1-H MS	Matrix Spike	Total/NA	Solid	8015NM Prep	
890-1655-A-1-I MSD	Matrix Spike Duplicate	Total/NA	Solid	8015NM Prep	

Analysis Batch: 13711

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-8635-1	S-1 (0-1')	Total/NA	Solid	8015 NM	
880-8635-2	S-1 (1-1.5')	Total/NA	Solid	8015 NM	
880-8635-3	S-2 (0-1')	Total/NA	Solid	8015 NM	
880-8635-4	S-2 (1-1.5')	Total/NA	Solid	8015 NM	
880-8635-5	S-3 (0-1')	Total/NA	Solid	8015 NM	
880-8635-6	S-3 (1-1.5')	Total/NA	Solid	8015 NM	
880-8635-7	S-4 (0-1')	Total/NA	Solid	8015 NM	
880-8635-8	S-4 (1-1.5')	Total/NA	Solid	8015 NM	
880-8635-9	S-5 (0-1')	Total/NA	Solid	8015 NM	
880-8635-10	S-5 (1-1.5')	Total/NA	Solid	8015 NM	

Eurofins Xenco, Midland

QC Association Summary

Client: NT Global
Project/Site: Vaca Draw Booster

Job ID: 880-8635-1
SDG: Lea Co, NM

GC Semi VOA

Analysis Batch: 13719

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-8635-1	S-1 (0-1')	Total/NA	Solid	8015B NM	13684
880-8635-2	S-1 (1-1.5')	Total/NA	Solid	8015B NM	13684
880-8635-3	S-2 (0-1')	Total/NA	Solid	8015B NM	13684
880-8635-4	S-2 (1-1.5')	Total/NA	Solid	8015B NM	13684
880-8635-5	S-3 (0-1')	Total/NA	Solid	8015B NM	13684
880-8635-6	S-3 (1-1.5')	Total/NA	Solid	8015B NM	13684
880-8635-7	S-4 (0-1')	Total/NA	Solid	8015B NM	13684
880-8635-8	S-4 (1-1.5')	Total/NA	Solid	8015B NM	13684
880-8635-9	S-5 (0-1')	Total/NA	Solid	8015B NM	13684
880-8635-10	S-5 (1-1.5')	Total/NA	Solid	8015B NM	13684
MB 880-13684/1-A	Method Blank	Total/NA	Solid	8015B NM	13684
LCS 880-13684/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	13684
LCSD 880-13684/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	13684
890-1655-A-1-H MS	Matrix Spike	Total/NA	Solid	8015B NM	13684
890-1655-A-1-I MSD	Matrix Spike Duplicate	Total/NA	Solid	8015B NM	13684

HPLC/IC

Leach Batch: 13321

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-8635-1	S-1 (0-1')	Soluble	Solid	DI Leach	
880-8635-2	S-1 (1-1.5')	Soluble	Solid	DI Leach	
880-8635-3	S-2 (0-1')	Soluble	Solid	DI Leach	
880-8635-4	S-2 (1-1.5')	Soluble	Solid	DI Leach	
880-8635-5	S-3 (0-1')	Soluble	Solid	DI Leach	
880-8635-6	S-3 (1-1.5')	Soluble	Solid	DI Leach	
880-8635-7	S-4 (0-1')	Soluble	Solid	DI Leach	
880-8635-8	S-4 (1-1.5')	Soluble	Solid	DI Leach	
880-8635-9	S-5 (0-1')	Soluble	Solid	DI Leach	
880-8635-10	S-5 (1-1.5')	Soluble	Solid	DI Leach	
MB 880-13321/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-13321/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-13321/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-8635-6 MS	S-3 (1-1.5')	Soluble	Solid	DI Leach	
880-8635-6 MSD	S-3 (1-1.5')	Soluble	Solid	DI Leach	

Analysis Batch: 13925

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-8635-1	S-1 (0-1')	Soluble	Solid	300.0	13321
880-8635-2	S-1 (1-1.5')	Soluble	Solid	300.0	13321
880-8635-3	S-2 (0-1')	Soluble	Solid	300.0	13321
880-8635-4	S-2 (1-1.5')	Soluble	Solid	300.0	13321
880-8635-5	S-3 (0-1')	Soluble	Solid	300.0	13321
880-8635-6	S-3 (1-1.5')	Soluble	Solid	300.0	13321
880-8635-7	S-4 (0-1')	Soluble	Solid	300.0	13321
880-8635-8	S-4 (1-1.5')	Soluble	Solid	300.0	13321
880-8635-9	S-5 (0-1')	Soluble	Solid	300.0	13321
880-8635-10	S-5 (1-1.5')	Soluble	Solid	300.0	13321
MB 880-13321/1-A	Method Blank	Soluble	Solid	300.0	13321
LCS 880-13321/2-A	Lab Control Sample	Soluble	Solid	300.0	13321
LCSD 880-13321/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	13321

Eurofins Xenco, Midland

QC Association Summary

Client: NT Global
Project/Site: Vaca Draw Booster

Job ID: 880-8635-1
SDG: Lea Co, NM

HPLC/IC (Continued)

Analysis Batch: 13925 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-8635-6 MS	S-3 (1-1.5')	Soluble	Solid	300.0	13321
880-8635-6 MSD	S-3 (1-1.5')	Soluble	Solid	300.0	13321

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Lab Chronicle

Client: NT Global
Project/Site: Vaca Draw Booster

Job ID: 880-8635-1
SDG: Lea Co, NM

Client Sample ID: S-1 (0-1')

Lab Sample ID: 880-8635-1

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	13161	11/24/21 10:16	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	13293	11/29/21 15:59	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			13794	12/02/21 16:29	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			13711	12/01/21 20:09	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	13684	12/01/21 16:23	DM	XEN MID
Total/NA	Analysis	8015B NM		1			13719	12/02/21 15:59	AJ	XEN MID
Soluble	Leach	DI Leach			4.98 g	50 mL	13321	11/29/21 10:41	CA	XEN MID
Soluble	Analysis	300.0		10			13925	12/04/21 22:13	CH	XEN MID

Client Sample ID: S-1 (1-1.5')

Lab Sample ID: 880-8635-2

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	13161	11/24/21 10:16	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	13293	11/29/21 16:26	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			13794	12/02/21 16:29	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			13711	12/01/21 20:09	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	13684	12/01/21 16:23	DM	XEN MID
Total/NA	Analysis	8015B NM		1			13719	12/02/21 16:20	AJ	XEN MID
Soluble	Leach	DI Leach			5.03 g	50 mL	13321	11/29/21 10:41	CA	XEN MID
Soluble	Analysis	300.0		10			13925	12/04/21 22:21	CH	XEN MID

Client Sample ID: S-2 (0-1')

Lab Sample ID: 880-8635-3

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	13161	11/24/21 10:16	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	13293	11/29/21 16:52	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			13794	12/02/21 16:29	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			13711	12/01/21 20:09	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	13684	12/01/21 16:23	DM	XEN MID
Total/NA	Analysis	8015B NM		1			13719	12/02/21 16:42	AJ	XEN MID
Soluble	Leach	DI Leach			5.05 g	50 mL	13321	11/29/21 10:41	CA	XEN MID
Soluble	Analysis	300.0		20			13925	12/04/21 22:29	CH	XEN MID

Client Sample ID: S-2 (1-1.5')

Lab Sample ID: 880-8635-4

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	13343	11/30/21 08:45	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	13426	12/01/21 03:14	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			13794	12/02/21 16:29	AJ	XEN MID

Eurofins Xenco, Midland

Lab Chronicle

Client: NT Global
Project/Site: Vaca Draw Booster

Job ID: 880-8635-1
SDG: Lea Co, NM

Client Sample ID: S-2 (1-1.5')

Lab Sample ID: 880-8635-4

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			13711	12/01/21 20:09	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	13684	12/01/21 16:23	DM	XEN MID
Total/NA	Analysis	8015B NM		1			13719	12/02/21 17:03	AJ	XEN MID
Soluble	Leach	DI Leach			5.01 g	50 mL	13321	11/29/21 10:41	CA	XEN MID
Soluble	Analysis	300.0		10			13925	12/04/21 22:38	CH	XEN MID

Client Sample ID: S-3 (0-1')

Lab Sample ID: 880-8635-5

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	13343	11/30/21 08:45	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	13426	12/01/21 03:35	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			13794	12/02/21 16:29	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			13711	12/01/21 20:09	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	13684	12/01/21 16:23	DM	XEN MID
Total/NA	Analysis	8015B NM		1			13719	12/02/21 17:25	AJ	XEN MID
Soluble	Leach	DI Leach			5 g	50 mL	13321	11/29/21 10:41	CA	XEN MID
Soluble	Analysis	300.0		10			13925	12/04/21 22:46	CH	XEN MID

Client Sample ID: S-3 (1-1.5')

Lab Sample ID: 880-8635-6

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	13161	11/24/21 10:16	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	13293	11/29/21 19:29	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			13794	12/02/21 16:29	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			13711	12/01/21 20:09	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	13684	12/01/21 16:23	DM	XEN MID
Total/NA	Analysis	8015B NM		1			13719	12/02/21 17:47	AJ	XEN MID
Soluble	Leach	DI Leach			5.04 g	50 mL	13321	11/29/21 10:41	CA	XEN MID
Soluble	Analysis	300.0		5			13925	12/05/21 18:51	CH	XEN MID

Client Sample ID: S-4 (0-1')

Lab Sample ID: 880-8635-7

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.96 g	5 mL	13161	11/24/21 10:16	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	13293	11/29/21 19:55	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			13794	12/02/21 16:29	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			13711	12/01/21 20:09	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	13684	12/01/21 16:23	DM	XEN MID
Total/NA	Analysis	8015B NM		1			13719	12/02/21 18:08	AJ	XEN MID

Eurofins Xenco, Midland

Lab Chronicle

Client: NT Global
Project/Site: Vaca Draw Booster

Job ID: 880-8635-1
SDG: Lea Co, NM

Client Sample ID: S-4 (0-1')

Lab Sample ID: 880-8635-7

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.96 g	50 mL	13321	11/29/21 10:41	CA	XEN MID
Soluble	Analysis	300.0		1			13925	12/04/21 23:20	CH	XEN MID

Client Sample ID: S-4 (1-1.5')

Lab Sample ID: 880-8635-8

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	13161	11/24/21 10:16	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	13293	11/29/21 20:21	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			13794	12/02/21 16:29	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			13711	12/01/21 20:09	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	13684	12/01/21 16:23	DM	XEN MID
Total/NA	Analysis	8015B NM		1			13719	12/02/21 18:29	AJ	XEN MID
Soluble	Leach	DI Leach			5.02 g	50 mL	13321	11/29/21 10:41	CA	XEN MID
Soluble	Analysis	300.0		1			13925	12/04/21 23:28	CH	XEN MID

Client Sample ID: S-5 (0-1')

Lab Sample ID: 880-8635-9

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	13161	11/24/21 10:16	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	13293	11/29/21 20:47	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			13794	12/02/21 16:29	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			13711	12/01/21 20:09	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	13684	12/01/21 16:23	DM	XEN MID
Total/NA	Analysis	8015B NM		1			13719	12/02/21 18:51	AJ	XEN MID
Soluble	Leach	DI Leach			5.05 g	50 mL	13321	11/29/21 10:41	CA	XEN MID
Soluble	Analysis	300.0		10			13925	12/04/21 23:53	CH	XEN MID

Client Sample ID: S-5 (1-1.5')

Lab Sample ID: 880-8635-10

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	13161	11/24/21 10:16	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	13293	11/29/21 21:13	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			13794	12/02/21 16:29	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			13711	12/01/21 20:09	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	13684	12/01/21 16:23	DM	XEN MID
Total/NA	Analysis	8015B NM		1			13719	12/02/21 19:12	AJ	XEN MID
Soluble	Leach	DI Leach			4.99 g	50 mL	13321	11/29/21 10:41	CA	XEN MID
Soluble	Analysis	300.0		5			13925	12/05/21 00:02	CH	XEN MID

Eurofins Xenco, Midland

Lab Chronicle

Client: NT Global
Project/Site: Vaca Draw Booster

Job ID: 880-8635-1
SDG: Lea Co, NM

Laboratory References:
XEN MID = Eurofins Xenco, Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Accreditation/Certification Summary

Client: NT Global
Project/Site: Vaca Draw Booster

Job ID: 880-8635-1
SDG: Lea Co, NM

Laboratory: Eurofins Xenco, Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400-21-22	06-30-22

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH
Total BTEX		Solid	Total BTEX

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: NT Global
Project/Site: Vaca Draw Booster

Job ID: 880-8635-1
SDG: Lea Co, NM

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	XEN MID
Total BTEX	Total BTEX Calculation	TAL SOP	XEN MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	XEN MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	XEN MID
300.0	Anions, Ion Chromatography	MCAWW	XEN MID
5035	Closed System Purge and Trap	SW846	XEN MID
8015NM Prep	Microextraction	SW846	XEN MID
DI Leach	Deionized Water Leaching Procedure	ASTM	XEN MID

Protocol References:

ASTM = ASTM International

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

XEN MID = Eurofins Xenco, Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Eurofins Xenco, Midland

Sample Summary

Client: NT Global
Project/Site: Vaca Draw Booster

Job ID: 880-8635-1
SDG: Lea Co, NM

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
880-8635-1	S-1 (0-1')	Solid	11/22/21 00:00	11/23/21 11:46
880-8635-2	S-1 (1-1.5')	Solid	11/22/21 00:00	11/23/21 11:46
880-8635-3	S-2 (0-1')	Solid	11/22/21 00:00	11/23/21 11:46
880-8635-4	S-2 (1-1.5')	Solid	11/22/21 00:00	11/23/21 11:46
880-8635-5	S-3 (0-1')	Solid	11/22/21 00:00	11/23/21 11:46
880-8635-6	S-3 (1-1.5')	Solid	11/22/21 00:00	11/23/21 11:46
880-8635-7	S-4 (0-1')	Solid	11/22/21 00:00	11/23/21 11:46
880-8635-8	S-4 (1-1.5')	Solid	11/22/21 00:00	11/23/21 11:46
880-8635-9	S-5 (0-1')	Solid	11/22/21 00:00	11/23/21 11:46
880-8635-10	S-5 (1-1.5')	Solid	11/22/21 00:00	11/23/21 11:46



Chain of Custody



880-8635 Chain of Custody

Page 1 of 1

Project Manager	Mike Carrona	Bill to (if different)	Joe Vargo
Company Name	NTG Environmental	Company Name	NGI
Address	701 Tradewinds Blvd	Address	865 North Albion Street, Suite 400
City, State ZIP	Midland, TX 79706	City, State ZIP	Denver, CO 80220
Phone	432-813-0263	Email	Joseph.Vargo@ntgenv.com

Work Order Comments	
Program: UST/PST	☐ PRP ☐ Brownfields ☐ RRC ☐ Superfund
State of Project:	
Reporting Level II	☐ Level III ☐ PST/UST ☐ RRP ☐ Level IV
Deliverables: EDD	☐ ADAPT ☐ Other

Project Name		Vaca Draw Booster (11 14 21)		Turn Around		ANALYSIS REQUEST												Preservative Codes	
Project Number	214924	☒ Routine	☐ Rush														None NO	DI Water H ₂ O	
Project Location	Lea Co, NM	Due Date		TAT starts the day received by the lab if received by 4 30pm														Cool Cool	MeOH Me
Sampler's Name:	NH/ES																	HCL HC	HNO ₃ HN
PO #:																		H ₂ SO ₄ H ₂	NaOH Na
SAMPLE RECEIPT				Temp Blank	Yes ☒ No ☒	Wet Ice	Yes ☒ No ☒	Parameters										H ₃ PO ₄ HP	
Received Intact:				Yes ☒ No ☒	Thermometer ID	BTEx 8021B										NaHSO ₄ NABIS			
Cooler Custody Seals:				Yes ☒ No ☒	Correction Factor	TPH 8015M (GRO+DRO+MRO)										Na ₂ S ₂ O ₃ NaSO ₃			
Sample Custody Seals:				Yes ☒ No ☒	Temperature Reading	Chloride 300										Zn Acetate+NaOH Zn			
Total Containers:					Corrected Temperature:	HOLD										NaOH+Ascorbic Acid SAPC			
Sample Identification		Date	Time	Soil	Water	Grab/Comp	# of Cont											Sample Comments	
S-1 (0-1')		11/22/2021	-	X	-	G	1	X	X	X									
S-1 (1-1.5')		11/22/2021	-	X	-	G	1	X	X	X									
S-2 (0-1')		11/22/2021	-	X	-	G	1	X	X	X									
S-2 (1-1.5')		11/22/2021	-	X	-	G	1	X	X	X									
S-3 (0-1')		11/22/2021	-	X	-	G	1	X	X	X									
S-3 (1-1.5')		11/22/2021	-	X	-	G	1	X	X	X									
S-4 (0-1')		11/22/2021	-	X	-	G	1	X	X	X									
S-4 (1-1.5')		11/22/2021	-	X	-	G	1	X	X	X									
S-5 (0-1')		11/22/2021	-	X	-	G	1	X	X	X									
S-5 (1-1.5')		11/22/2021	-	X	-	G	1	X	X	X									

Additional Comments:

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by (Signature)	Received by (Signature)	Date/Time	Relinquished by (Signature)	Received by (Signature)	Date/Time
1 Mike Carrona	Joe Vargo	11/23/21 11:40	2		
3			4		
5			6		

Login Sample Receipt Checklist

Client: NT Global

Job Number: 880-8635-1

SDG Number: Lea Co, NM

Login Number: 8635

List Source: Eurofins Xenco, Midland

List Number: 1

Creator: Rodriguez, Leticia

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	



Environment Testing America

ANALYTICAL REPORT

Eurofins Xenco, Midland
1211 W. Florida Ave
Midland, TX 79701
Tel: (432)704-5440

Laboratory Job ID: 880-8624-1

Laboratory Sample Delivery Group: Lea Co, NM
Client Project/Site: Vaca Draw Booster (11.14.21)

For:

NT Global
701 Tradewinds Blvd
Midland, Texas 79706

Attn: Mike Carmona

A handwritten signature in black ink that reads "Jessica Kramer".

Authorized for release by:
12/3/2021 3:09:04 PM

Jessica Kramer, Project Manager
(432)704-5440
jessica.kramer@eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Client: NT Global
Project/Site: Vaca Draw Booster (11.14.21)

Laboratory Job ID: 880-8624-1
SDG: Lea Co, NM

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Client Sample Results	5
Surrogate Summary	11
QC Sample Results	12
QC Association Summary	18
Lab Chronicle	21
Certification Summary	24
Method Summary	25
Sample Summary	26
Chain of Custody	27
Receipt Checklists	28

1

2

3

4

5

6

7

8

9

10

11

12

13

14

Definitions/Glossary

Client: NT Global

Job ID: 880-8624-1

Project/Site: Vaca Draw Booster (11.14.21)

SDG: Lea Co, NM

Qualifiers

GC VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
S1-	Surrogate recovery exceeds control limits, low biased.
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Eurofins Xenco, Midland

Case Narrative

Client: NT Global
Project/Site: Vaca Draw Booster (11.14.21)

Job ID: 880-8624-1
SDG: Lea Co, NM

Job ID: 880-8624-1**Laboratory: Eurofins Xenco, Midland****Narrative****Job Narrative
880-8624-1****Receipt**

The samples were received on 11/23/2021 11:46 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.0°C

GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC Semi VOA

Method 8015MOD_NM: Surrogate recovery for the following samples were outside control limits: H-7 (0-0.5') (880-8624-7), H-8 (0-0.5') (880-8624-8) and (890-1636-A-1-F). Evidence of matrix interferences is not obvious.

Method 8015MOD_NM: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-13637 and analytical batch 880-13588 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method 8015MOD_NM: Surrogate recovery for the following samples were outside control limits: H-1 (0-0.5') (880-8624-1) and H-2 (0-0.5') (880-8624-2). Evidence of matrix interferences is not obvious.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster (11.14.21)

Job ID: 880-8624-1
SDG: Lea Co, NM

Client Sample ID: H-1 (0-0.5')

Lab Sample ID: 880-8624-1

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		11/30/21 08:45	12/01/21 06:05	1
Toluene	<0.00201	U	0.00201		mg/Kg		11/30/21 08:45	12/01/21 06:05	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		11/30/21 08:45	12/01/21 06:05	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		11/30/21 08:45	12/01/21 06:05	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		11/30/21 08:45	12/01/21 06:05	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		11/30/21 08:45	12/01/21 06:05	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	126		70 - 130	11/30/21 08:45	12/01/21 06:05	1
1,4-Difluorobenzene (Surr)	107		70 - 130	11/30/21 08:45	12/01/21 06:05	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			12/02/21 16:29	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			12/01/21 20:09	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		12/01/21 10:13	12/01/21 19:16	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/01/21 10:13	12/01/21 19:16	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/01/21 10:13	12/01/21 19:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	70		70 - 130	12/01/21 10:13	12/01/21 19:16	1
o-Terphenyl	64	S1-	70 - 130	12/01/21 10:13	12/01/21 19:16	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	7.90		5.00		mg/Kg			11/30/21 23:09	1

Client Sample ID: H-2 (0-0.5')

Lab Sample ID: 880-8624-2

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		11/30/21 08:45	12/01/21 06:26	1
Toluene	<0.00200	U	0.00200		mg/Kg		11/30/21 08:45	12/01/21 06:26	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		11/30/21 08:45	12/01/21 06:26	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		11/30/21 08:45	12/01/21 06:26	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		11/30/21 08:45	12/01/21 06:26	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		11/30/21 08:45	12/01/21 06:26	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	117		70 - 130	11/30/21 08:45	12/01/21 06:26	1
1,4-Difluorobenzene (Surr)	98		70 - 130	11/30/21 08:45	12/01/21 06:26	1

Eurofins Xenco, Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster (11.14.21)

Job ID: 880-8624-1
SDG: Lea Co, NM

Client Sample ID: H-2 (0-0.5')

Lab Sample ID: 880-8624-2

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			12/02/21 16:29	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			12/01/21 20:09	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		12/01/21 10:13	12/01/21 19:37	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		12/01/21 10:13	12/01/21 19:37	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		12/01/21 10:13	12/01/21 19:37	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	68	S1-	70 - 130				12/01/21 10:13	12/01/21 19:37	1
o-Terphenyl	67	S1-	70 - 130				12/01/21 10:13	12/01/21 19:37	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	7.55		5.00		mg/Kg			11/30/21 23:43	1

Client Sample ID: H-3 (0-0.5')

Lab Sample ID: 880-8624-3

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		11/30/21 08:45	12/01/21 06:46	1
Toluene	<0.00200	U	0.00200		mg/Kg		11/30/21 08:45	12/01/21 06:46	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		11/30/21 08:45	12/01/21 06:46	1
m-Xylene & p-Xylene	<0.00401	U	0.00401		mg/Kg		11/30/21 08:45	12/01/21 06:46	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		11/30/21 08:45	12/01/21 06:46	1
Xylenes, Total	<0.00401	U	0.00401		mg/Kg		11/30/21 08:45	12/01/21 06:46	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	110		70 - 130				11/30/21 08:45	12/01/21 06:46	1
1,4-Difluorobenzene (Surr)	102		70 - 130				11/30/21 08:45	12/01/21 06:46	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00401	U	0.00401		mg/Kg			12/02/21 16:29	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			12/01/21 20:09	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		12/01/21 10:13	12/01/21 19:58	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		12/01/21 10:13	12/01/21 19:58	1

Eurofins Xenco, Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster (11.14.21)

Job ID: 880-8624-1
SDG: Lea Co, NM

Client Sample ID: H-3 (0-0.5')

Lab Sample ID: 880-8624-3

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		12/01/21 10:13	12/01/21 19:58	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	109		70 - 130				12/01/21 10:13	12/01/21 19:58	1
o-Terphenyl	108		70 - 130				12/01/21 10:13	12/01/21 19:58	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	9.89		4.96		mg/Kg			11/30/21 23:55	1

Client Sample ID: H-4 (0-0.5')

Lab Sample ID: 880-8624-4

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		11/30/21 08:45	12/01/21 07:07	1
Toluene	<0.00199	U	0.00199		mg/Kg		11/30/21 08:45	12/01/21 07:07	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		11/30/21 08:45	12/01/21 07:07	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		11/30/21 08:45	12/01/21 07:07	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		11/30/21 08:45	12/01/21 07:07	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		11/30/21 08:45	12/01/21 07:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	117		70 - 130				11/30/21 08:45	12/01/21 07:07	1
1,4-Difluorobenzene (Surr)	99		70 - 130				11/30/21 08:45	12/01/21 07:07	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			12/02/21 16:29	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			12/01/21 20:09	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		12/01/21 08:20	12/01/21 19:11	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		12/01/21 08:20	12/01/21 19:11	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		12/01/21 08:20	12/01/21 19:11	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	74		70 - 130				12/01/21 08:20	12/01/21 19:11	1
o-Terphenyl	77		70 - 130				12/01/21 08:20	12/01/21 19:11	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	53.4		4.95		mg/Kg			12/01/21 00:06	1

Eurofins Xenco, Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster (11.14.21)

Job ID: 880-8624-1
SDG: Lea Co, NM

Client Sample ID: H-5 (0-0.5')

Lab Sample ID: 880-8624-5

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		11/30/21 08:45	12/01/21 07:27	1
Toluene	<0.00202	U	0.00202		mg/Kg		11/30/21 08:45	12/01/21 07:27	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		11/30/21 08:45	12/01/21 07:27	1
m-Xylene & p-Xylene	<0.00403	U	0.00403		mg/Kg		11/30/21 08:45	12/01/21 07:27	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		11/30/21 08:45	12/01/21 07:27	1
Xylenes, Total	<0.00403	U	0.00403		mg/Kg		11/30/21 08:45	12/01/21 07:27	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	125		70 - 130	11/30/21 08:45	12/01/21 07:27	1
1,4-Difluorobenzene (Surr)	92		70 - 130	11/30/21 08:45	12/01/21 07:27	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00403	U	0.00403		mg/Kg			12/02/21 16:29	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			12/01/21 20:09	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		12/01/21 08:20	12/01/21 19:32	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		12/01/21 08:20	12/01/21 19:32	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		12/01/21 08:20	12/01/21 19:32	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	70		70 - 130	12/01/21 08:20	12/01/21 19:32	1
o-Terphenyl	70		70 - 130	12/01/21 08:20	12/01/21 19:32	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	81.4		5.04		mg/Kg			12/01/21 00:17	1

Client Sample ID: H-6 (0-0.5')

Lab Sample ID: 880-8624-6

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		11/30/21 08:45	12/01/21 07:48	1
Toluene	<0.00201	U	0.00201		mg/Kg		11/30/21 08:45	12/01/21 07:48	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		11/30/21 08:45	12/01/21 07:48	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		11/30/21 08:45	12/01/21 07:48	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		11/30/21 08:45	12/01/21 07:48	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		11/30/21 08:45	12/01/21 07:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	122		70 - 130	11/30/21 08:45	12/01/21 07:48	1
1,4-Difluorobenzene (Surr)	98		70 - 130	11/30/21 08:45	12/01/21 07:48	1

Eurofins Xenco, Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster (11.14.21)

Job ID: 880-8624-1
SDG: Lea Co, NM

Client Sample ID: H-6 (0-0.5')

Lab Sample ID: 880-8624-6

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			12/02/21 16:29	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			12/01/21 20:09	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		12/01/21 08:20	12/01/21 19:52	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/01/21 08:20	12/01/21 19:52	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/01/21 08:20	12/01/21 19:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	76		70 - 130				12/01/21 08:20	12/01/21 19:52	1
o-Terphenyl	76		70 - 130				12/01/21 08:20	12/01/21 19:52	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	42.6		4.98		mg/Kg			12/01/21 00:29	1

Client Sample ID: H-7 (0-0.5')

Lab Sample ID: 880-8624-7

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		11/30/21 08:45	12/01/21 08:08	1
Toluene	<0.00201	U	0.00201		mg/Kg		11/30/21 08:45	12/01/21 08:08	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		11/30/21 08:45	12/01/21 08:08	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		11/30/21 08:45	12/01/21 08:08	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		11/30/21 08:45	12/01/21 08:08	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		11/30/21 08:45	12/01/21 08:08	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	121		70 - 130				11/30/21 08:45	12/01/21 08:08	1
1,4-Difluorobenzene (Surr)	103		70 - 130				11/30/21 08:45	12/01/21 08:08	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			12/02/21 16:29	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			12/01/21 20:09	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		12/01/21 08:20	12/01/21 20:12	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/01/21 08:20	12/01/21 20:12	1

Eurofins Xenco, Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster (11.14.21)

Job ID: 880-8624-1
SDG: Lea Co, NM

Client Sample ID: H-7 (0-0.5')

Lab Sample ID: 880-8624-7

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/01/21 08:20	12/01/21 20:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	68	S1-	70 - 130				12/01/21 08:20	12/01/21 20:12	1
o-Terphenyl	68	S1-	70 - 130				12/01/21 08:20	12/01/21 20:12	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	9.04		5.00		mg/Kg			12/01/21 00:40	1

Client Sample ID: H-8 (0-0.5')

Lab Sample ID: 880-8624-8

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		11/30/21 08:45	12/01/21 08:28	1
Toluene	<0.00199	U	0.00199		mg/Kg		11/30/21 08:45	12/01/21 08:28	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		11/30/21 08:45	12/01/21 08:28	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		11/30/21 08:45	12/01/21 08:28	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		11/30/21 08:45	12/01/21 08:28	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		11/30/21 08:45	12/01/21 08:28	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	120		70 - 130				11/30/21 08:45	12/01/21 08:28	1
1,4-Difluorobenzene (Surr)	98		70 - 130				11/30/21 08:45	12/01/21 08:28	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			12/02/21 16:29	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			12/01/21 20:09	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		12/01/21 08:20	12/01/21 20:32	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		12/01/21 08:20	12/01/21 20:32	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		12/01/21 08:20	12/01/21 20:32	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	69	S1-	70 - 130				12/01/21 08:20	12/01/21 20:32	1
o-Terphenyl	70		70 - 130				12/01/21 08:20	12/01/21 20:32	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	26.9		4.95		mg/Kg			12/01/21 00:52	1

Eurofins Xenco, Midland

Surrogate Summary

Client: NT Global
Project/Site: Vaca Draw Booster (11.14.21)

Job ID: 880-8624-1
SDG: Lea Co, NM

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	BFB1	DFBZ1						
		(70-130)	(70-130)						
880-8624-1	H-1 (0-0.5')	126	107						
880-8624-2	H-2 (0-0.5')	117	98						
880-8624-3	H-3 (0-0.5')	110	102						
880-8624-4	H-4 (0-0.5')	117	99						
880-8624-5	H-5 (0-0.5')	125	92						
880-8624-6	H-6 (0-0.5')	122	98						
880-8624-7	H-7 (0-0.5')	121	103						
880-8624-8	H-8 (0-0.5')	120	98						
880-8671-A-1-E MS	Matrix Spike	110	101						
880-8671-A-1-F MSD	Matrix Spike Duplicate	104	96						
LCS 880-13343/1-A	Lab Control Sample	108	99						
LCSD 880-13343/2-A	Lab Control Sample Dup	115	100						
MB 880-13339/5-A	Method Blank	122	107						
MB 880-13343/5-A	Method Blank	120	98						
Surrogate Legend									
BFB = 4-Bromofluorobenzene (Surr)									
DFBZ = 1,4-Difluorobenzene (Surr)									

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	1CO1	OTPH1						
		(70-130)	(70-130)						
880-8623-A-21-L MS	Matrix Spike	109	84						
880-8623-A-21-M MSD	Matrix Spike Duplicate	88	74						
880-8624-1	H-1 (0-0.5')	70	64 S1-						
880-8624-2	H-2 (0-0.5')	68 S1-	67 S1-						
880-8624-3	H-3 (0-0.5')	109	108						
880-8624-4	H-4 (0-0.5')	74	77						
880-8624-5	H-5 (0-0.5')	70	70						
880-8624-6	H-6 (0-0.5')	76	76						
880-8624-7	H-7 (0-0.5')	68 S1-	68 S1-						
880-8624-8	H-8 (0-0.5')	69 S1-	70						
890-1636-A-1-G MS	Matrix Spike	73	66 S1-						
890-1636-A-1-H MSD	Matrix Spike Duplicate	71	66 S1-						
LCS 880-13590/2-A	Lab Control Sample	97	96						
LCS 880-13637/2-A	Lab Control Sample	80	76						
LCSD 880-13590/3-A	Lab Control Sample Dup	97	96						
LCSD 880-13637/3-A	Lab Control Sample Dup	82	79						
MB 880-13590/1-A	Method Blank	73	76						
MB 880-13637/1-A	Method Blank	82	89						
Surrogate Legend									
1CO = 1-Chlorooctane									
OTPH = o-Terphenyl									

Eurofins Xenco, Midland

QC Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster (11.14.21)

Job ID: 880-8624-1
SDG: Lea Co, NM

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-13339/5-A

Matrix: Solid

Analysis Batch: 13426

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13339

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		11/30/21 09:00	11/30/21 12:28	1
Toluene	<0.00200	U	0.00200		mg/Kg		11/30/21 09:00	11/30/21 12:28	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		11/30/21 09:00	11/30/21 12:28	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		11/30/21 09:00	11/30/21 12:28	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		11/30/21 09:00	11/30/21 12:28	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		11/30/21 09:00	11/30/21 12:28	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	122		70 - 130	11/30/21 09:00	11/30/21 12:28	1
1,4-Difluorobenzene (Surr)	107		70 - 130	11/30/21 09:00	11/30/21 12:28	1

Lab Sample ID: MB 880-13343/5-A

Matrix: Solid

Analysis Batch: 13426

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13343

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		11/30/21 08:45	12/01/21 00:02	1
Toluene	<0.00200	U	0.00200		mg/Kg		11/30/21 08:45	12/01/21 00:02	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		11/30/21 08:45	12/01/21 00:02	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		11/30/21 08:45	12/01/21 00:02	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		11/30/21 08:45	12/01/21 00:02	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		11/30/21 08:45	12/01/21 00:02	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	120		70 - 130	11/30/21 08:45	12/01/21 00:02	1
1,4-Difluorobenzene (Surr)	98		70 - 130	11/30/21 08:45	12/01/21 00:02	1

Lab Sample ID: LCS 880-13343/1-A

Matrix: Solid

Analysis Batch: 13426

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 13343

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	0.100	0.09692		mg/Kg		97	70 - 130
Toluene	0.100	0.09859		mg/Kg		99	70 - 130
Ethylbenzene	0.100	0.09649		mg/Kg		96	70 - 130
m-Xylene & p-Xylene	0.200	0.1910		mg/Kg		96	70 - 130
o-Xylene	0.100	0.09260		mg/Kg		93	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	108		70 - 130
1,4-Difluorobenzene (Surr)	99		70 - 130

Lab Sample ID: LCSD 880-13343/2-A

Matrix: Solid

Analysis Batch: 13426

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 13343

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Benzene	0.100	0.09954		mg/Kg		100	70 - 130	3	35

Eurofins Xenco, Midland

QC Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster (11.14.21)

Job ID: 880-8624-1
SDG: Lea Co, NM

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCSD 880-13343/2-A

Matrix: Solid

Analysis Batch: 13426

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 13343

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Toluene	0.100	0.09899		mg/Kg		99	70 - 130	0	35
Ethylbenzene	0.100	0.09348		mg/Kg		93	70 - 130	3	35
m-Xylene & p-Xylene	0.200	0.1853		mg/Kg		93	70 - 130	3	35
o-Xylene	0.100	0.09161		mg/Kg		92	70 - 130	1	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	115		70 - 130
1,4-Difluorobenzene (Surr)	100		70 - 130

Lab Sample ID: 880-8671-A-1-E MS

Matrix: Solid

Analysis Batch: 13426

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 13343

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	0.00699		0.100	0.09584		mg/Kg		88	70 - 130
Toluene	0.00793		0.100	0.09453		mg/Kg		86	70 - 130
Ethylbenzene	0.303	F1	0.100	0.09641	F1	mg/Kg		-206	70 - 130
m-Xylene & p-Xylene	0.449	F1	0.201	0.1930	F1	mg/Kg		-128	70 - 130
o-Xylene	0.264	F1	0.100	0.09283	F1	mg/Kg		-170	70 - 130

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene (Surr)	110		70 - 130
1,4-Difluorobenzene (Surr)	101		70 - 130

Lab Sample ID: 880-8671-A-1-F MSD

Matrix: Solid

Analysis Batch: 13426

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 13343

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	0.00699		0.0990	0.08636		mg/Kg		80	70 - 130	10	35
Toluene	0.00793		0.0990	0.09083		mg/Kg		84	70 - 130	4	35
Ethylbenzene	0.303	F1	0.0990	0.09064	F1	mg/Kg		-214	70 - 130	6	35
m-Xylene & p-Xylene	0.449	F1	0.198	0.1786	F1	mg/Kg		-137	70 - 130	8	35
o-Xylene	0.264	F1	0.0990	0.08652	F1	mg/Kg		-179	70 - 130	7	35

Surrogate	MSD %Recovery	MSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	104		70 - 130
1,4-Difluorobenzene (Surr)	96		70 - 130

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-13590/1-A

Matrix: Solid

Analysis Batch: 13582

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13590

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		12/01/21 08:20	12/01/21 11:53	1

Eurofins Xenco, Midland

QC Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster (11.14.21)

Job ID: 880-8624-1
SDG: Lea Co, NM

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: MB 880-13590/1-A

Matrix: Solid

Analysis Batch: 13582

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13590

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/01/21 08:20	12/01/21 11:53	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/01/21 08:20	12/01/21 11:53	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	73		70 - 130				12/01/21 08:20	12/01/21 11:53	1
o-Terphenyl	76		70 - 130				12/01/21 08:20	12/01/21 11:53	1

Lab Sample ID: LCS 880-13590/2-A

Matrix: Solid

Analysis Batch: 13582

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 13590

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Gasoline Range Organics (GRO)-C6-C10	1000	1092		mg/Kg		109	70 - 130
Diesel Range Organics (Over C10-C28)	1000	1027		mg/Kg		103	70 - 130
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
1-Chlorooctane	97		70 - 130				
o-Terphenyl	96		70 - 130				

Lab Sample ID: LCSD 880-13590/3-A

Matrix: Solid

Analysis Batch: 13582

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 13590

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	1063		mg/Kg		106	70 - 130	3	20
Diesel Range Organics (Over C10-C28)	1000	1052		mg/Kg		105	70 - 130	2	20
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
1-Chlorooctane	97		70 - 130						
o-Terphenyl	96		70 - 130						

Lab Sample ID: 890-1636-A-1-G MS

Matrix: Solid

Analysis Batch: 13582

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 13590

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	997	1287		mg/Kg		129	70 - 130
Diesel Range Organics (Over C10-C28)	61.9		997	1154		mg/Kg		110	70 - 130
Surrogate	MS %Recovery	MS Qualifier	Limits						
1-Chlorooctane	73		70 - 130						
o-Terphenyl	66	S1-	70 - 130						

Eurofins Xenco, Midland

QC Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster (11.14.21)

Job ID: 880-8624-1
SDG: Lea Co, NM

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: 890-1636-A-1-H MSD

Matrix: Solid

Analysis Batch: 13582

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 13590

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	999	1223		mg/Kg		122	70 - 130	5	20
Diesel Range Organics (Over C10-C28)	61.9		999	1151		mg/Kg		109	70 - 130	0	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1-Chlorooctane	71		70 - 130								
o-Terphenyl	66	S1-	70 - 130								

Lab Sample ID: MB 880-13637/1-A

Matrix: Solid

Analysis Batch: 13588

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13637

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		12/01/21 10:13	12/01/21 12:29	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/01/21 10:13	12/01/21 12:29	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/01/21 10:13	12/01/21 12:29	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	82		70 - 130				12/01/21 10:13	12/01/21 12:29	1
o-Terphenyl	89		70 - 130				12/01/21 10:13	12/01/21 12:29	1

Lab Sample ID: LCS 880-13637/2-A

Matrix: Solid

Analysis Batch: 13588

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 13637

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
Gasoline Range Organics (GRO)-C6-C10	1000	1044		mg/Kg		104	70 - 130		
Diesel Range Organics (Over C10-C28)	1000	960.4		mg/Kg		96	70 - 130		
Surrogate	LCS %Recovery	LCS Qualifier	Limits						
1-Chlorooctane	80		70 - 130						
o-Terphenyl	76		70 - 130						

Lab Sample ID: LCSD 880-13637/3-A

Matrix: Solid

Analysis Batch: 13588

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 13637

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	1042		mg/Kg		104	70 - 130	0	20
Diesel Range Organics (Over C10-C28)	1000	993.3		mg/Kg		99	70 - 130	3	20

Eurofins Xenco, Midland

QC Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster (11.14.21)

Job ID: 880-8624-1
SDG: Lea Co, NM

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCSD 880-13637/3-A

Matrix: Solid

Analysis Batch: 13588

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 13637

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	82		70 - 130
o-Terphenyl	79		70 - 130

Lab Sample ID: 880-8623-A-21-L MS

Matrix: Solid

Analysis Batch: 13588

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 13637

	Sample	Sample	Spike	MS	MS				%Rec.	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Gasoline Range Organics (GRO)-C6-C10	<49.9	U F1	997	1770	F1	mg/Kg		178	70 - 130	
Diesel Range Organics (Over C10-C28)	<49.9	U F1	997	1670	F1	mg/Kg		167	70 - 130	
Surrogate	%Recovery	Qualifier	Limits							
1-Chlorooctane	109		70 - 130							
o-Terphenyl	84		70 - 130							

Lab Sample ID: 880-8623-A-21-M MSD

Matrix: Solid

Analysis Batch: 13588

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 13637

	Sample	Sample	Spike	MSD	MSD				%Rec.		RPD	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit	
Gasoline Range Organics (GRO)-C6-C10	<49.9	U F1	999	1450	F1	mg/Kg		145	70 - 130	20	20	
Diesel Range Organics (Over C10-C28)	<49.9	U F1	999	1479	F1	mg/Kg		148	70 - 130	12	20	
Surrogate	%Recovery	Qualifier	Limits									
1-Chlorooctane	88		70 - 130									
o-Terphenyl	74		70 - 130									

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-13492/1-A

Matrix: Solid

Analysis Batch: 13520

Client Sample ID: Method Blank

Prep Type: Soluble

	MB	MB								
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	<5.00	U	5.00		mg/Kg			11/30/21 19:09	1	

Lab Sample ID: LCS 880-13492/2-A

Matrix: Solid

Analysis Batch: 13520

Client Sample ID: Lab Control Sample

Prep Type: Soluble

	Spike	LCS	LCS					%Rec.	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits		
Chloride	250	260.7		mg/Kg		104	90 - 110		

Eurofins Xenco, Midland

QC Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster (11.14.21)

Job ID: 880-8624-1
SDG: Lea Co, NM

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCSD 880-13492/3-A

Matrix: Solid

Analysis Batch: 13520

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride			250	260.7		mg/Kg		104	90 - 110	0	20

Lab Sample ID: 890-1636-A-4-F MS

Matrix: Solid

Analysis Batch: 13520

Client Sample ID: Matrix Spike

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits		
Chloride	48.9		248	296.3		mg/Kg		100	90 - 110		

Lab Sample ID: 890-1636-A-4-G MSD

Matrix: Solid

Analysis Batch: 13520

Client Sample ID: Matrix Spike Duplicate

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	48.9		248	289.6		mg/Kg		97	90 - 110	2	20

QC Association Summary

Client: NT Global
Project/Site: Vaca Draw Booster (11.14.21)

Job ID: 880-8624-1
SDG: Lea Co, NM

GC VOA

Prep Batch: 13339

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-13339/5-A	Method Blank	Total/NA	Solid	5035	

Prep Batch: 13343

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-8624-1	H-1 (0-0.5')	Total/NA	Solid	5035	
880-8624-2	H-2 (0-0.5')	Total/NA	Solid	5035	
880-8624-3	H-3 (0-0.5')	Total/NA	Solid	5035	
880-8624-4	H-4 (0-0.5')	Total/NA	Solid	5035	
880-8624-5	H-5 (0-0.5')	Total/NA	Solid	5035	
880-8624-6	H-6 (0-0.5')	Total/NA	Solid	5035	
880-8624-7	H-7 (0-0.5')	Total/NA	Solid	5035	
880-8624-8	H-8 (0-0.5')	Total/NA	Solid	5035	
MB 880-13343/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-13343/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-13343/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-8671-A-1-E MS	Matrix Spike	Total/NA	Solid	5035	
880-8671-A-1-F MSD	Matrix Spike Duplicate	Total/NA	Solid	5035	

Analysis Batch: 13426

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-8624-1	H-1 (0-0.5')	Total/NA	Solid	8021B	13343
880-8624-2	H-2 (0-0.5')	Total/NA	Solid	8021B	13343
880-8624-3	H-3 (0-0.5')	Total/NA	Solid	8021B	13343
880-8624-4	H-4 (0-0.5')	Total/NA	Solid	8021B	13343
880-8624-5	H-5 (0-0.5')	Total/NA	Solid	8021B	13343
880-8624-6	H-6 (0-0.5')	Total/NA	Solid	8021B	13343
880-8624-7	H-7 (0-0.5')	Total/NA	Solid	8021B	13343
880-8624-8	H-8 (0-0.5')	Total/NA	Solid	8021B	13343
MB 880-13339/5-A	Method Blank	Total/NA	Solid	8021B	13339
MB 880-13343/5-A	Method Blank	Total/NA	Solid	8021B	13343
LCS 880-13343/1-A	Lab Control Sample	Total/NA	Solid	8021B	13343
LCSD 880-13343/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	13343
880-8671-A-1-E MS	Matrix Spike	Total/NA	Solid	8021B	13343
880-8671-A-1-F MSD	Matrix Spike Duplicate	Total/NA	Solid	8021B	13343

Analysis Batch: 13794

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-8624-1	H-1 (0-0.5')	Total/NA	Solid	Total BTEX	
880-8624-2	H-2 (0-0.5')	Total/NA	Solid	Total BTEX	
880-8624-3	H-3 (0-0.5')	Total/NA	Solid	Total BTEX	
880-8624-4	H-4 (0-0.5')	Total/NA	Solid	Total BTEX	
880-8624-5	H-5 (0-0.5')	Total/NA	Solid	Total BTEX	
880-8624-6	H-6 (0-0.5')	Total/NA	Solid	Total BTEX	
880-8624-7	H-7 (0-0.5')	Total/NA	Solid	Total BTEX	
880-8624-8	H-8 (0-0.5')	Total/NA	Solid	Total BTEX	

GC Semi VOA

Analysis Batch: 13582

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-8624-4	H-4 (0-0.5')	Total/NA	Solid	8015B NM	13590

Eurofins Xenco, Midland

QC Association Summary

Client: NT Global
Project/Site: Vaca Draw Booster (11.14.21)

Job ID: 880-8624-1
SDG: Lea Co, NM

GC Semi VOA (Continued)

Analysis Batch: 13582 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-8624-5	H-5 (0-0.5')	Total/NA	Solid	8015B NM	13590
880-8624-6	H-6 (0-0.5')	Total/NA	Solid	8015B NM	13590
880-8624-7	H-7 (0-0.5')	Total/NA	Solid	8015B NM	13590
880-8624-8	H-8 (0-0.5')	Total/NA	Solid	8015B NM	13590
MB 880-13590/1-A	Method Blank	Total/NA	Solid	8015B NM	13590
LCS 880-13590/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	13590
LCSD 880-13590/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	13590
890-1636-A-1-G MS	Matrix Spike	Total/NA	Solid	8015B NM	13590
890-1636-A-1-H MSD	Matrix Spike Duplicate	Total/NA	Solid	8015B NM	13590

Analysis Batch: 13588

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-8624-1	H-1 (0-0.5')	Total/NA	Solid	8015B NM	13637
880-8624-2	H-2 (0-0.5')	Total/NA	Solid	8015B NM	13637
880-8624-3	H-3 (0-0.5')	Total/NA	Solid	8015B NM	13637
MB 880-13637/1-A	Method Blank	Total/NA	Solid	8015B NM	13637
LCS 880-13637/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	13637
LCSD 880-13637/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	13637
880-8623-A-21-L MS	Matrix Spike	Total/NA	Solid	8015B NM	13637
880-8623-A-21-M MSD	Matrix Spike Duplicate	Total/NA	Solid	8015B NM	13637

Prep Batch: 13590

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-8624-4	H-4 (0-0.5')	Total/NA	Solid	8015NM Prep	
880-8624-5	H-5 (0-0.5')	Total/NA	Solid	8015NM Prep	
880-8624-6	H-6 (0-0.5')	Total/NA	Solid	8015NM Prep	
880-8624-7	H-7 (0-0.5')	Total/NA	Solid	8015NM Prep	
880-8624-8	H-8 (0-0.5')	Total/NA	Solid	8015NM Prep	
MB 880-13590/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-13590/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-13590/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
890-1636-A-1-G MS	Matrix Spike	Total/NA	Solid	8015NM Prep	
890-1636-A-1-H MSD	Matrix Spike Duplicate	Total/NA	Solid	8015NM Prep	

Prep Batch: 13637

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-8624-1	H-1 (0-0.5')	Total/NA	Solid	8015NM Prep	
880-8624-2	H-2 (0-0.5')	Total/NA	Solid	8015NM Prep	
880-8624-3	H-3 (0-0.5')	Total/NA	Solid	8015NM Prep	
MB 880-13637/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-13637/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-13637/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
880-8623-A-21-L MS	Matrix Spike	Total/NA	Solid	8015NM Prep	
880-8623-A-21-M MSD	Matrix Spike Duplicate	Total/NA	Solid	8015NM Prep	

Analysis Batch: 13711

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-8624-1	H-1 (0-0.5')	Total/NA	Solid	8015 NM	
880-8624-2	H-2 (0-0.5')	Total/NA	Solid	8015 NM	
880-8624-3	H-3 (0-0.5')	Total/NA	Solid	8015 NM	
880-8624-4	H-4 (0-0.5')	Total/NA	Solid	8015 NM	

Eurofins Xenco, Midland

QC Association Summary

Client: NT Global
Project/Site: Vaca Draw Booster (11.14.21)

Job ID: 880-8624-1
SDG: Lea Co, NM

GC Semi VOA (Continued)

Analysis Batch: 13711 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-8624-5	H-5 (0-0.5')	Total/NA	Solid	8015 NM	
880-8624-6	H-6 (0-0.5')	Total/NA	Solid	8015 NM	
880-8624-7	H-7 (0-0.5')	Total/NA	Solid	8015 NM	
880-8624-8	H-8 (0-0.5')	Total/NA	Solid	8015 NM	

HPLC/IC

Leach Batch: 13492

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-8624-1	H-1 (0-0.5')	Soluble	Solid	DI Leach	
880-8624-2	H-2 (0-0.5')	Soluble	Solid	DI Leach	
880-8624-3	H-3 (0-0.5')	Soluble	Solid	DI Leach	
880-8624-4	H-4 (0-0.5')	Soluble	Solid	DI Leach	
880-8624-5	H-5 (0-0.5')	Soluble	Solid	DI Leach	
880-8624-6	H-6 (0-0.5')	Soluble	Solid	DI Leach	
880-8624-7	H-7 (0-0.5')	Soluble	Solid	DI Leach	
880-8624-8	H-8 (0-0.5')	Soluble	Solid	DI Leach	
MB 880-13492/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-13492/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-13492/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
890-1636-A-4-F MS	Matrix Spike	Soluble	Solid	DI Leach	
890-1636-A-4-G MSD	Matrix Spike Duplicate	Soluble	Solid	DI Leach	

Analysis Batch: 13520

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-8624-1	H-1 (0-0.5')	Soluble	Solid	300.0	13492
880-8624-2	H-2 (0-0.5')	Soluble	Solid	300.0	13492
880-8624-3	H-3 (0-0.5')	Soluble	Solid	300.0	13492
880-8624-4	H-4 (0-0.5')	Soluble	Solid	300.0	13492
880-8624-5	H-5 (0-0.5')	Soluble	Solid	300.0	13492
880-8624-6	H-6 (0-0.5')	Soluble	Solid	300.0	13492
880-8624-7	H-7 (0-0.5')	Soluble	Solid	300.0	13492
880-8624-8	H-8 (0-0.5')	Soluble	Solid	300.0	13492
MB 880-13492/1-A	Method Blank	Soluble	Solid	300.0	13492
LCS 880-13492/2-A	Lab Control Sample	Soluble	Solid	300.0	13492
LCSD 880-13492/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	13492
890-1636-A-4-F MS	Matrix Spike	Soluble	Solid	300.0	13492
890-1636-A-4-G MSD	Matrix Spike Duplicate	Soluble	Solid	300.0	13492

Lab Chronicle

Client: NT Global
Project/Site: Vaca Draw Booster (11.14.21)

Job ID: 880-8624-1
SDG: Lea Co, NM

Client Sample ID: H-1 (0-0.5')

Lab Sample ID: 880-8624-1

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	13343	11/30/21 08:45	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	13426	12/01/21 06:05	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			13794	12/02/21 16:29	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			13711	12/01/21 20:09	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	13637	12/01/21 10:13	DM	XEN MID
Total/NA	Analysis	8015B NM		1			13588	12/01/21 19:16	AJ	XEN MID
Soluble	Leach	DI Leach			5 g	50 mL	13492	11/30/21 12:44	CA	XEN MID
Soluble	Analysis	300.0		1			13520	11/30/21 23:09	CH	XEN MID

Client Sample ID: H-2 (0-0.5')

Lab Sample ID: 880-8624-2

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	13343	11/30/21 08:45	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	13426	12/01/21 06:26	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			13794	12/02/21 16:29	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			13711	12/01/21 20:09	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	13637	12/01/21 10:13	DM	XEN MID
Total/NA	Analysis	8015B NM		1			13588	12/01/21 19:37	AJ	XEN MID
Soluble	Leach	DI Leach			5 g	50 mL	13492	11/30/21 12:44	CA	XEN MID
Soluble	Analysis	300.0		1			13520	11/30/21 23:43	CH	XEN MID

Client Sample ID: H-3 (0-0.5')

Lab Sample ID: 880-8624-3

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	13343	11/30/21 08:45	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	13426	12/01/21 06:46	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			13794	12/02/21 16:29	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			13711	12/01/21 20:09	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	13637	12/01/21 10:13	DM	XEN MID
Total/NA	Analysis	8015B NM		1			13588	12/01/21 19:58	AJ	XEN MID
Soluble	Leach	DI Leach			5.04 g	50 mL	13492	11/30/21 12:44	CA	XEN MID
Soluble	Analysis	300.0		1			13520	11/30/21 23:55	CH	XEN MID

Client Sample ID: H-4 (0-0.5')

Lab Sample ID: 880-8624-4

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	13343	11/30/21 08:45	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	13426	12/01/21 07:07	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			13794	12/02/21 16:29	AJ	XEN MID

Eurofins Xenco, Midland

Lab Chronicle

Client: NT Global
Project/Site: Vaca Draw Booster (11.14.21)

Job ID: 880-8624-1
SDG: Lea Co, NM

Client Sample ID: H-4 (0-0.5')

Lab Sample ID: 880-8624-4

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			13711	12/01/21 20:09	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	13590	12/01/21 08:20	DM	XEN MID
Total/NA	Analysis	8015B NM		1			13582	12/01/21 19:11	AJ	XEN MID
Soluble	Leach	DI Leach			5.05 g	50 mL	13492	11/30/21 12:44	CA	XEN MID
Soluble	Analysis	300.0		1			13520	12/01/21 00:06	CH	XEN MID

Client Sample ID: H-5 (0-0.5')

Lab Sample ID: 880-8624-5

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.96 g	5 mL	13343	11/30/21 08:45	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	13426	12/01/21 07:27	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			13794	12/02/21 16:29	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			13711	12/01/21 20:09	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	13590	12/01/21 08:20	DM	XEN MID
Total/NA	Analysis	8015B NM		1			13582	12/01/21 19:32	AJ	XEN MID
Soluble	Leach	DI Leach			4.96 g	50 mL	13492	11/30/21 12:44	CA	XEN MID
Soluble	Analysis	300.0		1			13520	12/01/21 00:17	CH	XEN MID

Client Sample ID: H-6 (0-0.5')

Lab Sample ID: 880-8624-6

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	13343	11/30/21 08:45	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	13426	12/01/21 07:48	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			13794	12/02/21 16:29	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			13711	12/01/21 20:09	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	13590	12/01/21 08:20	DM	XEN MID
Total/NA	Analysis	8015B NM		1			13582	12/01/21 19:52	AJ	XEN MID
Soluble	Leach	DI Leach			5.02 g	50 mL	13492	11/30/21 12:44	CA	XEN MID
Soluble	Analysis	300.0		1			13520	12/01/21 00:29	CH	XEN MID

Client Sample ID: H-7 (0-0.5')

Lab Sample ID: 880-8624-7

Date Collected: 11/22/21 00:00

Matrix: Solid

Date Received: 11/23/21 11:46

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	13343	11/30/21 08:45	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	13426	12/01/21 08:08	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			13794	12/02/21 16:29	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			13711	12/01/21 20:09	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	13590	12/01/21 08:20	DM	XEN MID
Total/NA	Analysis	8015B NM		1			13582	12/01/21 20:12	AJ	XEN MID

Eurofins Xenco, Midland

Lab Chronicle

Client: NT Global
Project/Site: Vaca Draw Booster (11.14.21)

Job ID: 880-8624-1
SDG: Lea Co, NM

Client Sample ID: H-7 (0-0.5')

Date Collected: 11/22/21 00:00

Date Received: 11/23/21 11:46

Lab Sample ID: 880-8624-7

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5 g	50 mL	13492	11/30/21 12:44	CA	XEN MID
Soluble	Analysis	300.0		1			13520	12/01/21 00:40	CH	XEN MID

Client Sample ID: H-8 (0-0.5')

Date Collected: 11/22/21 00:00

Date Received: 11/23/21 11:46

Lab Sample ID: 880-8624-8

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	13343	11/30/21 08:45	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	13426	12/01/21 08:28	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			13794	12/02/21 16:29	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			13711	12/01/21 20:09	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	13590	12/01/21 08:20	DM	XEN MID
Total/NA	Analysis	8015B NM		1			13582	12/01/21 20:32	AJ	XEN MID
Soluble	Leach	DI Leach			5.05 g	50 mL	13492	11/30/21 12:44	CA	XEN MID
Soluble	Analysis	300.0		1			13520	12/01/21 00:52	CH	XEN MID

Laboratory References:

XEN MID = Eurofins Xenco, Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Accreditation/Certification Summary

Client: NT Global
Project/Site: Vaca Draw Booster (11.14.21)

Job ID: 880-8624-1
SDG: Lea Co, NM

Laboratory: Eurofins Xenco, Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400-21-22	06-30-22

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH
Total BTEX		Solid	Total BTEX

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: NT Global

Job ID: 880-8624-1

Project/Site: Vaca Draw Booster (11.14.21)

SDG: Lea Co, NM

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	XEN MID
Total BTEX	Total BTEX Calculation	TAL SOP	XEN MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	XEN MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	XEN MID
300.0	Anions, Ion Chromatography	MCAWW	XEN MID
5035	Closed System Purge and Trap	SW846	XEN MID
8015NM Prep	Microextraction	SW846	XEN MID
DI Leach	Deionized Water Leaching Procedure	ASTM	XEN MID

Protocol References:

ASTM = ASTM International

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

XEN MID = Eurofins Xenco, Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Eurofins Xenco, Midland

Sample Summary

Client: NT Global
Project/Site: Vaca Draw Booster (11.14.21)

Job ID: 880-8624-1
SDG: Lea Co, NM

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
880-8624-1	H-1 (0-0.5')	Solid	11/22/21 00:00	11/23/21 11:46
880-8624-2	H-2 (0-0.5')	Solid	11/22/21 00:00	11/23/21 11:46
880-8624-3	H-3 (0-0.5')	Solid	11/22/21 00:00	11/23/21 11:46
880-8624-4	H-4 (0-0.5')	Solid	11/22/21 00:00	11/23/21 11:46
880-8624-5	H-5 (0-0.5')	Solid	11/22/21 00:00	11/23/21 11:46
880-8624-6	H-6 (0-0.5')	Solid	11/22/21 00:00	11/23/21 11:46
880-8624-7	H-7 (0-0.5')	Solid	11/22/21 00:00	11/23/21 11:46
880-8624-8	H-8 (0-0.5')	Solid	11/22/21 00:00	11/23/21 11:46



Chain of Custody



880-8624 Chain of Custody

Page 1 of 1

Project Manager	Mike Carmona	Bill to (if different)	Joe Vargo
Company Name	NTG Environmental	Company Name	NGL
Address	701 Tradewinds BLVD	Address	865 North Albion Street Suite 400
City, State ZIP	Midland, TX 79706	City, State ZIP	Denver, CO 80220
Phone:	432-813-0263	Email	Joseph.Vargo@nnglep.com

Work Order Comments	
Program: UST/PST ☐ PRP ☐ Brownfields ☐ RRC ☐ Superfund ☐	
State of Project.	
Reporting Level II ☐ Level III ☐ PST/UST ☐ RRP ☐ Level IV ☐	
Deliverables EDD ☐ ADAPT ☐ Other ☐	

[illegible]

Additional Comments:

Notice: Signature of this document void relinquishment of samples constitutes a valid purchase order from client company to Xencio, its affiliates and subcontractors. If assigns standard terms and conditions of service, Xencio will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xencio. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Xencio, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by (Signature)	Received by (Signature)	Date/Time	Relinquished by (Signature)	Received by (Signature)	Date/Time
1 <i>Nickita</i>	<i>Johnnie P</i>	11/23/21 11:46	2		
3			4		
5			6		

Login Sample Receipt Checklist

Client: NT Global

Job Number: 880-8624-1

SDG Number: Lea Co, NM

Login Number: 8624

List Source: Eurofins Xenco, Midland

List Number: 1

Creator: Rodriguez, Leticia

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	



Environment Testing America

ANALYTICAL REPORT

Eurofins Xenco, Midland
1211 W. Florida Ave
Midland, TX 79701
Tel: (432)704-5440

Laboratory Job ID: 880-9678-1

Laboratory Sample Delivery Group: Lea Co, NM
Client Project/Site: Vaca Draw Booster 11.14.21

For:

NT Global
701 Tradewinds Blvd
Midland, Texas 79706

Attn: Mike Carmona

A handwritten signature in black ink that reads "Jessica Kramer".

Authorized for release by:
12/29/2021 12:11:04 PM

Jessica Kramer, Project Manager
(432)704-5440
jessica.kramer@eurofinset.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Laboratory Job ID: 880-9678-1
SDG: Lea Co, NM

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Client Sample Results	5
Surrogate Summary	20
QC Sample Results	22
QC Association Summary	30
Lab Chronicle	36
Certification Summary	42
Method Summary	43
Sample Summary	44
Chain of Custody	45
Receipt Checklists	47

1
2
3
4
5
6
7
8
9
10
11
12
13
14

Definitions/Glossary

Client: NT Global

Job ID: 880-9678-1

Project/Site: Vaca Draw Booster 11.14.21

SDG: Lea Co, NM

Qualifiers

GC VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
S1-	Surrogate recovery exceeds control limits, low biased.
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
*+	LCS and/or LCSD is outside acceptance limits, high biased.
F1	MS and/or MSD recovery exceeds control limits.
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Eurofins Xenco, Midland

Case Narrative

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-9678-1
SDG: Lea Co, NM

Job ID: 880-9678-1**Laboratory: Eurofins Xenco, Midland****Narrative****Job Narrative
880-9678-1****Receipt**

The samples were received on 12/23/2021 11:03 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was -2.4°C

GC VOA

Method 8021B: Surrogate recovery for the following sample was outside control limits: T-1 (1') (880-9678-2). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8021B: Surrogate recovery for the following samples were outside control limits: T-3 (3') (880-9678-14), T-4 (0-1') (880-9678-15), T-4 (1') (880-9678-16), (CCV 880-15649/2), (LCS 880-15650/1-A), (LCSD 880-15650/2-A), (MB 880-15650/5-A), (880-9678-A-1-H MS) and (880-9678-A-1-I MSD). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8021B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-15650 and analytical batch 880-15649 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC Semi VOA

Method 8015MOD_NM: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-15547 and analytical batch 880-15542 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method 8015MOD_NM: Surrogate recovery for the following samples were outside control limits: T-2 (1') (880-9678-7), T-3 (3') (880-9678-14), T-4 (1') (880-9678-16), T-4 (2') (880-9678-17) and T-4 (3') (880-9678-18). Evidence of matrix interferences is not obvious.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-9678-1
SDG: Lea Co, NM

Client Sample ID: T-1 (0-1')

Lab Sample ID: 880-9678-1

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		12/23/21 14:27	12/24/21 11:08	1
Toluene	<0.00199	U	0.00199		mg/Kg		12/23/21 14:27	12/24/21 11:08	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		12/23/21 14:27	12/24/21 11:08	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		12/23/21 14:27	12/24/21 11:08	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		12/23/21 14:27	12/24/21 11:08	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		12/23/21 14:27	12/24/21 11:08	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	116		70 - 130	12/23/21 14:27	12/24/21 11:08	1
1,4-Difluorobenzene (Surr)	98		70 - 130	12/23/21 14:27	12/24/21 11:08	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			12/29/21 11:55	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	410		49.9		mg/Kg			12/28/21 11:38	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U *+ F1	49.9		mg/Kg		12/27/21 08:34	12/27/21 15:13	1
Diesel Range Organics (Over C10-C28)	410	*+ F1	49.9		mg/Kg		12/27/21 08:34	12/27/21 15:13	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		12/27/21 08:34	12/27/21 15:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	103		70 - 130	12/27/21 08:34	12/27/21 15:13	1
o-Terphenyl	110		70 - 130	12/27/21 08:34	12/27/21 15:13	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	9550		49.5		mg/Kg			12/26/21 16:37	10

Client Sample ID: T-1 (1')

Lab Sample ID: 880-9678-2

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:27	12/24/21 08:45	1
Toluene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:27	12/24/21 08:45	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:27	12/24/21 08:45	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		12/23/21 14:27	12/24/21 08:45	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:27	12/24/21 08:45	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		12/23/21 14:27	12/24/21 08:45	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	137	S1+	70 - 130	12/23/21 14:27	12/24/21 08:45	1
1,4-Difluorobenzene (Surr)	121		70 - 130	12/23/21 14:27	12/24/21 08:45	1

Eurofins Xenco, Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-9678-1
SDG: Lea Co, NM

Client Sample ID: T-1 (1')

Lab Sample ID: 880-9678-2

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400		mg/Kg			12/29/21 11:55	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	60.0		50.0		mg/Kg			12/28/21 11:38	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U *	50.0		mg/Kg		12/27/21 08:34	12/27/21 16:16	1
Diesel Range Organics (Over C10-C28)	60.0	+	50.0		mg/Kg		12/27/21 08:34	12/27/21 16:16	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/27/21 08:34	12/27/21 16:16	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	117		70 - 130				12/27/21 08:34	12/27/21 16:16	1
o-Terphenyl	121		70 - 130				12/27/21 08:34	12/27/21 16:16	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	459		5.05		mg/Kg			12/26/21 17:23	1

Client Sample ID: T-1 (2')

Lab Sample ID: 880-9678-3

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		12/23/21 14:27	12/24/21 09:05	1
Toluene	<0.00201	U	0.00201		mg/Kg		12/23/21 14:27	12/24/21 09:05	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		12/23/21 14:27	12/24/21 09:05	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		12/23/21 14:27	12/24/21 09:05	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		12/23/21 14:27	12/24/21 09:05	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		12/23/21 14:27	12/24/21 09:05	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103		70 - 130				12/23/21 14:27	12/24/21 09:05	1
1,4-Difluorobenzene (Surr)	86		70 - 130				12/23/21 14:27	12/24/21 09:05	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			12/29/21 11:55	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			12/28/21 11:38	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U *	50.0		mg/Kg		12/27/21 08:34	12/27/21 16:38	1
Diesel Range Organics (Over C10-C28)	<50.0	U *	50.0		mg/Kg		12/27/21 08:34	12/27/21 16:38	1

Eurofins Xenco, Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-9678-1
SDG: Lea Co, NM

Client Sample ID: T-1 (2')

Lab Sample ID: 880-9678-3

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/27/21 08:34	12/27/21 16:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	96		70 - 130				12/27/21 08:34	12/27/21 16:38	1
o-Terphenyl	103		70 - 130				12/27/21 08:34	12/27/21 16:38	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	669		4.97		mg/Kg			12/26/21 17:38	1

Client Sample ID: T-1 (3')

Lab Sample ID: 880-9678-4

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:27	12/24/21 12:58	1
Toluene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:27	12/24/21 12:58	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:27	12/24/21 12:58	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		12/23/21 14:27	12/24/21 12:58	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:27	12/24/21 12:58	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		12/23/21 14:27	12/24/21 12:58	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	72		70 - 130				12/23/21 14:27	12/24/21 12:58	1
1,4-Difluorobenzene (Surr)	72		70 - 130				12/23/21 14:27	12/24/21 12:58	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			12/29/21 11:56	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	66.6		49.9		mg/Kg			12/28/21 11:38	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U **	49.9		mg/Kg		12/27/21 08:34	12/27/21 17:01	1
Diesel Range Organics (Over C10-C28)	66.6	**	49.9		mg/Kg		12/27/21 08:34	12/27/21 17:01	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		12/27/21 08:34	12/27/21 17:01	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	98		70 - 130				12/27/21 08:34	12/27/21 17:01	1
o-Terphenyl	105		70 - 130				12/27/21 08:34	12/27/21 17:01	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<4.95	U	4.95		mg/Kg			12/26/21 17:53	1

Eurofins Xenco, Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-9678-1
SDG: Lea Co, NM

Client Sample ID: T-1 (4')

Lab Sample ID: 880-9678-5

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		12/23/21 14:27	12/24/21 13:18	1
Toluene	<0.00199	U	0.00199		mg/Kg		12/23/21 14:27	12/24/21 13:18	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		12/23/21 14:27	12/24/21 13:18	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		12/23/21 14:27	12/24/21 13:18	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		12/23/21 14:27	12/24/21 13:18	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		12/23/21 14:27	12/24/21 13:18	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	121		70 - 130	12/23/21 14:27	12/24/21 13:18	1
1,4-Difluorobenzene (Surr)	100		70 - 130	12/23/21 14:27	12/24/21 13:18	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			12/29/21 11:56	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			12/28/21 11:38	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U **	49.8		mg/Kg		12/27/21 08:34	12/27/21 17:22	1
Diesel Range Organics (Over C10-C28)	<49.8	U **	49.8		mg/Kg		12/27/21 08:34	12/27/21 17:22	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		12/27/21 08:34	12/27/21 17:22	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	101		70 - 130	12/27/21 08:34	12/27/21 17:22	1
o-Terphenyl	105		70 - 130	12/27/21 08:34	12/27/21 17:22	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<5.04	U	5.04		mg/Kg			12/26/21 18:09	1

Client Sample ID: T-2 (0-1')

Lab Sample ID: 880-9678-6

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:27	12/24/21 13:39	1
Toluene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:27	12/24/21 13:39	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:27	12/24/21 13:39	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		12/23/21 14:27	12/24/21 13:39	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:27	12/24/21 13:39	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		12/23/21 14:27	12/24/21 13:39	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		70 - 130	12/23/21 14:27	12/24/21 13:39	1
1,4-Difluorobenzene (Surr)	82		70 - 130	12/23/21 14:27	12/24/21 13:39	1

Eurofins Xenco, Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-9678-1
SDG: Lea Co, NM

Client Sample ID: T-2 (0-1')

Lab Sample ID: 880-9678-6

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			12/29/21 11:56	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	193		49.9		mg/Kg			12/28/21 11:38	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U *	49.9		mg/Kg		12/27/21 08:34	12/27/21 17:43	1
Diesel Range Organics (Over C10-C28)	193	+	49.9		mg/Kg		12/27/21 08:34	12/27/21 17:43	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		12/27/21 08:34	12/27/21 17:43	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	114		70 - 130				12/27/21 08:34	12/27/21 17:43	1
o-Terphenyl	120		70 - 130				12/27/21 08:34	12/27/21 17:43	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	9130		99.8		mg/Kg			12/26/21 18:55	20

Client Sample ID: T-2 (1')

Lab Sample ID: 880-9678-7

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		12/23/21 14:27	12/24/21 13:59	1
Toluene	<0.00199	U	0.00199		mg/Kg		12/23/21 14:27	12/24/21 13:59	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		12/23/21 14:27	12/24/21 13:59	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		12/23/21 14:27	12/24/21 13:59	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		12/23/21 14:27	12/24/21 13:59	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		12/23/21 14:27	12/24/21 13:59	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	122		70 - 130				12/23/21 14:27	12/24/21 13:59	1
1,4-Difluorobenzene (Surr)	99		70 - 130				12/23/21 14:27	12/24/21 13:59	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			12/29/21 11:56	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			12/28/21 11:38	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U *	50.0		mg/Kg		12/27/21 08:34	12/27/21 18:04	1
Diesel Range Organics (Over C10-C28)	<50.0	U *	50.0		mg/Kg		12/27/21 08:34	12/27/21 18:04	1

Eurofins Xenco, Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-9678-1
SDG: Lea Co, NM

Client Sample ID: T-2 (1')

Lab Sample ID: 880-9678-7

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/27/21 08:34	12/27/21 18:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	127		70 - 130				12/27/21 08:34	12/27/21 18:04	1
o-Terphenyl	131	S1+	70 - 130				12/27/21 08:34	12/27/21 18:04	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3140		24.9		mg/Kg			12/26/21 19:10	5

Client Sample ID: T-2 (2')

Lab Sample ID: 880-9678-8

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:27	12/24/21 14:20	1
Toluene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:27	12/24/21 14:20	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:27	12/24/21 14:20	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		12/23/21 14:27	12/24/21 14:20	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:27	12/24/21 14:20	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		12/23/21 14:27	12/24/21 14:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	114		70 - 130				12/23/21 14:27	12/24/21 14:20	1
1,4-Difluorobenzene (Surr)	99		70 - 130				12/23/21 14:27	12/24/21 14:20	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			12/29/21 11:56	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			12/28/21 11:38	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U **	49.9		mg/Kg		12/27/21 08:34	12/27/21 18:25	1
Diesel Range Organics (Over C10-C28)	<49.9	U **	49.9		mg/Kg		12/27/21 08:34	12/27/21 18:25	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		12/27/21 08:34	12/27/21 18:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	101		70 - 130				12/27/21 08:34	12/27/21 18:25	1
o-Terphenyl	109		70 - 130				12/27/21 08:34	12/27/21 18:25	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	636		4.95		mg/Kg			12/26/21 19:26	1

Eurofins Xenco, Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-9678-1
SDG: Lea Co, NM

Client Sample ID: T-2 (3')

Lab Sample ID: 880-9678-9

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		12/23/21 14:27	12/24/21 14:40	1
Toluene	<0.00202	U	0.00202		mg/Kg		12/23/21 14:27	12/24/21 14:40	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		12/23/21 14:27	12/24/21 14:40	1
m-Xylene & p-Xylene	<0.00403	U	0.00403		mg/Kg		12/23/21 14:27	12/24/21 14:40	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		12/23/21 14:27	12/24/21 14:40	1
Xylenes, Total	<0.00403	U	0.00403		mg/Kg		12/23/21 14:27	12/24/21 14:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	124		70 - 130	12/23/21 14:27	12/24/21 14:40	1
1,4-Difluorobenzene (Surr)	97		70 - 130	12/23/21 14:27	12/24/21 14:40	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00403	U	0.00403		mg/Kg			12/29/21 11:56	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			12/28/21 11:38	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U **	49.9		mg/Kg		12/27/21 08:34	12/27/21 18:45	1
Diesel Range Organics (Over C10-C28)	<49.9	U **	49.9		mg/Kg		12/27/21 08:34	12/27/21 18:45	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		12/27/21 08:34	12/27/21 18:45	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	105		70 - 130	12/27/21 08:34	12/27/21 18:45	1
o-Terphenyl	110		70 - 130	12/27/21 08:34	12/27/21 18:45	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	670		5.01		mg/Kg			12/26/21 19:41	1

Client Sample ID: T-2 (4')

Lab Sample ID: 880-9678-10

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:27	12/24/21 15:00	1
Toluene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:27	12/24/21 15:00	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:27	12/24/21 15:00	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		12/23/21 14:27	12/24/21 15:00	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:27	12/24/21 15:00	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		12/23/21 14:27	12/24/21 15:00	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	78		70 - 130	12/23/21 14:27	12/24/21 15:00	1
1,4-Difluorobenzene (Surr)	80		70 - 130	12/23/21 14:27	12/24/21 15:00	1

Eurofins Xenco, Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-9678-1
SDG: Lea Co, NM

Client Sample ID: T-2 (4')

Lab Sample ID: 880-9678-10

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			12/29/21 11:56	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			12/28/21 11:38	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U **	50.0		mg/Kg		12/27/21 08:34	12/27/21 19:06	1
Diesel Range Organics (Over C10-C28)	<50.0	U **	50.0		mg/Kg		12/27/21 08:34	12/27/21 19:06	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/27/21 08:34	12/27/21 19:06	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	101		70 - 130				12/27/21 08:34	12/27/21 19:06	1
o-Terphenyl	103		70 - 130				12/27/21 08:34	12/27/21 19:06	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<4.98	U	4.98		mg/Kg			12/26/21 19:56	1

Client Sample ID: T-3 (0-1')

Lab Sample ID: 880-9678-11

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		12/23/21 14:27	12/24/21 15:21	1
Toluene	<0.00199	U	0.00199		mg/Kg		12/23/21 14:27	12/24/21 15:21	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		12/23/21 14:27	12/24/21 15:21	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		12/23/21 14:27	12/24/21 15:21	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		12/23/21 14:27	12/24/21 15:21	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		12/23/21 14:27	12/24/21 15:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	127		70 - 130				12/23/21 14:27	12/24/21 15:21	1
1,4-Difluorobenzene (Surr)	96		70 - 130				12/23/21 14:27	12/24/21 15:21	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			12/29/21 11:56	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			12/28/21 11:38	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U **	50.0		mg/Kg		12/27/21 08:34	12/27/21 19:47	1
Diesel Range Organics (Over C10-C28)	<50.0	U **	50.0		mg/Kg		12/27/21 08:34	12/27/21 19:47	1

Eurofins Xenco, Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-9678-1
SDG: Lea Co, NM

Client Sample ID: T-3 (0-1')

Lab Sample ID: 880-9678-11

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/27/21 08:34	12/27/21 19:47	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	116		70 - 130				12/27/21 08:34	12/27/21 19:47	1
o-Terphenyl	117		70 - 130				12/27/21 08:34	12/27/21 19:47	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1450		25.0		mg/Kg			12/26/21 20:12	5

Client Sample ID: T-3 (1')

Lab Sample ID: 880-9678-12

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:27	12/24/21 15:41	1
Toluene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:27	12/24/21 15:41	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:27	12/24/21 15:41	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		12/23/21 14:27	12/24/21 15:41	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:27	12/24/21 15:41	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		12/23/21 14:27	12/24/21 15:41	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	130		70 - 130				12/23/21 14:27	12/24/21 15:41	1
1,4-Difluorobenzene (Surr)	102		70 - 130				12/23/21 14:27	12/24/21 15:41	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			12/29/21 11:56	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			12/28/21 11:38	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U **	50.0		mg/Kg		12/27/21 08:34	12/27/21 20:08	1
Diesel Range Organics (Over C10-C28)	<50.0	U **	50.0		mg/Kg		12/27/21 08:34	12/27/21 20:08	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/27/21 08:34	12/27/21 20:08	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	124		70 - 130				12/27/21 08:34	12/27/21 20:08	1
o-Terphenyl	126		70 - 130				12/27/21 08:34	12/27/21 20:08	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	362		5.02		mg/Kg			12/26/21 20:58	1

Eurofins Xenco, Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-9678-1
SDG: Lea Co, NM

Client Sample ID: T-3 (2')

Lab Sample ID: 880-9678-13

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:27	12/24/21 16:02	1
Toluene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:27	12/24/21 16:02	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:27	12/24/21 16:02	1
m-Xylene & p-Xylene	<0.00401	U	0.00401		mg/Kg		12/23/21 14:27	12/24/21 16:02	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:27	12/24/21 16:02	1
Xylenes, Total	<0.00401	U	0.00401		mg/Kg		12/23/21 14:27	12/24/21 16:02	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	132	S1+	70 - 130	12/23/21 14:27	12/24/21 16:02	1
1,4-Difluorobenzene (Surr)	97		70 - 130	12/23/21 14:27	12/24/21 16:02	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00401	U	0.00401		mg/Kg			12/29/21 11:56	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			12/28/21 11:38	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U **	49.9		mg/Kg		12/27/21 08:34	12/27/21 20:29	1
Diesel Range Organics (Over C10-C28)	<49.9	U **	49.9		mg/Kg		12/27/21 08:34	12/27/21 20:29	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		12/27/21 08:34	12/27/21 20:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	125		70 - 130	12/27/21 08:34	12/27/21 20:29	1
o-Terphenyl	127		70 - 130	12/27/21 08:34	12/27/21 20:29	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	131		4.95		mg/Kg			12/28/21 11:13	1

Client Sample ID: T-3 (3')

Lab Sample ID: 880-9678-14

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		12/28/21 12:49	12/29/21 00:16	1
Toluene	<0.00199	U	0.00199		mg/Kg		12/28/21 12:49	12/29/21 00:16	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		12/28/21 12:49	12/29/21 00:16	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		12/28/21 12:49	12/29/21 00:16	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		12/28/21 12:49	12/29/21 00:16	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		12/28/21 12:49	12/29/21 00:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	128		70 - 130	12/28/21 12:49	12/29/21 00:16	1
1,4-Difluorobenzene (Surr)	51	S1-	70 - 130	12/28/21 12:49	12/29/21 00:16	1

Eurofins Xenco, Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-9678-1
SDG: Lea Co, NM

Client Sample ID: T-3 (3')

Lab Sample ID: 880-9678-14

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			12/29/21 11:55	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			12/28/21 11:38	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U **	50.0		mg/Kg		12/27/21 08:34	12/27/21 20:51	1
Diesel Range Organics (Over C10-C28)	<50.0	U **	50.0		mg/Kg		12/27/21 08:34	12/27/21 20:51	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/27/21 08:34	12/27/21 20:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	129		70 - 130				12/27/21 08:34	12/27/21 20:51	1
o-Terphenyl	134	S1+	70 - 130				12/27/21 08:34	12/27/21 20:51	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	58.3		5.05		mg/Kg			12/28/21 11:33	1

Client Sample ID: T-4 (0-1')

Lab Sample ID: 880-9678-15

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		12/28/21 12:49	12/29/21 00:44	1
Toluene	<0.00198	U	0.00198		mg/Kg		12/28/21 12:49	12/29/21 00:44	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		12/28/21 12:49	12/29/21 00:44	1
m-Xylene & p-Xylene	<0.00397	U	0.00397		mg/Kg		12/28/21 12:49	12/29/21 00:44	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		12/28/21 12:49	12/29/21 00:44	1
Xylenes, Total	<0.00397	U	0.00397		mg/Kg		12/28/21 12:49	12/29/21 00:44	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	129		70 - 130				12/28/21 12:49	12/29/21 00:44	1
1,4-Difluorobenzene (Surr)	46	S1-	70 - 130				12/28/21 12:49	12/29/21 00:44	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00397	U	0.00397		mg/Kg			12/29/21 11:55	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			12/28/21 11:38	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U **	49.9		mg/Kg		12/27/21 08:34	12/27/21 21:13	1
Diesel Range Organics (Over C10-C28)	<49.9	U **	49.9		mg/Kg		12/27/21 08:34	12/27/21 21:13	1

Eurofins Xenco, Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-9678-1
SDG: Lea Co, NM

Client Sample ID: T-4 (0-1')

Lab Sample ID: 880-9678-15

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		12/27/21 08:34	12/27/21 21:13	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	103		70 - 130				12/27/21 08:34	12/27/21 21:13	1
o-Terphenyl	111		70 - 130				12/27/21 08:34	12/27/21 21:13	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1660		24.9		mg/Kg			12/28/21 11:40	5

Client Sample ID: T-4 (1')

Lab Sample ID: 880-9678-16

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		12/28/21 12:49	12/29/21 01:11	1
Toluene	<0.00201	U	0.00201		mg/Kg		12/28/21 12:49	12/29/21 01:11	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		12/28/21 12:49	12/29/21 01:11	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		12/28/21 12:49	12/29/21 01:11	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		12/28/21 12:49	12/29/21 01:11	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		12/28/21 12:49	12/29/21 01:11	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	117		70 - 130				12/28/21 12:49	12/29/21 01:11	1
1,4-Difluorobenzene (Surr)	44	S1-	70 - 130				12/28/21 12:49	12/29/21 01:11	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			12/29/21 11:55	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			12/28/21 11:38	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U **	49.9		mg/Kg		12/27/21 08:34	12/27/21 21:36	1
Diesel Range Organics (Over C10-C28)	<49.9	U **	49.9		mg/Kg		12/27/21 08:34	12/27/21 21:36	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		12/27/21 08:34	12/27/21 21:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	130		70 - 130				12/27/21 08:34	12/27/21 21:36	1
o-Terphenyl	134	S1+	70 - 130				12/27/21 08:34	12/27/21 21:36	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	608		4.95		mg/Kg			12/28/21 11:46	1

Eurofins Xenco, Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-9678-1
SDG: Lea Co, NM

Client Sample ID: T-4 (2')

Lab Sample ID: 880-9678-17

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		12/23/21 14:33	12/24/21 19:39	1
Toluene	<0.00199	U	0.00199		mg/Kg		12/23/21 14:33	12/24/21 19:39	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		12/23/21 14:33	12/24/21 19:39	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		12/23/21 14:33	12/24/21 19:39	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		12/23/21 14:33	12/24/21 19:39	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		12/23/21 14:33	12/24/21 19:39	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	115		70 - 130	12/23/21 14:33	12/24/21 19:39	1
1,4-Difluorobenzene (Surr)	85		70 - 130	12/23/21 14:33	12/24/21 19:39	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			12/29/21 11:56	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			12/28/21 11:38	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U **	50.0		mg/Kg		12/27/21 08:34	12/27/21 21:58	1
Diesel Range Organics (Over C10-C28)	<50.0	U **	50.0		mg/Kg		12/27/21 08:34	12/27/21 21:58	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/27/21 08:34	12/27/21 21:58	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	130		70 - 130	12/27/21 08:34	12/27/21 21:58	1
o-Terphenyl	136	S1+	70 - 130	12/27/21 08:34	12/27/21 21:58	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	741		25.2		mg/Kg			12/28/21 11:53	5

Client Sample ID: T-4 (3')

Lab Sample ID: 880-9678-18

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:33	12/24/21 20:00	1
Toluene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:33	12/24/21 20:00	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:33	12/24/21 20:00	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		12/23/21 14:33	12/24/21 20:00	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:33	12/24/21 20:00	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		12/23/21 14:33	12/24/21 20:00	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	122		70 - 130	12/23/21 14:33	12/24/21 20:00	1
1,4-Difluorobenzene (Surr)	106		70 - 130	12/23/21 14:33	12/24/21 20:00	1

Eurofins Xenco, Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-9678-1
SDG: Lea Co, NM

Client Sample ID: T-4 (3')

Lab Sample ID: 880-9678-18

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			12/29/21 11:56	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			12/28/21 11:38	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U **	49.9		mg/Kg		12/27/21 08:34	12/27/21 22:21	1
Diesel Range Organics (Over C10-C28)	<49.9	U **	49.9		mg/Kg		12/27/21 08:34	12/27/21 22:21	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		12/27/21 08:34	12/27/21 22:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	134	S1+	70 - 130				12/27/21 08:34	12/27/21 22:21	1
o-Terphenyl	140	S1+	70 - 130				12/27/21 08:34	12/27/21 22:21	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	453		4.99		mg/Kg			12/28/21 12:13	1

Client Sample ID: T-4 (4')

Lab Sample ID: 880-9678-19

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		12/23/21 14:33	12/24/21 20:20	1
Toluene	<0.00199	U	0.00199		mg/Kg		12/23/21 14:33	12/24/21 20:20	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		12/23/21 14:33	12/24/21 20:20	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		12/23/21 14:33	12/24/21 20:20	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		12/23/21 14:33	12/24/21 20:20	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		12/23/21 14:33	12/24/21 20:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	119		70 - 130				12/23/21 14:33	12/24/21 20:20	1
1,4-Difluorobenzene (Surr)	97		70 - 130				12/23/21 14:33	12/24/21 20:20	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			12/29/21 11:56	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			12/28/21 11:38	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U **	50.0		mg/Kg		12/27/21 08:34	12/27/21 22:44	1
Diesel Range Organics (Over C10-C28)	<50.0	U **	50.0		mg/Kg		12/27/21 08:34	12/27/21 22:44	1

Eurofins Xenco, Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-9678-1
SDG: Lea Co, NM

Client Sample ID: T-4 (4')

Lab Sample ID: 880-9678-19

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/27/21 08:34	12/27/21 22:44	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	108		70 - 130	12/27/21 08:34	12/27/21 22:44	1
o-Terphenyl	112		70 - 130	12/27/21 08:34	12/27/21 22:44	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	108		4.98		mg/Kg			12/28/21 12:20	1

Surrogate Summary

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-9678-1
SDG: Lea Co, NM

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		BFB1 (70-130)	DFBZ1 (70-130)
880-9678-1	T-1 (0-1')	116	98
880-9678-1 MS	T-1 (0-1')	167 S1+	72
880-9678-1 MSD	T-1 (0-1')	140 S1+	77
880-9678-2	T-1 (1')	137 S1+	121
880-9678-3	T-1 (2')	103	86
880-9678-4	T-1 (3')	72	72
880-9678-5	T-1 (4')	121	100
880-9678-6	T-2 (0-1')	100	82
880-9678-7	T-2 (1')	122	99
880-9678-8	T-2 (2')	114	99
880-9678-9	T-2 (3')	124	97
880-9678-10	T-2 (4')	78	80
880-9678-11	T-3 (0-1')	127	96
880-9678-12	T-3 (1')	130	102
880-9678-13	T-3 (2')	132 S1+	97
880-9678-14	T-3 (3')	128	51 S1-
880-9678-15	T-4 (0-1')	129	46 S1-
880-9678-16	T-4 (1')	117	44 S1-
880-9678-17	T-4 (2')	115	85
880-9678-17 MS	T-4 (2')	136 S1+	112
880-9678-17 MSD	T-4 (2')	114	91
880-9678-18	T-4 (3')	122	106
880-9678-19	T-4 (4')	119	97
LCS 880-15474/1-A	Lab Control Sample	102	85
LCS 880-15475/1-A	Lab Control Sample	122	100
LCS 880-15650/1-A	Lab Control Sample	147 S1+	86
LCSD 880-15474/2-A	Lab Control Sample Dup	117	100
LCSD 880-15475/2-A	Lab Control Sample Dup	121	98
LCSD 880-15650/2-A	Lab Control Sample Dup	168 S1+	59 S1-
MB 880-15437/5-A	Method Blank	122	100
MB 880-15474/5-A	Method Blank	123	101
MB 880-15475/5-A	Method Blank	119	104
MB 880-15650/5-A	Method Blank	108	60 S1-
Surrogate Legend			
BFB = 4-Bromofluorobenzene (Surr)			
DFBZ = 1,4-Difluorobenzene (Surr)			

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		1CO1 (70-130)	OTPH1 (70-130)
880-9678-1	T-1 (0-1')	103	110
880-9678-1 MS	T-1 (0-1')	106	100
880-9678-1 MSD	T-1 (0-1')	120	115
880-9678-2	T-1 (1')	117	121
880-9678-3	T-1 (2')	96	103
880-9678-4	T-1 (3')	98	105

Eurofins Xenco, Midland

Surrogate Summary

Client: NT Global

Job ID: 880-9678-1

Project/Site: Vaca Draw Booster 11.14.21

SDG: Lea Co, NM

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO1 (70-130)	OTPH1 (70-130)
880-9678-5	T-1 (4')	101	105
880-9678-6	T-2 (0-1')	114	120
880-9678-7	T-2 (1')	127	131 S1+
880-9678-8	T-2 (2')	101	109
880-9678-9	T-2 (3')	105	110
880-9678-10	T-2 (4')	101	103
880-9678-11	T-3 (0-1')	116	117
880-9678-12	T-3 (1')	124	126
880-9678-13	T-3 (2')	125	127
880-9678-14	T-3 (3')	129	134 S1+
880-9678-15	T-4 (0-1')	103	111
880-9678-16	T-4 (1')	130	134 S1+
880-9678-17	T-4 (2')	130	136 S1+
880-9678-18	T-4 (3')	134 S1+	140 S1+
880-9678-19	T-4 (4')	108	112
LCS 880-15547/2-A	Lab Control Sample	122	105
LCSD 880-15547/3-A	Lab Control Sample Dup	121	103
MB 880-15547/1-A	Method Blank	119	125

Surrogate Legend

1CO = 1-Chlorooctane

OTPH = o-Terphenyl

Eurofins Xenco, Midland

QC Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-9678-1
SDG: Lea Co, NM

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-15437/5-A

Matrix: Solid

Analysis Batch: 15427

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 15437

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		12/23/21 12:08	12/23/21 20:00	1
Toluene	<0.00200	U	0.00200		mg/Kg		12/23/21 12:08	12/23/21 20:00	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		12/23/21 12:08	12/23/21 20:00	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		12/23/21 12:08	12/23/21 20:00	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		12/23/21 12:08	12/23/21 20:00	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		12/23/21 12:08	12/23/21 20:00	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	122		70 - 130	12/23/21 12:08	12/23/21 20:00	1
1,4-Difluorobenzene (Surr)	100		70 - 130	12/23/21 12:08	12/23/21 20:00	1

Lab Sample ID: MB 880-15474/5-A

Matrix: Solid

Analysis Batch: 15427

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 15474

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:27	12/24/21 07:35	1
Toluene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:27	12/24/21 07:35	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:27	12/24/21 07:35	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		12/23/21 14:27	12/24/21 07:35	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:27	12/24/21 07:35	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		12/23/21 14:27	12/24/21 07:35	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	123		70 - 130	12/23/21 14:27	12/24/21 07:35	1
1,4-Difluorobenzene (Surr)	101		70 - 130	12/23/21 14:27	12/24/21 07:35	1

Lab Sample ID: LCS 880-15474/1-A

Matrix: Solid

Analysis Batch: 15427

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 15474

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	0.100	0.08385		mg/Kg		84	70 - 130
Toluene	0.100	0.08787		mg/Kg		88	70 - 130
Ethylbenzene	0.100	0.09164		mg/Kg		92	70 - 130
m-Xylene & p-Xylene	0.200	0.1799		mg/Kg		90	70 - 130
o-Xylene	0.100	0.08683		mg/Kg		87	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	102		70 - 130
1,4-Difluorobenzene (Surr)	85		70 - 130

Lab Sample ID: LCSD 880-15474/2-A

Matrix: Solid

Analysis Batch: 15427

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 15474

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Benzene	0.100	0.09709		mg/Kg		97	70 - 130	15	35

Eurofins Xenco, Midland

QC Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-9678-1
SDG: Lea Co, NM

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCSD 880-15474/2-A

Matrix: Solid

Analysis Batch: 15427

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 15474

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Toluene	0.100	0.09606		mg/Kg		96	70 - 130	9	35
Ethylbenzene	0.100	0.1021		mg/Kg		102	70 - 130	11	35
m-Xylene & p-Xylene	0.200	0.1989		mg/Kg		99	70 - 130	10	35
o-Xylene	0.100	0.09835		mg/Kg		98	70 - 130	12	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	117		70 - 130
1,4-Difluorobenzene (Surr)	100		70 - 130

Lab Sample ID: MB 880-15475/5-A

Matrix: Solid

Analysis Batch: 15427

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 15475

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:33	12/24/21 19:10	1
Toluene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:33	12/24/21 19:10	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:33	12/24/21 19:10	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		12/23/21 14:33	12/24/21 19:10	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		12/23/21 14:33	12/24/21 19:10	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		12/23/21 14:33	12/24/21 19:10	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	119		70 - 130	12/23/21 14:33	12/24/21 19:10	1
1,4-Difluorobenzene (Surr)	104		70 - 130	12/23/21 14:33	12/24/21 19:10	1

Lab Sample ID: LCS 880-15475/1-A

Matrix: Solid

Analysis Batch: 15427

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 15475

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	0.100	0.07547		mg/Kg		75	70 - 130
Toluene	0.100	0.07887		mg/Kg		79	70 - 130
Ethylbenzene	0.100	0.08274		mg/Kg		83	70 - 130
m-Xylene & p-Xylene	0.200	0.1580		mg/Kg		79	70 - 130
o-Xylene	0.100	0.08027		mg/Kg		80	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	122		70 - 130
1,4-Difluorobenzene (Surr)	100		70 - 130

Lab Sample ID: LCSD 880-15475/2-A

Matrix: Solid

Analysis Batch: 15427

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 15475

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	0.100	0.09264		mg/Kg		93	70 - 130	20	35
Toluene	0.100	0.1010		mg/Kg		101	70 - 130	25	35
Ethylbenzene	0.100	0.1023		mg/Kg		102	70 - 130	21	35

Eurofins Xenco, Midland

QC Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-9678-1
SDG: Lea Co, NM

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCSD 880-15475/2-A

Matrix: Solid

Analysis Batch: 15427

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 15475

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
m-Xylene & p-Xylene	0.200	0.1972		mg/Kg		99	70 - 130	22	35
o-Xylene	0.100	0.1016		mg/Kg		102	70 - 130	23	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	121		70 - 130
1,4-Difluorobenzene (Surr)	98		70 - 130

Lab Sample ID: 880-9678-17 MS

Matrix: Solid

Analysis Batch: 15427

Client Sample ID: T-4 (2')

Prep Type: Total/NA

Prep Batch: 15475

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Benzene	<0.00199	U	0.0994	0.08018		mg/Kg		81	70 - 130		
Toluene	<0.00199	U	0.0994	0.08286		mg/Kg		82	70 - 130		
Ethylbenzene	<0.00199	U	0.0994	0.08598		mg/Kg		86	70 - 130		
m-Xylene & p-Xylene	<0.00398	U	0.199	0.1694		mg/Kg		85	70 - 130		
o-Xylene	<0.00199	U	0.0994	0.08306		mg/Kg		84	70 - 130		

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene (Surr)	136	S1+	70 - 130
1,4-Difluorobenzene (Surr)	112		70 - 130

Lab Sample ID: 880-9678-17 MSD

Matrix: Solid

Analysis Batch: 15427

Client Sample ID: T-4 (2')

Prep Type: Total/NA

Prep Batch: 15475

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Benzene	<0.00199	U	0.0992	0.08227		mg/Kg		83	70 - 130	3	35
Toluene	<0.00199	U	0.0992	0.08411		mg/Kg		83	70 - 130	1	35
Ethylbenzene	<0.00199	U	0.0992	0.08402		mg/Kg		84	70 - 130	2	35
m-Xylene & p-Xylene	<0.00398	U	0.198	0.1627		mg/Kg		81	70 - 130	4	35
o-Xylene	<0.00199	U	0.0992	0.08092		mg/Kg		82	70 - 130	3	35

Surrogate	MSD %Recovery	MSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	114		70 - 130
1,4-Difluorobenzene (Surr)	91		70 - 130

Lab Sample ID: MB 880-15650/5-A

Matrix: Solid

Analysis Batch: 15649

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 15650

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		12/28/21 12:49	12/28/21 16:34	1
Toluene	<0.00200	U	0.00200		mg/Kg		12/28/21 12:49	12/28/21 16:34	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		12/28/21 12:49	12/28/21 16:34	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		12/28/21 12:49	12/28/21 16:34	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		12/28/21 12:49	12/28/21 16:34	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		12/28/21 12:49	12/28/21 16:34	1

Eurofins Xenco, Midland

QC Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-9678-1
SDG: Lea Co, NM

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	108		70 - 130	12/28/21 12:49	12/28/21 16:34	1
1,4-Difluorobenzene (Surr)	60	S1-	70 - 130	12/28/21 12:49	12/28/21 16:34	1

Lab Sample ID: LCS 880-15650/1-A

Matrix: Solid

Analysis Batch: 15649

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 15650

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	0.100	0.07393		mg/Kg		74	70 - 130
Toluene	0.100	0.08714		mg/Kg		87	70 - 130
Ethylbenzene	0.100	0.07860		mg/Kg		79	70 - 130
m-Xylene & p-Xylene	0.200	0.1699		mg/Kg		85	70 - 130
o-Xylene	0.100	0.07100		mg/Kg		71	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	147	S1+	70 - 130
1,4-Difluorobenzene (Surr)	86		70 - 130

Lab Sample ID: LCSD 880-15650/2-A

Matrix: Solid

Analysis Batch: 15649

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 15650

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Benzene	0.100	0.08001		mg/Kg		80	70 - 130	8	35
Toluene	0.100	0.09273		mg/Kg		93	70 - 130	6	35
Ethylbenzene	0.100	0.09262		mg/Kg		93	70 - 130	16	35
m-Xylene & p-Xylene	0.200	0.1877		mg/Kg		94	70 - 130	10	35
o-Xylene	0.100	0.08081		mg/Kg		81	70 - 130	13	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	168	S1+	70 - 130
1,4-Difluorobenzene (Surr)	59	S1-	70 - 130

Lab Sample ID: 880-9678-1 MS

Matrix: Solid

Analysis Batch: 15649

Client Sample ID: T-1 (0-1')

Prep Type: Total/NA

Prep Batch: 15650

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	<0.00199	U F1	0.0998	0.06790	F1	mg/Kg		68	70 - 130
Toluene	0.00207	F1	0.0998	0.08229		mg/Kg		80	70 - 130
Ethylbenzene	<0.00199	U	0.0998	0.07310		mg/Kg		72	70 - 130
m-Xylene & p-Xylene	<0.00398	U	0.200	0.1527		mg/Kg		75	70 - 130
o-Xylene	<0.00199	U F1	0.0998	0.06814	F1	mg/Kg		68	70 - 130

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene (Surr)	167	S1+	70 - 130
1,4-Difluorobenzene (Surr)	72		70 - 130

Eurofins Xenco, Midland

QC Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-9678-1
SDG: Lea Co, NM

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 880-9678-1 MSD

Matrix: Solid

Analysis Batch: 15649

Client Sample ID: T-1 (0-1')

Prep Type: Total/NA

Prep Batch: 15650

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	<0.00199	U F1	0.101	<0.00202	U F1	mg/Kg		0	70 - 130	NC	35
Toluene	0.00207	F1	0.101	<0.00202	U F1	mg/Kg		0	70 - 130	NC	35
Ethylbenzene	<0.00199	U	0.101	0.08473		mg/Kg		83	70 - 130	15	35
m-Xylene & p-Xylene	<0.00398	U	0.202	0.1532		mg/Kg		74	70 - 130	0	35
o-Xylene	<0.00199	U F1	0.101	0.05957	F1	mg/Kg		59	70 - 130	13	35

Surrogate	MSD %Recovery	MSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	140	S1+	70 - 130
1,4-Difluorobenzene (Surr)	77		70 - 130

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-15547/1-A

Matrix: Solid

Analysis Batch: 15542

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 15547

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		12/27/21 08:34	12/27/21 11:49	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		12/27/21 08:34	12/27/21 11:49	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		12/27/21 08:34	12/27/21 11:49	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	119		70 - 130	12/27/21 08:34	12/27/21 11:49	1
o-Terphenyl	125		70 - 130	12/27/21 08:34	12/27/21 11:49	1

Lab Sample ID: LCS 880-15547/2-A

Matrix: Solid

Analysis Batch: 15542

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 15547

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Gasoline Range Organics (GRO)-C6-C10	2000	2060		mg/Kg		103	70 - 130
Diesel Range Organics (Over C10-C28)	2000	1697		mg/Kg		85	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1-Chlorooctane	122		70 - 130
o-Terphenyl	105		70 - 130

Lab Sample ID: LCSD 880-15547/3-A

Matrix: Solid

Analysis Batch: 15542

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 15547

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	2000	2018		mg/Kg		101	70 - 130	2	20

Eurofins Xenco, Midland

QC Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-9678-1
SDG: Lea Co, NM

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCSD 880-15547/3-A

Matrix: Solid

Analysis Batch: 15542

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 15547

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Diesel Range Organics (Over C10-C28)	2000	1667		mg/Kg		83	70 - 130	2	20
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
1-Chlorooctane	121		70 - 130						
o-Terphenyl	103		70 - 130						

Lab Sample ID: 880-9678-1 MS

Matrix: Solid

Analysis Batch: 15542

Client Sample ID: T-1 (0-1')

Prep Type: Total/NA

Prep Batch: 15547

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec.		
	Result	Qualifier	Added	Result	Qualifier				Limits		
Gasoline Range Organics (GRO)-C6-C10	<49.9	U *+ F1	996	1285		mg/Kg		127	70 - 130		
Diesel Range Organics (Over C10-C28)	410	*+ F1	996	1057	F1	mg/Kg		65	70 - 130		
Surrogate	MS	MS									
	%Recovery	Qualifier	Limits								
1-Chlorooctane	106		70 - 130								
o-Terphenyl	100		70 - 130								

Lab Sample ID: 880-9678-1 MSD

Matrix: Solid

Analysis Batch: 15542

Client Sample ID: T-1 (0-1')

Prep Type: Total/NA

Prep Batch: 15547

	Sample	Sample	Spike	MSD	MSD				%Rec.		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Gasoline Range Organics (GRO)-C6-C10	<49.9	U *+ F1	995	1396	F1	mg/Kg		138	70 - 130	8	20
Diesel Range Organics (Over C10-C28)	410	*+ F1	995	1220		mg/Kg		81	70 - 130	14	20

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-15469/1-A

Matrix: Solid

Analysis Batch: 15524

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<5.00	U	5.00		mg/Kg			12/26/21 15:50	1

Lab Sample ID: LCS 880-15469/2-A

Matrix: Solid

Analysis Batch: 15524

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Chloride	250	251.0		mg/Kg		100	90 - 110		

Eurofins Xenco, Midland

QC Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-9678-1
SDG: Lea Co, NM

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: LCSD 880-15469/3-A

Matrix: Solid

Analysis Batch: 15524

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	250	251.7		mg/Kg		101	90 - 110	0	20

Lab Sample ID: 880-9678-1 MS

Matrix: Solid

Analysis Batch: 15524

Client Sample ID: T-1 (0-1')

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	9550		2480	11940		mg/Kg		97	90 - 110		

Lab Sample ID: 880-9678-1 MSD

Matrix: Solid

Analysis Batch: 15524

Client Sample ID: T-1 (0-1')

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	9550		2480	11860		mg/Kg		94	90 - 110	1	20

Lab Sample ID: 880-9678-11 MS

Matrix: Solid

Analysis Batch: 15524

Client Sample ID: T-3 (0-1')

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	1450		1250	2719		mg/Kg		101	90 - 110		

Lab Sample ID: 880-9678-11 MSD

Matrix: Solid

Analysis Batch: 15524

Client Sample ID: T-3 (0-1')

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	1450		1250	2710		mg/Kg		101	90 - 110	0	20

Lab Sample ID: MB 880-15471/1-A

Matrix: Solid

Analysis Batch: 15628

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<5.00	U	5.00		mg/Kg			12/28/21 10:53	1

Lab Sample ID: LCS 880-15471/2-A

Matrix: Solid

Analysis Batch: 15628

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	250	245.4		mg/Kg		98	90 - 110		

Lab Sample ID: LCSD 880-15471/3-A

Matrix: Solid

Analysis Batch: 15628

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	250	251.2		mg/Kg		100	90 - 110	2	20

Eurofins Xenco, Midland

QC Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-9678-1
SDG: Lea Co, NM

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: 880-9678-13 MS

Matrix: Solid

Analysis Batch: 15628

Client Sample ID: T-3 (2')

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits		
Chloride	131		248	385.4		mg/Kg		103	90 - 110		

Lab Sample ID: 880-9678-13 MSD

Matrix: Solid

Analysis Batch: 15628

Client Sample ID: T-3 (2')

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	131		248	389.5		mg/Kg		105	90 - 110	1	20

QC Association Summary

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-9678-1
SDG: Lea Co, NM

GC VOA

Analysis Batch: 15427

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-9678-1	T-1 (0-1')	Total/NA	Solid	8021B	15474
880-9678-2	T-1 (1')	Total/NA	Solid	8021B	15474
880-9678-3	T-1 (2')	Total/NA	Solid	8021B	15474
880-9678-4	T-1 (3')	Total/NA	Solid	8021B	15474
880-9678-5	T-1 (4')	Total/NA	Solid	8021B	15474
880-9678-6	T-2 (0-1')	Total/NA	Solid	8021B	15474
880-9678-7	T-2 (1')	Total/NA	Solid	8021B	15474
880-9678-8	T-2 (2')	Total/NA	Solid	8021B	15474
880-9678-9	T-2 (3')	Total/NA	Solid	8021B	15474
880-9678-10	T-2 (4')	Total/NA	Solid	8021B	15474
880-9678-11	T-3 (0-1')	Total/NA	Solid	8021B	15474
880-9678-12	T-3 (1')	Total/NA	Solid	8021B	15474
880-9678-13	T-3 (2')	Total/NA	Solid	8021B	15474
880-9678-17	T-4 (2')	Total/NA	Solid	8021B	15475
880-9678-18	T-4 (3')	Total/NA	Solid	8021B	15475
880-9678-19	T-4 (4')	Total/NA	Solid	8021B	15475
MB 880-15437/5-A	Method Blank	Total/NA	Solid	8021B	15437
MB 880-15474/5-A	Method Blank	Total/NA	Solid	8021B	15474
MB 880-15475/5-A	Method Blank	Total/NA	Solid	8021B	15475
LCS 880-15474/1-A	Lab Control Sample	Total/NA	Solid	8021B	15474
LCS 880-15475/1-A	Lab Control Sample	Total/NA	Solid	8021B	15475
LCSD 880-15474/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	15474
LCSD 880-15475/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	15475
880-9678-17 MS	T-4 (2')	Total/NA	Solid	8021B	15475
880-9678-17 MSD	T-4 (2')	Total/NA	Solid	8021B	15475

Prep Batch: 15437

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-15437/5-A	Method Blank	Total/NA	Solid	5035	

Prep Batch: 15474

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-9678-1	T-1 (0-1')	Total/NA	Solid	5035	
880-9678-2	T-1 (1')	Total/NA	Solid	5035	
880-9678-3	T-1 (2')	Total/NA	Solid	5035	
880-9678-4	T-1 (3')	Total/NA	Solid	5035	
880-9678-5	T-1 (4')	Total/NA	Solid	5035	
880-9678-6	T-2 (0-1')	Total/NA	Solid	5035	
880-9678-7	T-2 (1')	Total/NA	Solid	5035	
880-9678-8	T-2 (2')	Total/NA	Solid	5035	
880-9678-9	T-2 (3')	Total/NA	Solid	5035	
880-9678-10	T-2 (4')	Total/NA	Solid	5035	
880-9678-11	T-3 (0-1')	Total/NA	Solid	5035	
880-9678-12	T-3 (1')	Total/NA	Solid	5035	
880-9678-13	T-3 (2')	Total/NA	Solid	5035	
MB 880-15474/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-15474/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-15474/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	

Eurofins Xenco, Midland

QC Association Summary

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-9678-1
SDG: Lea Co, NM

GC VOA

Prep Batch: 15475

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-9678-17	T-4 (2')	Total/NA	Solid	5035	
880-9678-18	T-4 (3')	Total/NA	Solid	5035	
880-9678-19	T-4 (4')	Total/NA	Solid	5035	
MB 880-15475/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-15475/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-15475/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-9678-17 MS	T-4 (2')	Total/NA	Solid	5035	
880-9678-17 MSD	T-4 (2')	Total/NA	Solid	5035	

Analysis Batch: 15649

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-9678-14	T-3 (3')	Total/NA	Solid	8021B	15650
880-9678-15	T-4 (0-1')	Total/NA	Solid	8021B	15650
880-9678-16	T-4 (1')	Total/NA	Solid	8021B	15650
MB 880-15650/5-A	Method Blank	Total/NA	Solid	8021B	15650
LCS 880-15650/1-A	Lab Control Sample	Total/NA	Solid	8021B	15650
LCSD 880-15650/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	15650
880-9678-1 MS	T-1 (0-1')	Total/NA	Solid	8021B	15650
880-9678-1 MSD	T-1 (0-1')	Total/NA	Solid	8021B	15650

Prep Batch: 15650

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-9678-14	T-3 (3')	Total/NA	Solid	5035	
880-9678-15	T-4 (0-1')	Total/NA	Solid	5035	
880-9678-16	T-4 (1')	Total/NA	Solid	5035	
MB 880-15650/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-15650/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-15650/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-9678-1 MS	T-1 (0-1')	Total/NA	Solid	5035	
880-9678-1 MSD	T-1 (0-1')	Total/NA	Solid	5035	

Analysis Batch: 15728

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-9678-1	T-1 (0-1')	Total/NA	Solid	Total BTEX	
880-9678-2	T-1 (1')	Total/NA	Solid	Total BTEX	
880-9678-3	T-1 (2')	Total/NA	Solid	Total BTEX	
880-9678-4	T-1 (3')	Total/NA	Solid	Total BTEX	
880-9678-5	T-1 (4')	Total/NA	Solid	Total BTEX	
880-9678-6	T-2 (0-1')	Total/NA	Solid	Total BTEX	
880-9678-7	T-2 (1')	Total/NA	Solid	Total BTEX	
880-9678-8	T-2 (2')	Total/NA	Solid	Total BTEX	
880-9678-9	T-2 (3')	Total/NA	Solid	Total BTEX	
880-9678-10	T-2 (4')	Total/NA	Solid	Total BTEX	
880-9678-11	T-3 (0-1')	Total/NA	Solid	Total BTEX	
880-9678-12	T-3 (1')	Total/NA	Solid	Total BTEX	
880-9678-13	T-3 (2')	Total/NA	Solid	Total BTEX	
880-9678-14	T-3 (3')	Total/NA	Solid	Total BTEX	
880-9678-15	T-4 (0-1')	Total/NA	Solid	Total BTEX	
880-9678-16	T-4 (1')	Total/NA	Solid	Total BTEX	
880-9678-17	T-4 (2')	Total/NA	Solid	Total BTEX	
880-9678-18	T-4 (3')	Total/NA	Solid	Total BTEX	

Eurofins Xenco, Midland

QC Association Summary

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-9678-1
SDG: Lea Co, NM

GC VOA (Continued)

Analysis Batch: 15728 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-9678-19	T-4 (4')	Total/NA	Solid	Total BTEX	

GC Semi VOA

Analysis Batch: 15542

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-9678-1	T-1 (0-1')	Total/NA	Solid	8015B NM	15547
880-9678-2	T-1 (1')	Total/NA	Solid	8015B NM	15547
880-9678-3	T-1 (2')	Total/NA	Solid	8015B NM	15547
880-9678-4	T-1 (3')	Total/NA	Solid	8015B NM	15547
880-9678-5	T-1 (4')	Total/NA	Solid	8015B NM	15547
880-9678-6	T-2 (0-1')	Total/NA	Solid	8015B NM	15547
880-9678-7	T-2 (1')	Total/NA	Solid	8015B NM	15547
880-9678-8	T-2 (2')	Total/NA	Solid	8015B NM	15547
880-9678-9	T-2 (3')	Total/NA	Solid	8015B NM	15547
880-9678-10	T-2 (4')	Total/NA	Solid	8015B NM	15547
880-9678-11	T-3 (0-1')	Total/NA	Solid	8015B NM	15547
880-9678-12	T-3 (1')	Total/NA	Solid	8015B NM	15547
880-9678-13	T-3 (2')	Total/NA	Solid	8015B NM	15547
880-9678-14	T-3 (3')	Total/NA	Solid	8015B NM	15547
880-9678-15	T-4 (0-1')	Total/NA	Solid	8015B NM	15547
880-9678-16	T-4 (1')	Total/NA	Solid	8015B NM	15547
880-9678-17	T-4 (2')	Total/NA	Solid	8015B NM	15547
880-9678-18	T-4 (3')	Total/NA	Solid	8015B NM	15547
880-9678-19	T-4 (4')	Total/NA	Solid	8015B NM	15547
MB 880-15547/1-A	Method Blank	Total/NA	Solid	8015B NM	15547
LCS 880-15547/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	15547
LCSD 880-15547/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	15547
880-9678-1 MS	T-1 (0-1')	Total/NA	Solid	8015B NM	15547
880-9678-1 MSD	T-1 (0-1')	Total/NA	Solid	8015B NM	15547

Prep Batch: 15547

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-9678-1	T-1 (0-1')	Total/NA	Solid	8015NM Prep	
880-9678-2	T-1 (1')	Total/NA	Solid	8015NM Prep	
880-9678-3	T-1 (2')	Total/NA	Solid	8015NM Prep	
880-9678-4	T-1 (3')	Total/NA	Solid	8015NM Prep	
880-9678-5	T-1 (4')	Total/NA	Solid	8015NM Prep	
880-9678-6	T-2 (0-1')	Total/NA	Solid	8015NM Prep	
880-9678-7	T-2 (1')	Total/NA	Solid	8015NM Prep	
880-9678-8	T-2 (2')	Total/NA	Solid	8015NM Prep	
880-9678-9	T-2 (3')	Total/NA	Solid	8015NM Prep	
880-9678-10	T-2 (4')	Total/NA	Solid	8015NM Prep	
880-9678-11	T-3 (0-1')	Total/NA	Solid	8015NM Prep	
880-9678-12	T-3 (1')	Total/NA	Solid	8015NM Prep	
880-9678-13	T-3 (2')	Total/NA	Solid	8015NM Prep	
880-9678-14	T-3 (3')	Total/NA	Solid	8015NM Prep	
880-9678-15	T-4 (0-1')	Total/NA	Solid	8015NM Prep	
880-9678-16	T-4 (1')	Total/NA	Solid	8015NM Prep	
880-9678-17	T-4 (2')	Total/NA	Solid	8015NM Prep	
880-9678-18	T-4 (3')	Total/NA	Solid	8015NM Prep	

Eurofins Xenco, Midland

QC Association Summary

Client: NT Global

Job ID: 880-9678-1

Project/Site: Vaca Draw Booster 11.14.21

SDG: Lea Co, NM

GC Semi VOA (Continued)

Prep Batch: 15547 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-9678-19	T-4 (4')	Total/NA	Solid	8015NM Prep	
MB 880-15547/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-15547/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-15547/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
880-9678-1 MS	T-1 (0-1')	Total/NA	Solid	8015NM Prep	
880-9678-1 MSD	T-1 (0-1')	Total/NA	Solid	8015NM Prep	

Analysis Batch: 15646

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-9678-1	T-1 (0-1')	Total/NA	Solid	8015 NM	
880-9678-2	T-1 (1')	Total/NA	Solid	8015 NM	
880-9678-3	T-1 (2')	Total/NA	Solid	8015 NM	
880-9678-4	T-1 (3')	Total/NA	Solid	8015 NM	
880-9678-5	T-1 (4')	Total/NA	Solid	8015 NM	
880-9678-6	T-2 (0-1')	Total/NA	Solid	8015 NM	
880-9678-7	T-2 (1')	Total/NA	Solid	8015 NM	
880-9678-8	T-2 (2')	Total/NA	Solid	8015 NM	
880-9678-9	T-2 (3')	Total/NA	Solid	8015 NM	
880-9678-10	T-2 (4')	Total/NA	Solid	8015 NM	
880-9678-11	T-3 (0-1')	Total/NA	Solid	8015 NM	
880-9678-12	T-3 (1')	Total/NA	Solid	8015 NM	
880-9678-13	T-3 (2')	Total/NA	Solid	8015 NM	
880-9678-14	T-3 (3')	Total/NA	Solid	8015 NM	
880-9678-15	T-4 (0-1')	Total/NA	Solid	8015 NM	
880-9678-16	T-4 (1')	Total/NA	Solid	8015 NM	
880-9678-17	T-4 (2')	Total/NA	Solid	8015 NM	
880-9678-18	T-4 (3')	Total/NA	Solid	8015 NM	
880-9678-19	T-4 (4')	Total/NA	Solid	8015 NM	

HPLC/IC

Leach Batch: 15469

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-9678-1	T-1 (0-1')	Soluble	Solid	DI Leach	
880-9678-2	T-1 (1')	Soluble	Solid	DI Leach	
880-9678-3	T-1 (2')	Soluble	Solid	DI Leach	
880-9678-4	T-1 (3')	Soluble	Solid	DI Leach	
880-9678-5	T-1 (4')	Soluble	Solid	DI Leach	
880-9678-6	T-2 (0-1')	Soluble	Solid	DI Leach	
880-9678-7	T-2 (1')	Soluble	Solid	DI Leach	
880-9678-8	T-2 (2')	Soluble	Solid	DI Leach	
880-9678-9	T-2 (3')	Soluble	Solid	DI Leach	
880-9678-10	T-2 (4')	Soluble	Solid	DI Leach	
880-9678-11	T-3 (0-1')	Soluble	Solid	DI Leach	
880-9678-12	T-3 (1')	Soluble	Solid	DI Leach	
MB 880-15469/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-15469/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-15469/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-9678-1 MS	T-1 (0-1')	Soluble	Solid	DI Leach	
880-9678-1 MSD	T-1 (0-1')	Soluble	Solid	DI Leach	
880-9678-11 MS	T-3 (0-1')	Soluble	Solid	DI Leach	

Eurofins Xenco, Midland

QC Association Summary

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-9678-1
SDG: Lea Co, NM

HPLC/IC (Continued)

Leach Batch: 15469 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-9678-11 MSD	T-3 (0-1')	Soluble	Solid	DI Leach	

Leach Batch: 15471

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-9678-13	T-3 (2')	Soluble	Solid	DI Leach	
880-9678-14	T-3 (3')	Soluble	Solid	DI Leach	
880-9678-15	T-4 (0-1')	Soluble	Solid	DI Leach	
880-9678-16	T-4 (1')	Soluble	Solid	DI Leach	
880-9678-17	T-4 (2')	Soluble	Solid	DI Leach	
880-9678-18	T-4 (3')	Soluble	Solid	DI Leach	
880-9678-19	T-4 (4')	Soluble	Solid	DI Leach	
MB 880-15471/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-15471/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-15471/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-9678-13 MS	T-3 (2')	Soluble	Solid	DI Leach	
880-9678-13 MSD	T-3 (2')	Soluble	Solid	DI Leach	

Analysis Batch: 15524

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-9678-1	T-1 (0-1')	Soluble	Solid	300.0	15469
880-9678-2	T-1 (1')	Soluble	Solid	300.0	15469
880-9678-3	T-1 (2')	Soluble	Solid	300.0	15469
880-9678-4	T-1 (3')	Soluble	Solid	300.0	15469
880-9678-5	T-1 (4')	Soluble	Solid	300.0	15469
880-9678-6	T-2 (0-1')	Soluble	Solid	300.0	15469
880-9678-7	T-2 (1')	Soluble	Solid	300.0	15469
880-9678-8	T-2 (2')	Soluble	Solid	300.0	15469
880-9678-9	T-2 (3')	Soluble	Solid	300.0	15469
880-9678-10	T-2 (4')	Soluble	Solid	300.0	15469
880-9678-11	T-3 (0-1')	Soluble	Solid	300.0	15469
880-9678-12	T-3 (1')	Soluble	Solid	300.0	15469
MB 880-15469/1-A	Method Blank	Soluble	Solid	300.0	15469
LCS 880-15469/2-A	Lab Control Sample	Soluble	Solid	300.0	15469
LCSD 880-15469/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	15469
880-9678-1 MS	T-1 (0-1')	Soluble	Solid	300.0	15469
880-9678-1 MSD	T-1 (0-1')	Soluble	Solid	300.0	15469
880-9678-11 MS	T-3 (0-1')	Soluble	Solid	300.0	15469
880-9678-11 MSD	T-3 (0-1')	Soluble	Solid	300.0	15469

Analysis Batch: 15628

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-9678-13	T-3 (2')	Soluble	Solid	300.0	15471
880-9678-14	T-3 (3')	Soluble	Solid	300.0	15471
880-9678-15	T-4 (0-1')	Soluble	Solid	300.0	15471
880-9678-16	T-4 (1')	Soluble	Solid	300.0	15471
880-9678-17	T-4 (2')	Soluble	Solid	300.0	15471
880-9678-18	T-4 (3')	Soluble	Solid	300.0	15471
880-9678-19	T-4 (4')	Soluble	Solid	300.0	15471
MB 880-15471/1-A	Method Blank	Soluble	Solid	300.0	15471
LCS 880-15471/2-A	Lab Control Sample	Soluble	Solid	300.0	15471
LCSD 880-15471/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	15471

Eurofins Xenco, Midland

QC Association Summary

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-9678-1
SDG: Lea Co, NM

HPLC/IC (Continued)

Analysis Batch: 15628 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-9678-13 MS	T-3 (2')	Soluble	Solid	300.0	15471
880-9678-13 MSD	T-3 (2')	Soluble	Solid	300.0	15471

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Lab Chronicle

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-9678-1
SDG: Lea Co, NM

Client Sample ID: T-1 (0-1')

Lab Sample ID: 880-9678-1

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	15474	12/23/21 14:27	MR	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	15427	12/24/21 11:08	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			15728	12/29/21 11:55	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			15646	12/28/21 11:38	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	15547	12/27/21 08:34	DM	XEN MID
Total/NA	Analysis	8015B NM		1			15542	12/27/21 15:13	AJ	XEN MID
Soluble	Leach	DI Leach			5.05 g	50 mL	15469	12/23/21 12:33	SC	XEN MID
Soluble	Analysis	300.0		10	0 mL	1.0 mL	15524	12/26/21 16:37	SC	XEN MID

Client Sample ID: T-1 (1')

Lab Sample ID: 880-9678-2

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	15474	12/23/21 14:27	MR	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	15427	12/24/21 08:45	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			15728	12/29/21 11:55	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			15646	12/28/21 11:38	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	15547	12/27/21 08:34	DM	XEN MID
Total/NA	Analysis	8015B NM		1			15542	12/27/21 16:16	AJ	XEN MID
Soluble	Leach	DI Leach			4.95 g	50 mL	15469	12/23/21 12:33	SC	XEN MID
Soluble	Analysis	300.0		1	0 mL	1.0 mL	15524	12/26/21 17:23	SC	XEN MID

Client Sample ID: T-1 (2')

Lab Sample ID: 880-9678-3

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	15474	12/23/21 14:27	MR	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	15427	12/24/21 09:05	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			15728	12/29/21 11:55	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			15646	12/28/21 11:38	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	15547	12/27/21 08:34	DM	XEN MID
Total/NA	Analysis	8015B NM		1			15542	12/27/21 16:38	AJ	XEN MID
Soluble	Leach	DI Leach			5.03 g	50 mL	15469	12/23/21 12:33	SC	XEN MID
Soluble	Analysis	300.0		1	0 mL	1.0 mL	15524	12/26/21 17:38	SC	XEN MID

Client Sample ID: T-1 (3')

Lab Sample ID: 880-9678-4

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	15474	12/23/21 14:27	MR	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	15427	12/24/21 12:58	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			15728	12/29/21 11:56	AJ	XEN MID

Eurofins Xenco, Midland

Lab Chronicle

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-9678-1
SDG: Lea Co, NM

Client Sample ID: T-1 (3')

Lab Sample ID: 880-9678-4

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			15646	12/28/21 11:38	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	15547	12/27/21 08:34	DM	XEN MID
Total/NA	Analysis	8015B NM		1			15542	12/27/21 17:01	AJ	XEN MID
Soluble	Leach	DI Leach			5.05 g	50 mL	15469	12/23/21 12:33	SC	XEN MID
Soluble	Analysis	300.0		1	0 mL	1.0 mL	15524	12/26/21 17:53	SC	XEN MID

Client Sample ID: T-1 (4')

Lab Sample ID: 880-9678-5

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	15474	12/23/21 14:27	MR	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	15427	12/24/21 13:18	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			15728	12/29/21 11:56	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			15646	12/28/21 11:38	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	15547	12/27/21 08:34	DM	XEN MID
Total/NA	Analysis	8015B NM		1			15542	12/27/21 17:22	AJ	XEN MID
Soluble	Leach	DI Leach			4.96 g	50 mL	15469	12/23/21 12:33	SC	XEN MID
Soluble	Analysis	300.0		1	0 mL	1.0 mL	15524	12/26/21 18:09	SC	XEN MID

Client Sample ID: T-2 (0-1')

Lab Sample ID: 880-9678-6

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	15474	12/23/21 14:27	MR	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	15427	12/24/21 13:39	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			15728	12/29/21 11:56	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			15646	12/28/21 11:38	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	15547	12/27/21 08:34	DM	XEN MID
Total/NA	Analysis	8015B NM		1			15542	12/27/21 17:43	AJ	XEN MID
Soluble	Leach	DI Leach			5.01 g	50 mL	15469	12/23/21 12:33	SC	XEN MID
Soluble	Analysis	300.0		20	0 mL	1.0 mL	15524	12/26/21 18:55	SC	XEN MID

Client Sample ID: T-2 (1')

Lab Sample ID: 880-9678-7

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	15474	12/23/21 14:27	MR	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	15427	12/24/21 13:59	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			15728	12/29/21 11:56	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			15646	12/28/21 11:38	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	15547	12/27/21 08:34	DM	XEN MID
Total/NA	Analysis	8015B NM		1			15542	12/27/21 18:04	AJ	XEN MID

Eurofins Xenco, Midland

Lab Chronicle

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-9678-1
SDG: Lea Co, NM

Client Sample ID: T-2 (1')

Date Collected: 12/21/21 00:00

Date Received: 12/23/21 11:03

Lab Sample ID: 880-9678-7

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.02 g	50 mL	15469	12/23/21 12:33	SC	XEN MID
Soluble	Analysis	300.0		5	0 mL	1.0 mL	15524	12/26/21 19:10	SC	XEN MID

Client Sample ID: T-2 (2')

Date Collected: 12/21/21 00:00

Date Received: 12/23/21 11:03

Lab Sample ID: 880-9678-8

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	15474	12/23/21 14:27	MR	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	15427	12/24/21 14:20	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			15728	12/29/21 11:56	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			15646	12/28/21 11:38	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	15547	12/27/21 08:34	DM	XEN MID
Total/NA	Analysis	8015B NM		1			15542	12/27/21 18:25	AJ	XEN MID
Soluble	Leach	DI Leach			5.05 g	50 mL	15469	12/23/21 12:33	SC	XEN MID
Soluble	Analysis	300.0		1	0 mL	1.0 mL	15524	12/26/21 19:26	SC	XEN MID

Client Sample ID: T-2 (3')

Date Collected: 12/21/21 00:00

Date Received: 12/23/21 11:03

Lab Sample ID: 880-9678-9

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.96 g	5 mL	15474	12/23/21 14:27	MR	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	15427	12/24/21 14:40	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			15728	12/29/21 11:56	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			15646	12/28/21 11:38	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	15547	12/27/21 08:34	DM	XEN MID
Total/NA	Analysis	8015B NM		1			15542	12/27/21 18:45	AJ	XEN MID
Soluble	Leach	DI Leach			4.99 g	50 mL	15469	12/23/21 12:33	SC	XEN MID
Soluble	Analysis	300.0		1	0 mL	1.0 mL	15524	12/26/21 19:41	SC	XEN MID

Client Sample ID: T-2 (4')

Date Collected: 12/21/21 00:00

Date Received: 12/23/21 11:03

Lab Sample ID: 880-9678-10

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	15474	12/23/21 14:27	MR	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	15427	12/24/21 15:00	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			15728	12/29/21 11:56	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			15646	12/28/21 11:38	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	15547	12/27/21 08:34	DM	XEN MID
Total/NA	Analysis	8015B NM		1			15542	12/27/21 19:06	AJ	XEN MID
Soluble	Leach	DI Leach			5.02 g	50 mL	15469	12/23/21 12:33	SC	XEN MID
Soluble	Analysis	300.0		1	0 mL	1.0 mL	15524	12/26/21 19:56	SC	XEN MID

Eurofins Xenco, Midland

Lab Chronicle

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-9678-1
SDG: Lea Co, NM

Client Sample ID: T-3 (0-1')

Lab Sample ID: 880-9678-11

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	15474	12/23/21 14:27	MR	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	15427	12/24/21 15:21	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			15728	12/29/21 11:56	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			15646	12/28/21 11:38	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	15547	12/27/21 08:34	DM	XEN MID
Total/NA	Analysis	8015B NM		1			15542	12/27/21 19:47	AJ	XEN MID
Soluble	Leach	DI Leach			5.01 g	50 mL	15469	12/23/21 12:33	SC	XEN MID
Soluble	Analysis	300.0		5	0 mL	1.0 mL	15524	12/26/21 20:12	SC	XEN MID

Client Sample ID: T-3 (1')

Lab Sample ID: 880-9678-12

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	15474	12/23/21 14:27	MR	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	15427	12/24/21 15:41	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			15728	12/29/21 11:56	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			15646	12/28/21 11:38	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	15547	12/27/21 08:34	DM	XEN MID
Total/NA	Analysis	8015B NM		1			15542	12/27/21 20:08	AJ	XEN MID
Soluble	Leach	DI Leach			4.98 g	50 mL	15469	12/23/21 12:33	SC	XEN MID
Soluble	Analysis	300.0		1	0 mL	1.0 mL	15524	12/26/21 20:58	SC	XEN MID

Client Sample ID: T-3 (2')

Lab Sample ID: 880-9678-13

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	15474	12/23/21 14:27	MR	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	15427	12/24/21 16:02	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			15728	12/29/21 11:56	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			15646	12/28/21 11:38	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	15547	12/27/21 08:34	DM	XEN MID
Total/NA	Analysis	8015B NM		1			15542	12/27/21 20:29	AJ	XEN MID
Soluble	Leach	DI Leach			5.05 g	50 mL	15471	12/23/21 12:36	SC	XEN MID
Soluble	Analysis	300.0		1			15628	12/28/21 11:13	CH	XEN MID

Client Sample ID: T-3 (3')

Lab Sample ID: 880-9678-14

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	15650	12/28/21 12:49	MR	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	15649	12/29/21 00:16	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			15728	12/29/21 11:55	AJ	XEN MID

Eurofins Xenco, Midland

Lab Chronicle

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-9678-1
SDG: Lea Co, NM

Client Sample ID: T-3 (3')

Lab Sample ID: 880-9678-14

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			15646	12/28/21 11:38	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	15547	12/27/21 08:34	DM	XEN MID
Total/NA	Analysis	8015B NM		1			15542	12/27/21 20:51	AJ	XEN MID
Soluble	Leach	DI Leach			4.95 g	50 mL	15471	12/23/21 12:36	SC	XEN MID
Soluble	Analysis	300.0		1			15628	12/28/21 11:33	CH	XEN MID

Client Sample ID: T-4 (0-1')

Lab Sample ID: 880-9678-15

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.04 g	5 mL	15650	12/28/21 12:49	MR	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	15649	12/29/21 00:44	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			15728	12/29/21 11:55	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			15646	12/28/21 11:38	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	15547	12/27/21 08:34	DM	XEN MID
Total/NA	Analysis	8015B NM		1			15542	12/27/21 21:13	AJ	XEN MID
Soluble	Leach	DI Leach			5.03 g	50 mL	15471	12/23/21 12:36	SC	XEN MID
Soluble	Analysis	300.0		5			15628	12/28/21 11:40	CH	XEN MID

Client Sample ID: T-4 (1')

Lab Sample ID: 880-9678-16

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	15650	12/28/21 12:49	MR	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	15649	12/29/21 01:11	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			15728	12/29/21 11:55	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			15646	12/28/21 11:38	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	15547	12/27/21 08:34	DM	XEN MID
Total/NA	Analysis	8015B NM		1			15542	12/27/21 21:36	AJ	XEN MID
Soluble	Leach	DI Leach			5.05 g	50 mL	15471	12/23/21 12:36	SC	XEN MID
Soluble	Analysis	300.0		1			15628	12/28/21 11:46	CH	XEN MID

Client Sample ID: T-4 (2')

Lab Sample ID: 880-9678-17

Date Collected: 12/21/21 00:00

Matrix: Solid

Date Received: 12/23/21 11:03

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	15475	12/23/21 14:33	MR	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	15427	12/24/21 19:39	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			15728	12/29/21 11:56	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			15646	12/28/21 11:38	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	15547	12/27/21 08:34	DM	XEN MID
Total/NA	Analysis	8015B NM		1			15542	12/27/21 21:58	AJ	XEN MID

Eurofins Xenco, Midland

Lab Chronicle

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-9678-1
SDG: Lea Co, NM

Client Sample ID: T-4 (2')

Date Collected: 12/21/21 00:00

Date Received: 12/23/21 11:03

Lab Sample ID: 880-9678-17

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.96 g	50 mL	15471	12/23/21 12:36	SC	XEN MID
Soluble	Analysis	300.0		5			15628	12/28/21 11:53	CH	XEN MID

Client Sample ID: T-4 (3')

Date Collected: 12/21/21 00:00

Date Received: 12/23/21 11:03

Lab Sample ID: 880-9678-18

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	15475	12/23/21 14:33	MR	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	15427	12/24/21 20:00	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			15728	12/29/21 11:56	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			15646	12/28/21 11:38	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	15547	12/27/21 08:34	DM	XEN MID
Total/NA	Analysis	8015B NM		1			15542	12/27/21 22:21	AJ	XEN MID
Soluble	Leach	DI Leach			5.01 g	50 mL	15471	12/23/21 12:36	SC	XEN MID
Soluble	Analysis	300.0		1			15628	12/28/21 12:13	CH	XEN MID

Client Sample ID: T-4 (4')

Date Collected: 12/21/21 00:00

Date Received: 12/23/21 11:03

Lab Sample ID: 880-9678-19

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	15475	12/23/21 14:33	MR	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	15427	12/24/21 20:20	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			15728	12/29/21 11:56	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			15646	12/28/21 11:38	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	15547	12/27/21 08:34	DM	XEN MID
Total/NA	Analysis	8015B NM		1			15542	12/27/21 22:44	AJ	XEN MID
Soluble	Leach	DI Leach			5.02 g	50 mL	15471	12/23/21 12:36	SC	XEN MID
Soluble	Analysis	300.0		1			15628	12/28/21 12:20	CH	XEN MID

Laboratory References:

XEN MID = Eurofins Xenco, Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Eurofins Xenco, Midland

Accreditation/Certification Summary

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-9678-1
SDG: Lea Co, NM

Laboratory: Eurofins Xenco, Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400-21-22	06-30-22

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH
Total BTEX		Solid	Total BTEX

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: NT Global

Job ID: 880-9678-1

Project/Site: Vaca Draw Booster 11.14.21

SDG: Lea Co, NM

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	XEN MID
Total BTEX	Total BTEX Calculation	TAL SOP	XEN MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	XEN MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	XEN MID
300.0	Anions, Ion Chromatography	MCAWW	XEN MID
5035	Closed System Purge and Trap	SW846	XEN MID
8015NM Prep	Microextraction	SW846	XEN MID
DI Leach	Deionized Water Leaching Procedure	ASTM	XEN MID

Protocol References:

ASTM = ASTM International

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

XEN MID = Eurofins Xenco, Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Eurofins Xenco, Midland

Sample Summary

Client: NT Global

Job ID: 880-9678-1

Project/Site: Vaca Draw Booster 11.14.21

SDG: Lea Co, NM

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
880-9678-1	T-1 (0-1')	Solid	12/21/21 00:00	12/23/21 11:03
880-9678-2	T-1 (1')	Solid	12/21/21 00:00	12/23/21 11:03
880-9678-3	T-1 (2')	Solid	12/21/21 00:00	12/23/21 11:03
880-9678-4	T-1 (3')	Solid	12/21/21 00:00	12/23/21 11:03
880-9678-5	T-1 (4')	Solid	12/21/21 00:00	12/23/21 11:03
880-9678-6	T-2 (0-1')	Solid	12/21/21 00:00	12/23/21 11:03
880-9678-7	T-2 (1')	Solid	12/21/21 00:00	12/23/21 11:03
880-9678-8	T-2 (2')	Solid	12/21/21 00:00	12/23/21 11:03
880-9678-9	T-2 (3')	Solid	12/21/21 00:00	12/23/21 11:03
880-9678-10	T-2 (4')	Solid	12/21/21 00:00	12/23/21 11:03
880-9678-11	T-3 (0-1')	Solid	12/21/21 00:00	12/23/21 11:03
880-9678-12	T-3 (1')	Solid	12/21/21 00:00	12/23/21 11:03
880-9678-13	T-3 (2')	Solid	12/21/21 00:00	12/23/21 11:03
880-9678-14	T-3 (3')	Solid	12/21/21 00:00	12/23/21 11:03
880-9678-15	T-4 (0-1')	Solid	12/21/21 00:00	12/23/21 11:03
880-9678-16	T-4 (1')	Solid	12/21/21 00:00	12/23/21 11:03
880-9678-17	T-4 (2')	Solid	12/21/21 00:00	12/23/21 11:03
880-9678-18	T-4 (3')	Solid	12/21/21 00:00	12/23/21 11:03
880-9678-19	T-4 (4')	Solid	12/21/21 00:00	12/23/21 11:03



Chain of Custody

Project Manager	Mike Camrona	Bill to (if different)	Joe Vargo
Company Name:	NTG Environmental	Company Name:	NGL
Address:	701 Tradewinds BLVD	Address	865 North Albion Street, Suite 400
City, State ZIP	Midland, TX 79706	City, State ZIP	Denver CO 80220
Phone	432-813-0263	Email:	Joseph.Vargo@nnglep.com

Work Order Comments

Program: UST/PST ☐ PRP ☐ Brownfields ☐ RRC ☐ Superfund ☐

State of Project:

Reporting Level II ☐ Level III ☐ PST/UST ☐ RRP ☐ Level IV ☐

Deliverables EDD ☐ ADAPT ☐ Other



880-96/8 Chain of Custody

Page 1 of 2

Project Name:				Vacu Draw Booster 11 14 21				Turn Around				Pres. Code				ANALYSIS REQUEST												Preservative Codes															
Project Number:				214924				☐ Routine ☒ Rush																				None NO				DI Water H ₂ O											
Project Location				Lea Co, NM				Due Date				72HR																				Cool Cool				MeOH Me							
Sampler's Name:				AT				TAT starts the day received by the lab if received by 4 30pm																								HCL HC				HNO ₃ HN							
PO #																																				H ₂ SO ₄ H ₂				NaOH Na			
SAMPLE RECEIPT								Temp Blank		Yes ☒ No ☐		Well Ice:		Yes ☒ No ☐		Parameters												HOLD															
Received intact:								Yes ☒ No ☐		Thermometer ID:		IRB		BTX 8021B																													
Cooler Custody Seals								Yes ☐ No ☒		Correction Factor		.10		TPH 8015M (GRO+DRO+MRO)																													
Sample Custody Seals								Yes ☐ No ☒		Temperature Reading:		-2.3		Chloride 300 0																													
Total Containers:										Corrected Temperature:		-2.4																															
Sample Identification				Date		Time		Soil		Water		Grab/Comp		# of Cont														Sample Comments															
T-1 (0-1')				12/21/2021				X		G		1		X		X		X														402											
T-1 (1')				12/21/2021				X		G		1		X		X		X																									
T-1 (2)				12/21/2021				X		G		1		X		X		X																									
T-1 (3)				12/21/2021				X		G		1		X		X		X																									
T-1 (4)				12/21/2021				X		G		1		X		X		X																									
T-2 (0-1')				12/21/2021				X		G		1		X		X		X																									
T-2 (1')				12/21/2021				X		G		1		X		X		X																									
T-2 (2)				12/21/2021				X		G		1		X		X		X																									
T-2 (3)				12/21/2021				X		G		1		X		X		X																									
T-2 (4')				12/21/2021				X		G		1		X		X		X																									

Additional Comments:

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xencio, its affiliates and sub-contractors. It assigns standard terms and conditions of service. Xencio will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xencio. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Xencio, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
		12/28/10			



Work Order No: 9576

Page 2 of 2

Work Order Comments

Program: UST/PST ☐ PRP ☐ Brownfields ☐ RRC ☐ upfund ☐

State of Project:

Reporting Level II ☐ Level III ☐ PST/UST ☐ RRP ☐ Level IV ☐

Deliverables EDD ☐ ADAPT ☐ Other

Project Name				Vacca Draw Booster 11 14 21				Turn Around				ANALYSIS REQUEST												Preservative Codes											
Project Number				214924				☒ Routine ☐ Rush																None NO											
Project Location				Lee Co, NM				Due Date				72HR																Cool Cool							
Sampler's Name:				AT				TAT starts the day received by the lab if received by 4 30pm <th colspan="12"></th> <th colspan="4">HCL HC</th>																HCL HC											
PO #:								<th colspan="12"></th> <th colspan="4">H₂SO₄ H₂</th>																H ₂ SO ₄ H ₂											
SAMPLE RECEIPT				Temp Blank		Yes ☒ No ☒		Wet Ice		Yes ☒ No ☒		Parameters												H ₃ PO ₄ HP											
Received Intact:				Yes ☒ No ☒		Thermometer ID		Correction Factor		-1.0		BTX 8021B												NAHSO ₄ NABIS											
Cooler Custody Seals				Yes ☒ No ☒		Temperature Reading		-2.3				TPH 8015M (GRO+DRO+MRO)												Na ₂ S ₂ O ₃ NaSO ₃											
Sample Custody Seals				Yes ☒ No ☒		Corrected Temperature		-2.4				Chloride 300.0												Zn Acetate+NaOH Zn											
Total Containers																								NaOH+Ascorbic Acid SAPC											
Sample Identification				Date		Time		Soil		Water		Grab/Comp		# of Cont														Sample Comments							
T-3 (0-1')				12/21/2021				X		G		1		X		X		X																	
T-3 (1')				12/21/2021				X		G		1		X		X		X																	
T-3 (2)				12/21/2021				X		G		1		X		X		X																	
T-3 (3')				12/21/2021				X		G		1		X		X		X																	
T-4 (0-1')				12/21/2021				X		G		1		X		X		X																	
T-4 (1')				12/21/2021				X		G		1		X		X		X																	
T-4 (2)				12/21/2021				X		G		1		X		X		X																	
T-4 (3)				12/21/2021				X		G		1		X		X		X																	
T-4 (4')				12/21/2021				X		G		1		X		X		X																	

Additional Comments:

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenoco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenoco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenoco. A minimum charge of \$65.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenoco, but not analyzed. These terms will be enforced unless previously negotiated.

	Relinquished by (Signature)	Received by (Signature)	Date/Time	Relinquished by: (Signature)	Received by (Signature)	Date/Time
1			12/23/21 11:03	2		
3				4		
5				6		

Login Sample Receipt Checklist

Client: NT Global

Job Number: 880-9678-1

SDG Number: Lea Co, NM

Login Number: 9678

List Source: Eurofins Xenco, Midland

List Number: 1

Creator: Rodriguez, Leticia

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	N/A	No time on COC, logged in per container labels.
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	



Environment Testing America

ANALYTICAL REPORT

Eurofins Midland
1211 W. Florida Ave
Midland, TX 79701
Tel: (432)704-5440

Laboratory Job ID: 880-10654-1

Laboratory Sample Delivery Group: Lea Co, NM
Client Project/Site: Vaca Draw Booster 11.14.21

For:

NT Global
701 Tradewinds Blvd
Midland, Texas 79706

Attn: Clint Merritt

A handwritten signature in black ink that reads "Jessica Kramer".

Authorized for release by:
2/2/2022 5:09:09 PM

Jessica Kramer, Project Manager
(432)704-5440
jessica.kramer@eurofinset.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Laboratory Job ID: 880-10654-1
SDG: Lea Co, NM

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Client Sample Results	6
Surrogate Summary	48
QC Sample Results	52
QC Association Summary	66
Lab Chronicle	79
Certification Summary	96
Method Summary	97
Sample Summary	98
Chain of Custody	100
Receipt Checklists	106

1
2
3
4
5
6
7
8
9
10
11
12
13
14

Definitions/Glossary

Client: NT Global

Job ID: 880-10654-1

Project/Site: Vaca Draw Booster 11.14.21

SDG: Lea Co, NM

Qualifiers

GC VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
F2	MS/MSD RPD exceeds control limits
S1-	Surrogate recovery exceeds control limits, low biased.
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
S1-	Surrogate recovery exceeds control limits, low biased.
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Eurofins Midland

Case Narrative

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Job ID: 880-10654-1

Laboratory: Eurofins Midland

Narrative

Job Narrative
880-10654-1

Receipt

The samples were received on 1/27/2022 10:05 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 0.2°C

GC VOA

Method 8021B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-17885 and analytical batch 880-17868 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method 8021B: Surrogate recovery for the following samples were outside control limits: CS-1 (3') (880-10654-1), CS-2 (3') (880-10654-2), CS-9 (1.5') (880-10654-9) and CS-18 (1.5') (880-10654-18). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8021B: Surrogate recovery for the following samples were outside control limits: SW-16 (880-10654-52) and (880-10654-A-41-A MS). Evidence of matrix interferences is not obvious.

Method 8021B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-17886 and analytical batch 880-17867 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method 8021B: Surrogate recovery for the following samples were outside control limits: CS-23 (1.5') (880-10654-23), CS-24 (1.5') (880-10654-24), CS-28 (1.5') (880-10654-28), CS-35 (3') (880-10654-35), SW-1 (880-10654-37), (LCSD 880-17886/2-A) and (880-10654-A-21-B MSD). Evidence of matrix interferences is not obvious.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC Semi VOA

Method 8015MOD_NM: Surrogate recovery for the following samples were outside control limits: CS-34 (3') (880-10654-34), (LCSD 880-17976/3-A), (MB 880-17976/1-A) and (880-10654-A-41-E MS). Evidence of matrix interferences is not obvious.

Method 8015MOD_NM: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-18063 and analytical batch 880-17979 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method 8015MOD_NM: Surrogate recovery for the following samples were outside control limits: (LCSD 880-18063/3-A), (880-10654-A-21-H MS) and (880-10654-A-21-I MSD). Evidence of matrix interferences is not obvious.

Method 8015MOD_NM: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-17984 and analytical batch 880-17991 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method 8015MOD_NM: Surrogate recovery for the following sample was outside control limits: (MB 880-17984/1-A). Evidence of matrix interferences is not obvious.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

Method 300_ORGFM_28D: The matrix spike / matrix spike duplicate (MS/MSD) recoveries and precision for preparation batch 880-18027 and 880-18027 and analytical batch 880-18095 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample / laboratory sample control duplicate (LCS/LCSD) precision was within

Case Narrative

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Job ID: 880-10654-1 (Continued)

Laboratory: Eurofins Midland (Continued)

acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

1
2
3
4
5
6
7
8
9
10
11
12
13
14

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-1 (3')

Lab Sample ID: 880-10654-1

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.00627	F1	0.00199		mg/Kg		01/27/22 10:21	01/27/22 13:08	1
Toluene	0.00594	F2 F1	0.00199		mg/Kg		01/27/22 10:21	01/27/22 13:08	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:21	01/27/22 13:08	1
m-Xylene & p-Xylene	0.00627		0.00398		mg/Kg		01/27/22 10:21	01/27/22 13:08	1
o-Xylene	0.00345		0.00199		mg/Kg		01/27/22 10:21	01/27/22 13:08	1
Xylenes, Total	0.00972		0.00398		mg/Kg		01/27/22 10:21	01/27/22 13:08	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	155	S1+	70 - 130	01/27/22 10:21	01/27/22 13:08	1
1,4-Difluorobenzene (Surr)	116		70 - 130	01/27/22 10:21	01/27/22 13:08	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.0219		0.00398		mg/Kg			01/31/22 13:41	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			01/31/22 11:14	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		01/28/22 09:08	01/28/22 13:03	1
Diesel Range Organics (Over C10-C28)	<49.9	U F1	49.9		mg/Kg		01/28/22 09:08	01/28/22 13:03	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		01/28/22 09:08	01/28/22 13:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	112		70 - 130				01/28/22 09:08	01/28/22 13:03	1
o-Terphenyl	100		70 - 130				01/28/22 09:08	01/28/22 13:03	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	32.2	F1	4.99		mg/Kg			02/01/22 10:37	1

Client Sample ID: CS-2 (3')

Lab Sample ID: 880-10654-2

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.00467		0.00200		mg/Kg		01/27/22 10:21	01/27/22 13:28	1
Toluene	0.00431		0.00200		mg/Kg		01/27/22 10:21	01/27/22 13:28	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:21	01/27/22 13:28	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		01/27/22 10:21	01/27/22 13:28	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:21	01/27/22 13:28	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		01/27/22 10:21	01/27/22 13:28	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	135	S1+	70 - 130	01/27/22 10:21	01/27/22 13:28	1
1,4-Difluorobenzene (Surr)	102		70 - 130	01/27/22 10:21	01/27/22 13:28	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-2 (3')

Lab Sample ID: 880-10654-2

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.00898		0.00400		mg/Kg			01/31/22 13:41	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			01/31/22 11:14	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		01/28/22 09:08	01/28/22 14:59	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		01/28/22 09:08	01/28/22 14:59	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		01/28/22 09:08	01/28/22 14:59	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	104		70 - 130				01/28/22 09:08	01/28/22 14:59	1
o-Terphenyl	95		70 - 130				01/28/22 09:08	01/28/22 14:59	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	32.1		5.04		mg/Kg			02/01/22 10:59	1

Client Sample ID: CS-3 (3')

Lab Sample ID: 880-10654-3

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:21	01/27/22 13:48	1
Toluene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:21	01/27/22 13:48	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:21	01/27/22 13:48	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		01/27/22 10:21	01/27/22 13:48	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:21	01/27/22 13:48	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		01/27/22 10:21	01/27/22 13:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	101		70 - 130				01/27/22 10:21	01/27/22 13:48	1
1,4-Difluorobenzene (Surr)	67	S1-	70 - 130				01/27/22 10:21	01/27/22 13:48	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400		mg/Kg			01/31/22 13:41	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			01/31/22 11:14	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 15:21	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 15:21	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-3 (3')

Lab Sample ID: 880-10654-3

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 15:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	112		70 - 130				01/28/22 09:08	01/28/22 15:21	1
o-Terphenyl	102		70 - 130				01/28/22 09:08	01/28/22 15:21	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	34.2		4.98		mg/Kg			02/01/22 11:07	1

Client Sample ID: CS-4 (3')

Lab Sample ID: 880-10654-4

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		01/27/22 10:21	01/27/22 16:53	1
Toluene	<0.00202	U	0.00202		mg/Kg		01/27/22 10:21	01/27/22 16:53	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		01/27/22 10:21	01/27/22 16:53	1
m-Xylene & p-Xylene	<0.00403	U	0.00403		mg/Kg		01/27/22 10:21	01/27/22 16:53	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		01/27/22 10:21	01/27/22 16:53	1
Xylenes, Total	<0.00403	U	0.00403		mg/Kg		01/27/22 10:21	01/27/22 16:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		70 - 130				01/27/22 10:21	01/27/22 16:53	1
1,4-Difluorobenzene (Surr)	99		70 - 130				01/27/22 10:21	01/27/22 16:53	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00403	U	0.00403		mg/Kg			01/31/22 13:41	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			01/31/22 11:14	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 15:43	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 15:43	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 15:43	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	119		70 - 130				01/28/22 09:08	01/28/22 15:43	1
o-Terphenyl	114		70 - 130				01/28/22 09:08	01/28/22 15:43	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<4.97	U	4.97		mg/Kg			02/01/22 11:14	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-5 (1.5')

Lab Sample ID: 880-10654-5

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:21	01/27/22 17:13	1
Toluene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:21	01/27/22 17:13	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:21	01/27/22 17:13	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		01/27/22 10:21	01/27/22 17:13	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:21	01/27/22 17:13	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		01/27/22 10:21	01/27/22 17:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	123		70 - 130	01/27/22 10:21	01/27/22 17:13	1
1,4-Difluorobenzene (Surr)	74		70 - 130	01/27/22 10:21	01/27/22 17:13	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			01/31/22 13:52	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			01/31/22 11:14	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		01/28/22 09:08	01/28/22 16:05	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		01/28/22 09:08	01/28/22 16:05	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		01/28/22 09:08	01/28/22 16:05	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	95		70 - 130	01/28/22 09:08	01/28/22 16:05	1
o-Terphenyl	89		70 - 130	01/28/22 09:08	01/28/22 16:05	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	27.2		4.95		mg/Kg			02/01/22 13:00	1

Client Sample ID: CS-6 (1.5')

Lab Sample ID: 880-10654-6

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		01/27/22 10:21	01/27/22 17:34	1
Toluene	<0.00201	U	0.00201		mg/Kg		01/27/22 10:21	01/27/22 17:34	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		01/27/22 10:21	01/27/22 17:34	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		01/27/22 10:21	01/27/22 17:34	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		01/27/22 10:21	01/27/22 17:34	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		01/27/22 10:21	01/27/22 17:34	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	124		70 - 130	01/27/22 10:21	01/27/22 17:34	1
1,4-Difluorobenzene (Surr)	102		70 - 130	01/27/22 10:21	01/27/22 17:34	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-6 (1.5')

Lab Sample ID: 880-10654-6

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			01/31/22 13:52	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			01/31/22 11:14	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 16:27	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 16:27	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 16:27	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	101		70 - 130				01/28/22 09:08	01/28/22 16:27	1
o-Terphenyl	94		70 - 130				01/28/22 09:08	01/28/22 16:27	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	29.0		4.99		mg/Kg			02/01/22 13:23	1

Client Sample ID: CS-7 (1.5')

Lab Sample ID: 880-10654-7

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		01/27/22 10:21	01/27/22 17:54	1
Toluene	<0.00201	U	0.00201		mg/Kg		01/27/22 10:21	01/27/22 17:54	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		01/27/22 10:21	01/27/22 17:54	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		01/27/22 10:21	01/27/22 17:54	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		01/27/22 10:21	01/27/22 17:54	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		01/27/22 10:21	01/27/22 17:54	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	86		70 - 130				01/27/22 10:21	01/27/22 17:54	1
1,4-Difluorobenzene (Surr)	89		70 - 130				01/27/22 10:21	01/27/22 17:54	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			01/31/22 13:52	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			01/31/22 11:14	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		01/28/22 09:08	01/28/22 16:49	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		01/28/22 09:08	01/28/22 16:49	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-7 (1.5')

Lab Sample ID: 880-10654-7

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		01/28/22 09:08	01/28/22 16:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	117		70 - 130				01/28/22 09:08	01/28/22 16:49	1
o-Terphenyl	110		70 - 130				01/28/22 09:08	01/28/22 16:49	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	23.9		5.01		mg/Kg			02/01/22 13:30	1

Client Sample ID: CS-8 (1.5')

Lab Sample ID: 880-10654-8

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:21	01/27/22 18:14	1
Toluene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:21	01/27/22 18:14	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:21	01/27/22 18:14	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		01/27/22 10:21	01/27/22 18:14	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:21	01/27/22 18:14	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		01/27/22 10:21	01/27/22 18:14	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	92		70 - 130				01/27/22 10:21	01/27/22 18:14	1
1,4-Difluorobenzene (Surr)	121		70 - 130				01/27/22 10:21	01/27/22 18:14	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			01/31/22 13:52	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			01/31/22 11:14	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 17:11	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 17:11	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 17:11	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	90		70 - 130				01/28/22 09:08	01/28/22 17:11	1
o-Terphenyl	86		70 - 130				01/28/22 09:08	01/28/22 17:11	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	24.5		5.05		mg/Kg			02/01/22 13:38	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-9 (1.5')

Lab Sample ID: 880-10654-9

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:21	01/27/22 18:35	1
Toluene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:21	01/27/22 18:35	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:21	01/27/22 18:35	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		01/27/22 10:21	01/27/22 18:35	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:21	01/27/22 18:35	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		01/27/22 10:21	01/27/22 18:35	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	140	S1+	70 - 130	01/27/22 10:21	01/27/22 18:35	1
1,4-Difluorobenzene (Surr)	101		70 - 130	01/27/22 10:21	01/27/22 18:35	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			01/31/22 13:52	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			01/31/22 11:14	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 17:31	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 17:31	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 17:31	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	108		70 - 130	01/28/22 09:08	01/28/22 17:31	1
o-Terphenyl	100		70 - 130	01/28/22 09:08	01/28/22 17:31	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	23.0		4.98		mg/Kg			02/01/22 13:45	1

Client Sample ID: CS-10 (1.5')

Lab Sample ID: 880-10654-10

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		01/27/22 10:21	01/27/22 18:55	1
Toluene	<0.00198	U	0.00198		mg/Kg		01/27/22 10:21	01/27/22 18:55	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		01/27/22 10:21	01/27/22 18:55	1
m-Xylene & p-Xylene	<0.00397	U	0.00397		mg/Kg		01/27/22 10:21	01/27/22 18:55	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		01/27/22 10:21	01/27/22 18:55	1
Xylenes, Total	<0.00397	U	0.00397		mg/Kg		01/27/22 10:21	01/27/22 18:55	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	119		70 - 130	01/27/22 10:21	01/27/22 18:55	1
1,4-Difluorobenzene (Surr)	90		70 - 130	01/27/22 10:21	01/27/22 18:55	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-10 (1.5')

Lab Sample ID: 880-10654-10

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00397	U	0.00397		mg/Kg			01/31/22 13:52	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			01/31/22 11:14	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		01/28/22 09:08	01/28/22 17:53	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		01/28/22 09:08	01/28/22 17:53	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		01/28/22 09:08	01/28/22 17:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	112		70 - 130				01/28/22 09:08	01/28/22 17:53	1
o-Terphenyl	105		70 - 130				01/28/22 09:08	01/28/22 17:53	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	21.3		4.95		mg/Kg			02/01/22 13:53	1

Client Sample ID: CS-11 (1.5')

Lab Sample ID: 880-10654-11

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:21	01/27/22 20:45	1
Toluene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:21	01/27/22 20:45	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:21	01/27/22 20:45	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		01/27/22 10:21	01/27/22 20:45	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:21	01/27/22 20:45	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		01/27/22 10:21	01/27/22 20:45	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	115		70 - 130				01/27/22 10:21	01/27/22 20:45	1
1,4-Difluorobenzene (Surr)	131	S1+	70 - 130				01/27/22 10:21	01/27/22 20:45	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			01/31/22 13:52	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			01/31/22 11:14	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 18:38	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 18:38	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-11 (1.5')

Lab Sample ID: 880-10654-11

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 18:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	112		70 - 130				01/28/22 09:08	01/28/22 18:38	1
o-Terphenyl	105		70 - 130				01/28/22 09:08	01/28/22 18:38	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	21.0	F1	5.00		mg/Kg			02/01/22 14:00	1

Client Sample ID: CS-12 (1.5')

Lab Sample ID: 880-10654-12

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:21	01/27/22 21:06	1
Toluene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:21	01/27/22 21:06	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:21	01/27/22 21:06	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		01/27/22 10:21	01/27/22 21:06	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:21	01/27/22 21:06	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		01/27/22 10:21	01/27/22 21:06	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		70 - 130				01/27/22 10:21	01/27/22 21:06	1
1,4-Difluorobenzene (Surr)	71		70 - 130				01/27/22 10:21	01/27/22 21:06	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			01/31/22 13:52	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			01/31/22 11:14	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 19:00	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 19:00	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 19:00	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	118		70 - 130				01/28/22 09:08	01/28/22 19:00	1
o-Terphenyl	113		70 - 130				01/28/22 09:08	01/28/22 19:00	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	21.2		4.99		mg/Kg			02/01/22 14:24	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-13 (1.5')

Lab Sample ID: 880-10654-13

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		01/27/22 10:21	01/27/22 21:26	1
Toluene	<0.00198	U	0.00198		mg/Kg		01/27/22 10:21	01/27/22 21:26	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		01/27/22 10:21	01/27/22 21:26	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		01/27/22 10:21	01/27/22 21:26	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		01/27/22 10:21	01/27/22 21:26	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		01/27/22 10:21	01/27/22 21:26	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	123		70 - 130	01/27/22 10:21	01/27/22 21:26	1
1,4-Difluorobenzene (Surr)	92		70 - 130	01/27/22 10:21	01/27/22 21:26	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			01/31/22 13:52	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			01/31/22 11:14	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		01/28/22 09:08	01/28/22 19:22	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		01/28/22 09:08	01/28/22 19:22	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		01/28/22 09:08	01/28/22 19:22	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	80		70 - 130	01/28/22 09:08	01/28/22 19:22	1
o-Terphenyl	72		70 - 130	01/28/22 09:08	01/28/22 19:22	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	31.9		4.98		mg/Kg			02/01/22 14:31	1

Client Sample ID: CS-14 (1.5')

Lab Sample ID: 880-10654-14

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:21	01/27/22 21:46	1
Toluene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:21	01/27/22 21:46	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:21	01/27/22 21:46	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		01/27/22 10:21	01/27/22 21:46	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:21	01/27/22 21:46	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		01/27/22 10:21	01/27/22 21:46	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	75		70 - 130	01/27/22 10:21	01/27/22 21:46	1
1,4-Difluorobenzene (Surr)	73		70 - 130	01/27/22 10:21	01/27/22 21:46	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-14 (1.5')

Lab Sample ID: 880-10654-14

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			01/31/22 13:52	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			01/31/22 11:14	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 19:44	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 19:44	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 19:44	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	93		70 - 130				01/28/22 09:08	01/28/22 19:44	1
o-Terphenyl	82		70 - 130				01/28/22 09:08	01/28/22 19:44	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	25.0		4.97		mg/Kg			02/01/22 18:59	1

Client Sample ID: CS-15 (1.5')

Lab Sample ID: 880-10654-15

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		01/27/22 10:21	01/27/22 22:07	1
Toluene	<0.00202	U	0.00202		mg/Kg		01/27/22 10:21	01/27/22 22:07	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		01/27/22 10:21	01/27/22 22:07	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		01/27/22 10:21	01/27/22 22:07	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		01/27/22 10:21	01/27/22 22:07	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		01/27/22 10:21	01/27/22 22:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	125		70 - 130				01/27/22 10:21	01/27/22 22:07	1
1,4-Difluorobenzene (Surr)	107		70 - 130				01/27/22 10:21	01/27/22 22:07	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			01/31/22 13:52	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			01/31/22 11:14	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		01/28/22 09:08	01/28/22 20:06	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		01/28/22 09:08	01/28/22 20:06	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-15 (1.5')

Lab Sample ID: 880-10654-15

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		01/28/22 09:08	01/28/22 20:06	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	97		70 - 130				01/28/22 09:08	01/28/22 20:06	1
o-Terphenyl	95		70 - 130				01/28/22 09:08	01/28/22 20:06	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	21.4		4.99		mg/Kg			02/01/22 19:06	1

Client Sample ID: CS-16 (1.5')

Lab Sample ID: 880-10654-16

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		01/27/22 10:21	01/27/22 22:27	1
Toluene	<0.00201	U	0.00201		mg/Kg		01/27/22 10:21	01/27/22 22:27	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		01/27/22 10:21	01/27/22 22:27	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		01/27/22 10:21	01/27/22 22:27	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		01/27/22 10:21	01/27/22 22:27	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		01/27/22 10:21	01/27/22 22:27	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	113		70 - 130				01/27/22 10:21	01/27/22 22:27	1
1,4-Difluorobenzene (Surr)	96		70 - 130				01/27/22 10:21	01/27/22 22:27	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			01/31/22 13:52	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			01/31/22 11:14	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		01/28/22 09:08	01/28/22 20:27	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		01/28/22 09:08	01/28/22 20:27	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		01/28/22 09:08	01/28/22 20:27	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	94		70 - 130				01/28/22 09:08	01/28/22 20:27	1
o-Terphenyl	89		70 - 130				01/28/22 09:08	01/28/22 20:27	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	19.8		5.00		mg/Kg			02/01/22 19:14	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-17 (1.5')

Lab Sample ID: 880-10654-17

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		01/27/22 10:21	01/27/22 22:47	1
Toluene	<0.00202	U	0.00202		mg/Kg		01/27/22 10:21	01/27/22 22:47	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		01/27/22 10:21	01/27/22 22:47	1
m-Xylene & p-Xylene	<0.00403	U	0.00403		mg/Kg		01/27/22 10:21	01/27/22 22:47	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		01/27/22 10:21	01/27/22 22:47	1
Xylenes, Total	<0.00403	U	0.00403		mg/Kg		01/27/22 10:21	01/27/22 22:47	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	74		70 - 130	01/27/22 10:21	01/27/22 22:47	1
1,4-Difluorobenzene (Surr)	89		70 - 130	01/27/22 10:21	01/27/22 22:47	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00403	U	0.00403		mg/Kg			01/31/22 13:52	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			01/31/22 11:14	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 20:50	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 20:50	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 20:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	106		70 - 130	01/28/22 09:08	01/28/22 20:50	1
o-Terphenyl	95		70 - 130	01/28/22 09:08	01/28/22 20:50	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	11.4		5.00		mg/Kg			02/01/22 19:21	1

Client Sample ID: CS-18 (1.5')

Lab Sample ID: 880-10654-18

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:21	01/27/22 23:08	1
Toluene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:21	01/27/22 23:08	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:21	01/27/22 23:08	1
m-Xylene & p-Xylene	<0.00401	U	0.00401		mg/Kg		01/27/22 10:21	01/27/22 23:08	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:21	01/27/22 23:08	1
Xylenes, Total	<0.00401	U	0.00401		mg/Kg		01/27/22 10:21	01/27/22 23:08	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	151	S1+	70 - 130	01/27/22 10:21	01/27/22 23:08	1
1,4-Difluorobenzene (Surr)	108		70 - 130	01/27/22 10:21	01/27/22 23:08	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-18 (1.5')

Lab Sample ID: 880-10654-18

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00401	U	0.00401		mg/Kg			01/31/22 13:52	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			01/31/22 11:14	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 21:13	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 21:13	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 21:13	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	83		70 - 130				01/28/22 09:08	01/28/22 21:13	1
o-Terphenyl	78		70 - 130				01/28/22 09:08	01/28/22 21:13	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	10.7		4.95		mg/Kg			02/01/22 19:29	1

Client Sample ID: CS-19 (1.5')

Lab Sample ID: 880-10654-19

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:21	01/27/22 23:28	1
Toluene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:21	01/27/22 23:28	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:21	01/27/22 23:28	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		01/27/22 10:21	01/27/22 23:28	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:21	01/27/22 23:28	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		01/27/22 10:21	01/27/22 23:28	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	115		70 - 130				01/27/22 10:21	01/27/22 23:28	1
1,4-Difluorobenzene (Surr)	83		70 - 130				01/27/22 10:21	01/27/22 23:28	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			01/31/22 13:52	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			01/31/22 11:14	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 21:35	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 21:35	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-19 (1.5')

Lab Sample ID: 880-10654-19

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 21:35	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	100		70 - 130				01/28/22 09:08	01/28/22 21:35	1
o-Terphenyl	90		70 - 130				01/28/22 09:08	01/28/22 21:35	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	11.0		4.97		mg/Kg			02/01/22 19:36	1

Client Sample ID: CS-20 (1.5')

Lab Sample ID: 880-10654-20

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:21	01/27/22 23:49	1
Toluene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:21	01/27/22 23:49	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:21	01/27/22 23:49	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		01/27/22 10:21	01/27/22 23:49	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:21	01/27/22 23:49	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		01/27/22 10:21	01/27/22 23:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	109		70 - 130				01/27/22 10:21	01/27/22 23:49	1
1,4-Difluorobenzene (Surr)	82		70 - 130				01/27/22 10:21	01/27/22 23:49	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			01/31/22 13:52	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			01/31/22 11:14	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 21:56	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 21:56	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 21:56	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	115		70 - 130				01/28/22 09:08	01/28/22 21:56	1
o-Terphenyl	110		70 - 130				01/28/22 09:08	01/28/22 21:56	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	10.2		5.02		mg/Kg			02/01/22 20:07	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-21 (1.5')

Lab Sample ID: 880-10654-21

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U F1 F2	0.00199		mg/Kg		01/27/22 10:24	01/27/22 22:53	1
Toluene	<0.00199	U F1	0.00199		mg/Kg		01/27/22 10:24	01/27/22 22:53	1
Ethylbenzene	<0.00199	U F1 F2	0.00199		mg/Kg		01/27/22 10:24	01/27/22 22:53	1
m-Xylene & p-Xylene	<0.00398	U F1	0.00398		mg/Kg		01/27/22 10:24	01/27/22 22:53	1
o-Xylene	<0.00199	U F1 F2	0.00199		mg/Kg		01/27/22 10:24	01/27/22 22:53	1
Xylenes, Total	<0.00398	U F1 F2	0.00398		mg/Kg		01/27/22 10:24	01/27/22 22:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	118		70 - 130	01/27/22 10:24	01/27/22 22:53	1
1,4-Difluorobenzene (Surr)	111		70 - 130	01/27/22 10:24	01/27/22 22:53	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			01/31/22 13:52	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			02/01/22 19:05	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		01/28/22 14:45	01/28/22 22:41	1
Diesel Range Organics (Over C10-C28)	<49.9	U F1	49.9		mg/Kg		01/28/22 14:45	01/28/22 22:41	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		01/28/22 14:45	01/28/22 22:41	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	79		70 - 130	01/28/22 14:45	01/28/22 22:41	1
o-Terphenyl	86		70 - 130	01/28/22 14:45	01/28/22 22:41	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	13.4		4.96		mg/Kg			02/02/22 09:13	1

Client Sample ID: CS-22 (1.5')

Lab Sample ID: 880-10654-22

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		01/27/22 10:24	01/27/22 23:14	1
Toluene	<0.00198	U	0.00198		mg/Kg		01/27/22 10:24	01/27/22 23:14	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		01/27/22 10:24	01/27/22 23:14	1
m-Xylene & p-Xylene	<0.00397	U	0.00397		mg/Kg		01/27/22 10:24	01/27/22 23:14	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		01/27/22 10:24	01/27/22 23:14	1
Xylenes, Total	<0.00397	U	0.00397		mg/Kg		01/27/22 10:24	01/27/22 23:14	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		70 - 130	01/27/22 10:24	01/27/22 23:14	1
1,4-Difluorobenzene (Surr)	101		70 - 130	01/27/22 10:24	01/27/22 23:14	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-22 (1.5')

Lab Sample ID: 880-10654-22

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00397	U	0.00397		mg/Kg			01/31/22 13:52	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			02/01/22 19:05	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		01/28/22 14:45	01/28/22 23:49	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		01/28/22 14:45	01/28/22 23:49	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		01/28/22 14:45	01/28/22 23:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	90		70 - 130				01/28/22 14:45	01/28/22 23:49	1
o-Terphenyl	91		70 - 130				01/28/22 14:45	01/28/22 23:49	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	12.4		5.04		mg/Kg			02/02/22 09:35	1

Client Sample ID: CS-23 (1.5')

Lab Sample ID: 880-10654-23

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		01/27/22 10:24	01/27/22 23:34	1
Toluene	<0.00201	U	0.00201		mg/Kg		01/27/22 10:24	01/27/22 23:34	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		01/27/22 10:24	01/27/22 23:34	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		01/27/22 10:24	01/27/22 23:34	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		01/27/22 10:24	01/27/22 23:34	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		01/27/22 10:24	01/27/22 23:34	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	134	S1+	70 - 130				01/27/22 10:24	01/27/22 23:34	1
1,4-Difluorobenzene (Surr)	92		70 - 130				01/27/22 10:24	01/27/22 23:34	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			01/31/22 13:52	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			02/01/22 19:05	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		01/28/22 14:45	01/29/22 00:11	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		01/28/22 14:45	01/29/22 00:11	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-23 (1.5')

Lab Sample ID: 880-10654-23

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		01/28/22 14:45	01/29/22 00:11	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	79		70 - 130				01/28/22 14:45	01/29/22 00:11	1
o-Terphenyl	83		70 - 130				01/28/22 14:45	01/29/22 00:11	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	14.2		4.98		mg/Kg			02/02/22 09:43	1

Client Sample ID: CS-24 (1.5')

Lab Sample ID: 880-10654-24

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:24	01/27/22 23:54	1
Toluene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:24	01/27/22 23:54	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:24	01/27/22 23:54	1
m-Xylene & p-Xylene	<0.00401	U	0.00401		mg/Kg		01/27/22 10:24	01/27/22 23:54	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:24	01/27/22 23:54	1
Xylenes, Total	<0.00401	U	0.00401		mg/Kg		01/27/22 10:24	01/27/22 23:54	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	87		70 - 130				01/27/22 10:24	01/27/22 23:54	1
1,4-Difluorobenzene (Surr)	69	S1-	70 - 130				01/27/22 10:24	01/27/22 23:54	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00401	U	0.00401		mg/Kg			01/31/22 13:52	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			02/01/22 19:05	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		01/28/22 14:45	01/29/22 00:34	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		01/28/22 14:45	01/29/22 00:34	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		01/28/22 14:45	01/29/22 00:34	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	79		70 - 130				01/28/22 14:45	01/29/22 00:34	1
o-Terphenyl	84		70 - 130				01/28/22 14:45	01/29/22 00:34	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	47.0		5.00		mg/Kg			02/02/22 09:51	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-25 (1.5')

Lab Sample ID: 880-10654-25

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:24	01/28/22 00:15	1
Toluene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:24	01/28/22 00:15	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:24	01/28/22 00:15	1
m-Xylene & p-Xylene	<0.00401	U	0.00401		mg/Kg		01/27/22 10:24	01/28/22 00:15	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:24	01/28/22 00:15	1
Xylenes, Total	<0.00401	U	0.00401		mg/Kg		01/27/22 10:24	01/28/22 00:15	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	117		70 - 130	01/27/22 10:24	01/28/22 00:15	1
1,4-Difluorobenzene (Surr)	90		70 - 130	01/27/22 10:24	01/28/22 00:15	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00401	U	0.00401		mg/Kg			01/31/22 13:52	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			02/01/22 19:05	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		01/28/22 14:45	01/29/22 00:57	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		01/28/22 14:45	01/29/22 00:57	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		01/28/22 14:45	01/29/22 00:57	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	90		70 - 130	01/28/22 14:45	01/29/22 00:57	1
o-Terphenyl	93		70 - 130	01/28/22 14:45	01/29/22 00:57	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	35.2		4.98		mg/Kg			02/02/22 09:58	1

Client Sample ID: CS-26 (1.5')

Lab Sample ID: 880-10654-26

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:24	01/28/22 00:35	1
Toluene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:24	01/28/22 00:35	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:24	01/28/22 00:35	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		01/27/22 10:24	01/28/22 00:35	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:24	01/28/22 00:35	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		01/27/22 10:24	01/28/22 00:35	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	97		70 - 130	01/27/22 10:24	01/28/22 00:35	1
1,4-Difluorobenzene (Surr)	81		70 - 130	01/27/22 10:24	01/28/22 00:35	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-26 (1.5')

Lab Sample ID: 880-10654-26

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			01/31/22 13:52	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			02/01/22 19:05	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		01/28/22 14:45	01/29/22 01:20	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		01/28/22 14:45	01/29/22 01:20	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		01/28/22 14:45	01/29/22 01:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	94		70 - 130				01/28/22 14:45	01/29/22 01:20	1
o-Terphenyl	99		70 - 130				01/28/22 14:45	01/29/22 01:20	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	24.3		4.95		mg/Kg			02/02/22 10:21	1

Client Sample ID: CS-27 (1.5')

Lab Sample ID: 880-10654-27

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:24	01/28/22 00:56	1
Toluene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:24	01/28/22 00:56	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:24	01/28/22 00:56	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		01/27/22 10:24	01/28/22 00:56	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:24	01/28/22 00:56	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		01/27/22 10:24	01/28/22 00:56	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	94		70 - 130				01/27/22 10:24	01/28/22 00:56	1
1,4-Difluorobenzene (Surr)	75		70 - 130				01/27/22 10:24	01/28/22 00:56	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400		mg/Kg			01/31/22 13:52	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			02/01/22 19:05	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		01/28/22 14:45	01/29/22 01:43	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		01/28/22 14:45	01/29/22 01:43	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-27 (1.5')

Lab Sample ID: 880-10654-27

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		01/28/22 14:45	01/29/22 01:43	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	84		70 - 130				01/28/22 14:45	01/29/22 01:43	1
o-Terphenyl	90		70 - 130				01/28/22 14:45	01/29/22 01:43	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	28.2		5.01		mg/Kg			02/02/22 10:28	1

Client Sample ID: CS-28 (1.5')

Lab Sample ID: 880-10654-28

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		01/27/22 10:24	01/28/22 01:16	1
Toluene	<0.00202	U	0.00202		mg/Kg		01/27/22 10:24	01/28/22 01:16	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		01/27/22 10:24	01/28/22 01:16	1
m-Xylene & p-Xylene	<0.00403	U	0.00403		mg/Kg		01/27/22 10:24	01/28/22 01:16	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		01/27/22 10:24	01/28/22 01:16	1
Xylenes, Total	<0.00403	U	0.00403		mg/Kg		01/27/22 10:24	01/28/22 01:16	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	131	S1+	70 - 130				01/27/22 10:24	01/28/22 01:16	1
1,4-Difluorobenzene (Surr)	142	S1+	70 - 130				01/27/22 10:24	01/28/22 01:16	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00403	U	0.00403		mg/Kg			01/31/22 13:52	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			02/01/22 19:05	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		01/28/22 14:45	01/29/22 02:05	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		01/28/22 14:45	01/29/22 02:05	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		01/28/22 14:45	01/29/22 02:05	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	80		70 - 130				01/28/22 14:45	01/29/22 02:05	1
o-Terphenyl	86		70 - 130				01/28/22 14:45	01/29/22 02:05	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	28.1		5.04		mg/Kg			02/02/22 10:36	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-29 (4')

Lab Sample ID: 880-10654-29

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:24	01/28/22 01:36	1
Toluene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:24	01/28/22 01:36	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:24	01/28/22 01:36	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		01/27/22 10:24	01/28/22 01:36	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:24	01/28/22 01:36	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		01/27/22 10:24	01/28/22 01:36	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	108		70 - 130	01/27/22 10:24	01/28/22 01:36	1
1,4-Difluorobenzene (Surr)	103		70 - 130	01/27/22 10:24	01/28/22 01:36	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			01/31/22 13:52	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			02/01/22 19:05	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		01/28/22 14:45	01/29/22 02:29	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		01/28/22 14:45	01/29/22 02:29	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		01/28/22 14:45	01/29/22 02:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	93		70 - 130	01/28/22 14:45	01/29/22 02:29	1
o-Terphenyl	96		70 - 130	01/28/22 14:45	01/29/22 02:29	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	23.3		4.98		mg/Kg			02/02/22 10:44	1

Client Sample ID: CS-30 (4')

Lab Sample ID: 880-10654-30

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		01/27/22 10:24	01/28/22 01:57	1
Toluene	<0.00201	U	0.00201		mg/Kg		01/27/22 10:24	01/28/22 01:57	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		01/27/22 10:24	01/28/22 01:57	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		01/27/22 10:24	01/28/22 01:57	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		01/27/22 10:24	01/28/22 01:57	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		01/27/22 10:24	01/28/22 01:57	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	125		70 - 130	01/27/22 10:24	01/28/22 01:57	1
1,4-Difluorobenzene (Surr)	96		70 - 130	01/27/22 10:24	01/28/22 01:57	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-30 (4')

Lab Sample ID: 880-10654-30

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			01/31/22 13:52	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			02/01/22 19:05	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		01/28/22 14:45	01/29/22 02:51	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		01/28/22 14:45	01/29/22 02:51	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		01/28/22 14:45	01/29/22 02:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	77		70 - 130				01/28/22 14:45	01/29/22 02:51	1
o-Terphenyl	83		70 - 130				01/28/22 14:45	01/29/22 02:51	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	21.2		5.05		mg/Kg			02/02/22 10:51	1

Client Sample ID: CS-31 (4')

Lab Sample ID: 880-10654-31

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:24	01/28/22 03:19	1
Toluene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:24	01/28/22 03:19	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:24	01/28/22 03:19	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		01/27/22 10:24	01/28/22 03:19	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:24	01/28/22 03:19	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		01/27/22 10:24	01/28/22 03:19	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	115		70 - 130				01/27/22 10:24	01/28/22 03:19	1
1,4-Difluorobenzene (Surr)	104		70 - 130				01/27/22 10:24	01/28/22 03:19	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			01/31/22 13:52	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			02/01/22 19:05	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		01/28/22 14:45	01/29/22 03:37	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		01/28/22 14:45	01/29/22 03:37	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-31 (4')

Lab Sample ID: 880-10654-31

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		01/28/22 14:45	01/29/22 03:37	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	87		70 - 130				01/28/22 14:45	01/29/22 03:37	1
o-Terphenyl	93		70 - 130				01/28/22 14:45	01/29/22 03:37	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	22.9		5.00		mg/Kg			02/02/22 10:59	1

Client Sample ID: CS-32 (4')

Lab Sample ID: 880-10654-32

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		01/27/22 10:24	01/28/22 03:39	1
Toluene	<0.00198	U	0.00198		mg/Kg		01/27/22 10:24	01/28/22 03:39	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		01/27/22 10:24	01/28/22 03:39	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		01/27/22 10:24	01/28/22 03:39	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		01/27/22 10:24	01/28/22 03:39	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		01/27/22 10:24	01/28/22 03:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		70 - 130				01/27/22 10:24	01/28/22 03:39	1
1,4-Difluorobenzene (Surr)	103		70 - 130				01/27/22 10:24	01/28/22 03:39	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			01/31/22 13:52	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			02/01/22 19:05	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		01/28/22 14:45	01/29/22 03:59	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		01/28/22 14:45	01/29/22 03:59	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		01/28/22 14:45	01/29/22 03:59	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	107		70 - 130				01/28/22 14:45	01/29/22 03:59	1
o-Terphenyl	114		70 - 130				01/28/22 14:45	01/29/22 03:59	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	29.9		4.99		mg/Kg			02/02/22 11:21	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-33 (3')

Lab Sample ID: 880-10654-33

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:24	01/28/22 04:00	1
Toluene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:24	01/28/22 04:00	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:24	01/28/22 04:00	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		01/27/22 10:24	01/28/22 04:00	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:24	01/28/22 04:00	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		01/27/22 10:24	01/28/22 04:00	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	116		70 - 130	01/27/22 10:24	01/28/22 04:00	1
1,4-Difluorobenzene (Surr)	100		70 - 130	01/27/22 10:24	01/28/22 04:00	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400		mg/Kg			01/31/22 13:52	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			02/01/22 19:05	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		01/28/22 14:45	01/29/22 04:21	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		01/28/22 14:45	01/29/22 04:21	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		01/28/22 14:45	01/29/22 04:21	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	87		70 - 130	01/28/22 14:45	01/29/22 04:21	1
o-Terphenyl	92		70 - 130	01/28/22 14:45	01/29/22 04:21	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	33.7		4.98		mg/Kg			02/02/22 11:29	1

Client Sample ID: CS-34 (3')

Lab Sample ID: 880-10654-34

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		01/27/22 10:24	01/28/22 04:20	1
Toluene	<0.00198	U	0.00198		mg/Kg		01/27/22 10:24	01/28/22 04:20	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		01/27/22 10:24	01/28/22 04:20	1
m-Xylene & p-Xylene	<0.00397	U	0.00397		mg/Kg		01/27/22 10:24	01/28/22 04:20	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		01/27/22 10:24	01/28/22 04:20	1
Xylenes, Total	<0.00397	U	0.00397		mg/Kg		01/27/22 10:24	01/28/22 04:20	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	113		70 - 130	01/27/22 10:24	01/28/22 04:20	1
1,4-Difluorobenzene (Surr)	105		70 - 130	01/27/22 10:24	01/28/22 04:20	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-34 (3')

Lab Sample ID: 880-10654-34

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00397	U	0.00397		mg/Kg			01/31/22 13:52	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			02/01/22 19:05	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		01/28/22 14:45	01/29/22 04:44	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		01/28/22 14:45	01/29/22 04:44	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		01/28/22 14:45	01/29/22 04:44	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	63	S1-	70 - 130				01/28/22 14:45	01/29/22 04:44	1
o-Terphenyl	69	S1-	70 - 130				01/28/22 14:45	01/29/22 04:44	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	30.7		5.02		mg/Kg			02/02/22 11:51	1

Client Sample ID: CS-35 (3')

Lab Sample ID: 880-10654-35

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:24	01/28/22 04:40	1
Toluene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:24	01/28/22 04:40	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:24	01/28/22 04:40	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		01/27/22 10:24	01/28/22 04:40	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:24	01/28/22 04:40	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		01/27/22 10:24	01/28/22 04:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	144	S1+	70 - 130				01/27/22 10:24	01/28/22 04:40	1
1,4-Difluorobenzene (Surr)	117		70 - 130				01/27/22 10:24	01/28/22 04:40	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400		mg/Kg			01/31/22 13:52	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			02/01/22 19:05	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		01/28/22 14:45	01/29/22 05:06	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		01/28/22 14:45	01/29/22 05:06	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-35 (3')

Lab Sample ID: 880-10654-35

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		01/28/22 14:45	01/29/22 05:06	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	70		70 - 130				01/28/22 14:45	01/29/22 05:06	1
o-Terphenyl	73		70 - 130				01/28/22 14:45	01/29/22 05:06	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	38.1		4.98		mg/Kg			02/02/22 11:59	1

Client Sample ID: CS-36 (3')

Lab Sample ID: 880-10654-36

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		01/27/22 10:24	01/28/22 05:01	1
Toluene	<0.00202	U	0.00202		mg/Kg		01/27/22 10:24	01/28/22 05:01	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		01/27/22 10:24	01/28/22 05:01	1
m-Xylene & p-Xylene	<0.00403	U	0.00403		mg/Kg		01/27/22 10:24	01/28/22 05:01	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		01/27/22 10:24	01/28/22 05:01	1
Xylenes, Total	<0.00403	U	0.00403		mg/Kg		01/27/22 10:24	01/28/22 05:01	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	121		70 - 130				01/27/22 10:24	01/28/22 05:01	1
1,4-Difluorobenzene (Surr)	79		70 - 130				01/27/22 10:24	01/28/22 05:01	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00403	U	0.00403		mg/Kg			01/31/22 13:52	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			02/01/22 19:05	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		01/28/22 14:45	01/29/22 05:27	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		01/28/22 14:45	01/29/22 05:27	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		01/28/22 14:45	01/29/22 05:27	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	78		70 - 130				01/28/22 14:45	01/29/22 05:27	1
o-Terphenyl	84		70 - 130				01/28/22 14:45	01/29/22 05:27	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	32.1		5.00		mg/Kg			02/02/22 12:07	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: SW-1

Lab Sample ID: 880-10654-37

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:24	01/28/22 05:21	1
Toluene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:24	01/28/22 05:21	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:24	01/28/22 05:21	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		01/27/22 10:24	01/28/22 05:21	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:24	01/28/22 05:21	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		01/27/22 10:24	01/28/22 05:21	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	132	S1+	70 - 130	01/27/22 10:24	01/28/22 05:21	1
1,4-Difluorobenzene (Surr)	78		70 - 130	01/27/22 10:24	01/28/22 05:21	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			01/31/22 13:52	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	92.5		50.0		mg/Kg			02/01/22 19:05	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		01/28/22 14:45	01/29/22 05:46	1
Diesel Range Organics (Over C10-C28)	92.5		50.0		mg/Kg		01/28/22 14:45	01/29/22 05:46	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		01/28/22 14:45	01/29/22 05:46	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	73		70 - 130	01/28/22 14:45	01/29/22 05:46	1
o-Terphenyl	78		70 - 130	01/28/22 14:45	01/29/22 05:46	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	34.7		5.00		mg/Kg			02/02/22 12:14	1

Client Sample ID: SW-2

Lab Sample ID: 880-10654-38

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		01/27/22 10:24	01/28/22 05:42	1
Toluene	<0.00198	U	0.00198		mg/Kg		01/27/22 10:24	01/28/22 05:42	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		01/27/22 10:24	01/28/22 05:42	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		01/27/22 10:24	01/28/22 05:42	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		01/27/22 10:24	01/28/22 05:42	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		01/27/22 10:24	01/28/22 05:42	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	92		70 - 130	01/27/22 10:24	01/28/22 05:42	1
1,4-Difluorobenzene (Surr)	83		70 - 130	01/27/22 10:24	01/28/22 05:42	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: SW-2

Lab Sample ID: 880-10654-38

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			01/31/22 13:52	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	85.4		50.0		mg/Kg			02/01/22 19:05	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		01/28/22 14:45	01/29/22 06:06	1
Diesel Range Organics (Over C10-C28)	85.4		50.0		mg/Kg		01/28/22 14:45	01/29/22 06:06	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		01/28/22 14:45	01/29/22 06:06	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	88		70 - 130				01/28/22 14:45	01/29/22 06:06	1
o-Terphenyl	95		70 - 130				01/28/22 14:45	01/29/22 06:06	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	31.0		4.99		mg/Kg			02/02/22 12:22	1

Client Sample ID: SW-3

Lab Sample ID: 880-10654-39

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		01/27/22 10:24	01/28/22 06:02	1
Toluene	<0.00201	U	0.00201		mg/Kg		01/27/22 10:24	01/28/22 06:02	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		01/27/22 10:24	01/28/22 06:02	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		01/27/22 10:24	01/28/22 06:02	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		01/27/22 10:24	01/28/22 06:02	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		01/27/22 10:24	01/28/22 06:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	111		70 - 130				01/27/22 10:24	01/28/22 06:02	1
1,4-Difluorobenzene (Surr)	108		70 - 130				01/27/22 10:24	01/28/22 06:02	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			01/31/22 13:52	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			02/01/22 19:05	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		01/28/22 14:45	01/29/22 06:27	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		01/28/22 14:45	01/29/22 06:27	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: SW-3

Lab Sample ID: 880-10654-39

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		01/28/22 14:45	01/29/22 06:27	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	76		70 - 130				01/28/22 14:45	01/29/22 06:27	1
o-Terphenyl	82		70 - 130				01/28/22 14:45	01/29/22 06:27	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	30.6		5.00		mg/Kg			02/02/22 12:29	1

Client Sample ID: SW-4

Lab Sample ID: 880-10654-40

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:24	01/28/22 06:22	1
Toluene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:24	01/28/22 06:22	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:24	01/28/22 06:22	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		01/27/22 10:24	01/28/22 06:22	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:24	01/28/22 06:22	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		01/27/22 10:24	01/28/22 06:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		70 - 130				01/27/22 10:24	01/28/22 06:22	1
1,4-Difluorobenzene (Surr)	78		70 - 130				01/27/22 10:24	01/28/22 06:22	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400		mg/Kg			01/31/22 13:52	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			02/01/22 19:05	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		01/28/22 14:45	01/29/22 06:48	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		01/28/22 14:45	01/29/22 06:48	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		01/28/22 14:45	01/29/22 06:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	76		70 - 130				01/28/22 14:45	01/29/22 06:48	1
o-Terphenyl	80		70 - 130				01/28/22 14:45	01/29/22 06:48	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	18.4		4.99		mg/Kg			02/02/22 12:37	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: SW-5

Lab Sample ID: 880-10654-41

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:32	01/27/22 17:02	1
Toluene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:32	01/27/22 17:02	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:32	01/27/22 17:02	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		01/27/22 10:32	01/27/22 17:02	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:32	01/27/22 17:02	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		01/27/22 10:32	01/27/22 17:02	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		70 - 130	01/27/22 10:32	01/27/22 17:02	1
1,4-Difluorobenzene (Surr)	84		70 - 130	01/27/22 10:32	01/27/22 17:02	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			01/28/22 11:02	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			02/01/22 19:05	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		01/28/22 08:29	01/28/22 12:39	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		01/28/22 08:29	01/28/22 12:39	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		01/28/22 08:29	01/28/22 12:39	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	81		70 - 130	01/28/22 08:29	01/28/22 12:39	1
o-Terphenyl	86		70 - 130	01/28/22 08:29	01/28/22 12:39	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	15.3		4.96		mg/Kg			02/01/22 18:12	1

Client Sample ID: SW-6

Lab Sample ID: 880-10654-42

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:32	01/27/22 17:23	1
Toluene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:32	01/27/22 17:23	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:32	01/27/22 17:23	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		01/27/22 10:32	01/27/22 17:23	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:32	01/27/22 17:23	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		01/27/22 10:32	01/27/22 17:23	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		70 - 130	01/27/22 10:32	01/27/22 17:23	1
1,4-Difluorobenzene (Surr)	81		70 - 130	01/27/22 10:32	01/27/22 17:23	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: SW-6

Lab Sample ID: 880-10654-42

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400		mg/Kg			01/28/22 11:02	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			02/01/22 19:05	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		01/28/22 08:29	01/28/22 15:44	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		01/28/22 08:29	01/28/22 15:44	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		01/28/22 08:29	01/28/22 15:44	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	91		70 - 130				01/28/22 08:29	01/28/22 15:44	1
o-Terphenyl	96		70 - 130				01/28/22 08:29	01/28/22 15:44	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	22.2		4.98		mg/Kg			02/01/22 18:47	1

Client Sample ID: SW-7

Lab Sample ID: 880-10654-43

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:32	01/27/22 17:43	1
Toluene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:32	01/27/22 17:43	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:32	01/27/22 17:43	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		01/27/22 10:32	01/27/22 17:43	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:32	01/27/22 17:43	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		01/27/22 10:32	01/27/22 17:43	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		70 - 130				01/27/22 10:32	01/27/22 17:43	1
1,4-Difluorobenzene (Surr)	89		70 - 130				01/27/22 10:32	01/27/22 17:43	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			01/28/22 11:02	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			02/01/22 19:05	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		01/28/22 08:29	01/28/22 16:05	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		01/28/22 08:29	01/28/22 16:05	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: SW-7

Lab Sample ID: 880-10654-43

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		01/28/22 08:29	01/28/22 16:05	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	80		70 - 130				01/28/22 08:29	01/28/22 16:05	1
o-Terphenyl	86		70 - 130				01/28/22 08:29	01/28/22 16:05	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	11.8		4.95		mg/Kg			02/01/22 18:59	1

Client Sample ID: SW-8

Lab Sample ID: 880-10654-44

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:32	01/27/22 18:04	1
Toluene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:32	01/27/22 18:04	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:32	01/27/22 18:04	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		01/27/22 10:32	01/27/22 18:04	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:32	01/27/22 18:04	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		01/27/22 10:32	01/27/22 18:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	109		70 - 130				01/27/22 10:32	01/27/22 18:04	1
1,4-Difluorobenzene (Surr)	87		70 - 130				01/27/22 10:32	01/27/22 18:04	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			01/28/22 11:02	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			02/01/22 19:05	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		01/28/22 08:29	01/28/22 16:27	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		01/28/22 08:29	01/28/22 16:27	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		01/28/22 08:29	01/28/22 16:27	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	96		70 - 130				01/28/22 08:29	01/28/22 16:27	1
o-Terphenyl	104		70 - 130				01/28/22 08:29	01/28/22 16:27	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	12.4		5.00		mg/Kg			02/01/22 19:11	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: SW-9

Lab Sample ID: 880-10654-45

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		01/27/22 10:32	01/27/22 18:25	1
Toluene	<0.00198	U	0.00198		mg/Kg		01/27/22 10:32	01/27/22 18:25	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		01/27/22 10:32	01/27/22 18:25	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		01/27/22 10:32	01/27/22 18:25	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		01/27/22 10:32	01/27/22 18:25	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		01/27/22 10:32	01/27/22 18:25	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	112		70 - 130	01/27/22 10:32	01/27/22 18:25	1
1,4-Difluorobenzene (Surr)	91		70 - 130	01/27/22 10:32	01/27/22 18:25	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			01/28/22 11:02	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			02/01/22 19:05	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		01/28/22 08:29	01/28/22 16:49	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		01/28/22 08:29	01/28/22 16:49	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		01/28/22 08:29	01/28/22 16:49	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	92		70 - 130	01/28/22 08:29	01/28/22 16:49	1
o-Terphenyl	98		70 - 130	01/28/22 08:29	01/28/22 16:49	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	14.1		5.00		mg/Kg			02/01/22 19:23	1

Client Sample ID: SW-10

Lab Sample ID: 880-10654-46

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		01/27/22 10:32	01/27/22 18:45	1
Toluene	<0.00198	U	0.00198		mg/Kg		01/27/22 10:32	01/27/22 18:45	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		01/27/22 10:32	01/27/22 18:45	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		01/27/22 10:32	01/27/22 18:45	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		01/27/22 10:32	01/27/22 18:45	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		01/27/22 10:32	01/27/22 18:45	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		70 - 130	01/27/22 10:32	01/27/22 18:45	1
1,4-Difluorobenzene (Surr)	84		70 - 130	01/27/22 10:32	01/27/22 18:45	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: SW-10

Lab Sample ID: 880-10654-46

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			01/28/22 11:02	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			02/01/22 19:05	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		01/28/22 08:29	01/28/22 17:33	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		01/28/22 08:29	01/28/22 17:33	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		01/28/22 08:29	01/28/22 17:33	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	90		70 - 130				01/28/22 08:29	01/28/22 17:33	1
o-Terphenyl	94		70 - 130				01/28/22 08:29	01/28/22 17:33	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	11.2		5.04		mg/Kg			02/01/22 19:35	1

Client Sample ID: SW-11

Lab Sample ID: 880-10654-47

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		01/27/22 10:32	01/27/22 19:06	1
Toluene	<0.00202	U	0.00202		mg/Kg		01/27/22 10:32	01/27/22 19:06	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		01/27/22 10:32	01/27/22 19:06	1
m-Xylene & p-Xylene	<0.00403	U	0.00403		mg/Kg		01/27/22 10:32	01/27/22 19:06	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		01/27/22 10:32	01/27/22 19:06	1
Xylenes, Total	<0.00403	U	0.00403		mg/Kg		01/27/22 10:32	01/27/22 19:06	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	116		70 - 130				01/27/22 10:32	01/27/22 19:06	1
1,4-Difluorobenzene (Surr)	80		70 - 130				01/27/22 10:32	01/27/22 19:06	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00403	U	0.00403		mg/Kg			01/28/22 11:02	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			02/01/22 19:05	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		01/28/22 08:29	01/28/22 17:56	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		01/28/22 08:29	01/28/22 17:56	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: SW-11

Lab Sample ID: 880-10654-47

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		01/28/22 08:29	01/28/22 17:56	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	97		70 - 130				01/28/22 08:29	01/28/22 17:56	1
o-Terphenyl	95		70 - 130				01/28/22 08:29	01/28/22 17:56	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	27.5		4.98		mg/Kg			02/01/22 19:47	1

Client Sample ID: SW-12

Lab Sample ID: 880-10654-48

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:32	01/27/22 19:27	1
Toluene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:32	01/27/22 19:27	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:32	01/27/22 19:27	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		01/27/22 10:32	01/27/22 19:27	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:32	01/27/22 19:27	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		01/27/22 10:32	01/27/22 19:27	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	113		70 - 130				01/27/22 10:32	01/27/22 19:27	1
1,4-Difluorobenzene (Surr)	89		70 - 130				01/27/22 10:32	01/27/22 19:27	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			01/28/22 11:02	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			02/01/22 19:05	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		01/28/22 08:29	01/28/22 18:17	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		01/28/22 08:29	01/28/22 18:17	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		01/28/22 08:29	01/28/22 18:17	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	78		70 - 130				01/28/22 08:29	01/28/22 18:17	1
o-Terphenyl	83		70 - 130				01/28/22 08:29	01/28/22 18:17	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	15.4		5.01		mg/Kg			02/01/22 20:22	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: SW-13

Lab Sample ID: 880-10654-49

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:32	01/27/22 19:47	1
Toluene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:32	01/27/22 19:47	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:32	01/27/22 19:47	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		01/27/22 10:32	01/27/22 19:47	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:32	01/27/22 19:47	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		01/27/22 10:32	01/27/22 19:47	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	111		70 - 130	01/27/22 10:32	01/27/22 19:47	1
1,4-Difluorobenzene (Surr)	87		70 - 130	01/27/22 10:32	01/27/22 19:47	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400		mg/Kg			01/28/22 11:02	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			02/01/22 19:05	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		01/28/22 08:29	01/28/22 18:39	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		01/28/22 08:29	01/28/22 18:39	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		01/28/22 08:29	01/28/22 18:39	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	96		70 - 130	01/28/22 08:29	01/28/22 18:39	1
o-Terphenyl	101		70 - 130	01/28/22 08:29	01/28/22 18:39	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	18.7		4.98		mg/Kg			02/01/22 20:34	1

Client Sample ID: SW-14

Lab Sample ID: 880-10654-50

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:32	01/27/22 20:08	1
Toluene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:32	01/27/22 20:08	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:32	01/27/22 20:08	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		01/27/22 10:32	01/27/22 20:08	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:32	01/27/22 20:08	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		01/27/22 10:32	01/27/22 20:08	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		70 - 130	01/27/22 10:32	01/27/22 20:08	1
1,4-Difluorobenzene (Surr)	85		70 - 130	01/27/22 10:32	01/27/22 20:08	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: SW-14

Lab Sample ID: 880-10654-50

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			01/28/22 11:02	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			02/01/22 19:05	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		01/28/22 08:29	01/28/22 19:00	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		01/28/22 08:29	01/28/22 19:00	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		01/28/22 08:29	01/28/22 19:00	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	83		70 - 130				01/28/22 08:29	01/28/22 19:00	1
o-Terphenyl	86		70 - 130				01/28/22 08:29	01/28/22 19:00	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	10.2		4.95		mg/Kg			02/01/22 21:10	1

Client Sample ID: SW-15

Lab Sample ID: 880-10654-51

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		01/27/22 10:32	01/27/22 21:31	1
Toluene	<0.00202	U	0.00202		mg/Kg		01/27/22 10:32	01/27/22 21:31	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		01/27/22 10:32	01/27/22 21:31	1
m-Xylene & p-Xylene	<0.00403	U	0.00403		mg/Kg		01/27/22 10:32	01/27/22 21:31	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		01/27/22 10:32	01/27/22 21:31	1
Xylenes, Total	<0.00403	U	0.00403		mg/Kg		01/27/22 10:32	01/27/22 21:31	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	85		70 - 130				01/27/22 10:32	01/27/22 21:31	1
1,4-Difluorobenzene (Surr)	80		70 - 130				01/27/22 10:32	01/27/22 21:31	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00403	U	0.00403		mg/Kg			01/28/22 11:02	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			02/01/22 19:05	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		01/28/22 08:29	01/28/22 19:23	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		01/28/22 08:29	01/28/22 19:23	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: SW-15

Lab Sample ID: 880-10654-51

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		01/28/22 08:29	01/28/22 19:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	93		70 - 130				01/28/22 08:29	01/28/22 19:23	1
o-Terphenyl	97		70 - 130				01/28/22 08:29	01/28/22 19:23	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	21.9		5.00		mg/Kg			02/01/22 21:22	1

Client Sample ID: SW-16

Lab Sample ID: 880-10654-52

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:32	01/27/22 21:52	1
Toluene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:32	01/27/22 21:52	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:32	01/27/22 21:52	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		01/27/22 10:32	01/27/22 21:52	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:32	01/27/22 21:52	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		01/27/22 10:32	01/27/22 21:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	125		70 - 130				01/27/22 10:32	01/27/22 21:52	1
1,4-Difluorobenzene (Surr)	2	S1-	70 - 130				01/27/22 10:32	01/27/22 21:52	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			01/28/22 11:02	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			02/01/22 19:05	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		01/28/22 08:29	01/28/22 19:45	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		01/28/22 08:29	01/28/22 19:45	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		01/28/22 08:29	01/28/22 19:45	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	81		70 - 130				01/28/22 08:29	01/28/22 19:45	1
o-Terphenyl	87		70 - 130				01/28/22 08:29	01/28/22 19:45	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	17.9		4.95		mg/Kg			02/01/22 21:33	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: SW-17

Lab Sample ID: 880-10654-53

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:32	01/27/22 22:13	1
Toluene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:32	01/27/22 22:13	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:32	01/27/22 22:13	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		01/27/22 10:32	01/27/22 22:13	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:32	01/27/22 22:13	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		01/27/22 10:32	01/27/22 22:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		70 - 130	01/27/22 10:32	01/27/22 22:13	1
1,4-Difluorobenzene (Surr)	90		70 - 130	01/27/22 10:32	01/27/22 22:13	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400		mg/Kg			01/28/22 11:02	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			02/01/22 19:05	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		01/28/22 08:29	01/28/22 20:06	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		01/28/22 08:29	01/28/22 20:06	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		01/28/22 08:29	01/28/22 20:06	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	80		70 - 130	01/28/22 08:29	01/28/22 20:06	1
o-Terphenyl	84		70 - 130	01/28/22 08:29	01/28/22 20:06	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	28.8		5.03		mg/Kg			02/01/22 21:45	1

Client Sample ID: SW-18

Lab Sample ID: 880-10654-54

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:32	01/27/22 22:33	1
Toluene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:32	01/27/22 22:33	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:32	01/27/22 22:33	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		01/27/22 10:32	01/27/22 22:33	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:32	01/27/22 22:33	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		01/27/22 10:32	01/27/22 22:33	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	108		70 - 130	01/27/22 10:32	01/27/22 22:33	1
1,4-Difluorobenzene (Surr)	91		70 - 130	01/27/22 10:32	01/27/22 22:33	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: SW-18

Lab Sample ID: 880-10654-54

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			01/28/22 11:02	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			02/01/22 19:05	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		01/28/22 08:29	01/28/22 20:28	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		01/28/22 08:29	01/28/22 20:28	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		01/28/22 08:29	01/28/22 20:28	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	84		70 - 130				01/28/22 08:29	01/28/22 20:28	1
o-Terphenyl	91		70 - 130				01/28/22 08:29	01/28/22 20:28	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	25.5		4.97		mg/Kg			02/01/22 21:57	1

Client Sample ID: SW-19

Lab Sample ID: 880-10654-55

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:32	01/27/22 22:54	1
Toluene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:32	01/27/22 22:54	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:32	01/27/22 22:54	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		01/27/22 10:32	01/27/22 22:54	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		01/27/22 10:32	01/27/22 22:54	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		01/27/22 10:32	01/27/22 22:54	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	109		70 - 130				01/27/22 10:32	01/27/22 22:54	1
1,4-Difluorobenzene (Surr)	87		70 - 130				01/27/22 10:32	01/27/22 22:54	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			01/28/22 11:02	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			02/01/22 19:05	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		01/28/22 08:29	01/28/22 20:49	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		01/28/22 08:29	01/28/22 20:49	1

Eurofins Midland

Client Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: SW-19

Lab Sample ID: 880-10654-55

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		01/28/22 08:29	01/28/22 20:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	80		70 - 130				01/28/22 08:29	01/28/22 20:49	1
o-Terphenyl	83		70 - 130				01/28/22 08:29	01/28/22 20:49	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	26.3		4.99		mg/Kg			02/01/22 22:09	1

Client Sample ID: SW-20

Lab Sample ID: 880-10654-56

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		01/27/22 10:32	01/27/22 23:15	1
Toluene	<0.00202	U	0.00202		mg/Kg		01/27/22 10:32	01/27/22 23:15	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		01/27/22 10:32	01/27/22 23:15	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		01/27/22 10:32	01/27/22 23:15	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		01/27/22 10:32	01/27/22 23:15	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		01/27/22 10:32	01/27/22 23:15	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	111		70 - 130				01/27/22 10:32	01/27/22 23:15	1
1,4-Difluorobenzene (Surr)	82		70 - 130				01/27/22 10:32	01/27/22 23:15	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			01/28/22 11:02	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			02/01/22 19:05	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		01/31/22 09:54	01/31/22 23:42	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		01/31/22 09:54	01/31/22 23:42	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		01/31/22 09:54	01/31/22 23:42	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	95		70 - 130				01/31/22 09:54	01/31/22 23:42	1
o-Terphenyl	90		70 - 130				01/31/22 09:54	01/31/22 23:42	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	28.6		4.96		mg/Kg			02/01/22 22:21	1

Eurofins Midland

Surrogate Summary

Client: NT Global

Job ID: 880-10654-1

Project/Site: Vaca Draw Booster 11.14.21

SDG: Lea Co, NM

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		BFB1 (70-130)	DFBZ1 (70-130)
880-10654-1	CS-1 (3')	155 S1+	116
880-10654-1 MS	CS-1 (3')	120	89
880-10654-1 MSD	CS-1 (3')	124	71
880-10654-2	CS-2 (3')	135 S1+	102
880-10654-3	CS-3 (3')	101	67 S1-
880-10654-4	CS-4 (3')	106	99
880-10654-5	CS-5 (1.5')	123	74
880-10654-6	CS-6 (1.5')	124	102
880-10654-7	CS-7 (1.5')	86	89
880-10654-8	CS-8 (1.5')	92	121
880-10654-9	CS-9 (1.5')	140 S1+	101
880-10654-10	CS-10 (1.5')	119	90
880-10654-11	CS-11 (1.5')	115	131 S1+
880-10654-12	CS-12 (1.5')	105	71
880-10654-13	CS-13 (1.5')	123	92
880-10654-14	CS-14 (1.5')	75	73
880-10654-15	CS-15 (1.5')	125	107
880-10654-16	CS-16 (1.5')	113	96
880-10654-17	CS-17 (1.5')	74	89
880-10654-18	CS-18 (1.5')	151 S1+	108
880-10654-19	CS-19 (1.5')	115	83
880-10654-20	CS-20 (1.5')	109	82
880-10654-21	CS-21 (1.5')	118	111
880-10654-21 MS	CS-21 (1.5')	120	117
880-10654-21 MSD	CS-21 (1.5')	267 S1+	289 S1+
880-10654-22	CS-22 (1.5')	102	101
880-10654-23	CS-23 (1.5')	134 S1+	92
880-10654-24	CS-24 (1.5')	87	69 S1-
880-10654-25	CS-25 (1.5')	117	90
880-10654-26	CS-26 (1.5')	97	81
880-10654-27	CS-27 (1.5')	94	75
880-10654-28	CS-28 (1.5')	131 S1+	142 S1+
880-10654-29	CS-29 (4')	108	103
880-10654-30	CS-30 (4')	125	96
880-10654-31	CS-31 (4')	115	104
880-10654-32	CS-32 (4')	105	103
880-10654-33	CS-33 (3')	116	100
880-10654-34	CS-34 (3')	113	105
880-10654-35	CS-35 (3')	144 S1+	117
880-10654-36	CS-36 (3')	121	79
880-10654-37	SW-1	132 S1+	78
880-10654-38	SW-2	92	83
880-10654-39	SW-3	111	108
880-10654-40	SW-4	100	78
880-10654-41	SW-5	107	84
880-10654-41 MS	SW-5	43 S1-	88
880-10654-41 MSD	SW-5	95	87
880-10654-42	SW-6	106	81
880-10654-43	SW-7	106	89

Eurofins Midland

Surrogate Summary

Client: NT Global

Job ID: 880-10654-1

Project/Site: Vaca Draw Booster 11.14.21

SDG: Lea Co, NM

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	BFB1 (70-130)	DFBZ1 (70-130)
880-10654-44	SW-8	109	87
880-10654-45	SW-9	112	91
880-10654-46	SW-10	107	84
880-10654-47	SW-11	116	80
880-10654-48	SW-12	113	89
880-10654-49	SW-13	111	87
880-10654-50	SW-14	106	85
880-10654-51	SW-15	85	80
880-10654-52	SW-16	125	2 S1-
880-10654-53	SW-17	105	90
880-10654-54	SW-18	108	91
880-10654-55	SW-19	109	87
880-10654-56	SW-20	111	82
LCS 880-17864/1-A	Lab Control Sample	123	96
LCS 880-17886/1-A	Lab Control Sample	102	102
LCS 880-17887/1-A	Lab Control Sample	95	85
LCSD 880-17864/2-A	Lab Control Sample Dup	111	87
LCSD 880-17886/2-A	Lab Control Sample Dup	133 S1+	100
LCSD 880-17887/2-A	Lab Control Sample Dup	96	88
MB 880-17863/5-A	Method Blank	104	93
MB 880-17885/5-A	Method Blank	118	98
MB 880-17886/5-A	Method Blank	105	92
MB 880-17887/5-A	Method Blank	115	85
Surrogate Legend			
BFB = 4-Bromofluorobenzene (Surr)			
DFBZ = 1,4-Difluorobenzene (Surr)			

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO1 (70-130)	OTPH1 (70-130)
880-10654-1	CS-1 (3')	112	100
880-10654-1 MS	CS-1 (3')	98	93
880-10654-1 MSD	CS-1 (3')	109	96
880-10654-2	CS-2 (3')	104	95
880-10654-3	CS-3 (3')	112	102
880-10654-4	CS-4 (3')	119	114
880-10654-5	CS-5 (1.5')	95	89
880-10654-6	CS-6 (1.5')	101	94
880-10654-7	CS-7 (1.5')	117	110
880-10654-8	CS-8 (1.5')	90	86
880-10654-9	CS-9 (1.5')	108	100
880-10654-10	CS-10 (1.5')	112	105
880-10654-11	CS-11 (1.5')	112	105
880-10654-12	CS-12 (1.5')	118	113
880-10654-13	CS-13 (1.5')	80	72
880-10654-14	CS-14 (1.5')	93	82
880-10654-15	CS-15 (1.5')	97	95

Eurofins Midland

Surrogate Summary

Client: NT Global

Job ID: 880-10654-1

Project/Site: Vaca Draw Booster 11.14.21

SDG: Lea Co, NM

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO1 (70-130)	OTPH1 (70-130)
880-10654-16	CS-16 (1.5')	94	89
880-10654-17	CS-17 (1.5')	106	95
880-10654-18	CS-18 (1.5')	83	78
880-10654-19	CS-19 (1.5')	100	90
880-10654-20	CS-20 (1.5')	115	110
880-10654-21	CS-21 (1.5')	79	86
880-10654-21 MS	CS-21 (1.5')	70	63 S1-
880-10654-21 MSD	CS-21 (1.5')	79	69 S1-
880-10654-22	CS-22 (1.5')	90	91
880-10654-23	CS-23 (1.5')	79	83
880-10654-24	CS-24 (1.5')	79	84
880-10654-25	CS-25 (1.5')	90	93
880-10654-26	CS-26 (1.5')	94	99
880-10654-27	CS-27 (1.5')	84	90
880-10654-28	CS-28 (1.5')	80	86
880-10654-29	CS-29 (4')	93	96
880-10654-30	CS-30 (4')	77	83
880-10654-31	CS-31 (4')	87	93
880-10654-32	CS-32 (4')	107	114
880-10654-33	CS-33 (3')	87	92
880-10654-34	CS-34 (3')	63 S1-	69 S1-
880-10654-35	CS-35 (3')	70	73
880-10654-36	CS-36 (3')	78	84
880-10654-37	SW-1	73	78
880-10654-38	SW-2	88	95
880-10654-39	SW-3	76	82
880-10654-40	SW-4	76	80
880-10654-41	SW-5	81	86
880-10654-41 MS	SW-5	68 S1-	63 S1-
880-10654-41 MSD	SW-5	77	72
880-10654-42	SW-6	91	96
880-10654-43	SW-7	80	86
880-10654-44	SW-8	96	104
880-10654-45	SW-9	92	98
880-10654-46	SW-10	90	94
880-10654-47	SW-11	97	95
880-10654-48	SW-12	78	83
880-10654-49	SW-13	96	101
880-10654-50	SW-14	83	86
880-10654-51	SW-15	93	97
880-10654-52	SW-16	81	87
880-10654-53	SW-17	80	84
880-10654-54	SW-18	84	91
880-10654-55	SW-19	80	83
880-10654-56	SW-20	95	90
890-1873-A-1-G MS	Matrix Spike	79	73
890-1873-A-1-H MSD	Matrix Spike Duplicate	85	84
LCS 880-17976/2-A	Lab Control Sample	117	123
LCS 880-18063/2-A	Lab Control Sample	115	119
LCSD 880-17976/3-A	Lab Control Sample Dup	133 S1+	140 S1+

Eurofins Midland

Surrogate Summary

Client: NT Global

Job ID: 880-10654-1

Project/Site: Vaca Draw Booster 11.14.21

SDG: Lea Co, NM

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO1 (70-130)	OTPH1 (70-130)
LCSD 880-18063/3-A	Lab Control Sample Dup	132 S1+	142 S1+
MB 880-17976/1-A	Method Blank	126	147 S1+
MB 880-18063/1-A	Method Blank	108	128
Surrogate Legend			
1CO = 1-Chlorooctane			
OTPH = o-Terphenyl			

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO2 (70-130)	OTPH2 (70-130)
LCS 880-17984/2-A	Lab Control Sample	107	102
LCS 880-18131/2-A	Lab Control Sample	84	82
LCSD 880-17984/3-A	Lab Control Sample Dup	97	84
LCSD 880-18131/3-A	Lab Control Sample Dup	82	78
MB 880-17984/1-A	Method Blank	181 S1+	171 S1+
MB 880-18131/1-A	Method Blank	106	105
Surrogate Legend			
1CO = 1-Chlorooctane			
OTPH = o-Terphenyl			

QC Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-17863/5-A

Matrix: Solid

Analysis Batch: 17867

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 17863

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		01/27/22 08:03	01/27/22 11:40	1
Toluene	<0.00200	U	0.00200		mg/Kg		01/27/22 08:03	01/27/22 11:40	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		01/27/22 08:03	01/27/22 11:40	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		01/27/22 08:03	01/27/22 11:40	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		01/27/22 08:03	01/27/22 11:40	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		01/27/22 08:03	01/27/22 11:40	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		70 - 130	01/27/22 08:03	01/27/22 11:40	1
1,4-Difluorobenzene (Surr)	93		70 - 130	01/27/22 08:03	01/27/22 11:40	1

Lab Sample ID: LCS 880-17864/1-A

Matrix: Solid

Analysis Batch: 17868

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 17864

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	0.100	0.07752		mg/Kg		78	70 - 130
Toluene	0.100	0.09503		mg/Kg		95	70 - 130
Ethylbenzene	0.100	0.09846		mg/Kg		98	70 - 130
m-Xylene & p-Xylene	0.200	0.1923		mg/Kg		96	70 - 130
o-Xylene	0.100	0.09760		mg/Kg		98	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	123		70 - 130
1,4-Difluorobenzene (Surr)	96		70 - 130

Lab Sample ID: LCSD 880-17864/2-A

Matrix: Solid

Analysis Batch: 17868

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 17864

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	0.100	0.07801		mg/Kg		78	70 - 130	1	35
Toluene	0.100	0.08399		mg/Kg		84	70 - 130	12	35
Ethylbenzene	0.100	0.08714		mg/Kg		87	70 - 130	12	35
m-Xylene & p-Xylene	0.200	0.1702		mg/Kg		85	70 - 130	12	35
o-Xylene	0.100	0.08924		mg/Kg		89	70 - 130	9	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	111		70 - 130
1,4-Difluorobenzene (Surr)	87		70 - 130

Lab Sample ID: MB 880-17885/5-A

Matrix: Solid

Analysis Batch: 17868

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 17885

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:21	01/27/22 12:39	1
Toluene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:21	01/27/22 12:39	1

Eurofins Midland

QC Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: MB 880-17885/5-A

Matrix: Solid

Analysis Batch: 17868

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 17885

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:21	01/27/22 12:39	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		01/27/22 10:21	01/27/22 12:39	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:21	01/27/22 12:39	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		01/27/22 10:21	01/27/22 12:39	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	118		70 - 130	01/27/22 10:21	01/27/22 12:39	1
1,4-Difluorobenzene (Surr)	98		70 - 130	01/27/22 10:21	01/27/22 12:39	1

Lab Sample ID: 880-10654-1 MS

Matrix: Solid

Analysis Batch: 17868

Client Sample ID: CS-1 (3')

Prep Type: Total/NA

Prep Batch: 17885

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	0.00627	F1	0.0996	0.07193	F1	mg/Kg		66	70 - 130
Toluene	0.00594	F2 F1	0.0996	0.07782		mg/Kg		72	70 - 130
Ethylbenzene	<0.00199	U	0.0996	0.09789		mg/Kg		96	70 - 130
m-Xylene & p-Xylene	0.00627		0.199	0.1754		mg/Kg		85	70 - 130
o-Xylene	0.00345		0.0996	0.08460		mg/Kg		81	70 - 130

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene (Surr)	120		70 - 130
1,4-Difluorobenzene (Surr)	89		70 - 130

Lab Sample ID: 880-10654-1 MSD

Matrix: Solid

Analysis Batch: 17868

Client Sample ID: CS-1 (3')

Prep Type: Total/NA

Prep Batch: 17885

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	0.00627	F1	0.100	0.06579	F1	mg/Kg		59	70 - 130	9	35
Toluene	0.00594	F2 F1	0.100	0.02740	F2 F1	mg/Kg		21	70 - 130	96	35
Ethylbenzene	<0.00199	U	0.100	0.07731		mg/Kg		75	70 - 130	24	35
m-Xylene & p-Xylene	0.00627		0.200	0.1616		mg/Kg		78	70 - 130	8	35
o-Xylene	0.00345		0.100	0.09091		mg/Kg		87	70 - 130	7	35

Surrogate	MSD %Recovery	MSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	124		70 - 130
1,4-Difluorobenzene (Surr)	71		70 - 130

Lab Sample ID: MB 880-17886/5-A

Matrix: Solid

Analysis Batch: 17867

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 17886

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:24	01/27/22 22:32	1
Toluene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:24	01/27/22 22:32	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:24	01/27/22 22:32	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		01/27/22 10:24	01/27/22 22:32	1

Eurofins Midland

QC Sample Results

Client: NT Global

Job ID: 880-10654-1

Project/Site: Vaca Draw Booster 11.14.21

SDG: Lea Co, NM

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: MB 880-17886/5-A

Matrix: Solid

Analysis Batch: 17867

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 17886

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
o-Xylene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:24	01/27/22 22:32	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		01/27/22 10:24	01/27/22 22:32	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		70 - 130	01/27/22 10:24	01/27/22 22:32	1
1,4-Difluorobenzene (Surr)	92		70 - 130	01/27/22 10:24	01/27/22 22:32	1

Lab Sample ID: LCS 880-17886/1-A

Matrix: Solid

Analysis Batch: 17867

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 17886

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	0.100	0.08111		mg/Kg		81	70 - 130
Toluene	0.100	0.07746		mg/Kg		77	70 - 130
Ethylbenzene	0.100	0.07682		mg/Kg		77	70 - 130
m-Xylene & p-Xylene	0.200	0.1581		mg/Kg		79	70 - 130
o-Xylene	0.100	0.07798		mg/Kg		78	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	102		70 - 130
1,4-Difluorobenzene (Surr)	102		70 - 130

Lab Sample ID: LCSD 880-17886/2-A

Matrix: Solid

Analysis Batch: 17867

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 17886

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	0.100	0.07479		mg/Kg		75	70 - 130	8	35
Toluene	0.100	0.07393		mg/Kg		74	70 - 130	5	35
Ethylbenzene	0.100	0.07592		mg/Kg		76	70 - 130	1	35
m-Xylene & p-Xylene	0.200	0.1599		mg/Kg		80	70 - 130	1	35
o-Xylene	0.100	0.08095		mg/Kg		81	70 - 130	4	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	133	S1+	70 - 130
1,4-Difluorobenzene (Surr)	100		70 - 130

Lab Sample ID: 880-10654-21 MS

Matrix: Solid

Analysis Batch: 17867

Client Sample ID: CS-21 (1.5')

Prep Type: Total/NA

Prep Batch: 17886

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	<0.00199	U F1 F2	0.0990	0.02795	F1	mg/Kg		28	70 - 130
Toluene	<0.00199	U F1	0.0990	0.01985	F1	mg/Kg		20	70 - 130
Ethylbenzene	<0.00199	U F1 F2	0.0990	0.02680	F1	mg/Kg		27	70 - 130
m-Xylene & p-Xylene	<0.00398	U F1	0.198	0.05072	F1	mg/Kg		26	70 - 130
o-Xylene	<0.00199	U F1 F2	0.0990	0.03451	F1	mg/Kg		35	70 - 130

Eurofins Midland

QC Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 880-10654-21 MS

Matrix: Solid

Analysis Batch: 17867

Client Sample ID: CS-21 (1.5')

Prep Type: Total/NA

Prep Batch: 17886

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	120		70 - 130
1,4-Difluorobenzene (Surr)	117		70 - 130

Lab Sample ID: 880-10654-21 MSD

Matrix: Solid

Analysis Batch: 17867

Client Sample ID: CS-21 (1.5')

Prep Type: Total/NA

Prep Batch: 17886

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene	<0.00199	U F1 F2	0.100	0.01269	F1 F2	mg/Kg		12	70 - 130	75	35
Toluene	<0.00199	U F1	0.100	0.02201	F1	mg/Kg		22	70 - 130	10	35
Ethylbenzene	<0.00199	U F1 F2	0.100	0.007056	F1 F2	mg/Kg		7	70 - 130	117	35
m-Xylene & p-Xylene	<0.00398	U F1	0.200	0.05649	F1	mg/Kg		28	70 - 130	11	35
o-Xylene	<0.00199	U F1 F2	0.100	0.2108	F1 F2	mg/Kg		210	70 - 130	144	35

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	267	S1+	70 - 130
1,4-Difluorobenzene (Surr)	289	S1+	70 - 130

Lab Sample ID: MB 880-17887/5-A

Matrix: Solid

Analysis Batch: 17563

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 17887

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:32	01/27/22 16:40	1
Toluene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:32	01/27/22 16:40	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:32	01/27/22 16:40	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		01/27/22 10:32	01/27/22 16:40	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		01/27/22 10:32	01/27/22 16:40	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		01/27/22 10:32	01/27/22 16:40	1

	MB	MB				
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	115		70 - 130	01/27/22 10:32	01/27/22 16:40	1
1,4-Difluorobenzene (Surr)	85		70 - 130	01/27/22 10:32	01/27/22 16:40	1

Lab Sample ID: LCS 880-17887/1-A

Matrix: Solid

Analysis Batch: 17563

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 17887

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Benzene	0.100	0.08366		mg/Kg		84	70 - 130
Toluene	0.100	0.08898		mg/Kg		89	70 - 130
Ethylbenzene	0.100	0.09390		mg/Kg		94	70 - 130
m-Xylene & p-Xylene	0.200	0.1871		mg/Kg		94	70 - 130
o-Xylene	0.100	0.09142		mg/Kg		91	70 - 130

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	95		70 - 130

Eurofins Midland

QC Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCS 880-17887/1-A

Matrix: Solid

Analysis Batch: 17563

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 17887

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,4-Difluorobenzene (Surr)	85		70 - 130

Lab Sample ID: LCSD 880-17887/2-A

Matrix: Solid

Analysis Batch: 17563

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 17887

	LCS	LCS									
Analyte	Added	Result	Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit		
Benzene	0.100	0.08355		mg/Kg		84	70 - 130	0	35		
Toluene	0.100	0.08718		mg/Kg		87	70 - 130	2	35		
Ethylbenzene	0.100	0.08934		mg/Kg		89	70 - 130	5	35		
m-Xylene & p-Xylene	0.200	0.1786		mg/Kg		89	70 - 130	5	35		
o-Xylene	0.100	0.08879		mg/Kg		89	70 - 130	3	35		

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	96		70 - 130
1,4-Difluorobenzene (Surr)	88		70 - 130

Lab Sample ID: 880-10654-41 MS

Matrix: Solid

Analysis Batch: 17563

Client Sample ID: SW-5

Prep Type: Total/NA

Prep Batch: 17887

	Sample	Sample	Spike	MS	MS						
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Benzene	<0.00199	U	0.100	0.08687		mg/Kg		87	70 - 130		
Toluene	<0.00199	U	0.100	0.08887		mg/Kg		89	70 - 130		
Ethylbenzene	<0.00199	U	0.100	0.08907		mg/Kg		89	70 - 130		
m-Xylene & p-Xylene	<0.00398	U	0.200	0.1783		mg/Kg		89	70 - 130		
o-Xylene	<0.00199	U	0.100	0.08793		mg/Kg		88	70 - 130		

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	43	S1-	70 - 130
1,4-Difluorobenzene (Surr)	88		70 - 130

Lab Sample ID: 880-10654-41 MSD

Matrix: Solid

Analysis Batch: 17563

Client Sample ID: SW-5

Prep Type: Total/NA

Prep Batch: 17887

	Sample	Sample	Spike	MSD	MSD						
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Benzene	<0.00199	U	0.0990	0.07358		mg/Kg		74	70 - 130	17	35
Toluene	<0.00199	U	0.0990	0.07687		mg/Kg		78	70 - 130	14	35
Ethylbenzene	<0.00199	U	0.0990	0.07842		mg/Kg		79	70 - 130	13	35
m-Xylene & p-Xylene	<0.00398	U	0.198	0.1583		mg/Kg		80	70 - 130	12	35
o-Xylene	<0.00199	U	0.0990	0.07972		mg/Kg		81	70 - 130	10	35

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	95		70 - 130
1,4-Difluorobenzene (Surr)	87		70 - 130

Eurofins Midland

QC Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-17976/1-A

Matrix: Solid

Analysis Batch: 17979

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 17976

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		01/28/22 08:29	01/28/22 11:31	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		01/28/22 08:29	01/28/22 11:31	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		01/28/22 08:29	01/28/22 11:31	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	126		70 - 130				01/28/22 08:29	01/28/22 11:31	1
o-Terphenyl	147	S1+	70 - 130				01/28/22 08:29	01/28/22 11:31	1

Lab Sample ID: LCS 880-17976/2-A

Matrix: Solid

Analysis Batch: 17979

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 17976

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Gasoline Range Organics (GRO)-C6-C10	1000	789.1		mg/Kg		79	70 - 130
Diesel Range Organics (Over C10-C28)	1000	1045		mg/Kg		105	70 - 130
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
1-Chlorooctane	117		70 - 130				
o-Terphenyl	123		70 - 130				

Lab Sample ID: LCSD 880-17976/3-A

Matrix: Solid

Analysis Batch: 17979

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 17976

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	862.9		mg/Kg		86	70 - 130	9	20
Diesel Range Organics (Over C10-C28)	1000	1155		mg/Kg		115	70 - 130	10	20
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
1-Chlorooctane	133	S1+	70 - 130						
o-Terphenyl	140	S1+	70 - 130						

Lab Sample ID: 880-10654-41 MS

Matrix: Solid

Analysis Batch: 17979

Client Sample ID: SW-5

Prep Type: Total/NA

Prep Batch: 17976

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	997	978.4		mg/Kg		94	70 - 130
Diesel Range Organics (Over C10-C28)	<49.9	U	997	1075		mg/Kg		105	70 - 130

Eurofins Midland

QC Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: 880-10654-41 MS

Matrix: Solid

Analysis Batch: 17979

Client Sample ID: SW-5

Prep Type: Total/NA

Prep Batch: 17976

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	68	S1-	70 - 130
o-Terphenyl	63	S1-	70 - 130

Lab Sample ID: 880-10654-41 MSD

Matrix: Solid

Analysis Batch: 17979

Client Sample ID: SW-5

Prep Type: Total/NA

Prep Batch: 17976

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	996	1090		mg/Kg		106	70 - 130	11	20
Diesel Range Organics (Over C10-C28)	<49.9	U	996	1231		mg/Kg		121	70 - 130	14	20

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	77		70 - 130
o-Terphenyl	72		70 - 130

Lab Sample ID: MB 880-17984/1-A

Matrix: Solid

Analysis Batch: 17991

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 17984

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 11:35	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 11:35	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		01/28/22 09:08	01/28/22 11:35	1

	MB	MB							
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac			
1-Chlorooctane	181	S1+	70 - 130	01/28/22 09:08	01/28/22 11:35	1			
o-Terphenyl	171	S1+	70 - 130	01/28/22 09:08	01/28/22 11:35	1			

Lab Sample ID: LCS 880-17984/2-A

Matrix: Solid

Analysis Batch: 17991

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 17984

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Gasoline Range Organics (GRO)-C6-C10	1000	852.4		mg/Kg		85	70 - 130
Diesel Range Organics (Over C10-C28)	1000	1000		mg/Kg		100	70 - 130

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	107		70 - 130
o-Terphenyl	102		70 - 130

Eurofins Midland

QC Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCSD 880-17984/3-A

Matrix: Solid

Analysis Batch: 17991

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 17984

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	839.2		mg/Kg		84	70 - 130	2	20
Diesel Range Organics (Over C10-C28)	1000	906.5		mg/Kg		91	70 - 130	10	20
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
1-Chlorooctane	97		70 - 130						
o-Terphenyl	84		70 - 130						

Lab Sample ID: 880-10654-1 MS

Matrix: Solid

Analysis Batch: 17991

Client Sample ID: CS-1 (3')

Prep Type: Total/NA

Prep Batch: 17984

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	997	1202		mg/Kg		121	70 - 130		
Diesel Range Organics (Over C10-C28)	<49.9	U F1	997	1373	F1	mg/Kg		138	70 - 130		
Surrogate	MS %Recovery	MS Qualifier	Limits								
1-Chlorooctane	98		70 - 130								
o-Terphenyl	93		70 - 130								

Lab Sample ID: 880-10654-1 MSD

Matrix: Solid

Analysis Batch: 17991

Client Sample ID: CS-1 (3')

Prep Type: Total/NA

Prep Batch: 17984

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	996	1275		mg/Kg		128	70 - 130	6	20
Diesel Range Organics (Over C10-C28)	<49.9	U F1	996	1427	F1	mg/Kg		143	70 - 130	4	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1-Chlorooctane	109		70 - 130								
o-Terphenyl	96		70 - 130								

Lab Sample ID: MB 880-18063/1-A

Matrix: Solid

Analysis Batch: 17979

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 18063

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		01/28/22 14:45	01/28/22 21:35	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		01/28/22 14:45	01/28/22 21:35	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		01/28/22 14:45	01/28/22 21:35	1

Eurofins Midland

QC Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: MB 880-18063/1-A
Matrix: Solid
Analysis Batch: 17979

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 18063

	MB	MB								
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil	Fac			
1-Chlorooctane	108		70 - 130	01/28/22 14:45	01/28/22 21:35	1				
o-Terphenyl	128		70 - 130	01/28/22 14:45	01/28/22 21:35	1				

Lab Sample ID: LCS 880-18063/2-A
Matrix: Solid
Analysis Batch: 17979

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 18063

			Spike	LCS	LCS				%Rec.		
Analyte			Added	Result	Qualifier	Unit	D	%Rec	Limits		
Gasoline Range Organics (GRO)-C6-C10			1000	1009		mg/Kg		101	70 - 130		
Diesel Range Organics (Over C10-C28)			1000	1074		mg/Kg		107	70 - 130		

	LCS	LCS									
Surrogate	%Recovery	Qualifier	Limits								
1-Chlorooctane	115		70 - 130								
o-Terphenyl	119		70 - 130								

Lab Sample ID: LCSD 880-18063/3-A
Matrix: Solid
Analysis Batch: 17979

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 18063

			Spike	LCSD	LCSD				%Rec.		RPD	
Analyte			Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit	
Gasoline Range Organics (GRO)-C6-C10			1000	847.0		mg/Kg		85	70 - 130	17	20	
Diesel Range Organics (Over C10-C28)			1000	1209		mg/Kg		121	70 - 130	12	20	

	LCSD	LCSD										
Surrogate	%Recovery	Qualifier	Limits									
1-Chlorooctane	132	S1+	70 - 130									
o-Terphenyl	142	S1+	70 - 130									

Lab Sample ID: 880-10654-21 MS
Matrix: Solid
Analysis Batch: 17979

Client Sample ID: CS-21 (1.5')
Prep Type: Total/NA
Prep Batch: 18063

	Sample	Sample	Spike	MS	MS				%Rec.			
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits			
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	997	981.9		mg/Kg		95	70 - 130			
Diesel Range Organics (Over C10-C28)	<49.9	U F1	997	1230		mg/Kg		121	70 - 130			

	MS	MS										
Surrogate	%Recovery	Qualifier	Limits									
1-Chlorooctane	70		70 - 130									
o-Terphenyl	63	S1-	70 - 130									

Eurofins Midland

QC Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: 880-10654-21 MSD

Matrix: Solid

Analysis Batch: 17979

Client Sample ID: CS-21 (1.5')

Prep Type: Total/NA

Prep Batch: 18063

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	996	1121		mg/Kg		109	70 - 130	13	20
Diesel Range Organics (Over C10-C28)	<49.9	U F1	996	1366	F1	mg/Kg		135	70 - 130	10	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1-Chlorooctane	79		70 - 130								
o-Terphenyl	69	S1-	70 - 130								

Lab Sample ID: MB 880-18131/1-A

Matrix: Solid

Analysis Batch: 18115

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 18131

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		01/31/22 09:54	01/31/22 20:34	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		01/31/22 09:54	01/31/22 20:34	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		01/31/22 09:54	01/31/22 20:34	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	106		70 - 130				01/31/22 09:54	01/31/22 20:34	1
o-Terphenyl	105		70 - 130				01/31/22 09:54	01/31/22 20:34	1

Lab Sample ID: LCS 880-18131/2-A

Matrix: Solid

Analysis Batch: 18115

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 18131

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
Gasoline Range Organics (GRO)-C6-C10	1000	1174		mg/Kg		117	70 - 130		
Diesel Range Organics (Over C10-C28)	1000	1153		mg/Kg		115	70 - 130		
Surrogate	LCS %Recovery	LCS Qualifier	Limits						
1-Chlorooctane	84		70 - 130						
o-Terphenyl	82		70 - 130						

Lab Sample ID: LCSD 880-18131/3-A

Matrix: Solid

Analysis Batch: 18115

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 18131

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	1058		mg/Kg		106	70 - 130	10	20
Diesel Range Organics (Over C10-C28)	1000	983.1		mg/Kg		98	70 - 130	16	20

Eurofins Midland

QC Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCSD 880-18131/3-A

Matrix: Solid

Analysis Batch: 18115

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 18131

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	82		70 - 130
o-Terphenyl	78		70 - 130

Lab Sample ID: 890-1873-A-1-G MS

Matrix: Solid

Analysis Batch: 18115

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 18131

	Sample	Sample	Spike	MS	MS				%Rec.	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	997	894.2		mg/Kg		87	70 - 130	
Diesel Range Organics (Over C10-C28)	<49.9	U	997	1039		mg/Kg		102	70 - 130	
Surrogate	%Recovery	Qualifier	Limits							
1-Chlorooctane	79		70 - 130							
o-Terphenyl	73		70 - 130							

Lab Sample ID: 890-1873-A-1-H MSD

Matrix: Solid

Analysis Batch: 18115

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 18131

	Sample	Sample	Spike	MSD	MSD				%Rec.		RPD	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit	
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	996	941.8		mg/Kg		92	70 - 130	5	20	
Diesel Range Organics (Over C10-C28)	<49.9	U	996	1126		mg/Kg		111	70 - 130	8	20	
Surrogate	%Recovery	Qualifier	Limits									
1-Chlorooctane	85		70 - 130									
o-Terphenyl	84		70 - 130									

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-18027/1-A

Matrix: Solid

Analysis Batch: 18095

Client Sample ID: Method Blank

Prep Type: Soluble

	MB	MB								
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	<5.00	U	5.00		mg/Kg			02/01/22 10:14	1	

Lab Sample ID: LCS 880-18027/2-A

Matrix: Solid

Analysis Batch: 18095

Client Sample ID: Lab Control Sample

Prep Type: Soluble

	Spike	LCS	LCS						%Rec.	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits			
Chloride	250	268.9		mg/Kg		108	90 - 110			

Eurofins Midland

QC Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCSD 880-18027/3-A

Matrix: Solid

Analysis Batch: 18095

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	250	268.0		mg/Kg		107	90 - 110	0	20

Lab Sample ID: 880-10654-1 MS

Matrix: Solid

Analysis Batch: 18095

Client Sample ID: CS-1 (3')

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	32.2	F1	250	317.3	F1	mg/Kg		114	90 - 110		

Lab Sample ID: 880-10654-1 MSD

Matrix: Solid

Analysis Batch: 18095

Client Sample ID: CS-1 (3')

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	32.2	F1	250	313.5	F1	mg/Kg		113	90 - 110	1	20

Lab Sample ID: 880-10654-11 MS

Matrix: Solid

Analysis Batch: 18095

Client Sample ID: CS-11 (1.5')

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	21.0	F1	250	329.1	F1	mg/Kg		123	90 - 110		

Lab Sample ID: 880-10654-11 MSD

Matrix: Solid

Analysis Batch: 18095

Client Sample ID: CS-11 (1.5')

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	21.0	F1	250	326.4	F1	mg/Kg		122	90 - 110	1	20

Lab Sample ID: MB 880-18028/1-A

Matrix: Solid

Analysis Batch: 18270

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<5.00	U	5.00		mg/Kg			02/02/22 08:50	1

Lab Sample ID: LCS 880-18028/2-A

Matrix: Solid

Analysis Batch: 18270

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	250	270.2		mg/Kg		108	90 - 110		

Lab Sample ID: LCSD 880-18028/3-A

Matrix: Solid

Analysis Batch: 18270

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	250	270.5		mg/Kg		108	90 - 110	0	20

Eurofins Midland

QC Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: 880-10654-21 MS

Matrix: Solid

Analysis Batch: 18270

Client Sample ID: CS-21 (1.5')

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits		
Chloride	13.4		248	281.0		mg/Kg		108	90 - 110		

Lab Sample ID: 880-10654-21 MSD

Matrix: Solid

Analysis Batch: 18270

Client Sample ID: CS-21 (1.5')

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	13.4		248	275.8		mg/Kg		106	90 - 110	2	20

Lab Sample ID: 880-10654-31 MS

Matrix: Solid

Analysis Batch: 18270

Client Sample ID: CS-31 (4')

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits		
Chloride	22.9		250	298.7		mg/Kg		110	90 - 110		

Lab Sample ID: 880-10654-31 MSD

Matrix: Solid

Analysis Batch: 18270

Client Sample ID: CS-31 (4')

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	22.9		250	295.8		mg/Kg		109	90 - 110	1	20

Lab Sample ID: MB 880-18040/1-A

Matrix: Solid

Analysis Batch: 18272

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<5.00	U	5.00		mg/Kg			02/01/22 16:25	1

Lab Sample ID: LCS 880-18040/2-A

Matrix: Solid

Analysis Batch: 18272

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
Chloride	250	253.4		mg/Kg		101	90 - 110		

Lab Sample ID: LCSD 880-18040/3-A

Matrix: Solid

Analysis Batch: 18272

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	250	256.7		mg/Kg		103	90 - 110	1	20

Lab Sample ID: 880-10654-47 MS

Matrix: Solid

Analysis Batch: 18272

Client Sample ID: SW-11

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits		
Chloride	27.5		249	277.2		mg/Kg		100	90 - 110		

Eurofins Midland

QC Sample Results

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: 880-10654-47 MSD							Client Sample ID: SW-11					
Matrix: Solid							Prep Type: Soluble					
Analysis Batch: 18272												
Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit	
Chloride	27.5		249	274.5		mg/Kg		99	90 - 110	1	20	

QC Association Summary

Client: NT Global

Job ID: 880-10654-1

Project/Site: Vaca Draw Booster 11.14.21

SDG: Lea Co, NM

GC VOA

Analysis Batch: 17563

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-10654-41	SW-5	Total/NA	Solid	8021B	17887
880-10654-42	SW-6	Total/NA	Solid	8021B	17887
880-10654-43	SW-7	Total/NA	Solid	8021B	17887
880-10654-44	SW-8	Total/NA	Solid	8021B	17887
880-10654-45	SW-9	Total/NA	Solid	8021B	17887
880-10654-46	SW-10	Total/NA	Solid	8021B	17887
880-10654-47	SW-11	Total/NA	Solid	8021B	17887
880-10654-48	SW-12	Total/NA	Solid	8021B	17887
880-10654-49	SW-13	Total/NA	Solid	8021B	17887
880-10654-50	SW-14	Total/NA	Solid	8021B	17887
880-10654-51	SW-15	Total/NA	Solid	8021B	17887
880-10654-52	SW-16	Total/NA	Solid	8021B	17887
880-10654-53	SW-17	Total/NA	Solid	8021B	17887
880-10654-54	SW-18	Total/NA	Solid	8021B	17887
880-10654-55	SW-19	Total/NA	Solid	8021B	17887
880-10654-56	SW-20	Total/NA	Solid	8021B	17887
MB 880-17887/5-A	Method Blank	Total/NA	Solid	8021B	17887
LCS 880-17887/1-A	Lab Control Sample	Total/NA	Solid	8021B	17887
LCSD 880-17887/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	17887
880-10654-41 MS	SW-5	Total/NA	Solid	8021B	17887
880-10654-41 MSD	SW-5	Total/NA	Solid	8021B	17887

Prep Batch: 17863

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-17863/5-A	Method Blank	Total/NA	Solid	5035	

Prep Batch: 17864

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 880-17864/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-17864/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	

Analysis Batch: 17867

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-10654-21	CS-21 (1.5')	Total/NA	Solid	8021B	17886
880-10654-22	CS-22 (1.5')	Total/NA	Solid	8021B	17886
880-10654-23	CS-23 (1.5')	Total/NA	Solid	8021B	17886
880-10654-24	CS-24 (1.5')	Total/NA	Solid	8021B	17886
880-10654-25	CS-25 (1.5')	Total/NA	Solid	8021B	17886
880-10654-26	CS-26 (1.5')	Total/NA	Solid	8021B	17886
880-10654-27	CS-27 (1.5')	Total/NA	Solid	8021B	17886
880-10654-28	CS-28 (1.5')	Total/NA	Solid	8021B	17886
880-10654-29	CS-29 (4')	Total/NA	Solid	8021B	17886
880-10654-30	CS-30 (4')	Total/NA	Solid	8021B	17886
880-10654-31	CS-31 (4')	Total/NA	Solid	8021B	17886
880-10654-32	CS-32 (4')	Total/NA	Solid	8021B	17886
880-10654-33	CS-33 (3')	Total/NA	Solid	8021B	17886
880-10654-34	CS-34 (3')	Total/NA	Solid	8021B	17886
880-10654-35	CS-35 (3')	Total/NA	Solid	8021B	17886
880-10654-36	CS-36 (3')	Total/NA	Solid	8021B	17886
880-10654-37	SW-1	Total/NA	Solid	8021B	17886
880-10654-38	SW-2	Total/NA	Solid	8021B	17886

Eurofins Midland

QC Association Summary

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

GC VOA (Continued)

Analysis Batch: 17867 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-10654-39	SW-3	Total/NA	Solid	8021B	17886
880-10654-40	SW-4	Total/NA	Solid	8021B	17886
MB 880-17863/5-A	Method Blank	Total/NA	Solid	8021B	17863
MB 880-17886/5-A	Method Blank	Total/NA	Solid	8021B	17886
LCS 880-17886/1-A	Lab Control Sample	Total/NA	Solid	8021B	17886
LCSD 880-17886/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	17886
880-10654-21 MS	CS-21 (1.5')	Total/NA	Solid	8021B	17886
880-10654-21 MSD	CS-21 (1.5')	Total/NA	Solid	8021B	17886

Analysis Batch: 17868

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-10654-1	CS-1 (3')	Total/NA	Solid	8021B	17885
880-10654-2	CS-2 (3')	Total/NA	Solid	8021B	17885
880-10654-3	CS-3 (3')	Total/NA	Solid	8021B	17885
880-10654-4	CS-4 (3')	Total/NA	Solid	8021B	17885
880-10654-5	CS-5 (1.5')	Total/NA	Solid	8021B	17885
880-10654-6	CS-6 (1.5')	Total/NA	Solid	8021B	17885
880-10654-7	CS-7 (1.5')	Total/NA	Solid	8021B	17885
880-10654-8	CS-8 (1.5')	Total/NA	Solid	8021B	17885
880-10654-9	CS-9 (1.5')	Total/NA	Solid	8021B	17885
880-10654-10	CS-10 (1.5')	Total/NA	Solid	8021B	17885
880-10654-11	CS-11 (1.5')	Total/NA	Solid	8021B	17885
880-10654-12	CS-12 (1.5')	Total/NA	Solid	8021B	17885
880-10654-13	CS-13 (1.5')	Total/NA	Solid	8021B	17885
880-10654-14	CS-14 (1.5')	Total/NA	Solid	8021B	17885
880-10654-15	CS-15 (1.5')	Total/NA	Solid	8021B	17885
880-10654-16	CS-16 (1.5')	Total/NA	Solid	8021B	17885
880-10654-17	CS-17 (1.5')	Total/NA	Solid	8021B	17885
880-10654-18	CS-18 (1.5')	Total/NA	Solid	8021B	17885
880-10654-19	CS-19 (1.5')	Total/NA	Solid	8021B	17885
880-10654-20	CS-20 (1.5')	Total/NA	Solid	8021B	17885
MB 880-17885/5-A	Method Blank	Total/NA	Solid	8021B	17885
LCS 880-17864/1-A	Lab Control Sample	Total/NA	Solid	8021B	17864
LCSD 880-17864/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	17864
880-10654-1 MS	CS-1 (3')	Total/NA	Solid	8021B	17885
880-10654-1 MSD	CS-1 (3')	Total/NA	Solid	8021B	17885

Prep Batch: 17885

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-10654-1	CS-1 (3')	Total/NA	Solid	5035	
880-10654-2	CS-2 (3')	Total/NA	Solid	5035	
880-10654-3	CS-3 (3')	Total/NA	Solid	5035	
880-10654-4	CS-4 (3')	Total/NA	Solid	5035	
880-10654-5	CS-5 (1.5')	Total/NA	Solid	5035	
880-10654-6	CS-6 (1.5')	Total/NA	Solid	5035	
880-10654-7	CS-7 (1.5')	Total/NA	Solid	5035	
880-10654-8	CS-8 (1.5')	Total/NA	Solid	5035	
880-10654-9	CS-9 (1.5')	Total/NA	Solid	5035	
880-10654-10	CS-10 (1.5')	Total/NA	Solid	5035	
880-10654-11	CS-11 (1.5')	Total/NA	Solid	5035	
880-10654-12	CS-12 (1.5')	Total/NA	Solid	5035	

Eurofins Midland

QC Association Summary

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

GC VOA (Continued)

Prep Batch: 17885 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-10654-13	CS-13 (1.5')	Total/NA	Solid	5035	
880-10654-14	CS-14 (1.5')	Total/NA	Solid	5035	
880-10654-15	CS-15 (1.5')	Total/NA	Solid	5035	
880-10654-16	CS-16 (1.5')	Total/NA	Solid	5035	
880-10654-17	CS-17 (1.5')	Total/NA	Solid	5035	
880-10654-18	CS-18 (1.5')	Total/NA	Solid	5035	
880-10654-19	CS-19 (1.5')	Total/NA	Solid	5035	
880-10654-20	CS-20 (1.5')	Total/NA	Solid	5035	
MB 880-17885/5-A	Method Blank	Total/NA	Solid	5035	
880-10654-1 MS	CS-1 (3')	Total/NA	Solid	5035	
880-10654-1 MSD	CS-1 (3')	Total/NA	Solid	5035	

Prep Batch: 17886

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-10654-21	CS-21 (1.5')	Total/NA	Solid	5035	
880-10654-22	CS-22 (1.5')	Total/NA	Solid	5035	
880-10654-23	CS-23 (1.5')	Total/NA	Solid	5035	
880-10654-24	CS-24 (1.5')	Total/NA	Solid	5035	
880-10654-25	CS-25 (1.5')	Total/NA	Solid	5035	
880-10654-26	CS-26 (1.5')	Total/NA	Solid	5035	
880-10654-27	CS-27 (1.5')	Total/NA	Solid	5035	
880-10654-28	CS-28 (1.5')	Total/NA	Solid	5035	
880-10654-29	CS-29 (4')	Total/NA	Solid	5035	
880-10654-30	CS-30 (4')	Total/NA	Solid	5035	
880-10654-31	CS-31 (4')	Total/NA	Solid	5035	
880-10654-32	CS-32 (4')	Total/NA	Solid	5035	
880-10654-33	CS-33 (3')	Total/NA	Solid	5035	
880-10654-34	CS-34 (3')	Total/NA	Solid	5035	
880-10654-35	CS-35 (3')	Total/NA	Solid	5035	
880-10654-36	CS-36 (3')	Total/NA	Solid	5035	
880-10654-37	SW-1	Total/NA	Solid	5035	
880-10654-38	SW-2	Total/NA	Solid	5035	
880-10654-39	SW-3	Total/NA	Solid	5035	
880-10654-40	SW-4	Total/NA	Solid	5035	
MB 880-17886/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-17886/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-17886/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-10654-21 MS	CS-21 (1.5')	Total/NA	Solid	5035	
880-10654-21 MSD	CS-21 (1.5')	Total/NA	Solid	5035	

Prep Batch: 17887

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-10654-41	SW-5	Total/NA	Solid	5035	
880-10654-42	SW-6	Total/NA	Solid	5035	
880-10654-43	SW-7	Total/NA	Solid	5035	
880-10654-44	SW-8	Total/NA	Solid	5035	
880-10654-45	SW-9	Total/NA	Solid	5035	
880-10654-46	SW-10	Total/NA	Solid	5035	
880-10654-47	SW-11	Total/NA	Solid	5035	
880-10654-48	SW-12	Total/NA	Solid	5035	
880-10654-49	SW-13	Total/NA	Solid	5035	

Eurofins Midland

QC Association Summary

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

GC VOA (Continued)

Prep Batch: 17887 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-10654-50	SW-14	Total/NA	Solid	5035	
880-10654-51	SW-15	Total/NA	Solid	5035	
880-10654-52	SW-16	Total/NA	Solid	5035	
880-10654-53	SW-17	Total/NA	Solid	5035	
880-10654-54	SW-18	Total/NA	Solid	5035	
880-10654-55	SW-19	Total/NA	Solid	5035	
880-10654-56	SW-20	Total/NA	Solid	5035	
MB 880-17887/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-17887/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-17887/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-10654-41 MS	SW-5	Total/NA	Solid	5035	
880-10654-41 MSD	SW-5	Total/NA	Solid	5035	

Analysis Batch: 18034

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-10654-41	SW-5	Total/NA	Solid	Total BTEX	
880-10654-42	SW-6	Total/NA	Solid	Total BTEX	
880-10654-43	SW-7	Total/NA	Solid	Total BTEX	
880-10654-44	SW-8	Total/NA	Solid	Total BTEX	
880-10654-45	SW-9	Total/NA	Solid	Total BTEX	
880-10654-46	SW-10	Total/NA	Solid	Total BTEX	
880-10654-47	SW-11	Total/NA	Solid	Total BTEX	
880-10654-48	SW-12	Total/NA	Solid	Total BTEX	
880-10654-49	SW-13	Total/NA	Solid	Total BTEX	
880-10654-50	SW-14	Total/NA	Solid	Total BTEX	
880-10654-51	SW-15	Total/NA	Solid	Total BTEX	
880-10654-52	SW-16	Total/NA	Solid	Total BTEX	
880-10654-53	SW-17	Total/NA	Solid	Total BTEX	
880-10654-54	SW-18	Total/NA	Solid	Total BTEX	
880-10654-55	SW-19	Total/NA	Solid	Total BTEX	
880-10654-56	SW-20	Total/NA	Solid	Total BTEX	

Analysis Batch: 18172

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-10654-1	CS-1 (3')	Total/NA	Solid	Total BTEX	
880-10654-2	CS-2 (3')	Total/NA	Solid	Total BTEX	
880-10654-3	CS-3 (3')	Total/NA	Solid	Total BTEX	
880-10654-4	CS-4 (3')	Total/NA	Solid	Total BTEX	
880-10654-5	CS-5 (1.5')	Total/NA	Solid	Total BTEX	
880-10654-6	CS-6 (1.5')	Total/NA	Solid	Total BTEX	
880-10654-7	CS-7 (1.5')	Total/NA	Solid	Total BTEX	
880-10654-8	CS-8 (1.5')	Total/NA	Solid	Total BTEX	
880-10654-9	CS-9 (1.5')	Total/NA	Solid	Total BTEX	
880-10654-10	CS-10 (1.5')	Total/NA	Solid	Total BTEX	
880-10654-11	CS-11 (1.5')	Total/NA	Solid	Total BTEX	
880-10654-12	CS-12 (1.5')	Total/NA	Solid	Total BTEX	
880-10654-13	CS-13 (1.5')	Total/NA	Solid	Total BTEX	
880-10654-14	CS-14 (1.5')	Total/NA	Solid	Total BTEX	
880-10654-15	CS-15 (1.5')	Total/NA	Solid	Total BTEX	
880-10654-16	CS-16 (1.5')	Total/NA	Solid	Total BTEX	
880-10654-17	CS-17 (1.5')	Total/NA	Solid	Total BTEX	

Eurofins Midland

QC Association Summary

Client: NT Global

Job ID: 880-10654-1

Project/Site: Vaca Draw Booster 11.14.21

SDG: Lea Co, NM

GC VOA (Continued)

Analysis Batch: 18172 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-10654-18	CS-18 (1.5')	Total/NA	Solid	Total BTEX	
880-10654-19	CS-19 (1.5')	Total/NA	Solid	Total BTEX	
880-10654-20	CS-20 (1.5')	Total/NA	Solid	Total BTEX	
880-10654-21	CS-21 (1.5')	Total/NA	Solid	Total BTEX	
880-10654-22	CS-22 (1.5')	Total/NA	Solid	Total BTEX	
880-10654-23	CS-23 (1.5')	Total/NA	Solid	Total BTEX	
880-10654-24	CS-24 (1.5')	Total/NA	Solid	Total BTEX	
880-10654-25	CS-25 (1.5')	Total/NA	Solid	Total BTEX	
880-10654-26	CS-26 (1.5')	Total/NA	Solid	Total BTEX	
880-10654-27	CS-27 (1.5')	Total/NA	Solid	Total BTEX	
880-10654-28	CS-28 (1.5')	Total/NA	Solid	Total BTEX	
880-10654-29	CS-29 (4')	Total/NA	Solid	Total BTEX	
880-10654-30	CS-30 (4')	Total/NA	Solid	Total BTEX	
880-10654-31	CS-31 (4')	Total/NA	Solid	Total BTEX	
880-10654-32	CS-32 (4')	Total/NA	Solid	Total BTEX	
880-10654-33	CS-33 (3')	Total/NA	Solid	Total BTEX	
880-10654-34	CS-34 (3')	Total/NA	Solid	Total BTEX	
880-10654-35	CS-35 (3')	Total/NA	Solid	Total BTEX	
880-10654-36	CS-36 (3')	Total/NA	Solid	Total BTEX	
880-10654-37	SW-1	Total/NA	Solid	Total BTEX	
880-10654-38	SW-2	Total/NA	Solid	Total BTEX	
880-10654-39	SW-3	Total/NA	Solid	Total BTEX	
880-10654-40	SW-4	Total/NA	Solid	Total BTEX	

GC Semi VOA

Prep Batch: 17976

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-10654-41	SW-5	Total/NA	Solid	8015NM Prep	
880-10654-42	SW-6	Total/NA	Solid	8015NM Prep	
880-10654-43	SW-7	Total/NA	Solid	8015NM Prep	
880-10654-44	SW-8	Total/NA	Solid	8015NM Prep	
880-10654-45	SW-9	Total/NA	Solid	8015NM Prep	
880-10654-46	SW-10	Total/NA	Solid	8015NM Prep	
880-10654-47	SW-11	Total/NA	Solid	8015NM Prep	
880-10654-48	SW-12	Total/NA	Solid	8015NM Prep	
880-10654-49	SW-13	Total/NA	Solid	8015NM Prep	
880-10654-50	SW-14	Total/NA	Solid	8015NM Prep	
880-10654-51	SW-15	Total/NA	Solid	8015NM Prep	
880-10654-52	SW-16	Total/NA	Solid	8015NM Prep	
880-10654-53	SW-17	Total/NA	Solid	8015NM Prep	
880-10654-54	SW-18	Total/NA	Solid	8015NM Prep	
880-10654-55	SW-19	Total/NA	Solid	8015NM Prep	
MB 880-17976/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-17976/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-17976/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
880-10654-41 MS	SW-5	Total/NA	Solid	8015NM Prep	
880-10654-41 MSD	SW-5	Total/NA	Solid	8015NM Prep	

Eurofins Midland

QC Association Summary

Client: NT Global

Job ID: 880-10654-1

Project/Site: Vaca Draw Booster 11.14.21

SDG: Lea Co, NM

GC Semi VOA

Analysis Batch: 17979

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-10654-21	CS-21 (1.5')	Total/NA	Solid	8015B NM	18063
880-10654-22	CS-22 (1.5')	Total/NA	Solid	8015B NM	18063
880-10654-23	CS-23 (1.5')	Total/NA	Solid	8015B NM	18063
880-10654-24	CS-24 (1.5')	Total/NA	Solid	8015B NM	18063
880-10654-25	CS-25 (1.5')	Total/NA	Solid	8015B NM	18063
880-10654-26	CS-26 (1.5')	Total/NA	Solid	8015B NM	18063
880-10654-27	CS-27 (1.5')	Total/NA	Solid	8015B NM	18063
880-10654-28	CS-28 (1.5')	Total/NA	Solid	8015B NM	18063
880-10654-29	CS-29 (4')	Total/NA	Solid	8015B NM	18063
880-10654-30	CS-30 (4')	Total/NA	Solid	8015B NM	18063
880-10654-31	CS-31 (4')	Total/NA	Solid	8015B NM	18063
880-10654-32	CS-32 (4')	Total/NA	Solid	8015B NM	18063
880-10654-33	CS-33 (3')	Total/NA	Solid	8015B NM	18063
880-10654-34	CS-34 (3')	Total/NA	Solid	8015B NM	18063
880-10654-35	CS-35 (3')	Total/NA	Solid	8015B NM	18063
880-10654-36	CS-36 (3')	Total/NA	Solid	8015B NM	18063
880-10654-37	SW-1	Total/NA	Solid	8015B NM	18063
880-10654-38	SW-2	Total/NA	Solid	8015B NM	18063
880-10654-39	SW-3	Total/NA	Solid	8015B NM	18063
880-10654-40	SW-4	Total/NA	Solid	8015B NM	18063
880-10654-41	SW-5	Total/NA	Solid	8015B NM	17976
880-10654-42	SW-6	Total/NA	Solid	8015B NM	17976
880-10654-43	SW-7	Total/NA	Solid	8015B NM	17976
880-10654-44	SW-8	Total/NA	Solid	8015B NM	17976
880-10654-45	SW-9	Total/NA	Solid	8015B NM	17976
880-10654-46	SW-10	Total/NA	Solid	8015B NM	17976
880-10654-47	SW-11	Total/NA	Solid	8015B NM	17976
880-10654-48	SW-12	Total/NA	Solid	8015B NM	17976
880-10654-49	SW-13	Total/NA	Solid	8015B NM	17976
880-10654-50	SW-14	Total/NA	Solid	8015B NM	17976
880-10654-51	SW-15	Total/NA	Solid	8015B NM	17976
880-10654-52	SW-16	Total/NA	Solid	8015B NM	17976
880-10654-53	SW-17	Total/NA	Solid	8015B NM	17976
880-10654-54	SW-18	Total/NA	Solid	8015B NM	17976
880-10654-55	SW-19	Total/NA	Solid	8015B NM	17976
MB 880-17976/1-A	Method Blank	Total/NA	Solid	8015B NM	17976
MB 880-18063/1-A	Method Blank	Total/NA	Solid	8015B NM	18063
LCS 880-17976/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	17976
LCS 880-18063/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	18063
LCSD 880-17976/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	17976
LCSD 880-18063/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	18063
880-10654-21 MS	CS-21 (1.5')	Total/NA	Solid	8015B NM	18063
880-10654-21 MSD	CS-21 (1.5')	Total/NA	Solid	8015B NM	18063
880-10654-41 MS	SW-5	Total/NA	Solid	8015B NM	17976
880-10654-41 MSD	SW-5	Total/NA	Solid	8015B NM	17976

Prep Batch: 17984

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-10654-1	CS-1 (3')	Total/NA	Solid	8015NM Prep	
880-10654-2	CS-2 (3')	Total/NA	Solid	8015NM Prep	
880-10654-3	CS-3 (3')	Total/NA	Solid	8015NM Prep	

Eurofins Midland

QC Association Summary

Client: NT Global

Job ID: 880-10654-1

Project/Site: Vaca Draw Booster 11.14.21

SDG: Lea Co, NM

GC Semi VOA (Continued)

Prep Batch: 17984 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-10654-4	CS-4 (3')	Total/NA	Solid	8015NM Prep	
880-10654-5	CS-5 (1.5')	Total/NA	Solid	8015NM Prep	
880-10654-6	CS-6 (1.5')	Total/NA	Solid	8015NM Prep	
880-10654-7	CS-7 (1.5')	Total/NA	Solid	8015NM Prep	
880-10654-8	CS-8 (1.5')	Total/NA	Solid	8015NM Prep	
880-10654-9	CS-9 (1.5')	Total/NA	Solid	8015NM Prep	
880-10654-10	CS-10 (1.5')	Total/NA	Solid	8015NM Prep	
880-10654-11	CS-11 (1.5')	Total/NA	Solid	8015NM Prep	
880-10654-12	CS-12 (1.5')	Total/NA	Solid	8015NM Prep	
880-10654-13	CS-13 (1.5')	Total/NA	Solid	8015NM Prep	
880-10654-14	CS-14 (1.5')	Total/NA	Solid	8015NM Prep	
880-10654-15	CS-15 (1.5')	Total/NA	Solid	8015NM Prep	
880-10654-16	CS-16 (1.5')	Total/NA	Solid	8015NM Prep	
880-10654-17	CS-17 (1.5')	Total/NA	Solid	8015NM Prep	
880-10654-18	CS-18 (1.5')	Total/NA	Solid	8015NM Prep	
880-10654-19	CS-19 (1.5')	Total/NA	Solid	8015NM Prep	
880-10654-20	CS-20 (1.5')	Total/NA	Solid	8015NM Prep	
MB 880-17984/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-17984/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-17984/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
880-10654-1 MS	CS-1 (3')	Total/NA	Solid	8015NM Prep	
880-10654-1 MSD	CS-1 (3')	Total/NA	Solid	8015NM Prep	

Analysis Batch: 17991

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-10654-1	CS-1 (3')	Total/NA	Solid	8015B NM	17984
880-10654-2	CS-2 (3')	Total/NA	Solid	8015B NM	17984
880-10654-3	CS-3 (3')	Total/NA	Solid	8015B NM	17984
880-10654-4	CS-4 (3')	Total/NA	Solid	8015B NM	17984
880-10654-5	CS-5 (1.5')	Total/NA	Solid	8015B NM	17984
880-10654-6	CS-6 (1.5')	Total/NA	Solid	8015B NM	17984
880-10654-7	CS-7 (1.5')	Total/NA	Solid	8015B NM	17984
880-10654-8	CS-8 (1.5')	Total/NA	Solid	8015B NM	17984
880-10654-9	CS-9 (1.5')	Total/NA	Solid	8015B NM	17984
880-10654-10	CS-10 (1.5')	Total/NA	Solid	8015B NM	17984
880-10654-11	CS-11 (1.5')	Total/NA	Solid	8015B NM	17984
880-10654-12	CS-12 (1.5')	Total/NA	Solid	8015B NM	17984
880-10654-13	CS-13 (1.5')	Total/NA	Solid	8015B NM	17984
880-10654-14	CS-14 (1.5')	Total/NA	Solid	8015B NM	17984
880-10654-15	CS-15 (1.5')	Total/NA	Solid	8015B NM	17984
880-10654-16	CS-16 (1.5')	Total/NA	Solid	8015B NM	17984
880-10654-17	CS-17 (1.5')	Total/NA	Solid	8015B NM	17984
880-10654-18	CS-18 (1.5')	Total/NA	Solid	8015B NM	17984
880-10654-19	CS-19 (1.5')	Total/NA	Solid	8015B NM	17984
880-10654-20	CS-20 (1.5')	Total/NA	Solid	8015B NM	17984
MB 880-17984/1-A	Method Blank	Total/NA	Solid	8015B NM	17984
LCS 880-17984/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	17984
LCSD 880-17984/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	17984
880-10654-1 MS	CS-1 (3')	Total/NA	Solid	8015B NM	17984
880-10654-1 MSD	CS-1 (3')	Total/NA	Solid	8015B NM	17984

Eurofins Midland

QC Association Summary

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

GC Semi VOA

Prep Batch: 18063

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-10654-21	CS-21 (1.5')	Total/NA	Solid	8015NM Prep	
880-10654-22	CS-22 (1.5')	Total/NA	Solid	8015NM Prep	
880-10654-23	CS-23 (1.5')	Total/NA	Solid	8015NM Prep	
880-10654-24	CS-24 (1.5')	Total/NA	Solid	8015NM Prep	
880-10654-25	CS-25 (1.5')	Total/NA	Solid	8015NM Prep	
880-10654-26	CS-26 (1.5')	Total/NA	Solid	8015NM Prep	
880-10654-27	CS-27 (1.5')	Total/NA	Solid	8015NM Prep	
880-10654-28	CS-28 (1.5')	Total/NA	Solid	8015NM Prep	
880-10654-29	CS-29 (4')	Total/NA	Solid	8015NM Prep	
880-10654-30	CS-30 (4')	Total/NA	Solid	8015NM Prep	
880-10654-31	CS-31 (4')	Total/NA	Solid	8015NM Prep	
880-10654-32	CS-32 (4')	Total/NA	Solid	8015NM Prep	
880-10654-33	CS-33 (3')	Total/NA	Solid	8015NM Prep	
880-10654-34	CS-34 (3')	Total/NA	Solid	8015NM Prep	
880-10654-35	CS-35 (3')	Total/NA	Solid	8015NM Prep	
880-10654-36	CS-36 (3')	Total/NA	Solid	8015NM Prep	
880-10654-37	SW-1	Total/NA	Solid	8015NM Prep	
880-10654-38	SW-2	Total/NA	Solid	8015NM Prep	
880-10654-39	SW-3	Total/NA	Solid	8015NM Prep	
880-10654-40	SW-4	Total/NA	Solid	8015NM Prep	
MB 880-18063/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-18063/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-18063/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
880-10654-21 MS	CS-21 (1.5')	Total/NA	Solid	8015NM Prep	
880-10654-21 MSD	CS-21 (1.5')	Total/NA	Solid	8015NM Prep	

Analysis Batch: 18115

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-10654-56	SW-20	Total/NA	Solid	8015B NM	18131
MB 880-18131/1-A	Method Blank	Total/NA	Solid	8015B NM	18131
LCS 880-18131/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	18131
LCSD 880-18131/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	18131
890-1873-A-1-G MS	Matrix Spike	Total/NA	Solid	8015B NM	18131
890-1873-A-1-H MSD	Matrix Spike Duplicate	Total/NA	Solid	8015B NM	18131

Prep Batch: 18131

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-10654-56	SW-20	Total/NA	Solid	8015NM Prep	
MB 880-18131/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-18131/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-18131/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
890-1873-A-1-G MS	Matrix Spike	Total/NA	Solid	8015NM Prep	
890-1873-A-1-H MSD	Matrix Spike Duplicate	Total/NA	Solid	8015NM Prep	

Analysis Batch: 18144

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-10654-1	CS-1 (3')	Total/NA	Solid	8015 NM	
880-10654-2	CS-2 (3')	Total/NA	Solid	8015 NM	
880-10654-3	CS-3 (3')	Total/NA	Solid	8015 NM	
880-10654-4	CS-4 (3')	Total/NA	Solid	8015 NM	
880-10654-5	CS-5 (1.5')	Total/NA	Solid	8015 NM	

Eurofins Midland

QC Association Summary

Client: NT Global

Job ID: 880-10654-1

Project/Site: Vaca Draw Booster 11.14.21

SDG: Lea Co, NM

GC Semi VOA (Continued)

Analysis Batch: 18144 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-10654-6	CS-6 (1.5')	Total/NA	Solid	8015 NM	
880-10654-7	CS-7 (1.5')	Total/NA	Solid	8015 NM	
880-10654-8	CS-8 (1.5')	Total/NA	Solid	8015 NM	
880-10654-9	CS-9 (1.5')	Total/NA	Solid	8015 NM	
880-10654-10	CS-10 (1.5')	Total/NA	Solid	8015 NM	
880-10654-11	CS-11 (1.5')	Total/NA	Solid	8015 NM	
880-10654-12	CS-12 (1.5')	Total/NA	Solid	8015 NM	
880-10654-13	CS-13 (1.5')	Total/NA	Solid	8015 NM	
880-10654-14	CS-14 (1.5')	Total/NA	Solid	8015 NM	
880-10654-15	CS-15 (1.5')	Total/NA	Solid	8015 NM	
880-10654-16	CS-16 (1.5')	Total/NA	Solid	8015 NM	
880-10654-17	CS-17 (1.5')	Total/NA	Solid	8015 NM	
880-10654-18	CS-18 (1.5')	Total/NA	Solid	8015 NM	
880-10654-19	CS-19 (1.5')	Total/NA	Solid	8015 NM	
880-10654-20	CS-20 (1.5')	Total/NA	Solid	8015 NM	

Analysis Batch: 18327

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-10654-21	CS-21 (1.5')	Total/NA	Solid	8015 NM	
880-10654-22	CS-22 (1.5')	Total/NA	Solid	8015 NM	
880-10654-23	CS-23 (1.5')	Total/NA	Solid	8015 NM	
880-10654-24	CS-24 (1.5')	Total/NA	Solid	8015 NM	
880-10654-25	CS-25 (1.5')	Total/NA	Solid	8015 NM	
880-10654-26	CS-26 (1.5')	Total/NA	Solid	8015 NM	
880-10654-27	CS-27 (1.5')	Total/NA	Solid	8015 NM	
880-10654-28	CS-28 (1.5')	Total/NA	Solid	8015 NM	
880-10654-29	CS-29 (4')	Total/NA	Solid	8015 NM	
880-10654-30	CS-30 (4')	Total/NA	Solid	8015 NM	
880-10654-31	CS-31 (4')	Total/NA	Solid	8015 NM	
880-10654-32	CS-32 (4')	Total/NA	Solid	8015 NM	
880-10654-33	CS-33 (3')	Total/NA	Solid	8015 NM	
880-10654-34	CS-34 (3')	Total/NA	Solid	8015 NM	
880-10654-35	CS-35 (3')	Total/NA	Solid	8015 NM	
880-10654-36	CS-36 (3')	Total/NA	Solid	8015 NM	
880-10654-37	SW-1	Total/NA	Solid	8015 NM	
880-10654-38	SW-2	Total/NA	Solid	8015 NM	
880-10654-39	SW-3	Total/NA	Solid	8015 NM	
880-10654-40	SW-4	Total/NA	Solid	8015 NM	
880-10654-41	SW-5	Total/NA	Solid	8015 NM	
880-10654-42	SW-6	Total/NA	Solid	8015 NM	
880-10654-43	SW-7	Total/NA	Solid	8015 NM	
880-10654-44	SW-8	Total/NA	Solid	8015 NM	
880-10654-45	SW-9	Total/NA	Solid	8015 NM	
880-10654-46	SW-10	Total/NA	Solid	8015 NM	
880-10654-47	SW-11	Total/NA	Solid	8015 NM	
880-10654-48	SW-12	Total/NA	Solid	8015 NM	
880-10654-49	SW-13	Total/NA	Solid	8015 NM	
880-10654-50	SW-14	Total/NA	Solid	8015 NM	
880-10654-51	SW-15	Total/NA	Solid	8015 NM	
880-10654-52	SW-16	Total/NA	Solid	8015 NM	
880-10654-53	SW-17	Total/NA	Solid	8015 NM	

Eurofins Midland

QC Association Summary

Client: NT Global

Job ID: 880-10654-1

Project/Site: Vaca Draw Booster 11.14.21

SDG: Lea Co, NM

GC Semi VOA (Continued)

Analysis Batch: 18327 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-10654-54	SW-18	Total/NA	Solid	8015 NM	
880-10654-55	SW-19	Total/NA	Solid	8015 NM	
880-10654-56	SW-20	Total/NA	Solid	8015 NM	
880-10637-A-115 MS	Matrix Spike	Total/NA	Solid	8015 NM	
880-10637-A-115 MSD	Matrix Spike Duplicate	Total/NA	Solid	8015 NM	

HPLC/IC

Leach Batch: 18027

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-10654-1	CS-1 (3')	Soluble	Solid	DI Leach	
880-10654-2	CS-2 (3')	Soluble	Solid	DI Leach	
880-10654-3	CS-3 (3')	Soluble	Solid	DI Leach	
880-10654-4	CS-4 (3')	Soluble	Solid	DI Leach	
880-10654-5	CS-5 (1.5')	Soluble	Solid	DI Leach	
880-10654-6	CS-6 (1.5')	Soluble	Solid	DI Leach	
880-10654-7	CS-7 (1.5')	Soluble	Solid	DI Leach	
880-10654-8	CS-8 (1.5')	Soluble	Solid	DI Leach	
880-10654-9	CS-9 (1.5')	Soluble	Solid	DI Leach	
880-10654-10	CS-10 (1.5')	Soluble	Solid	DI Leach	
880-10654-11	CS-11 (1.5')	Soluble	Solid	DI Leach	
880-10654-12	CS-12 (1.5')	Soluble	Solid	DI Leach	
880-10654-13	CS-13 (1.5')	Soluble	Solid	DI Leach	
880-10654-14	CS-14 (1.5')	Soluble	Solid	DI Leach	
880-10654-15	CS-15 (1.5')	Soluble	Solid	DI Leach	
880-10654-16	CS-16 (1.5')	Soluble	Solid	DI Leach	
880-10654-17	CS-17 (1.5')	Soluble	Solid	DI Leach	
880-10654-18	CS-18 (1.5')	Soluble	Solid	DI Leach	
880-10654-19	CS-19 (1.5')	Soluble	Solid	DI Leach	
880-10654-20	CS-20 (1.5')	Soluble	Solid	DI Leach	
MB 880-18027/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-18027/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-18027/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-10654-1 MS	CS-1 (3')	Soluble	Solid	DI Leach	
880-10654-1 MSD	CS-1 (3')	Soluble	Solid	DI Leach	
880-10654-11 MS	CS-11 (1.5')	Soluble	Solid	DI Leach	
880-10654-11 MSD	CS-11 (1.5')	Soluble	Solid	DI Leach	

Leach Batch: 18028

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-10654-21	CS-21 (1.5')	Soluble	Solid	DI Leach	
880-10654-22	CS-22 (1.5')	Soluble	Solid	DI Leach	
880-10654-23	CS-23 (1.5')	Soluble	Solid	DI Leach	
880-10654-24	CS-24 (1.5')	Soluble	Solid	DI Leach	
880-10654-25	CS-25 (1.5')	Soluble	Solid	DI Leach	
880-10654-26	CS-26 (1.5')	Soluble	Solid	DI Leach	
880-10654-27	CS-27 (1.5')	Soluble	Solid	DI Leach	
880-10654-28	CS-28 (1.5')	Soluble	Solid	DI Leach	
880-10654-29	CS-29 (4')	Soluble	Solid	DI Leach	
880-10654-30	CS-30 (4')	Soluble	Solid	DI Leach	
880-10654-31	CS-31 (4')	Soluble	Solid	DI Leach	

Eurofins Midland

QC Association Summary

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

HPLC/IC (Continued)

Leach Batch: 18028 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-10654-32	CS-32 (4')	Soluble	Solid	DI Leach	
880-10654-33	CS-33 (3')	Soluble	Solid	DI Leach	
880-10654-34	CS-34 (3')	Soluble	Solid	DI Leach	
880-10654-35	CS-35 (3')	Soluble	Solid	DI Leach	
880-10654-36	CS-36 (3')	Soluble	Solid	DI Leach	
880-10654-37	SW-1	Soluble	Solid	DI Leach	
880-10654-38	SW-2	Soluble	Solid	DI Leach	
880-10654-39	SW-3	Soluble	Solid	DI Leach	
880-10654-40	SW-4	Soluble	Solid	DI Leach	
MB 880-18028/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-18028/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-18028/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-10654-21 MS	CS-21 (1.5')	Soluble	Solid	DI Leach	
880-10654-21 MSD	CS-21 (1.5')	Soluble	Solid	DI Leach	
880-10654-31 MS	CS-31 (4')	Soluble	Solid	DI Leach	
880-10654-31 MSD	CS-31 (4')	Soluble	Solid	DI Leach	

Leach Batch: 18040

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-10654-41	SW-5	Soluble	Solid	DI Leach	
880-10654-42	SW-6	Soluble	Solid	DI Leach	
880-10654-43	SW-7	Soluble	Solid	DI Leach	
880-10654-44	SW-8	Soluble	Solid	DI Leach	
880-10654-45	SW-9	Soluble	Solid	DI Leach	
880-10654-46	SW-10	Soluble	Solid	DI Leach	
880-10654-47	SW-11	Soluble	Solid	DI Leach	
880-10654-48	SW-12	Soluble	Solid	DI Leach	
880-10654-49	SW-13	Soluble	Solid	DI Leach	
880-10654-50	SW-14	Soluble	Solid	DI Leach	
880-10654-51	SW-15	Soluble	Solid	DI Leach	
880-10654-52	SW-16	Soluble	Solid	DI Leach	
880-10654-53	SW-17	Soluble	Solid	DI Leach	
880-10654-54	SW-18	Soluble	Solid	DI Leach	
880-10654-55	SW-19	Soluble	Solid	DI Leach	
880-10654-56	SW-20	Soluble	Solid	DI Leach	
MB 880-18040/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-18040/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-18040/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-10654-47 MS	SW-11	Soluble	Solid	DI Leach	
880-10654-47 MSD	SW-11	Soluble	Solid	DI Leach	

Analysis Batch: 18095

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-10654-1	CS-1 (3')	Soluble	Solid	300.0	18027
880-10654-2	CS-2 (3')	Soluble	Solid	300.0	18027
880-10654-3	CS-3 (3')	Soluble	Solid	300.0	18027
880-10654-4	CS-4 (3')	Soluble	Solid	300.0	18027
880-10654-5	CS-5 (1.5')	Soluble	Solid	300.0	18027
880-10654-6	CS-6 (1.5')	Soluble	Solid	300.0	18027
880-10654-7	CS-7 (1.5')	Soluble	Solid	300.0	18027
880-10654-8	CS-8 (1.5')	Soluble	Solid	300.0	18027

Eurofins Midland

QC Association Summary

Client: NT Global

Job ID: 880-10654-1

Project/Site: Vaca Draw Booster 11.14.21

SDG: Lea Co, NM

HPLC/IC (Continued)

Analysis Batch: 18095 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-10654-9	CS-9 (1.5')	Soluble	Solid	300.0	18027
880-10654-10	CS-10 (1.5')	Soluble	Solid	300.0	18027
880-10654-11	CS-11 (1.5')	Soluble	Solid	300.0	18027
880-10654-12	CS-12 (1.5')	Soluble	Solid	300.0	18027
880-10654-13	CS-13 (1.5')	Soluble	Solid	300.0	18027
880-10654-14	CS-14 (1.5')	Soluble	Solid	300.0	18027
880-10654-15	CS-15 (1.5')	Soluble	Solid	300.0	18027
880-10654-16	CS-16 (1.5')	Soluble	Solid	300.0	18027
880-10654-17	CS-17 (1.5')	Soluble	Solid	300.0	18027
880-10654-18	CS-18 (1.5')	Soluble	Solid	300.0	18027
880-10654-19	CS-19 (1.5')	Soluble	Solid	300.0	18027
880-10654-20	CS-20 (1.5')	Soluble	Solid	300.0	18027
MB 880-18027/1-A	Method Blank	Soluble	Solid	300.0	18027
LCS 880-18027/2-A	Lab Control Sample	Soluble	Solid	300.0	18027
LCSD 880-18027/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	18027
880-10654-1 MS	CS-1 (3')	Soluble	Solid	300.0	18027
880-10654-1 MSD	CS-1 (3')	Soluble	Solid	300.0	18027
880-10654-11 MS	CS-11 (1.5')	Soluble	Solid	300.0	18027
880-10654-11 MSD	CS-11 (1.5')	Soluble	Solid	300.0	18027

Analysis Batch: 18270

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-10654-21	CS-21 (1.5')	Soluble	Solid	300.0	18028
880-10654-22	CS-22 (1.5')	Soluble	Solid	300.0	18028
880-10654-23	CS-23 (1.5')	Soluble	Solid	300.0	18028
880-10654-24	CS-24 (1.5')	Soluble	Solid	300.0	18028
880-10654-25	CS-25 (1.5')	Soluble	Solid	300.0	18028
880-10654-26	CS-26 (1.5')	Soluble	Solid	300.0	18028
880-10654-27	CS-27 (1.5')	Soluble	Solid	300.0	18028
880-10654-28	CS-28 (1.5')	Soluble	Solid	300.0	18028
880-10654-29	CS-29 (4')	Soluble	Solid	300.0	18028
880-10654-30	CS-30 (4')	Soluble	Solid	300.0	18028
880-10654-31	CS-31 (4')	Soluble	Solid	300.0	18028
880-10654-32	CS-32 (4')	Soluble	Solid	300.0	18028
880-10654-33	CS-33 (3')	Soluble	Solid	300.0	18028
880-10654-34	CS-34 (3')	Soluble	Solid	300.0	18028
880-10654-35	CS-35 (3')	Soluble	Solid	300.0	18028
880-10654-36	CS-36 (3')	Soluble	Solid	300.0	18028
880-10654-37	SW-1	Soluble	Solid	300.0	18028
880-10654-38	SW-2	Soluble	Solid	300.0	18028
880-10654-39	SW-3	Soluble	Solid	300.0	18028
880-10654-40	SW-4	Soluble	Solid	300.0	18028
MB 880-18028/1-A	Method Blank	Soluble	Solid	300.0	18028
LCS 880-18028/2-A	Lab Control Sample	Soluble	Solid	300.0	18028
LCSD 880-18028/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	18028
880-10654-21 MS	CS-21 (1.5')	Soluble	Solid	300.0	18028
880-10654-21 MSD	CS-21 (1.5')	Soluble	Solid	300.0	18028
880-10654-31 MS	CS-31 (4')	Soluble	Solid	300.0	18028
880-10654-31 MSD	CS-31 (4')	Soluble	Solid	300.0	18028

Eurofins Midland

QC Association Summary

Client: NT Global

Job ID: 880-10654-1

Project/Site: Vaca Draw Booster 11.14.21

SDG: Lea Co, NM

HPLC/IC

Analysis Batch: 18272

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-10654-41	SW-5	Soluble	Solid	300.0	18040
880-10654-42	SW-6	Soluble	Solid	300.0	18040
880-10654-43	SW-7	Soluble	Solid	300.0	18040
880-10654-44	SW-8	Soluble	Solid	300.0	18040
880-10654-45	SW-9	Soluble	Solid	300.0	18040
880-10654-46	SW-10	Soluble	Solid	300.0	18040
880-10654-47	SW-11	Soluble	Solid	300.0	18040
880-10654-48	SW-12	Soluble	Solid	300.0	18040
880-10654-49	SW-13	Soluble	Solid	300.0	18040
880-10654-50	SW-14	Soluble	Solid	300.0	18040
880-10654-51	SW-15	Soluble	Solid	300.0	18040
880-10654-52	SW-16	Soluble	Solid	300.0	18040
880-10654-53	SW-17	Soluble	Solid	300.0	18040
880-10654-54	SW-18	Soluble	Solid	300.0	18040
880-10654-55	SW-19	Soluble	Solid	300.0	18040
880-10654-56	SW-20	Soluble	Solid	300.0	18040
MB 880-18040/1-A	Method Blank	Soluble	Solid	300.0	18040
LCS 880-18040/2-A	Lab Control Sample	Soluble	Solid	300.0	18040
LCSD 880-18040/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	18040
880-10654-47 MS	SW-11	Soluble	Solid	300.0	18040
880-10654-47 MSD	SW-11	Soluble	Solid	300.0	18040

Lab Chronicle

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-1 (3')

Lab Sample ID: 880-10654-1

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	17885	01/27/22 10:21	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17868	01/27/22 13:08	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:41	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18144	01/31/22 11:14	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	17984	01/28/22 09:08	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17991	01/28/22 13:03	AJ	XEN MID
Soluble	Leach	DI Leach			5.01 g	50 mL	18027	01/28/22 10:27	CH	XEN MID
Soluble	Analysis	300.0		1			18095	02/01/22 10:37	CH	XEN MID

Client Sample ID: CS-2 (3')

Lab Sample ID: 880-10654-2

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	17885	01/27/22 10:21	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17868	01/27/22 13:28	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:41	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18144	01/31/22 11:14	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	17984	01/28/22 09:08	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17991	01/28/22 14:59	AJ	XEN MID
Soluble	Leach	DI Leach			4.96 g	50 mL	18027	01/28/22 10:27	CH	XEN MID
Soluble	Analysis	300.0		1			18095	02/01/22 10:59	CH	XEN MID

Client Sample ID: CS-3 (3')

Lab Sample ID: 880-10654-3

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	17885	01/27/22 10:21	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17868	01/27/22 13:48	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:41	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18144	01/31/22 11:14	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	17984	01/28/22 09:08	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17991	01/28/22 15:21	AJ	XEN MID
Soluble	Leach	DI Leach			5.02 g	50 mL	18027	01/28/22 10:27	CH	XEN MID
Soluble	Analysis	300.0		1			18095	02/01/22 11:07	CH	XEN MID

Client Sample ID: CS-4 (3')

Lab Sample ID: 880-10654-4

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.96 g	5 mL	17885	01/27/22 10:21	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17868	01/27/22 16:53	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:41	AJ	XEN MID

Eurofins Midland

Lab Chronicle

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-4 (3')

Lab Sample ID: 880-10654-4

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			18144	01/31/22 11:14	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	17984	01/28/22 09:08	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17991	01/28/22 15:43	AJ	XEN MID
Soluble	Leach	DI Leach			5.03 g	50 mL	18027	01/28/22 10:27	CH	XEN MID
Soluble	Analysis	300.0		1			18095	02/01/22 11:14	CH	XEN MID

Client Sample ID: CS-5 (1.5')

Lab Sample ID: 880-10654-5

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	17885	01/27/22 10:21	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17868	01/27/22 17:13	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:52	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18144	01/31/22 11:14	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	17984	01/28/22 09:08	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17991	01/28/22 16:05	AJ	XEN MID
Soluble	Leach	DI Leach			5.05 g	50 mL	18027	01/28/22 10:27	CH	XEN MID
Soluble	Analysis	300.0		1			18095	02/01/22 13:00	CH	XEN MID

Client Sample ID: CS-6 (1.5')

Lab Sample ID: 880-10654-6

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	17885	01/27/22 10:21	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17868	01/27/22 17:34	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:52	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18144	01/31/22 11:14	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	17984	01/28/22 09:08	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17991	01/28/22 16:27	AJ	XEN MID
Soluble	Leach	DI Leach			5.01 g	50 mL	18027	01/28/22 10:27	CH	XEN MID
Soluble	Analysis	300.0		1			18095	02/01/22 13:23	CH	XEN MID

Client Sample ID: CS-7 (1.5')

Lab Sample ID: 880-10654-7

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	17885	01/27/22 10:21	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17868	01/27/22 17:54	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:52	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18144	01/31/22 11:14	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	17984	01/28/22 09:08	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17991	01/28/22 16:49	AJ	XEN MID

Eurofins Midland

Lab Chronicle

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-7 (1.5')

Lab Sample ID: 880-10654-7

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.99 g	50 mL	18027	01/28/22 10:27	CH	XEN MID
Soluble	Analysis	300.0		1			18095	02/01/22 13:30	CH	XEN MID

Client Sample ID: CS-8 (1.5')

Lab Sample ID: 880-10654-8

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	17885	01/27/22 10:21	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17868	01/27/22 18:14	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:52	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18144	01/31/22 11:14	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	17984	01/28/22 09:08	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17991	01/28/22 17:11	AJ	XEN MID
Soluble	Leach	DI Leach			4.95 g	50 mL	18027	01/28/22 10:27	CH	XEN MID
Soluble	Analysis	300.0		1			18095	02/01/22 13:38	CH	XEN MID

Client Sample ID: CS-9 (1.5')

Lab Sample ID: 880-10654-9

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	17885	01/27/22 10:21	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17868	01/27/22 18:35	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:52	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18144	01/31/22 11:14	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	17984	01/28/22 09:08	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17991	01/28/22 17:31	AJ	XEN MID
Soluble	Leach	DI Leach			5.02 g	50 mL	18027	01/28/22 10:27	CH	XEN MID
Soluble	Analysis	300.0		1			18095	02/01/22 13:45	CH	XEN MID

Client Sample ID: CS-10 (1.5')

Lab Sample ID: 880-10654-10

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.04 g	5 mL	17885	01/27/22 10:21	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17868	01/27/22 18:55	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:52	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18144	01/31/22 11:14	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	17984	01/28/22 09:08	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17991	01/28/22 17:53	AJ	XEN MID
Soluble	Leach	DI Leach			5.05 g	50 mL	18027	01/28/22 10:27	CH	XEN MID
Soluble	Analysis	300.0		1			18095	02/01/22 13:53	CH	XEN MID

Eurofins Midland

Lab Chronicle

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-11 (1.5')

Lab Sample ID: 880-10654-11

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	17885	01/27/22 10:21	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17868	01/27/22 20:45	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:52	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18144	01/31/22 11:14	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	17984	01/28/22 09:08	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17991	01/28/22 18:38	AJ	XEN MID
Soluble	Leach	DI Leach			5 g	50 mL	18027	01/28/22 10:27	CH	XEN MID
Soluble	Analysis	300.0		1			18095	02/01/22 14:00	CH	XEN MID

Client Sample ID: CS-12 (1.5')

Lab Sample ID: 880-10654-12

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	17885	01/27/22 10:21	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17868	01/27/22 21:06	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:52	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18144	01/31/22 11:14	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	17984	01/28/22 09:08	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17991	01/28/22 19:00	AJ	XEN MID
Soluble	Leach	DI Leach			5.01 g	50 mL	18027	01/28/22 10:27	CH	XEN MID
Soluble	Analysis	300.0		1			18095	02/01/22 14:24	CH	XEN MID

Client Sample ID: CS-13 (1.5')

Lab Sample ID: 880-10654-13

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	17885	01/27/22 10:21	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17868	01/27/22 21:26	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:52	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18144	01/31/22 11:14	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	17984	01/28/22 09:08	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17991	01/28/22 19:22	AJ	XEN MID
Soluble	Leach	DI Leach			5.02 g	50 mL	18027	01/28/22 10:27	CH	XEN MID
Soluble	Analysis	300.0		1			18095	02/01/22 14:31	CH	XEN MID

Client Sample ID: CS-14 (1.5')

Lab Sample ID: 880-10654-14

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	17885	01/27/22 10:21	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17868	01/27/22 21:46	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:52	AJ	XEN MID

Eurofins Midland

Lab Chronicle

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-14 (1.5')

Lab Sample ID: 880-10654-14

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			18144	01/31/22 11:14	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	17984	01/28/22 09:08	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17991	01/28/22 19:44	AJ	XEN MID
Soluble	Leach	DI Leach			5.03 g	50 mL	18027	01/28/22 10:27	CH	XEN MID
Soluble	Analysis	300.0		1			18095	02/01/22 18:59	CH	XEN MID

Client Sample ID: CS-15 (1.5')

Lab Sample ID: 880-10654-15

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	17885	01/27/22 10:21	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17868	01/27/22 22:07	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:52	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18144	01/31/22 11:14	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	17984	01/28/22 09:08	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17991	01/28/22 20:06	AJ	XEN MID
Soluble	Leach	DI Leach			5.01 g	50 mL	18027	01/28/22 10:27	CH	XEN MID
Soluble	Analysis	300.0		1			18095	02/01/22 19:06	CH	XEN MID

Client Sample ID: CS-16 (1.5')

Lab Sample ID: 880-10654-16

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	17885	01/27/22 10:21	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17868	01/27/22 22:27	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:52	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18144	01/31/22 11:14	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	17984	01/28/22 09:08	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17991	01/28/22 20:27	AJ	XEN MID
Soluble	Leach	DI Leach			5 g	50 mL	18027	01/28/22 10:27	CH	XEN MID
Soluble	Analysis	300.0		1			18095	02/01/22 19:14	CH	XEN MID

Client Sample ID: CS-17 (1.5')

Lab Sample ID: 880-10654-17

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.96 g	5 mL	17885	01/27/22 10:21	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17868	01/27/22 22:47	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:52	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18144	01/31/22 11:14	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	17984	01/28/22 09:08	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17991	01/28/22 20:50	AJ	XEN MID

Eurofins Midland

Lab Chronicle

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-17 (1.5')

Lab Sample ID: 880-10654-17

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5 g	50 mL	18027	01/28/22 10:27	CH	XEN MID
Soluble	Analysis	300.0		1			18095	02/01/22 19:21	CH	XEN MID

Client Sample ID: CS-18 (1.5')

Lab Sample ID: 880-10654-18

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	17885	01/27/22 10:21	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17868	01/27/22 23:08	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:52	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18144	01/31/22 11:14	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	17984	01/28/22 09:08	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17991	01/28/22 21:13	AJ	XEN MID
Soluble	Leach	DI Leach			5.05 g	50 mL	18027	01/28/22 10:27	CH	XEN MID
Soluble	Analysis	300.0		1			18095	02/01/22 19:29	CH	XEN MID

Client Sample ID: CS-19 (1.5')

Lab Sample ID: 880-10654-19

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	17885	01/27/22 10:21	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17868	01/27/22 23:28	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:52	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18144	01/31/22 11:14	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	17984	01/28/22 09:08	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17991	01/28/22 21:35	AJ	XEN MID
Soluble	Leach	DI Leach			5.03 g	50 mL	18027	01/28/22 10:27	CH	XEN MID
Soluble	Analysis	300.0		1			18095	02/01/22 19:36	CH	XEN MID

Client Sample ID: CS-20 (1.5')

Lab Sample ID: 880-10654-20

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	17885	01/27/22 10:21	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17868	01/27/22 23:49	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:52	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18144	01/31/22 11:14	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	17984	01/28/22 09:08	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17991	01/28/22 21:56	AJ	XEN MID
Soluble	Leach	DI Leach			4.98 g	50 mL	18027	01/28/22 10:27	CH	XEN MID
Soluble	Analysis	300.0		1			18095	02/01/22 20:07	CH	XEN MID

Eurofins Midland

Lab Chronicle

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-21 (1.5')

Lab Sample ID: 880-10654-21

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	17886	01/27/22 10:24	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17867	01/27/22 22:53	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:52	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18327	02/01/22 19:05	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	18063	01/28/22 14:45	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17979	01/28/22 22:41	AJ	XEN MID
Soluble	Leach	DI Leach			5.04 g	50 mL	18028	01/28/22 10:35	CH	XEN MID
Soluble	Analysis	300.0		1			18270	02/02/22 09:13	CH	XEN MID

Client Sample ID: CS-22 (1.5')

Lab Sample ID: 880-10654-22

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.04 g	5 mL	17886	01/27/22 10:24	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17867	01/27/22 23:14	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:52	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18327	02/01/22 19:05	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	18063	01/28/22 14:45	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17979	01/28/22 23:49	AJ	XEN MID
Soluble	Leach	DI Leach			4.96 g	50 mL	18028	01/28/22 10:35	CH	XEN MID
Soluble	Analysis	300.0		1			18270	02/02/22 09:35	CH	XEN MID

Client Sample ID: CS-23 (1.5')

Lab Sample ID: 880-10654-23

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	17886	01/27/22 10:24	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17867	01/27/22 23:34	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:52	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18327	02/01/22 19:05	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	18063	01/28/22 14:45	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17979	01/29/22 00:11	AJ	XEN MID
Soluble	Leach	DI Leach			5.02 g	50 mL	18028	01/28/22 10:35	CH	XEN MID
Soluble	Analysis	300.0		1			18270	02/02/22 09:43	CH	XEN MID

Client Sample ID: CS-24 (1.5')

Lab Sample ID: 880-10654-24

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	17886	01/27/22 10:24	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17867	01/27/22 23:54	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:52	AJ	XEN MID

Eurofins Midland

Lab Chronicle

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-24 (1.5')

Lab Sample ID: 880-10654-24

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			18327	02/01/22 19:05	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	18063	01/28/22 14:45	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17979	01/29/22 00:34	AJ	XEN MID
Soluble	Leach	DI Leach			5 g	50 mL	18028	01/28/22 10:35	CH	XEN MID
Soluble	Analysis	300.0		1			18270	02/02/22 09:51	CH	XEN MID

Client Sample ID: CS-25 (1.5')

Lab Sample ID: 880-10654-25

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	17886	01/27/22 10:24	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17867	01/28/22 00:15	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:52	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18327	02/01/22 19:05	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	18063	01/28/22 14:45	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17979	01/29/22 00:57	AJ	XEN MID
Soluble	Leach	DI Leach			5.02 g	50 mL	18028	01/28/22 10:35	CH	XEN MID
Soluble	Analysis	300.0		1			18270	02/02/22 09:58	CH	XEN MID

Client Sample ID: CS-26 (1.5')

Lab Sample ID: 880-10654-26

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	17886	01/27/22 10:24	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17867	01/28/22 00:35	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:52	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18327	02/01/22 19:05	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	18063	01/28/22 14:45	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17979	01/29/22 01:20	AJ	XEN MID
Soluble	Leach	DI Leach			5.05 g	50 mL	18028	01/28/22 10:35	CH	XEN MID
Soluble	Analysis	300.0		1			18270	02/02/22 10:21	CH	XEN MID

Client Sample ID: CS-27 (1.5')

Lab Sample ID: 880-10654-27

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	17886	01/27/22 10:24	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17867	01/28/22 00:56	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:52	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18327	02/01/22 19:05	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	18063	01/28/22 14:45	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17979	01/29/22 01:43	AJ	XEN MID

Eurofins Midland

Lab Chronicle

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-27 (1.5')

Date Collected: 01/26/22 00:00

Date Received: 01/27/22 10:05

Lab Sample ID: 880-10654-27

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.99 g	50 mL	18028	01/28/22 10:35	CH	XEN MID
Soluble	Analysis	300.0		1			18270	02/02/22 10:28	CH	XEN MID

Client Sample ID: CS-28 (1.5')

Date Collected: 01/26/22 00:00

Date Received: 01/27/22 10:05

Lab Sample ID: 880-10654-28

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.96 g	5 mL	17886	01/27/22 10:24	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17867	01/28/22 01:16	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:52	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18327	02/01/22 19:05	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	18063	01/28/22 14:45	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17979	01/29/22 02:05	AJ	XEN MID
Soluble	Leach	DI Leach			4.96 g	50 mL	18028	01/28/22 10:35	CH	XEN MID
Soluble	Analysis	300.0		1			18270	02/02/22 10:36	CH	XEN MID

Client Sample ID: CS-29 (4')

Date Collected: 01/26/22 00:00

Date Received: 01/27/22 10:05

Lab Sample ID: 880-10654-29

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	17886	01/27/22 10:24	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17867	01/28/22 01:36	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:52	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18327	02/01/22 19:05	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	18063	01/28/22 14:45	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17979	01/29/22 02:29	AJ	XEN MID
Soluble	Leach	DI Leach			5.02 g	50 mL	18028	01/28/22 10:35	CH	XEN MID
Soluble	Analysis	300.0		1			18270	02/02/22 10:44	CH	XEN MID

Client Sample ID: CS-30 (4')

Date Collected: 01/26/22 00:00

Date Received: 01/27/22 10:05

Lab Sample ID: 880-10654-30

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	17886	01/27/22 10:24	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17867	01/28/22 01:57	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:52	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18327	02/01/22 19:05	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	18063	01/28/22 14:45	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17979	01/29/22 02:51	AJ	XEN MID
Soluble	Leach	DI Leach			4.95 g	50 mL	18028	01/28/22 10:35	CH	XEN MID
Soluble	Analysis	300.0		1			18270	02/02/22 10:51	CH	XEN MID

Eurofins Midland

Lab Chronicle

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-31 (4')

Lab Sample ID: 880-10654-31

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	17886	01/27/22 10:24	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17867	01/28/22 03:19	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:52	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18327	02/01/22 19:05	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	18063	01/28/22 14:45	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17979	01/29/22 03:37	AJ	XEN MID
Soluble	Leach	DI Leach			5 g	50 mL	18028	01/28/22 10:35	CH	XEN MID
Soluble	Analysis	300.0		1			18270	02/02/22 10:59	CH	XEN MID

Client Sample ID: CS-32 (4')

Lab Sample ID: 880-10654-32

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	17886	01/27/22 10:24	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17867	01/28/22 03:39	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:52	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18327	02/01/22 19:05	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	18063	01/28/22 14:45	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17979	01/29/22 03:59	AJ	XEN MID
Soluble	Leach	DI Leach			5.01 g	50 mL	18028	01/28/22 10:35	CH	XEN MID
Soluble	Analysis	300.0		1			18270	02/02/22 11:21	CH	XEN MID

Client Sample ID: CS-33 (3')

Lab Sample ID: 880-10654-33

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	17886	01/27/22 10:24	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17867	01/28/22 04:00	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:52	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18327	02/01/22 19:05	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	18063	01/28/22 14:45	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17979	01/29/22 04:21	AJ	XEN MID
Soluble	Leach	DI Leach			5.02 g	50 mL	18028	01/28/22 10:35	CH	XEN MID
Soluble	Analysis	300.0		1			18270	02/02/22 11:29	CH	XEN MID

Client Sample ID: CS-34 (3')

Lab Sample ID: 880-10654-34

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.04 g	5 mL	17886	01/27/22 10:24	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17867	01/28/22 04:20	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:52	AJ	XEN MID

Eurofins Midland

Lab Chronicle

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: CS-34 (3')

Lab Sample ID: 880-10654-34

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			18327	02/01/22 19:05	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	18063	01/28/22 14:45	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17979	01/29/22 04:44	AJ	XEN MID
Soluble	Leach	DI Leach			4.98 g	50 mL	18028	01/28/22 10:35	CH	XEN MID
Soluble	Analysis	300.0		1			18270	02/02/22 11:51	CH	XEN MID

Client Sample ID: CS-35 (3')

Lab Sample ID: 880-10654-35

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	17886	01/27/22 10:24	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17867	01/28/22 04:40	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:52	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18327	02/01/22 19:05	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	18063	01/28/22 14:45	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17979	01/29/22 05:06	AJ	XEN MID
Soluble	Leach	DI Leach			5.02 g	50 mL	18028	01/28/22 10:35	CH	XEN MID
Soluble	Analysis	300.0		1			18270	02/02/22 11:59	CH	XEN MID

Client Sample ID: CS-36 (3')

Lab Sample ID: 880-10654-36

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.96 g	5 mL	17886	01/27/22 10:24	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17867	01/28/22 05:01	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:52	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18327	02/01/22 19:05	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	18063	01/28/22 14:45	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17979	01/29/22 05:27	AJ	XEN MID
Soluble	Leach	DI Leach			5 g	50 mL	18028	01/28/22 10:35	CH	XEN MID
Soluble	Analysis	300.0		1			18270	02/02/22 12:07	CH	XEN MID

Client Sample ID: SW-1

Lab Sample ID: 880-10654-37

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	17886	01/27/22 10:24	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17867	01/28/22 05:21	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:52	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18327	02/01/22 19:05	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	18063	01/28/22 14:45	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17979	01/29/22 05:46	AJ	XEN MID

Eurofins Midland

Lab Chronicle

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: SW-1

Date Collected: 01/26/22 00:00

Date Received: 01/27/22 10:05

Lab Sample ID: 880-10654-37

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5 g	50 mL	18028	01/28/22 10:35	CH	XEN MID
Soluble	Analysis	300.0		1			18270	02/02/22 12:14	CH	XEN MID

Client Sample ID: SW-2

Date Collected: 01/26/22 00:00

Date Received: 01/27/22 10:05

Lab Sample ID: 880-10654-38

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	17886	01/27/22 10:24	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17867	01/28/22 05:42	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:52	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18327	02/01/22 19:05	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	18063	01/28/22 14:45	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17979	01/29/22 06:06	AJ	XEN MID
Soluble	Leach	DI Leach			5.01 g	50 mL	18028	01/28/22 10:35	CH	XEN MID
Soluble	Analysis	300.0		1			18270	02/02/22 12:22	CH	XEN MID

Client Sample ID: SW-3

Date Collected: 01/26/22 00:00

Date Received: 01/27/22 10:05

Lab Sample ID: 880-10654-39

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	17886	01/27/22 10:24	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17867	01/28/22 06:02	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:52	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18327	02/01/22 19:05	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	18063	01/28/22 14:45	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17979	01/29/22 06:27	AJ	XEN MID
Soluble	Leach	DI Leach			5 g	50 mL	18028	01/28/22 10:35	CH	XEN MID
Soluble	Analysis	300.0		1			18270	02/02/22 12:29	CH	XEN MID

Client Sample ID: SW-4

Date Collected: 01/26/22 00:00

Date Received: 01/27/22 10:05

Lab Sample ID: 880-10654-40

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	17886	01/27/22 10:24	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17867	01/28/22 06:22	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			18172	01/31/22 13:52	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18327	02/01/22 19:05	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	18063	01/28/22 14:45	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17979	01/29/22 06:48	AJ	XEN MID
Soluble	Leach	DI Leach			5.01 g	50 mL	18028	01/28/22 10:35	CH	XEN MID
Soluble	Analysis	300.0		1			18270	02/02/22 12:37	CH	XEN MID

Eurofins Midland

Lab Chronicle

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: SW-5

Lab Sample ID: 880-10654-41

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	17887	01/27/22 10:32	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17563	01/27/22 17:02	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			18034	01/28/22 11:02	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18327	02/01/22 19:05	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	17976	01/28/22 08:29	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17979	01/28/22 12:39	AJ	XEN MID
Soluble	Leach	DI Leach			5.04 g	50 mL	18040	01/28/22 11:11	CH	XEN MID
Soluble	Analysis	300.0		1			18272	02/01/22 18:12	SC	XEN MID

Client Sample ID: SW-6

Lab Sample ID: 880-10654-42

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	17887	01/27/22 10:32	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17563	01/27/22 17:23	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			18034	01/28/22 11:02	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18327	02/01/22 19:05	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	17976	01/28/22 08:29	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17979	01/28/22 15:44	AJ	XEN MID
Soluble	Leach	DI Leach			5.02 g	50 mL	18040	01/28/22 11:11	CH	XEN MID
Soluble	Analysis	300.0		1			18272	02/01/22 18:47	SC	XEN MID

Client Sample ID: SW-7

Lab Sample ID: 880-10654-43

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	17887	01/27/22 10:32	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17563	01/27/22 17:43	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			18034	01/28/22 11:02	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18327	02/01/22 19:05	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	17976	01/28/22 08:29	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17979	01/28/22 16:05	AJ	XEN MID
Soluble	Leach	DI Leach			5.05 g	50 mL	18040	01/28/22 11:11	CH	XEN MID
Soluble	Analysis	300.0		1			18272	02/01/22 18:59	SC	XEN MID

Client Sample ID: SW-8

Lab Sample ID: 880-10654-44

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	17887	01/27/22 10:32	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17563	01/27/22 18:04	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			18034	01/28/22 11:02	AJ	XEN MID

Eurofins Midland

Lab Chronicle

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: SW-8

Lab Sample ID: 880-10654-44

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			18327	02/01/22 19:05	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	17976	01/28/22 08:29	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17979	01/28/22 16:27	AJ	XEN MID
Soluble	Leach	DI Leach			5 g	50 mL	18040	01/28/22 11:11	CH	XEN MID
Soluble	Analysis	300.0		1			18272	02/01/22 19:11	SC	XEN MID

Client Sample ID: SW-9

Lab Sample ID: 880-10654-45

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	17887	01/27/22 10:32	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17563	01/27/22 18:25	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			18034	01/28/22 11:02	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18327	02/01/22 19:05	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	17976	01/28/22 08:29	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17979	01/28/22 16:49	AJ	XEN MID
Soluble	Leach	DI Leach			5 g	50 mL	18040	01/28/22 11:11	CH	XEN MID
Soluble	Analysis	300.0		1			18272	02/01/22 19:23	SC	XEN MID

Client Sample ID: SW-10

Lab Sample ID: 880-10654-46

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	17887	01/27/22 10:32	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17563	01/27/22 18:45	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			18034	01/28/22 11:02	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18327	02/01/22 19:05	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	17976	01/28/22 08:29	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17979	01/28/22 17:33	AJ	XEN MID
Soluble	Leach	DI Leach			4.96 g	50 mL	18040	01/28/22 11:11	CH	XEN MID
Soluble	Analysis	300.0		1			18272	02/01/22 19:35	SC	XEN MID

Client Sample ID: SW-11

Lab Sample ID: 880-10654-47

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.96 g	5 mL	17887	01/27/22 10:32	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17563	01/27/22 19:06	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			18034	01/28/22 11:02	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18327	02/01/22 19:05	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	17976	01/28/22 08:29	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17979	01/28/22 17:56	AJ	XEN MID

Eurofins Midland

Lab Chronicle

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: SW-11

Lab Sample ID: 880-10654-47

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.02 g	50 mL	18040	01/28/22 11:11	CH	XEN MID
Soluble	Analysis	300.0		1			18272	02/01/22 19:47	SC	XEN MID

Client Sample ID: SW-12

Lab Sample ID: 880-10654-48

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	17887	01/27/22 10:32	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17563	01/27/22 19:27	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			18034	01/28/22 11:02	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18327	02/01/22 19:05	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	17976	01/28/22 08:29	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17979	01/28/22 18:17	AJ	XEN MID
Soluble	Leach	DI Leach			4.99 g	50 mL	18040	01/28/22 11:11	CH	XEN MID
Soluble	Analysis	300.0		1			18272	02/01/22 20:22	SC	XEN MID

Client Sample ID: SW-13

Lab Sample ID: 880-10654-49

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	17887	01/27/22 10:32	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17563	01/27/22 19:47	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			18034	01/28/22 11:02	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18327	02/01/22 19:05	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	17976	01/28/22 08:29	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17979	01/28/22 18:39	AJ	XEN MID
Soluble	Leach	DI Leach			5.02 g	50 mL	18040	01/28/22 11:11	CH	XEN MID
Soluble	Analysis	300.0		1			18272	02/01/22 20:34	SC	XEN MID

Client Sample ID: SW-14

Lab Sample ID: 880-10654-50

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	17887	01/27/22 10:32	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17563	01/27/22 20:08	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			18034	01/28/22 11:02	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18327	02/01/22 19:05	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	17976	01/28/22 08:29	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17979	01/28/22 19:00	AJ	XEN MID
Soluble	Leach	DI Leach			5.05 g	50 mL	18040	01/28/22 11:11	CH	XEN MID
Soluble	Analysis	300.0		1			18272	02/01/22 21:10	SC	XEN MID

Eurofins Midland

Lab Chronicle

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: SW-15

Lab Sample ID: 880-10654-51

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.96 g	5 mL	17887	01/27/22 10:32	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17563	01/27/22 21:31	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			18034	01/28/22 11:02	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18327	02/01/22 19:05	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	17976	01/28/22 08:29	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17979	01/28/22 19:23	AJ	XEN MID
Soluble	Leach	DI Leach			5 g	50 mL	18040	01/28/22 11:11	CH	XEN MID
Soluble	Analysis	300.0		1			18272	02/01/22 21:22	SC	XEN MID

Client Sample ID: SW-16

Lab Sample ID: 880-10654-52

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	17887	01/27/22 10:32	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17563	01/27/22 21:52	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			18034	01/28/22 11:02	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18327	02/01/22 19:05	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	17976	01/28/22 08:29	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17979	01/28/22 19:45	AJ	XEN MID
Soluble	Leach	DI Leach			5.05 g	50 mL	18040	01/28/22 11:11	CH	XEN MID
Soluble	Analysis	300.0		1			18272	02/01/22 21:33	SC	XEN MID

Client Sample ID: SW-17

Lab Sample ID: 880-10654-53

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	17887	01/27/22 10:32	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17563	01/27/22 22:13	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			18034	01/28/22 11:02	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18327	02/01/22 19:05	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	17976	01/28/22 08:29	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17979	01/28/22 20:06	AJ	XEN MID
Soluble	Leach	DI Leach			4.97 g	50 mL	18040	01/28/22 11:11	CH	XEN MID
Soluble	Analysis	300.0		1			18272	02/01/22 21:45	SC	XEN MID

Client Sample ID: SW-18

Lab Sample ID: 880-10654-54

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	17887	01/27/22 10:32	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17563	01/27/22 22:33	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			18034	01/28/22 11:02	AJ	XEN MID

Eurofins Midland

Lab Chronicle

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Client Sample ID: SW-18

Lab Sample ID: 880-10654-54

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			18327	02/01/22 19:05	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	17976	01/28/22 08:29	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17979	01/28/22 20:28	AJ	XEN MID
Soluble	Leach	DI Leach			5.03 g	50 mL	18040	01/28/22 11:11	CH	XEN MID
Soluble	Analysis	300.0		1			18272	02/01/22 21:57	SC	XEN MID

Client Sample ID: SW-19

Lab Sample ID: 880-10654-55

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	17887	01/27/22 10:32	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17563	01/27/22 22:54	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			18034	01/28/22 11:02	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18327	02/01/22 19:05	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	17976	01/28/22 08:29	DM	XEN MID
Total/NA	Analysis	8015B NM		1			17979	01/28/22 20:49	AJ	XEN MID
Soluble	Leach	DI Leach			5.01 g	50 mL	18040	01/28/22 11:11	CH	XEN MID
Soluble	Analysis	300.0		1			18272	02/01/22 22:09	SC	XEN MID

Client Sample ID: SW-20

Lab Sample ID: 880-10654-56

Date Collected: 01/26/22 00:00

Matrix: Solid

Date Received: 01/27/22 10:05

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	17887	01/27/22 10:32	KL	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	17563	01/27/22 23:15	KL	XEN MID
Total/NA	Analysis	Total BTEX		1			18034	01/28/22 11:02	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			18327	02/01/22 19:05	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	18131	01/31/22 09:54	DM	XEN MID
Total/NA	Analysis	8015B NM		1			18115	01/31/22 23:42	AJ	XEN MID
Soluble	Leach	DI Leach			5.04 g	50 mL	18040	01/28/22 11:11	CH	XEN MID
Soluble	Analysis	300.0		1			18272	02/01/22 22:21	SC	XEN MID

Laboratory References:

XEN MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Eurofins Midland

Accreditation/Certification Summary

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400-21-22	06-30-22

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH
Total BTEX		Solid	Total BTEX

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: NT Global

Job ID: 880-10654-1

Project/Site: Vaca Draw Booster 11.14.21

SDG: Lea Co, NM

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	XEN MID
Total BTEX	Total BTEX Calculation	TAL SOP	XEN MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	XEN MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	XEN MID
300.0	Anions, Ion Chromatography	MCAWW	XEN MID
5035	Closed System Purge and Trap	SW846	XEN MID
8015NM Prep	Microextraction	SW846	XEN MID
DI Leach	Deionized Water Leaching Procedure	ASTM	XEN MID

Protocol References:

ASTM = ASTM International

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

XEN MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Eurofins Midland

Sample Summary

Client: NT Global

Job ID: 880-10654-1

Project/Site: Vaca Draw Booster 11.14.21

SDG: Lea Co, NM

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
880-10654-1	CS-1 (3')	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-2	CS-2 (3')	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-3	CS-3 (3')	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-4	CS-4 (3')	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-5	CS-5 (1.5')	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-6	CS-6 (1.5')	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-7	CS-7 (1.5')	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-8	CS-8 (1.5')	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-9	CS-9 (1.5')	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-10	CS-10 (1.5')	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-11	CS-11 (1.5')	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-12	CS-12 (1.5')	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-13	CS-13 (1.5')	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-14	CS-14 (1.5')	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-15	CS-15 (1.5')	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-16	CS-16 (1.5')	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-17	CS-17 (1.5')	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-18	CS-18 (1.5')	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-19	CS-19 (1.5')	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-20	CS-20 (1.5')	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-21	CS-21 (1.5')	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-22	CS-22 (1.5')	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-23	CS-23 (1.5')	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-24	CS-24 (1.5')	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-25	CS-25 (1.5')	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-26	CS-26 (1.5')	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-27	CS-27 (1.5')	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-28	CS-28 (1.5')	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-29	CS-29 (4')	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-30	CS-30 (4')	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-31	CS-31 (4')	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-32	CS-32 (4')	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-33	CS-33 (3')	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-34	CS-34 (3')	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-35	CS-35 (3')	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-36	CS-36 (3')	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-37	SW-1	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-38	SW-2	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-39	SW-3	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-40	SW-4	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-41	SW-5	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-42	SW-6	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-43	SW-7	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-44	SW-8	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-45	SW-9	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-46	SW-10	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-47	SW-11	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-48	SW-12	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-49	SW-13	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-50	SW-14	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-51	SW-15	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-52	SW-16	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-53	SW-17	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-54	SW-18	Solid	01/26/22 00:00	01/27/22 10:05

Sample Summary

Client: NT Global
Project/Site: Vaca Draw Booster 11.14.21

Job ID: 880-10654-1
SDG: Lea Co, NM

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
880-10654-55	SW-19	Solid	01/26/22 00:00	01/27/22 10:05
880-10654-56	SW-20	Solid	01/26/22 00:00	01/27/22 10:05

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Chain of Custody

Project Manager	Mike Carrmona	Bill to, (if different)	Joe Vargo
Company Name	NTG Environmental	Company Name:	NGL
Address:	701 Tradewinds BLVD	Address:	865 North Albion Street, Suite 400
City, State ZIP	Mdland, TX 79706	City, State ZIP	Denver, CO 80220
Phone:	432-813-0263	Email	Joseph Vargo@nngle.com

Work Order Comments

Program: UST/PST ☐ PRP ☐ Brownfields ☐ RRC ☐ Superfund ☐

State of Project:

Reporting Level II ☐ Level III ☐ PST/UST ☐ RRP ☐ Level IV ☐

Deliverables EDD ☐ ADAPT ☐ Other ☐

[illegible][illegible]

Additional Comments:

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 		1-27-22 1005	2		
3			4		
5			6		

888-10654 Chain of Custody



Page 1 of 6

2/2/2022



Chain of Custody

Work Order No: 10054

Page 2 of 6

2/2/2022

Project Manager:	Mike Carmona	Bill to: (if different)	Joe Vargo
Company Name:	NTG Environmental	Company Name	NGL
Address:	701 Tradewinds Blvd	Address	865 North Albion Street, Suite 400
City, State ZIP:	Midland, TX 79706	City, State ZIP:	Denver CO 80220
Phone:	432-813-0263	Email:	Joseph.Vargo@ncl.com

Project Name:		Vaca Draw Booster 11 14 21			
Project Number:	214924	☐ Routine ☒ Rush			
Project Location:	Lea Co. NM	Due Date	72HR		
Sampler's Name:	CCM	TAT starts the day received by the lab if received by 4 30pm			
PO #:					
SAMPLE RECEIPT		Temp Blank:	Yes No	Wet Ice:	Yes No
Received Intact:		Yes No	Thermometer ID		
Cooler Custody Seals:		Yes No N/A	Correction Factor		
Sample Custody Seals:		Yes No N/A	Temperature Reading		
Total Containers:		Corrected Temperature:			

Project Name:		Vaca Draw Booster 11 14 21			
Project Number:	214924	☐ Routine ☒ Rush			
Project Location:	Lea Co. NM	Due Date	72HR		
Sampler's Name:	CCM	TAT starts the day received by the lab if received by 4 30pm			
PO #:					
SAMPLE RECEIPT		Temp Blank:	Yes No	Wet Ice:	Yes No
Received Intact:		Yes No	Thermometer ID		
Cooler Custody Seals:		Yes No N/A	Correction Factor		
Sample Custody Seals:		Yes No N/A	Temperature Reading		
Total Containers:		Corrected Temperature:			

Work Order Comments

Program: ☐ UST/PST ☐ PRP ☐ Brownfields ☐ RRC ☐ Superfund ☐

State of Project: ☐ Reporting Level II ☐ Level III ☐ PST/UST ☐ RRP ☐ Level IV ☐

Deliverables: ☐ EDD ☐ ADAPT ☐ Other

ANALYSIS REQUEST				PRESERVATIVE CODES			
Sample Identification	Date	Time	Soil	Water	Grab/Comp	# of Cont	Sample Comments
CS-11 (1 5')	1/26/2022		X		Comp	1	
CS-12 (1 5')	1/26/2022		X		Comp	1	
CS-13 (1 5')	1/26/2022		X		Comp	1	
CS-14 (1 5')	1/26/2022		X		Comp	1	
CS-15 (1 5')	1/26/2022		X		Comp	1	
CS-16 (1 5')	1/26/2022		X		Comp	1	
CS-17 (1 5')	1/26/2022		X		Comp	1	
CS-18 (1 5')	1/26/2022		X		Comp	1	
CS-19 (1 5')	1/26/2022		X		Comp	1	
CS-20 (1 5')	1/26/2022		X		Comp	1	

Additional Comments:

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by (Signature)	Received by (Signature)	Date/Time	Relinquished by (Signature)	Received by (Signature)	Date/Time
<i>[Signature]</i>	<i>[Signature]</i>	1-27-22 10052			



Chain of Custody

Work Order No: 10054

Page 3 of 6

Project Manager	Mike Carmona	Bill to, (if different)	Joe Vargo
Company Name	NTG Environmental	Company Name	NGL
Address	701 Tradewinds Blvd	Address	865 North Albion Street, Suite 400
City, State ZIP	Midland, TX 79706	City, State ZIP	Denver, CO 80220
Phone	432-813-0263	Email	Joseph.Vargo@nrglen.com

Project Name	Vaca Draw Booster 11 14 21	Turn Around	☐ Routine ☒ Rush	Pres. Code	
Project Number	214924	Due Date	72HR		

Project Location	Lea Co. NM	Due Date	TAT starts the day received by the lab if received by 4:30pm
Sampler's Name	CCM		
PO #			

SAMPLE RECEIPT	Temp Blank	Yes No	Wet Ice	Yes No
	Received Intact	Yes No	Thermometer ID	
	Cooler Custody Seals	Yes No N/A	Correction Factor	
	Sample Custody Seals	Yes No N/A	Temperature Reading	
	Total Containers		Corrected Temperature	

Sample Identification	Date	Time	Soil	Water	Grab/Comp	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes
CS-21 (1 5)	1/26/2022		X		Comp	1	BTEX 8021B		None NO
CS-22 (1 5)	1/26/2022		X		Comp	1	TPH 8015M (GRO+DRO+MRO)		DI Water H ₂ O
CS-23 (1 5)	1/26/2022		X		Comp	1	Chloride 300 0		Cool Cool
CS-24 (1 5)	1/26/2022		X		Comp	1			HCL HC
CS-25 (1 5)	1/26/2022		X		Comp	1			H ₂ SO ₄ H ₂
CS-26 (1 5)	1/26/2022		X		Comp	1			H ₃ PO ₄ HP
CS-27 (1 5)	1/26/2022		X		Comp	1			NaHSO ₄ NABIS
CS-28 (1 5)	1/26/2022		X		Comp	1			Na ₂ S ₂ O ₃ NaSO ₃
CS-29 (4)	1/26/2022		X		Comp	1			Zn Acetate+NaOH Zn
CS-30 (4)	1/26/2022		X		Comp	1			NaOH+Ascorbic Acid SAPC

Additional Comments:

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by (Signature)	Received by (Signature)	Date/Time	Relinquished by (Signature)	Received by (Signature)	Date/Time
<i>[Signature]</i>	<i>[Signature]</i>	1-27-22 1005			



Chain of Custody

Work Order No: 10654

2/2/2022

Page 4 of 6

Project Manager	Mike Camrona	Bill to (if different)	Joe Vargo
Company Name	NTG Environmental	Company Name	NGL
Address	701 Tradewinds Blvd	Address	865 North Albion Street, Suite 400
City, State ZIP	Midland, TX 79706	City, State ZIP	Denver, CO 80220
Phone	432-813-0263	Email	Joseph Vargo@nnglep.com

Work Order Comments	
Program: UST/PST ☐ PRP ☐ Brownfields ☐ RRC ☐ Superfund ☐	
State of Project:	
Reporting Level II ☐ Level III ☐ PST/UST ☐ RRP ☐ Level IV ☐	
Deliverables EDD ☐ ADAPT ☐ Other	

Project Name	Vaca Draw Booster 11 14 21	Turn Around	☐ Routine ☒ Rush	Pres. Code		ANALYSIS REQUEST										Preservative Codes	
Project Number	214924															None NO	DI Water H ₂ O
Project Location	Lea Co. NM	Due Date	72HR													Cool Cool	MeOH Me
Sampler's Name	CCM	TAT starts the day received by the lab if received by 4 30pm														HCL HC	HNO ₃ HN
PO #																H ₂ SO ₄ H ₂	NaOH Na
SAMPLE RECEIPT		Temp Blank:	Yes No	Wet Ice:	Yes No											HOLD	
Received Intact:	Yes No	Thermometer ID:														H ₃ PO ₄ HP	
Cooler Custody Seals:	Yes No N/A	Correction Factor:														NaHSO ₄ NABIS	
Sample Custody Seals:	Yes No N/A	Temperature Reading:														Na ₂ S ₂ O ₃ NaSO ₃	
Total Containers:		Corrected Temperature:														Zn Acetate+NaOH Zn	
																NaOH+Ascorbic Acid SAPC	

Sample Identification	Date	Time	Soil	Water	Grab/	# of	TP												Sample Comments
					Comp	Cont													
CS-31 (4)	1/26/2022		X		Comp	1	X	X	X										
CS-32 (4)	1/26/2022		X		Comp	1	X	X	X										
CS-33 (3)	1/26/2022		X		Comp	1	X	X	X										
CS-34 (3)	1/26/2022		X		Comp	1	X	X	X										
CS-35 (3)	1/26/2022		X		Comp	1	X	X	X										
CS-36 (3)	1/26/2022		X		Comp	1	X	X	X										
SW-1	1/26/2022		X		Comp	1	X	X	X										
SW-2	1/26/2022		X		Comp	1	X	X	X										
SW-3	1/26/2022		X		Comp	1	X	X	X										
SW-4	1/26/2022		X		Comp	1	X	X	X										

Additional Comments:

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by (Signature)	Received by (Signature)	Date/Time	Relinquished by (Signature)	Received by (Signature)	Date/Time
1 <i>[Signature]</i>	2 <i>[Signature]</i>	1-21-22 10:05	3	4	
5			6		



Chain of Custody

Work Order No: 10654

2/2/2022

Project Manager	Mike Carmona	Bill to: (if different)	Joe Vargo
Company Name:	NTG Environmental	Company Name	NGL
Address	701 Tradewinds Blvd	Address	865 North Albion Street, Suite 400
City, State ZIP	Midland, TX 79706	City, State ZIP	Denver, CO 80220
Phone	432-813-0263	Email	Joseph Vargo@nlgled.com

Project Name:		Vaca Draw Booster 11 14 21		
Project Number	214924	☐ Routine ☒ Rush		
Project Location	Lea Co. NM	Due Date	72HR	
Sampler's Name:	CCM	TAT starts the day received by the lab if received by 4 30pm		
PO #:				
SAMPLE RECEIPT	Temp Blank:	Yes No	Wet Ice.	Yes No
Received In tact:	Yes No	Thermometer ID:		
Cooler Custody Seals:	Yes No N/A	Correction Factor:		
Sample Custody Seals:	Yes No N/A	Temperature Reading:		
Total Containers:		Corrected Temperature:		

Project Name:	Vaca Draw Booster 11 14 21	Turn Around		Pres. Code	
Project Number	214924	☐ Routine ☒ Rush			
Project Location	Lea Co. NM	Due Date	72HR		
Sampler's Name:	CCM	TAT starts the day received by the lab if received by 4 30pm			
PO #:					
SAMPLE RECEIPT	Temp Blank:	Yes No	Wet Ice.	Yes No	
Received In tact:	Yes No	Thermometer ID:			
Cooler Custody Seals:	Yes No N/A	Correction Factor:			
Sample Custody Seals:	Yes No N/A	Temperature Reading:			
Total Containers:		Corrected Temperature:			

Project Name:	Vaca Draw Booster 11 14 21	Turn Around		Pres. Code	
Project Number	214924	☐ Routine ☒ Rush			
Project Location	Lea Co. NM	Due Date	72HR		
Sampler's Name:	CCM	TAT starts the day received by the lab if received by 4 30pm			
PO #:					
SAMPLE RECEIPT	Temp Blank:	Yes No	Wet Ice.	Yes No	
Received In tact:	Yes No	Thermometer ID:			
Cooler Custody Seals:	Yes No N/A	Correction Factor:			
Sample Custody Seals:	Yes No N/A	Temperature Reading:			
Total Containers:		Corrected Temperature:			

Sample Identification	Date	Time	Soil	Water	Grab/Comp	# of Cont	Parameters	ANALYSIS REQUEST	Preservative Codes	Sample Comments
SW-5	1/26/2022		X		Comp	1	BTEX 8021B			
SW-6	1/26/2022		X		Comp	1	TPH 8015M (GRO+DRO+MRO)			
SW-7	1/26/2022		X		Comp	1	Chloride 300 0			
SW-8	1/26/2022		X		Comp	1				
SW-9	1/26/2022		X		Comp	1				
SW-10	1/26/2022		X		Comp	1				
SW-11	1/26/2022		X		Comp	1				
SW-12	1/26/2022		X		Comp	1				
SW-13	1/26/2022		X		Comp	1				
SW-14	1/26/2022		X		Comp	1				

Additional Comments:

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by (Signature)	Received by (Signature)	Date/Time	Relinquished by (Signature)	Received by (Signature)	Date/Time
1. <i>[Signature]</i>	2. <i>[Signature]</i>	1-21-22 10:25			
3. <i>[Signature]</i>					
5.					



Chain of Custody

Work Order No: 10650

2/2/2022

Project Manager	Mike Carmona	Bill to (if different)	Joe Vargo
Company Name	NTG Environmental	Company Name	NGL
Address	701 Tradewinds BLVD	Address	865 North Albion Street, Suite 400
City, State ZIP	Midland, TX 79706	City, State ZIP	Denver, CO 80220
Phone	432-813-0263	Email	Joseph Vargo@nngle.com

Work Order Comments			
Program: UST/PST ☐ PRP ☐ Brownfields ☐ RRC ☐ Superfund ☐ State of Project Reporting Level II ☐ Level III ☐ PST/UST ☐ TRRP ☐ Level IV ☐ Deliverables EDD ☐ ADAPT ☐ Other			

Project Name	Vaca Draw Booster 11 14 21	Turn Around		Pres. Code	ANALYSIS REQUEST								Preservative Codes
Project Number	214924	☐ Routine	☒ Rush										
Project Location	Lea Co. NM	Due Date	72HR										
Sampler's Name	CCM	TAT starts the day received by the lab if received by 4.30pm											
PO #													
SAMPLE RECEIPT		Temp Blank:	Yes No	Wet Ice.	Yes No								
Received Intact:	Yes No	Thermometer ID:											
Cooler Custody Seals:	Yes No N/A	Correction Factor:											
Sample Custody Seals:	Yes No N/A	Temperature Reading											
Total Containers:		Corrected Temperature											
Parameters													
BTEX 8021B													
PH 8015M (GRO+DRO+MRO)													
Chloride 300 0													
HOLD													
None NO					DI Water H ₂ O								
Cool Cool					MeOH Me								
HCL HC					HNO ₃ HN								
H ₂ SO ₄ H ₂					NaOH Na								
H ₃ PO ₄ HP													
NaHSO ₄ NABIS													
Na ₂ S ₂ O ₃ NaSO ₃													
Zn Acetate+NaOH Zn													
NaOH+Ascorbic Acid SAPC													

[illegible]

Additional Comments:

of service, Xencro will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xencro. A minimum charge of \$35.00 will be applied to each project and a charge of \$5 for each sample submitted to Xencro, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by (Signature)	Received by (Signature)	Date/Time	Relinquished by (Signature)	Received by (Signature)	Date/Time
		1-27-21 1005			

Login Sample Receipt Checklist

Client: NT Global

Job Number: 880-10654-1

SDG Number: Lea Co, NM

Login Number: 10654

List Number: 1

Creator: Rodriguez, Leticia

List Source: Eurofins Midland

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 78511

CONDITIONS

Operator: NGL WATER SOLUTIONS PERMIAN, LLC 865 North Albion Street Denver, CO 80220	OGRID: 372338
	Action Number: 78511
	Action Type: [C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
chensley	Closure approved.	2/22/2022