



Site Information

Closure Report
Way South 31 CTB (08.07.2021)
Eddy County, New Mexico
Incident #: NAPP2123650338
32.004281°, -104.122835°

Produced Water Release
Source: Plug failed on water transfer pump due to corrosion
Release Date: 08/07/2021
Volume Released: 6 bbls/Produced Water
Volume Recovered: 6 bbls/Produced Water

Prepared for:
Concho Operating, LLC
15 West London Rd
Loving, NM 88256

Prepared by:
NTG Environmental
701 Tradewinds Blvd
Suite C
Midland, TX 79706



TABLE OF CONTENTS

FIGURES

FIGURE 1	OVERVIEW MAP
FIGURE 2	TOPOGRAPHIC MAP
FIGURE 3	TANK BATTERY MAP

TABLES/PHOTOLOG

PHOTOS	PHOTOLOG
--------	----------

APPENDICES

APPENDIX A	C-141 INITIAL AND FINAL
APPENDIX B	GROUNDWATER RESEARCH



701 Tradewinds Boulevard, Suite C
Midland, Texas 79706
Tel. 432.685.3898
www.ntglobal.com

October 7, 2021

Mike Bratcher
District Supervisor
Oil Conservation Division, District 2
811 S. First Street
Artesia, New Mexico 88210

**Re: Closure Report
Way South 31 CTB (08.07.2021)
Concho Operating, LLC
Site Location: Unit B, S31, T26S, R28E
(Lat 32.004281°, Long -104.122835°)
Eddy County, New Mexico**

Mr. Bratcher:

On behalf of Concho Operating, LLC (COG), New Tech Global Environmental, LLC (NTGE) has prepared this letter to document the liner inspection activities for the Way South 31 CTB (08.07.2021). The site is located at 32.004281°, -104.122835° within Unit B, S31, T26S, R28E, and approximately 15.43 miles Southwest of Malaga, New Mexico, in Eddy County (Figures 1 and 2).

Background

Based on the initial C-141 obtained from the New Mexico Oil Conservation Division (NMOCD), the release was discovered on August 7, 2021. It resulted in the release of approximately six (6) barrels of produced water. Approximately six (6) barrels of produced water were recovered. The initial C-141 form is attached in Appendix A.

Site Characterization

The site is located within a medium karst area. Based on a review of the New Mexico Office of State Engineers and USGS databases, there is no known water well source within a ½ mile radius of the location. The nearest identified well is located approximately 1.51 miles Northeast of the site in S29. The well has a reported depth to groundwater of 33 feet below ground surface (ft bgs). A copy of the associated *Point of Diversion Summary* report is attached in Appendix B.

Regulatory Criteria

In accordance with the NMOCD regulatory criteria established in 19.15.29.12 NMAC, the following criteria were utilized in assessing the site.

- Benzene: 10 milligrams per kilogram (mg/kg).
- Benzene, toluene, ethylbenzene, and total xylenes (BTEX): 50 mg/kg.
- TPH: 100 mg/kg (GRO + DRO + MRO).
- Chloride 600 mg/kg.

Liner Inspection

On September 7, 2021, New Tech Global Environmental conducted liner inspection activities to assess the liner's integrity within the facility. NTGE personnel proceeded to inspect the liner visually. The liner was found to be intact with no integrity issues. Refer to the Photolog.

Conclusions

Based on the liner inspection throughout the facility, no further actions are required at the site. The final C-141 is attached, and COG formally requests closure of the spill. If you have any questions regarding this report or need additional information, please contact us at 432-813-0263.

Sincerely,

NTG Environmental




Mike Carmona
Senior Project Manager



Conner Moehring
Project Manager



Figures



0 2 4 6 8 10 Miles

LEGEND

★ Site Location

SITE LOCATION MAP
COG OPERATING, LLC
 WAY SOUTH 31 CTB (08.07.21)
 EDDY COUNTY, NEW MEXICO
 32.004281, -104.122835

SCALE: As Shown

08/23/2021

PROJECT #: 214638



New Tech Global Environmental, LLC
 911 Regional Park Drive
 Houston, Texas 77060
 T - 281.872.9300
 F - 281.872.4521
 Web: www.ntglobal.com

NOTES:


1. Base Image: ESRI Maps & Data 2013
2. Map Projection: NAD 1983 UTM Zone 13N

DRAWING NUMBER:

FIGURE 1

SHEET NUMBER:

1 of 1



AREA MAP
COG OPERATING, LLC
 WAY SOUTH 31 CTB (08.07.21)
 EDDY COUNTY, NEW MEXICO
 32.004281, -104.122835

SCALE: As Shown

08/23/2021

PROJECT #: 214638



New Tech Global Environmental, LLC
 911 Regional Park Drive
 Houston, Texas 77060
 T - 281.872.9300
 F - 281.872.4521
 Web: www.ntglobal.com

NOTES:


1. Base Image: ESRI Maps & Data 2013
2. Map Projection: NAD 1983 UTM Zone 13N

DRAWING NUMBER:

FIGURE 2

SHEET NUMBER:

1 of 1



TANK BATTERY MAP
COG OPERATING, LLC
WAY SOUTH 31 CTB (08.07.21)
EDDY COUNTY, NEW MEXICO
32.004281, -104.122835

SCALE: As Shown

08/23/2021

PROJECT #: 214638



New Tech Global Environmental, LLC
911 Regional Park Drive
Houston, Texas 77060
T - 281.872.9300
F - 281.872.4521
Web: www.ntglobal.com

NOTES:

1. Base Image: ESRI Maps & Data 2013
2. Map Projection: NAD 1983 UTM Zone 13N

DRAWING NUMBER:

FIGURE 3

SHEET NUMBER:

1 of 1



Photo Log

PHOTOGRAPHIC LOG

COG Operating, LLC

Photograph No. 1

Facility: Way South 31 CTB (08.07.27)

County: Eddy County, New Mexico

Description:

View Northwest, of liner inside of the facility.



Photograph No. 2

Facility: Way South 31 CTB (08.07.27)

County: Eddy County, New Mexico

Description:

View Southwest, of liner inside of the facility.



Photograph No. 3

Facility: Way South 31 CTB (08.07.27)

County: Eddy County, New Mexico

Description:

View East, of liner inside of the facility.



PHOTOGRAPHIC LOG

COG Operating, LLC


Photograph No. 4

Facility: Way South 31 CTB (08.07.27)

County: Eddy County, New Mexico

Description:

View South, of liner inside of the facility.



Photograph No. 5

Facility: Way South 31 CTB (08.07.27)

County: Eddy County, New Mexico

Description:

View East, of liner inside of the facility.




Photograph No. 5

Facility: Way South 31 CTB (08.07.27)

County: Eddy County, New Mexico

Description:

View West, of liner inside of the facility.





Appendix A

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party	OGRID
Contact Name	Contact Telephone
Contact email	Incident # (assigned by OCD)
Contact mailing address	

Location of Release Source

Latitude _____ Longitude _____
(NAD 83 in decimal degrees to 5 decimal places)

Site Name	Site Type
Date Release Discovered	API# (if applicable)

Unit Letter	Section	Township	Range	County

Surface Owner: ☐ State ☐ Federal ☐ Tribal ☐ Private (Name: _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)


<input type="checkbox"/> Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Produced Water	Volume Released (bbls)	Volume Recovered (bbls)
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)
Cause of Release		

Incident ID	
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC? <input type="checkbox"/> Yes <input type="checkbox"/> No	If YES, for what reason(s) does the responsible party consider this a major release?
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

<input type="checkbox"/> The source of the release has been stopped.	
<input type="checkbox"/> The impacted area has been secured to protect human health and the environment.	
<input type="checkbox"/> Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.	
<input type="checkbox"/> All free liquids and recoverable materials have been removed and managed appropriately.	
If all the actions described above have <u>not</u> been undertaken, explain why:	
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
Printed Name: _____	Title: _____
Signature: <u></u> _____	Date: _____
email: _____	Telephone: _____
<u>OCD Only</u>	
Received by: <u>Ramona Marcus</u>	Date: <u>8/24/2021</u>

NAPP2123650338

L48 Spill Volume Estimate Form

Facility Name & Number: Way South 31 CTB

Asset Area:

Release Discovery Date & Time: 8/7/2021

Release Type: Oil

Provide any known details about the event: Corrosion on Steel plug

Spill Calculation - On Pad Surface Pool Spill

Convert Irregular shape into a series of rectangles	Length (ft.)	Width (ft.)	Deepest point in each of the areas (in.)	No. of boundaries of "shore" in each area	Estimated <u>Pool</u> Area (sq. ft.)	Estimated Average Depth (ft.)	Estimated volume of each pool area (bbl.)	Penetration allowance (ft.)	Total Estimated Volume of Spill (bbl.)	Percentage of Oil if Spilled Fluid is a Mixture
Rectangle A	40.0	20.0	1.00	2	800.000	0.042	5.933	0.002	5.946	
Rectangle B					0.000	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	
Rectangle C					0.000	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	
Rectangle D					0.000	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	
Rectangle E					0.000	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	
Rectangle F					0.000	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	
Rectangle G					0.000	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	
Rectangle H					0.000	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	
Rectangle I					0.000	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	
Rectangle J					0.000	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!	
Total Volume Release:									5.946	

[illegible]

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 44201

CONDITIONS

Operator: COG OPERATING LLC 600 W Illinois Ave Midland, TX 79701	OGRID: 229137
	Action Number: 44201
	Action Type: [C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
marcus	None	8/24/2021

Incident ID	
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	_____ (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Did the release impact areas not on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: *Each of the following items must be included in the report.*

- ☐ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- ☐ Field data
- ☐ Data table of soil contaminant concentration data
- ☐ Depth to water determination
- ☐ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- ☐ Boring or excavation logs
- ☐ Photographs including date and GIS information
- ☐ Topographic/Aerial maps
- ☐ Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

State of New Mexico
Oil Conservation Division

Page 4

Incident ID	
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: _____ Title: _____

Signature: Jacqueline Heredia Date: _____

email: _____ Telephone: _____

OCD Only

Received by: _____ Date: _____

Incident ID	
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: *Each of the following items must be included in the closure report.*

- ☐ A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- ☐ Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- ☐ Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- ☐ Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: _____ Title: _____

Signature: Jacques Morris Date: _____

email: _____ Telephone: _____

OCD Only

Received by: _____ Date: _____

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: _____ Date: _____

Printed Name: _____ Title: _____



Appendix B

Nearest water well

COG Operating, LLC

Legend

- 0.50 Mile Radius
- 1.15 Miles
- 2.80 Miles
- 2.91 Miles
- NMSEO Water Well
- USGS Water Well
- Way South 31 CTB (08.07.21)

775 27.55' - Drilled 2003

33' - Drilled 2020

120' - Drilled 1961

Way South 31 CTB (08.07.21)



NEW MEXICO



Medium Karst

COG Operating, LLC

Legend

-  MEDIUM
-  Way South 31 CTB (08.07.21)





New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced,
O=orphaned,
C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest) (NAD83 UTM in meters)

(In feet)

POD Number	POD Sub-Code	basin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	Depth Well	Depth Water	Water Column
C 01668	CUB	ED		3	3	12	26S	28E		589957	3546554*	250	100	150
C 02160	CUB	ED		4	1	2	14	26S	28E	589243	3546044*	300	120	180
C 02160 S	CUB	ED		1	1	2	14	26S	28E	589043	3546244*	300	120	180
C 02160 S2	CUB	ED		1	1	2	14	26S	28E	589043	3546244*	300	120	180
C 02160 S3	CUB	ED		2	2	1	14	26S	28E	588834	3546241*	300	120	180
C 02160 S4	CUB	ED		2	2	1	14	26S	28E	588834	3546241*	300	120	180
C 02160 S5	CUB	ED		1	1	1	14	26S	28E	588225	3546237*	300	120	180
C 02160 S6	CUB	ED		3	3	1	14	26S	28E	588232	3545635*	300	120	180
C 02160 S7	CUB	ED		3	3	1	22	26S	28E	586638	3543998*	300	120	180
C 02160 S8	CUB	ED		2	3	3	12	26S	28E	590056	3546653*	200	120	80
C 02160 S9	CUB	ED		3	3	2	02	26S	28E	589020	3548868*	300	120	180
C 02477	CUB	ED		1	1	03	26S	28E		586687	3549347*	150		
C 02478	CUB	ED		2	1	05	26S	28E		583848	3549325*	100		
C 02479	CUB	ED		4	4	10	26S	28E		587909	3546534*	200		
C 02480	CUB	ED		4	4	10	26S	28E		587909	3546534*	150		
C 02481	CUB	ED		1	1	14	26S	28E		588326	3546138*	200		
C 02894	C	ED		2	2	3	12	26S	28E	590458	3547061*	240		
C 02924	C	ED		1	3	2	11	26S	28E	589032	3547451*			
C 04022 POD1	CUB	ED		4	4	2	15	26S	28E	588082	3545647	220	175	45
C 04022 POD2	CUB	ED		2	2	2	27	26S	28E	588106	3543082	250	145	105
C 04466 POD1	CUB	ED		3	3	2	29	26S	28E	584327	3542357	96	33	63

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

Average Depth to Water: **118 feet**

Minimum Depth: **33 feet**

Maximum Depth: **175 feet**

Record Count: 21

PLSS Search:


Township: 26S

Range: 28E



New Mexico Office of the State Engineer

Point of Diversion Summary

		(quarters are 1=NW 2=NE 3=SW 4=SE)							
		(quarters are smallest to largest)						(NAD83 UTM in meters)	
Well Tag	POD Number	Q64	Q16	Q4	Sec	Tw	Rng	X	Y
NA	C 04466 POD1	3	3	2	29	26S	28E	584327	3542357 
<hr/>									
Driller License: 1456		Driller Company:				WHITE DRILLING COMPANY			
Driller Name: JOHN W WHITE									
Drill Start Date: 09/01/2020		Drill Finish Date:				09/02/2020		Plug Date: 10/16/2020	
Log File Date: 11/12/2020		PCW Rcv Date:						Source: Shallow	
Pump Type:		Pipe Discharge Size:						Estimated Yield: 0 GPM	
Casing Size:		Depth Well:				96 feet		Depth Water: 33 feet	

Water Bearing Stratifications:

Top	Bottom	Description
33	35	Sandstone/Gravel/Conglomerate
35	37	Other/Unknown
37	42	Other/Unknown
42	54	Sandstone/Gravel/Conglomerate
54	65	Other/Unknown
65	67	Sandstone/Gravel/Conglomerate
67	74	Sandstone/Gravel/Conglomerate

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

9/8/21 11:39 AM

POINT OF DIVERSION SUMMARY



USGS Home
Contact USGS
Search USGS

National Water Information System: Web Interface

USGS Water Resources

Data Category: Geographic Area:

Click to hide News Bulletins

- Explore the *NEW* [USGS National Water Dashboard](#) interactive map to access real-time water data from over 13,500 stations nationwide.
- [Full News](#)

Groundwater levels for New Mexico

Click to hide state-specific text

Important: [Next Generation Monitoring Location Page](#)

Search Results -- 1 sites found

Agency code = usgs

site_no list =

- 320134104094801

Minimum number of levels = 1

[Save file of selected sites](#) to local disk for future upload

USGS 320134104094801 26S.27E.23.321431

Eddy County, New Mexico

Latitude 32°01'34", Longitude 104°09'48" NAD27

Land-surface elevation 3,065 feet above NGVD29

This well is completed in the Other aquifers (N9999OTHER) national aquifer.

This well is completed in the Bell Canyon Formation (313BLCN) local aquifer.

Output formats

Table of data
Tab-separated data
Graph of data
Reselect period

Date	Time	? Water-level date- time accuracy	? Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	? Status	? Method of measurement	? Measuring agency	? Source measu
1992-11-04			D 62610		3045.35	NGVD29	1		S	
1992-11-04			D 62611		3046.97	NAVD88	1		S	
1992-11-04			D 72019	19.65			1		S	
1998-01-13			D 62610		3039.38	NGVD29	1		S	
1998-01-13			D 62611		3041.00	NAVD88	1		S	
1998-01-13			D 72019	25.62			1		S	
2003-01-29			D 62610		3037.45	NGVD29	1		S	USGS
2003-01-29			D 62611		3039.07	NAVD88	1		S	USGS
2003-01-29			D 72019	27.55			1		S	USGS

Explanation

Section	Code	Description
Water-level date-time accuracy	D	Date is accurate to the Day

9/8/21, 12:43 PM

Section	Code	Description
Parameter code	62610	Groundwater level above NGVD 1929, feet
Parameter code	62611	Groundwater level above NAVD 1988, feet
Parameter code	72019	Depth to water level, feet below land surface
Referenced vertical datum	NAVD88	North American Vertical Datum of 1988
Referenced vertical datum	NGVD29	National Geodetic Vertical Datum of 1929
Status	1	Static
Method of measurement	S	Steel-tape measurement.
Measuring agency		Not determined
Measuring agency	USGS	U.S. Geological Survey
Source of measurement		Not determined
Source of measurement	S	Measured by personnel of reporting agency.
Water-level approval status	A	Approved for publication -- Processing and review completed.

[Questions about sites/data?](#)[Feedback on this web site](#)[Automated retrievals](#)[Help](#)[Data Tips](#)[Explanation of terms](#)[Subscribe for system changes](#)[News](#)[Accessibility](#)[FOIA](#)[Privacy](#)[Policies and Notices](#)[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)**Title: Groundwater for New Mexico: Water Levels****URL: <https://nwis.waterdata.usgs.gov/nm/nwis/gwlevels?>**Page Contact Information: [New Mexico Water Data Maintainer](#)


Page Last Modified: 2021-09-08 13:43:37 EDT

0.33 0.29 nadww01



New Mexico Office of the State Engineer

Point of Diversion Summary


		(quarters are 1=NW 2=NE 3=SW 4=SE)						(NAD83 UTM in meters)	
		(quarters are smallest to largest)						X	Y
Well Tag	POD Number	Q64	Q16	Q4	Sec	Tw	Rng		
C	02160 S7	3	3	1	22	26S	28E	586638	3543998*
									
Driller License:					Driller Company:				
Driller Name: HEMLER									
Drill Start Date:			Drill Finish Date:			01/01/1961		Plug Date:	
Log File Date:			PCW Rev Date:					Source: Shallow	
Pump Type:			Pipe Discharge Size:					Estimated Yield:	
Casing Size:			Depth Well:			300 feet		Depth Water: 120 feet	

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.


9/8/21 11:41 AM

POINT OF DIVERSION SUMMARY





National Water Information System: Mapper



Site Information

Incident ID	
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: *Each of the following items must be included in the closure report.*

- ☐ A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- ☐ Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- ☐ Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- ☐ Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: _____ Title: _____

Signature: Jacqueline Harris Date: _____

email: _____ Telephone: _____

OCD Only

Received by: _____ Date: _____

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: Robert Hamlet Date: _____

Printed Name: _____ Title: _____

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 61105

CONDITIONS

Operator: COG OPERATING LLC 600 W Illinois Ave Midland, TX 79701	OGRID: 229137
	Action Number: 61105
	Action Type: [C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
rhamlet	We have received your closure report and final C-141 for Incident #NAPP2123650338 WAY SOUTH 31B, thank you. This closure is approved.	3/23/2022