

Certificate of Analysis

Number: 6030-21120194-001A

Artesia Laboratory 200 E Main St. Artesia, NM 88210 Phone 575-746-3481

Chandler Montgomery Occidental Petroleum 1502 W Commerce Dr. Carlsbad, NM 88220

57398P

CTB

N/A

Meter

Quarterly

Eddy, NM

Spot-Cylinder

Federal 12 NO 001H Production

Sampled By: Michael Mirabal Sample Of: Gas Spot Sample Date: 12/16/2021 01:38

Sample Conditions: 55 psig, @ 83 °F Ambient: 63 °F

Dec. 20, 2021

12/16/2021 01:38 Effective Date: GPA-2261M Method: Cylinder No: 5030-00507

Instrument: 70142339 (Inficon GC-MicroFusion)

> Last Inst. Cal.: 12/13/2021 0:00 AM

Analyzed: 12/20/2021 09:07:50 by ERG

Sampling Method: : Fill and Purge Sampling Company: : SPL

Field:

Station Name:

Sample Point:

Formation:

County:

Station Number:

Station Location:

Type of Sample: :

Heat Trace Used:

Analytical Data

Components	Un-normalized Mol %	Mol. %	Wt. %	GPM at 14.65 psia
Hydrogen Sulfide	NIL	NIL	NIL	
Nitrogen	4.243	4.29560	5.263	
Carbon Dioxide	0.054	0.05507	0.106	
Methane	71.211	72.09036	50.583	
Ethane	11.472	11.61376	15.274	3.101
Propane	6.692	6.77423	13.065	1.863
Iso-Butane	0.847	0.85726	2.179	0.280
n-Butane	2.095	2.12097	5.392	0.668
Iso-Pentane	0.543	0.54991	1.735	0.201
n-Pentane	0.593	0.59982	1.893	0.217
Hexanes	0.425	0.43005	1.621	0.177
Heptanes	0.355	0.35979	1.577	0.166
Octanes	0.175	0.17665	0.883	0.090
Nonanes Plus	0.076	0.07653	0.429	0.043
	98.781	100.00000	100.000	6.806
Calculated Physical Pr		Tota	I	C9+
Calculated Molecular W	eight	22.86	6	128.26
Compressibility Factor		0.9959		
Relative Density Real G		0.7924	ļ	4.4283
GPA 2172 Calculation:				
Calculated Gross BTU	per ft ³ @ 14.65 ps	sia & 60°F		
Real Gas Dry BTU		1305.1		6974.4
Water Sat. Gas Base B	-	1282.8		6852.4
Ideal, Gross HV - Dry at	: 14.65 psia	1299.8	3	6974.4
Ideal, Gross HV - Wet		1277.0)	6852.4
Comments: H2S Field	Content 0 ppm			

Mcf/day 271

Hydrocarbon Laboratory Manager

Quality Assurance: The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality

assurance, unless otherwise stated.

UPSET FLARING EVENT SPECIFIC JUSTIFICATIONS FORM

Facility: Federal 12-1H Flare Date: 06/19/2022

Duration of event: 8 Hours 2 Minutes **MCF Flared:** 205

Start Time: 12:03 AM End Time: 08:05 AM

Cause: Downstream Activity Issue > Energy Transfer > James Ranch Station

Method of Flared Gas Measurement: Gas Flare Meter

Comments: This upset event was not caused by any wells associated with the facility. This emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable issue that was beyond the owner/operator's control and did not stem from activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and preventative maintenance practices.

1. Reason why this event was beyond Operator's control:

This emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable interruption, restriction or complete shut-in of a gas pipeline by a third-party pipeline operator, which impacted Oxy's ability to send gas to a third-party gas pipeline. This interruption, restriction, or complete shut-in of the gas pipeline by a third-party pipeline operator is downstream of Oxy's custody transfer point and out of Oxy's control to avoid or prevent from happening and did not stem from any of Oxy's upstream facility activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and preventative maintenance practices. In this case, this was a sudden and reasonably unforeseeable incident outside of OXY's control, but that impacted OXY's upstream facility. Third-party pipeline operator, Energy Transfer, who owns and operates the sales gas service system pipeline, did not provide advance notice of the disruption to their sales gas service system pipeline due to unforeseen issues at their James Ranch Station. When Energy Transfer's downstream facility and/or its associating downstream facilities has issues or greatly struggles to handle the volume of gas being sent to them by Oxy, Energy Transfer then restricts Oxy's ability to send gas, which then prompts Oxy to route its stranded gas not pushed into the Energy Transfer sales gas pipeline, to flare. OXY makes every effort to control and minimize emissions as much as possible.

2. Steps Taken to limit duration and magnitude of venting or flaring:

It is OXY's policy to route all stranded gas to a flare during an unforeseen and unavoidable emergency or malfunction, as the part of the overall process or steps to take to limit duration and magnitude of flaring. Oxy personnel are in the field 24/7 and can physically see when we are flaring which in turn are communicated to additional Oxy field personnel. Internal OXY procedures ensure that upon gas compressor unit and/or multiple unit shutdown, increased sensor line pressure alarms, etc., field production technician personnel are promptly notified, and are instructed to assess the issue as soon as possible to take prompt corrective action and minimize emissions. Oxy production technicians must assess whether the issue or circumstance is due to damage and repair is needed, or whether there are other reasons for its cause. In this case, this was a sudden and reasonably unforeseeable incident outside of OXY's control, but that impacted OXY's upstream facility. Third-party pipeline operator, Energy Transfer, who owns and operates the sales gas service system pipeline, did not provide advance notice of the disruption to their sales gas service system pipeline due to unforeseen issues at their James Ranch Station. When Energy Transfer's downstream facility and/or its associating downstream facilities has issues or greatly struggles to handle the volume of gas being sent to them by Oxy,

Energy Transfer then restricts Oxy's ability to send gas, which then prompts Oxy to route its stranded gas not pushed into the Energy Transfer sales gas pipeline, to flare. OXY makes every effort to control and minimize emissions as much as possible.

3. Corrective Actions taken to eliminate the cause and reoccurrence of venting or flaring:

Oxy is limited in its corrective actions to eliminate the cause and potential reoccurrence of an Energy Transfer sales gas service system pipeline constraint/restriction or shut in, as this control issue is downstream of Oxy's custody transfer point and out of Oxy's control to avoid or prevent from happening or reoccurring. Energy Transfer's downstream facility issues will reoccur from time to time and may trigger a spike in their gas line pressure, which in turn, directly impacts Oxy's ability to send gas to them. When Energy Transfer's downstream facility and/or its associating downstream facilities has issues or greatly struggles to handle the volume of gas being sent to them by Oxy, Energy Transfer then restricts Oxy's ability to send gas, which then prompts Oxy to route its stranded gas not pushed into the Energy Transfer sales gas pipeline, to flare. OXY makes every effort to control and minimize emissions as much as possible. The limited reactive actions that Oxy can do in this circumstance is to shut in multiple wells to minimize gas throughput to match and reduce flaring volumes during this third-party pipeline operator gas service pipeline shut in as well as continually communicate with Energy Transfer personnel throughout these types of situations.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

DEFINITIONS

Action 122059

DEFINITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	122059
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application:

- this application's operator, hereinafter "this operator";
- · venting and/or flaring, hereinafter "vent or flare";
- any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";
- the statements in (and/or attached to) this, hereinafter "the statements in this";
- and the past tense will be used in lieu of mixed past/present tense questions and statements.

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 122059

Phone:(505) 476-3470 Fax:(505) 476-3462			
	QUESTIONS		
Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294		OGRID: 16696 Action Number: 122059 Action Type:	
		[C-129] Venting and/or Flaring (C-129)	
QUESTIONS			
Prerequisites			
Any messages presented in this section, will prevent submission of this application. Please resolve	these issues before continuing w	ith the rest of the questions.	
Incident Well	Not answered.	Not answered.	
Incident Facility	[fAPP2126663359] FEDER	RAL 12-1H BATTERY	
Determination of Reporting Requirements			
Answer all questions that apply. The Reason(s) statements are calculated based on your answers a	and may provide addional quidanc	۵	
Was this vent or flare caused by an emergency or malfunction	Yes	•	
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	Yes		
Is this considered a submission for a vent or flare event	Yes, minor venting and/o	r flaring of natural gas.	
An appropriate shall file a form C 444 instead of a form C 420 for a valence that includes liquid during	venting and/or floring that is as me	by he a major or miner release under 10.15.20.7 NMAC	
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during Was there at least 50 MCF of natural gas vented and/or flared during this event	Yes	ry be a major of militor release under 19.15.29.7 NWAC.	
Did this vent or flare result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No		
Was the vent or flare within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No		
Equipment Involved			
Primary Equipment Involved	Other (Specify)		
Additional details for Equipment Involved. Please specify	Emergency Flare > Downs	stream Activity Issue > Energy Transfer > James Ranch Station	
Representative Compositional Analysis of Vented or Flared Natural Gas			
Please provide the mole percent for the percentage questions in this group.			
Methane (CH4) percentage	72		
Nitrogen (N2) percentage, if greater than one percent	4		
Hydrogen Sulfide (H2S) PPM, rounded up	0		
Carbon Dioxide (C02) percentage, if greater than one percent	0		
Oxygen (02) percentage, if greater than one percent	0		
If you are venting and/or flaring because of Pipeline Specification, please provide the required spe	ecifications for each gas.		
Methane (CH4) percentage quality requirement	Not answered.		
Nitrogen (N2) percentage quality requirement	Not answered.		
Hydrogen Sufide (H2S) PPM quality requirement	Not answered.		
Carbon Dioxide (C02) percentage quality requirement	Not answered.		

Not answered.

Oxygen (02) percentage quality requirement

District I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS, Page 2

Action 122059

QUESTIONS (c	ontinued)
--------------	-----------

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	122059
	Action Type:
	[C-129] Venting and/or Flaring (C-129)
•	

QUESTIONS

Date(s) and Time(s)		
Date vent or flare was discovered or commenced	06/19/2022	
Time vent or flare was discovered or commenced	12:00 AM	
Time vent or flare was terminated	08:05 AM	
Cumulative hours during this event	8	

Measured or Estimated Volume of Vented or Flared Natural Gas	
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Cause: Other Other (Specify) Natural Gas Flared Released: 205 Mcf Recovered: 0 Mcf Lost: 205 Mcf]
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Gas Flare Meter
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity			
Was this vent or flare a result of downstream activity	Yes		
Was notification of downstream activity received by this operator	No		
Downstream OGRID that should have notified this operator	[267255] ENERGY TRANSFER PARTNERS, LP		
Date notified of downstream activity requiring this vent or flare	Not answered.		
Time notified of downstream activity requiring this vent or flare	Not answered.		

Steps and Actions to Prevent Waste			
For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control.	True		
Please explain reason for why this event was beyond this operator's control	This emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable interruption, restriction or complete shut-in of a gas pipeline by a third-party pipeline operator, which impacted Oxy's ability to send gas to a third-party gas pipeline. This interruption, restriction, or complete shut-in of the gas pipeline by a third-party pipeline operator is downstream of Oxy's custody transfer point and out of Oxy's control to avoid or prevent from happening and did not stem from any of Oxy's upstream facility activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and preventative maintenance practices. In this case, this was a sudden and reasonably unforeseeable incident outside of OXY's control, but that impacted OXY's upstream facility. Third-party pipeline operator, Energy Transfer, who owns and operates the sales gas service system pipeline, did not provide advance notice of the disruption to their sales gas service system pipeline due to unforeseen issues at their James Ranch Station. When Energy Transfer's downstream facility and/or its associating downstream facilities has issues or greatly struggles to handle the volume of gas being sent to them by Oxy, Energy Transfer then restricts Oxy's ability to send gas, which then prompts Oxy to route its stranded gas not pushed into the Energy Transfer sales gas pipeline, to flare. OXY makes every effort to control and minimize emissions as much as possible.		
Steps taken to limit the duration and magnitude of vent or flare	It is OXY's policy to route all stranded gas to a flare during an unforeseen and unavoidable emergency or malfunction, as the part of the overall process or steps to take to limit duration and magnitude of flaring. Oxy personnel are in the field 24/7 and can physically see when we are flaring which in turn are communicated to additional Oxy field personnel. Internal OXY procedures ensure that upon gas compressor unit and/or multiple unit shutdown, increased sensor line pressure alarms, etc., field production technician personnel are promptly notified, and are instructed to assess the issue as soon as possible to take prompt corrective action and minimize emissions. Oxy production technicians must assess whether the issue or circumstance is due to damage and repair is needed, or whether there are other reasons for its cause. In this case, this was a sudden and reasonably unforeseeable incident outside of OXY's control, but that impacted OXY's upstream facility. Third-party pipeline operator, Energy Transfer, who owns and operates the sales gas service system pipeline, did not provide advance notice of the disruption to their sales gas service system pipeline due to unforeseen issues at their James Ranch Station. When Energy Transfer's downstream facility and/or its associating downstream facilities has issues or greatly struggles to handle the volume of gas being sent to them by Oxy, Energy Transfer then restricts Oxy's ability to send gas, which then prompts Oxy to route its stranded gas not pushed into the Energy Transfer sales gas pipeline, to flare. OXY makes every effort to control and minimize emissions as much as possible.		
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	Oxy is limited in its corrective actions to eliminate the cause and potential reoccurrence of an Energy Transfer sales gas service system pipeline constraint/restriction or shut in, as this control issue is downstream of Oxy's custody transfer point and out of Oxy's control to avoid or prevent from happening or reoccurring. Energy Transfer's downstream facility issues will reoccur from time to time and may trigger a spike in their gas line pressure, which in turn, directly impacts Oxy's ability to send gas to them. When Energy Transfer's downstream facility and/or its associating downstream facilities has issues or greatly struggles to handle the volume of gas being sent to them by Oxy, Energy Transfer then restricts Oxy's ability to send gas, which then prompts Oxy to route its stranded gas not pushed into the Energy Transfer sales gas pipeline, to flare. OXY makes every effort to control and minimize emissions as much as possible. The limited reactive actions that Oxy can do in this circumstance is to shut in multiple wells to minimize gas throughput to match and reduce flaring volumes during this third-party pipeline operator gas service pipeline shut in as well as continually communicate with Energy Transfer personnel throughout these types of situations.		

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 122059

ACKNOWLEDGMENTS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	122059
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

ACKNOWLEDGMENTS

V	I acknowledge that I am authorized to submit a Venting and/or Flaring (C-129) report on behalf of this operator and understand that this report can be a complete C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC.
V	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively.
V	I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
V	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
V	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 122059

CONDITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	122059
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
marialuna2	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	6/30/2022