



Volumetrics Inc.

3710 East Rio Grande St, Victoria, TX-77901

Phone: 361-827-4024

Company:	OXY USA INC	Work Order	4000501489
Field/Location :	NMSW	Sampled by:	OXY/JE
Station Name :	CORRAL COMPRESSOR STA 2 SOUTH FUEL SKID OUTLE	Sample Type :	SPOT-CYLINDER
Station Number :	NA	Sample Temperature (F):	NA
Sample Date:	2/23/22 1:30 PM	Sample Pressure (PSIG):	125
Analysis Date:	3/7/22 11:00 AM	Flow rate (MCF/Day):	NA
Instrument:	INFICON	Ambient Temperature (F):	23
Calibration/Verification Date:	3/7/2022	Sampling method:	FILL & EMPTY
Heat Trace used:	YES	Cylinder Number:	27784

NATURAL GAS ANALYSIS: GPA 2261

Components	Un-Normalized Mol%	Normalized Mol%	GPM 14.650	GPM 14.730	GPM 15.025
Hydrogen Sulfide	0.0000	0.0000			
Nitrogen	1.3240	1.3598			
Methane	75.6525	77.7008			
Carbon Dioxide	0.1877	0.1928			
Ethane	11.5036	11.8151	3.153	3.170	3.234
Propane	5.8586	6.0172	1.654	1.663	1.696
Isobutane	0.7572	0.7777	0.254	0.255	0.260
N-butane	1.6243	1.6683	0.525	0.528	0.538
Isopentane	0.2101	0.2158	0.079	0.079	0.081
N-Pentane	0.1809	0.1858	0.067	0.068	0.069
Hexanes Plus	0.0650	0.0667	0.029	0.029	0.030
Total	97.3638	100.0000			

Hexanes plus split (60%-30%-10%)

Physical Properties (Calculated)	14.650 psia	14.730 psia	15.025 psia
Total GPM Ethane+	5.761	5.792	5.908
Total GPM Iso-Pentane+	0.175	0.176	0.179
Compressibility (Z)	0.9965	0.9965	0.9964
Specific Gravity (Air=1) @ 60 °F	0.7242	0.7242	0.7243
Molecular Weight	20.911	20.911	20.911
Gross Heating Value	14.650 psia	14.730 psia	15.025 psia
Dry, Real (BTU/Ft ³)	1244.9	1251.8	1276.9
Wet, Real (BTU/Ft ³)	1223.3	1230.0	1254.7
Dry, Ideal (BTU/Ft ³)	1240.6	1247.4	1272.3
Wet, Ideal (BTU/Ft ³)	1219.0	1225.7	1250.2

Temperature base 60 °F

Comment: FIELD H2S =0 PPM

Verified by

Mostaq Ahammad
Petroleum Chemist

Approved by

Deann Friend
Laboratory Manager

UPSET FLARING EVENT SPECIFIC JUSTIFICATIONS FORM**Facility:** Corral 2S CS**Date:** 07/15/2022**Duration of event:** 1 Hour 25 Minutes**MCF Flared:** 733**Start Time:** 01:50 PM**End Time:** 03:15 PM**Cause:** Downstream Activity> ETC> ESD of Over-Pressure Safety Valve > High Line Pressure**Method of Flared Gas Measurement:** Gas Flare Meter**Comments:** This upset event was not caused by any wells associated with the facility.

1. Reason why this event was beyond Operator's control:

The emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable interruption, restriction or complete shut-in of a gas pipeline by a third-party pipeline operator, which impacted Oxy's ability to send gas to a third-party gas pipeline. This interruption, restriction or complete shut-in of the gas pipeline by a third-party pipeline operator is downstream of Oxy's custody transfer point and out of Oxy's control to avoid or prevent from happening and did not stem from any of Oxy's upstream facility activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and preventative maintenance practices. In this case, third party pipeline operator, ETC, was apparently having facility issues, which prompted high line pressure to occur on their end, which then caused their ESD/over-pressure valve to unexpectedly shut, which in turn, immediately shut in Oxy's ability to push its gas into the ETC sales gas services system pipeline and triggered a flaring event to occur. ETC is downstream of Oxy's custody transfer point yet ETC's downstream issues greatly impacted the gas flow from Oxy's upstream facility to their gas pipeline, which then suddenly and without warning activated a flaring event at Oxy's upstream facility. Until ETC personnel was able to re-open their valve and begin taking gas plus able to handle the volume of gas sent to them, the unexpected shut-in forced Oxy's upstream facility to route its stranded gas to a flare, as it was not able to push all its gas into a secondary offload operator, Enterprise. Once flaring began, Oxy personnel contacted ETC personnel to inform them that they had an ESD valve shut in at the sales point. ETC did contact OXY personnel later on, as a follow-up communication, to inform them of the issues they were having at their facility, and that a technician would be dispatched to troubleshoot their issues and reopen the valve. Oxy personnel kept in touch with ETC personnel during this event. All of Oxy's facility equipment were operating as designed prior to the flaring event occurring.

2. Steps Taken to limit duration and magnitude of venting or flaring:

This facility is unmanned, except when Oxy production techs are gathering data daily or conducting daily walk-throughs to ensure that there are no problems, circumstances and/or assist other personnel on-site for maintenance purposes. It is OXY's policy to route all stranded gas to a flare during an unforeseen and unavoidable emergency or malfunction, as the part of the overall process or steps to take to limit duration and magnitude of flaring. Oxy personnel are in the field 24/7 and can physically see when we are flaring, which in turn, are communicated to additional Oxy field personnel. Internal OXY procedures ensure that upon gas compressor unit and/or multiple unit shutdown, increased sensor pressure/level alarms, other process equipment issues, etc., field production technician personnel are promptly notified, and are instructed to assess the issue as soon as possible in order to take prompt corrective action and minimize emissions. Oxy production technicians must

assess whether the issue or circumstance is due to damage and repair is needed, or whether there are other reasons for its cause. The flare at this facility has a 98% combustion efficiency in order to lessen emissions as much as possible. In this case, third party pipeline operator, ETC, was apparently having facility issues, which prompted high line pressure to occur on their end, which then caused their ESD/over-pressure valve to unexpectedly shut, which in turn, immediately shut in Oxy's ability to push its gas into the ETC sales gas services system pipeline and triggered a flaring event to occur. ETC is downstream of Oxy's custody transfer point yet ETC's downstream issues greatly impacted the gas flow from Oxy's upstream facility to their gas pipeline, which then suddenly and without warning activated a flaring event at Oxy's upstream facility. Until ETC personnel were able to re-open their valve and begin taking gas plus able to handle the volume of gas sent to them, the unexpected shut-in forced Oxy's upstream facility to route its stranded gas to a flare, as it was not able to push all its gas into a secondary offload operator, Enterprise. Once flaring began, Oxy personnel contacted ETC personnel to inform them that they had an ESD valve shut in at the sales point. ETC personnel did contact OXY personnel later on, as a follow-up communication, to inform them of the issues they were having at their facility, and that a technician would be dispatched to troubleshoot their issues and reopen the valve. Oxy personnel kept in touch with ETC personnel during this event. All of Oxy's facility equipment were operating as designed prior to the flaring event occurring.

3. Corrective Actions taken to eliminate the cause and reoccurrence of venting or flaring:

Oxy cannot take any corrective actions to eliminate the cause and potential reoccurrence of an ETC gas flow pipeline restriction or shut-in, as this control issue is downstream of Oxy's custody transfer point and out of Oxy's control to avoid or prevent from happening or reoccurring. ETC's downstream facility issues will re-occur from time to time and may trigger a spike in their gas line pressure, or prompt their ESD valve to shut close, which in turn, is out of Oxy's control to avoid or prevent from happening yet directly impacts Oxy's ability to send gas to them and directly causes Oxy's upstream facility to flare. When ETC's downstream facility and/or its facility equipment has issues or greatly struggles to handle the volume of gas being sent to them by Oxy, ETC then restricts Oxy's ability to send gas, which then prompts Oxy to route all of its stranded gas not pushed into an available secondary offload gas pipeline, to flare. OXY makes every effort to control and minimize emissions as much as possible. The only actions that Oxy can take and handle that is within its control, is to keep continually communicate with ETC personnel during these types of situations.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

DEFINITIONS

Action 129884

DEFINITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 129884
	Action Type: [C-129] Amend Venting and/or Flaring (C-129A)

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application: • this application's operator, hereinafter "this operator"; • venting and/or flaring, hereinafter "vent or flare"; • any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms"; • the statements in (and/or attached to) this, hereinafter "the statements in this"; • and the past tense will be used in lieu of mixed past/present tense questions and statements.
--

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 129884

QUESTIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 129884
	Action Type: [C-129] Amend Venting and/or Flaring (C-129A)

QUESTIONS**Prerequisites**

Any messages presented in this section, will prevent submission of this application. Please resolve these issues before continuing with the rest of the questions.

Incident Operator	[16696] OXY USA INC
Incident Type	Flare
Incident Status	Closure Not Approved
Incident Well	Not answered.
Incident Facility	[fAPP2126640958] CORRAL #2 SOUTH COMP STATION

Only valid Vent, Flare or Vent with Flaring incidents (selected above in the Application Details section) that are assigned to your current operator can be amended with this C-129A application.

Determination of Reporting Requirements

Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide additional guidance.

Was this vent or flare caused by an emergency or malfunction	Yes
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	No
Is this considered a submission for a vent or flare event	Yes, major venting and/or flaring of natural gas.

An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during venting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC.

Was there at least 50 MCF of natural gas vented and/or flared during this event	Yes
Did this vent or flare result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No
Was the vent or flare within an incorporated municipal boundary or within 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No

Equipment Involved

Primary Equipment Involved	Other (Specify)
Additional details for Equipment Involved. Please specify	Emergency Flare > Downstream Activity> ETC> ESD of Over-Pressure Safety Valve > High Line Pressure

Representative Compositional Analysis of Vented or Flared Natural Gas

Please provide the mole percent for the percentage questions in this group.

Methane (CH4) percentage	78
Nitrogen (N2) percentage, if greater than one percent	1
Hydrogen Sulfide (H2S) PPM, rounded up	0
Carbon Dioxide (CO2) percentage, if greater than one percent	0
Oxygen (O2) percentage, if greater than one percent	0

If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas.

Methane (CH4) percentage quality requirement	Not answered.
Nitrogen (N2) percentage quality requirement	Not answered.
Hydrogen Sulfide (H2S) PPM quality requirement	Not answered.
Carbon Dioxide (CO2) percentage quality requirement	Not answered.
Oxygen (O2) percentage quality requirement	Not answered.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 129884

QUESTIONS (continued)

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 129884
	Action Type: [C-129] Amend Venting and/or Flaring (C-129A)

QUESTIONS

Date(s) and Time(s)	
Date vent or flare was discovered or commenced	07/15/2022
Time vent or flare was discovered or commenced	01:50 PM
Time vent or flare was terminated	03:15 PM
Cumulative hours during this event	1

Measured or Estimated Volume of Vented or Flared Natural Gas	
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Cause: Other Other (Specify) Natural Gas Flared Released: 733 Mcf Recovered: 0 Mcf Lost: 733 Mcf]
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Gas Flare Meter
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity	
Was this vent or flare a result of downstream activity	Yes
Was notification of downstream activity received by this operator	No
Downstream OGRID that should have notified this operator	[267255] ENERGY TRANSFER PARTNERS, LP
Date notified of downstream activity requiring this vent or flare	Not answered.
Time notified of downstream activity requiring this vent or flare	Not answered.

Steps and Actions to Prevent Waste	
For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control	True
Please explain reason for why this event was beyond this operator's control	In this case, third party pipeline operator, ETC, was apparently having facility issues, which prompted high line pressure to occur on their end, which then caused their ESD/over-pressure valve to unexpectedly shut, which in turn, immediately shut in Oxy's ability to push its gas into the ETC sales gas services system pipeline and triggered a flaring event to occur. ETC is downstream of Oxy's custody transfer point yet ETC 's downstream issues greatly impacted the gas flow from Oxy's upstream facility to their gas pipeline, which then suddenly and without warning activated a flaring event at Oxy's upstream facility. Until ETC personnel was able to re-open their valve and begin taking gas plus able to handle the volume of gas sent to them, the unexpected shut-in forced Oxy's upstream facility to route its stranded gas to a flare, as it was not able to push all its gas into a secondary offload operator, Enterprise. Once flaring began, Oxy personnel contacted ETC personnel to inform them that they had an ESD valve shut in at the sales point. ETC did contact OXY personnel later on, as a follow-up communication, to inform them of the issues they were having at their facility, and that a technician would be dispatched to troubleshoot their issues and reopen the valve. Oxy personnel kept in touch with ETC personnel during this event. All of Oxy's facility equipment were operating as designed prior to the flaring event occurring.
Steps taken to limit the duration and magnitude of vent or flare	In this case, third party pipeline operator, ETC , was apparently having facility issues, which prompted high line pressure to occur on their end, which then caused their ESD/over-pressure valve to unexpectedly shut, which in turn, immediately shut in Oxy's ability to push its gas into the ETC sales gas services system pipeline and triggered a flaring event to occur. ETC is downstream of Oxy's custody transfer point yet ETC 's downstream issues greatly impacted the gas flow from Oxy's upstream facility to their gas pipeline, which then suddenly and without warning activated a flaring event at Oxy's upstream facility. Until ETC personnel were able to re-open their valve and begin taking gas plus able to handle the volume of gas sent to them, the unexpected shut-in forced Oxy's upstream facility to route its stranded gas to a flare, as it was not able to push all its gas into a secondary offload operator, Enterprise. Once flaring began, Oxy personnel contacted ETC personnel to inform them that they had an ESD valve shut in at the sales point. ETC personnel did contact OXY personnel later on, as a follow-up communication, to inform them of the issues they were having at their facility, and that a technician would be dispatched to troubleshoot their issues and reopen the valve. Oxy personnel kept in touch with ETC personnel during this event. All of Oxy's facility equipment were operating as designed prior to the flaring event occurring.
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	Oxy cannot take any corrective actions to eliminate the cause and potential reoccurrence of an ETC gas flow pipeline restriction or shut-in, as this control issue is downstream of Oxy's custody transfer point and out of Oxy's control to avoid or prevent from happening or reoccurring. ETC 's downstream facility issues will re-occur from time to time and may trigger a spike in their gas line pressure, or prompt their ESD valve to shut close, which in turn, is out of Oxy's control to avoid or prevent from happening yet directly impacts Oxy's ability to send gas to them and directly causes Oxy's upstream facility to flare. When ETC 's downstream facility and/or its facility equipment has issues or greatly struggles to handle the volume of gas being sent to them by Oxy, ETC then restricts Oxy's ability to send gas, which then prompts Oxy to route all of its stranded gas not pushed into an available secondary offload gas pipeline, to flare. OXY makes every effort to control and minimize emissions as much as possible. The only actions that Oxy can take and handle that is within its control, is to keep continually communicate with ETC personnel during these types of situations.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 129884

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 129884
	Action Type: [C-129] Amend Venting and/or Flaring (C-129A)

ACKNOWLEDGMENTS

☒	I acknowledge that with this application I will be amending an existing incident file (assigned to this operator) for a vent or flare event, pursuant to 19.15.27 and 19.15.28 NMAC.
☒	I acknowledge that amending an incident file does not replace original submitted application(s) or information and understand that any C-129 forms submitted to the OCD will be logged and stored as public record.
☒	I hereby certify the statements in this amending report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
☒	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
☒	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 129884

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 129884
	Action Type: [C-129] Amend Venting and/or Flaring (C-129A)

CONDITIONS

Created By	Condition	Condition Date
marialuna2	If the information provided in this report requires further amendment(s), submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	7/30/2022