

Volumetrics Inc.

3710 East Rio Grande St, Victoria, TX-77901

Phone: 361-827-4024

Work Order Company: OXY USA INC 4000501489 Field/Location: **NMSW** Sampled by: OXY/JE SPOT-CYLINDER

Station Name: CORRAL COMPRESSOR STA 2 SOUTH FUEL SKID OUTLE Sample Type:

Sample Temperature (F): Station Number: NA Sample Pressure (PSIG): Sample Date: 2/23/22 1:30 PM 125 **Analysis Date:** 3/7/22 11:00 AM Flow rate (MCF/Day): NA Instrument: INFICON Ambient Temperature (F): 23

Sampling method: Calibration/Verification Date: 3/7/2022 FILL & EMPTY

Cylinder Number: Heat Trace used: YES 27784

NATURAL GAS ANALYSIS: GPA 2261

	Un-Normalized	Normalized	GPM	GPM	GPM
Components	Mol%	Mol%	14.650	14.730	15.025
Hydrogen Sulfide	0.0000	0.0000			
Nitrogen	1.3240	1.3598			
Methane	75.6525	77.7008			
Carbon Dioxide	0.1877	0.1928			
Ethane	11.5036	11.8151	3.153	3.170	3.234
Propane	5.8586	6.0172	1.654	1.663	1.696
Isobutane	0.7572	0.7777	0.254	0.255	0.260
N-butane	1.6243	1.6683	0.525	0.528	0.538
Isopentane	0.2101	0.2158	0.079	0.079	0.081
N-Pentane	0.1809	0.1858	0.067	0.068	0.069
Hexanes Plus	0.0650	0.0667	0.029	0.029	0.030
Total	07 2620	100 0000			

Total 97.3638 100.0000

Hexanes plus split (60%-30%-10%)

14.650 psia	14.730 psia	15.025 psia
5.761	5.792	5.908
0.175	0.176	0.179
0.9965	0.9965	0.9964
0.7242	0.7242	0.7243
20.911	20.911	20.911
14.650 psia	14.730 psia	15.025 psia
1244.9	1251.8	1276.9
1223.3	1230.0	1254.7
1240.6	1247.4	1272.3
1219.0	1225.7	1250.2
	5.761 0.175 0.9965 0.7242 20.911 14.650 psia 1244.9 1223.3 1240.6	5.761 5.792 0.175 0.176 0.9965 0.9965 0.7242 0.7242 20.911 20.911 14.650 psia 14.730 psia 1244.9 1251.8 1223.3 1230.0 1240.6 1247.4

Temperature base 60 °F

Comment: FIELD H2S =0 PPM

Verified by

Mostaq Ahammad Petroleum Chemist Approved by

Deann Friend Laboratory Manager

UPSET FLARING EVENT SPECIFIC JUSTIFICATIONS FORM

Facility: Corral 2S CS Flare Date: 08/06/2022

Duration of event: 1 Hour **MCF Flared:** 77

Start Time: 03:30 PM End Time: 04:30 PM

Cause: Compression Equipment > Corral 2 North CS > Unit #4 > Detonation

Method of Flared Gas Measurement: Gas Flare Meter

Comments:

1. Reason why this event was beyond Operator's control:

In this case, gas compressor unit # 4 at Corral 2 North compressor station malfunction suddenly and unexpectedly due to detonation. Oxy production techs responded to compression malfunction and flaring alarms received as quickly and safely as possible. Oxy production techs immediately upon arrival to the Corral 2 North compressor station, inspected the unit before clearing alarm panels and restarting the unit. OXY made every effort to control and minimize emissions as much as possible. Notwithstanding compressor engine design and operation, compressors are inherently dynamic and even the smallest alarms, false or true, can be sudden, reasonably unforeseeable and unexpected which can cause compression malfunctions to occur. Though sudden and unexpected malfunctioning compressor issues occurred at Corral 2 North compressor station, OXY routed the overflow of stranded gas to flare at Corral 2S compressor station in an effort to mitigate emissions for this event as the flare at this location can accommodate a higher volume of gas and in an effort to protect equipment, environment, and personnel.

2. Steps Taken to limit duration and magnitude of venting or flaring:

It is OXY's policy to route its stranded gas to a flare during an unforeseen and unavoidable emergency or malfunction, as the part of the overall process or steps to take to limit duration and magnitude of flaring. Oxy personnel are in the field 24/7 and can physically see when we are flaring which in turn are communicated to additional Oxy field personnel. Internal OXY procedures ensure that upon notice of flaring, malfunction gas compressor unit and/or multiple unit shutdown alarms, increased sensor line pressure alarms, etc., field production technician personnel are promptly notified, and are instructed to assess the issue as soon as possible to take prompt corrective action and minimize emissions. Oxy production technicians must assess whether the issue or circumstance is due to damage and repair is needed, or whether there are other reasons for its cause. In this case, gas compressor unit # 4 at Corral 2 North compressor station malfunction suddenly and unexpectedly due to detonation. Oxy production techs responded to compression malfunction and flaring alarms received as quickly and safely as possible. Oxy production techs immediately upon arrival to the Corral 2 North compressor station, inspected the unit before clearing alarm panels and restarting the unit. OXY made every effort to control and minimize emissions as much as possible. Notwithstanding compressor engine design and operation, compressors are inherently dynamic and even the smallest alarms, false or true, can be sudden, reasonably unforeseeable and unexpected which can cause compression malfunctions to occur. Though sudden and

unexpected malfunctioning compressor issues occurred at Corral 2 North compressor station, OXY routed the overflow of stranded gas to flare at Corral 2S compressor station in an effort to mitigate emissions for this event as the flare at this location can accommodate a higher volume of gas and in an effort to protect equipment, environment, and personnel.

3. Corrective Actions taken to eliminate the cause and reoccurrence of venting or flaring:

Oxy is limited in the corrective actions to eliminate this type of cause and potential reoccurrence of flaring as notwithstanding proper gas compressor design and operation, various forms of mechanical or technical issues can be sudden, reasonably unforeseeable and unexpected which can cause compressor unit malfunctions to occur without warning or advance notice. Oxy continually strives to maintain and operate all its facility locations equipment in a manner consistent with good practices for minimizing emissions and reducing the number of emission events. Oxy has a strong and positive compression equipment preventative maintenance program in place. The only actions that Oxy can take and handle that is within its control, is to continue with its compression equipment preventative maintenance program for all its facilities and continually work with its compression rental owners during periods of extreme weather temperature conditions affecting facility equipment to resolve those issues in a timely manner, should they occur suddenly and without warning.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

DEFINITIONS

Action 136621

DEFINITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	136621
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application:

- this application's operator, hereinafter "this operator";
- · venting and/or flaring, hereinafter "vent or flare";
- any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";
- the statements in (and/or attached to) this, hereinafter "the statements in this";
- and the past tense will be used in lieu of mixed past/present tense questions and statements.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 136621

٥	UESTIONS	
Operator:		OGRID:
OXY USA INC		16696
P.O. Box 4294		Action Number:
Houston, TX 772104294		136621 Action Type:
		[C-129] Venting and/or Flaring (C-129)
QUESTIONS		
Prerequisites		
Any messages presented in this section, will prevent submission of this application. Please resolve	these issues before continuing wit	th the rest of the questions.
Incident Well	Not answered.	
Incident Facility	[fAPP2126640958] CORRA	L #2 SOUTH COMP STATION
Determination of Reporting Requirements		
Answer all questions that apply. The Reason(s) statements are calculated based on your answers a	nd may provide addienal quidance	
Was this vent or flare caused by an emergency or malfunction	Yes	:
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	No	
Is this considered a submission for a vent or flare event	Yes, minor venting and/or	flaring of natural gas
	roo, minor vonding and/or	naming of natural gao.
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during v	enting and/or flaring that is or may	be a major or minor release under 19.15.29.7 NMAC.
Was there at least 50 MCF of natural gas vented and/or flared during this event	Yes	
Did this vent or flare result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No	
Was the vent or flare within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No	
Equipment Involved		
	T	
Primary Equipment Involved	Other (Specify)	
Additional details for Equipment Involved. Please specify	Emergency Flare > Compression Equipment > Corral 2 North CS > Unit #4 > Detonation	
Representative Compositional Analysis of Vented or Flared Natural Gas		
Please provide the mole percent for the percentage questions in this group.	T	
Methane (CH4) percentage	78	
Nitrogen (N2) percentage, if greater than one percent	1	
Hydrogen Sulfide (H2S) PPM, rounded up	0	
Carbon Dioxide (C02) percentage, if greater than one percent	0	
Oxygen (02) percentage, if greater than one percent	0	

Not answered.

Not answered.

Not answered.

Not answered.

Not answered.

Methane (CH4) percentage quality requirement

Nitrogen (N2) percentage quality requirement

Oxygen (02) percentage quality requirement

Hydrogen Sufide (H2S) PPM quality requirement

Carbon Dioxide (C02) percentage quality requirement

lf you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S St Francis Dr.

QUESTIONS, Page 2 Action 136621

Phone:(505) 334-6178 Fax:(505) 334-6170	Fe, NM 87505	
QUESTIC	ONS (continued)	
Operator: OXY USA INC		OGRID: 16696
P.O. Box 4294		Action Number:
Houston, TX 772104294		136621 Action Type:
		[C-129] Venting and/or Flaring (C-129)
QUESTIONS		
Date(s) and Time(s)		
Date vent or flare was discovered or commenced	08/06/2022	
Time vent or flare was discovered or commenced	03:30 PM	
Time vent or flare was terminated Cumulative hours during this event	04:30 PM	
California in a communication of the communication	<u> </u>	
Measured or Estimated Volume of Vented or Flared Natural Gas		
Natural Gas Vented (Mcf) Details	Not answered.	
Natural Gas Flared (Mcf) Details	Cause: Other Other (Spe	ecify) Natural Gas Flared Released: 77 Mcf Recovered: 0 Mcf
` '	Lost: 77 Mcf]	
Other Released Details	Not answered.	
Additional details for Measured or Estimated Volume(s). Please specify	Not answered.	
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to suppli	ed volumes this appears to be a "gas only" report.
Venting or Flaring Resulting from Downstream Activity		
Was this vent or flare a result of downstream activity	No	
Was notification of downstream activity received by this operator	Not answered.	
Downstream OGRID that should have notified this operator	Not answered.	
Date notified of downstream activity requiring this vent or flare	Not answered.	
Time notified of downstream activity requiring this vent or flare	Not answered.	
Steps and Actions to Prevent Waste		
For this event, this operator could not have reasonably anticipated the current event		
and it was beyond this operator's control.	True	
Please explain reason for why this event was beyond this operator's control	suddenly and unexpected compression malfunction production techs immedinispected the unit before to control and minimize engine design and opera alarms, false or true, can cause compression malicompressor issues occur of stranded gas to flare at this event as the flare at	ssor unit # 4 at Corral 2 North compressor station malfunction dly due to detonation. Oxy production techs responded to a and flaring alarms received as quickly and safely as possible. Oxy ately upon arrival to the Corral 2 North compressor station, clearing alarm panels and restarting the unit. OXY made every effort emissions as much as possible. Notwithstanding compressor ation, compressors are inherently dynamic and even the smallest be sudden, reasonably unforeseeable and unexpected which can unctions to occur. Though sudden and unexpected malfunctioning red at Corral 2 North compressor station, OXY routed the overflow at Corral 2S compressor station in an effort to mitigate emissions for this location can accommodate a higher volume of gas and in an int, environment, and personnel.
Steps taken to limit the duration and magnitude of vent or flare	emergency or malfunctio and magnitude of flaring, are flaring which in turn a procedures ensure that a morcedures ensure that a multiple unit shutdown at technician personnel are as possible to take promp technicians must assess needed, or whether there 4 at Corral 2 North comp detonation. Oxy productive received as quickly and sthe Corral 2 North comprestarting the unit. OXY resible. Notwithstandin inherently dynamic and eunforeseeable and unex. Though sudden and une North compressor station compressor station in an can accommodate a high and personnel.	its stranded gas to a flare during an unforeseen and unavoidable in, as the part of the overall process or steps to take to limit duration. Oxy personnel are in the field 24/7 and can physically see when we are communicated to additional Oxy field personnel. Internal OXY upon notice of flaring, malfunction gas compressor unit and/or larms, increased sensor line pressure alarms, etc., field production in promptly notified, and are instructed to assess the issue as soon pt corrective action and minimize emissions. Oxy production is whether the issue or circumstance is due to damage and repair is a rea other reasons for its cause. In this case, gas compressor unit for each responded to compression malfunction and flaring alarms safely as possible. Oxy production techs immediately upon arrival to ressor station, inspected the unit before clearing alarm panels and made every effort to control and minimize emissions as much as ag compressor engine design and operation, compressors are even the smallest alarms, false or true, can be sudden, reasonably prected which can cause compressor insues occurred at Corral 2, OXY routed the overflow of stranded gas to flare at Corral 22, OXY routed the overflow of stranded gas to flare at Corral 2S effort to mitigate emissions for this event as the flare at this location teer volume of gas and in an effort to protect equipment, environment, excitive actions to eliminate this type of cause and potential
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	reoccurrence of flaring a various forms of mechan and unexpected which can advance notice. Oxy contequipment in a manner of equipment preventative nand handle that is within preventative maintenance compression rental owners.	s notwithstanding proper gas compressor design and operation, iical or technical issues can be sudden, reasonably unforeseeable an cause compressor unit malfunctions to occur without warning or tinually strives to maintain and operate all its facility locations consistent with good practices for minimizing emissions and emission events. Oxy has a strong and positive compression maintenance program in place. The only actions that Oxy can take its control, is to continue with its compression equipment e program for all its facilities and continually work with its ers during periods of extreme weather temperature conditions int to resolve those issues in a timely manner, should they occur

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 136621

ACKNOWLEDGMENTS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	136621
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

ACKNOWLEDGMENTS

I acknowledge that I am authorized to submit a Venting and/or Flaring (C-129) report on behalf of this operator and understand that this report can be a complete C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC.
I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively.
I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 136621

CONDITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	136621
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
marialuna2	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	8/22/2022