



Volumetrics Inc.

3710 East Rio Grande St, Victoria, TX-77901

Phone: 361-827-4024

| | | | |
|---------------------------------------|---|---------------------------------|---------------|
| Company: | OXY USA INC | Work Order | 4000501489 |
| Field/Location : | NMSW | Sampled by: | OXY/JE |
| Station Name : | CORRAL COMPRESSOR STA 2 SOUTH FUEL SKID OUTLE | Sample Type : | SPOT-CYLINDER |
| Station Number : | NA | Sample Temperature (F): | NA |
| Sample Date: | 2/23/22 1:30 PM | Sample Pressure (PSIG): | 125 |
| Analysis Date: | 3/7/22 11:00 AM | Flow rate (MCF/Day): | NA |
| Instrument: | INFICON | Ambient Temperature (F): | 23 |
| Calibration/Verification Date: | 3/7/2022 | Sampling method: | FILL & EMPTY |
| Heat Trace used: | YES | Cylinder Number: | 27784 |

NATURAL GAS ANALYSIS: GPA 2261

| Components | Un-Normalized Mol% | Normalized Mol% | GPM 14.650 | GPM 14.730 | GPM 15.025 |
|------------------|-----------------------|--------------------|---------------|---------------|---------------|
| Hydrogen Sulfide | 0.0000 | 0.0000 | | | |
| Nitrogen | 1.3240 | 1.3598 | | | |
| Methane | 75.6525 | 77.7008 | | | |
| Carbon Dioxide | 0.1877 | 0.1928 | | | |
| Ethane | 11.5036 | 11.8151 | 3.153 | 3.170 | 3.234 |
| Propane | 5.8586 | 6.0172 | 1.654 | 1.663 | 1.696 |
| Isobutane | 0.7572 | 0.7777 | 0.254 | 0.255 | 0.260 |
| N-butane | 1.6243 | 1.6683 | 0.525 | 0.528 | 0.538 |
| Isopentane | 0.2101 | 0.2158 | 0.079 | 0.079 | 0.081 |
| N-Pentane | 0.1809 | 0.1858 | 0.067 | 0.068 | 0.069 |
| Hexanes Plus | 0.0650 | 0.0667 | 0.029 | 0.029 | 0.030 |
| Total | 97.3638 | 100.0000 | | | |

Hexanes plus split (60%-30%-10%)

| Physical Properties (Calculated) | 14.650 psia | 14.730 psia | 15.025 psia |
|------------------------------------|--------------------|--------------------|--------------------|
| Total GPM Ethane+ | 5.761 | 5.792 | 5.908 |
| Total GPM Iso-Pentane+ | 0.175 | 0.176 | 0.179 |
| Compressibility (Z) | 0.9965 | 0.9965 | 0.9964 |
| Specific Gravity (Air=1) @ 60 °F | 0.7242 | 0.7242 | 0.7243 |
| Molecular Weight | 20.911 | 20.911 | 20.911 |
| Gross Heating Value | 14.650 psia | 14.730 psia | 15.025 psia |
| Dry, Real (BTU/Ft ³) | 1244.9 | 1251.8 | 1276.9 |
| Wet, Real (BTU/Ft ³) | 1223.3 | 1230.0 | 1254.7 |
| Dry, Ideal (BTU/Ft ³) | 1240.6 | 1247.4 | 1272.3 |
| Wet, Ideal (BTU/Ft ³) | 1219.0 | 1225.7 | 1250.2 |

Temperature base 60 °F

Comment: FIELD H2S =0 PPM

Verified by

Mostaq Ahammad
Petroleum Chemist

Approved by

Deann Friend
Laboratory Manager

UPSET FLARING EVENT SPECIFIC JUSTIFICATIONS FORM**Facility:** Corral 2S CS**Flare Date:** 08/09/2022**Duration of event:** 40 Minutes**MCF Flared:** 72**Start Time:** 11:10 AM**End Time:** 11:50 AM**Cause:** Well Surges & Scheduled Maintenance > Corral Gorge CTB > Unit # 1**Method of Flared Gas Measurement:** Gas Flare Meter**Comments:**

1. Reason why this event was beyond Operator's control:

Oxy personnel are in the field 24/7 and can physically see when we are flaring which in turn are communicated to additional Oxy field personnel. Internal OXY procedures ensure that upon gas compressor unit and/or multiple unit shutdown, increased sensor pressure alarms, etc., field production technician personnel are promptly notified, and are instructed to assess the issue as soon as possible to take prompt corrective action and minimize emissions. Oxy production technicians must assess whether the issue or circumstance is due to damage and repair is needed, or whether there are other reasons for its cause. In this case, USA Compression sent a compressor mechanic to perform scheduled maintenance on their gas lift compressor unit # 1 at the Corral Gorge CTB. The compressor mechanic had to shut down the unit, and all other compression was maximized. While unit # 1 was shut-down and being worked on, the wells began to surge and overwhelm the operating compression equipment. As soon as flaring began, the facility's well optimizer adjusted the injection rate and shut in several wells to mitigate flaring until it stopped. Once the preventative maintenance work was completed, gas compressor unit # 1 was brought back to maximized working service.

2. Steps Taken to limit duration and magnitude of venting or flaring:

It is OXY's policy to route its stranded gas to a flare during an unforeseen and unavoidable emergency or malfunction, as the part of the overall process or steps to take to limit duration and magnitude of flaring. Oxy personnel are in the field 24/7 and can physically see when we are flaring which in turn are communicated to additional Oxy field personnel. Internal OXY procedures ensure that upon notice of flaring, malfunction gas compressor unit and/or multiple unit shutdown alarms, increased sensor line pressure alarms, etc., field production technician personnel are promptly notified, and are instructed to assess the issue as soon as possible to take prompt corrective action and minimize emissions. Oxy production technicians must assess whether the issue or circumstance is due to damage and repair is needed, or whether there are other reasons for its cause. In this case, USA Compression sent a compressor mechanic to perform scheduled maintenance on their gas lift compressor unit # 1 at the Corral Gorge CTB. The compressor mechanic had to shut down the unit, and all other compression was maximized. While unit # 1 was shut down and being worked on, the wells began to surge and overwhelm the operating compression equipment. As soon as flaring began, the facility's well optimizer adjusted the injection rate and shut in several wells to mitigate flaring until it stopped. Once the preventative maintenance

work was completed, gas compressor unit # 1 was brought back to maximized working service. The flare at the Corral 2 South compressor station, accommodate a higher volume of gas and to protect equipment, environment, and personnel.

3. Corrective Actions taken to eliminate the cause and reoccurrence of venting or flaring:

Oxy cannot take any corrective actions to eliminate the cause and potential reoccurrence of flaring caused by well surges which overwhelm compression equipment during scheduled compression preventative maintenance work by a compression equipment's owner. Oxy continually strives to maintain and operate its facility equipment in a manner consistent with good practices for minimizing emissions and reducing the number of emission events. Oxy has a strong and positive compression equipment preventative maintenance program in place. The only actions that Oxy can take and handle that is within its control, is to continue with its compression equipment preventative maintenance program for this facility.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

DEFINITIONS

Action 136879

DEFINITIONS

| | |
|--|--|
| Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294 | OGRID: 16696 |
| | Action Number: 136879 |
| | Action Type: [C-129] Venting and/or Flaring (C-129) |

DEFINITIONS

| |
|--|
| For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application: <ul style="list-style-type: none">this application's operator, hereinafter "this operator";venting and/or flaring, hereinafter "vent or flare";any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";the statements in (and/or attached to) this, hereinafter "the statements in this";and the past tense will be used in lieu of mixed past/present tense questions and statements. |
|--|

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 136879

QUESTIONS

| | |
|--|--|
| Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294 | OGRID: 16696 |
| | Action Number: 136879 |
| | Action Type: [C-129] Venting and/or Flaring (C-129) |

QUESTIONS**Prerequisites**

Any messages presented in this section, will prevent submission of this application. Please resolve these issues before continuing with the rest of the questions.

| | |
|-------------------|---|
| Incident Well | Not answered. |
| Incident Facility | [fAPP2126640958] CORRAL #2 SOUTH COMP STATION |

Determination of Reporting Requirements

Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide additional guidance.

| | |
|--|---|
| Was this vent or flare caused by an emergency or malfunction | Yes |
| Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event | No |
| Is this considered a submission for a vent or flare event | Yes, minor venting and/or flaring of natural gas. |

An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during venting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC.

| | |
|--|-----|
| Was there at least 50 MCF of natural gas vented and/or flared during this event | Yes |
| Did this vent or flare result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water | No |
| Was the vent or flare within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence | No |

Equipment Involved

| | |
|---|---|
| Primary Equipment Involved | Other (Specify) |
| Additional details for Equipment Involved. Please specify | Emergency Flare > Well Surges & Scheduled Maintenance > Corral Gorge CTB > Unit # 1 |

Representative Compositional Analysis of Vented or Flared Natural Gas

Please provide the mole percent for the percentage questions in this group.

| | |
|--|----|
| Methane (CH4) percentage | 78 |
| Nitrogen (N2) percentage, if greater than one percent | 1 |
| Hydrogen Sulfide (H2S) PPM, rounded up | 0 |
| Carbon Dioxide (CO2) percentage, if greater than one percent | 0 |
| Oxygen (O2) percentage, if greater than one percent | 0 |

If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas.

| | |
|---|---------------|
| Methane (CH4) percentage quality requirement | Not answered. |
| Nitrogen (N2) percentage quality requirement | Not answered. |
| Hydrogen Sulfide (H2S) PPM quality requirement | Not answered. |
| Carbon Dioxide (CO2) percentage quality requirement | Not answered. |
| Oxygen (O2) percentage quality requirement | Not answered. |

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico

Energy, Minerals and Natural Resources

Oil Conservation Division

1220 S. St Francis Dr.

Santa Fe, NM 87505

QUESTIONS, Page 2

Action 136879

QUESTIONS (continued)

| | |
|---|--|
| Operator: <div>OXY USA INC P.O. Box 4294 Houston, TX 772104294</div> | OGRID: 16696 |
| | Action Number: 136879 |
| | Action Type: [C-129] Venting and/or Flaring (C-129) |

QUESTIONS

| Date(s) and Time(s) | |
|--|------------|
| Date vent or flare was discovered or commenced | 08/09/2022 |
| Time vent or flare was discovered or commenced | 11:10 AM |
| Time vent or flare was terminated | 11:50 PM |
| Cumulative hours during this event | 1 |

| Measured or Estimated Volume of Vented or Flared Natural Gas | |
|---|--|
| Natural Gas Vented (Mcf) Details | Not answered. |
| Natural Gas Flared (Mcf) Details | Cause: Other Other (Specify) Natural Gas Flared Released: 72 Mcf Recovered: 0 Mcf Lost: 72 Mcf |
| Other Released Details | Not answered. |
| Additional details for Measured or Estimated Volume(s). Please specify | Gas Flare Meter |
| Is this a gas only submission (i.e. only significant Mcf values reported) | Yes, according to supplied volumes this appears to be a "gas only" report. |

| Venting or Flaring Resulting from Downstream Activity | |
|---|---------------|
| Was this vent or flare a result of downstream activity | No |
| Was notification of downstream activity received by this operator | Not answered. |
| Downstream OGRID that should have notified this operator | Not answered. |
| Date notified of downstream activity requiring this vent or flare | Not answered. |
| Time notified of downstream activity requiring this vent or flare | Not answered. |

| Steps and Actions to Prevent Waste | |
|--|--|
| For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control. | True |
| Please explain reason for why this event was beyond this operator's control | Oxy personnel are in the field 24/7 and can physically see when we are flaring which in turn are communicated to additional Oxy field personnel. Internal OXY procedures ensure that upon gas compressor unit and/or multiple unit shutdown, increased sensor pressure alarms, etc., field production technician personnel are promptly notified, and are instructed to assess the issue as soon as possible to take prompt corrective action and minimize emissions. Oxy production technicians must assess whether the issue or circumstance is due to damage and repair is needed, or whether there are other reasons for its cause. In this case, USA Compression sent a compressor mechanic to perform scheduled maintenance on their gas lift compressor unit # 1 at the Corral Gorge CTB. The compressor mechanic had to shut down the unit, and all other compression was maximized. While unit # 1 was shut-down and being worked on, the wells began to surge and overwhelm the operating compression equipment. As soon as flaring began, the facility's well optimizer adjusted the injection rate and shut in several wells to mitigate flaring until it stopped. Once the preventative maintenance work was completed, gas compressor unit # 1 was brought back to maximized working service. |
| Steps taken to limit the duration and magnitude of vent or flare | It is OXY's policy to route its stranded gas to a flare during an unforeseen and unavoidable emergency or malfunction, as the part of the overall process or steps to take to limit duration and magnitude of flaring. Oxy personnel are in the field 24/7 and can physically see when we are flaring which in turn are communicated to additional Oxy field personnel. Internal OXY procedures ensure that upon notice of flaring, malfunction gas compressor unit and/or multiple unit shutdown alarms, increased sensor line pressure alarms, etc., field production technician personnel are promptly notified, and are instructed to assess the issue as soon as possible to take prompt corrective action and minimize emissions. Oxy production technicians must assess whether the issue or circumstance is due to damage and repair is needed, or whether there are other reasons for its cause. In this case, USA Compression sent a compressor mechanic to perform scheduled maintenance on their gas lift compressor unit # 1 at the Corral Gorge CTB. The compressor mechanic had to shut down the unit, and all other compression was maximized. While unit # 1 was shut down and being worked on, the wells began to surge and overwhelm the operating compression equipment. As soon as flaring began, the facility's well optimizer adjusted the injection rate and shut in several wells to mitigate flaring until it stopped. Once the preventative maintenance work was completed, gas compressor unit # 1 was brought back to maximized working service. The flare at the Corral 2 South compressor station, accommodate a higher volume of gas and to protect equipment, environment, and personnel. |
| Corrective actions taken to eliminate the cause and reoccurrence of vent or flare | Oxy cannot take any corrective actions to eliminate the cause and potential reoccurrence of flaring caused by well surges which overwhelm compression equipment during scheduled compression preventative maintenance work by a compression equipment's owner. Oxy continually strives to maintain and operate its facility equipment in a manner consistent with good practices for minimizing emissions and reducing the number of emission events. Oxy has a strong and positive compression equipment preventative maintenance program in place. The only actions that Oxy can take and handle that is within its control, is to continue with its compression equipment preventative maintenance program for this facility. |

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 136879

ACKNOWLEDGMENTS

| | |
|--|--|
| Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294 | OGRID: 16696 |
| | Action Number: 136879 |
| | Action Type: [C-129] Venting and/or Flaring (C-129) |

ACKNOWLEDGMENTS

| | |
|-------------------------------------|---|
| <input checked="" type="checkbox"/> | I acknowledge that I am authorized to submit a <i>Venting and/or Flaring</i> (C-129) report on behalf of this operator and understand that this report can be a complete C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC. |
| <input checked="" type="checkbox"/> | I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively. |
| <input checked="" type="checkbox"/> | I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act. |
| <input checked="" type="checkbox"/> | I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment. |
| <input checked="" type="checkbox"/> | I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations. |

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 136879

CONDITIONS

| | |
|--|--|
| Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294 | OGRID: 16696 |
| | Action Number: 136879 |
| | Action Type: [C-129] Venting and/or Flaring (C-129) |

CONDITIONS

| Created By | Condition | Condition Date |
|------------|--|----------------|
| marialuna2 | If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event. | 8/24/2022 |