

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	^{NRM} NMR 202037398
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party Phoenix Hydrocarbons Operating Corp.	OGRID 188483
Contact Name Vanessa Fields	Contact Telephone 505-787-9100
Contact email vanessa@walsheng.net	Incident # (assigned by OCD) ^{NRM} NMR 202037398
Contact mailing address 7415 E. Main street Farmington, NM 87402	

Location of Release Source

Latitude 36.5568695 Longitude -107.6492462
(NAD 83 in decimal degrees to 5 decimal places)

Site Name Federal E #002A	Site Type Gas
Date Release Discovered 4/10/2020	API# (if applicable) 30-045-23465

Unit Letter	Section	Township	Range	County
J	23	27N	08W	San Juan

Surface Owner: State Federal Tribal Private (Name: _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input type="checkbox"/> Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Produced Water	Volume Released (bbls)	Volume Recovered (bbls)
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release On April 10 ,2020 Walsh Engineering on behalf of Phoenix Hydrocarbons conduct BGT Sampling of the Federal E #002A. One 5-point composite sample was collected. Notification was made to the NMOCD and the BLM prior to sampling.

State of New Mexico
Oil Conservation Division

Incident ID	NRM NAMR202037398
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: *Each of the following items must be included in the closure report.*

- A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Vanessa Fields Title: Agent/ Regulatory Compliance Manager

Signature:  Date: 1/10/2021

Email vanessa@walsheng.net Telephone: 505-787-9100

OCD Only

Received by: _____ Date: _____

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: Nelson Velez Date: 09/15/2022

Printed Name: Nelson Velez Title: Environmental Specialist – Adv

Vanessa Fields

From: Vanessa Fields
Sent: Thursday, September 3, 2020 1:37 PM
To: Smith, Cory, EMNRD; Adeloje, Abiodun A
Cc: Vern Andrews; Jimmie McKinney
Subject: RE: [EXTERNAL] RE: Federal E #002A Analytical results Failed Chlorides NRM2020237398 FEDERAL E #002 @ 30-045-23465

Thank you everyone.

Vanessa Fields
Regulatory Compliance Manager
Walsh Engineering /Epic Energy LLC.
O: 505-327-4892
C: 505-787-9100
vanessa@walsheng.net

From: Smith, Cory, EMNRD <Cory.Smith@state.nm.us>
Sent: Thursday, September 3, 2020 7:47 AM
To: Adeloje, Abiodun A <aadeloje@blm.gov>; Vanessa Fields <vanessa@walsheng.net>
Cc: Vern Andrews <vern@walsheng.net>; Jimmie McKinney <jimmie@walsheng.net>
Subject: RE: [EXTERNAL] RE: Federal E #002A Analytical results Failed Chlorides NRM2020237398 FEDERAL E #002 @ 30-045-23465

Vanessa,

If all confirmation samples are below the regulatory limit Walsh may proceed with 19.15.29 NMAC.

Thanks for the updates.

Cory Smith
Environmental Specialist
Oil Conservation Division
Energy, Minerals, & Natural Resources
1000 Rio Brazos, Aztec, NM 87410
(505)334-6178 ext 115
cory.smith@state.nm.us

From: Adeloje, Abiodun A <aadeloje@blm.gov>
Sent: Thursday, September 3, 2020 7:17 AM
To: Vanessa Fields <vanessa@walsheng.net>; Smith, Cory, EMNRD <Cory.Smith@state.nm.us>
Cc: Vern Andrews <vern@walsheng.net>; Jimmie McKinney <jimmie@walsheng.net>
Subject: [EXT] Re: [EXTERNAL] RE: Federal E #002A Analytical results Failed Chlorides NRM2020237398 FEDERAL E #002 @ 30-045-23465

Please go ahead with the back filling of the Largo Fed E #2A.

Thank you.

Abiodun Adeloje (Emmanuel), NRS

Bureau of Land Management

Farmington Field Office

6251 College Blvd., Suite A

Farmington, NM 87402

Office Phone: 505-564-7665

Cell Phone: 505-635-0984

From: Vanessa Fields <vanessa@walsheng.net>

Sent: Wednesday, September 2, 2020 3:58 PM

To: Smith, Cory, EMNRD <Cory.Smith@state.nm.us>; Adeloje, Abiodun A <aadeloje@blm.gov>

Cc: Vern Andrews <vern@walsheng.net>; Jimmie McKinney <jimmie@walsheng.net>

Subject: RE: [EXTERNAL] RE: Federal E #002A Analytical results Failed Chlorides NRM2020237398 FEDERAL E #002 @ 30-045-23465

Good afternoon,

Please find attached the confirmation sample for the Federal E #002A. Analytical results are below regulatory closure standards.

Walsh Engineering on behalf of Phoenix Hydrocarbons request permission to backfill.

A final C-141 will be submitted to both agencies.

Thank you,

Vanessa Fields

Regulatory Compliance Manager

Walsh Engineering /Epic Energy LLC.

O: 505-327-4892

C: 505-787-9100

vanessa@walsheng.net

From: Vanessa Fields

Sent: Monday, August 31, 2020 4:54 PM

To: Smith, Cory, EMNRD <Cory.Smith@state.nm.us>; Adeloje, Abiodun A <aadeloje@blm.gov>

Cc: Vern Andrews <vern@walsheng.net>; Jimmie McKinney <jimmie@walsheng.net>

Subject: RE: [EXTERNAL] RE: Federal E #002A Analytical results Failed Chlorides NRM2020237398 FEDERAL E #002 @ 30-045-23465

Good afternoon,

The sampling time has been changed to 9:00 am tomorrow September 1, 2020. This has been confirmed with the BLM and NMOCD.

Thank you guys very much for working with the scheduling change.

Thank you,

Vanessa Fields
Regulatory Compliance Manager
Walsh Engineering /Epic Energy LLC.
O: 505-327-4892
C: 505-787-9100
vanessa@walsheng.net

From: Vanessa Fields
Sent: Friday, August 28, 2020 11:08 AM
To: 'Smith, Cory, EMNRD' <Cory.Smith@state.nm.us>; 'Adeloye, Abiodun A' <aadeloye@blm.gov>
Cc: Vern Andrews <vern@walsheng.net>; Jimmie McKinney <jimmie@walsheng.net>
Subject: RE: [EXTERNAL] RE: Federal E #002A Analytical results Failed Chlorides NRM2020237398 FEDERAL E #002 @ 30-045-23465

Good morning,

The analytical results for the Largo Federal E #002A were above regulatory standards. We have continued to remediate.

Walsh Engineering on behalf of Phoenix Hydrocarbons request final confirmation sampling on Tuesday September 1, 2020 at 11:00am.

Thank you,

Vanessa Fields
Regulatory Compliance Manager
Walsh Engineering /Epic Energy LLC.
O: 505-327-4892
C: 505-787-9100
vanessa@walsheng.net

From: Vanessa Fields
Sent: Wednesday, August 12, 2020 12:37 PM
To: Smith, Cory, EMNRD <Cory.Smith@state.nm.us>; Adeloye, Abiodun A <aadeloye@blm.gov>
Cc: Vern Andrews <vern@walsheng.net>; Jimmie McKinney <jimmie@walsheng.net>
Subject: RE: [EXTERNAL] RE: Federal E #002A Analytical results Failed Chlorides NRM2020237398 FEDERAL E #002 @ 30-045-23465

Thank you Cory. I will provide 48 hour notice to both agencies when confirmation sampling will occur.

I will include this email as well in the final C-141.

Thank you,

Vanessa Fields
Regulatory Compliance Manager
Walsh Engineering /Epic Energy LLC.

O: 505-327-4892
C: 505-787-9100
vanessa@walsheng.net

From: Smith, Cory, EMNRD <Cory.Smith@state.nm.us>
Sent: Wednesday, August 12, 2020 12:05 PM
To: Vanessa Fields <vanessa@walsheng.net>; Adeloje, Abiodun A <aadeloye@blm.gov>
Cc: Vern Andrews <vern@walsheng.net>; Jimmie McKinney <jimmie@walsheng.net>
Subject: RE: [EXTERNAL] RE: Federal E #002A Analytical results Failed Chlorides NRM2020237398 FEDERAL E #002 @ 30-045-23465

Vanessa,

Chlorides only because all the others passed is fine.

Cory Smith
Environmental Specialist
Oil Conservation Division
Energy, Minerals, & Natural Resources
1000 Rio Brazos, Aztec, NM 87410
(505)334-6178 ext 115
cory.smith@state.nm.us

From: Vanessa Fields <vanessa@walsheng.net>
Sent: Wednesday, August 12, 2020 11:23 AM
To: Adeloje, Abiodun A <aadeloye@blm.gov>; Smith, Cory, EMNRD <Cory.Smith@state.nm.us>
Cc: Vern Andrews <vern@walsheng.net>; Jimmie McKinney <jimmie@walsheng.net>
Subject: [EXT] RE: [EXTERNAL] RE: Federal E #002A Analytical results Failed Chlorides NRM2020237398 FEDERAL E #002 @ 30-045-23465

Thank you Emmanuel. we won't sample otherwise until Cory Approves.

Vanessa Fields
Regulatory Compliance Manager
Walsh Engineering /Epic Energy LLC.
O: 505-327-4892
C: 505-787-9100
vanessa@walsheng.net

From: Adeloje, Abiodun A <aadeloye@blm.gov>
Sent: Wednesday, August 12, 2020 11:00 AM
To: Vanessa Fields <vanessa@walsheng.net>; Smith, Cory, EMNRD <Cory.Smith@state.nm.us>
Cc: Vern Andrews <vern@walsheng.net>; Jimmie McKinney <jimmie@walsheng.net>
Subject: Re: [EXTERNAL] RE: Federal E #002A Analytical results Failed Chlorides NRM2020237398 FEDERAL E #002 @ 30-045-23465

Hi Vanessa, BLM approves testing for the Chlorides only for Federal E #2. Please make sure you get approval from other authorized agency(ies).
Thank you

Abiodun Adeloje (Emmanuel), NRS
Bureau of Land Management
Farmington Field Office
6251 College Blvd., Suite A
Farmington, NM 87402
Office Phone: 505-564-7665
Cell Phone: 505-635-0984

From: Vanessa Fields <vanessa@walsheng.net>
Sent: Wednesday, August 12, 2020 10:50 AM
To: Smith, Cory, EMNRD <Cory.Smith@state.nm.us>; Adeloje, Abiodun A <aadeloje@blm.gov>
Cc: Vern Andrews <vern@walsheng.net>; Jimmie McKinney <jimmie@walsheng.net>
Subject: [EXTERNAL] RE: Federal E #002A Analytical results Failed Chlorides NRM2020237398 FEDERAL E #002 @ 30-045-23465

This email has been received from outside of DOI - Use caution before clicking on links, opening attachments, or responding.

Good morning Everyone,

Walsh Engineering on behalf of Phoenix Hydrocarbons request when final sampling occurs that only chlorides be analyzed, as all TPH and BTEX were non-detect.

Please let me know if both agencies approve the sampling request.

Thank you,

Vanessa Fields
Regulatory Compliance Manager
Walsh Engineering /Epic Energy LLC.
O: 505-327-4892
C: 505-787-9100
vanessa@walsheng.net

From: Vanessa Fields
Sent: Tuesday, August 11, 2020 8:17 AM
To: Smith, Cory, EMNRD <Cory.Smith@state.nm.us>; Adeloje, Abiodun A <aadeloje@blm.gov>
Cc: Vern Andrews <vern@walsheng.net>; Jimmie McKinney <jimmie@walsheng.net>
Subject: Federal E #002A Analytical results Failed Chlorides NRM2020237398 FEDERAL E #002 @ 30-045-23465

Good morning,

The analytical results failed on the Federal E #002A for Chlorides. Walsh Engineering on behalf of Phoenix Hydrocarbons will remediate to 600 mg/kg closure standard.

48 Hour notification will be made to all agencies prior to confirmation sampling.

NRM2020237398 FEDERAL E #002 @ 30-045-23465

General Incident Information

Site Name: FEDERAL E #002
 Well: [\[30-045-23465\]](#) FEDERAL E #002A
 Facility:
 Operator: [\[189483\]](#) PHOENIX HYDROCARBONS OPERATING CORP
 Status: Closure Not Approved
 Type: Release Other
 District: Aztec

Incident Location: J-23-27N-08W 0 FNL 0 FEL
 Lat/Long: 36 5588095 -107 6492482 NAD83
 Directions:

Thank you,

Vanessa Fields
 Regulatory Compliance Manager
 Walsh Engineering /Epic Energy LLC.
 O: 505-327-4892
 C: 505-787-9100
vanessa@walsheng.net



Analytical Report

Report Summary

Client: Phoenix Hydrocarbons
Samples Received: 8/4/2020
Job Number: 07173-0001
Work Order: P008007
Project Name/Location: Federal E #2A

Report Reviewed By: Walter Hinchman Date: 8/10/20
Walter Hinchman, Laboratory Director



Envirotech Inc. certifies the test results meet all requirements of TNI unless footnoted otherwise.
Statement of Data Authenticity: Envirotech, Inc, attests the data reported has not been altered in any way.
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.
Envirotech, Inc, holds the Utah TNI certification NM009792018-1 for the data reported.
Envirotech, Inc, holds the Texas TNI certification T104704557-19-2 for the data reported.





Phoenix Hydrocarbons PO Box 3638 Midland TX, 79702	Project Name: Federal E #2A Project Number: 07173-0001 Project Manager: Vanessa Fields	Reported: 08/10/20 08:15
--	--	-----------------------------

Sample Summary

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
BGT Federal E 2A 1-5point	P008007-01A	Soil	08/04/20	08/04/20	Glass Jar, 4 oz.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.





Phoenix Hydrocarbons PO Box 3638 Midland TX, 79702	Project Name: Federal E #2A Project Number: 07173-0001 Project Manager: Vanessa Fields	Reported: 08/10/20 08:15
--	--	-----------------------------

**BGT Federal E 2A 1-5point
P008007-01 (Solid)**

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						Batch: 2032018
	mg/kg	mg/kg				
Benzene	ND	0.0250	1	08/05/20	08/05/20	
Toluene	ND	0.0250	1	08/05/20	08/05/20	
Ethylbenzene	ND	0.0250	1	08/05/20	08/05/20	
p,m-Xylene	ND	0.0500	1	08/05/20	08/05/20	
o-Xylene	ND	0.0250	1	08/05/20	08/05/20	
Total Xylenes	ND	0.0250	1	08/05/20	08/05/20	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		99.6 %	50-150	08/05/20	08/05/20	
Nonhalogenated Organics by EPA 8015D - GRO						Batch: 2032018
	mg/kg	mg/kg				
Gasoline Range Organics (C6-C10)	ND	20.0	1	08/05/20	08/05/20	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		89.7 %	50-150	08/05/20	08/05/20	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						Batch: 2032016
	mg/kg	mg/kg				
Diesel Range Organics (C10-C28)	ND	25.0	1	08/05/20	08/05/20	
Oil Range Organics (C28-C40)	ND	50.0	1	08/05/20	08/05/20	
<i>Surrogate: n-Nonane</i>		94.7 %	50-200	08/05/20	08/05/20	
Anions by EPA 300.0/9056A						Batch: 2032017
	mg/kg	mg/kg				
Chloride	707	20.0	1	08/05/20	08/05/20	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.





Phoenix Hydrocarbons PO Box 3638 Midland TX, 79702	Project Name: Federal E #2A Project Number: 07173-0001 Project Manager: Vanessa Fields	Reported: 08/10/20 08:15
--	--	------------------------------------

Volatile Organics by EPA 8021B - Quality Control

Analyte	Result	Reporting Limit	Spike Level	Source Result	REC	REC Limits	RPD	RPD Limit	Notes
	mg/kg	mg/kg	mg/kg	mg/kg	%	%	%	%	

Blank (2032018-BLK1)

Prepared: 08/05/20 0 Analyzed: 08/05/20 1

Benzene	ND	0.0250							
Toluene	ND	0.0250							
Ethylbenzene	ND	0.0250							
p,m-Xylene	ND	0.0500							
o-Xylene	ND	0.0250							
Total Xylenes	ND	0.0250							
Surrogate: 4-Bromochlorobenzene-PID	8.12		8.00		102	50-150			

LCS (2032018-BS1)

Prepared: 08/05/20 0 Analyzed: 08/05/20 1

Benzene	5.42	0.0250	5.00		108	70-130			
Toluene	5.43	0.0250	5.00		109	70-130			
Ethylbenzene	5.40	0.0250	5.00		108	70-130			
p,m-Xylene	10.8	0.0500	10.0		108	70-130			
o-Xylene	5.43	0.0250	5.00		109	70-130			
Total Xylenes	16.2	0.0250	15.0		108	0-200			
Surrogate: 4-Bromochlorobenzene-PID	8.41		8.00		105	50-150			

Matrix Spike (2032018-MS1)

Source: P008005-01

Prepared: 08/05/20 0 Analyzed: 08/05/20 1

Benzene	5.36	0.0250	5.00	ND	107	54.3-133			
Toluene	5.37	0.0250	5.00	ND	107	61.4-130			
Ethylbenzene	5.34	0.0250	5.00	ND	107	61.4-133			
p,m-Xylene	10.7	0.0500	10.0	ND	107	63.3-131			
o-Xylene	5.37	0.0250	5.00	ND	107	63.3-131			
Total Xylenes	16.1	0.0250	15.0	ND	107	0-200			
Surrogate: 4-Bromochlorobenzene-PID	8.33		8.00		104	50-150			

Matrix Spike Dup (2032018-MSD1)

Source: P008005-01

Prepared: 08/05/20 0 Analyzed: 08/05/20 1

Benzene	5.22	0.0250	5.00	ND	104	54.3-133	2.71	20	
Toluene	5.20	0.0250	5.00	ND	104	61.4-130	3.17	20	
Ethylbenzene	5.17	0.0250	5.00	ND	103	61.4-133	3.38	20	
p,m-Xylene	10.3	0.0500	10.0	ND	103	63.3-131	3.44	20	
o-Xylene	5.19	0.0250	5.00	ND	104	63.3-131	3.37	20	
Total Xylenes	15.5	0.0250	15.0	ND	104	0-200	3.41	200	
Surrogate: 4-Bromochlorobenzene-PID	8.10		8.00		101	50-150			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.





Phoenix Hydrocarbons PO Box 3638 Midland TX, 79702	Project Name: Federal E #2A Project Number: 07173-0001 Project Manager: Vanessa Fields	Reported: 08/10/20 08:15
--	--	-----------------------------

Nonhalogenated Organics by EPA 8015D - GRO - Quality Control

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	REC % %	REC Limits %	RPD % %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	---------------	--------------------	---------------	-------------------	-------

Blank (2032018-BLK1)								Prepared: 08/05/20 0 Analyzed: 08/05/20 1	
Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.16		8.00		89.5	50-150			

LCS (2032018-BS2)								Prepared: 08/05/20 0 Analyzed: 08/05/20 1	
Gasoline Range Organics (C6-C10)	45.6	20.0	50.0		91.2	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.29		8.00		91.1	50-150			

Matrix Spike (2032018-MS2)								Source: P008005-01 Prepared: 08/05/20 0 Analyzed: 08/05/20 1	
Gasoline Range Organics (C6-C10)	43.9	20.0	50.0	ND	87.8	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.36		8.00		91.9	50-150			

Matrix Spike Dup (2032018-MSD2)								Source: P008005-01 Prepared: 08/05/20 0 Analyzed: 08/05/20 1	
Gasoline Range Organics (C6-C10)	44.8	20.0	50.0	ND	89.6	70-130	2.06	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.22		8.00		90.2	50-150			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.





Phoenix Hydrocarbons PO Box 3638 Midland TX, 79702	Project Name: Federal E #2A Project Number: 07173-0001 Project Manager: Vanessa Fields	Reported: 08/10/20 08:15
--	--	-----------------------------

Nonhalogenated Organics by EPA 8015D - DRO/ORO - Quality Control

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	REC % %	REC Limits %	RPD % %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	---------------	--------------------	---------------	-------------------	-------

Blank (2032016-BLK1) Prepared: 08/05/20 0 Analyzed: 08/05/20 1

Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C40)	ND	50.0							
Surrogate: n-Nonane	45.7		50.0		91.3	50-200			

LCS (2032016-BS1) Prepared: 08/05/20 0 Analyzed: 08/05/20 1

Diesel Range Organics (C10-C28)	439	25.0	500		87.9	38-132			
Surrogate: n-Nonane	47.3		50.0		94.6	50-200			

Matrix Spike (2032016-MS1) Source: P007096-01 Prepared: 08/05/20 0 Analyzed: 08/05/20 1

Diesel Range Organics (C10-C28)	2130	125	500	1430	141	38-132			M2
Surrogate: n-Nonane	68.2		50.0		136	50-200			

Matrix Spike Dup (2032016-MSD1) Source: P007096-01 Prepared: 08/05/20 0 Analyzed: 08/05/20 1

Diesel Range Organics (C10-C28)	2030	125	500	1430	120	38-132	5.02	20	
Surrogate: n-Nonane	63.9		50.0		128	50-200			

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.





Phoenix Hydrocarbons PO Box 3638 Midland TX, 79702	Project Name: Federal E #2A Project Number: 07173-0001 Project Manager: Vanessa Fields	Reported: 08/10/20 08:15
--	--	-----------------------------

Anions by EPA 300.0/9056A - Quality Control

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	REC % %	REC Limits %	RPD % %	RPD Limit %	Notes
Blank (2032017-BLK1)									
Chloride	ND	20.0							Prepared: 08/05/20 0 Analyzed: 08/05/20 1
LCS (2032017-BS1)									
Chloride	271	20.0	250		108	90-110			Prepared: 08/05/20 0 Analyzed: 08/05/20 1
Matrix Spike (2032017-MS1)									
Chloride	257	20.0	250	ND	103	80-120			Source: P008005-01 Prepared: 08/05/20 0 Analyzed: 08/05/20 1
Matrix Spike Dup (2032017-MSD1)									
Chloride	250	20.0	250	ND	100	80-120	2.73	20	Source: P008005-01 Prepared: 08/05/20 0 Analyzed: 08/05/20 1

QC Summary Report Comment:

Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.





Phoenix Hydrocarbons	Project Name:	Federal E #2A	
PO Box 3638	Project Number:	07173-0001	Reported:
Midland TX, 79702	Project Manager:	Vanessa Fields	08/10/20 08:15

Notes and Definitions

M2 Matrix spike recovery was outside quality control limits. The associated LCS spike recovery was acceptable.

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

RPD Relative Percent Difference

** Methods marked with ** are non-accredited methods.

Soil data is reported on an "as received" weight basis, unless reported otherwise.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

Envirotech, Inc | 5796 U.S Highway 64 | Farmington, NM 87401 | 505.632.1881 | Envirotech-inc.com




Project Information

Chain of Custody

Page 1 of 1

Client: <u>Phoenix Hydrocarbons</u> Project: <u>Federal # 2A</u> Project Manager: <u>Vanessa Fields</u> Address: <u>P.O. Box 3638</u> City, State, Zip: <u>Midland Tx 79705</u> Phone: <u>505-787-9100</u> Email: <u>Vanessa@Walsheng.net</u> Report due by:						Bill To Attention: <u>Vanessa Fields</u> Address: <u>7541 E Main St</u> City, State, Zip: <u>Farmington N.M</u> Phone: <u>505-787-9100</u> Email: <u>Vanessa@Walsheng.net</u>						Lab Use Only Lab WO#: <u>P008007</u> Job Number: <u>07173-0001</u> Analysis and Method				TAT 1D 3D		EPA Program RCRA CWA SDWA		
						DRO/DRO by 8015 GRO/DRO by 8015 BTEX by 8021 VOC by 8260 Metals 6010 Chloride 300.0						State NM CO UT AZ TX OK								
Time Sampled	Date Sampled	Matrix	No Containers	Sample ID	Lab Number													Remarks		
9:20A	8/4/20			BGT Federal E 2A 1-5 point	1	X	X	X												
Additional Instructions: I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabelling the sample location, date or time of collection is considered fraud and may be grounds for legal action. Sampled by: _____ Samples requiring thermal preservation must be received on ice the day they are sampled or received packed in ice at an avg temp above 0 but less than 6 °C on subsequent days.																				
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time	Lab Use Only Received on ice: <u>(Y)</u> / N T1 _____ T2 _____ T3 _____ AVG Temp °C <u>4</u>												
<u>Samuel McKinney</u>		<u>8/4/20</u>	<u>1:34P</u>	<u>Rain Lopez</u>		<u>8/4/20</u>	<u>13:35</u>													
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time													
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time													
Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other _____										Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA										
Note: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.																				

Page 9 of 9



5795 US Highway 64, Farmington, NM 87401 Ph (505) 632-1881 Fx (505) 632-1865 labadmin@envirotech-inc.com

24 Hour Emergency Response Phone (800) 302-1879



Analytical Report

Report Summary

Client: Phoenix Hydrocarbons

Samples Received: 8/19/2020

Job Number: 17078-0002

Work Order: P008057

Project Name/Location: Largo Federal E #002A
Remediation

Report Reviewed By:

Date: 8/26/20

Walter Hinchman, Laboratory Director



Envirotech Inc. certifies the test results meet all requirements of TNI unless footnoted otherwise.
Statement of Data Authenticity: Envirotech, Inc, attests the data reported has not been altered in any way.
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.
Envirotech, Inc, holds the Utah TNI certification NM009792018-1 for the data reported.
Envirotech, Inc, holds the Texas TNI certification T104704557-19-2 for the data reported.





Phoenix Hydrocarbons	Project Name:	Largo Federal E #002A Remediation	Reported: 08/26/20 09:25
PO Box 3638	Project Number:	17078-0002	
Midland TX, 79702	Project Manager:	Vanessa Fields	

Sample Summary

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
Largo Federal E #002A Composite	P008057-01A	Solid	08/19/20	08/19/20	Glass Jar, 4 oz.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.





Phoenix Hydrocarbons PO Box 3638 Midland TX, 79702	Project Name: Largo Federal E #002A Remediation Project Number: 17078-0002 Project Manager: Vanessa Fields	Reported: 08/26/20 09:25
--	--	------------------------------------

**Largo Federal E #002A Composite
P008057-01 (Solid)**

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Anions by EPA 300.0/9056A	mg/kg	mg/kg				Batch: 2034024
Chloride	1050	20.0	1	08/20/20	08/20/20	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.





Phoenix Hydrocarbons PO Box 3638 Midland TX, 79702	Project Name: Largo Federal E #002A Remediation Project Number: 17078-0002 Project Manager: Vanessa Fields	Reported: 08/26/20 09:25
--	--	------------------------------------

Anions by EPA 300.0/9056A - Quality Control

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	REC % %	REC Limits %	RPD % %	RPD Limit %	Notes
Blank (2034024-BLK1)									Prepared & Analyzed: 08/20/20 1
Chloride	ND	20.0							
LCS (2034024-BS1)									Prepared & Analyzed: 08/20/20 1
Chloride	256	20.0	250		102	90-110			
Matrix Spike (2034024-MS1)									Source: P008057-01 Prepared & Analyzed: 08/20/20 1
Chloride	1200	20.0	250	1050	59.5	80-120			M2
Matrix Spike Dup (2034024-MSD1)									Source: P008057-01 Prepared & Analyzed: 08/20/20 1
Chloride	1260	20.0	250	1050	82.8	80-120	4.71	20	

QC Summary Report Comment:

Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.





Phoenix Hydrocarbons	Project Name:	Largo Federal E #002A Remedation	
PO Box 3638	Project Number:	17078-0002	Reported:
Midland TX, 79702	Project Manager:	Vanessa Fields	08/26/20 09:25

Notes and Definitions

- M2 Matrix spike recovery was outside quality control limits. The associated LCS spike recovery was acceptable.
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- RPD Relative Percent Difference
- ** Methods marked with ** are non-accredited methods.

Soil data is reported on an "as received" weight basis, unless reported otherwise.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

Envirotech, Inc | 5796 U.S Highway 64 | Farmington, NM 87401 | 505.632.1881 | Envirotech-inc.com



Project Information

Chain of Custody

Client: Phoenix Hydrocarbons Project: Largo Federal E #002A Remediation Project Manager: Vanessa Fields Address: P.O Box 3638 City, Midland TX 79705 Phone: 505-787-9100 Email: vanessa@walsheng.net Report due by: Standard				Bill To Attention: Vanessa Fields Address: 7415 E Main Street City, State, Zip Farmington NM 87402 Phone: 505-787-9100 Email: vanessa@walsheng.net				Lab Use Only Lab WO# P008057 Job Number 17078-5002				TAT 1D 3D		EPA Program RCRA CWA SDWA							
				Analysis and Method				State NM CO UT AZ TX OK													
Time Sampled	Date Sampled	Matrix	No Containers	Sample ID	Lab Number	DRO/DRO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Metals 6010	Chloride 300.0										
9:16A	8/19/2020	S	1 4oz	Largo Federal E #002A Composite	1						X									1- 4oz glass jar, cool	
Additional Instructions:																					
I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabelling the sample location, date or time of collection is considered fraud and may be grounds for legal action. Sampled by:												Samples requiring thermal preservation must be received on ice the day they are sampled or received packed in ice at an avg temp above 0 but less than 6 °C on subsequent days.									
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time	Lab Use Only Received on ice: <input checked="" type="radio"/> Y <input type="radio"/> N T1 _____ T2 _____ T3 _____ AVG Temp °C <u>4</u>													
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time														
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time														
Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other _____												Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA									
Note: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.																					

Page 6 of 6



5796 US Highway 64, Farmington, NM 87401
 24 Hour Emergency Response Phone (800) 362-1879

Ph (505) 632-1881 Fx (505) 632-1865





Analytical Report

Report Summary

Client: Phoenix Hydrocarbons

Samples Received: 9/1/2020

Job Number: 17078-0002

Work Order: P009003

Project Name/Location: Largo Fed E 2A

Report Reviewed By:

Date: 9/2/20

Walter Hinchman, Laboratory Director



Envirotech Inc. certifies the test results meet all requirements of TNI unless footnoted otherwise.
Statement of Data Authenticity: Envirotech, Inc. attests the data reported has not been altered in any way.
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.
Envirotech, Inc. holds the Utah TNI certification NM009792018-1 for the data reported.
Envirotech, Inc. holds the Texas TNI certification T104704557-19-2 for the data reported.





Phoenix Hydrocarbons	Project Name:	Largo Fed E 2A	Reported: 09/02/20 14:34
PO Box 3638	Project Number:	17078-0002	
Midland TX, 79702	Project Manager:	Vanessa Fields	

Sample Summary

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
Composite	P009003-01A	Soil	09/01/20	09/01/20	Glass Jar, 4 oz.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.





Phoenix Hydrocarbons	Project Name:	Largo Fed E 2A	
PO Box 3638	Project Number:	17078-0002	Reported:
Midland TX, 79702	Project Manager:	Vanessa Fields	09/02/20 14:34

**Composite
P009003-01 (Solid)**

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Anions by EPA 300.0/9056A	mg/kg	mg/kg				Batch: 2036017
Chloride	412	20.0	1	09/01/20	09/01/20	

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.





Phoenix Hydrocarbons PO Box 3638 Midland TX, 79702	Project Name: Largo Fed E 2A Project Number: 17078-0002 Project Manager: Vanessa Fields	Reported: 09/02/20 14:34
--	---	-----------------------------

Anions by EPA 300.0/9056A - Quality Control

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	REC %	REC Limits %	RPD %	RPD Limit %	Notes
Blank (2036017-BLK1)						Prepared & Analyzed: 09/01/20 1			
Chloride	ND	20.0							
LCS (2036017-BS1)						Prepared & Analyzed: 09/01/20 1			
Chloride	250	20.0	250		99.8	90-110			
Matrix Spike (2036017-MS1)						Source: P008081-01 Prepared & Analyzed: 09/01/20 1			
Chloride	269	20.0	250	ND	108	80-120			
Matrix Spike Dup (2036017-MSD1)						Source: P008081-01 Prepared & Analyzed: 09/01/20 1			
Chloride	269	20.0	250	ND	107	80-120	0.160	20	

QC Summary Report Comment:

Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.





Phoenix Hydrocarbons	Project Name:	Largo Fed E 2A	
PO Box 3638	Project Number:	17078-0002	Reported:
Midland TX, 79702	Project Manager:	Vanessa Fields	09/02/20 14:34

Notes and Definitions

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

RPD Relative Percent Difference

** Methods marked with ** are non-accredited methods.

Soil data is reported on an "as received" weight basis, unless reported otherwise.

Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech, Inc.

Envirotech, Inc | 5796 U.S Highway 64 | Farmington, NM 87401 | 505.632.1881 | Envirotech-inc.com



Bill to Anceix Hydrocarbon Chain of Custody

Project Information

Client: <u>Anceix Hydrocarbons</u>	Bill To	Lab Use Only		TAT		EPA Program					
Project: <u>2000 Ford F 2A</u>	Attention: <u>Janessa Fields</u>	Lab WO#	Job Number	1D	3D	RCRA	CWA	SDWA			
Project Manager: <u>Janessa Fields</u>	Address:	<u>P009003</u>	<u>17078-0002</u>								
Address: <u>7541E Main</u>	City, State, Zip	Analysis and Method						State			
City, State, Zip	Phone:	DRO/DRO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Metals 6010	Chloride 300.0	NM	CO	UT	AZ
Phone:	Email: <u>Janessa.L@anceix.com</u>							TX	OK		
Email:	<u>A step Bobbe S</u>										
Report due by:								Remarks			

Time Sampled	Date Sampled	Matrix	No Containers	Sample ID	Lab Number	DRO/DRO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Metals 6010	Chloride 300.0	Remarks
10:59 AM	1/20		1402	Composite	1						X	

Additional Instructions:

I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabeling the sample location, date or time of collection is considered fraud and may be grounds for legal action. Sampled by: _____

Samples requiring thermal preservation must be received on ice the day they are sampled or received packed in ice at an avg temp above 0 but less than 6°C on subsequent days.

Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time	Lab Use Only Received on ice: <input checked="" type="checkbox"/> Y / <input type="checkbox"/> N T1 _____ T2 _____ T3 _____ AVG Temp °C <u>4</u>
Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time	
Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time	

Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other _____ Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA

Note: Samples are discarded 30 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.



5795 US Highway 64, Farmington, NM 87401
24 Hour Emergency Response Phone (800) 302-1879

Ph (505) 632-1881 Fx (505) 632-1865

envirotech-inc.com
labadmin@envirotech-inc.com

Page 6 of 6

Federal E #002A
30-045-23465
Summary of Events

On August 10, 2020 Walsh Engineering on behalf of Phoenix Hydrocarbons Operating Corp. augured 8' Bgs where a previous BGT was removed. Walsh Engineering collected one (5) point composite sample 8' below ground surface. No visible signs of staining and/or odor were noted during the sampling event. A representative from the NMOCD and/or Surface Agency was not present during the sampling event. The composite sample was transported via ice to Envirotech Lab and was tested in accordance with NMOCD 19.15.29 Table 1 requirements. All analytical results were below regulatory standards except for chlorides that were not in accordance with 19.15.29 reclamation requirements of 600 mg/kg. Walsh Engineering remediated area to a depth of 8' feet and collected (1) composite sample for chlorides on August 19, 2020, Chlorides levels were 1050 mg/kg. Walsh Engineering further remediated to 9' and another composite sample was collected on September 1, 2020 with an analytical result of 412 mg/kg. The area was backfilled and an ABV tank was installed.

Analytical results demonstrated that a release occurred but were below the regulatory requirements with depth to groundwater being 51' based on the I water reports from the New Mexico Engineers State Water Data Reports and Elevation change from the Largo Federal E #002 location to Largo Wash.

(Please see attached sitting criteria)

Date Sampled	BTEX	BENZENE	DRO/GRO/ORO	CHLORIDES
8/4/2020	Non-Detect	Non-Detect	Non-Detect	707 mg/kg
8/19/2020	Not Sampled	Not Sampled	Not Sampled	1050 mg/kg
8/26/2020	Not Sampled	Not Sampled	Not Sampled	412 mg/kg

Federal E #002A
 30-045-23465
 Summary of Events


Table 1
 Closure Criteria for Soils Impacted by a Release

Minimum depth below any point within the horizontal boundary of the release to ground water less than 10,000 mg/l TDS	Constituent	Method*	Limit**
≤ 50 feet	Chloride***	EPA 300.0 or SM4500 Cl B	600 mg/kg
	TPH (GRO+DRO+MRO)	EPA SW-846 Method 8015M	100 mg/kg
	BTEX	EPA SW-846 Method 8021B or 8260B	50 mg/kg
	Benzene	EPA SW-846 Method 8021B or 8260B	10 mg/kg
51 feet-100 feet	Chloride***	EPA 300.0 or SM4500 Cl B	10,000 mg/kg
	TPH (GRO+DRO+MRO)	EPA SW-846 Method 8015M	2,500 mg/kg
	GRO+DRO	EPA SW-846 Method 8015M	1,000 mg/kg
	BTEX	EPA SW-846 Method 8021B or 8260B	50 mg/kg
	Benzene	EPA SW-846 Method 8021B or 8260B	10 mg/kg
>100 feet	Chloride***	EPA 300.0 or SM4500 Cl B	20,000 mg/kg
	TPH (GRO+DRO+MRO)	EPA SW-846 Method 8015M	2,500 mg/kg
	GRO+DRO	EPA SW-846 Method 8015M	1,000 mg/kg
	BTEX	EPA SW-846 Method 8021B or 8260B	50 mg/kg
	Benzene	EPA SW-846 Method 8021B or 8260B	10 mg/kg



*Or other test methods approved by the division.
 **Numerical limits or natural background level, whichever is greater.
 ***This applies to releases of produced water or other fluids, which may contain chloride.
 [19.15.29.12 NMAC - N, 8/14/2018]

**5- Point Composite Sample Map
Federal E #002A**





New Mexico Office of the State Engineer Water Column/Average Depth to Water

(quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest) (NAD83 UTM in meters)

No records found.

PLSS Search:

Section(s): 23 **Township:** 27N **Range:** 08W

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

1/14/21 3:47 PM

WATER COLUMN/ AVERAGE
DEPTH TO WATER



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest) (NAD83 UTM in meters)

No records found.

PLSS Search:

Section(s): 22 **Township:** 27N **Range:** 08W

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

1/14/21 3:47 PM

WATER COLUMN/ AVERAGE
DEPTH TO WATER



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest) (NAD83 UTM in meters)

No records found.


PLSS Search:

Section(s): 21 **Township:** 27N **Range:** 08W


The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

1/14/21 3:47 PM


WATER COLUMN/ AVERAGE
DEPTH TO WATER




Sitting Criteria Federal E #002A Depth to Groundwater 51'



**5- Point Composite Sample Map
Federal E #002A**















District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS
 Action 15037

CONDITIONS

Operator: PHOENIX HYDROCARBONS OPERATING CORP P.O. Box 3638 Midland, TX 79705	OGRID: 188483
	Action Number: 15037
	Action Type: [C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
nvelez	None	9/15/2022