



**CLOSURE REPORT**

Property:

**Contango Resources, LLC.  
Karlsbad Corral 11 SWD 1  
Eddy, New Mexico  
Unit Letter "J", Section 11, Township 25 South, Range 29 East  
Latitude 32.143476, Longitude -103.955108  
30-01535341, nAPP1728633177  
2RP-4436  
May 2022**

Prepared for:

**Contango Resources, LLC.  
717 Texas Ave., Suite 290  
Houston, Texas 77002**

Attn: **Mr. Chet Stuart**

Prepared by:

---

Thomas Franklin  
Environmental Manager

---

Jack Zimmerman, PG, CPG  
Senior Geologist

**Table of Contents**

**1.0 INTRODUCTION ..... 1**

**1.1 Site Description & Background ..... 1**

**1.2 Project Objective ..... 1**

**1.3 Standard of Care..... 1**

**1.4 Reliance..... 1**

**2.0 PROPOSED REMEDIAL ACTION GOALS..... 2**

**3.0 INITIAL REPSONSE & SAMPLING ACTIVITIES ..... 2**

**3.1 Initial Response ..... 2**

**3.2 Soil Sampling Activities ..... 2**

**3.3 Soil Sampling Analytical Results..... 3**

**4.0 LABORATORY ANALYTICAL METHODS..... 3**

**5.0 CLOSURE REQUEST..... 3**

**APPENDICES**

**Appendix A**

- Figure 1 - Site Vicinity Map
- Figure 2 - Site Vicinity Map
- Figure 3 - Sample Location Map (May 12, 2022)
- Figure 4 - Topographic Map

**Appendix B**

- Table 1 - Soil Analytical Summary

**Appendix C**

- Photo Page

**Appendix D**

- Laboratory Analysis

**Appendix E**

- Groundwater

**Appendix F**

- C-141

## CLOSURE REPORT

**Contango Resources, LLC.  
Karlsbad Corral 11 SWD 1  
Eddy, New Mexico  
Unit Letter “J”, Section 11, Township 25 South, Range 29 East  
Latitude 32.143476, Longitude -103.955108  
30-01535341, nAPP1728633177  
2RP-4436  
May 2022**

### 1.0 INTRODUCTION

#### 1.1 Site Description & Background

American Safety Services Inc. (ASSI) has prepared this Closure Report for Contango Resources, LLC. (Contango) at the Karlsbad Corral 11 SWD 1 (referred to hereinafter as the “Site” or “subject Site”). This Closure Report is based upon data collected by ASSI on May 12, 2022 and the interpretation of that data.

The Site is located in Unit Letter “J”, Section 11, Township 25 South, Range 29 East, Eddy County, New Mexico (GPS 32.143476, -103.955108). Figures 1 and 2 in Appendix A show the Site location.

Remedial action was conducted in accordance with the New Mexico Energy, Minerals, and Natural Resources Department (EMNRD), the New Mexico Oil Conservation Division (NMOCD), and rules under the New Mexico Administrative Code (*NMAC 19.15.29*).

#### 1.2 Project Objective

The objective of the Closure Report is to present documentation of the activities that were performed at this Site to the NMOCD.

#### 1.3 Standard of Care

ASSI’s services are performed in accordance with standards provided by a firm rendering the same or similar services in the area during the same time frame. ASSI makes no warranties, expressed or implied, as to the services performed hereunder. Additionally, ASSI does not warranty the work of third parties supplying information used in the report (e.g. laboratories, regulatory agencies, or other third parties). This scope of services will be performed in accordance with the scope of work agreed to by the client.

## 1.4 Reliance

This report has been prepared for the exclusive use of Contango, and any authorization for use or reliance by any other party (except a governmental entity having jurisdiction over the Site) is prohibited without the express written authorization of Contango and ASSI. Any unauthorized distribution or reuse is at the sole risk of Contango. Notwithstanding the foregoing, reliance by authorized parties will be subject to the terms, conditions and limitations stated in the proposal, the report, and ASSI's Agreement. The limitation of liability defined in the agreement is the aggregate limit of ASSI's liability to the client.

## 2.0 PROPOSED REMEDIAL ACTION GOALS

In accordance with the NMAC 19.15.29, ASSI utilized the general site characteristics to determine the appropriate "ranking" for the Site.

- The depth to the initial groundwater-bearing zone is greater than one hundred feet at the Site. For details refer to Groundwater in Appendix E,
- The impacted area is more than 1,000 feet (ft) from a water source, and
- Distance to the nearest surface water body is greater than 1,000 ft.

Cleanup goals for soils remaining in place include: 20,000 mg/Kg for Chloride, 1,000 mg/Kg Gasoline Range Organics and Diesel Range Organics (GRO and DRO), 2,500 mg/Kg for Total Petroleum Hydrocarbons (TPH), 10 milligrams per kilogram (mg/Kg) for Benzene, and 50 mg/Kg for Total Benzene, Toluene, Ethylbenzene, and Xylene (BTEX).

Figure 4 shows the location of the Site in Eddy Co, New Mexico and surrounding topography.

## 3.0 INITIAL RESPONSE & SAMPLING ACTIVITIES

### 3.1 Initial Response

On May 12, 2022 ASSI personnel performed a site inspection in response to a previously submitted Work Plan for spill number 2RP-4436.

### 3.2 Soil Sampling Activities

Initial sampling activities were conducted on May 12<sup>th</sup> by ASSI personnel, using a stainless-steel hand auger to determine the vertical extent of the impact throughout the release footprint. Sixteen (16) samples were collected from eight (8) sample locations at discrete intervals within the release footprint to a depth between one-half (0.5) and two (2) foot below ground surface (bgs). Table 1 in Appendix B presents analytical results. Figure 3 in Appendix A shows sampling locations inside the release footprint during the May 12<sup>th</sup> sampling event.

### 3.3 Soil Sampling Analytical Results

Sixteen (16) samples were collected from eight (8) sample locations on May 12<sup>th</sup>. Collected samples were delivered by ASSI personnel to Eurofins Xenco Laboratories for analysis on May 16<sup>th</sup>. The samples were analyzed for Chloride 300.0, TPH 8015M and BTEX 8021B (Table 1). Analytical results were compared to *Table 1 of the NMAC 19.15.29.12* and show all the constituents of concern (COCs) are below the NMOCD guidelines for clean-up goals at all sample locations.

Based upon the data collected during the May 12<sup>th</sup> sampling event and review of the analytical results, the COCs were both vertically and horizontally delineated.

### 4.0 LABORATORY ANALYTICAL METHODS

Samples were analyzed for Chloride utilizing EPA method 300, TPH utilizing EPA method SW8015 Mod, and BTEX using EPA method EPA 8021B. Laboratory analysis is provided in Appendix D.

Soil was collected in laboratory prepared glassware, placed on ice, and packed in a cooler. The sample coolers and completed chain-of-custody forms were relinquished to Eurofins Xenco Laboratories in Midland, TX for a normal turn-around time.

Figures 3 and 4 in Appendix A show the approximate position of the sample locations installed within the release footprint and the relation to pertinent land features respectively.

### 5.0 CLOSURE REQUEST

Based upon the data collected and the Site work completed by ASSI, COCs have been both vertically and horizontally delineated.

Based on the success of the response actions which are affirmed by certified laboratory analytical results, no additional remediation is necessary at this time.

ASSI, on behalf of Contango, respectfully requests closure of the Site.



## APPENDIX A


### Figures

# Contango - Karlsbad Corral 11 SWD 1

## Legend

-  Karlsbad Corral 11 SWD 1

Figure 1




# Contango - Karlsbad Corral 11 SWD 1

## Legend

-  Karlsbad Corral 11 SWD 1

Figure 2




# Contango - Karlsbad Corral 11 SWD 1

Figure 3

## Legend

-  Karlsbad Corral 11 SWD 1
-  Release Footprint
-  Sample Location

 Karlsbad Corral 11 SWD 1



100 ft

# Contango - Karlsbad Corral 11 SWD 1

## Legend

-  Aqua Crew
-  Karlsbad Corral 11 SWD 1

Topo

 Aqua Crew

 **11** Karlsbad Corral 11 SWD 1

3100



Earth Point



## APPENDIX B

### Table 1

TABLE 1 Summary of Initial and Confirmation Sampling Analytical Results Contango Oil & Gas Co. Karlsbad Corral 11 SWD 1 Eddy County, New Mexico															
Sample Location	Sample Date	Sample Depth (feet)	Soil Status	EPA 300	8015M				8021B						
				Chloride (mg/kg)	Gasoline Range Organics (GRO) (mg/kg)	Diesel Range Organics (DRO) (mg/kg)	Oil Range Organics (MRO) (mg/kg)	Total TPH (mg/kg)	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	m,p-Xylenes (mg/kg)	o-Xylene (mg/kg)	Total Xylenes (mg/kg)	Total BTEX (mg/kg)
NMAC 19.15.29				600	NE		NE	100	10	NE				50	
AH 1	5/12/2022	0-0.5'	In-situ	57.6	<50.0	<50.0	<50.0	<50.0	<0.00202	<0.00202	<0.00202	<0.00403	<0.00202	<0.00403	<0.00403
AH 1	5/12/2022	0.5'-1'	In-situ	277	—	—	—	—	—	—	—	—	—	—	—
AH 1	5/12/2022	1'-1.5'	In-situ	179	—	—	—	—	—	—	—	—	—	—	—
AH 2	5/12/2022	0-0.5'	In-situ	45.4	<50.0	<50.0	<50.0	<50.0	<0.00200	<0.00200	<0.00200	<0.00399	<0.00200	<0.00399	<0.00399
AH 2	5/12/2022	0.5'-1'	In-situ	92.2	—	—	—	—	—	—	—	—	—	—	—
AH 3	5/12/2022	0-0.5'	In-situ	65	<49.9	<49.9	<49.9	<49.9	<0.00199	<0.00199	<0.00199	<0.00398	<0.00199	<0.00398	<0.00398
AH 3	5/12/2022	0.5'-1'	In-situ	77.1	—	—	—	—	—	—	—	—	—	—	—
AH 3	5/12/2022	1'-1.5'	In-situ	159	—	—	—	—	—	—	—	—	—	—	—
AH 4	5/12/2022	0-0.5'	In-situ	142	<49.8	<49.8	<49.8	<49.8	<0.00199	<0.00199	<0.00199	<0.00398	<0.00199	<0.00398	<0.00398
AH 4	5/12/2022	0.5'-1'	In-situ	38.5	—	—	—	—	—	—	—	—	—	—	—
AH 4	5/12/2022	1'-1.5'	In-situ	60.8	—	—	—	—	—	—	—	—	—	—	—
AH 4	5/12/2022	1.5'-2'	In-situ	568	—	—	—	—	—	—	—	—	—	—	—
AH North	5/12/2022	0-0.5'	In-situ	47.7	<50.0	<50.0	<50.0	<50.0	<0.00200	<0.00200	<0.00200	<0.00399	<0.00200	<0.00399	<0.00399
AH South	5/12/2022	0-0.5'	In-situ	45.7	<49.9	<49.9	<49.9	<49.9	<0.00199	<0.00199	<0.00199	<0.00398	<0.00199	<0.00398	<0.00398
AH East	5/12/2022	0-0.5'	In-situ	25.7	<50.0	<50.0	<50.0	<50.0	<0.00199	<0.00199	<0.00199	<0.00398	<0.00199	<0.00398	<0.00398
AH West	5/12/2022	0-0.5'	In-situ	6.51	<49.9	<49.9	<49.9	<49.9	<0.00200	<0.00200	<0.00200	<0.00399	<0.00200	<0.00399	<0.00399

mg/Kg - milligrams per Kilogram

BTEX - Benzene, Toluene, Ethylbenzene, and Total Xylenes analyzed by EPA method 8021B

NE - not established

NMAC - New Mexico Administrative Code

— = not determined

In-situ - sample collected in-place

Total TPH reported values are rounded-off to 3-significant figures using the LIMS Odd/Even Rounding Rule which is a laboratory accepted standard



## APPENDIX C

Photo Page



View South – Sample location AH 1 (flagged).  
Blue arrow identifies pin flag.



View East – Sample location AH 2 (flagged). Blue  
arrow identifies pin flag.



View North – Sample location AH 3 (flagged).  
Blue arrow identifies pin flag.



View West – Sample location AH 4 (flagged).  
Blue arrow identifies pin flag.



View North – Sample location AH North (flagged). Blue arrow identifies pin flag.



View West – Sample location AH West (flagged). Blue arrow identifies pin flag.



View North – Sample location AH South (flagged). Blue arrow identifies pin flag.



View West – Sample location AH East (flagged). Blue arrow identifies pin flag.



## APPENDIX D

### Laboratory Analysis



Environment Testing  
America

## ANALYTICAL REPORT

Eurofins Midland  
1211 W. Florida Ave  
Midland, TX 79701  
Tel: (432)704-5440

Laboratory Job ID: 880-14808-1

Laboratory Sample Delivery Group: Eddy Co NM

Client Project/Site: Contango - Karlsbad Corral 11 SWD 1

For:

American Safety Services Inc.  
8715 Andrews Hwy  
Odessa, Texas 79765

Attn: Thomas Franklin

Authorized for release by:  
5/20/2022 11:13:04 AM

Jessica Kramer, Project Manager  
(432)704-5440

[Jessica.Kramer@et.eurofinsus.com](mailto:Jessica.Kramer@et.eurofinsus.com)

### LINKS

Review your project  
results through



Have a Question?



Visit us at:

[www.eurofinsus.com/Env](http://www.eurofinsus.com/Env)

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Client: American Safety Services Inc.  
Project/Site: Contango - Karlsbad Corral 11 SWD 1

Laboratory Job ID: 880-14808-1  
SDG: Eddy Co NM

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	2
Definitions/Glossary . . . . .	3
Case Narrative . . . . .	4
Client Sample Results . . . . .	5
Surrogate Summary . . . . .	13
QC Sample Results . . . . .	14
QC Association Summary . . . . .	19
Lab Chronicle . . . . .	22
Certification Summary . . . . .	26
Method Summary . . . . .	27
Sample Summary . . . . .	28
Chain of Custody . . . . .	29
Receipt Checklists . . . . .	31

## Definitions/Glossary

Client: American Safety Services Inc.  
Project/Site: Contango - Karlsbad Corral 11 SWD 1

Job ID: 880-14808-1  
SDG: Eddy Co NM

## Qualifiers

## GC VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
F2	MS/MSD RPD exceeds control limits
U	Indicates the analyte was analyzed for but not detected.

## GC Semi VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

## HPLC/IC

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

### Case Narrative

Client: American Safety Services Inc.  
Project/Site: Contango - Karlsbad Corral 11 SWD 1

Job ID: 880-14808-1  
SDG: Eddy Co NM

**Job ID: 880-14808-1**

**Laboratory: Eurofins Midland**

**Narrative**

**Job Narrative  
880-14808-1**

**Receipt**

The samples were received on 5/16/2022 10:10 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 3.5°C

**GC VOA**

Method 8021B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-25652 and analytical batch 880-25726 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

**GC Semi VOA**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

**HPLC/IC**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

## Client Sample Results

Client: American Safety Services Inc.  
Project/Site: Contango - Karlsbad Corral 11 SWD 1

Job ID: 880-14808-1  
SDG: Eddy Co NM

Client Sample ID: AH1

Lab Sample ID: 880-14808-1

Date Collected: 05/12/22 11:30

Matrix: Solid

Date Received: 05/16/22 10:10

Sample Depth: 0-0.5

## Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U F1 F2	0.00202		mg/Kg		05/16/22 15:51	05/18/22 02:36	1
Toluene	<0.00202	U F1	0.00202		mg/Kg		05/16/22 15:51	05/18/22 02:36	1
Ethylbenzene	<0.00202	U F1	0.00202		mg/Kg		05/16/22 15:51	05/18/22 02:36	1
m-Xylene & p-Xylene	<0.00403	U F1	0.00403		mg/Kg		05/16/22 15:51	05/18/22 02:36	1
o-Xylene	<0.00202	U F1 F2	0.00202		mg/Kg		05/16/22 15:51	05/18/22 02:36	1
Xylenes, Total	<0.00403	U F1	0.00403		mg/Kg		05/16/22 15:51	05/18/22 02:36	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	96		70 - 130	05/16/22 15:51	05/18/22 02:36	1
1,4-Difluorobenzene (Surr)	106		70 - 130	05/16/22 15:51	05/18/22 02:36	1

## Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00403	U	0.00403		mg/Kg			05/18/22 09:20	1

## Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			05/19/22 08:51	1

## Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		05/17/22 09:13	05/18/22 12:50	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		05/17/22 09:13	05/18/22 12:50	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		05/17/22 09:13	05/18/22 12:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	105		70 - 130	05/17/22 09:13	05/18/22 12:50	1
o-Terphenyl	112		70 - 130	05/17/22 09:13	05/18/22 12:50	1

## Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	57.6		5.04		mg/Kg			05/19/22 01:37	1

Client Sample ID: AH1

Lab Sample ID: 880-14808-2

Date Collected: 05/12/22 11:35

Matrix: Solid

Date Received: 05/16/22 10:10

Sample Depth: 0.5-1

## Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	277		4.98		mg/Kg			05/19/22 02:05	1

Eurofins Midland

## Client Sample Results

Client: American Safety Services Inc.  
Project/Site: Contango - Karlsbad Corral 11 SWD 1

Job ID: 880-14808-1  
SDG: Eddy Co NM

## Client Sample ID: AH1

Lab Sample ID: 880-14808-3

Date Collected: 05/12/22 11:40

Matrix: Solid

Date Received: 05/16/22 10:10

Sample Depth: 1-1.5

## Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	179		4.99		mg/Kg			05/19/22 02:14	1

## Client Sample ID: AH2

Lab Sample ID: 880-14808-4

Date Collected: 05/12/22 11:45

Matrix: Solid

Date Received: 05/16/22 10:10

Sample Depth: 0-0.5

## Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		05/16/22 15:51	05/18/22 02:56	1
Toluene	<0.00200	U	0.00200		mg/Kg		05/16/22 15:51	05/18/22 02:56	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		05/16/22 15:51	05/18/22 02:56	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		05/16/22 15:51	05/18/22 02:56	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		05/16/22 15:51	05/18/22 02:56	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		05/16/22 15:51	05/18/22 02:56	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		70 - 130				05/16/22 15:51	05/18/22 02:56	1
1,4-Difluorobenzene (Surr)	108		70 - 130				05/16/22 15:51	05/18/22 02:56	1

## Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			05/18/22 09:20	1

## Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			05/19/22 08:51	1

## Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		05/17/22 09:13	05/18/22 13:56	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		05/17/22 09:13	05/18/22 13:56	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		05/17/22 09:13	05/18/22 13:56	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	105		70 - 130				05/17/22 09:13	05/18/22 13:56	1
o-Terphenyl	110		70 - 130				05/17/22 09:13	05/18/22 13:56	1

## Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	45.4		4.95		mg/Kg			05/19/22 02:23	1

Eurofins Midland

## Client Sample Results

Client: American Safety Services Inc.  
Project/Site: Contango - Karlsbad Corral 11 SWD 1

Job ID: 880-14808-1  
SDG: Eddy Co NM

## Client Sample ID: AH2

Lab Sample ID: 880-14808-5

Date Collected: 05/12/22 11:50

Matrix: Solid

Date Received: 05/16/22 10:10

Sample Depth: 0.5-1

## Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	92.2		4.97		mg/Kg			05/19/22 02:33	1

## Client Sample ID: AH3

Lab Sample ID: 880-14808-6

Date Collected: 05/12/22 11:55

Matrix: Solid

Date Received: 05/16/22 10:10

Sample Depth: 0-0.5

## Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		05/16/22 15:51	05/18/22 03:17	1
Toluene	<0.00199	U	0.00199		mg/Kg		05/16/22 15:51	05/18/22 03:17	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		05/16/22 15:51	05/18/22 03:17	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		05/16/22 15:51	05/18/22 03:17	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		05/16/22 15:51	05/18/22 03:17	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		05/16/22 15:51	05/18/22 03:17	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103		70 - 130				05/16/22 15:51	05/18/22 03:17	1
1,4-Difluorobenzene (Surr)	103		70 - 130				05/16/22 15:51	05/18/22 03:17	1

## Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			05/18/22 09:20	1

## Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			05/19/22 08:51	1

## Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		05/17/22 09:13	05/18/22 14:18	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		05/17/22 09:13	05/18/22 14:18	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		05/17/22 09:13	05/18/22 14:18	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	99		70 - 130				05/17/22 09:13	05/18/22 14:18	1
o-Terphenyl	103		70 - 130				05/17/22 09:13	05/18/22 14:18	1

## Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	65.0		4.96		mg/Kg			05/19/22 03:00	1

Eurofins Midland

## Client Sample Results

Client: American Safety Services Inc.  
Project/Site: Contango - Karlsbad Corral 11 SWD 1

Job ID: 880-14808-1  
SDG: Eddy Co NM

## Client Sample ID: AH3

Lab Sample ID: 880-14808-7

Date Collected: 05/12/22 12:00

Matrix: Solid

Date Received: 05/16/22 10:10

Sample Depth: 0.5-1

## Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	77.1		25.1		mg/Kg			05/19/22 03:10	5

## Client Sample ID: AH3

Lab Sample ID: 880-14808-8

Date Collected: 05/12/22 12:05

Matrix: Solid

Date Received: 05/16/22 10:10

Sample Depth: 1-1.5

## Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	159		24.9		mg/Kg			05/19/22 03:19	5

## Client Sample ID: AH4

Lab Sample ID: 880-14808-9

Date Collected: 05/12/22 12:10

Matrix: Solid

Date Received: 05/16/22 10:10

Sample Depth: 0-0.5

## Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		05/16/22 15:51	05/18/22 03:38	1
Toluene	<0.00199	U	0.00199		mg/Kg		05/16/22 15:51	05/18/22 03:38	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		05/16/22 15:51	05/18/22 03:38	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		05/16/22 15:51	05/18/22 03:38	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		05/16/22 15:51	05/18/22 03:38	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		05/16/22 15:51	05/18/22 03:38	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	109		70 - 130	05/16/22 15:51	05/18/22 03:38	1
1,4-Difluorobenzene (Surr)	106		70 - 130	05/16/22 15:51	05/18/22 03:38	1

## Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			05/18/22 09:20	1

## Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			05/19/22 08:51	1

## Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		05/17/22 09:13	05/18/22 14:40	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		05/17/22 09:13	05/18/22 14:40	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		05/17/22 09:13	05/18/22 14:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	97		70 - 130	05/17/22 09:13	05/18/22 14:40	1
o-Terphenyl	97		70 - 130	05/17/22 09:13	05/18/22 14:40	1

Eurofins Midland

### Client Sample Results

Client: American Safety Services Inc.  
 Project/Site: Contango - Karlsbad Corral 11 SWD 1

Job ID: 880-14808-1  
 SDG: Eddy Co NM

**Client Sample ID: AH4**

**Lab Sample ID: 880-14808-9**

Date Collected: 05/12/22 12:10  
 Date Received: 05/16/22 10:10  
 Sample Depth: 0-0.5

Matrix: Solid

**Method: 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	568		4.96		mg/Kg			05/19/22 17:12	1

**Client Sample ID: AH4**

**Lab Sample ID: 880-14808-10**

Date Collected: 05/12/22 12:15  
 Date Received: 05/16/22 10:10  
 Sample Depth: 0.5-1

Matrix: Solid

**Method: 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	142		4.95		mg/Kg			05/19/22 03:37	1

**Client Sample ID: AH4**

**Lab Sample ID: 880-14808-11**

Date Collected: 05/12/22 12:20  
 Date Received: 05/16/22 10:10  
 Sample Depth: 1-1.5

Matrix: Solid

**Method: 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	38.5		4.99		mg/Kg			05/19/22 17:21	1

**Client Sample ID: AH4**

**Lab Sample ID: 880-14808-12**

Date Collected: 05/12/22 12:25  
 Date Received: 05/16/22 10:10  
 Sample Depth: 1.5-2

Matrix: Solid

**Method: 300.0 - Anions, Ion Chromatography - Soluble**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	60.8		5.00		mg/Kg			05/19/22 04:14	1

**Client Sample ID: AH North**

**Lab Sample ID: 880-14808-13**

Date Collected: 05/12/22 12:30  
 Date Received: 05/16/22 10:10  
 Sample Depth: 0-0.5

Matrix: Solid

**Method: 8021B - Volatile Organic Compounds (GC)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		05/16/22 15:51	05/18/22 03:59	1
Toluene	<0.00200	U	0.00200		mg/Kg		05/16/22 15:51	05/18/22 03:59	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		05/16/22 15:51	05/18/22 03:59	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		05/16/22 15:51	05/18/22 03:59	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		05/16/22 15:51	05/18/22 03:59	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		05/16/22 15:51	05/18/22 03:59	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103		70 - 130	05/16/22 15:51	05/18/22 03:59	1
1,4-Difluorobenzene (Surr)	106		70 - 130	05/16/22 15:51	05/18/22 03:59	1

**Method: Total BTEX - Total BTEX Calculation**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			05/18/22 09:20	1

Eurofins Midland

## Client Sample Results

Client: American Safety Services Inc.  
Project/Site: Contango - Karlsbad Corral 11 SWD 1

Job ID: 880-14808-1  
SDG: Eddy Co NM

## Client Sample ID: AH North

Lab Sample ID: 880-14808-13

Date Collected: 05/12/22 12:30

Matrix: Solid

Date Received: 05/16/22 10:10

Sample Depth: 0-0.5

## Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			05/19/22 08:51	1

## Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		05/17/22 09:13	05/18/22 15:02	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		05/17/22 09:13	05/18/22 15:02	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		05/17/22 09:13	05/18/22 15:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	93		70 - 130				05/17/22 09:13	05/18/22 15:02	1
o-Terphenyl	94		70 - 130				05/17/22 09:13	05/18/22 15:02	1

## Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	47.7		4.99		mg/Kg			05/19/22 04:23	1

## Client Sample ID: AH South

Lab Sample ID: 880-14808-14

Date Collected: 05/12/22 12:35

Matrix: Solid

Date Received: 05/16/22 10:10

Sample Depth: 0-0.5

## Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		05/16/22 15:51	05/18/22 04:19	1
Toluene	<0.00199	U	0.00199		mg/Kg		05/16/22 15:51	05/18/22 04:19	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		05/16/22 15:51	05/18/22 04:19	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		05/16/22 15:51	05/18/22 04:19	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		05/16/22 15:51	05/18/22 04:19	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		05/16/22 15:51	05/18/22 04:19	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	110		70 - 130				05/16/22 15:51	05/18/22 04:19	1
1,4-Difluorobenzene (Surr)	104		70 - 130				05/16/22 15:51	05/18/22 04:19	1

## Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			05/18/22 09:20	1

## Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			05/19/22 08:51	1

## Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		05/17/22 09:13	05/18/22 15:23	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		05/17/22 09:13	05/18/22 15:23	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		05/17/22 09:13	05/18/22 15:23	1

Eurofins Midland

## Client Sample Results

Client: American Safety Services Inc.  
Project/Site: Contango - Karlsbad Corral 11 SWD 1

Job ID: 880-14808-1  
SDG: Eddy Co NM

## Client Sample ID: AH South

Lab Sample ID: 880-14808-14

Date Collected: 05/12/22 12:35

Matrix: Solid

Date Received: 05/16/22 10:10

Sample Depth: 0-0.5

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	103		70 - 130	05/17/22 09:13	05/18/22 15:23	1
o-Terphenyl	107		70 - 130	05/17/22 09:13	05/18/22 15:23	1

## Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	45.7		4.95		mg/Kg			05/19/22 04:51	1

## Client Sample ID: AH East

Lab Sample ID: 880-14808-15

Date Collected: 05/12/22 12:40

Matrix: Solid

Date Received: 05/16/22 10:10

Sample Depth: 0-0.5

## Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		05/16/22 15:51	05/18/22 04:40	1
Toluene	<0.00199	U	0.00199		mg/Kg		05/16/22 15:51	05/18/22 04:40	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		05/16/22 15:51	05/18/22 04:40	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		05/16/22 15:51	05/18/22 04:40	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		05/16/22 15:51	05/18/22 04:40	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		05/16/22 15:51	05/18/22 04:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	119		70 - 130	05/16/22 15:51	05/18/22 04:40	1
1,4-Difluorobenzene (Surr)	96		70 - 130	05/16/22 15:51	05/18/22 04:40	1

## Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			05/18/22 09:20	1

## Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			05/19/22 08:51	1

## Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		05/17/22 09:13	05/18/22 15:45	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		05/17/22 09:13	05/18/22 15:45	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		05/17/22 09:13	05/18/22 15:45	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	102		70 - 130	05/17/22 09:13	05/18/22 15:45	1
o-Terphenyl	102		70 - 130	05/17/22 09:13	05/18/22 15:45	1

## Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	25.7		5.00		mg/Kg			05/19/22 05:00	1

Eurofins Midland

## Client Sample Results

Client: American Safety Services Inc.  
Project/Site: Contango - Karlsbad Corral 11 SWD 1

Job ID: 880-14808-1  
SDG: Eddy Co NM

Client Sample ID: AH West

Lab Sample ID: 880-14808-16

Date Collected: 05/12/22 12:45

Matrix: Solid

Date Received: 05/16/22 10:10

Sample Depth: 0-0.5

## Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		05/16/22 15:51	05/18/22 05:01	1
Toluene	<0.00200	U	0.00200		mg/Kg		05/16/22 15:51	05/18/22 05:01	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		05/16/22 15:51	05/18/22 05:01	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		05/16/22 15:51	05/18/22 05:01	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		05/16/22 15:51	05/18/22 05:01	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		05/16/22 15:51	05/18/22 05:01	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	110		70 - 130	05/16/22 15:51	05/18/22 05:01	1
1,4-Difluorobenzene (Surr)	100		70 - 130	05/16/22 15:51	05/18/22 05:01	1

## Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			05/18/22 09:20	1

## Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			05/19/22 08:51	1

## Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		05/17/22 09:13	05/18/22 16:07	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		05/17/22 09:13	05/18/22 16:07	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		05/17/22 09:13	05/18/22 16:07	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	110		70 - 130	05/17/22 09:13	05/18/22 16:07	1
o-Terphenyl	106		70 - 130	05/17/22 09:13	05/18/22 16:07	1

## Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	6.51		5.04		mg/Kg			05/19/22 05:09	1

## Surrogate Summary

Client: American Safety Services Inc.  
Project/Site: Contango - Karlsbad Corral 11 SWD 1

Job ID: 880-14808-1  
SDG: Eddy Co NM

## Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		BFB1 (70-130)	DFBZ1 (70-130)
880-14808-1	AH1	96	106
880-14808-1 MS	AH1	112	103
880-14808-1 MSD	AH1	98	102
880-14808-4	AH2	106	108
880-14808-6	AH3	103	103
880-14808-9	AH4	109	106
880-14808-13	AH North	103	106
880-14808-14	AH South	110	104
880-14808-15	AH East	119	96
880-14808-16	AH West	110	100
LCS 880-25652/1-A	Lab Control Sample	102	107
LCSD 880-25652/2-A	Lab Control Sample Dup	108	102
MB 880-25649/5-A	Method Blank	98	98
MB 880-25652/5-A	Method Blank	102	99

**Surrogate Legend**  
BFB = 4-Bromofluorobenzene (Surr)  
DFBZ = 1,4-Difluorobenzene (Surr)

## Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		1CO1 (70-130)	OTPH1 (70-130)
880-14808-1	AH1	105	112
880-14808-1 MS	AH1	101	107
880-14808-1 MSD	AH1	92	95
880-14808-4	AH2	105	110
880-14808-6	AH3	99	103
880-14808-9	AH4	97	97
880-14808-13	AH North	93	94
880-14808-14	AH South	103	107
880-14808-15	AH East	102	102
880-14808-16	AH West	110	106
LCS 880-25675/2-A	Lab Control Sample	110	108
LCSD 880-25675/3-A	Lab Control Sample Dup	107	104
MB 880-25675/1-A	Method Blank	108	117

**Surrogate Legend**  
1CO = 1-Chlorooctane  
OTPH = o-Terphenyl

Eurofins Midland

### QC Sample Results

Client: American Safety Services Inc.  
 Project/Site: Contango - Karlsbad Corral 11 SWD 1

Job ID: 880-14808-1  
 SDG: Eddy Co NM

#### Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-25649/5-A  
 Matrix: Solid  
 Analysis Batch: 25726

Client Sample ID: Method Blank  
 Prep Type: Total/NA  
 Prep Batch: 25649

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		05/16/22 15:39	05/17/22 15:27	1
Toluene	<0.00200	U	0.00200		mg/Kg		05/16/22 15:39	05/17/22 15:27	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		05/16/22 15:39	05/17/22 15:27	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		05/16/22 15:39	05/17/22 15:27	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		05/16/22 15:39	05/17/22 15:27	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		05/16/22 15:39	05/17/22 15:27	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	98		70 - 130	05/16/22 15:39	05/17/22 15:27	1
1,4-Difluorobenzene (Surr)	98		70 - 130	05/16/22 15:39	05/17/22 15:27	1

Lab Sample ID: MB 880-25652/5-A  
 Matrix: Solid  
 Analysis Batch: 25726

Client Sample ID: Method Blank  
 Prep Type: Total/NA  
 Prep Batch: 25652

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		05/16/22 15:51	05/18/22 02:14	1
Toluene	<0.00200	U	0.00200		mg/Kg		05/16/22 15:51	05/18/22 02:14	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		05/16/22 15:51	05/18/22 02:14	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		05/16/22 15:51	05/18/22 02:14	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		05/16/22 15:51	05/18/22 02:14	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		05/16/22 15:51	05/18/22 02:14	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		70 - 130	05/16/22 15:51	05/18/22 02:14	1
1,4-Difluorobenzene (Surr)	99		70 - 130	05/16/22 15:51	05/18/22 02:14	1

Lab Sample ID: LCS 880-25652/1-A  
 Matrix: Solid  
 Analysis Batch: 25726

Client Sample ID: Lab Control Sample  
 Prep Type: Total/NA  
 Prep Batch: 25652

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.1111		mg/Kg		111	70 - 130
Toluene	0.100	0.1022		mg/Kg		102	70 - 130
Ethylbenzene	0.100	0.08716		mg/Kg		87	70 - 130
m-Xylene & p-Xylene	0.200	0.1799		mg/Kg		90	70 - 130
o-Xylene	0.100	0.09260		mg/Kg		93	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	102		70 - 130
1,4-Difluorobenzene (Surr)	107		70 - 130

Lab Sample ID: LCSD 880-25652/2-A  
 Matrix: Solid  
 Analysis Batch: 25726

Client Sample ID: Lab Control Sample Dup  
 Prep Type: Total/NA  
 Prep Batch: 25652

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.08015		mg/Kg		80	70 - 130	32	35

Eurofins Midland

### QC Sample Results

Client: American Safety Services Inc.  
 Project/Site: Contango - Karlsbad Corral 11 SWD 1

Job ID: 880-14808-1  
 SDG: Eddy Co NM

#### Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCSD 880-25652/2-A  
 Matrix: Solid  
 Analysis Batch: 25726

Client Sample ID: Lab Control Sample Dup  
 Prep Type: Total/NA  
 Prep Batch: 25652

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec		RPD	Limit
							Limits	RPD		
Toluene	0.100	0.08304		mg/Kg		83	70 - 130	21	35	
Ethylbenzene	0.100	0.07333		mg/Kg		73	70 - 130	17	35	
m-Xylene & p-Xylene	0.200	0.1581		mg/Kg		79	70 - 130	13	35	
o-Xylene	0.100	0.08067		mg/Kg		81	70 - 130	14	35	

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
1,4-Difluorobenzene (Surr)	102		70 - 130

Lab Sample ID: 880-14808-1 MS  
 Matrix: Solid  
 Analysis Batch: 25726

Client Sample ID: AH1  
 Prep Type: Total/NA  
 Prep Batch: 25652

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec	
									Limits	RPD
Benzene	<0.00202	U F1 F2	0.100	0.09013		mg/Kg		90	70 - 130	
Toluene	<0.00202	U F1	0.100	0.09231		mg/Kg		92	70 - 130	
Ethylbenzene	<0.00202	U F1	0.100	0.08330		mg/Kg		83	70 - 130	
m-Xylene & p-Xylene	<0.00403	U F1	0.200	0.1762		mg/Kg		88	70 - 130	
o-Xylene	<0.00202	U F1 F2	0.100	0.08985		mg/Kg		90	70 - 130	

Surrogate	MS %Recovery	MS Qualifier	Limits
1,4-Difluorobenzene (Surr)	103		70 - 130

Lab Sample ID: 880-14808-1 MSD  
 Matrix: Solid  
 Analysis Batch: 25726

Client Sample ID: AH1  
 Prep Type: Total/NA  
 Prep Batch: 25652

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec		RPD	Limit
									Limits	RPD		
Benzene	<0.00202	U F1 F2	0.0996	<0.00199	U F1 F2	mg/Kg		1	70 - 130	194	35	
Toluene	<0.00202	U F1	0.0996	<0.00199	U F1	mg/Kg		0	70 - 130	NC	35	
Ethylbenzene	<0.00202	U F1	0.0996	<0.00199	U F1	mg/Kg		0	70 - 130	NC	35	
m-Xylene & p-Xylene	<0.00403	U F1	0.199	<0.00398	U F1	mg/Kg		0	70 - 130	NC	35	
o-Xylene	<0.00202	U F1 F2	0.0996	<0.00199	U F1 F2	mg/Kg		0.4	70 - 130	198	35	

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,4-Difluorobenzene (Surr)	102		70 - 130

#### Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-25675/1-A  
 Matrix: Solid  
 Analysis Batch: 25770

Client Sample ID: Method Blank  
 Prep Type: Total/NA  
 Prep Batch: 25675

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		05/17/22 09:13	05/18/22 11:45	1

Eurofins Midland

### QC Sample Results

Client: American Safety Services Inc.  
 Project/Site: Contango - Karlsbad Corral 11 SWD 1

Job ID: 880-14808-1  
 SDG: Eddy Co NM

#### Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

**Lab Sample ID: MB 880-25675/1-A**  
**Matrix: Solid**  
**Analysis Batch: 25770**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 25675**

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		05/17/22 09:13	05/18/22 11:45	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		05/17/22 09:13	05/18/22 11:45	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1-Chlorooctane	108		70 - 130	05/17/22 09:13	05/18/22 11:45	1
o-Terphenyl	117		70 - 130	05/17/22 09:13	05/18/22 11:45	1

**Lab Sample ID: LCS 880-25675/2-A**  
**Matrix: Solid**  
**Analysis Batch: 25770**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 25675**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics (Over C10-C28)	1000	1047		mg/Kg		105	70 - 130

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1-Chlorooctane	110		70 - 130
o-Terphenyl	108		70 - 130

**Lab Sample ID: LCSD 880-25675/3-A**  
**Matrix: Solid**  
**Analysis Batch: 25770**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 25675**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	
								RPD	Limit
Gasoline Range Organics (GRO)-C6-C10	1000	897.6		mg/Kg		90	70 - 130	2	20
Diesel Range Organics (Over C10-C28)	1000	1002		mg/Kg		100	70 - 130	4	20

Surrogate	LCSD	LCSD	Limits
	%Recovery	Qualifier	
1-Chlorooctane	107		70 - 130
o-Terphenyl	104		70 - 130

**Lab Sample ID: 880-14808-1 MS**  
**Matrix: Solid**  
**Analysis Batch: 25770**

**Client Sample ID: AH1**  
**Prep Type: Total/NA**  
**Prep Batch: 25675**

Analyte	Sample	Sample	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
	Result	Qualifier							
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	1000	988.2		mg/Kg		95	70 - 130
Diesel Range Organics (Over C10-C28)	<50.0	U	1000	1057		mg/Kg		106	70 - 130

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
1-Chlorooctane	101		70 - 130
o-Terphenyl	107		70 - 130

Eurofins Midland

### QC Sample Results

Client: American Safety Services Inc.  
 Project/Site: Contango - Karlsbad Corral 11 SWD 1

Job ID: 880-14808-1  
 SDG: Eddy Co NM

#### Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: 880-14808-1 MSD  
 Matrix: Solid  
 Analysis Batch: 25770

Client Sample ID: AH1  
 Prep Type: Total/NA  
 Prep Batch: 25675

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	998	916.2		mg/Kg		88	70 - 130	8	20
Diesel Range Organics (Over C10-C28)	<50.0	U	998	954.6		mg/Kg		96	70 - 130	10	20
<b>Surrogate</b>	<b>%Recovery</b>	<b>MSD Qualifier</b>		<b>MSD</b>						<b>Limits</b>	
1-Chlorooctane	92									70 - 130	
o-Terphenyl	95									70 - 130	

#### Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-25615/1-A  
 Matrix: Solid  
 Analysis Batch: 25825

Client Sample ID: Method Blank  
 Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<5.00	U	5.00		mg/Kg			05/19/22 01:10	1

Lab Sample ID: LCS 880-25615/2-A  
 Matrix: Solid  
 Analysis Batch: 25825

Client Sample ID: Lab Control Sample  
 Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	244.8		mg/Kg		98	90 - 110

Lab Sample ID: LCSD 880-25615/3-A  
 Matrix: Solid  
 Analysis Batch: 25825

Client Sample ID: Lab Control Sample Dup  
 Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	244.4		mg/Kg		98	90 - 110	0	20

Lab Sample ID: 880-14808-1 MS  
 Matrix: Solid  
 Analysis Batch: 25825

Client Sample ID: AH1  
 Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	57.6		252	293.4		mg/Kg		94	90 - 110

Lab Sample ID: 880-14808-1 MSD  
 Matrix: Solid  
 Analysis Batch: 25825

Client Sample ID: AH1  
 Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	57.6		252	293.0		mg/Kg		93	90 - 110	0	20

Eurofins Midland

### QC Sample Results

Client: American Safety Services Inc.  
 Project/Site: Contango - Karlsbad Corral 11 SWD 1

Job ID: 880-14808-1  
 SDG: Eddy Co NM

**Method: 300.0 - Anions, Ion Chromatography (Continued)**

**Lab Sample ID: 880-14808-11 MS**  
**Matrix: Solid**  
**Analysis Batch: 25825**

**Client Sample ID: AH4**  
**Prep Type: Soluble**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	38.5		250	270.9		mg/Kg		93	90 - 110

**Lab Sample ID: 880-14808-11 MSD**  
**Matrix: Solid**  
**Analysis Batch: 25825**

**Client Sample ID: AH4**  
**Prep Type: Soluble**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	38.5		250	268.5		mg/Kg		92	90 - 110	1	20

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

## QC Association Summary

Client: American Safety Services Inc.  
Project/Site: Contango - Karlsbad Corral 11 SWD 1

Job ID: 880-14808-1  
SDG: Eddy Co NM

## GC VOA

## Prep Batch: 25649

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-25649/5-A	Method Blank	Total/NA	Solid	5035	

## Prep Batch: 25652

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-14808-1	AH1	Total/NA	Solid	5035	
880-14808-4	AH2	Total/NA	Solid	5035	
880-14808-6	AH3	Total/NA	Solid	5035	
880-14808-9	AH4	Total/NA	Solid	5035	
880-14808-13	AH North	Total/NA	Solid	5035	
880-14808-14	AH South	Total/NA	Solid	5035	
880-14808-15	AH East	Total/NA	Solid	5035	
880-14808-16	AH West	Total/NA	Solid	5035	
MB 880-25652/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-25652/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-25652/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-14808-1 MS	AH1	Total/NA	Solid	5035	
880-14808-1 MSD	AH1	Total/NA	Solid	5035	

## Analysis Batch: 25726

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-14808-1	AH1	Total/NA	Solid	8021B	25652
880-14808-4	AH2	Total/NA	Solid	8021B	25652
880-14808-6	AH3	Total/NA	Solid	8021B	25652
880-14808-9	AH4	Total/NA	Solid	8021B	25652
880-14808-13	AH North	Total/NA	Solid	8021B	25652
880-14808-14	AH South	Total/NA	Solid	8021B	25652
880-14808-15	AH East	Total/NA	Solid	8021B	25652
880-14808-16	AH West	Total/NA	Solid	8021B	25652
MB 880-25649/5-A	Method Blank	Total/NA	Solid	8021B	25649
MB 880-25652/5-A	Method Blank	Total/NA	Solid	8021B	25652
LCS 880-25652/1-A	Lab Control Sample	Total/NA	Solid	8021B	25652
LCSD 880-25652/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	25652
880-14808-1 MS	AH1	Total/NA	Solid	8021B	25652
880-14808-1 MSD	AH1	Total/NA	Solid	8021B	25652

## Analysis Batch: 25807

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-14808-1	AH1	Total/NA	Solid	Total BTEX	
880-14808-4	AH2	Total/NA	Solid	Total BTEX	
880-14808-6	AH3	Total/NA	Solid	Total BTEX	
880-14808-9	AH4	Total/NA	Solid	Total BTEX	
880-14808-13	AH North	Total/NA	Solid	Total BTEX	
880-14808-14	AH South	Total/NA	Solid	Total BTEX	
880-14808-15	AH East	Total/NA	Solid	Total BTEX	
880-14808-16	AH West	Total/NA	Solid	Total BTEX	

## GC Semi VOA

## Prep Batch: 25675

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-14808-1	AH1	Total/NA	Solid	8015NM Prep	

Eurofins Midland

## QC Association Summary

Client: American Safety Services Inc.  
 Project/Site: Contango - Karlsbad Corral 11 SWD 1

Job ID: 880-14808-1  
 SDG: Eddy Co NM

## GC Semi VOA (Continued)

## Prep Batch: 25675 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-14808-4	AH2	Total/NA	Solid	8015NM Prep	
880-14808-6	AH3	Total/NA	Solid	8015NM Prep	
880-14808-9	AH4	Total/NA	Solid	8015NM Prep	
880-14808-13	AH North	Total/NA	Solid	8015NM Prep	
880-14808-14	AH South	Total/NA	Solid	8015NM Prep	
880-14808-15	AH East	Total/NA	Solid	8015NM Prep	
880-14808-16	AH West	Total/NA	Solid	8015NM Prep	
MB 880-25675/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-25675/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-25675/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
880-14808-1 MS	AH1	Total/NA	Solid	8015NM Prep	
880-14808-1 MSD	AH1	Total/NA	Solid	8015NM Prep	

## Analysis Batch: 25770

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-14808-1	AH1	Total/NA	Solid	8015B NM	25675
880-14808-4	AH2	Total/NA	Solid	8015B NM	25675
880-14808-6	AH3	Total/NA	Solid	8015B NM	25675
880-14808-9	AH4	Total/NA	Solid	8015B NM	25675
880-14808-13	AH North	Total/NA	Solid	8015B NM	25675
880-14808-14	AH South	Total/NA	Solid	8015B NM	25675
880-14808-15	AH East	Total/NA	Solid	8015B NM	25675
880-14808-16	AH West	Total/NA	Solid	8015B NM	25675
MB 880-25675/1-A	Method Blank	Total/NA	Solid	8015B NM	25675
LCS 880-25675/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	25675
LCSD 880-25675/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	25675
880-14808-1 MS	AH1	Total/NA	Solid	8015B NM	25675
880-14808-1 MSD	AH1	Total/NA	Solid	8015B NM	25675

## Analysis Batch: 25860

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-14808-1	AH1	Total/NA	Solid	8015 NM	
880-14808-4	AH2	Total/NA	Solid	8015 NM	
880-14808-6	AH3	Total/NA	Solid	8015 NM	
880-14808-9	AH4	Total/NA	Solid	8015 NM	
880-14808-13	AH North	Total/NA	Solid	8015 NM	
880-14808-14	AH South	Total/NA	Solid	8015 NM	
880-14808-15	AH East	Total/NA	Solid	8015 NM	
880-14808-16	AH West	Total/NA	Solid	8015 NM	

## HPLC/IC

## Leach Batch: 25615

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-14808-1	AH1	Soluble	Solid	DI Leach	
880-14808-2	AH1	Soluble	Solid	DI Leach	
880-14808-3	AH1	Soluble	Solid	DI Leach	
880-14808-4	AH2	Soluble	Solid	DI Leach	
880-14808-5	AH2	Soluble	Solid	DI Leach	
880-14808-6	AH3	Soluble	Solid	DI Leach	
880-14808-7	AH3	Soluble	Solid	DI Leach	

Eurofins Midland

## QC Association Summary

Client: American Safety Services Inc.  
 Project/Site: Contango - Karlsbad Corral 11 SWD 1

Job ID: 880-14808-1  
 SDG: Eddy Co NM

## HPLC/IC (Continued)

## Leach Batch: 25615 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-14808-8	AH3	Soluble	Solid	DI Leach	
880-14808-9	AH4	Soluble	Solid	DI Leach	
880-14808-10	AH4	Soluble	Solid	DI Leach	
880-14808-11	AH4	Soluble	Solid	DI Leach	
880-14808-12	AH4	Soluble	Solid	DI Leach	
880-14808-13	AH North	Soluble	Solid	DI Leach	
880-14808-14	AH South	Soluble	Solid	DI Leach	
880-14808-15	AH East	Soluble	Solid	DI Leach	
880-14808-16	AH West	Soluble	Solid	DI Leach	
MB 880-25615/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-25615/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-25615/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-14808-1 MS	AH1	Soluble	Solid	DI Leach	
880-14808-1 MSD	AH1	Soluble	Solid	DI Leach	
880-14808-11 MS	AH4	Soluble	Solid	DI Leach	
880-14808-11 MSD	AH4	Soluble	Solid	DI Leach	

## Analysis Batch: 25825

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-14808-1	AH1	Soluble	Solid	300.0	25615
880-14808-2	AH1	Soluble	Solid	300.0	25615
880-14808-3	AH1	Soluble	Solid	300.0	25615
880-14808-4	AH2	Soluble	Solid	300.0	25615
880-14808-5	AH2	Soluble	Solid	300.0	25615
880-14808-6	AH3	Soluble	Solid	300.0	25615
880-14808-7	AH3	Soluble	Solid	300.0	25615
880-14808-8	AH3	Soluble	Solid	300.0	25615
880-14808-9	AH4	Soluble	Solid	300.0	25615
880-14808-10	AH4	Soluble	Solid	300.0	25615
880-14808-11	AH4	Soluble	Solid	300.0	25615
880-14808-12	AH4	Soluble	Solid	300.0	25615
880-14808-13	AH North	Soluble	Solid	300.0	25615
880-14808-14	AH South	Soluble	Solid	300.0	25615
880-14808-15	AH East	Soluble	Solid	300.0	25615
880-14808-16	AH West	Soluble	Solid	300.0	25615
MB 880-25615/1-A	Method Blank	Soluble	Solid	300.0	25615
LCS 880-25615/2-A	Lab Control Sample	Soluble	Solid	300.0	25615
LCSD 880-25615/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	25615
880-14808-1 MS	AH1	Soluble	Solid	300.0	25615
880-14808-1 MSD	AH1	Soluble	Solid	300.0	25615
880-14808-11 MS	AH4	Soluble	Solid	300.0	25615
880-14808-11 MSD	AH4	Soluble	Solid	300.0	25615

### Lab Chronicle

Client: American Safety Services Inc.  
 Project/Site: Contango - Karlsbad Corral 11 SWD 1

Job ID: 880-14808-1  
 SDG: Eddy Co NM

**Client Sample ID: AH1**

**Lab Sample ID: 880-14808-1**

Date Collected: 05/12/22 11:30

Matrix: Solid

Date Received: 05/16/22 10:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.96 g	5 mL	25652	05/16/22 15:51	MR	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	25726	05/18/22 02:36	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			25807	05/18/22 09:20	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			25860	05/19/22 08:51	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	25675	05/17/22 09:13	DM	XEN MID
Total/NA	Analysis	8015B NM		1			25770	05/18/22 12:50	AJ	XEN MID
Soluble	Leach	DI Leach			4.96 g	50 mL	25615	05/16/22 10:55	CH	XEN MID
Soluble	Analysis	300.0		1			25825	05/19/22 01:37	CH	XEN MID

**Client Sample ID: AH1**

**Lab Sample ID: 880-14808-2**

Date Collected: 05/12/22 11:35

Matrix: Solid

Date Received: 05/16/22 10:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.02 g	50 mL	25615	05/16/22 10:55	CH	XEN MID
Soluble	Analysis	300.0		1			25825	05/19/22 02:05	CH	XEN MID

**Client Sample ID: AH1**

**Lab Sample ID: 880-14808-3**

Date Collected: 05/12/22 11:40

Matrix: Solid

Date Received: 05/16/22 10:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.01 g	50 mL	25615	05/16/22 10:55	CH	XEN MID
Soluble	Analysis	300.0		1			25825	05/19/22 02:14	CH	XEN MID

**Client Sample ID: AH2**

**Lab Sample ID: 880-14808-4**

Date Collected: 05/12/22 11:45

Matrix: Solid

Date Received: 05/16/22 10:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	25652	05/16/22 15:51	MR	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	25726	05/18/22 02:56	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			25807	05/18/22 09:20	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			25860	05/19/22 08:51	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	25675	05/17/22 09:13	DM	XEN MID
Total/NA	Analysis	8015B NM		1			25770	05/18/22 13:56	AJ	XEN MID
Soluble	Leach	DI Leach			5.05 g	50 mL	25615	05/16/22 10:55	CH	XEN MID
Soluble	Analysis	300.0		1			25825	05/19/22 02:23	CH	XEN MID

## Lab Chronicle

Client: American Safety Services Inc.  
Project/Site: Contango - Karlsbad Corral 11 SWD 1

Job ID: 880-14808-1  
SDG: Eddy Co NM

## Client Sample ID: AH2

Lab Sample ID: 880-14808-5

Date Collected: 05/12/22 11:50

Matrix: Solid

Date Received: 05/16/22 10:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.03 g	50 mL	25615	05/16/22 10:55	CH	XEN MID
Soluble	Analysis	300.0		1	0 mL	1.0 mL	25825	05/19/22 02:33	CH	XEN MID

## Client Sample ID: AH3

Lab Sample ID: 880-14808-6

Date Collected: 05/12/22 11:55

Matrix: Solid

Date Received: 05/16/22 10:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	25652	05/16/22 15:51	MR	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	25726	05/18/22 03:17	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			25807	05/18/22 09:20	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			25860	05/19/22 08:51	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	25675	05/17/22 09:13	DM	XEN MID
Total/NA	Analysis	8015B NM		1			25770	05/18/22 14:18	AJ	XEN MID
Soluble	Leach	DI Leach			5.04 g	50 mL	25615	05/16/22 10:55	CH	XEN MID
Soluble	Analysis	300.0		1			25825	05/19/22 03:00	CH	XEN MID

## Client Sample ID: AH3

Lab Sample ID: 880-14808-7

Date Collected: 05/12/22 12:00

Matrix: Solid

Date Received: 05/16/22 10:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.99 g	50 mL	25615	05/16/22 10:55	CH	XEN MID
Soluble	Analysis	300.0		5			25825	05/19/22 03:10	CH	XEN MID

## Client Sample ID: AH3

Lab Sample ID: 880-14808-8

Date Collected: 05/12/22 12:05

Matrix: Solid

Date Received: 05/16/22 10:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.02 g	50 mL	25615	05/16/22 10:55	CH	XEN MID
Soluble	Analysis	300.0		5	0 mL	1.0 mL	25825	05/19/22 03:19	CH	XEN MID

## Client Sample ID: AH4

Lab Sample ID: 880-14808-9

Date Collected: 05/12/22 12:10

Matrix: Solid

Date Received: 05/16/22 10:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	25652	05/16/22 15:51	MR	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	25726	05/18/22 03:38	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			25807	05/18/22 09:20	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			25860	05/19/22 08:51	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	25675	05/17/22 09:13	DM	XEN MID
Total/NA	Analysis	8015B NM		1			25770	05/18/22 14:40	AJ	XEN MID

Eurofins Midland

### Lab Chronicle

Client: American Safety Services Inc.  
 Project/Site: Contango - Karlsbad Corral 11 SWD 1

Job ID: 880-14808-1  
 SDG: Eddy Co NM

**Client Sample ID: AH4**

**Lab Sample ID: 880-14808-9**

Date Collected: 05/12/22 12:10

Matrix: Solid

Date Received: 05/16/22 10:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.04 g	50 mL	25615	05/16/22 10:55	CH	XEN MID
Soluble	Analysis	300.0		1			25825	05/19/22 17:12	CH	XEN MID

**Client Sample ID: AH4**

**Lab Sample ID: 880-14808-10**

Date Collected: 05/12/22 12:15

Matrix: Solid

Date Received: 05/16/22 10:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.05 g	50 mL	25615	05/16/22 10:55	CH	XEN MID
Soluble	Analysis	300.0		1	0 mL	1.0 mL	25825	05/19/22 03:37	CH	XEN MID

**Client Sample ID: AH4**

**Lab Sample ID: 880-14808-11**

Date Collected: 05/12/22 12:20

Matrix: Solid

Date Received: 05/16/22 10:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.01 g	50 mL	25615	05/16/22 10:55	CH	XEN MID
Soluble	Analysis	300.0		1			25825	05/19/22 17:21	CH	XEN MID

**Client Sample ID: AH4**

**Lab Sample ID: 880-14808-12**

Date Collected: 05/12/22 12:25

Matrix: Solid

Date Received: 05/16/22 10:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5 g	50 mL	25615	05/16/22 10:55	CH	XEN MID
Soluble	Analysis	300.0		1	0 mL	1.0 mL	25825	05/19/22 04:14	CH	XEN MID

**Client Sample ID: AH North**

**Lab Sample ID: 880-14808-13**

Date Collected: 05/12/22 12:30

Matrix: Solid

Date Received: 05/16/22 10:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	25652	05/16/22 15:51	MR	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	25726	05/18/22 03:59	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			25807	05/18/22 09:20	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			25860	05/19/22 08:51	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	25675	05/17/22 09:13	DM	XEN MID
Total/NA	Analysis	8015B NM		1			25770	05/18/22 15:02	AJ	XEN MID
Soluble	Leach	DI Leach			5.01 g	50 mL	25615	05/16/22 10:55	CH	XEN MID
Soluble	Analysis	300.0		1			25825	05/19/22 04:23	CH	XEN MID

## Lab Chronicle

Client: American Safety Services Inc.  
Project/Site: Contango - Karlsbad Corral 11 SWD 1

Job ID: 880-14808-1  
SDG: Eddy Co NM

## Client Sample ID: AH South

Lab Sample ID: 880-14808-14

Date Collected: 05/12/22 12:35

Matrix: Solid

Date Received: 05/16/22 10:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	25652	05/16/22 15:51	MR	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	25726	05/18/22 04:19	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			25807	05/18/22 09:20	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			25860	05/19/22 08:51	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	25675	05/17/22 09:13	DM	XEN MID
Total/NA	Analysis	8015B NM		1			25770	05/18/22 15:23	AJ	XEN MID
Soluble	Leach	DI Leach			5.05 g	50 mL	25615	05/16/22 10:55	CH	XEN MID
Soluble	Analysis	300.0		1			25825	05/19/22 04:51	CH	XEN MID

## Client Sample ID: AH East

Lab Sample ID: 880-14808-15

Date Collected: 05/12/22 12:40

Matrix: Solid

Date Received: 05/16/22 10:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	25652	05/16/22 15:51	MR	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	25726	05/18/22 04:40	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			25807	05/18/22 09:20	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			25860	05/19/22 08:51	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	25675	05/17/22 09:13	DM	XEN MID
Total/NA	Analysis	8015B NM		1			25770	05/18/22 15:45	AJ	XEN MID
Soluble	Leach	DI Leach			5 g	50 mL	25615	05/16/22 10:55	CH	XEN MID
Soluble	Analysis	300.0		1			25825	05/19/22 05:00	CH	XEN MID

## Client Sample ID: AH West

Lab Sample ID: 880-14808-16

Date Collected: 05/12/22 12:45

Matrix: Solid

Date Received: 05/16/22 10:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	25652	05/16/22 15:51	MR	XEN MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	25726	05/18/22 05:01	MR	XEN MID
Total/NA	Analysis	Total BTEX		1			25807	05/18/22 09:20	AJ	XEN MID
Total/NA	Analysis	8015 NM		1			25860	05/19/22 08:51	AJ	XEN MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	25675	05/17/22 09:13	DM	XEN MID
Total/NA	Analysis	8015B NM		1			25770	05/18/22 16:07	AJ	XEN MID
Soluble	Leach	DI Leach			4.96 g	50 mL	25615	05/16/22 10:55	CH	XEN MID
Soluble	Analysis	300.0		1			25825	05/19/22 05:09	CH	XEN MID

## Laboratory References:

XEN MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Eurofins Midland

### Accreditation/Certification Summary

Client: American Safety Services Inc.  
Project/Site: Contango - Karlsbad Corral 11 SWD 1

Job ID: 880-14808-1  
SDG: Eddy Co NM

#### Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400-21-22	06-30-22

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH
Total BTEX		Solid	Total BTEX

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

### Method Summary

Client: American Safety Services Inc.  
 Project/Site: Contango - Karlsbad Corral 11 SWD 1

Job ID: 880-14808-1  
 SDG: Eddy Co NM

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	XEN MID
Total BTEX	Total BTEX Calculation	TAL SOP	XEN MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	XEN MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	XEN MID
300.0	Anions, Ion Chromatography	MCAWW	XEN MID
5035	Closed System Purge and Trap	SW846	XEN MID
8015NM Prep	Microextraction	SW846	XEN MID
DI Leach	Deionized Water Leaching Procedure	ASTM	XEN MID

**Protocol References:**

- ASTM = ASTM International
- MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.
- SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.
- TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

**Laboratory References:**

- XEN MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440



### Sample Summary

Client: American Safety Services Inc.  
Project/Site: Contango - Karlsbad Corral 11 SWD 1

Job ID: 880-14808-1  
SDG: Eddy Co NM

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Depth
880-14808-1	AH1	Solid	05/12/22 11:30	05/16/22 10:10	0-0.5
880-14808-2	AH1	Solid	05/12/22 11:35	05/16/22 10:10	0.5-1
880-14808-3	AH1	Solid	05/12/22 11:40	05/16/22 10:10	1-1.5
880-14808-4	AH2	Solid	05/12/22 11:45	05/16/22 10:10	0-0.5
880-14808-5	AH2	Solid	05/12/22 11:50	05/16/22 10:10	0.5-1
880-14808-6	AH3	Solid	05/12/22 11:55	05/16/22 10:10	0-0.5
880-14808-7	AH3	Solid	05/12/22 12:00	05/16/22 10:10	0.5-1
880-14808-8	AH3	Solid	05/12/22 12:05	05/16/22 10:10	1-1.5
880-14808-9	AH4	Solid	05/12/22 12:10	05/16/22 10:10	0-0.5
880-14808-10	AH4	Solid	05/12/22 12:15	05/16/22 10:10	0.5-1
880-14808-11	AH4	Solid	05/12/22 12:20	05/16/22 10:10	1-1.5
880-14808-12	AH4	Solid	05/12/22 12:25	05/16/22 10:10	1.5-2
880-14808-13	AH North	Solid	05/12/22 12:30	05/16/22 10:10	0-0.5
880-14808-14	AH South	Solid	05/12/22 12:35	05/16/22 10:10	0-0.5
880-14808-15	AH East	Solid	05/12/22 12:40	05/16/22 10:10	0-0.5
880-14808-16	AH West	Solid	05/12/22 12:45	05/16/22 10:10	0-0.5

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Setting the Standard since 1990  
 Stafford, Texas (281-240-4200)  
 Dallas Texas (214-902-0300)

San Antonio, Texas (210-509-3334)  
 Midland, Texas (432-704-5251)

Phoenix, Arizona (480-355-0900)

# CHAIN OF CUSTODY

Page 1 of 2

www.xenco.com

Xenco Quote #

Xenco Job #

14808

5/20/2022

<b>Client / Reporting Information</b> Company Name / Branch: American Safety Services Inc. Company Address: 8715 Andrews Hwy Odessa, Tx 79765 Email: tfranklin@americansafety.net Phone No: 432-557-9868 Project Contact: Thomas Franklin Samplers Name: Miguel		<b>Project Information</b> Project Name/Number: Contango Project Location: Kothford Canal, IL Subd 1 Invoice To: Eddy Co NM PO Number: J.Curtis@contango.com		<b>Analytical Information</b> Matrix Codes: W = Water, S = Soil/Sed/Solid, GW = Ground Water, DW = Drinking Water, P = Product, SW = Surface water, SL = Sludge, OW = Ocean/Sea Water, O = Oil, WW = Waste Water, A = Air													
No	Field ID / Point of Collection	Sample Depth	Collection Date	Time	Matrix	# of bottles	HCl	NaOH/Zn Acetate	HNO3	H2SO4	NaOH	NaHSO4	MEOH	NONE	Chloride E 300	TPH	BTEX
1	AH1	0-0.5	5/12/2022	11:30	S	1									X	8015 M	X
2	AH1	0.5-1	5/12/2022	11:35	S	1									X		X
3	AH1	1-1.5	5/12/2022	11:40	S	1									X		X
4	AH2	0-0.5	5/12/2022	11:45	S	1									X		X
5	AH2	0.5-1	5/12/2022	11:50	S	1									X		X
6	AH3	0-0.5	5/12/2022	11:55	S	1									X		X
7	AH3	0.5-1	5/12/2022	12:00	S	1									X		X
8	AH3	1-1.5	5/12/2022	12:05	S	1									X		X
9	AH4	0-0.5	5/12/2022	12:10	S	1									X		X
10	AH4	0.5-1	5/12/2022	12:15	S	1									X		X



Turnaround Time (Business days) \_\_\_\_\_

Same Day TAT  5 Day TAT  Next Day EMERGENCY  7 Day TAT  2 Day EMERGENCY  Contract TAT  3 Day EMERGENCY  TRRP Checklist

TAT Starts Day received by Lab, if received by 5:00 pm

Reinquinshed by Sampler: Taylor Trout Date Time: 5/12/2022 10:10

Reinquinshed by: \_\_\_\_\_ Date Time: \_\_\_\_\_

On Ice  Cooler Temp: 37/35 Therm: Corr Factor \_\_\_\_\_

Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco. Its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the Client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75 will be applied to each project. Xenco's liability will be limited to the cost of samples. Any samples received by Xenco but not analyzed will be invoiced at \$5 per sample. These terms will be enforced unless previously negotiated under a fully executed client contract.



### Login Sample Receipt Checklist

Client: American Safety Services Inc.

Job Number: 880-14808-1

SDG Number: Eddy Co NM

**Login Number: 14808**

**List Number: 1**

**Creator: Rodriguez, Leticia**

**List Source: Eurofins Midland**

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



## APPENDIX E

### Groundwater



## New Mexico Office of the State Engineer Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced,  
O=orphaned,  
C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)  
(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	POD Sub-Code	basin	County	Q 1	Q 2	Q 3	Q 4	Sec	Tws	Rng	X	Y	Distance	Depth Well	Depth Water	Water Column
C 02459	C	ED	4	4	1	02	25S	29E	598422	3558063*	1858	150				

Average Depth to Water: --  
Minimum Depth: --  
Maximum Depth: --

Record Count: 1

UTMNAD83 Radius Search (in meters):

Easting (X): 598522.37

Northing (Y): 3556807.52

Radius: 2000

\*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

10/6/17 2:10 PM

Page 1 of 1

WATER COLUMN/ AVERAGE  
DEPTH TO WATER

## USGS Well Sites

10/6/2017

USGS No sites found



USGS Home  
Contact USGS  
Search USGS

National Water Information System: Web Interface

USGS Water Resources

Data Category:  Geographic Area:

Click to hide News Bulletins

- [Please see news on new formats](#)
- [Full News](#) 

Search Results -- No sites found

No sites were found for groundwater level data using your search criteria.

The sites you requested may be available offline. For more information, contact [USGS Water Data Inquiries](#).

lat\_long\_bounding\_box =

Position	Latitude	Longitude
Corner 1	32.157665	-103.972075
Corner 2	32.128977	-103.938064

Coordinates are entered as Decimal Degrees. DMS values are converted to Decimal degrees using NAD83 as the datum. Make your bounding box bigger if you are using NAD27 Datum for your DMS values

Minimum number of 1 levels =

Use the "Back" button on your browser to change your search criteria.

https://nwis.waterdata.usgs.gov/nwis/gwlevels?nw\_longitude\_va=-103.972075&nw\_latitude\_va=32.157665&se\_longitude\_va=-103.938064&se\_latitude... 1/1



## APPENDIX F

C-141

Incident ID	
District RP	
Facility ID	
Application ID	

## Site Assessment/Characterization

*This information must be provided to the appropriate district office no later than 90 days after the release discovery date.*

What is the shallowest depth to groundwater beneath the area affected by the release?	_____ 100 _____ (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Did the release impact areas <b>not</b> on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

**Characterization Report Checklist:** *Each of the following items must be included in the report.*

- Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- Field data
- Data table of soil contaminant concentration data
- Depth to water determination
- Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- Boring or excavation logs
- Photographs including date and GIS information
- Topographic/Aerial maps
- Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

State of New Mexico  
Oil Conservation Division

Incident ID	
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Chet Stuart

Title: Manager-EHS, Ops Support & Production

Signature: *Chet Stuart*

Date: 6/7/2022

email: [CStuart@Contango.com](mailto:CStuart@Contango.com)

Telephone: 713-236-7530

**OCD Only**

Received by: \_\_\_\_\_

Date: \_\_\_\_\_

Incident ID	
District RP	
Facility ID	
Application ID	

## Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

**Closure Report Attachment Checklist:** *Each of the following items must be included in the closure report.*

- A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Chet Stuart

Title: Manager-EHS, Ops Support & Production

Signature: *Chet Stuart*

Date: 6/7/2022

email: [CStuart@contango.com](mailto:CStuart@contango.com)

Telephone: 713-236-7530

**OCD Only**

Received by: OCD

Date: 6/7/2022

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: *Ashley Maxwell* Date: 9/21/2022

Printed Name: Ashley Maxwell

Title: Environmental Specialist

ARTESIA DISTRICT

OCT 10 2017

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

RECEIVED

Form C-141  
Revised April 3, 2017

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

NA 1728433177 OPERATOR  Initial Report  Final Report

Name of Company: Vanguard Permian <u>258350</u>	Contact: Chuck Johnston
Address: 4001 Penbrook, Suite 201, Odessa Texas 79+762	Telephone No.: 432-202-4771
Facility Name: Karlsbad Corral 11 SWD 1	Facility Type: SWD

Surface Owner State	Mineral Owner	API No. 3001535341
---------------------	---------------	--------------------

LOCATION OF RELEASE



Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
J	11	25S	29E					Eddy

Latitude N 32.143476 Longitude W -103.955108 NAD83

NATURE OF RELEASE

Type of Release Produced Water	Volume of Release: Unknown	Volume Recovered: Unknown
Source of Release: SWD well head	Date and Hour of Occurrence: Historic	Date and Hour of Discovery: Historic
Was Immediate Notice Given? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom?	
By Whom?	Date and Hour	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse. Not Applicable	
If a Watercourse was Impacted, Describe Fully.* Historic release of Produced water from SWD well.		
Describe Cause of Problem and Remedial Action Taken.* Discovered historic release area from SWD well. Samples have been collected and sent to lab for testing.		
Describe Area Affected and Cleanup Action Taken.* Samples have been taken, leak remained on well pad.		

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 	<b>OIL CONSERVATION DIVISION</b>	
Printed Name: Chuck Johnston	Approved by Environmental Specialist: 	
Title: EHS Specialist	Approval Date: <u>10/12/17</u>	Expiration Date: <u>N/A</u>
E-mail Address: cjohnston@vnrenergy.com	Conditions of Approval: <u>See attached</u>	Attached <input type="checkbox"/> <u>APP-4436</u>
Date: 10-10-2017 Phone: 1-432-202-4771		

\* Attach Additional Sheets If Necessary

Operator/Responsible Party,

The OCD has received the form C-141 you provided on 10/10/2017 regarding an unauthorized release. The information contained on that form has been entered into our incident database and remediation case number 2004436 has been assigned. **Please refer to this case number in all future correspondence.**

It is the Division's obligation under both the Oil & Gas Act and Water Quality Act to provide for the protection of public health and the environment. Our regulations (19.15.29.11 NMAC) state the following,

*The responsible person shall complete division-approved corrective action for releases that endanger public health or the environment. The responsible person shall address releases in accordance with a remediation plan submitted to and approved by the division or with an abatement plan submitted in accordance with 19.15.30 NMAC. [emphasis added]*

Release characterization is the first phase of corrective action unless the release is ongoing or is of limited volume and all impacts can be immediately addressed. Proper and cost-effective remediation typically cannot occur without adequate characterization of the impacts of any release. Furthermore, the Division has the ability to impose reasonable conditions upon the efforts it oversees. **As such, the Division is requiring a workplan for the characterization of impacts associated with this release be submitted to the OCD District 2 office in ARTESIA on or before 11/10/2017 If and when the release characterization workplan is approved, there will be an associated deadline for submittal of the resultant investigation report. Modest extensions of time to these deadlines may be granted, but only with acceptable justification.**

The goals of a characterization effort are: 1) determination of the lateral and vertical extents along with the magnitude of soil contamination. 2) determine if groundwater or surface waters have been impacted. 3) If groundwater or surface waters have been impacted, what are the extents and magnitude of that impact. 4) The characterization of any other adverse impacts that may have occurred (examples: impacts on vegetation, impacts on wildlife, air quality, loss of use of property, etc.). To meet these goals as quickly as possible, the following items must, at a minimum, be addressed in the release characterization workplan and subsequent reporting:

- Horizontal delineation of soil impacts in each of the four cardinal compass directions. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C<sub>6</sub> thru C<sub>36</sub>), and for chloride by Method 300. This is not an exclusive list of potential contaminants. Analyzed parameters should be modified based on the nature of the released substance(s). Soil sampling must be both within the impacted area and beyond.
- Vertical delineation of soil impacts. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C<sub>6</sub> thru C<sub>36</sub>), and for chloride by Method 300. As above, this is not an exclusive list of potential contaminants and can be modified. Vertical characterization samples should be taken at depth intervals no greater than five feet apart. Lithologic description of encountered soils must also be provided. At least ten vertical feet of soils with contaminant concentrations at or below these values must be demonstrated as existing above the water table.
- Nominal detection limits for field and laboratory analyses must be provided.
- Composite sampling is not generally allowed.
- Field screening and assessment techniques are acceptable (headspace, titration, EC [include algorithm for validation purposes], EM, etc.), but the sampling and assay procedures must be clearly defined. Copies of field notes are highly desirable. A statistically significant set of split samples must be submitted for confirmatory laboratory analysis, including the laterally farthest and vertically deepest sets of soil samples. Make sure there are at least two soil samples submitted

for laboratory analysis from each borehole or test pit (highest observed contamination and deepest depth investigated). Copies of the actual laboratory results must be provided including chain of custody documentation.

- Probable depth to shallowest protectable groundwater and lateral distance to nearest surface water. If there is an estimate of groundwater depth, the information used to arrive at that estimate must be provided. If there is a reasonable assumption that the depth to protectable water is 50 feet or less, the responsible party should anticipate the need for at least one groundwater monitoring well to be installed in the area of likely maximum contamination.

- If groundwater contamination is encountered, an additional investigation workplan may be required to determine the extents of that contamination. Groundwater and/or surface water samples, if any, must be analyzed by a competent laboratory for volatile organic hydrocarbons (typically Method 8260 full list), total dissolved solids, pH, major anions and cations including chloride and sulfate, dissolved iron, and dissolved manganese. The investigation workplan must provide the groundwater sampling method(s) and sample handling protocols. To the fullest extent possible, aqueous analyses must be undertaken using nominal method detection limits. As with the soil analyses, copies of the actual laboratory results must be provided including chain of custody documentation.

- Accurately scaled and well-drafted site maps must be provided providing the location of borings, test pits, monitoring wells, potentially impacted areas, and significant surface features including roads and site infrastructure that might limit either the release characterization or remedial efforts. Field sketches may be included in subsequent reporting, but should not be considered stand-alone documentation of the site's layout. Digital photographic documentation of the location and fieldwork is recommended, especially if unusual circumstances are encountered.

**Nothing herein should be interpreted to preclude emergency response actions or to imply immediate remediation by removal cannot proceed as warranted. Nonetheless, characterization of impacts and confirmation of the effectiveness of remedial efforts must still be provided to the OCD before any release incident will be closed.**

**Jim Griswold**

OCD Environmental Bureau Chief

1220 South St. Francis Drive

Santa Fe, New Mexico 87505

505-476-3465

jim.griswold@state.nm.us

**Bratcher, Mike, EMNRD**

---

**From:** Chuck Johnston <cjohnston@vnrenergy.com>  
**Sent:** Tuesday, October 10, 2017 7:44 AM  
**To:** Bratcher, Mike, EMNRD; Weaver, Crystal, EMNRD  
**Subject:** C-141 Karlsbad Corral #1 and #2 SWD's  
**Attachments:** Scanned from a Xerox Multifunction Device.pdf

Mike and Crystal, I believe these two sites are in your district. Please correct me if I am wrong. The two sites were discovered by Amber Groves a few months ago and we are in the process of completing the work plans for both sites.

Chuck Johnston  
EHS / Operations Specialist  
432-202-4771 Cell  
432-248-8154 Office

-----Original Message-----

From: odessavn@vnrlc.com [mailto:odessavn@vnrlc.com]  
Sent: Tuesday, October 10, 2017 8:16 AM  
To: Chuck Johnston  
Subject: Scanned from a Xerox Multifunction Device

EXTERNAL - This is an EXTERNAL email. Exercise caution. DO NOT open attachments or click links from unknown senders or unexpected email.

---

Please open the attached document. It was scanned and sent to you using a Xerox Multifunction Device.

Attachment File Type: pdf, Multi-Page

Multifunction Device Location:  
Device Name: XRX9C934E663307

For more information on Xerox products and solutions, please visit <http://www.xerox.com>

**Bratcher, Mike, EMNRD**

---

**From:** brandon boone <bboone.epi@gmail.com>  
**Sent:** Friday, October 13, 2017 8:29 AM  
**To:** Chuck Johnston; agroves@slo.state.nm.us; Weaver, Crystal, EMNRD; Bratcher, Mike, EMNRD  
**Subject:** Karlsbad Corral 11 SWD 1  
**Attachments:** Karlsbad Corral 11 SWD 1 Work plan.pdf

All,

Attached is the work plan for the Karlsbad Corral 11 SWD 1 for approval. Please contact Chuck Johnston if any changes need to be made.

--

# ***ENVIRONMENTAL PLUS, INC.***

2100 Ave 'O'  
P.O. Box 1558  
Eunice, NM 88231  
Bboone.epi@gmail.com  
Office: (575) 394-3481  
Fax: (575) 394-2601



## **Site Characterization and Work Plan**

**Vanguard  
Karlsbad Corral 11 SWD 1  
Eddy County, New Mexico  
Unit Letter "J", Section 11, Township 25 South, Range 29 East  
Latitude 32.143476 North, Longitude 103.955108 West**

Prepared For:

Vanguard Operating, LLC  
4001 Penbrook, Suite 201  
Odessa, Texas 79762

Prepared By:

Environmental Plus, Inc.  
2100 Ave 'O'  
Eunice, NM 88231

**October 2017**

Brandon Boone  
Project Manager



The following *Site Characterization and Work Plan* serves as a condensed update on field activities undertaken and proposed actions for the afore referenced Site.

**Background:**

The site is located in Unit Letter J, Section 11, Township 25 South, Range 29 East, approximately nine miles south-east of Malaga, in Eddy County, New Mexico. Vanguard Permian owns the property.

The release site is located on the caliche pad on an active disposal well; latitude 32.143476° North, longitude -103.955108° West. Area Map, Site Location Map, and Sample/Site Map are included as Figure 1, Figure 2, respectively. The Initial NMOCD Form C-141 is included as Attachment IV.

**NMOCD Site Classification:**

A search for water wells was completed utilizing the New Mexico Office of the State Engineer's (NMOSE) website. There is one well located in the area surrounding the release site (reference *Table 1*). Also, no wells (domestic, agriculture or public) and no bodies of surface water exist within a 1,000-foot radius of the release site (reference *Figure 2*). The USGS database located no wells within the surrounding area. The NMOSE database indicates average water depth is approximately 150 feet below ground surface (bgs) within an 1,868-meter radius (reference *Attachment II*). However, as this is too great a distance to accurately determine depth to water for this location as the closest documented well is 1,800 meters away, the Eddy county groundwater flowline map was utilized to determine an approximate depth to water of over one hundred feet bgs.

Utilizing this information, the NMOCD guidelines indicate the Karlsbad Corral 11 SWD 1 release site to have a ranking score of zero. Based on this score, the NMOCD Recommended Remedial Action Levels (RRALs) for delineation at this Site were determined as follows: Benzene – 10 mg/Kg, BTEX – 50 mg/Kg, TPH – 5,000 mg/Kg, and Chloride – 600 mg/Kg.

The visually stained area totals an area of approximately 3,800 square feet. The area is caliche approximately two feet thick on the pad.

**Delineation Progress:**

On August 23, 2017 EPI personnel mobilized on site to collect soil samples to determine the vertical extent of contamination. A total of twenty-three soil samples were collected from six sample locations; SP1 – SP6. Two soil samples from each sample location were sent to Cardinal Labs in Hobbs, New Mexico, for testing. Laboratory analytical results indicate Chlorides above NMOCD RRALs (reference *Figure 3* and *Table 2*).

Portions of select soil samples were field tested for organic vapors and chloride concentrations. Soil samples collected for field testing of organic vapors were placed in self-sealing polyethylene



bags and allowed to equilibrate to ~70° F. Field testing of organic vapors utilized a Mini-Rae™ Photoionization Detector (PID) equipped with a 10.6 electron-volt (eV) calibrated for benzene response. Chloride concentrations were determined via use of a LaMotte Chloride Kit (Titration Method).

Soil samples designated for laboratory analyses were collected into laboratory provided glass containers, labeled and inserted into self-sealing polyethylene bags, placed in a cooler, chilled and transported to an independent laboratory for quantification of contaminant concentrations under Chain-of-Custody protocol.

**Proposed Actions:**

Based on field testing and laboratory analytical data, EPI proposes to excavate the release area to approximately three feet bgs, with all contaminated soil hauled to a state approved disposal facility. At the conclusion of excavation activities, a twenty-mil poly-ethylene liner will be installed. Bottom and sidewall confirmation samples will also be collected and analyzed. If laboratory analytical results are below NMOCD RRALs the excavation will be backfilled with select caliche to finish grade. If analytical results are above RRALs the process will be repeated until acceptable levels are achieved.

Backfill soil will be free of deleterious material or rocks or large clumps. Backfilling will continue until the excavation is closed.

**Revegetation Plan:**

As the area in question is a tank battery on an active lease pad, no seeding will be required.

**Noxious Weed Management Plan:**

In an effort to prevent the spread of noxious weeds such as African Rue, Siberian Elm, Jointed Goatgrass, Russian Olive, Camelthorn, Saltcedar, Starthistle varieties, Hoary Cress and Russian Knapweed, the area will be confirmed to be clear of any noxious weeds. If any are located they will be removed by hand and the area treated with an appropriate herbicide. After a period of three months the area will be examined for noxious weed growth and re-treated if any growth has occurred.

Following completion of NMOCD and NMSLO approved Proposed Actions, EPI will provide a detailed *Final Closure Report* to Vanguard, NMOCD, and NMSLO personnel. Vanguard and EPI personnel would welcome an opportunity to briefly discuss the *Work Plan* at your earliest convenience.

Should you have any questions or concerns please feel free to contact me at (575) 390-7865 or via e-mail [bboone.emp@gmail.com](mailto:bboone.emp@gmail.com) or Mr. Chuck Johnston at (432) 202-4771 or via e-mail at [cjohnston@vnrlc.com](mailto:cjohnston@vnrlc.com). All official communication should be addressed to:



---

Mr. Chuck Johnston  
Vanguard  
4001 Penbrook, Suite 2001  
Odessa, Texas 79762

Sincerely,


ENVIRONMENTAL PLUS, INC.

Brandon Boone  
Environmental Consultant

cc: Mike Bratcher, Environmental Specialist – NMOCD District 2, Hobbs, NM  
Amber Groves, Remediation Specialist – NMSLO, Hobbs, NM  
Chuck Johnston, EHS – Vanguard  
File

Encl.: Figure 1 – Area Map  
Figure 2 – Sample/Site Map  
Table 1 – Well Data  
Table 2 – Summary of Soil Sample Field Testing and Laboratory Analytical  
Results Attachment I – Photographs  
Attachment II – NMOSE Average Depth to Groundwater, USGS Well Sites  
Attachment III – Laboratory Analytical Results  
Attachment IV – Copy of Initial NMOCD Form C-141

## **FIGURES**



# Karlsbad Corral 11 SWD 1

Vanguard Permian  
Eddy County, New Mexico  
UL J, Sec 11, 25S-29E  
N 32.14348 W -103.95515  
Elevation 3,100 ft. AMSL

## Legend

-  Release Area
-  SP 1
-  SP 2
-  SP 3
-  SP 4
-  SP 5
-  SP 6



## **TABLES**

**TABLE 1**

**Well Data**

**Vanguard - Karlsbad Corral 11 SWD 1**

Ref #	Well Number	Use	Diversion <sup>A</sup>	Owner				Sec	Twsp	Rng	Easting	Northing	Distance <sup>B</sup>	Date Measured	Surface Elevation <sup>C</sup>	Depth to Water (ft bgs)
1	C02459	PRO	0	Santa Fe Energy Resources inc.	4	4	1	2	25S	29E	598422	3558663	1,387	09-Sep-16	3,105	150

\* = Data obtained from the USGS and New Mexico Office of the State Engineer websites

<sup>A</sup> = In acre feet per annum      <sup>B</sup> = In meters      <sup>C</sup> = Elevation interpolated from Google Earth based on referenced location.

STK = 72-12-1 Livestock watering

quarters are 1=NW, 2=NE, 3=SW, 4=SE; quarters are smallest to biggest

-- = Data not provided on the NM iwaters website

**Shaded area indicates wells not shown in Figure 2**

MON = Monitoring Well

PRO = 72-12-1 Prospecting or development of Natural Resource

IND = Industrial

PDM = Non 72-12-1 Domestic

OIL = Oil Production

**TABLE 2**  
**Summary of Soil Sample Field Testing and Laboratory Analytical Results**  
**Vanguard**  
**Karlsbad Corral 11 SWD 1**

Lab Sample ID	Depth (feet)	Soil Status	Sample Date	PID Reading (ppm)	Field Chloride (mg/Kg)	Benzene (mg/Kg)	Toluene (mg/Kg)	Ethylbenzene (mg/Kg)	Total Xylenes (mg/Kg)	Total BTEX (mg/Kg)	GRO C6-C10 (mg/Kg)	DRO C10-C28 (mg/Kg)	Total TPH (mg/Kg)	Chloride (mg/Kg)
SP1	Surface	In-Situ	23-Aug-17	0.0	>4,000	--	--	--	--	--	--	--	--	11,800
	2	In-Situ	23-Aug-17	0.0	400	--	--	--	--	--	--	--	--	--
	4	In-Situ	23-Aug-17	0.0	1,040	--	--	--	--	--	--	--	--	--
	6	In-Situ	23-Aug-17	0.0	2,080	--	--	--	--	--	--	--	--	--
	10	In-Situ	23-Aug-17	0.0	640	--	--	--	--	--	--	--	--	--
	14	In-Situ	23-Aug-17	0.0	480	--	--	--	--	--	--	--	--	--
	18	In-Situ	23-Aug-17	0.0	160	--	--	--	--	--	--	--	--	--
	22	In-Situ	23-Aug-17	0.0	160	--	--	--	--	--	--	--	--	80
SP2	Surface	In-Situ	23-Aug-17	1.8	>4,000	--	--	--	--	--	--	--	--	12,300
	2	In-Situ	23-Aug-17	1.7	640	--	--	--	--	--	--	--	--	--
	4	In-Situ	23-Aug-17	1.7	800	--	--	--	--	--	--	--	--	--
	6	In-Situ	23-Aug-17	1.6	240	--	--	--	--	--	--	--	--	--
	10	In-Situ	23-Aug-17	1.4	240	--	--	--	--	--	--	--	--	--
	14	In-Situ	23-Aug-17	1.5	200	--	--	--	--	--	--	--	--	--
	17	In-Situ	23-Aug-17	1.4	160	--	--	--	--	--	--	--	--	128
SP3	Surface	In-Situ	11-Aug-17	1.8	80	--	--	--	--	--	--	--	--	32

**TABLE 2**  
**Summary of Soil Sample Field Testing and Laboratory Analytical Results**  
**Vanguard**  
**Karlsbad Corral 11 SWD 1**

Lab Sample ID	Depth (feet)	Soil Status	Sample Date	PID Reading (ppm)	Field Chloride (mg/Kg)	Benzene (mg/Kg)	Toluene (mg/Kg)	Ethylbenzene (mg/Kg)	Total Xylenes (mg/Kg)	Total BTEX (mg/Kg)	GRO C6-C10 (mg/Kg)	DRO C10-C28 (mg/Kg)	Total TPH (mg/Kg)	Chloride (mg/Kg)
SP3	3	In-Situ	11-Aug-17	1.8	80	--	--	--	--	--	--	--	--	128
	Surface	In-Situ	14-Aug-17	1.6	80	--	--	--	--	--	--	--	--	16
SP4	3	In-Situ	14-Aug-17	1.7	80	--	--	--	--	--	--	--	--	144
	Surface	In-Situ	15-Aug-17	0.0	80	--	--	--	--	--	--	--	--	<16.0
SP5	3	In-Situ	15-Aug-17	0.0	80	--	--	--	--	--	--	--	--	144
	Surface	In-Situ	16-Aug-17	1.9	80	--	--	--	--	--	--	--	--	16
SP6	3	In-Situ	16-Aug-17	1.9	80	--	--	--	--	--	--	--	--	128
	NMOCD Recommended Remedial Action Levels				100		10				50			5,000

-- = Not Analyzed

**Bold** values are in excess of NMOCD Recommended Remedial Action Levels

*Shaded values indicates soil has been excavated*

## **ATTACHMENTS**

**ATTACHMENT I**  
**Photographs**



Photograph #1- Lease sign



Photograph #2- Release area and sample location



Photograph #3- Release area and sample location



Photograph #4- Release area and sample location



Photograph #5- Release area and sample location



Photograph #6- Release area and sample location

**ATTACHMENT II**  
**NMOSE Average Depth to Groundwater**



## New Mexico Office of the State Engineer Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced,  
O=orphaned,  
C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)  
(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	POD Sub-Code	basin	County	Q 6	Q 4	Q 4	Sec	Tws	Rng	X	Y	Distance	Depth Well	Depth Water	Water Column
<a href="#">C 02459</a>	C	ED	4	4	1	02	25S	29E	598422	3558063*	1858	150			

Average Depth to Water: --  
Minimum Depth: --  
Maximum Depth: --

Record Count: 1

UTMNAD83 Radius Search (in meters):

**Easting (X):** 598522.37

**Northing (Y):** 355807.52

**Radius:** 2000

\*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

10/6/17 2:10 PM

Page 1 of 1

WATER COLUMN/ AVERAGE  
DEPTH TO WATER

## USGS Well Sites

10/6/2017

USGS No sites found



USGS Home  
Contact USGS  
Search USGS

National Water Information System: Web Interface

USGS Water Resources

Data Category:  Geographic Area:

Click to hide News Bulletins

- [Please see news on new formats](#)
- [Full News](#)

Search Results -- No sites found

No sites were found for groundwater level data using your search criteria.

The sites you requested may be available offline. For more information, contact [USGS Water Data Inquiries](#).

lat\_long\_bounding\_box =

Position	Latitude	Longitude
Corner 1	32.157665	-103.972075
Corner 2	32.128977	-103.938064

Coordinates are entered as Decimal Degrees. DMS values are converted to Decimal degrees using NAD83 as the datum. Make your bounding box bigger if you are using NAD27 Datum for your DMS values

Minimum number of 1 levels =

Use the "Back" button on your browser to change your search criteria.

https://nwis.waterdata.usgs.gov/nwis/gwlevels?nw\_longitude\_va=-103.972075&nw\_latitude\_va=32.157665&se\_longitude\_va=-103.938064&se\_latitude... 1/1

**ATTACHMENT III**  
**Laboratory Analytical Results**



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

Environmental Plus, Inc.  
 Daniel Dominguez  
 P.O. Box 1558  
 Eunice NM, 88231  
 Fax To: (505) 394-2601

Received:	08/24/2017	Sampling Date:	08/23/2017
Reported:	08/31/2017	Sampling Type:	Soil
Project Name:	KARLSBAD CORRAL	Sampling Condition:	Cool & Intact
Project Number:	11 SWD #1	Sample Received By:	Tamara Oldaker
Project Location:	VANGUARD - UL -J SEC. 11, T25S, R29E		

**Sample ID: SP1 ( SURFACE ) (H702250-01)**

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/28/2017	ND	1.87	93.7	2.00	0.863	
Toluene*	<0.050	0.050	08/28/2017	ND	1.80	89.8	2.00	0.927	
Ethylbenzene*	<0.050	0.050	08/28/2017	ND	1.88	93.9	2.00	0.0366	
Total Xylenes*	<0.150	0.150	08/28/2017	ND	5.81	96.8	6.00	0.297	
Total BTEX	<0.300	0.300	08/28/2017	ND					

Surrogate: 4-Bromofluorobenzene (PID) 112 % 72-148

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	11800	16.0	08/28/2017	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	08/25/2017	ND	201	100	200	0.00199	
DRO >C10-C28	<10.0	10.0	08/25/2017	ND	199	99.3	200	0.836	
EXT DRO >C28-C36	<10.0	10.0	08/25/2017	ND					

Surrogate: 1-Chlorooctane 94.9 % 28.3-164

Surrogate: 1-Chlorooctadecane 99.2 % 34.7-157

Cardinal Laboratories

\* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

Environmental Plus, Inc.  
 Daniel Dominguez  
 P.O. Box 1558  
 Eunice NM, 88231  
 Fax To: (505) 394-2601

Received:	08/24/2017	Sampling Date:	08/23/2017
Reported:	08/31/2017	Sampling Type:	Soil
Project Name:	KARLSBAD CORRAL	Sampling Condition:	Cool & Intact
Project Number:	11 SWD #1	Sample Received By:	Tamara Oldaker
Project Location:	VANGUARD - UL -J SEC. 11, T25S, R29E		

**Sample ID: SP1 ( 22' ) (H702250-02)**

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/28/2017	ND	1.87	93.7	2.00	0.863	
Toluene*	<0.050	0.050	08/28/2017	ND	1.80	89.8	2.00	0.927	
Ethylbenzene*	<0.050	0.050	08/28/2017	ND	1.88	93.9	2.00	0.0366	
Total Xylenes*	<0.150	0.150	08/28/2017	ND	5.81	96.8	6.00	0.297	
Total BTEX	<0.300	0.300	08/28/2017	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 72-148

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	08/28/2017	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	08/25/2017	ND	201	100	200	0.00199	
DRO >C10-C28	<10.0	10.0	08/25/2017	ND	199	99.3	200	0.836	
EXT DRO >C28-C36	<10.0	10.0	08/25/2017	ND					

Surrogate: 1-Chlorooctane 88.1 % 28.3-164

Surrogate: 1-Chlorooctadecane 95.8 % 34.7-157

Cardinal Laboratories

\* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

Environmental Plus, Inc.  
 Daniel Dominguez  
 P.O. Box 1558  
 Eunice NM, 88231  
 Fax To: (505) 394-2601

Received:	08/24/2017	Sampling Date:	08/23/2017
Reported:	08/31/2017	Sampling Type:	Soil
Project Name:	KARLSBAD CORRAL	Sampling Condition:	Cool & Intact
Project Number:	11 SWD #1	Sample Received By:	Tamara Oldaker
Project Location:	VANGUARD - UL -J SEC. 11, T25S, R29E		

**Sample ID: SP2 ( SURFACE ) (H702250-03)**

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/28/2017	ND	1.87	93.7	2.00	0.863	
Toluene*	<0.050	0.050	08/28/2017	ND	1.80	89.8	2.00	0.927	
Ethylbenzene*	<0.050	0.050	08/28/2017	ND	1.88	93.9	2.00	0.0366	
Total Xylenes*	<0.150	0.150	08/28/2017	ND	5.81	96.8	6.00	0.297	
Total BTEX	<0.300	0.300	08/28/2017	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 72-148

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	12300	16.0	08/28/2017	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	08/25/2017	ND	201	100	200	0.00199	
DRO >C10-C28	<10.0	10.0	08/25/2017	ND	199	99.3	200	0.836	
EXT DRO >C28-C36	<10.0	10.0	08/25/2017	ND					

Surrogate: 1-Chlorooctane 92.2 % 28.3-164

Surrogate: 1-Chlorooctadecane 96.6 % 34.7-157

Cardinal Laboratories

\* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

---

August 31, 2017

Daniel Dominguez  
Environmental Plus, Inc.  
P.O. Box 1558  
Eunice, NM 88231

RE: KARLSBAD CORRAL

Enclosed are the results of analyses for samples received by the laboratory on 08/24/17 15:30.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-16-8. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at [www.tceq.texas.gov/field/qa/lab\\_accred\\_certif.html](http://www.tceq.texas.gov/field/qa/lab_accred_certif.html).

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style and is set against a light blue rectangular background.

Celey D. Keene  
Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

Environmental Plus, Inc.  
Daniel Dominguez  
P.O. Box 1558  
Eunice NM, 88231  
Fax To: (505) 394-2601

Received:	08/24/2017	Sampling Date:	08/23/2017
Reported:	08/31/2017	Sampling Type:	Soil
Project Name:	KARLSBAD CORRAL	Sampling Condition:	Cool & Intact
Project Number:	11 SWD #1	Sample Received By:	Tamara Oldaker
Project Location:	VANGUARD - UL -J SEC. 11, T25S, R29E		

**Sample ID: SP2 ( 17' ) (H702250-04)**

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/28/2017	ND	1.87	93.7	2.00	0.863	
Toluene*	<0.050	0.050	08/28/2017	ND	1.80	89.8	2.00	0.927	
Ethylbenzene*	<0.050	0.050	08/28/2017	ND	1.88	93.9	2.00	0.0366	
Total Xylenes*	<0.150	0.150	08/28/2017	ND	5.81	96.8	6.00	0.297	
Total BTEX	<0.300	0.300	08/28/2017	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 72-148

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	128	16.0	08/28/2017	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	08/25/2017	ND	201	100	200	0.00199	
DRO >C10-C28	<10.0	10.0	08/25/2017	ND	199	99.3	200	0.836	
EXT DRO >C28-C36	<10.0	10.0	08/25/2017	ND					

Surrogate: 1-Chlorooctane 80.9 % 28.3-164

Surrogate: 1-Chlorooctadecane 88.4 % 34.7-157

Cardinal Laboratories

\* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

Environmental Plus, Inc.  
 Daniel Dominguez  
 P.O. Box 1558  
 Eunice NM, 88231  
 Fax To: (505) 394-2601

Received:	08/24/2017	Sampling Date:	08/23/2017
Reported:	08/31/2017	Sampling Type:	Soil
Project Name:	KARLSBAD CORRAL	Sampling Condition:	Cool & Intact
Project Number:	11 SWD #1	Sample Received By:	Tamara Oldaker
Project Location:	VANGUARD - UL -J SEC. 11, T25S, R29E		

**Sample ID: SP3 ( SURFACE ) (H702250-05)**

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/28/2017	ND	1.87	93.7	2.00	0.863	
Toluene*	<0.050	0.050	08/28/2017	ND	1.80	89.8	2.00	0.927	
Ethylbenzene*	<0.050	0.050	08/28/2017	ND	1.88	93.9	2.00	0.0366	
Total Xylenes*	<0.150	0.150	08/28/2017	ND	5.81	96.8	6.00	0.297	
Total BTEX	<0.300	0.300	08/28/2017	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 72-148

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	08/28/2017	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	08/25/2017	ND	201	100	200	0.00199	
DRO >C10-C28	<10.0	10.0	08/25/2017	ND	199	99.3	200	0.836	
EXT DRO >C28-C36	<10.0	10.0	08/25/2017	ND					

Surrogate: 1-Chlorooctane 89.2 % 28.3-164

Surrogate: 1-Chlorooctadecane 92.8 % 34.7-157

Cardinal Laboratories

\* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

Environmental Plus, Inc.  
 Daniel Dominguez  
 P.O. Box 1558  
 Eunice NM, 88231  
 Fax To: (505) 394-2601

Received:	08/24/2017	Sampling Date:	08/23/2017
Reported:	08/31/2017	Sampling Type:	Soil
Project Name:	KARLSBAD CORRAL	Sampling Condition:	Cool & Intact
Project Number:	11 SWD #1	Sample Received By:	Tamara Oldaker
Project Location:	VANGUARD - UL -J SEC. 11, T25S, R29E		

**Sample ID: SP3 ( 3' ) (H702250-06)**

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/28/2017	ND	1.87	93.7	2.00	0.863	
Toluene*	<0.050	0.050	08/28/2017	ND	1.80	89.8	2.00	0.927	
Ethylbenzene*	<0.050	0.050	08/28/2017	ND	1.88	93.9	2.00	0.0366	
Total Xylenes*	<0.150	0.150	08/28/2017	ND	5.81	96.8	6.00	0.297	
Total BTEX	<0.300	0.300	08/28/2017	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 72-148

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	128	16.0	08/28/2017	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	08/25/2017	ND	201	100	200	0.00199	
DRO >C10-C28	<10.0	10.0	08/25/2017	ND	199	99.3	200	0.836	
EXT DRO >C28-C36	<10.0	10.0	08/25/2017	ND					

Surrogate: 1-Chlorooctane 95.0 % 28.3-164

Surrogate: 1-Chlorooctadecane 103 % 34.7-157

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

Environmental Plus, Inc.  
 Daniel Dominguez  
 P.O. Box 1558  
 Eunice NM, 88231  
 Fax To: (505) 394-2601

Received:	08/24/2017	Sampling Date:	08/23/2017
Reported:	08/31/2017	Sampling Type:	Soil
Project Name:	KARLSBAD CORRAL	Sampling Condition:	Cool & Intact
Project Number:	11 SWD #1	Sample Received By:	Tamara Oldaker
Project Location:	VANGUARD - UL -J SEC. 11, T25S, R29E		

**Sample ID: SP4 ( SURFACE ) (H702250-07)**

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/28/2017	ND	1.87	93.7	2.00	0.863	
Toluene*	<0.050	0.050	08/28/2017	ND	1.80	89.8	2.00	0.927	
Ethylbenzene*	<0.050	0.050	08/28/2017	ND	1.88	93.9	2.00	0.0366	
Total Xylenes*	<0.150	0.150	08/28/2017	ND	5.81	96.8	6.00	0.297	
Total BTEX	<0.300	0.300	08/28/2017	ND					

Surrogate: 4-Bromofluorobenzene (PID) 107 % 72-148

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
<b>Chloride</b>	<b>16.0</b>	16.0	08/28/2017	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	08/25/2017	ND	201	100	200	0.00199	
DRO >C10-C28	<10.0	10.0	08/25/2017	ND	199	99.3	200	0.836	
EXT DRO >C28-C36	<10.0	10.0	08/25/2017	ND					

Surrogate: 1-Chlorooctane 82.4 % 28.3-164

Surrogate: 1-Chlorooctadecane 87.7 % 34.7-157

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

Environmental Plus, Inc.  
 Daniel Dominguez  
 P.O. Box 1558  
 Eunice NM, 88231  
 Fax To: (505) 394-2601

Received:	08/24/2017	Sampling Date:	08/23/2017
Reported:	08/31/2017	Sampling Type:	Soil
Project Name:	KARLSBAD CORRAL	Sampling Condition:	Cool & Intact
Project Number:	11 SWD #1	Sample Received By:	Tamara Oldaker
Project Location:	VANGUARD - UL -J SEC. 11, T25S, R29E		

**Sample ID: SP4 ( 3') (H702250-08)**

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/28/2017	ND	1.87	93.7	2.00	0.863	
Toluene*	<0.050	0.050	08/28/2017	ND	1.80	89.8	2.00	0.927	
Ethylbenzene*	<0.050	0.050	08/28/2017	ND	1.88	93.9	2.00	0.0366	
Total Xylenes*	<0.150	0.150	08/28/2017	ND	5.81	96.8	6.00	0.297	
Total BTEX	<0.300	0.300	08/28/2017	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 72-148

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	144	16.0	08/28/2017	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	08/28/2017	ND	206	103	200	3.80	
DRO >C10-C28	<10.0	10.0	08/28/2017	ND	206	103	200	2.85	
EXT DRO >C28-C36	<10.0	10.0	08/28/2017	ND					

Surrogate: 1-Chlorooctane 98.5 % 28.3-164

Surrogate: 1-Chlorooctadecane 102 % 34.7-157

Cardinal Laboratories

\* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

Environmental Plus, Inc.  
 Daniel Dominguez  
 P.O. Box 1558  
 Eunice NM, 88231  
 Fax To: (505) 394-2601

Received:	08/24/2017	Sampling Date:	08/23/2017
Reported:	08/31/2017	Sampling Type:	Soil
Project Name:	KARLSBAD CORRAL	Sampling Condition:	Cool & Intact
Project Number:	11 SWD #1	Sample Received By:	Tamara Oldaker
Project Location:	VANGUARD - UL -J SEC. 11, T25S, R29E		

**Sample ID: SP5 ( SURFACE ) (H702250-09)**

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/28/2017	ND	1.87	93.7	2.00	0.863	
Toluene*	<0.050	0.050	08/28/2017	ND	1.80	89.8	2.00	0.927	
Ethylbenzene*	<0.050	0.050	08/28/2017	ND	1.88	93.9	2.00	0.0366	
Total Xylenes*	<0.150	0.150	08/28/2017	ND	5.81	96.8	6.00	0.297	
Total BTEX	<0.300	0.300	08/28/2017	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 72-148

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	08/28/2017	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	08/28/2017	ND	206	103	200	3.80	
DRO >C10-C28	<10.0	10.0	08/28/2017	ND	206	103	200	2.85	
EXT DRO >C28-C36	<10.0	10.0	08/28/2017	ND					

Surrogate: 1-Chlorooctane 86.8 % 28.3-164

Surrogate: 1-Chlorooctadecane 91.7 % 34.7-157

Cardinal Laboratories

\* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

Environmental Plus, Inc.  
Daniel Dominguez  
P.O. Box 1558  
Eunice NM, 88231  
Fax To: (505) 394-2601

Received:	08/24/2017	Sampling Date:	08/23/2017
Reported:	08/31/2017	Sampling Type:	Soil
Project Name:	KARLSBAD CORRAL	Sampling Condition:	Cool & Intact
Project Number:	11 SWD #1	Sample Received By:	Tamara Oldaker
Project Location:	VANGUARD - UL -J SEC. 11, T25S, R29E		

**Sample ID: SP5 ( 3') (H702250-10)**

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/28/2017	ND	1.87	93.7	2.00	0.863	
Toluene*	<0.050	0.050	08/28/2017	ND	1.80	89.8	2.00	0.927	
Ethylbenzene*	<0.050	0.050	08/28/2017	ND	1.88	93.9	2.00	0.0366	
Total Xylenes*	<0.150	0.150	08/28/2017	ND	5.81	96.8	6.00	0.297	
Total BTEX	<0.300	0.300	08/28/2017	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 72-148

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	144	16.0	08/28/2017	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	08/28/2017	ND	206	103	200	3.80	
DRO >C10-C28	<10.0	10.0	08/28/2017	ND	206	103	200	2.85	
EXT DRO >C28-C36	<10.0	10.0	08/28/2017	ND					

Surrogate: 1-Chlorooctane 106 % 28.3-164

Surrogate: 1-Chlorooctadecane 108 % 34.7-157

Cardinal Laboratories

\* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

Environmental Plus, Inc.  
Daniel Dominguez  
P.O. Box 1558  
Eunice NM, 88231  
Fax To: (505) 394-2601

Received:	08/24/2017	Sampling Date:	08/23/2017
Reported:	08/31/2017	Sampling Type:	Soil
Project Name:	KARLSBAD CORRAL	Sampling Condition:	Cool & Intact
Project Number:	11 SWD #1	Sample Received By:	Tamara Oldaker
Project Location:	VANGUARD - UL -J SEC. 11, T25S, R29E		

**Sample ID: SP6 ( SURFACE ) (H702250-11)**

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/28/2017	ND	1.87	93.7	2.00	0.863	
Toluene*	<0.050	0.050	08/28/2017	ND	1.80	89.8	2.00	0.927	
Ethylbenzene*	<0.050	0.050	08/28/2017	ND	1.88	93.9	2.00	0.0366	
Total Xylenes*	<0.150	0.150	08/28/2017	ND	5.81	96.8	6.00	0.297	
Total BTEX	<0.300	0.300	08/28/2017	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 72-148

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	08/28/2017	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	08/28/2017	ND	206	103	200	3.80	
DRO >C10-C28	<10.0	10.0	08/28/2017	ND	206	103	200	2.85	
EXT DRO >C28-C36	<10.0	10.0	08/28/2017	ND					

Surrogate: 1-Chlorooctane 99.0 % 28.3-164

Surrogate: 1-Chlorooctadecane 101 % 34.7-157

Cardinal Laboratories

\* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

Environmental Plus, Inc.  
 Daniel Dominguez  
 P.O. Box 1558  
 Eunice NM, 88231  
 Fax To: (505) 394-2601

Received:	08/24/2017	Sampling Date:	08/23/2017
Reported:	08/31/2017	Sampling Type:	Soil
Project Name:	KARLSBAD CORRAL	Sampling Condition:	Cool & Intact
Project Number:	11 SWD #1	Sample Received By:	Tamara Oldaker
Project Location:	VANGUARD - UL -J SEC. 11, T25S, R29E		

**Sample ID: SP6 ( 3' ) (H702250-12)**

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	08/28/2017	ND	1.87	93.7	2.00	0.863	
Toluene*	<0.050	0.050	08/28/2017	ND	1.80	89.8	2.00	0.927	
Ethylbenzene*	<0.050	0.050	08/28/2017	ND	1.88	93.9	2.00	0.0366	
Total Xylenes*	<0.150	0.150	08/28/2017	ND	5.81	96.8	6.00	0.297	
Total BTEX	<0.300	0.300	08/28/2017	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 72-148

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	128	16.0	08/28/2017	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	08/28/2017	ND	206	103	200	3.80	
DRO >C10-C28	<10.0	10.0	08/28/2017	ND	206	103	200	2.85	
EXT DRO >C28-C36	<10.0	10.0	08/28/2017	ND					

Surrogate: 1-Chlorooctane 84.7 % 28.3-164

Surrogate: 1-Chlorooctadecane 88.3 % 34.7-157

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- S-06 The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.
QR-03 The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCSD recovery and/or RPD values.
ND Analyte NOT DETECTED at or above the reporting limit
RPD Relative Percent Difference
\*\* Samples not received at proper temperature of 6°C or below.
\*\*\* Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

# Environmental Plus, Inc.

P.O. Box 1558, Eunice, NM 88231

2100 Avenue O, Eunice, NM 88231  
 (575) 394-3481 FAX: (575) 394-2601

Chain of Custody Form  
 LAB Cardinal

Company Name: Environmental Plus, Inc.

EPI Project Manager: Daniel Dominguez

Mailing Address: P.O. BOX 1558  
 Eunice New Mexico 88231

City, State, Zip: Eunice New Mexico 88231

EPI Phone#/Fax#: 575-394-3481 / 575-394-2601

Client Company: Vanguard

Facility Name: Karlsbad Corral 11 SWD #1

Location: UL- J Sec. 11, T25S, R29E

Project Reference: Dustin Crockett

EPI Sampler Name: Dustin Crockett

Attn: Daniel Dominguez  
 P.O. Box 1558  
 Eunice, NM 88231



## ANALYSIS REQUEST

LAB I.D.	SAMPLE I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX						PRESERV.	SAMPLING		ANALYSIS REQUEST							
				GROUND WATER	WASTEWATER	SOIL	CRUDE OIL	SLUDGE	OTHER:		DATE	TIME	BTEX 8021B	TPH 8015M Ext.	CHLORIDES (Cl <sup>-</sup> )	SULFATES (SO <sub>4</sub> <sup>2-</sup> )	pH	TCLP	OTHER >>>	PAH
H102250	1 SP1 (Surface)	G	1			X					23-Aug-17	8:35	X	X	X					
	2 SP1 (22')	G	1			X					23-Aug-17	12:18	X	X	X					
	3 SP2 (Surface)	G	1			X					23-Aug-17	13:00	X	X	X					
	4 SP2 (17')	G	1			X					23-Aug-17	14:50	X	X	X					
	5 SP3 (Surface)	G	1			X					23-Aug-17	9:08	X	X	X					
	6 SP3 (3')	G	1			X					23-Aug-17	10:00	X	X	X					
	7 SP4 (Surface)	G	1			X					23-Aug-17	10:22	X	X	X					
	8 SP4 (3')	G	1			X					23-Aug-17	11:50	X	X	X					
	9 SP5 (Surface)	G	1			X					23-Aug-17	12:41	X	X	X					
	10 SP5 (3')	G	1			X					23-Aug-17	15:21	X	X	X					

E-mail results to: ddominguezepi@gmail.com & cjohnston@vntrenergy.com  
 NOTES: & dbooneepi@gmail.com

Sampler Relinquished: [Signature]

Relinquished by: [Signature]

Date: 8-24-17 Time: 6:00 am

Received by: [Signature]

Date: 8-24-17 Time: 3:30

Sample Cool & Intact: Yes

Checked By: [Signature]

Delivered by: [Signature] -14.95e -13.95e



**ATTACHMENT IV**  
**Copy of Initial NMOCD Form C-141**

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-141  
Revised April 3, 2017

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

**Release Notification and Corrective Action**

**OPERATOR**

Initial Report  Final Report

Name of Company: Vanguard Permian		Contact: Chuck Johnston	
Address: 4001 Penbrook, Suite 201, Odessa Texas 79+762		Telephone No.:432-202-4771	
Facility Name: Karlsbad Corral II SWD I		Facility Type: SWD	
Surface Owner State	Mineral Owner	API No. 3001535341	

**LOCATION OF RELEASE**

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
J	11	25S	29E					Eddy

Latitude N 32.143476 Longitude W -103.955108 NAD83

**NATURE OF RELEASE**

Type of Release Produced Water	Volume of Release: Unknown	Volume Recovered: Unknown
Source of Release: SWD well head	Date and Hour of Occurrence: Historic	Date and Hour of Discovery: Historic
Was Immediate Notice Given? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom?	
By Whom?	Date and Hour	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse. Not Applicable	

If a Watercourse was Impacted, Describe Fully.\*

Historic release of Produced water from SWD well.


Describe Cause of Problem and Remedial Action Taken.\*

Discovered historic release area from SWD well. Samples have been collected and sent to lab for testing.

Describe Area Affected and Cleanup Action Taken.\*

Samples have been taken, leak remained on well pad.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 	<b>OIL CONSERVATION DIVISION</b>	
Printed Name: Chuck Johnston	Approved by Environmental Specialist:	
Title: EHS Specialist	Approval Date:	Expiration Date:
E-mail Address: cjohnston@vnrerergy.com	Conditions of Approval:	Attached <input type="checkbox"/>
Date: 10-10-2017	Phone: 1-432-202-4771	

\* Attach Additional Sheets If Necessary

**Bratcher, Mike, EMNRD**

---

**From:** Bratcher, Mike, EMNRD  
**Sent:** Thursday, October 19, 2017 10:44 AM  
**To:** brandon boone; Chuck Johnston; agroves@slo.state.nm.us; Weaver, Crystal, EMNRD  
**Subject:** RE: Karlsbad Corral 11 SWD 1

RE: Vanguard Operating \* Karlsbad Corral SWD 1 \* 2RP-4436 \* DOR: unknown-historical

Greetings,

The proposal for remediation of the above referenced release is approved, with the following:

Liner placement must be a minimum of 4' bgs, not 3' as proposed.

Please advise once remedial activities have been scheduled.

Thank you,

Mike Bratcher  
NMOCD District 2  
811 South First Street  
Artesia, NM 88210  
575-748-1283 Ext 108

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

**From:** brandon boone [mailto:bboone.epi@gmail.com]  
**Sent:** Friday, October 13, 2017 8:29 AM  
**To:** Chuck Johnston <cjohnston@vnreenergy.com>; agroves@slo.state.nm.us; Weaver, Crystal, EMNRD <Crystal.Weaver@state.nm.us>; Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>  
**Subject:** Karlsbad Corral 11 SWD 1

All,

Attached is the work plan for the Karlsbad Corral 11 SWD 1 for approval. Please contact Chuck Johnston if any changes need to be made.

--



**Environmental Plus Inc.**

Brandon Boone  
Sales/Consulting  
Cell:(575)-390-7865

Office:(575)-394-3481

Fax:(575)-394-2601

[bboone.epi@gmail.com](mailto:bboone.epi@gmail.com)

**District I**  
 1625 N. French Dr., Hobbs, NM 88240  
 Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
 811 S. First St., Artesia, NM 88210  
 Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
 1220 S. St Francis Dr., Santa Fe, NM 87505  
 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
 Action 114637

**CONDITIONS**

Operator: Contango Resources, Inc. 717 Texas Ave. Houston, TX 77002	OGRID: 330447
	Action Number: 114637
	Action Type: [C-141] Release Corrective Action (C-141)

**CONDITIONS**

Created By	Condition	Condition Date
amaxwell	None	9/21/2022