e of New Mexico

| Incident ID | NAPP2208750257 |
|----------------|----------------|
| District RP | |
| Facility ID | |
| Application ID | |

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

| Closure Report Attachment Checklist: Each of the following item | s must be included in the closure report. | | | | | | |
|---|--|--|--|--|--|--|--|
| A scaled site and sampling diagram as described in 19.15.29.11 N | NMAC | | | | | | |
| Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection) | | | | | | | |
| □ Laboratory analyses of final sampling (Note: appropriate ODC D | istrict office must be notified 2 days prior to final sampling) | | | | | | |
| Description of remediation activities | | | | | | | |
| | | | | | | | |
| and regulations all operators are required to report and/or file certain remay endanger public health or the environment. The acceptance of a C should their operations have failed to adequately investigate and remed human health or the environment. In addition, OCD acceptance of a C compliance with any other federal, state, or local laws and/or regulation restore, reclaim, and re-vegetate the impacted surface area to the conditaccordance with 19.15.29.13 NMAC including notification to the OCD | C-141 report by the OCD does not relieve the operator of liability liate contamination that pose a threat to groundwater, surface water, -141 report does not relieve the operator of responsibility for ns. The responsible party acknowledges they must substantially tions that existed prior to the release or their final land use in | | | | | | |
| Printed Name: <u>Connor Walker</u> | Title: <u>Sr. Engineer</u> | | | | | | |
| Signature: | Date:9/14/2022 | | | | | | |
| email:cwalker@mewbourne.com | Telephone: 806-202-5281 | | | | | | |
| | | | | | | | |
| OCD Only Received by:Jocelyn Harimon | Date:09/14/2022 | | | | | | |
| | liability should their operations have failed to adequately investigate and er, human health, or the environment nor does not relieve the responsible regulations. | | | | | | |
| Closure Approved by: Robert Hamlet | Date: 12/16/2022 | | | | | | |
| Printed Name: Robert Hamlet | Title: Environmental Specialist - Advanced | | | | | | |

| | Page 2 of 27 | 75 |
|----------------|----------------|-----------|
| Incident ID | NAPP2208750257 | |
| District RP | | |
| Facility ID | | |
| Application ID | | |

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

| What is the shallowest depth to groundwater beneath the area affected by the release? | 179 (ft bgs) |
|---|-----------------------|
| Did this release impact groundwater or surface water? | ☐ Yes ⊠ No |
| Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse? | ☐ Yes ⊠ No |
| Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)? | ☐ Yes ⊠ No |
| Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church? | ☐ Yes ⊠ No |
| Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes? | ☐ Yes ⊠ No |
| Are the lateral extents of the release within 1000 feet of any other fresh water well or spring? | ☐ Yes ⊠ No |
| Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field? | ☐ Yes ⊠ No |
| Are the lateral extents of the release within 300 feet of a wetland? | ☐ Yes ⊠ No |
| Are the lateral extents of the release overlying a subsurface mine? | ☐ Yes ⊠ No |
| Are the lateral extents of the release overlying an unstable area such as karst geology? | ⊠ Yes □ No |
| Are the lateral extents of the release within a 100-year floodplain? | ☐ Yes ⊠ No |
| Did the release impact areas not on an exploration, development, production, or storage site? | ⊠ Yes □ No |
| Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vercontamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics. | tical extents of soil |
| Characterization Report Checklist: Each of the following items must be included in the report. | |
| Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring well Field data □ Data table of soil contaminant concentration data □ Depth to water determination □ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release □ Boring or excavation logs □ Photographs including date and GIS information | ls. |
| Topographic/Aerial maps | |

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

☐ Laboratory data including chain of custody

Received by OCD: 9/14/2022 11:29:31 AM Form C-141 State of New Mexico Page 4 Oil Conservation Division

| | Page 3 of 2 | <i>75</i> |
|----------------|----------------|-----------|
| Incident ID | NAPP2208750257 | |
| District RP | | |
| Facility ID | | |
| Application ID | | |

| regulations all op public health or the failed to adequate | perators are required to report and/or file certain release notificate the environment. The acceptance of a C-141 report by the OCD ely investigate and remediate contamination that pose a threat to exceptance of a C-141 report does not relieve the operator of responsible. | t of my knowledge and understand that pursuant to OCD rules and ations and perform corrective actions for releases which may endanger D does not relieve the operator of liability should their operations have o groundwater, surface water, human health or the environment. In ponsibility for compliance with any other federal, state, or local laws |
|--|--|---|
| Printed Name: | Connor Walker | Title: Sr. Engineer |
| | cwalker@mewbourne.com | Date:9/14/2022 Telephone:806-202-5281 |
| OCD Only | ewarker & niewboarne.com | Telephone |
| Received by: | Jocelyn Harimon | Date:09/14/2022 |

Page 4 of 275

| Incident ID | NAPP2208750257 |
|----------------|----------------|
| District RP | |
| Facility ID | |
| Application ID | |

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

| Closure Report Attachment Checklist: Each of the following | items must be included in the closure report. |
|---|--|
| | 11 NMAC |
| Photographs of the remediated site prior to backfill or photos must be notified 2 days prior to liner inspection) | s of the liner integrity if applicable (Note: appropriate OCD District office |
| ☐ Laboratory analyses of final sampling (Note: appropriate OD | C District office must be notified 2 days prior to final sampling) |
| □ Description of remediation activities | |
| | |
| and regulations all operators are required to report and/or file certain may endanger public health or the environment. The acceptance of should their operations have failed to adequately investigate and rehuman health or the environment. In addition, OCD acceptance of | ations. The responsible party acknowledges they must substantially onditions that existed prior to the release or their final land use in OCD when reclamation and re-vegetation are complete. Title:Sr. Engineer Date:9/14/2022 |
| OCD Only | |
| Received by:Jocelyn Harimon | Date:09/14/2022 |
| | of liability should their operations have failed to adequately investigate and water, human health, or the environment nor does not relieve the responsible or regulations. |
| Closure Approved by: | Date: |
| Printed Name: | Title: |





| | | Re | mediation Sເ | ummary Clos | sure Report | |
|--------------------------------|---------------|-------------------------|--------------|-----------------|-------------------------------------|----------|
| Date of report: | | | | | Case # | N/A |
| Site Name: | | | | | Subgroup: | |
| Site GPS: | Latitude | | | | County: | |
| | Longitude | | | | Charger Job # | |
| | | | Inci | dent Details | | |
| Date of Release | e: | | | | | |
| Cause of Releas | se: | | | | | |
| | | Released | Recovered | Net Loss | Agency Notification | |
| | | | | | | Yes No |
| | | | | | Courtesy Call Reportable Release | |
| | Dimensions: | L: | W: | D: | Internal Report Only | |
| Total | Total cubic f | eet: | | | C 141 Filed C-141 # | |
| | l cubic yards | | | | C-141# | District |
| Impacted Area | | | | | | |
| Canadina Data | | E /E /202 | | oling Activitie | es | |
| Sampling Date: Field Observati | | 5/5/202 | 22 | | | |
| rieiu Observati | 0115. | | | | | |
| | | Sampling Eve Initial | nt Collected | Туре | | |
| | | Confirmation | | | | |
| | | Stockpile | | | | |
| Laboratory: | | Delineation | | | | |
| Analysis: | | | | | | |
| Atlatysis. | | | Remed | iation Activi | ties | |
| | | | | 10.0.0. | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | C | onclusions | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | Reco | mmendatior | ns | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |





Date: 12/7/2021 Site Name: 49er Case number:

| Summary of Analytical Results | | | | | | | | | |
|--|-------------|-----------------|------------------|--------|-------------------|--------------------|---------------------|-------------------------|----------------------|
| SAMPLE INFORMATION | | | | | TPH 8 | METHOD: E300 | | | |
| SAMPLE IDENTIFICATION | SAMPLE DATE | SAMPLE DEPTH | SAMPLE METHOD | MATRIX | C6-C10 (mg/Kg) | C10-C28 (mg/Kg) | >C28-C36 (mg/Kg) | TOTAL TPH (mg/Kg) | Chlorides (mg/Kg) |
| BH1 0-6 | 12/7/2021 | 0-6" | GRAB | SOIL | NA | NA | NA | NA | 4870 |
| BH1 18-2 | 12/7/2021 | 18"-2' | GRAB | SOIL | NA | NA | NA | NA | 436 |
| BH2 0-6 | 12/7/2021 | 0-6" | GRAB | SOIL | NA | NA | NA | NA | 579 |
| | | | | • | | | | | - |
| BH2 3-4 | 12/7/2021 | 3"-4" | GRAB | SOIL | NA | NA | NA | NA | 6990 |
| BH3 0-6 | 12/7/2021 | 0-6" | GRAB | SOIL | NA | NA | NA | NA | 5200 |
| | | | | | | | | | |
| BH3 4-5 | 12/7/2021 | 4"-5" | GRAB | SOIL | NA | NA | NA | NA | 91 6 |
| BH4 0-6 | 12/7/2021 | 0-6" | GRAB | SOIL | NA | NA | NA | NA | 1410 |
| | | | | | | | | | |
| RRC RECOMMENDED REMEDIATION ACTION LEVEL | | | | | | | 10,000 | 3,000 | |





Date: 12/7/2021 Site Name: 49er Case number:

| Summary of Analytical Results | | | | | | | | | |
|--|-------------|-----------------|------------------|--------|-------------------|--------------------|---------------------|-------------------------|----------------------|
| SAMPLE INFORMATION | | | | | трн 8 | METHOD: E300 | | | |
| SAMPLE IDENTIFICATION | SAMPLE DATE | SAMPLE DEPTH | SAMPLE METHOD | MATRIX | C6-C10 (mg/Kg) | C10-C28 (mg/Kg) | >C28-C36 (mg/Kg) | TOTAL TPH (mg/Kg) | Chlorides (mg/Kg) |
| BH4 3-4 | 12/7/2021 | 3-4" | GRAB | SOIL | NA | NA | NA | NA | 312 |
| BH5 0-6 | 12/7/2021 | 0-6" | GRAB | SOIL | NA | NA | NA | NA | 4560 |
| BH513-4 | 12/7/2021 | 3-4" | GRAB | SOIL | NA | NA | NA | NA | 830 |
| | | | | | - | | | | |
| BH6 0-6 | 12/7/2021 | 0-6" | GRAB | SOIL | NA | NA | NA | NA | 154 |
| BH6 18-2 | 12/7/2021 | 18"-2' | GRAB | SOIL | NA | NA | NA | NA | 157 |
| | | | | | | | | | |
| BH7 0-6 | 12/7/2021 | 0-6" | GRAB | SOIL | NA | NA | NA | NA | 2700 |
| BH7 18-2 | 12/7/2021 | 18"-2' | GRAB | SOIL | NA | NA | NA | NA | 390 |
| | | | | | | | | | |
| RRC RECOMMENDED REMEDIATION ACTION LEVEL | | | | | | | | 10,000 | 3,000 |





Date: 12/7/2021 Site Name: 49er Case number:

| Summary of Analytical Results | | | | | | | | | |
|--|-------------|-----------------|------------------|--------|-------------------|--------------------|-------------------|-------------------------|----------------------|
| SAMPLE INFORMATION | | | | TPH 8 | METHOD: E300 | | | | |
| SAMPLE IDENTIFICATION | SAMPLE DATE | SAMPLE DEPTH | SAMPLE METHOD | MATRIX | C6-C10 (mg/Kg) | C10-C28 (mg/Kg) | >C28-C36 mg/Kg | TOTAL TPH (mg/Kg) | Chlorides (mg/Kg) |
| BH8 0-6 | 12/7/2021 | 0-6" | GRAB | SOIL | NA | NA | NA | NA | 3150 |
| BH8 18-2 | 12/7/2021 | 18"-2' | GRAB | SOIL | NA | NA | NA | NA | 23 4 |
| BH9 0-6 | 12/7/2021 | 0-6" | GRAB | SOIL | NA | NA | NA | NA | 2690 |
| | | • | | | | • | | | • |
| BH9 3-4 | 12/7/2021 | 3"-4" | GRAB | SOIL | NA | NA | NA | NA | 61 2 |
| BH10 10-6 | 12/7/2021 | 0-6" | GRAB | SOIL | NA | NA | NA | NA | 5910 |
| | | • | | | | • | | | • |
| BH10 18-2 | 12/7/2021 | 4"-5" | GRAB | SOIL | NA | NA | NA | NA | 61 5 |
| BH11 0-6 | 12/7/2021 | 0-6" | GRAB | SOIL | NA | NA | NA | NA | 3860 |
| | | | • | | | • | • | | • |
| RRC RECOMMENDED REMEDIATION ACTION LEVEL | | | | | | | | 10,000 | 3,000 |





Date: 12/7/2021 Site Name: 49er Case number:

Summary of Analytical Results **METHOD:** SAMPLE INFORMATION TPH 8015M (GRO, DRO, MRO) NM E300 TOTAL C10-C28 > C28-C36 SAMPLE SAMPLE C6-C10 Chlorides **SAMPLE MATRIX** SAMPLE DATE TPH **METHOD IDENTIFICATION DEPTH** (mg/Kg) (mg/Kg) (mg/Kg) (mg/Kg) (mg/Kg) 12/7/2021 0-6" BH12 0-6 **GRAB** SOIL NA NA 1930 NA NA 18"-2' BH12 18 2 12/7/2021 **GRAB** SOIL 327 NA NA NA NA 12/7/2021 0-6" NA BH13 0-6 13 3 **GRAB** SOIL NA NA NA BH13 18-2 12/7/2021 18"-2' **GRAB** SOIL NA NA NA ND NA 0-6" SOIL 12/7/2021 BH14 0-6 **GRAB** NA NA NA NA 64 2 12/7/2021 SOIL BH14 18-2 18"-2' **GRAB** NA NA NA NA ND BG1 12/7/2021 GRAB 0-6" SOIL 149 NA NA NA NA RRC RECOMMENDED REMEDIATION ACTION LEVEL 10,000 3,000





Date: 12/7/2021 Site Name: 49er Case number:

| | | Summ | nary of Ana | lytical Resi | ults | | | | | |
|--------------------------|---|-----------------|------------------|--------------|-------------------|--------------------|---------------------|-------------------------|----------------------|--|
| | SAMPLE INFORMA | ATION | | | TPH 80 |)15M (GRO | ,DRO,MRO |) NM | METHOD: E300 | |
| SAMPLE IDENTIFICATION | SAMPLE DATE | SAMPLE DEPTH | SAMPLE METHOD | MATRIX | C6-C10 (mg/Kg) | C10-C28 (mg/Kg) | >C28-C36 (mg/Kg) | TOTAL TPH (mg/Kg) | Chlorides (mg/Kg) | |
| BG2 | 12/7/2021 | 0-6" | GRAB | SOIL | NA | NA | NA | NA | 1930 | |
| BG3 | 12/7/2021 | 0-6" | GRAB | SOIL | NA | NA | NA | NA | 327 | |
| BG4 | 12/7/2021 | 0-6" | GRAB | SOIL | NA | NA | NA | NA | 13 3 | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| RRC RECOMMENDED RE | RRC RECOMMENDED REMEDIATION ACTION LEVEL 10,000 3 | | | | | | | | | |

Junction Fuels

Table I ExcavationTPH, BTEX and Chlorides Analytical Results 49ER Oil Conservation Division of New Mexico

| | | On Conservation Division of New Mexico Analytical Methods | | | | | | | | | | | |
|------------------------|--|--|-----------------------------|------------------------------|------------------------------------|------------------------|------------------------|------------------------|--------------------------|------------------------|------------------------|------------------------|----------------|
| | | ТРН | 8015M (GR | O-DRO-MR | O) (NM) | | 8021B 300.0- Anions | | | | | | |
| SAMPLE DATE | SAMPLE IDENTIFICATION | Total TPH | C6-C10 Gasoline mg/Kg | C10 - C28 Diesel mg/Kg | C28 - C35 Oil Organics mg/Kg | Benzene mg/Kg | Ethylbezene mg/Kg | Toluene mg/Kg | m, p Xylenes mg/Kg | o Xylenes mg/Kg | Total Xylene | Total BTEX | Chlorides |
| 4/25/2022 | Excavation CS - North Bottom Hole - 1 1.5' | <49.9 | <49.9 | <49.9 | <49.9 | < 0.00202 | <0.00202 | <0.00202 | < 0.00403 | < 0.00202 | < 0.00403 | < 0.00403 | 8.67 |
| 4/25/2022 | CS - North Bottom Hole - 2 1.5' | <50.0 | <50.0 | <50.0 | <50.0 | < 0.00202 | <0.00202 | < 0.00202 | < 0.00399 | <0.00202 | < 0.00399 | < 0.00403 | <5.00 |
| 4/25/2022 | CS - North Bottom Hole - 3 1.5' | <50.0 | <50.0 | <50.0 | <50.0 | < 0.00199 | 0.00428 | 0.0155 | 0.0105 | 0.0029 | 0.0134 | 0.0332 | 10.1 |
| 4/25/2022 | CS - North Bottom Hole - 4 1.5' | <49.9 | <49.9 | <49.9 | <49.9 | < 0.00200 | < 0.00200 | < 0.00200 | < 0.00400 | < 0.00200 | < 0.00400 | < 0.00400 | 11.4 |
| 4/25/2022 | CS - North Bottom Hole - 5 1.5' | <50.0 | <50.0 | <50.0 | <50.0 | 0.00203 | < 0.00201 | < 0.00201 | < 0.00402 | < 0.00201 | < 0.00402 | < 0.00402 | 6.3 |
| 4/25/2022 4/25/2022 | CS - North Bottom Hole - 6 1.5' CS - North Bottom Hole -7 1.5' | <50.0 <49.9 | <50.0 <49.9 | <50.0 <49.9 | <50.0 <49.9 | <0.00202 <0.00200 | <0.00202 | <0.00202 <0.00200 | <0.00403 | <0.00202 <0.00200 | <0.00403 <0.00399 | <0.00403 | 5.99 7.76 |
| 4/25/2022 | CS - North Bottom Hole - 8 1.5' | <50.0 | <50.0 | <50.0 | <50.0 | < 0.00199 | < 0.00200 | < 0.00200 | < 0.00399 | < 0.00200 | < 0.00398 | < 0.00399 | 5.14 |
| 4/25/2022 | CS - North Bottom Hole 9 1.5' | <50.0 | <50.0 | <50.0 | <50.0 | < 0.00199 | < 0.00199 | < 0.00199 | < 0.00398 | < 0.00199 | < 0.00398 | < 0.00398 | 8.45 |
| 4/25/2022 | CS - North Bottom Hole - 10 1.5' | <50.0 | <50.0 | <50.0 | <50.0 | < 0.00200 | < 0.00200 | < 0.00200 | < 0.00399 | < 0.00200 | < 0.00399 | < 0.00399 | <4.95 |
| 4/25/2022 4/25/2022 | CS - North Bottom Hole - 11 1.5' | <50.0 | <50.0 | <50.0 | <50.0 | < 0.00199 | < 0.00199 | < 0.00199 | < 0.00398 | < 0.00199 | < 0.00398 | < 0.00398 | 16.9 |
| 4/25/2022 | CS - North Bottom Hole - 12 1.5' CS - North Bottom Hole - 13 1.5' | <49.8 <50.0 | <49.8 <50.0 | <49.8 <50.0 | <49.8 <50.0 | <0.00200 <0.00201 | <0.00200 <0.00201 | <0.00200 <0.00201 | <0.00400 <0.00402 | <0.00200 <0.00201 | <0.00400 <0.00402 | <0.00400 <0.00402 | <4.99 <4.96 |
| 4/25/2022 | CS - North Bottom Hole - 13 1.5' | <50.0 | <50.0 | <50.0 | <50.0 | < 0.00201 | <0.00201 | < 0.00201 | < 0.00399 | <0.00201 | <0.00402 | < 0.00402 | <4.95 |
| 4/25/2022 | CS - North Bottom Hole - 15 1.5' | <50.0 | <50.0 | <50.0 | <50.0 | < 0.00199 | < 0.00199 | < 0.00199 | < 0.00399 | < 0.00199 | < 0.00399 | < 0.00399 | <5.00 |
| 4/25/2022 | CS - North Bottom Hole - 16 1.5' | <49.9 | <49.9 | <49.9 | <49.9 | < 0.00200 | < 0.00200 | < 0.00200 | < 0.00399 | < 0.00200 | < 0.00399 | < 0.00399 | <5.00 |
| 4/25/2022 | CS - North Bottom Hole - 17 1.5' | <49.9 | <49.9 | <49.9 | <49.9 | < 0.00199 | < 0.00199 | < 0.00199 | < 0.00398 | < 0.00199 | < 0.00398 | < 0.00398 | <4.97 |
| 4/25/2022 4/25/2022 | CS - North North Sidewall -1 CS - North North Sidewall -2 | <49.8 <49.9 | <49.8 <49.9 | <49.8 <49.9 | <49.8 <49.9 | <0.00199 | <0.00199 | <0.00199 <0.00198 | <0.00398 <0.00397 | <0.00199 <0.00198 | <0.00398 <0.00397 | <0.00398 <0.00397 | 6.38 <4.99 |
| 4/25/2022 | CS - North South Sidewall -1 | <50.0 | <50.0 | <50.0 | <50.0 | < 0.00198 | <0.00198 | < 0.00198 | < 0.00397 | <0.00198 | <0.00397 | < 0.00397 | <5.01 |
| 4/25/2022 | CS - North South Sidewall -2 | <50.0 | <50.0 | <50.0 | <50.0 | < 0.00199 | < 0.00199 | < 0.00199 | < 0.00398 | < 0.00199 | < 0.00398 | < 0.00398 | < 5.04 |
| 4/25/2022 | CS - North East Sidewall | <50.0 | <50.0 | <50.0 | <50.0 | < 0.00199 | < 0.00199 | < 0.00199 | < 0.00398 | < 0.00199 | < 0.00398 | < 0.00398 | 5.45 |
| 4/25/2022 | CS - North West Sidewall | <49.9 | <49.9 | <49.9 | <49.9 | < 0.00200 | < 0.00200 | < 0.00200 | < 0.00399 | < 0.00200 | < 0.00399 | < 0.00399 | 8.69 |
| 4/26/2022 4/26/2022 | CS - West Bottom Hole - 1 1.5' | <50.0 | <50.0 | <50.0 | <50.0 | < 0.00199 | <0.00199 | <0.00199 | < 0.00398 | < 0.00199 | < 0.00398 | < 0.00398 | 13 |
| 4/26/2022 | CS - West Bottom Hole - 2 1.5' CS - West Bottom Hole -3 1.5' | <50.0 <49.9 | <50.0 <49.9 | <50.0 <49.9 | <50.0 <49.9 | <0.00199 <0.00200 | <0.00199 | <0.00199 <0.00200 | <0.00398 <0.00399 | <0.00199 <0.00200 | <0.00398 <0.00399 | <0.00398 <0.00399 | 14.2 14.1 |
| 4/26/2022 | CS - West Bottom Hole - 4 1.5' | <50.0 | <50.0 | <50.0 | <50.0 | < 0.00200 | < 0.00200 | < 0.00200 | < 0.00400 | < 0.00200 | < 0.00400 | < 0.00400 | 11.7 |
| 4/26/2022 | CS - West Bottom Hole - 5 1.5' | <49.9 | <49.9 | <49.9 | <49.9 | < 0.00200 | < 0.00200 | < 0.00200 | < 0.00401 | < 0.00200 | < 0.00401 | < 0.00401 | 14 |
| 4/26/2022 | CS - West Bottom Hole -6 1.5' | <50.0 | <50.0 | <50.0 | <50.0 | < 0.00201 | < 0.00201 | < 0.00201 | < 0.00402 | < 0.00201 | < 0.00402 | < 0.00402 | 12.7 |
| 4/26/2022 4/26/2022 | CS - West Bottom Hole -7 1.5' CS - West North Sidewall | <49.9 <50.0 | <49.9 <50.0 | <49.9 <50.0 | <49.9 <50.0 | <0.00202 <0.00200 | <0.00202 | <0.00202 <0.00200 | <0.00403 | <0.00202 <0.00200 | <0.00403 | <0.00403 | 18.3 15.7 |
| 4/26/2022 | CS - West North Sidewall | <50.0 | <50.0 | <50.0 | <50.0 | < 0.00200 | <0.00200 | < 0.00200 | < 0.00399 | <0.00200 | <0.00399 | < 0.00399 | 9.41 |
| 4/26/2022 | CS - West East Sidewall -2 | <49.9 | <49.9 | <49.9 | <49.9 | < 0.00200 | < 0.00200 | < 0.00200 | < 0.00399 | < 0.00200 | < 0.00399 | < 0.00399 | 14.2 |
| 4/26/2022 | CS - West West Sidewall -1 | <50.0 | <50.0 | <50.0 | <50.0 | < 0.00200 | < 0.00200 | < 0.00200 | < 0.00400 | < 0.00200 | < 0.00400 | < 0.00400 | 12.4 |
| 4/26/2022 | CS - West East Sidewall -2 | <50.0 | <50.0 | <50.0 | <50.0 | < 0.00200 | < 0.00200 | < 0.00200 | < 0.00399 | < 0.00200 | < 0.00399 | < 0.00399 | 13.9 |
| 5/5/2022 | CS-South Bottom Hole-1 4' | <50.0 | <50.0 | <50.0 | <50.0 | <0.00202 | <0.00202 | <0.00202 | <0.00403 | < 0.00202 | <0.00403 | < 0.00403 | 287 |
| 5/5/2022 5/5/2022 | CS-South Bottom Hole-2' 4' CS-South Bottom Hole-3 1.5" | <50.0 <50.0 | <50.0 <50.0 | <50.0 <50.0 | <50.0 <50.0 | <0.00200 <0.00199 | <0.00200 <0.00199 | <0.00200 <0.00199 | <0.00400 <0.00398 | <0.00200 <0.00199 | <0.00400 <0.00398 | <0.00400 <0.00398 | 246 247 |
| 5/5/2022 | CS-South Bottom Hole-4 1.5" | <50.0 | <50.00 | <50.0 | <50.0 | < 0.00200 | < 0.00199 | < 0.00200 | < 0.00398 | < 0.00199 | < 0.00398 | < 0.00398 | 309 |
| 5/5/2022 | CS-South Bottom Hole-5 1.5" | <49.9 | <49.9 | <49.9 | <49.9 | < 0.00200 | < 0.00200 | < 0.00200 | < 0.00399 | < 0.00200 | < 0.00399 | < 0.00399 | 320 |
| 5/5/2022 | CS-South Bottom Hole-6 1.5" | <49.9 | <49.9 | <49.9 | <49.9 | < 0.00198 | < 0.00198 | < 0.00198 | < 0.00397 | < 0.00198 | < 0.00397 | < 0.00397 | 282 |
| 5/5/2022 | CS-South Bottom Hole-7 1.5" | <50.0 | <50.00 | <50.0 | <50.0 | < 0.00201 | < 0.00201 | < 0.00201 | < 0.00402 | < 0.00201 | < 0.00402 | < 0.00402 | 344 |
| 5/5/2022 | CS-South Bottom Hole-8 2.5' | <49.8 | <49.8 | <49.8 | <49.8 | <0.00200 | <0.00200 | <0.00200 | <0.00400 | < 0.00200 | <0.00400 | <0.00400 | 308 |
| 5/5/2022 5/5/2022 | CS-South Bottom Hole-9 2.5' CS-South Bottom Hole-10 2.5' | <50.0 <49.9 | <50.00 <49.9 | <50.0 <49.9 | <50.0 <49.9 | <0.00199 <0.00201 | <0.00199 <0.00201 | <0.00199 <0.00201 | <0.00398 <0.00402 | <0.00199 <0.00201 | <0.00398 <0.00402 | <0.00398 <0.00402 | 349 306 |
| 5/5/2022 | CS-South North Sidewall - 1 | <50.0 | <50.00 | <49.9 <50.0 | <50.0 | < 0.00201 | <0.00201 | <0.00201 | <0.00402 | < 0.00201 | <0.00402 | <0.00402 | 350 |
| 5/5/2022 | CS-South North Sidewall - 2 | <49.8 | <49.8 | <49.8 | <49.8 | < 0.00201 | < 0.00202 | < 0.00201 | < 0.00404 | < 0.00201 | < 0.00404 | < 0.00404 | 347 |
| 5/5/2022 | CS-South North Sidewall - 3 | <50.0 | <50.00 | <50.0 | < 50.0 | < 0.00201 | < 0.00201 | < 0.00201 | < 0.00402 | < 0.00201 | < 0.00402 | < 0.00402 | 404 |
| 5/5/2022 | CS-South North Sidewall - 4 | <50.0 | <50.00 | <50.0 | <50.0 | < 0.00199 | < 0.00199 | < 0.00199 | < 0.00398 | < 0.00199 | < 0.00398 | < 0.00398 | 330 |
| 5/5/2022 | CS-South North Sidewall - 5 | <50.0 | <50.00 | <50.0 | <50.0 | < 0.00199 | < 0.00199 | < 0.00199 | < 0.00398 | < 0.00199 | < 0.00398 | < 0.00398 | 334 |
| 5/5/2022 5/5/2022 | CS-South North Sidewall - 6 | <49.9 <49.9 | <49.9 <49.9 | <49.9 <49.9 | <49.9 <49.9 | <0.00198 | <0.00198 | <0.00198 <0.000402 | <0.00396 <0.000805 | <0.00198 <0.000402 | <0.00396 <0.000805 | <0.00396 <0.000805 | 271 266 |
| 5/5/2022 | CS-South North Sidewall - 7 CS-South South Sidewall - 1 | <50.0 | <50.00 | <49.9 <50.0 | <50.0 | < 0.000402 | <0.000402 | < 0.000402 | < 0.000803 | < 0.000402 | < 0.000797 | < 0.000803 | 342 |
| 5/5/2022 | CS-South South Sidewall - 2 | <49.9 | <49.9 | <49.9 | <49.9 | < 0.000398 | < 0.000398 | < 0.000398 | < 0.000795 | < 0.000398 | < 0.000797 | < 0.000797 | 252 |
| 5/5/2022 | CS-South South Sidewall - 3 | <49.8 | <49.8 | <49.8 | <49.8 | < 0.000399 | < 0.000399 | < 0.000399 | < 0.000798 | < 0.000399 | < 0.000798 | < 0.000798 | 445 |
| 5/5/2022 | CS-South South Sidewall - 4 | <49.9 | <49.9 | <49.9 | <49.9 | < 0.000400 | < 0.000400 | < 0.000400 | < 0.000800 | < 0.000400 | < 0.000800 | < 0.000800 | 272 |
| 5/5/2022 | CS-South South Sidewall - 5 | <49.9 | <49.9 | <49.9 | <49.9 | < 0.000398 | <0.000398 | < 0.000398 | < 0.000797 | < 0.000398 | < 0.000797 | < 0.000797 | 245 |
| 5/5/2022 | CS-South South Sidewall - 6 | <50.0 | <50.00 | <50.0 | <50.0 | <0.000396 <0.000401 | <0.000396 <0.000401 | <0.000396 <0.000401 | <0.000792 <0.000802 | <0.000396 <0.000401 | <0.000792 <0.000802 | <0.000792 <0.000401 | 291 265 |
| 5/5/2022 5/5/2022 | CS-South South Sidewall - 7 CS-South East Sidewall - 1 | <49.9 <49.9 | <49.9 <49.9 | <49.9 <49.9 | <49.9 <49.9 | <0.000401 | <0.000401 | <0.000401 | <0.000802 | <0.000401 | <0.000802 | <0.000401 | 265 |
| 5/5/2022 | CS-South East Sidewall - 1 CS-South East Sidewall - 2 | <50.0 | <50.00 | <50.0 | <50.0 | < 0.000402 | <0.000402 | < 0.000402 | < 0.000403 | < 0.000402 | < 0.000803 | < 0.000803 | 276 |
| 5/5/2022 | CS-South West Sidewall - 1 | <50.0 | <50.00 | <50.0 | <50.0 | < 0.000403 | < 0.000403 | < 0.000403 | < 0.000803 | < 0.000402 | < 0.000803 | < 0.000803 | 161 |
| 5/5/2022 | CS-South West Sidewall - 2 | <50.0 | <50.00 | <50.0 | <50.0 | < 0.000401 | < 0.000401 | < 0.000401 | < 0.000802 | < 0.000401 | < 0.000802 | < 0.000802 | 209 |

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

| Incident ID | |
|----------------|--|
| District RP | |
| Facility ID | |
| Application ID | |

Release Notification

Responsible Party

| Responsible | Responsible Party Mewbourne Oil Company | | | | OGRID 14744 | | | | | |
|--|--|---|--|------------------------------------|--|---|---|--|--|--|
| Contact Nan | ne Connor V | Valker | | | Contact To | elephone 806-2 | 02-5281 | | | |
| Contact ema | il cwalker@ | mewbourne.com | | | Incident # | (assigned by OCD |) nAPP2208750257 | | | |
| Contact mail 88240 | ling address | 4801 Business Pa | ırk Blvd Hobbs N | NM | | | | | | |
| | | | Location | n of R | elease S | ource | | | | |
| Latitude 32.3 | 3018630 | | (NAD 83 in a | decimal des | Longitude - | -103.8880079_ mal places) | | | | |
| Site Name FN | NRU 16-21 | Battery - Junction | Fuels | | Site Type | Frac Line | | | | |
| Date Release Discovered 3/15/2022 | | | | API# (if app | plicable) | | | | | |
| Unit Letter | Section | Township | Range | | Cour | nty |] | | | |
| F | 16 | 23S | 30E | Eddy | | | 1 | | | |
| | Materia | ıl(s) Released (Select a | Nature ar | | | | e volumes provided below) | | | |
| Crude Oi | | Volume Releas | | ion carcarae. | ons or specific | Volume Reco | | | | |
| Produced | Water | Volume Releas | ed (bbls) 20 | | | Volume Reco | overed (bbls) 0 | | | |
| | | Is the concentra | ntion of dissolved >10,000 mg/l? | l chloride | in the | ⊠ Yes □ N | No | | | |
| Condensa | ate | Volume Releas | ed (bbls) | | | Volume Reco | overed (bbls) | | | |
| Natural C | Gas | Volume Releas | ed (Mcf) | | | Volume Reco | overed (Mcf) | | | |
| Other (de | escribe) | Volume/Weigh | t Released (provi | ide units) | | Volume/Wei | ght Recovered (provide units) | | | |
| told the relea no chlorides. chlorides. Th | 21, a 3 rd part use was fresh After furthe nese were loo | n water, the release er investigation an | e was of small vond site visits, Meve area of the relea | olume, an wbourne ase, which | d the location discovered to was not dis | on of the release the released flui sclosed and was | nir, causing a release. Mewbourne was e. Initial field samples of the area showed d contained produced water and s unknown to Mewbourne. Mewbourne | | | |


Released to Imaging: 12/16/2022 10:56:19 AM

Received by OCD: 9/14/2022 11:29:31 AM
Form C-141 State of New Mexico
Page 2 Oil Conservation Division

| State of New Mexico | | Page 13 of 275 |
|--------------------------|-------------|----------------|
| | Incident ID | |
| il Conservation Division | District RP | |
| | Facility ID | |

Application ID

| Was this a major release as defined by 19.15.29.7(A) NMAC? | If YES, for what reason(s) does the responsible party consider this a major release? |
|---|--|
| ☐ Yes ⊠ No | |
| | |
| If YES, was immediate no | otice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)? |
| · | |
| | |
| | Initial Response |
| The responsible | party must undertake the following actions immediately unless they could create a safety hazard that would result in injury |
| The source of the rele | ease has been stopped. |
| <u>- </u> | as been secured to protect human health and the environment. |
| Released materials ha | ave been contained via the use of berms or dikes, absorbent pads, or other containment devices. |
| ☐ All free liquids and re | ecoverable materials have been removed and managed appropriately. |
| Mewbourne sent a respon | d above have <u>not</u> been undertaken, explain why: After learning of the contents and location of the release, use team. When the Mewbourne response team arrived on-site, the liquid had been soaked up by the soil and there of containment. Further, there was no free-standing liquids. |
| begun, please attach a na | AC the responsible party may commence remediation immediately after discovery of a release. If remediation has rrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a ee 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation. |
| regulations all operators are public health or the environing failed to adequately investig | rmation given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and required to report and/or file certain release notifications and perform corrective actions for releases which may endanger ment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have rate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In f a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws |
| Printed Name: Connor W | /alker Title: Senior Production Engineer |
| Signature: | Date: _3/28/2022 |
| email: _cwalker@mewbo | ourne.com Telephone: _806-202-5281 |
| OCD Only | |
| Received by: | Date: |
| | |





New Mexico Office of the State Engineer

Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

Well Tag POD Number Q64 Q16 Q4 Sec Tws Rng

X Y

NA C 04018 POD1 2 2 1 21 23S 30E 604664 3573868

Driller License: 1737 **Driller Company:** SHADE TREE DRILLING

Driller Name: JUSTIN MULLINS

Drill Start Date: 03/24/2017 **Drill Finish Date:** 03/28/2017 **Plug Date:**

Log File Date:09/11/2017PCW Rev Date:Source:ShallowPump Type:Pipe Discharge Size:Estimated Yield:65 GPMCasing Size:8.00Depth Well:380 feetDepth Water:179 feet

Water Bearing Stratifications: **Top Bottom Description** 170 Other/Unknown 190 Sandstone/Gravel/Conglomerate **Casing Perforations:** Top **Bottom** 140 120 200 180 220 240 260 360

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, or suitability for any particular purpose of the data.


9/14/22 7:48 AM


POINT OF DIVERSION SUMMARY

| displayName | use | use_of_well | status | pod_status | own_Iname | own_fname | depth_w | rell | depth_water | distance_to_center | utm_easting | utm_northing | start_date | finish_date |
|--------------|-----|-------------|--------|------------|-----------|-----------|---------|------|-------------|--------------------|-------------|--------------|-----------------|-----------------|
| C 03339 | STK | null | PMT | null | MOBLEY | W L | null | | null | 0.418 | 604133.3 | 3574811.5 | Wed Dec 31 1969 | Wed Dec 31 1969 |
| C 03478 POD1 | STK | null | PMT | ACT | MOBLEY | JAY | | 230 | 105 | 0.473 | 604637.8 | 3573670.4 | Mon Jun 06 2016 | Sun Jun 26 2016 |
| C 03910 POD1 | STK | null | PMT | PEN | MOBLEY | JAY | null | | null | 0.331 | 604928.4 | 3573954 | Wed Dec 31 1969 | Wed Dec 31 1969 |
| C 04018 POD1 | EXP | null | PMT | ACT | MOBLEY | JAY | | 380 | 179 | 0.349 | 604663.5 | 3573868.4 | Thu Mar 23 2017 | Mon Mar 27 2017 |
| C 04295 POD1 | MON | null | PMT | PEN | MOBLEY | JAY | null | | null | 0.361 | 604816.3 | 3573862.9 | Wed Dec 31 1969 | Wed Dec 31 1969 |

Received by OCD: 9/14/2022 11:29:31 AM












































Pace Analytical® ANALYTICAL REPORT

December 23, 2021





Ss













Charger Services, LLC. - Midland, TX

Sample Delivery Group: L1440084 Samples Received: 12/09/2021

Project Number:

Description: Junction Fuels 49er


Report To: Scant Ynostrosa

23 W Industrial Loop

Midland, TX 79701

Entire Report Reviewed By:

Jason Romer



400 W. Bethany Drive Suite 190 Allen, TX 75013 972-727-1123 800-767-5859 www.pacenational.com

| Cp: Cover Page | 1 |
|-------------------------------|----|
| Tc: Table of Contents | 2 |
| Ss: Sample Summary | 4 |
| Cn: Case Narrative | 9 |
| Sr: Sample Results | 10 |
| BH4 0-6 L1440084-01 | 10 |
| BH4 3-4 L1440084-02 | 11 |
| BH5 0-6 L1440084-03 | 12 |
| BH5 3-4 L1440084-04 | 13 |
| BH6 0-6 L1440084-05 | 14 |
| BH6 18-2 L1440084-06 | 15 |
| BH7 0-6 L1440084-07 | 16 |
| BH7 18-2 L1440084-08 | 17 |
| BH8 0-6 L1440084-09 | 18 |
| BH8 18-2 L1440084-10 | 19 |
| BH9 0-6 L1440084-11 | 20 |
| BH9 3-4 L1440084-12 | 21 |
| BH10 0-6 L1440084-13 | 22 |
| BH10 18-2 L1440084-14 | 23 |
| BH11 0-6 L1440084-15 | 24 |
| BH12 0-6 L1440084-16 | 25 |
| BH12 18-2 L1440084-17 | 26 |
| BH13 0-6 L1440084-18 | 27 |
| BH13 18-2 L1440084-19 | 28 |
| BH14 0-6 L1440084-20 | 29 |
| BH14 18-2 L1440084-21 | 30 |
| BG1 L1440084-22 | 31 |
| BG2 L1440084-23 | 32 |
| BG3 L1440084-24 | 33 |
| BG4 L1440084-25 | 34 |
| BH1 0-6 L1440084-26 | 35 |
| BH1 18-2 L1440084-27 | 36 |
| BH2 0-6 L1440084-28 | 37 |
| BH2 3-4 L1440084-29 | 38 |
| BH3 0-6 L1440084-30 | 39 |
| BH3 4-5 L1440084-31 | 40 |
| Qc: Quality Control Summary | 41 |
| Total Solids by Method D2974 | 41 |
| Wet Chemistry by Method 9056A | 43 |
| GI: Glossary of Terms | 45 |















Al: Accreditations & Locations

Sc: Sample Chain of Custody

46

47



















| | _ | | | | | |
|-------------------------------|-----------|----------|--------------------------|---------------------------------------|-----------------------------|-----------|
| 3H4 0-6 L1440084-01 Solid | | | Collected by MY | Collected date/time 12/07/21 14:11 | Received date 12/09/21 09:3 | |
| Method | Batch | Dilution | Preparation | Analysis | Analyst | Location |
| | | | date/time | date/time | | |
| otal Solids by Method D2974 | WG1789969 | 1 | 12/15/21 15:40 | 12/15/21 16:00 | EIG | Allen, TX |
| et Chemistry by Method 9056A | WG1790698 | 19.9922 | 12/17/21 08:17 | 12/20/21 17:03 | JAP | Allen, TX |
| | | | Collected by | Collected date/time | Received dat | |
| 3H4 3-4 L1440084-02 Solid | | | MY | 12/07/21 14:15 | 12/09/21 09:3 | 0 |
| lethod | Batch | Dilution | Preparation date/time | Analysis date/time | Analyst | Location |
| otal Solids by Method D2974 | WG1789969 | 1 | 12/15/21 15:40 | 12/15/21 16:00 | EIG | Allen, TX |
| /et Chemistry by Method 9056A | WG1790698 | 9.934038 | 12/17/21 08:17 | 12/20/21 17:20 | JAP | Allen, TX |
| | | | Collected by | Collected date/time | Received date | e/time |
| 3H5 0-6 L1440084-03 Solid | | | MY | 12/07/21 14:00 | 12/09/21 09:3 | 0 |
| Method | Batch | Dilution | Preparation | Analysis | Analyst | Location |
| | | | date/time | date/time | - , | |
| otal Solids by Method D2974 | WG1789969 | 1 | 12/15/21 15:40 | 12/15/21 16:00 | EIG | Allen, TX |
| et Chemistry by Method 9056A | WG1790698 | 99.19356 | 12/17/21 08:17 | 12/20/21 18:14 | JAP | Allen, TX |
| | | | Collected by | Collected date/time | Received date | e/time |
| 3H5 3-4 L1440084-04 Solid | | | MY | 12/07/21 14:05 | 12/09/21 09:3 | 0 |
| 1ethod | Batch | Dilution | Preparation | Analysis | Analyst | Location |
| | | | date/time | date/time | | |
| otal Solids by Method D2974 | WG1789969 | 1 | 12/15/21 15:40 | 12/15/21 16:00 | EIG | Allen, TX |
| et Chemistry by Method 9056A | WG1790698 | 20 | 12/17/21 08:17 | 12/20/21 18:32 | JAP | Allen, TX |
| | | | Collected by | Collected date/time | | |
| 3H6 0-6 L1440084-05 Solid | | | MY | 12/07/21 13:38 | 12/09/21 09:3 | 0 |
| 1ethod | Batch | Dilution | Preparation | Analysis | Analyst | Location |
| | | | date/time | date/time | | |
| otal Solids by Method D2974 | WG1789969 | 1 | 12/15/21 15:40 | 12/15/21 16:00 | EIG | Allen, TX |
| et Chemistry by Method 9056A | WG1790698 | 1.996406 | 12/17/21 08:17 | 12/20/21 18:50 | JAP | Allen, TX |
| | | | Collected by | Collected date/time | Received date | |
| 3H6 18-2 L1440084-06 Solid | | | IVI I | 12/07/21 13:42 | 12/09/21 09:3 | · |
| lethod | Batch | Dilution | Preparation date/time | Analysis date/time | Analyst | Location |
| otal Solids by Method D2974 | WG1789969 | 1 | 12/15/21 15:40 | 12/15/21 16:00 | EIG | Allen, TX |
| et Chemistry by Method 9056A | WG1790698 | 1.99982 | 12/17/21 08:17 | 12/20/21 19:08 | JAP | Allen, TX |
| | | | Collected by | Collected date/time | Received dat | |
| 3H7 0-6 L1440084-07 Solid | | | MY | 12/07/21 13:50 | 12/09/21 09:3 | 0 |
| Method | Batch | Dilution | Preparation | Analysis | Analyst | Location |
| | | | date/time | date/time | | |
| Total Solids by Method D2974 | WG1789969 | 1 | 12/15/21 15:40 | 12/15/21 16:00 | EIG | Allen, TX |



















WG1790698 49.59432 12/17/21 08:17

12/20/21 19:26

Allen, TX

Wet Chemistry by Method 9056A

| | | | Collected by | Collected date/time | Received date | e/time |
|---|------------------------|---------------|----------------------------------|----------------------------------|---------------|------------------------|
| BH7 18-2 L1440084-08 Solid | | | MY | 12/07/21 13:55 | 12/09/21 09:3 | 0 |
| Method | Batch | Dilution | Preparation date/time | Analysis date/time | Analyst | Location |
| Total Solids by Method D2974 | WG1789969 | 1 | 12/15/21 15:40 | 12/15/21 16:00 | EIG | Allen, TX |
| Wet Chemistry by Method 9056A | WG1790698 | 9.978447 | 12/17/21 08:17 | 12/20/21 19:43 | JAP | Allen, TX |
| | | | Collected by | Collected date/time | Received date | e/time |
| BH8 0-6 L1440084-09 Solid | | | MY | 12/07/21 14:20 | 12/09/21 09:3 | 0 |
| Method | Batch | Dilution | Preparation date/time | Analysis date/time | Analyst | Location |
| Fotal Solids by Method D2974 | WG1789969 | 1 | 12/15/21 15:40 | 12/15/21 16:00 | EIG | Allen, TX |
| Wet Chemistry by Method 9056A | WG1790698 | 100.009 | 12/17/21 08:17 | 12/20/21 20:01 | JAP | Allen, TX |
| | | | Collected by | Collected date/time | Received date | e/time |
| BH8 18-2 L1440084-10 Solid | | | MY | 12/07/21 14:25 | 12/09/21 09:3 | 0 |
| Method | Batch | Dilution | Preparation | Analysis | Analyst | Location |
| | | | date/time | date/time | | |
| Total Solids by Method D2974 Wet Chemistry by Method 9056A | WG1789969 WG1790698 | 1 .99983 | 12/15/21 15:40 12/17/21 08:17 | 12/15/21 16:00 12/20/21 20:19 | EIG JAP | Allen, TX Allen, TX |
| wet Chemistry by Method 3030A | WG1/30036 | .33303 | 12/1//21 00.1/ | 12/20/21 20.19 | JAF | Allell, IX |
| | | | Collected by | Collected date/time | Received date | e/time |
| 3H9 0-6 L1440084-11 Solid | | | MY | 12/07/21 14:40 | 12/09/21 09:3 | 0 |
| Method | Batch | Dilution | Preparation | Analysis | Analyst | Location |
| | | | date/time | date/time | | |
| Total Solids by Method D2974 | WG1789969 | 1 | 12/15/21 15:40 | 12/15/21 16:00 | EIG | Allen, TX |
| Vet Chemistry by Method 9056A | WG1790698 | 49.93858 | 12/17/21 08:17 | 12/20/21 20:37 | JAP | Allen, TX |
| | | | Collected by | Collected date/time | Received date | e/time |
| 3H9 3-4 L1440084-12 Solid | | | MY | 12/07/21 14:47 | 12/09/21 09:3 | 0 |
| Method | Batch | Dilution | Preparation | Analysis | Analyst | Location |
| | Wedzeses | | date/time | date/time | FIO | All TY |
| Total Solids by Method D2974 Wet Chemistry by Method 9056A | WG1789969 | 1,00005 | 12/15/21 15:40 12/17/21 08:17 | 12/15/21 16:00 12/20/21 20:55 | EIG JAP | Allen, TX |
| vet Chemistry by Method 9056A | WG1790698 | 1.00005 | 12/1//21 06.1/ | 12/20/21 20.55 | JAP | Allen, TX |
| | | | Collected by | Collected date/time | Received dat | |
| 3H10 0-6 L1440084-13 Solid | | | MY | 12/07/21 14:55 | 12/09/21 09:3 | 0 |
| M ethod | Batch | Dilution | Preparation | Analysis | Analyst | Location |
| atal Calida by Mathad D2074 | W04700000 | 4 | date/time | date/time | FIC | Allow TV |
| otal Solids by Method D2974 Vet Chemistry by Method 9056A | WG1789969 WG1790698 | 1 99.87815 | 12/15/21 15:40 12/17/21 08:17 | 12/15/21 16:00 12/20/21 21:48 | EIG JAP | Allen, TX Allen, TX |
| | | | Collected by | Collected date/time | Received date | e/time |
| BH10 18-2 L1440084-14 Solid | | | MY | 12/07/21 15:00 | 12/09/21 09:3 | |
| Method | Batch | Dilution | Preparation | Analysis | Analyst | Location |
| | | | date/time | date/time | | |
| Total Solids by Method D2974 | WG1789969 | 1 | 12/15/21 15:40 | 12/15/21 16:00 | EIG | Allen, TX |



















Wet Chemistry by Method 9056A

WG1790698 .9976555 12/17/21 08:17 12/20/21 22:06

JAP

Allen, TX

| | | | Collected by | Collected date/time | | |
|--------------------------------|-----------|----------|-----------------------|-----------------------|---------------|-----------|
| BH11 0-6 L1440084-15 Solid | | | MY | 12/07/21 15:05 | 12/09/21 09:3 | 0 |
| Method | Batch | Dilution | Preparation date/time | Analysis date/time | Analyst | Location |
| Total Solids by Method D2974 | WG1789969 | 1 | 12/15/21 15:40 | 12/15/21 16:00 | EIG | Allen, TX |
| Vet Chemistry by Method 9056A | WG1790698 | 99.61548 | 12/17/21 08:17 | 12/20/21 22:24 | JAP | Allen, TX |
| | | | Collected by | Collected date/time | | |
| BH12 0-6 L1440084-16 Solid | | | MY | 12/07/21 15:22 | 12/09/21 09:3 | 0 |
| Method | Batch | Dilution | Preparation date/time | Analysis date/time | Analyst | Location |
| otal Solids by Method D2974 | WG1789969 | 1 | 12/15/21 15:40 | 12/15/21 16:00 | EIG | Allen, TX |
| Vet Chemistry by Method 9056A | WG1790698 | 49.59678 | 12/17/21 08:17 | 12/20/21 22:42 | JAP | Allen, TX |
| | | | Collected by | Collected date/time | Received date | e/time |
| 3H12 18-2 L1440084-17 Solid | | | MY | 12/07/21 15:26 | 12/09/21 09:3 | 0 |
| Method | Batch | Dilution | Preparation date/time | Analysis date/time | Analyst | Location |
| Total Solids by Method D2974 | WG1789969 | 1 | 12/15/21 15:40 | 12/15/21 16:00 | EIG | Allen, TX |
| Wet Chemistry by Method 9056A | WG1790698 | 4.99915 | 12/17/21 08:17 | 12/20/21 23:00 | JAP | Allen, TX |
| | | | Collected by | Collected date/time | Received date | e/time |
| 3H13 0-6 L1440084-18 Solid | | | MY | 12/07/21 15:35 | 12/09/21 09:3 | 0 |
| Method | Batch | Dilution | Preparation date/time | Analysis date/time | Analyst | Location |
| otal Solids by Method D2974 | WG1789969 | 1 | 12/15/21 15:40 | 12/15/21 16:00 | EIG | Allen, TX |
| Vet Chemistry by Method 9056A | WG1790698 | .9978745 | 12/17/21 08:17 | 12/20/21 23:18 | JAP | Allen, TX |
| | | | Collected by | Collected date/time | Received date | e/time |
| 3H13 18-2 L1440084-19 Solid | | | MY | 12/07/21 15:40 | 12/09/21 09:3 | 0 |
| Method | Batch | Dilution | Preparation date/time | Analysis date/time | Analyst | Location |
| Total Solids by Method D2974 | WG1789972 | 1 | 12/15/21 16:06 | 12/15/21 16:46 | EIG | Allen, Tک |
| Vet Chemistry by Method 9056A | WG1790698 | 1.00028 | 12/17/21 08:17 | 12/20/21 23:36 | JAP | Allen, TX |
| | | | Collected by | Collected date/time | Received date | e/time |
| 3H14 0-6 L1440084-20 Solid | | | MY | 12/07/21 15:51 | 12/09/21 09:3 | 0 |
| Method | Batch | Dilution | Preparation date/time | Analysis date/time | Analyst | Location |
| Total Solids by Method D2974 | WG1789972 | 1 | 12/15/21 16:06 | 12/15/21 16:46 | EIG | Allen, Tک |
| Vet Chemistry by Method 9056A | WG1790698 | .9967208 | 12/17/21 08:17 | 12/20/21 23:53 | JAP | Allen, TX |
| | | | Collected by | Collected date/time | | |
| BH14 18-2 L1440084-21 Solid | | | MY | 12/07/21 15:59 | 12/09/21 09:3 | 0 |
| Method | Batch | Dilution | Preparation date/time | Analysis date/time | Analyst | Location |
| Total Solids by Method D2974 | WG1789972 | 1 | 12/15/21 16:06 | 12/15/21 16:46 | EIG | Allen, T |
| Wat Character by Mathand OOFCA | WC1702000 | 0040054 | 12/21/21 15:00 | 40/00/04 04 00 | LAD | A.I. T. |



















WG1792869 .9940654 12/21/21 15:06

JAP

Allen, TX

12/22/21 01:38

Wet Chemistry by Method 9056A

| | | | Collected by | Collected date/time | Dogojwad dat | a/tima |
|-------------------------------|-----------|----------|----------------|---------------------|---------------|-----------|
| BG1 L1440084-22 Solid | | | MY | 12/06/21 16:20 | 12/09/21 09:3 | |
| Method | Batch | Dilution | Preparation | Analysis | Analyst | Location |
| | | | date/time | date/time | | |
| Total Solids by Method D2974 | WG1789972 | 1 | 12/15/21 16:06 | 12/15/21 16:46 | EIG | Allen, TX |
| Wet Chemistry by Method 9056A | WG1792869 | 1.986551 | 12/21/21 15:06 | 12/22/21 12:31 | JAP | Allen, TX |
| | | | Collected by | Collected date/time | Received date | e/time |
| BG2 L1440084-23 Solid | | | MY | 12/06/21 16:25 | 12/09/21 09:3 | 0 |
| Method | Batch | Dilution | Preparation | Analysis | Analyst | Location |
| | | | date/time | date/time | | |
| Total Solids by Method D2974 | WG1789972 | 1 | 12/15/21 16:06 | 12/15/21 16:46 | EIG | Allen, TX |
| Wet Chemistry by Method 9056A | WG1792869 | .9973272 | 12/21/21 15:06 | 12/22/21 13:24 | JAP | Allen, TX |
| | | | Collected by | Collected date/time | Received date | e/time |
| BG3 L1440084-24 Solid | | | MY | 12/06/21 16:30 | 12/09/21 09:3 | 0 |
| Method | Batch | Dilution | Preparation | Analysis | Analyst | Location |
| | | | date/time | date/time | | |
| Total Solids by Method D2974 | WG1789972 | 1 | 12/15/21 16:06 | 12/15/21 16:46 | EIG | Allen, TX |
| Wet Chemistry by Method 9056A | WG1792869 | .9981435 | 12/21/21 15:06 | 12/22/21 13:42 | JAP | Allen, TX |
| | | | Collected by | Collected date/time | Received date | e/time |
| BG4 L1440084-25 Solid | | | MY | 12/06/21 16:35 | 12/09/21 09:3 | 0 |
| Method | Batch | Dilution | Preparation | Analysis | Analyst | Location |
| | | | date/time | date/time | | |
| Total Solids by Method D2974 | WG1789972 | 1 | 12/15/21 16:06 | 12/15/21 16:46 | EIG | Allen, TX |
| Wet Chemistry by Method 9056A | WG1792869 | .9995802 | 12/21/21 15:06 | 12/22/21 14:00 | JAP | Allen, TX |
| | | | Collected by | Collected date/time | Received date | e/time |
| BH1 0-6 L1440084-26 Solid | | | MY | 12/07/21 11:26 | 12/09/21 09:3 | 0 |
| Method | Batch | Dilution | Preparation | Analysis | Analyst | Location |
| | | | date/time | date/time | | |
| Total Solids by Method D2974 | WG1789972 | 1 | 12/15/21 16:06 | 12/15/21 16:46 | EIG | Allen, TX |
| Wet Chemistry by Method 9056A | WG1792869 | 99.93105 | 12/21/21 15:06 | 12/22/21 05:48 | JAP | Allen, TX |
| | | | Collected by | Collected date/time | Received date | e/time |
| BH1 18-2 L1440084-27 Solid | | | MY | 12/07/21 11:32 | 12/09/21 09:3 | 0 |
| Method | Batch | Dilution | Preparation | Analysis | Analyst | Location |
| | | | date/time | date/time | | |
| Total Solids by Method D2974 | WG1789972 | 1 | 12/15/21 16:06 | 12/15/21 16:46 | EIG | Allen, TX |
| Wet Chemistry by Method 9056A | WG1792869 | 5.00085 | 12/21/21 15:06 | 12/22/21 14:18 | JAP | Allen, TX |
| | | | Collected by | Collected date/time | Received date | e/time |
| BH2 0-6 L1440084-28 Solid | | | MY | 12/07/21 11:52 | 12/09/21 09:3 | 0 |
| Method | Batch | Dilution | Preparation | Analysis | Analyst | Location |
| | | | date/time | date/time | | |
| Total Solids by Method D2974 | WG1789972 | 1 | 12/15/21 16:06 | 12/15/21 16:46 | EIG | Allen, TX |



















WG1792869 9.956887 12/21/21 15:06 12/22/21 14:36

JAP

Allen, TX

Wet Chemistry by Method 9056A

| | | | Collected by MY | Collected date/time | Received date/time 12/09/21 09:30 | |
|-------------------------------|-----------|----------|--------------------|---------------------|--------------------------------------|-----------|
| BH2 3-4 L1440084-29 Solid | | | | 12/07/21 12:00 | | |
| Method | Batch | Dilution | Preparation | Analysis | Analyst | Location |
| | | | date/time | date/time | | |
| Total Solids by Method D2974 | WG1789972 | 1 | 12/15/21 16:06 | 12/15/21 16:46 | EIG | Allen, TX |
| Wet Chemistry by Method 9056A | WG1792869 | 99.20241 | 12/21/21 15:06 | 12/22/21 14:54 | JAP | Allen, TX |
| | | | Collected by | Collected date/time | ne Received date/time | |
| BH3 0-6 L1440084-30 Solid | | | MY | 12/07/21 12:41 | 12/09/21 09:30 | |
| Method | Batch | Dilution | Preparation | Analysis | Analyst | Location |
| | | | date/time | date/time | | |
| Total Solids by Method D2974 | WG1789972 | 1 | 12/15/21 16:06 | 12/15/21 16:46 | EIG | Allen, TX |
| Wet Chemistry by Method 9056A | WG1792869 | 99.24278 | 12/21/21 15:06 | 12/22/21 07:00 | JAP | Allen, TX |
| | | | Collected by | Collected date/time | e Received date/time | |
| BH3 4-5 L1440084-31 Solid | | | MY | 12/07/21 12:49 | 12/09/21 09:3 | 0 |
| Method | Batch | Dilution | Preparation | Analysis | Analyst | Location |
| | | | date/time | date/time | | |
| Total Solids by Method D2974 | WG1789972 | 1 | 12/15/21 16:06 | 12/15/21 16:46 | EIG | Allen, TX |
| Wet Chemistry by Method 9056A | WG1792869 | .9939567 | 12/21/21 15:06 | 12/22/21 15:47 | JAP | Allen, TX |
| | | | | | | |



















All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



















L1440084

Total Solids by Method D2974

Collected date/time: 12/07/21 14:11

| | Result | Units | Qualifier | Dilution | Analysis | Batch |
|--------------|--------|-------|-----------|----------|------------------|-----------|
| Analyte | | | | | date / time | |
| Total Solids | 94.2 | % | | 1 | 12/15/2021 16:00 | WG1789969 |

²тс



| | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis | Batch |
|----------|--------------|-----------|-----------|----------|------------------|-----------|
| Analyte | mg/kg | | mg/kg | | date / time | |
| Chloride | 1410 | | 212 | 19.9922 | 12/20/2021 17:03 | WG1790698 |





Cn









Page 38 of 275

SAMPLE RESULTS - 02

L14400

Total Solids by Method D2974

Collected date/time: 12/07/21 14:15

| | Result | Units | Qualifier | Dilution | Analysis | Batch |
|--------------|--------|-------|-----------|----------|------------------|-----------|
| Analyte | | | | | date / time | |
| Total Solids | 92.2 | % | | 1 | 12/15/2021 16:00 | WG1789969 |

²Тс

| | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis | Batch |
|----------|--------------|-----------|-----------|----------|------------------|-----------|
| Analyte | mg/kg | | mg/kg | | date / time | |
| Chloride | 312 | | 108 | 9.93403 | 12/20/2021 17:20 | WG1790698 |















Collected date/time: 12/07/21 14:00

Total Solids by Method D2974

| | Result | Units | Qualifier | Dilution | Analysis | Batch |
|--------------|--------|-------|-----------|----------|------------------|-----------|
| Analyte | | | | | date / time | |
| Total Solids | 90.1 | % | | 1 | 12/15/2021 16:00 | WG1789969 |

²Tc

Page 39 of 275

| | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis | Batch |
|----------|--------------|-----------|-----------|----------|------------------|-----------|
| Analyte | mg/kg | | mg/kg | | date / time | |
| Chloride | 4650 | | 1100 | 99.19356 | 12/20/2021 18:14 | WG1790698 |













Page 40 of 275

SAMPLE RESULTS - 04

L1440084

Collected date/time: 12/07/21 14:05 Total Solids by Method D2974

| | Result | Units | Qualifier | Dilution | Analysis | Batch |
|--------------|--------|-------|-----------|----------|------------------|-----------|
| Analyte | | | | | date / time | |
| Total Solids | 93.9 | % | | 1 | 12/15/2021 16:00 | WG1789969 |

²Tc

| | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis | Batch |
|----------|--------------|-----------|-----------|----------|------------------|-----------|
| Analyte | mg/kg | | mg/kg | | date / time | |
| Chloride | 830 | | 213 | 20 | 12/20/2021 18:32 | WG1790698 |















Page 41 of 275

SAMPLE RESULTS - 05

L1440

Collected date/time: 12/07/21 13:38 Total Solids by Method D2974

| | Result | Units | Qualifier | Dilution | Analysis | Batch |
|--------------|--------|-------|-----------|----------|------------------|-----------|
| Analyte | | | | | date / time | |
| Total Solids | 95.9 | % | | 1 | 12/15/2021 16:00 | WG1789969 |

²Тс

| | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis | <u>Batch</u> |
|----------|--------------|-----------|-----------|----------|------------------|--------------|
| Analyte | mg/kg | | mg/kg | | date / time | |
| Chloride | 154 | | 20.8 | 1.996406 | 12/20/2021 18:50 | WG1790698 |















Page 42 of 275

SAMPLE RESULTS - 06

Collected date/time: 12/07/21 13:42

Total Solids by Method D2974

| | Result | Units | Qualifier | Dilution | Analysis | Batch |
|--------------|--------|-------|-----------|----------|------------------|-----------|
| Analyte | | | | | date / time | |
| Total Solids | 90.4 | % | | 1 | 12/15/2021 16:00 | WG1789969 |





| | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis | Batch |
|----------|--------------|-----------|-----------|----------|------------------|-----------|
| Analyte | mg/kg | | mg/kg | | date / time | |
| Chloride | 157 | | 22.1 | 1.99982 | 12/20/2021 19:08 | WG1790698 |















Page 43 of 275

Collected date/time: 12/07/21 13:50

Total Solids by Method D2974

Wet Chemistry by Method 9056A

Analyte

Chloride

Result (dry)

mg/kg

2700

Qualifier

RDL (dry)

mg/kg

527

| | Result | Units | Qualifier | Dilution | Analysis | <u>Batch</u> |
|--------------|--------|-------|-----------|----------|------------------|--------------|
| Analyte | | | | | date / time | |
| Total Solids | 94.1 | % | | 1 | 12/15/2021 16:00 | WG1789969 |

Dilution

Analysis

49.59432 12/20/2021 19:26

date / time

Batch

















Page 44 of 275

SAMPLE RESULTS - 08

Collected date/time: 12/07/21 13:55

Total Solids by Method D2974

| | Result | Units | Qualifier | Dilution | Analysis | <u>Batch</u> |
|--------------|--------|-------|-----------|----------|------------------|--------------|
| Analyte | | | | | date / time | |
| Total Solids | 97.2 | % | | 1 | 12/15/2021 16:00 | WG1789969 |























| | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis | Batch |
|----------|--------------|-----------|-----------|----------|------------------|-----------|
| Analyte | mg/kg | | mg/kg | | date / time | |
| Chloride | 390 | | 103 | 9.978447 | 12/20/2021 19:43 | WG1790698 |

Page 45 of 275

SAMPLE RESULTS - 09

Total Solids by Method D2974

Wet Chemistry by Method 9056A

Analyte

Chloride

Result (dry)

mg/kg

3150

Qualifier

RDL (dry)

mg/kg

1050

Collected date/time: 12/07/21 14:20

| | Result | Units | Qualifier | Dilution | Analysis | <u>Batch</u> |
|--------------|--------|-------|-----------|----------|------------------|--------------|
| Analyte | | | | | date / time | |
| Total Solids | 94.8 | % | | 1 | 12/15/2021 16:00 | WG1789969 |

Dilution

100.009

Analysis

date / time

12/20/2021 20:01

Batch



















Page 46 of 275

Collected date/time: 12/07/21 14:25

Total Solids by Method D2974

Wet Chemistry by Method 9056A

Analyte

Chloride

Result (dry)

mg/kg

23.4

Qualifier

RDL (dry)

mg/kg

10.8

| | Result | Units | Qualifier | Dilution | Analysis | Batch |
|--------------|--------|-------|-----------|----------|------------------|-----------|
| Analyte | | | | | date / time | |
| Total Solids | 92.8 | % | | 1 | 12/15/2021 16:00 | WG1789969 |

Dilution

.99983

Analysis

date / time

12/20/2021 20:19

Batch





















Page 47 of 275

SAMPLE RESULTS - 11

Dilution

Analysis

49.93858 12/20/2021 20:37

date / time

Batch

WG1790698

Total Solids by Method D2974

Wet Chemistry by Method 9056A

Analyte

Chloride

Result (dry)

mg/kg

2690

Qualifier

RDL (dry)

mg/kg

533

Collected date/time: 12/07/21 14:40

| | Result | Units | Qualifier | Dilution | Analysis | Batch |
|--------------|--------|-------|-----------|----------|------------------|-----------|
| Analyte | | | | | date / time | |
| Total Solids | 93.7 | % | | 1 | 12/15/2021 16:00 | WG1789969 |



















Collected date/time: 12/07/21 14:47

Total Solids by Method D2974

| | Result | Units | Qualifier | Dilution | Analysis | Batch |
|--------------|--------|-------|-----------|----------|------------------|-----------|
| Analyte | | | | | date / time | |
| Total Solids | 92.1 | % | | 1 | 12/15/2021 16:00 | WG1789969 |

Page 48 of 275

Wet Chemistry by Method 9056A

| | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis | Batch |
|----------|--------------|-----------|-----------|----------|------------------|-----------|
| Analyte | mg/kg | | mg/kg | | date / time | |
| Chloride | 61.2 | | 10.9 | 1.00005 | 12/20/2021 20:55 | WG1790698 |



Ss













Page 49 of 275

Collected date/time: 12/07/21 14:55

Total Solids by Method D2974

Wet Chemistry by Method 9056A

Analyte

Chloride

Result (dry)

mg/kg

5910

Qualifier

RDL (dry)

mg/kg

1090

| | Result | Units | Qualifier | Dilution | Analysis | Batch |
|--------------|--------|-------|-----------|----------|------------------|-----------|
| Analyte | | | | | date / time | |
| Total Solids | 91.3 | % | | 1 | 12/15/2021 16:00 | WG1789969 |

Dilution

Analysis

99.87815 12/20/2021 21:48

date / time

Batch





| 3 |
|----|
| 55 |













Page 50 of 275

SAMPLE RESULTS - 14

Total Solids by Method D2974

Wet Chemistry by Method 9056A

Analyte

Chloride

Result (dry)

mg/kg

61.5

Qualifier

RDL (dry)

mg/kg

10.3

Collected date/time: 12/07/21 15:00

| | Result | Units | Qualifier | Dilution | Analysis | Batch |
|--------------|--------|-------|-----------|----------|------------------|-----------|
| Analyte | | | | | date / time | |
| Total Solids | 97.3 | % | | 1 | 12/15/2021 16:00 | WG1789969 |

Dilution

Analysis

.9976555 12/20/2021 22:06

date / time

Batch



















Page 51 of 275

Collected date/time: 12/07/21 15:05

Total Solids by Method D2974

Wet Chemistry by Method 9056A

Analyte

Chloride

Result (dry)

mg/kg

3860

Qualifier

RDL (dry)

mg/kg

1040

| | Result | Units | Qualifier | Dilution | Analysis | <u>Batch</u> |
|--------------|--------|-------|-----------|----------|------------------|--------------|
| Analyte | | | | | date / time | |
| Total Solids | 95.9 | % | | 1 | 12/15/2021 16:00 | WG1789969 |

Dilution

Analysis

99.61548 12/20/2021 22:24

date / time

Batch



















Page 52 of 275

Collected date/time: 12/07/21 15:22

Total Solids by Method D2974

Wet Chemistry by Method 9056A

Analyte

Chloride

Result (dry)

mg/kg

1930

Qualifier

RDL (dry)

mg/kg

511

| | Result | Units | Qualifier | Dilution | Analysis | <u>Batch</u> |
|--------------|--------|-------|-----------|----------|------------------|--------------|
| Analyte | | | | | date / time | |
| Total Solids | 97.1 | % | | 1 | 12/15/2021 16:00 | WG1789969 |

Dilution

Analysis

49.59678 12/20/2021 22:42

date / time

Batch



















Page 53 of 275

Collected date/time: 12/07/21 15:26

Total Solids by Method D2974

| | Result | Units | Qualifier | Dilution | Analysis | Batch |
|--------------|--------|-------|-----------|----------|------------------|-----------|
| Analyte | | | | | date / time | |
| Total Solids | 97.4 | % | | 1 | 12/15/2021 16:00 | WG1789969 |

| | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis | Batch |
|----------|--------------|-----------|-----------|----------|------------------|-----------|
| Analyte | mg/kg | | mg/kg | | date / time | |
| Chloride | 327 | | 51.4 | 4.99915 | 12/20/2021 23:00 | WG1790698 |













Page 54 of 275

SAMPLE RESULTS - 18

Total Solids by Method D2974

Collected date/time: 12/07/21 15:35

| | Result | Units | Qualifier | Dilution | Analysis | <u>Batch</u> |
|--------------|--------|-------|-----------|----------|------------------|--------------|
| Analyte | | | | | date / time | |
| Total Solids | 98.3 | % | | 1 | 12/15/2021 16:00 | WG1789969 |



| | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis | <u>Batch</u> |
|----------|--------------|-----------|-----------|----------|------------------|--------------|
| Analyte | mg/kg | | mg/kg | | date / time | |
| Chloride | 13.3 | | 10.2 | .9978745 | 12/20/2021 23:18 | WG1790698 |















Page 55 of 275

SAMPLE RESULTS - 19

Collected date/time: 12/07/21 15:40 Total Solids by Method D2974

| | Result | Units | Qualifier | Dilution | Analysis | <u>Batch</u> |
|--------------|--------|-------|-----------|----------|------------------|--------------|
| Analyte | | | | | date / time | |
| Total Solids | 95.7 | % | | 1 | 12/15/2021 16:46 | WG1789972 |



Ss

| | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis | Batch |
|----------|--------------|-----------|-----------|----------|------------------|-----------|
| Analyte | mg/kg | | mg/kg | | date / time | |
| Chloride | ND | | 10.4 | 1.00028 | 12/20/2021 23:36 | WG1790698 |













Page 56 of 275

SAMPLE RESULTS - 20

Collected date/time: 12/07/21 15:51

Total Solids by Method D2974

Wet Chemistry by Method 9056A

Analyte

Chloride

Result (dry)

mg/kg

64.5

Qualifier

RDL (dry)

mg/kg

10.6

| | Result | Units | Qualifier | Dilution | Analysis | <u>Batch</u> |
|--------------|--------|-------|-----------|----------|------------------|--------------|
| Analyte | | | | | date / time | |
| Total Solids | 94.1 | % | | 1 | 12/15/2021 16:46 | WG1789972 |

Dilution

.996720

Analysis

date / time

12/20/2021 23:53

Batch

WG1790698





Ss















Page 57 of 275

SAMPLE RESULTS - 21

L1440084

Total Solids by Method D2974

Collected date/time: 12/07/21 15:59

| | Result | Units | Qualifier | Dilution | Analysis | Batch |
|--------------|--------|-------|-----------|----------|------------------|-----------|
| Analyte | | | | | date / time | |
| Total Solids | 94.6 | % | | 1 | 12/15/2021 16:46 | WG1789972 |

²Tc

| | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis | Batch |
|----------|--------------|-----------|-----------|----------|------------------|-----------|
| Analyte | mg/kg | | mg/kg | | date / time | |
| Chloride | ND | | 10.5 | .994065 | 12/22/2021 01:38 | WG1792869 |













Page 58 of 275

SAMPLE RESULTS - 22

Dilution

Analysis

1.986551 12/22/2021 12:31

date / time

Batch

WG1792869

Total Solids by Method D2974

Wet Chemistry by Method 9056A

Analyte

Chloride

Result (dry)

mg/kg

149

Qualifier

<u>J5</u>

RDL (dry)

mg/kg

21.1

Collected date/time: 12/06/21 16:20

| | Result | Units | Qualifier | Dilution | Analysis | Batch |
|--------------|--------|-------|-----------|----------|------------------|-----------|
| Analyte | | | | | date / time | |
| Total Solids | 94.0 | % | | 1 | 12/15/2021 16:46 | WG1789972 |



















Page 59 of 275

SAMPLE RESULTS - 23

Total Solids by Method D2974

Collected date/time: 12/06/21 16:25

| | Result | Units | Qualifier | Dilution | Analysis | <u>Batch</u> |
|--------------|--------|-------|-----------|----------|------------------|--------------|
| Analyte | | | | | date / time | |
| Total Solids | 96.9 | % | | 1 | 12/15/2021 16:46 | WG1789972 |





| | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis | Batch |
|----------|--------------|-----------|-----------|----------|------------------|-----------|
| Analyte | mg/kg | | mg/kg | | date / time | |
| Chloride | ND | | 10.3 | .9973272 | 12/22/2021 13:24 | WG1792869 |



Ss











Page 60 of 275

SAMPLE RESULTS - 24

Qualifier

RDL (dry)

mg/kg

10.3

Result (dry)

mg/kg

ND

Total Solids by Method D2974

Wet Chemistry by Method 9056A

Analyte

Chloride

Collected date/time: 12/06/21 16:30

| | Result | Units | Qualifier | Dilution | Analysis | Batch |
|--------------|--------|-------|-----------|----------|------------------|-----------|
| Analyte | | | | | date / time | |
| Total Solids | 97.2 | % | | 1 | 12/15/2021 16:46 | WG1789972 |

Dilution

Analysis

.9981435 12/22/2021 13:42

date / time

Batch





















Page 61 of 275

SAMPLE RESULTS - 25

Dilution

Analysis

date / time

12/22/2021 14:00

Batch

WG1792869

Collected date/time: 12/06/21 16:35 Total Solids by Method D2974

Wet Chemistry by Method 9056A

Analyte

Chloride

Result (dry)

mg/kg

24.5

Qualifier

RDL (dry)

mg/kg

10.2

| | Result | Units | Qualifier | Dilution | Analysis | Batch |
|--------------|--------|-------|-----------|----------|------------------|-----------|
| Analyte | | | | | date / time | |
| Total Solids | 98.0 | % | | 1 | 12/15/2021 16:46 | WG1789972 |

















Page 62 of 275

SAMPLE RESULTS - 26

Collected date/time: 12/07/21 11:26

Total Solids by Method D2974

| | Result | Units | Qualifier | Dilution | Analysis | <u>Batch</u> |
|--------------|--------|-------|-----------|----------|------------------|--------------|
| Analyte | | | | | date / time | |
| Total Solids | 91.7 | % | | 1 | 12/15/2021 16:46 | WG1789972 |



Wet Chemistry by Method 9056A

| | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis | Batch |
|----------|--------------|-----------|-----------|----------|------------------|-----------|
| Analyte | mg/kg | | mg/kg | | date / time | |
| Chloride | 4870 | | 1090 | 99.93105 | 12/22/2021 05:48 | WG1792869 |



Ss











Page 63 of 275

Collected date/time: 12/07/21 11:32

Total Solids by Method D2974

Wet Chemistry by Method 9056A

Analyte

Chloride

Result (dry)

mg/kg

436

Qualifier

RDL (dry)

mg/kg

53.3

| | Result | Units | Qualifier | Dilution | Analysis | Batch |
|--------------|--------|-------|-----------|----------|------------------|-----------|
| Analyte | | | | | date / time | |
| Total Solids | 93.9 | % | | 1 | 12/15/2021 16:46 | WG1789972 |

Dilution

Analysis

5.00085 12/22/2021 14:18

date / time

Batch



















Page 64 of 275

SAMPLE RESULTS - 28

Total Solids by Method D2974

Collected date/time: 12/07/21 11:52

| | Result | Units | Qualifier | Dilution | Analysis | <u>Batch</u> |
|--------------|--------|-------|-----------|----------|------------------|--------------|
| Analyte | | | | | date / time | |
| Total Solids | 89.7 | % | | 1 | 12/15/2021 16:46 | WG1789972 |





| | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis | Batch |
|----------|--------------|-----------|-----------|----------|------------------|-----------|
| Analyte | mg/kg | | mg/kg | | date / time | |
| Chloride | 579 | | 111 | 9.956887 | 12/22/2021 14:36 | WG1792869 |



Ss











Page 65 of 275

SAMPLE RESULTS - 29

Dilution

Analysis

99.20241 12/22/2021 14:54

date / time

Batch

WG1792869

Total Solids by Method D2974

Wet Chemistry by Method 9056A

Analyte

Chloride

Result (dry)

mg/kg

6990

Qualifier

RDL (dry)

mg/kg

1120

Collected date/time: 12/07/21 12:00

| | Result | Units | Qualifier | Dilution | Analysis | Batch |
|--------------|--------|-------|-----------|----------|------------------|-----------|
| Analyte | | | | | date / time | |
| Total Solids | 88.3 | % | | 1 | 12/15/2021 16:46 | WG1789972 |



















Page 66 of 275

SAMPLE RESULTS - 30

Total Solids by Method D2974

Collected date/time: 12/07/21 12:41

| | Result | Units | Qualifier | Dilution | Analysis | <u>Batch</u> |
|--------------|--------|-------|-----------|----------|------------------|--------------|
| Analyte | | | | | date / time | |
| Total Solids | 88.9 | % | | 1 | 12/15/2021 16:46 | WG1789972 |

Wet Chemistry by Method 9056A

| | Result (dry) | Qualifier | RDL (dry) | Dilution | Analysis | Batch |
|----------|--------------|-----------|-----------|----------|------------------|-----------|
| Analyte | mg/kg | | mg/kg | | date / time | |
| Chloride | 5200 | | 1120 | 99.24278 | 12/22/2021 07:00 | WG1792869 |





Cn











Page 67 of 275

Collected date/time: 12/07/21 12:49

Total Solids by Method D2974

Wet Chemistry by Method 9056A

Analyte

Chloride

Result (dry)

mg/kg

91.6

Qualifier

RDL (dry)

mg/kg

10.4

| | Result | Units | Qualifier | Dilution | Analysis | Batch |
|--------------|--------|-------|-----------|----------|------------------|-----------|
| Analyte | | | | | date / time | |
| Total Solids | 95.8 | % | | 1 | 12/15/2021 16:46 | WG1789972 |

Dilution

Analysis

.9939567 12/22/2021 15:47

date / time

Batch



















Page 68 of 275

Total Solids by Method D2974

L1440084-01,02,03,04,05,06,07,08,09,10,11,12,13,14,15,16,17,18

L1438917-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1438917-02 12/15/21 16:00 • (DUP) R3741392-1 12/15/21 16:00

| | Original Result | DUP Result | Dilution | DUP RPD | DUP Qualifier | DUP RPD Limits |
|--------------|-----------------|------------|----------|---------|---------------|-------------------|
| Analyte | % | % | | % | | % |
| Total Solids | 29.4 | 28.6 | 1 | 2.76 | | 20 |



¹Cp

















Page 69 of 275

Total Solids by Method D2974

L1440084-19,20,21,22,23,24,25,26,27,28,29,30,31

L1440084-19 Original Sample (OS) • Duplicate (DUP)

(OS) L1440084-19 12/15/21 16:46 • (DUP) R3741394-1 12/15/21 16:46

| | Original Result | DUP Result | Dilution | DUP RPD | DUP Qualifier | DUP RPD Limits |
|--------------|-----------------|------------|----------|---------|---------------|-------------------|
| Analyte | % | % | | % | | % |
| Total Solids | 95.7 | 95.7 | 1 | 0.000 | | 20 |



Ss

SDG:

L1440084

Page 70 of 275

Wet Chemistry by Method 9056A

L1440084-01,02,03,04,05,06,07,08,09,10,11,12,13,14,15,16,17,18,19,20

Method Blank (MB)

| (MB) R3743065-1 12/20/2 | 21 16:27 | | | |
|-------------------------|-----------|--------------|--------|--------|
| | MB Result | MB Qualifier | MB MDL | MB RDL |
| Analyte | mg/kg | | mg/kg | mg/kg |
| Chloride | U | | 2.04 | 10.0 |







Laboratory Control Sample (LCS)

| (LCS) R3743065-2 12/20/2 | 21 16:45 | | | | |
|--------------------------|--------------|------------|----------|-------------|---------------|
| | Spike Amount | LCS Result | LCS Rec. | Rec. Limits | LCS Qualifier |
| Analyte | mg/kg | mg/kg | % | % | |
| Chloride | 50.0 | 50.3 | 101 | 80.0-120 | |





Cn

L1440084-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) I 1440084-01 12/20/21 17:03 • (MS) R3743065-3 12/21/21 00:11 • (MSD) R3743065-4 12/21/21 00:29

| (00) 211 1000 101 12/20/21 | 17.00 (1110) 110 | 37 10000 0 127 | 202100.11 (111 | 02) 1107 10000 | 1 12/21/21 00. | | | | | | | |
|----------------------------|--------------------|--------------------------|-----------------|---------------------|----------------|----------|----------|-------------|--------------|---------------|------|------------|
| | Spike Amount (dry) | Original Result (dry) | MS Result (dry) | MSD Result (dry) | MS Rec. | MSD Rec. | Dilution | Rec. Limits | MS Qualifier | MSD Qualifier | RPD | RPD Limits |
| Analyte | mg/kg | mg/kg | mg/kg | mg/kg | % | % | | % | | | % | % |
| Chloride | 1060 | 1410 | 2530 | 2580 | 106 | 110 | 19.85427 | 80.0-120 | | | 1,77 | 20 |







L1440084-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1440084-02 12/20/21 17:20 • (MS) R3743065-5 12/21/21 01:23 • (MSD) R3743065-6 12/21/21 01:41

| , | Spike Amount (dry) | Original Result (dry) | MS Result (dry) | MSD Result (dry) | MS Rec. | MSD Rec. | Dilution | Rec. Limits | MS Qualifier | MSD Qualifier | RPD | RPD Limits |
|----------|-----------------------|--------------------------|-----------------|---------------------|---------|----------|----------|-------------|--------------|---------------|------|------------|
| Analyte | mg/kg | mg/kg | mg/kg | mg/kg | % | % | | % | | | % | % |
| Chloride | 542 | 312 | 867 | 877 | 102 | 104 | 9.95649 | 80.0-120 | | | 1.16 | 20 |

Page 71 of 275

Wet Chemistry by Method 9056A

L1440084-21,22,23,24,25,26,27,28,29,30,31

Method Blank (MB)

| (MB) R3743607-1 12/22/ | /21 01:02 | | | |
|------------------------|-----------|--------------|--------|--------|
| | MB Result | MB Qualifier | MB MDL | MB RDL |
| Analyte | mg/kg | | mg/kg | mg/kg |
| Chloride | U | | 2.04 | 10.0 |



²Tc



Laboratory Control Sample (LCS)

| (LCS) R3743607-2 12/22/2 | 1 01:20 | | | | |
|--------------------------|--------------|------------|----------|-------------|---------------|
| | Spike Amount | LCS Result | LCS Rec. | Rec. Limits | LCS Qualifier |
| Analyte | mg/kg | mg/kg | % | % | |
| Chloride | 50.0 | 50.7 | 101 | 80 0-120 | |



Cn





(OS) L1440084-21 12/22/21 01:38 • (MS) R3743607-3 12/22/21 01:56 • (MSD) R3743607-4 12/22/21 02:14

| (OS) L1440084-21 12/22/21 | 1 01:38 • (MS) R | 3/43607-3 12/ | /22/21 01:56 • (ľ | VISD) R374360 | 7-4 12/22/21 0 | 2:14 | | | | | | |
|---------------------------|--------------------|--------------------------|-------------------|---------------------|----------------|----------|----------|-------------|--------------|---------------|-------|------------|
| | Spike Amount (dry) | Original Result (dry) | MS Result (dry) | MSD Result (dry) | MS Rec. | MSD Rec. | Dilution | Rec. Limits | MS Qualifier | MSD Qualifier | RPD | RPD Limits |
| Analyte | mg/kg | mg/kg | mg/kg | mg/kg | % | % | | % | | | % | % |
| Chloride | 52.9 | ND | 58.3 | 57.7 | 94.5 | 93.5 | .99991 | 80.0-120 | | | 0.919 | 20 |







L1440084-22 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1440084-22 12/22/21 12:31 • (MS) R3744187-1 12/22/21 12:49 • (MSD) R3744187-2 12/22/21 13:06

| (00) | 2.1.1000.22.12,22,2 | Spike Amount (dry) | | • | • | MS Rec. | MSD Rec. | Dilution | Rec. Limits | MS Qualifier | MSD Qualifier | RPD | RPD Limits |
|------|---------------------|--------------------|-------|-------|-------|---------|----------|----------|-------------|--------------|---------------|------|------------|
| Anal | yte | mg/kg | mg/kg | mg/kg | mg/kg | % | % | | % | | | % | % |
| Chlo | ride | 106 | 149 | 285 | 252 | 128 | 97.5 | 1.986887 | 80.0-120 | J5 | | 12.1 | 20 |

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

| (dry) | Results are reported based on the dry weight of the sample. [this will only be present on a dry report basis for soils]. |
|---------------------------------|--|
| MDL | Method Detection Limit. |
| ND | Not detected at the Reporting Limit (or MDL where applicable). |
| RDL | Reported Detection Limit. |
| RDL (dry) | Reported Detection Limit. |
| Rec. | Recovery. |
| RPD | Relative Percent Difference. |
| SDG | Sample Delivery Group. |
| U | Not detected at the Reporting Limit (or MDL where applicable). |
| Analyte | The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported. |
| Dilution | If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor. |
| Limits | These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges. |
| Original Sample | The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG. |
| Qualifier | This column provides a letter and/or number designation that corresponds to additional information concerning the resu reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable. |
| Result | The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte. |
| Uncertainty (Radiochemistry) | Confidence level of 2 sigma. |
| Case Narrative (Cn) | A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report. |
| Quality Control Summary (Qc) | This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material. |
| Sample Chain of Custody (Sc) | This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis. |
| Sample Results (Sr) | This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported. |
| Sample Summary (Ss) | This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis. |

Qualifier Description

J5

The sample matrix interfered with the ability to make any accurate determination; spike value is high.





















Charger Services, LLC. - Midland, TX

Pace Analytical Services, LLC -Dallas 400 W. Bethany Drive Suite 190 Allen, TX 75013

| Arkansas | 88-0647 | Kansas | E10388 |
|-----------|---------|----------|------------------|
| Florida | E871118 | Texas | T104704232-20-32 |
| lowa | 408 | Oklahoma | 8727 |
| Louisiana | 30686 | | |

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable



















Charger Services, LLC. - Midland, TX

^{*} Not all certifications held by the laboratory are applicable to the results reported in the attached report.

^{*} Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

| Charger Services | | | Billing Infor | mation: | | | | | | Analysis / Co | ntainer / I | reservative | | Chain of Custody | Page of |
|--|-------------------------|-------------------|---------------------|---------------------------------------|----------|--------------------|-------------|---------|--------------|---------------|-------------|------------------|------------------------------------|---|------------------------|
| | | | Charger | Services | 3 | | Pres Chk | | | | | | | Pace A National Ce | Analytical * |
| Report to: Scant / Mostro Project Description: Description: | 3a_ | 1190 | Email To: Scant. | Los Pro City/Sta Collecte | sa to | Charger M Edd | ser U | Z05.0 | iam | | | | | 12065 Lebanon Rd Mount Juliet, TN 37: Phone: 615-758-585 Phone: 800-767-585 Fax: 615-758-5859 | 8 666 |
| Phone: 6/32-234-7289 | Client Project | # | | Lab Proj | | 1 600 | J | | | | | | | "L14" | 10084 |
| Fax: Collected by (print): | Site/Facility ID | # | | P.O.# | | | | 300 | | | | | | Table # | |
| M. Thostoola | 49ex | • | | | | | | | 77 | | lalar - | | FOR | Acctnum: CHA | SERMIX |
| M /pastysta_ Collected by (signature): | Rush? (L | ab MUST Be | | Quote | # | | | les | | | | | | Template: Prelogin: | |
| Immediately Packed on Ice N Y | | 5 Day | y (Rad Only) | D | ate Resi | ults Needed | No. | loria | | | | | | TSR: | |
| Sample ID | Comp/Grab | Matrix * | Depth | Da | ate | Time | Cntrs | 3 | | | | | | Shipped Via: | Sample # (lab or |
| BA4 0-6" | C. | 5 | 0-67 | 12- | 7-21 | 14:11 | 17 | | | | | | | -01 | |
| BHY 3'-4' | | | 3-41 | | | 14:15 | 11 | | nue al vi | | | | | -02 | |
| BH5 0-6" | | | 0-611 | | | 14:00 | | | 1000 | | | | | -03 | |
| BA5 3'-4' | | | 3-41 | | | 14:05 | | | | | | | | -04 | |
| 1046 0-611 | | | 0-67 | | | 13:38 | | | | | 1000 F | | | -05 | |
| BH6 18"-21 | | 3 | 18-21 | | | 13:42 | | | jiii' | | 15,10 | | | - 06 | |
| BHM 0-6" | | 19/10 | 0-61 | | | 13:50 | | | 1200 | | | | | -07 | |
| BH7 18"-2" | | | 18-2' | | | 13:55 | | | | | 200 | | | -08 | |
| BH8 0-6" | | | 0-61 | | | 14:20 | | | | | | | | -09 | |
| BH8 18"-21 | | | 18"-2" | | | 14:25 | | | | | | | | -10 | |
| * Matrix: SS - Soil AIR - Air F - Filter GW - Groundwater B - Bioassay WW - WasteWater | Remarks: | | - (B) | ý | | | | | | pH _ Flow_ | | emp | COC Seal COC Signe Bottles a | mple Receipt Ch Present/Intact d/Accurate: rrive intact: ottles used: | NP Y |
| DW - Drinking Water OT - Other | Samples retur UPS Fe | ned via: dExCo | urier | | 100 | racking # 3 | 080 | 182 | 602 | 5 | | | VOA Zero | t volume sent: If Applicab Headspace: | Y |
| Relinquished by : (Signature) | | Date: 12-7 | | 9: 3 | | (Signa | iture) | 2 | P | Trip Blank | Received: | HCL / MeoH | Preservat | ion Correct/Che | ecked: _Y_ |
| Relinquished by (Signature) | | Date: 2.8. | | ime: | | eceived by: (Signa | | 1 | | Temp: | °C E | ottles Received: | If preservat | ion required by Log | in: Date/Time |
| Relinquished by : (Signature) | | Date: 12/9/ | | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |) Re | aceived for law by | ful | ture) / | 49/2 | Date: | | ime: | Hold: | | Condition: NCF / OK |

| Charger Services | | | Billing Infor | mation: | | | | | | Analys | is / Contair | ner / Preservativ | ve | | Chain of Custody | Page of _ |
|---|-------------------------|-----------------------------------|---------------------|---------------------------------------|------------|------------------------|-------------|-------------|-----|------------|--------------------|------------------------------|-------|----------------|---|--------------------------|
| | | | Charger | Services | S | | Pres Chk | | | | | | | | Pace | Analytical* |
| Report to: Scant Inostrosa Project Description: Janetian | Fuel | . 49 | Email To: Scant. | City/Sta | escalarite | charger. | sero | lices | | | | | | | 12065 Lebanon Rd Mount Juliet, TN 37: Phone: 615-758-585 Phone: 800-767-585 Fax: 615-758-5859 | ster for Testing & Innov |
| Phone: 432-234 - 7289 | Client Project | # | Er | Lab Proj | ject# | ricua | 7 | 0 | | | | | | | L# L14 | 10084 |
| Fax: Collected by (print): | Site/Facility ID | | | P.O.# | - | | | 30 | E. | | | | | | Table # Acctnum: CHA | SERMTX |
| Collected by (signature): Immediately Packed on Ice N Y | Same Da | ab MUST Be y Five I y 5 Day 10 Da | Day (Rad Only) | Quote | | ults Needed | No. | lar, des | 36 | | 2.101 <u>0</u> 210 | | | | Template: Prelogin: TSR: PB: | |
| Sample ID | Comp/Grab | Matrix * | Depth | Da | ate | Time | Cntrs | Ch | | | | | | | Shipped Via: | Sample # (lab o |
| 1349 0-6" | (| 5 | 0-6" | 12- | 7-21 | 14:40 | 1 | | | mals. | | | | | -11 | |
| BH1 3'-4' | | | 3-41 | | | 14:47 | | | Hi | (1) (1) | Special Control | | | | -12 | |
| BH18 0-6" | | | 0-64 | | | 14:55 | | | | Limited | | | | | -13 | |
| BA10 18"-2" | | | 18"-2" | | | 15:00 | | | | In File | | | | | -14 | |
| BH11 0-6" | | | 0-61 | | | 15:05 | | | | | | | | | -15 | |
| BH12 0-67 | | | 0-6" | | | 18:22 | | | 15 | | | | | | -16 | |
| BHD 18'1-2' | | | 181.21 | | | 19:26 | | TO HE | | - | | | | | -17 | |
| BH130-6" | | | 0-61 | | | 15:35 | II | | | | | | | h - T <u>i</u> | -18 | |
| BH13 18"-2" | | | 18"-2" | - | | 15:40 | 1 | | | | | | | | -19 | |
| * Matrix: SS - Soil AIR - Air F - Filter GW - Groundwater B - Bioassay WW - WasteWater | Remarks: | | | | | | | Included in | | | oH | _ Temp | _ | Bottles & | ample Receipt Ch Present/Intact. ed/Accurate: arrive intact: | ecklist NP Y Y Y Y |
| DW - Drinking Water OT - Other | Samples retur UPS Fe | | urier | r seeding keliphyd y dans r ydd | Ţ | racking # 3/ | 780 | 187 | 60 | - | low_ | _ Other | | Sufficien | bottles used: nt volume sent: If Applicab. Headspace: | Le Y |
| Relinquished by : (Signature) | | Date: /2-7 | | ime: /9:49 | | egeived over taignat | ture) | ~ | / | | | ived: Yes/No HCL/N TBR | ИеоН | Preserva | tion Correct/Che | ecked: Y |
| Relinquished by : (Signature) | | Date: 12.8. | Т | ime: | | eceived by: (Signate) | | | | Tem | p: | C Bottles Rece | ived: | If preserva | tion required by Log | in: Date/Time |
| Relinquished by : (Signature) | | Date: 12191 | | ime: 093 | 100 | eceived for lab by: | (Signal | ture) | 093 | Date | | Time: | | Hold: | | Condition: NCF / OR |

| Charger Services | | | Billing Infor | mation: | | | | | Analysis / Con | tainer / Pre | eservative | | Chain of Custody | Page of |
|---|-----------------------------------|-------------|---------------|---------------|-------------------|-------------|--------------|--|---|--------------|---|--------------------|--|--|
| | | | Charger | Services | | Pres Chk | | | | | | | Pace National C | Analytical* enter for Testing & Inno |
| Report to: Scant Inostrose Project Description: Janckion Phone: 432-234-7239 | a Feede | 49+1 | Email To: | City/State | Chargers M Edd | evil | (2) | | | | | | 12065 Lebanon Rd Mount Juliet, TN 37 Phone: 615-758-58 Phone: 800-767-58 Fax: 615-758-5859 | 7122 58 59 |
| Phone: 432-234-7259 | Client Project | # | | Lab Project # | 6 | 1 | 0 | | | | | | L# L14 | 40084 |
| Fax: Collected by {print); | Site/Facility ID | # | | P.O. # | | | 12 | | | | | | Table # | |
| M. Ynostrosa | 49 | er | | 1.0, # | | | 102 | 1.60 | | | | | Acctnum: CH | ASERMTX |
| Collected by (signature): | Rush? (L | ab MUST Be | Notified) | Quote# | | | 8 | | | | al Balanti | | Template: Prelogin: | |
| Immediately Packed on Ice N Y | Same Da Next Day Two Day Three Da | 5 Day | (Rad Only) | Date Resu | lts Needed | No. | Or. | | | | | | TSR: | |
| Sample ID | Comp/Grab | Matrix * | Depth | Date | Time | Cntrs | 0 | | | | | | Shipped Via: | Sample # (lab |
| BH14 6-67 | 16 | 5 | 0-6" | 12-7-21 | 15:51 | | 8 | 1016 | | | | | -20 | |
| BH14 18"-2" | C | 3 | 181-21 | 12-7-21 | 15:59 | | X | | | | | | -21 | |
| | | | | | | | | The state of the s | | | A STATE OF THE ST | 50.70 | | |
| | | | | | | | | | T T | | | | | |
| | | | | | | | L. Indialate | | | 3 | | | | |
| | | | - | | | + | | | | | | | | |
| | | | | | | + | | E STATE OF | (1) (1) (1) (1) (1) (1) (1) (1) (1) (1) | | Market 1 | 1018.353 01 616 | | Annas (Honor |
| | | | | | | + | | | | | an remin | | | 30000000000000000000000000000000000000 |
| | | | | - | | | | | | | | | | |
| * Matrix: SS - Soil AIR - Air F - Filter GW - Groundwater B - Bioassay WW - WasteWater | Remarks: | | | | | | (4. | | pH | Tem | p | DULLIES a | ple Receipt C Present/Intact d/Accurate: rrive intact: | hecklist : NP Y -Y -Y |
| DW - Drinking Water OT - Other | Samples retur UPS Fe | | ırier | Tra | acking # 3 | 08 | 9821 | 602 | | | | Sufficient | ttles used: volume sent: If Applicat Headspace: | |
| Relinquished by : (Signature) | | Date: 12-7 | -21 / | ime: Re 19:32 | Wed W. Signa | iture) | 4 | | Trip Blank Re | eceived: Y | 'es / No HCL / MeoH TBR | | on Correct/Ch | ecked: Y |
| Relinquished by : (Signature) | | Date: 12-8- | T | / 1 | ceived by: (Signa | nture) | 1 | | Temp: | °C Bot | tles Received: | If preservation | on required by Lo | gin: Date/Tim |
| Reladuished by : (Signature) | | Date: | | 0930 Re | ceived for lab by | (Pur | 14 | 19/21 | Date: | Tin | ne: | Hold: | | Conditio NCF / C |

| Sample Condition Upon Rec EDallas F-DAL-C-001-rev.14 Sample Condition Upon Rec EDallas ET Worth Corpus Chri Sample Condition Upon Rec Edal | Sample Condition Upon Receipt © Dallas Document No.: F-DAL-C-001-rev.14 F-DAL-C-001 |
|--|--|
| Sample Condition Upon Receipt | Sample Condition Upon Receipt |
| EXAL LANGE Service Project Work order (place label): Character Service Project Work order (place label): | ☐Ft Worth ☐Corpus Christi |
| EXC UPS USPS Client Service Project Work order (place label): EXC UPS USPS Client LSO PACE Other CHT On Cooler/Box Ves No Ce 1 Thermometer Used: Recorded D. 2 2 Thermometer Used: Recorded D. 2 3 Thermometer Used: Recorded D. 3 4 Thermometer Used: Recorded D. 3 5 Thermometer Used: Thermometer | |
| on Cooler/Back: Yes No incenter Used: 18-14 Cooler Temp °C: (Recorded) O. 2 1 Thermometer Used: 18-14 Cooler Temp °C: (Recorded) O. 2 2 Thermometer Used: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Date: Da | Services |
| Received on ics: Wet & Blue No ice Received on ics: Wet & Blue No ice Course Receiving Lab 2 Thermometer Used: Context Received | No or |
| Temperature should be above freezing to 6°C unless collected same day as receipt in which evidence of or Triage Person: Chain of Custody relinquished Sampler name & signature on COC Short HT analyses (<72 hrs) Sufficient Volume received Container Intact Sample pH Acceptable pH Strips: Residual Chlorine Present Clastrips: Residual Chlorine Present Clastrips: Lead Acetate Strips: Lead Acetate Strips: Are soil samples (volatiles, TPH) received in 5035A Kits (not applicable to TCLP VOA or PST Program TPH) Unpreserved 5035A soil frozen within 48 hrs Project sampled in USDA Regulated Area outside of Yes No Na Na No No | No ice Cooler Temp °C: 3.3 (Recorded) Cooler Temp °C: (Recorded) |
| Interpolation of the strips: SM Date: 11411 SM Date: 11411 SM Date: 11411 SM Date: 114111 SM Date: 114111 SM Date: 114111 Yes No Date: No Da | freezing to 6° C unless collected same day as receipt in which eviden Date: $\frac{ 2 \eta }{ 1 }$ |
| SM Date: 12(1) SM Date: 12(1) Solume received Itainer used Intainer used Int | Yes Wo |
| SM Date: 116/101 SM Date: 116/101 Solume received Yes 7 No 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Yes & No |
| SM Date: 11 (1) 1 Ves 7 No of the number received of the number of the n | |
| ent Volume received 't Container used 't Containe | Date: 11(9)U |
| iner Intact e pH Acceptable pH Strips: al Chlorine Present Cl Strips: e Present Lead Acetate Strips: Lead Acetate Strips: li samples (volatiles, TPH) received in 5035A Kits served 5035A soil frozen within 48 hrs pace in VOA (>6mm) t sampled in USDA Regulated Area outside of Ves No No Contampled in USDA Regulated Area outside of Ves No Contample Office | No No |
| iner Intact e pH Acceptable pH Strips: Lead Acceptable CI Strips: Present Lead Acctate Strips: I samples (volatiles, TPH) received in 5035A Kits served 5035A soil frozen within 48 hrs t sampled in USDA Regulated Area outside of Served Soil frozen to the served Soil frozen within 48 hrs t sampled in USDA Regulated Area outside of Served Soil frozen within 48 hrs | No No |
| e pH Acceptable pH Strips: al Chlorine Present Cl Strips: e Present Lead Acetate Strips: Isamples (volatiles, TPH) received in 5035A Kits served 5035A soil frozen within 48 hrs pace in VOA (>6mm) t sampled in USDA Regulated Area outside of Yes No | No |
| Lead Acetate Strips: Lead Acetate Strips: I samples (volatiles, TPH) received in 5035A Kits Yes No Splicable to TCLP VOA or PST Program TPH) served 5035A soil frozen within 48 hrs Yes No Space in VOA (>6mm) t sampled in USDA Regulated Area outside of Yes No Space In VOA (>6mm) | □ No □ |
| Lead Acetate Strips: Lead Acetate Strips: Lead Acetate Strips: Il samples (volatiles, TPH) received in 5035A Kits Yes No Splicable to TCLP VOA or PST Program TPH) served 5035A soil frozen within 48 hrs Yes No Space in VOA (>6mm) t sampled in USDA Regulated Area outside of Yes No Space In Voa No Space In VOA (>6mm) | No D |
| il samples (volatiles, TPH) received in 5035A Kits Yes No Splicable to TCLP VOA or PST Program TPH) served 5035A soil frozen within 48 hrs Yes No Space in VOA (>6mm) t sampled in USDA Regulated Area outside of Yes No Sp | Yes 🗆 No 🗆 |
| served 5035A soil frozen within 48 hrs pace in VOA (>6mm) t sampled in USDA Regulated Area outside of | Yes No |
| pace in VOA (>6mm) t sampled in USDA Regulated Area outside of | Yes 🗆 No |
| t sampled in USDA Regulated Area outside of | Yes 🗆 No 🗅 |
| | gulated Area outside of Yes No No NA |
| 7 | |
| Yes 🗆 No | |

| GLI 3089826025 | Manual Wght: 50.0 Tariff Wght: 50.0 PO/Ref #: | GLI 3089826025 |
|--|---|---|
| 08DEC21 12:59P ** LABEL ** Schd: GLI 1454 | DALLAS, TX PACE ANALYTICAL WEST TEXAS PACE ANALYTICAL WEST TEXAS HFPU DALLAS, TX 75202 Phone: 432-202-4238 Priority Agency Phone: (214)747-8859 WWW. | OSDEC21 12:59P ** ORIGIN ** Schd: GLI 1454 From: ODESSA MIDLAND, TX To: DALLAS, TX Priority Priority Priority Priority |
| PRI PPD | PCS: 1 of 1 From: RECV: | PRI PPD PCS: 1 of 1 |



Environment Testing America

ANALYTICAL REPORT

Eurofins Midland 1211 W. Florida Ave Midland, TX 79701 Tel: (432)704-5440

Laboratory Job ID: 880-14112-1

Laboratory Sample Delivery Group: Eddy County, New Mexico Client Project/Site: 49er (JCF6DLE501)

For:

Charger Rentals 23 West Industrial Loop Midland, Texas 79701

Attn: Ronnie Crawford

Holly Taylor

Authorized for release by: 5/9/2022 4:48:09 PM

Holly Taylor, Project Manager (806)794-1296

Holly.Taylor@et.eurofinsus.com

.... LINKS

Review your project results through Total Access

Have a Question?



Visit us at:

www.eurofinsus.com/Env Released to Imaging: 12/16/2022 10:56:19 AM

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Client: Charger Rentals Project/Site: 49er (JCF6DLE501) Laboratory Job ID: 880-14112-1 SDG: Eddy County, New Mexico

Table of Contents

| Cover Page | 1 |
|------------------------|----|
| Table of Contents | 2 |
| Definitions/Glossary | 3 |
| Case Narrative | 4 |
| Client Sample Results | 6 |
| Surrogate Summary | 24 |
| QC Sample Results | 27 |
| QC Association Summary | 36 |
| Lab Chronicle | 43 |
| Certification Summary | 50 |
| Method Summary | 51 |
| Sample Summary | 52 |
| Chain of Custody | 53 |
| Receipt Checklists | 56 |

| | 9 | |
|--|---|--|
| | | |
| | | |
| | | |

Definitions/Glossary

Client: Charger Rentals Job ID: 880-14112-1 Project/Site: 49er (JCF6DLE501) SDG: Eddy County, New Mexico

Qualifiers

GC VOA

Qualifier **Qualifier Description** S1+

Surrogate recovery exceeds control limits, high biased. U Indicates the analyte was analyzed for but not detected.

GC Semi VOA

| Qualifier | Qualifier Description |
|-----------|---|
| *_ | LCS and/or LCSD is outside acceptance limits, low biased. |

F1 MS and/or MSD recovery exceeds control limits. S1-Surrogate recovery exceeds control limits, low biased. S1+ Surrogate recovery exceeds control limits, high biased. U Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier **Qualifier Description**

F1 MS and/or MSD recovery exceeds control limits. U Indicates the analyte was analyzed for but not detected.

Glossary

| A la la | TI | | | | |
|--------------|----------------|-------------------------|----------|----------|-------------------------|
| Abbreviation | i nese commoni | / used abbreviations ma | y or may | y not be | present in this report. |

Listed under the "D" column to designate that the result is reported on a dry weight basis

%R Percent Recovery **CFL** Contains Free Liquid CFU Colony Forming Unit **CNF** Contains No Free Liquid

DER Duplicate Error Ratio (normalized absolute difference)

Dil Fac **Dilution Factor**

DL Detection Limit (DoD/DOE)

DL, RA, RE, IN Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample

DLC Decision Level Concentration (Radiochemistry)

EDL Estimated Detection Limit (Dioxin) LOD Limit of Detection (DoD/DOE) LOQ Limit of Quantitation (DoD/DOE)

EPA recommended "Maximum Contaminant Level" MCL MDA Minimum Detectable Activity (Radiochemistry) MDC Minimum Detectable Concentration (Radiochemistry)

MDL Method Detection Limit ML Minimum Level (Dioxin) MPN Most Probable Number MQL Method Quantitation Limit

NC Not Calculated

ND Not Detected at the reporting limit (or MDL or EDL if shown)

Negative / Absent NEG POS Positive / Present

POI **Practical Quantitation Limit**

PRES Presumptive QC **Quality Control**

RER Relative Error Ratio (Radiochemistry)

Reporting Limit or Requested Limit (Radiochemistry) RL

RPD Relative Percent Difference, a measure of the relative difference between two points

TEF Toxicity Equivalent Factor (Dioxin) **TEQ** Toxicity Equivalent Quotient (Dioxin)

Too Numerous To Count **TNTC**

Case Narrative

Client: Charger Rentals

Project/Site: 49er (JCF6DLE501)

Job ID: 880-14112-1 SDG: Eddy County, New Mexico

Job ID: 880-14112-1

Laboratory: Eurofins Midland

Narrative

Job Narrative 880-14112-1

Comments

No additional comments.

Receipt

The samples were received on 4/26/2022 3:05 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 3.2° C.

GC VOA

Method 8021B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-25028 and analytical batch 880-25033 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method 8021B: The continuing calibration verification (CCV) associated with batch 880-25033 recovered below the lower control limit for Benzene and Toluene. The samples associated with this CCV ran within 12 hrs of passing CCV's . analytes; therefore, the data have been reported.

Method 8021B: Surrogate recovery for the following samples were outside control limits: CS- North South Sidewall-1 (880-14112-20), CS- North South Sidewall-2 (880-14112-21), CS- North East Sidewall (880-14112-22), CS- North West Sidewall (880-14112-23), (CCV 880-25032/2), (CCV 880-25032/20), (CCV 880-25032/33), (CCV 880-25032/51), (LCS 880-25029/1-A), (LCS 880-25030/1-A), (LCS 880-25030/1-A), (MB 880-25030/5-A), (880-14137-A-4-E), (880-14137-A-4-C MS) and (880-14137-A-4-D MSD). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8021B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-25029 and 880-25030 and analytical batch 880-25032 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

GC Semi VOA

Method 8015B NM: Surrogate recovery for the following samples were outside control limits: (LCSD 880-24262/3-A) and (MB 880-24262/1-A). Evidence of matrix interferences is not obvious.

Method 8015B NM: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-24267 and analytical batch 880-24469 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method 8015B NM: The laboratory control sample (LCS) associated with preparation batch 880-24405 and analytical batch 880-24563 was outside acceptance criteria. Re-extraction and/or re-analysis could not be performed; therefore, the data have been reported. The batch matrix spike/matrix spike duplicate (MS/MSD) was within acceptance limits and may be used to evaluate matrix performance.

Method 8015B NM: The laboratory control sample (LCS) associated with preparation batch 880-24405 and analytical batch 880-24563 was outside acceptance criteria. Re-extraction and/or re-analysis could not be performed; therefore, the data have been reported. The batch matrix spike/matrix spike duplicate (MS/MSD) was within acceptance limits and may be used to evaluate matrix performance.

Method 8015B NM: Surrogate recovery for the following samples were outside control limits: CS-Bottom Hole-3 1.5' (880-14112-3), (890-2244-A-21-B MS) and (890-2244-A-21-C MSD). Evidence of matrix interferences is not obvious.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

General Chemistry

Method 300.0: The matrix spike / matrix spike duplicate (MS/MSD) recoveries and precision for preparation batch 880-24336 and analytical batch 880-24547 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated

_

6

_

9

1 1

4.0

14

Case Narrative

Client: Charger Rentals

Project/Site: 49er (JCF6DLE501)

Job ID: 880-14112-1

SDG: Eddy County, New Mexico

Job ID: 880-14112-1 (Continued)

Laboratory: Eurofins Midland (Continued)

laboratory control sample / laboratory sample control duplicate (LCS/LCSD) precision was within acceptance limits.

Method 300.0: The matrix spike / matrix spike duplicate (MS/MSD) recoveries and precision for preparation batch 880-24337 and 880-24337 and analytical batch 880-24527 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample / laboratory sample control duplicate (LCS/LCSD) precision was within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Organic Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Client Sample ID: CS-Bottom Hole- 1 1.5'

Lab Sample ID: 880-14112-1

Date Collected: 04/25/22 00:00 Matrix: Solid
Date Received: 04/26/22 15:05

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--|---|--------------------------------|--|--------------------------|---------------|---|--|---------|
| Benzene | <0.00202 | U | 0.00202 | mg/Kg | | 05/07/22 13:02 | 05/08/22 06:08 | |
| Toluene | <0.00202 | U | 0.00202 | mg/Kg | | 05/07/22 13:02 | 05/08/22 06:08 | |
| Ethylbenzene | <0.00202 | U | 0.00202 | mg/Kg | | 05/07/22 13:02 | 05/08/22 06:08 | |
| m,p-Xylenes | < 0.00403 | U | 0.00403 | mg/Kg | | 05/07/22 13:02 | 05/08/22 06:08 | |
| o-Xylene | <0.00202 | U | 0.00202 | mg/Kg | | 05/07/22 13:02 | 05/08/22 06:08 | |
| Xylenes, Total | <0.00403 | U | 0.00403 | mg/Kg | | 05/07/22 13:02 | 05/08/22 06:08 | |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fa |
| 4-Bromofluorobenzene (Surr) | 99 | | 70 - 130 | | | 05/07/22 13:02 | 05/08/22 06:08 | |
| 1,4-Difluorobenzene (Surr) | 89 | | 70 - 130 | | | 05/07/22 13:02 | 05/08/22 06:08 | |
| Method: Total BTEX - Total B | TEX Calcula | tion | | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fa |
| Total BTEX | <0.00403 | U | 0.00403 | mg/Kg | | | 05/09/22 11:41 | • |
| Method: 8015 NM - Diesel Rai | nge Organic | s (DRO) (0 | SC) | | | | | |
| | • | | , | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fa |
| | Result <49.9 | | RL 49.9 | Unit mg/Kg | _ <u>D</u> | Prepared | Analyzed 04/28/22 09:20 | |
| Total TPH | <49.9 | U | 49.9 | | <u>D</u> | Prepared | | |
| Total TPH Method: 8015B NM - Diesel R | <49.9 ange Organ | U | 49.9 | | <u>D</u> D | Prepared Prepared | | |
| Total TPH Method: 8015B NM - Diesel R Analyte Gasoline Range Organics | <49.9 ange Organ | ics (DRO) Qualifier | 49.9 (GC) | mg/Kg | | | 04/28/22 09:20 | Dil Fac |
| Total TPH Method: 8015B NM - Diesel R Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over | <49.9 ange Organ Result | U ics (DRO) Qualifier | 49.9 (GC) | mg/Kg | | Prepared 04/26/22 15:58 | 04/28/22 09:20 Analyzed | Dil Fa |
| Method: 8015B NM - Diesel R Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) | <49.9 ange Organ Result <49.9 | ics (DRO) Qualifier U | 49.9 (GC) RL 49.9 | mg/Kg Unit mg/Kg | | Prepared 04/26/22 15:58 04/26/22 15:58 | 04/28/22 09:20 Analyzed 04/29/22 12:40 | Dil Fa |
| Method: 8015B NM - Diesel R Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36) | <49.9 ange Organ Result <49.9 <49.9 | U ics (DRO) Qualifier U U F1 | 49.9 (GC) RL 49.9 49.9 | mg/Kg Unit mg/Kg mg/Kg | | Prepared 04/26/22 15:58 04/26/22 15:58 | 04/28/22 09:20 Analyzed 04/29/22 12:40 04/29/22 12:40 | Dil Fac |
| Total TPH Method: 8015B NM - Diesel R Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) OII Range Organics (Over C28-C36) Surrogate | <49.9 ange Organ Result <49.9 <49.9 <49.9 | U ics (DRO) Qualifier U U F1 | 49.9 (GC) RL 49.9 49.9 49.9 | mg/Kg Unit mg/Kg mg/Kg | | Prepared 04/26/22 15:58 04/26/22 15:58 | 04/28/22 09:20 Analyzed 04/29/22 12:40 04/29/22 12:40 04/29/22 12:40 Analyzed | Dil Fa |
| Method: 8015B NM - Diesel R Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) OII Range Organics (Over C28-C36) Surrogate 1-Chlorooctane (Surr) | <49.9 ange Organ Result <49.9 <49.9 <49.9 %Recovery | U ics (DRO) Qualifier U U F1 | 49.9 (GC) RL 49.9 49.9 49.9 Limits | mg/Kg Unit mg/Kg mg/Kg | | Prepared 04/26/22 15:58 04/26/22 15:58 04/26/22 15:58 Prepared 04/26/22 15:58 | 04/28/22 09:20 Analyzed 04/29/22 12:40 04/29/22 12:40 04/29/22 12:40 Analyzed | Dil Fa |
| Total TPH Method: 8015B NM - Diesel R Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) OII Range Organics (Over C28-C36) Surrogate 1-Chlorooctane (Surr) o-Terphenyl (Surr) | <49.9 ange Organ Result <49.9 <49.9 <49.9 **Recovery** 85 83 | U ics (DRO) Qualifier U U F1 U | 49.9 (GC) RL 49.9 49.9 49.9 Limits 70-130 70-130 | mg/Kg Unit mg/Kg mg/Kg | | Prepared 04/26/22 15:58 04/26/22 15:58 04/26/22 15:58 Prepared 04/26/22 15:58 | 04/28/22 09:20 Analyzed 04/29/22 12:40 04/29/22 12:40 Analyzed 04/29/22 12:40 | Dil Fac |
| Analyte Total TPH Method: 8015B NM - Diesel R Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36) Surrogate 1-Chlorooctane (Surr) o-Terphenyl (Surr) Method: 300.0 - Anions, Ion Canalyte | <49.9 ange Organ Result <49.9 <49.9 %Recovery 85 83 chromatogra | U ics (DRO) Qualifier U U F1 U | 49.9 (GC) RL 49.9 49.9 49.9 Limits 70-130 70-130 | mg/Kg Unit mg/Kg mg/Kg | | Prepared 04/26/22 15:58 04/26/22 15:58 04/26/22 15:58 Prepared 04/26/22 15:58 | 04/28/22 09:20 Analyzed 04/29/22 12:40 04/29/22 12:40 Analyzed 04/29/22 12:40 | Dil Fac |

Client Sample ID: CS-Bottom Hole-2 1.5' Lab Sample ID: 880-14112-2

Date Collected: 04/25/22 00:00
Date Received: 04/26/22 15:05

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Benzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:02 | 05/08/22 06:28 | 1 |
| Toluene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:02 | 05/08/22 06:28 | 1 |
| Ethylbenzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:02 | 05/08/22 06:28 | 1 |
| m,p-Xylenes | <0.00399 | U | 0.00399 | mg/Kg | | 05/07/22 13:02 | 05/08/22 06:28 | 1 |
| o-Xylene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:02 | 05/08/22 06:28 | 1 |
| Xylenes, Total | <0.00399 | U | 0.00399 | mg/Kg | | 05/07/22 13:02 | 05/08/22 06:28 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 104 | | 70 - 130 | | | 05/07/22 13:02 | 05/08/22 06:28 | 1 |
| 1,4-Difluorobenzene (Surr) | 94 | | 70 - 130 | | | 05/07/22 13:02 | 05/08/22 06:28 | 1 |

Eurofins Midland

Matrix: Solid

2

3

5

8

10

12

13

Client Sample ID: CS-Bottom Hole-2 1.5'

Date Collected: 04/25/22 00:00 Date Received: 04/26/22 15:05 Lab Sample ID: 880-14112-2

Matrix: Solid

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|-------------|---------------------|----------|-------|---|----------------|----------------|---------|
| Total BTEX | <0.00399 | U | 0.00399 | mg/Kg | | | 05/09/22 11:41 | 1 |
| Method: 8015 NM - Diesel Rar | nge Organic | s (DRO) (0 | SC) | | | | | |
| Analyte | • | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total TPH | <50.0 | U | 50.0 | mg/Kg | | | 04/28/22 09:20 | 1 |
| Method: 8015B NM - Diesel Ra Analyte | • | ics (DRO) Qualifier | (GC) | Unit | D | Prepared | Analyzed | Dil Fac |
| | | | | | D | | | Dil Fac |
| Gasoline Range Organics | <50.0 | U | 50.0 | mg/Kg | | 04/29/22 09:20 | 05/01/22 06:05 | ı |
| (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) | <50.0 | U | 50.0 | mg/Kg | | 04/29/22 09:20 | 05/01/22 06:05 | 1 |
| OII Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 04/29/22 09:20 | 05/01/22 06:05 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 97 | | 70 - 130 | | | 04/29/22 09:20 | 05/01/22 06:05 | 1 |
| | 100 | | 70 - 130 | | | 04/29/22 09:20 | 05/01/22 06:05 | 1 |

Client Sample ID: CS-Bottom Hole-3 1.5'

Result Qualifier

<5.00 U

Released to Imaging: 12/16/2022 10:56:19 AM

Analyte

Chloride

Lab Sample ID: 880-14112-3 Date Collected: 04/25/22 00:00 **Matrix: Solid** Date Received: 04/26/22 15:05

RL

5.00

Unit

mg/Kg

Prepared

Analyzed

05/01/22 16:00

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|--|---|------------------------------|-------------------|----------|-------------------|---|---------|
| Benzene | <0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:02 | 05/08/22 06:48 | 1 |
| Toluene | 0.0155 | | 0.00199 | mg/Kg | | 05/07/22 13:02 | 05/08/22 06:48 | 1 |
| Ethylbenzene | 0.00428 | | 0.00199 | mg/Kg | | 05/07/22 13:02 | 05/08/22 06:48 | 1 |
| m,p-Xylenes | 0.0105 | | 0.00398 | mg/Kg | | 05/07/22 13:02 | 05/08/22 06:48 | 1 |
| o-Xylene | 0.00290 | | 0.00199 | mg/Kg | | 05/07/22 13:02 | 05/08/22 06:48 | 1 |
| Xylenes, Total | 0.0134 | | 0.00398 | mg/Kg | | 05/07/22 13:02 | 05/08/22 06:48 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 99 | | 70 - 130 | | | 05/07/22 13:02 | 05/08/22 06:48 | 1 |
| 1,4-Difluorobenzene (Surr) | 91 | | 70 - 130 | | | 05/07/22 13:02 | 05/08/22 06:48 | 1 |
| Method: Total BTEX - Tota | l BTEX Calcula | tion Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Method: Total BTEX - Tota | | tion | | | | | | |
| · | l BTEX Calcula | | RL 0.00398 | Unit mg/Kg | <u>D</u> | Prepared | Analyzed 05/09/22 11:41 | Dil Fac |
| Method: Total BTEX - Tota Analyte Total BTEX | I BTEX Calcula Result 0.0332 | Qualifier | 0.00398 | | <u>D</u> | Prepared | | Dil Fac |
| Method: Total BTEX - Tota Analyte | I BTEX Calcula Result 0.0332 Range Organic | Qualifier | 0.00398 | | <u>D</u> | Prepared Prepared | | Dil Fac |
| Method: Total BTEX - Tota Analyte Total BTEX Method: 8015 NM - Diesel | I BTEX Calcula Result 0.0332 Range Organic | Qualifier s (DRO) (Qualifier | 0.00398 GC) | mg/Kg | | • | 05/09/22 11:41 | 1 |
| Method: Total BTEX - Total Analyte Total BTEX Method: 8015 NM - Diesel Analyte Total TPH | I BTEX Calcula Result 0.0332 Range Organic Result <50.0 | Qualifier s (DRO) (O Qualifier U | 0.00398 GC) RL 50.0 | mg/Kg | | • | 05/09/22 11:41 Analyzed | 1 |
| Method: Total BTEX - Total Analyte Total BTEX Method: 8015 NM - Diesel Analyte | Range Organic Result <50.0 Range Organic | Qualifier s (DRO) (O Qualifier U | 0.00398 GC) RL 50.0 | mg/Kg | | • | 05/09/22 11:41 Analyzed | 1 |
| Method: Total BTEX - Total Analyte Total BTEX Method: 8015 NM - Diesel Analyte Total TPH Method: 8015B NM - Diese | Range Organic Result <50.0 Range Organic | Qualifier s (DRO) (O Qualifier U ics (DRO) Qualifier | 0.00398 GC) RL 50.0 (GC) | mg/Kg Unit mg/Kg | <u>D</u> | Prepared | 05/09/22 11:41 Analyzed 04/28/22 09:20 Analyzed | Dil Fac |

Eurofins Midland

Dil Fac

Lab Sample ID: 880-14112-3 Client Sample ID: CS-Bottom Hole-3 1.5'

Date Collected: 04/25/22 00:00 **Matrix: Solid** Date Received: 04/26/22 15:05

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Oll Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 04/28/22 11:23 | 05/01/22 06:05 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 70 | | 70 - 130 | | | 04/28/22 11:23 | 05/01/22 06:05 | 1 |
| o-Terphenyl (Surr) | 65 | S1- | 70 - 130 | | | 04/28/22 11:23 | 05/01/22 06:05 | 1 |

| Method: 300.0 - Anions, Ion Cr | iromatography - So | luble | | | | | |
|--------------------------------|--------------------|-------|-------|---|----------|----------------|---------|
| Analyte | Result Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Chloride | 10.1 | 5.00 | mg/Kg | | | 05/01/22 16:06 | 1 |

Lab Sample ID: 880-14112-4 Client Sample ID: CS-Bottom Hole-4 1.5'

Date Collected: 04/25/22 00:00 **Matrix: Solid** Date Received: 04/26/22 15:05

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Benzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:02 | 05/08/22 07:09 | 1 |
| Toluene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:02 | 05/08/22 07:09 | 1 |
| Ethylbenzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:02 | 05/08/22 07:09 | 1 |
| m,p-Xylenes | <0.00400 | U | 0.00400 | mg/Kg | | 05/07/22 13:02 | 05/08/22 07:09 | 1 |
| o-Xylene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:02 | 05/08/22 07:09 | 1 |
| Xylenes, Total | <0.00400 | U | 0.00400 | mg/Kg | | 05/07/22 13:02 | 05/08/22 07:09 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 99 | | 70 - 130 | | | 05/07/22 13:02 | 05/08/22 07:09 | 1 |
| 1,4-Difluorobenzene (Surr) | 88 | | 70 - 130 | | | 05/07/22 13:02 | 05/08/22 07:09 | 1 |

| Welliou. Total BTEA - Total BTI | EN Galcula | uon | | | | | | |
|---------------------------------|------------|-----------|---------|-------|---|----------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total BTEX | <0.00400 | U | 0.00400 | mg/Kg | | | 05/09/22 11:41 | 1 |
| _ | | | | | | | | |

| Method: 8015 NM - Diesei Ran | ge Organics | (DKO) (GC | 7 | | | | | |
|---|------------------------|-----------|------|------------|----------|-------------------------|----------------|---------|
| Analyte | Result C | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total TPH | <49.9 L | U | 49.9 | mg/Kg | | | 04/28/22 09:20 | 1 |
| | | | | | | | | |
| Method: 8015B NM - Diesel Ra | • | , , , | • | Unit | n | Propared | Analyzod | Dil Eso |
| Method: 8015B NM - Diesel Ra Analyte | ange Organic Result | , , , | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| | • | Qualifier | • | Unit mg/Kg | <u>D</u> | Prepared 04/26/22 15:58 | | Dil Fac |

| Oll Range Organics (Over C28-C36) | <49.9 U | 49.9 | mg/Kg | 04/26/22 15:58 | 04/29/22 14:31 | 1 |
|-----------------------------------|---------------------|----------|-------|----------------|----------------|---------|
| Surrogate | %Recovery Qualifier | Limits | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 90 | 70 - 130 | | 04/26/22 15:58 | 04/29/22 14:31 | 1 |
| o-Terphenyl (Surr) | 87 | 70 - 130 | | 04/26/22 15:58 | 04/29/22 14:31 | 1 |

49.9

mg/Kg

<49.9 U

| Method: 300.0 - Anions, Ion Ch | romatogra | phy - Solu | ble | | | | | |
|--------------------------------|-----------|------------|------|-------|---|----------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Chloride | 11.4 | F1 | 5.01 | mg/Kg | | | 05/01/22 23:24 | 1 |

Eurofins Midland

04/26/22 15:58 04/29/22 14:31

Diesel Range Organics (Over

C10-C28)

Client Sample ID: CS-Bottom Hole-5 1.5'

Date Collected: 04/25/22 00:00 Date Received: 04/26/22 15:05

Lab Sample ID: 880-14112-5

Matrix: Solid

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Benzene | 0.00203 | | 0.00201 | mg/Kg | | 05/07/22 13:02 | 05/08/22 07:29 | 1 |
| Toluene | < 0.00201 | U | 0.00201 | mg/Kg | | 05/07/22 13:02 | 05/08/22 07:29 | 1 |
| Ethylbenzene | < 0.00201 | U | 0.00201 | mg/Kg | | 05/07/22 13:02 | 05/08/22 07:29 | 1 |
| m,p-Xylenes | <0.00402 | U | 0.00402 | mg/Kg | | 05/07/22 13:02 | 05/08/22 07:29 | 1 |
| o-Xylene | < 0.00201 | U | 0.00201 | mg/Kg | | 05/07/22 13:02 | 05/08/22 07:29 | 1 |
| Xylenes, Total | <0.00402 | U | 0.00402 | mg/Kg | | 05/07/22 13:02 | 05/08/22 07:29 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 98 | | 70 - 130 | | | 05/07/22 13:02 | 05/08/22 07:29 | 1 |
| 1,4-Difluorobenzene (Surr) | 91 | | 70 - 130 | | | 05/07/22 13:02 | 05/08/22 07:29 | 1 |

Total BTEX <0.00402 U 0.00402 mg/Kg 05/09/22 11:41

| Method: 8015 NM - Diesei Rang | ge Organics | (DRO) (G | () | | | | | |
|-------------------------------|-------------|-----------|------------|-------|---|----------|----------------|---------|
| Analyte | Result (| Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total TPH | <50.0 l | U | 50.0 | mg/Kg | | | 04/28/22 09:20 | 1 |

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------------|-----------|-----------|--------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics | <50.0 | U | 50.0 | mg/Kg | | 04/26/22 15:58 | 04/29/22 14:53 | 1 |
| (GRO)-C6-C10 | | | | | | | | |
| Diesel Range Organics (Over | <50.0 | U | 50.0 | mg/Kg | | 04/26/22 15:58 | 04/29/22 14:53 | 1 |
| C10-C28) | | | | | | | | |
| OII Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 04/26/22 15:58 | 04/29/22 14:53 | 1 |
| | | | | | | | | |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1-Chlorooctane (Surr) | 84 | | 70 - 130 | 04/26/22 15:58 | 04/29/22 14:53 | 1 |
| o-Terphenyl (Surr) | 85 | | 70 - 130 | 04/26/22 15:58 | 04/29/22 14:53 | 1 |
| _ | | | | | | |

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte Result Qualifier RL Unit Prepared Analyzed 4.98 Chloride 6.30 mg/Kg 05/01/22 23:43

Date Received: 04/26/22 15:05

| Client Sample ID: CS-Bottom Hole-6 1.5' | Lab Sample ID: 880-14112-6 |
|---|----------------------------|
| Oato Collected: 04/25/22 00:00 | Matrix: Solid |

| Method: 8021B - Volatile O | rganic Compo | unds (GC) | | | | | | |
|-----------------------------|--------------|-----------|----------|-------|---|----------------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Benzene | <0.00202 | U | 0.00202 | mg/Kg | | 05/07/22 13:02 | 05/08/22 07:50 | 1 |
| Toluene | <0.00202 | U | 0.00202 | mg/Kg | | 05/07/22 13:02 | 05/08/22 07:50 | 1 |
| Ethylbenzene | <0.00202 | U | 0.00202 | mg/Kg | | 05/07/22 13:02 | 05/08/22 07:50 | 1 |
| m,p-Xylenes | <0.00403 | U | 0.00403 | mg/Kg | | 05/07/22 13:02 | 05/08/22 07:50 | 1 |
| o-Xylene | <0.00202 | U | 0.00202 | mg/Kg | | 05/07/22 13:02 | 05/08/22 07:50 | 1 |
| Xylenes, Total | <0.00403 | U | 0.00403 | mg/Kg | | 05/07/22 13:02 | 05/08/22 07:50 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 106 | | 70 - 130 | | | 05/07/22 13:02 | 05/08/22 07:50 | 1 |
| 1,4-Difluorobenzene (Surr) | 95 | | 70 - 130 | | | 05/07/22 13:02 | 05/08/22 07:50 | 1 |

Eurofins Midland

Client Sample ID: CS-Bottom Hole-6 1.5' Lab Sample ID: 880-14112-6

Date Collected: 04/25/22 00:00 Matrix: Solid Date Received: 04/26/22 15:05

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|-------------|------------|----------|-------|---|----------------|----------------|---------|
| Total BTEX | <0.00403 | U | 0.00403 | mg/Kg | | | 05/09/22 11:41 | 1 |
| Method: 8015 NM - Diesel Rar | nge Organic | s (DRO) (G | SC) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total TPH | <50.0 | U | 50.0 | mg/Kg | | | 04/28/22 09:20 | 1 |
| Method: 8015B NM - Diesel R | ange Organi | ics (DRO) | (GC) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Gasoline Range Organics (GRO)-C6-C10 | <50.0 | U | 50.0 | mg/Kg | | 04/26/22 15:58 | 04/29/22 15:15 | 1 |
| Diesel Range Organics (Over C10-C28) | <50.0 | U | 50.0 | mg/Kg | | 04/26/22 15:58 | 04/29/22 15:15 | 1 |
| OII Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 04/26/22 15:58 | 04/29/22 15:15 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 89 | | 70 - 130 | | | 04/26/22 15:58 | 04/29/22 15:15 | 1 |
| o-Terphenyl (Surr) | 89 | | 70 - 130 | | | 04/26/22 15:58 | 04/29/22 15:15 | 1 |
| Method: 300.0 - Anions, Ion C | hromatogra | phy - Solu | ble | | | | | |
| Analyte | _ | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Chloride | 5.99 | | 4.95 | mg/Kg | | | 05/01/22 23:49 | |

Client Sample ID: CS-Bottom Hole-7 1.5' Lab Sample ID: 880-14112-7

Date Collected: 04/25/22 00:00 Date Received: 04/26/22 15:05

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|--|------------------------------------|----------------------------|----------------------|-------------------|--|---------|
| Benzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:02 | 05/08/22 08:10 | |
| Toluene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:02 | 05/08/22 08:10 | |
| Ethylbenzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:02 | 05/08/22 08:10 | • |
| m,p-Xylenes | <0.00399 | U | 0.00399 | mg/Kg | | 05/07/22 13:02 | 05/08/22 08:10 | |
| o-Xylene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:02 | 05/08/22 08:10 | |
| Xylenes, Total | <0.00399 | U | 0.00399 | mg/Kg | | 05/07/22 13:02 | 05/08/22 08:10 | |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fa |
| 4-Bromofluorobenzene (Surr) | 107 | | 70 - 130 | | | 05/07/22 13:02 | 05/08/22 08:10 | |
| 1,4-Difluorobenzene (Surr) | 95 | | 70 - 130 | | | 05/07/22 12:02 | 05/08/22 08:10 | |
| Method: Total BTEX - Total | | tion | 70 - 130 | | | 03/01/22 13.02 | 00/00/22 00.70 | |
| Method: Total BTEX - Total | l BTEX Calcula | | | | _ | | | |
| Method: Total BTEX - Total Analyte | I BTEX Calcula Result | Qualifier | RL | Unit | <u>D</u> | Prepared | Analyzed | |
| Method: Total BTEX - Total | l BTEX Calcula | Qualifier | | <mark>Unit</mark> mg/Kg | <u>D</u> | | | |
| Method: Total BTEX - Total Analyte | BTEX Calcula Result <0.00399 | Qualifier U | RL 0.00399 | | <u>D</u> | | Analyzed | |
| Method: Total BTEX - Total Analyte Total BTEX | I BTEX Calcula Result <0.00399 Range Organic | Qualifier U | RL 0.00399 | | <u>D</u> | | Analyzed | Dil Fac |
| Method: Total BTEX - Total Analyte Total BTEX Method: 8015 NM - Diesel I | I BTEX Calcula Result <0.00399 Range Organic | Qualifier U s (DRO) (Qualifier | RL 0.00399 | mg/Kg | _ = | Prepared | Analyzed 05/09/22 11:41 | Dil Fac |
| Method: Total BTEX - Total Analyte Total BTEX Method: 8015 NM - Diesel I Analyte Total TPH | Range Organic Result 49.9 | Qualifier U S (DRO) (O Qualifier U | RL 0.00399 GC) RL 49.9 | mg/Kg | _ = | Prepared | Analyzed 05/09/22 11:41 Analyzed | Dil Fac |
| Method: Total BTEX - Total Analyte Total BTEX Method: 8015 NM - Diesel I Analyte | Range Organic Result 49.9 I Range Organic | Qualifier U S (DRO) (O Qualifier U | RL 0.00399 GC) RL 49.9 | mg/Kg | _ = | Prepared | Analyzed 05/09/22 11:41 Analyzed | Dil Fa |
| Method: Total BTEX - Total Analyte Total BTEX Method: 8015 NM - Diesel I Analyte Total TPH Method: 8015B NM - Diese | Range Organic Result 49.9 I Range Organic | Qualifier U S (DRO) (O Qualifier U | RL 0.00399 GC) RL 49.9 | mg/Kg | _ = | Prepared | Analyzed 05/09/22 11:41 Analyzed | Dil Fa |
| Method: Total BTEX - Total Analyte Total BTEX Method: 8015 NM - Diesel I Analyte Total TPH | Range Organic Result 49.9 I Range Organic | Qualifier U S (DRO) (O Qualifier U ics (DRO) Qualifier | RL 0.00399 GC) RL 49.9 | mg/Kg Unit mg/Kg | <u>-</u> <u>D</u> | Prepared Prepared | Analyzed 05/09/22 11:41 Analyzed 04/28/22 09:20 | Dil Fa |

Eurofins Midland

Matrix: Solid

Client Sample ID: CS-Bottom Hole-7 1.5'

Date Collected: 04/25/22 00:00
Date Received: 04/26/22 15:05

Lab Sample ID: 880-14112-7

Matrix: Solid

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Oll Range Organics (Over C28-C36) | <49.9 | U | 49.9 | mg/Kg | | 04/26/22 15:58 | 04/29/22 15:37 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 83 | | 70 - 130 | | | 04/26/22 15:58 | 04/29/22 15:37 | 1 |
| o-Terphenyl (Surr) | 86 | | 70 - 130 | | | 04/26/22 15:58 | 04/29/22 15:37 | 1 |

Method: 300.0 - Anions, Ion Chromatography - SolubleAnalyteResultQualifierRLUnitDPreparedAnalyzedDil FacChloride7.765.00mg/Kg05/01/22 23:551

Client Sample ID: CS-Bottom Hole-8 1.5'

Date Collected: 04/25/22 00:00

Lab Sample ID: 880-14112-8

Matrix: Solid

Date Collected: 04/25/22 00:00 Date Received: 04/26/22 15:05

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Benzene | <0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:02 | 05/08/22 08:30 | 1 |
| Toluene | <0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:02 | 05/08/22 08:30 | 1 |
| Ethylbenzene | <0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:02 | 05/08/22 08:30 | 1 |
| m,p-Xylenes | <0.00398 | U | 0.00398 | mg/Kg | | 05/07/22 13:02 | 05/08/22 08:30 | 1 |
| o-Xylene | <0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:02 | 05/08/22 08:30 | 1 |
| Xylenes, Total | <0.00398 | U | 0.00398 | mg/Kg | | 05/07/22 13:02 | 05/08/22 08:30 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 103 | | 70 - 130 | | | 05/07/22 13:02 | 05/08/22 08:30 | 1 |
| 1,4-Difluorobenzene (Surr) | 95 | | 70 - 130 | | | 05/07/22 13:02 | 05/08/22 08:30 | 1 |

| Method: Total BTEX - Total BTE | : A Calcula | uon | | | | | | |
|--------------------------------|-------------|-----------|---------|-------|---|----------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total BTEX | <0.00398 | U | 0.00398 | mg/Kg | | | 05/09/22 11:41 | 1 |
| _ | | | | | | | | |

| Method: 8015 NW - Diesei R | ange Organics (DRO) (G | رت) | | | | | |
|----------------------------|---|------|-------|---|----------------|----------------|---------|
| Analyte | Result Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total TPH | <50.0 U | 50.0 | mg/Kg | | | 04/28/22 09:20 | 1 |
| Method: 8015B NM - Diesel | • | • | 11.24 | _ | B | A | D!! E |
| Analyte | Result Qualifier | RL | Unit | บ | Prepared | Analyzed | Dil Fac |
| Gasoline Range Organics | <50.0 U | 50.0 | mg/Kg | | 04/26/22 15:58 | 04/29/22 15:58 | 1 |
| (GRO)-C6-C10 | | | | | | | |

| C10-C28) Oll Range Organics (Over C28-C36) <50.0 U 50.0 mg/Kg 04/26/22 15:58 04/29/22 15:58 Surrogate %Recovery Qualifier Limits Prepared Analyzed Dil Fa | 1-Chlorooctane (Surr) | 86 | | 70 - 130 | | 04/26/22 15:58 | 04/29/22 15:58 | 1 |
|--|-----------------------|-----------|-----------|----------|-------|----------------|----------------|---------|
| | Surrogate | %Recovery | Qualifier | Limits | | Prepared | Analyzed | Dil Fac |
| | / | <50.0 | U | 50.0 | mg/Kg | 04/26/22 15:58 | 04/29/22 15:58 | 1 |

50.0

mg/Kg

<50.0 U

| o-Terpnenyi (Surr) | 84 | 70 - 130 | | | 04/26/22 15:58 | 04/29/22 15:58 | 7 |
|---------------------------------|-------------------|----------|-------|---|----------------|----------------|---------|
| Method: 300.0 - Anions, Ion Chr | omatography - Sol | uble | | | | | |
| Analyte | Result Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Chloride | 5.14 | 4.97 | mg/Kg | | | 05/02/22 00:02 | 1 |

Eurofins Midland

04/26/22 15:58 04/29/22 15:58

Diesel Range Organics (Over

Job ID: 880-14112-1

Client: Charger Rentals Project/Site: 49er (JCF6DLE501) SDG: Eddy County, New Mexico

Client Sample ID: CS-Bottom Hole-9

Date Collected: 04/25/22 00:00 Date Received: 04/26/22 15:05 Lab Sample ID: 880-14112-9

Matrix: Solid

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Benzene | <0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:02 | 05/08/22 08:51 | 1 |
| Toluene | < 0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:02 | 05/08/22 08:51 | 1 |
| Ethylbenzene | < 0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:02 | 05/08/22 08:51 | 1 |
| m,p-Xylenes | <0.00398 | U | 0.00398 | mg/Kg | | 05/07/22 13:02 | 05/08/22 08:51 | 1 |
| o-Xylene | < 0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:02 | 05/08/22 08:51 | 1 |
| Xylenes, Total | <0.00398 | U | 0.00398 | mg/Kg | | 05/07/22 13:02 | 05/08/22 08:51 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 107 | | 70 - 130 | | | 05/07/22 13:02 | 05/08/22 08:51 | 1 |
| 1,4-Difluorobenzene (Surr) | 93 | | 70 - 130 | | | 05/07/22 13:02 | 05/08/22 08:51 | 1 |

Analyte Analyzed Dil Fac Result Qualifier RL Unit Prepared Total BTEX <0.00398 U 0.00398 mg/Kg 05/09/22 11:41

| Method: 8015 NW - Diesei Rar | ige Organics (DRO) (GC | ·) | | | | | |
|------------------------------|------------------------|------|-------|---|----------|----------------|---------|
| Analyte | Result Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total TPH | <50.0 U | 50.0 | mg/Kg | | | 04/28/22 09:20 | 1 |

| Method: 8015B NN | l - Diesel Range | Org | ani | CS | (DRO) | (GC) |
|------------------|------------------|-----|-----|----|-------|------|
| | | _ | | _ | | |

| ١ | Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|-----------------------------------|-----------|-----------|---------|-------|---|----------------|----------------|---------|
| | Gasoline Range Organics | <50.0 | U | 50.0 | mg/Kg | | 04/26/22 15:58 | 04/29/22 16:20 | 1 |
| | (GRO)-C6-C10 | | | | | | | | |
| | Diesel Range Organics (Over | <50.0 | U | 50.0 | mg/Kg | | 04/26/22 15:58 | 04/29/22 16:20 | 1 |
| | C10-C28) | | | | | | | | |
| | Oll Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 04/26/22 15:58 | 04/29/22 16:20 | 1 |
| | | | | | | | | | |
| 1 | Surrogate | %Recovery | Qualifier | l imits | | | Prepared | Analyzed | Dil Fac |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------|-----------|-----------|----------|------------------|----------------|---------|
| 1-Chlorooctane (Surr) | 84 | | 70 - 130 | 04/26/22 15:58 | 04/29/22 16:20 | 1 |
| o-Terphenyl (Surr) | 82 | | 70 - 130 | 04/26/22 15:58 (| 04/29/22 16:20 | 1 |

Method: 300.0 - Anions, Ion Chromatography - Soluble

| Analyte | Result Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|------------------|------|-------|---|----------|----------------|---------|
| Chloride | 8.45 | 4.98 | mg/Kg | | | 05/02/22 00:21 | 1 |

Client Sample ID: CS-Bottom Hole-10 1.5'

Date Collected: 04/25/22 00:00 Date Received: 04/26/22 15:05

Lab Sample ID: 880-14112-10

05/07/22 13:02 05/08/22 10:41

Matrix: Solid

| | Method: 802 | 1B - Volatile | Organic (| Compounds (| (GC) | ١ |
|--|-------------|---------------|-----------|-------------|------|---|
|--|-------------|---------------|-----------|-------------|------|---|

| Welliou. 602 IB - Volatile O | rgariic Compo | ulius (GC) | | | | | | |
|------------------------------|---------------|------------|----------|-------|---|----------------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Benzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:02 | 05/08/22 10:41 | 1 |
| Toluene | < 0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:02 | 05/08/22 10:41 | 1 |
| Ethylbenzene | < 0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:02 | 05/08/22 10:41 | 1 |
| m,p-Xylenes | <0.00399 | U | 0.00399 | mg/Kg | | 05/07/22 13:02 | 05/08/22 10:41 | 1 |
| o-Xylene | < 0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:02 | 05/08/22 10:41 | 1 |
| Xylenes, Total | <0.00399 | U | 0.00399 | mg/Kg | | 05/07/22 13:02 | 05/08/22 10:41 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 111 | | 70 - 130 | | | 05/07/22 13:02 | 05/08/22 10:41 | 1 |

Eurofins Midland

70 - 130

1,4-Difluorobenzene (Surr)

Client Sample ID: CS-Bottom Hole-10 1.5' Lab Sample ID: 880-14112-10

Date Collected: 04/25/22 00:00 Matrix: Solid
Date Received: 04/26/22 15:05

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------------|-------------|-------------|----------|-------|---|----------------|----------------|---------|
| Total BTEX | <0.00399 | U | 0.00399 | mg/Kg | | | 05/09/22 11:41 | 1 |
| - Method: 8015 NM - Diesel Rar | nge Organic | s (DRO) (0 | SC) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total TPH | <50.0 | U | 50.0 | mg/Kg | | | 04/28/22 09:20 | 1 |
| - Method: 8015B NM - Diesel Ra | ange Organ | ics (DRO) | (GC) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Gasoline Range Organics | <50.0 | U | 50.0 | mg/Kg | | 04/26/22 15:58 | 04/29/22 16:42 | 1 |
| (GRO)-C6-C10 | | | | | | | | |
| Diesel Range Organics (Over | <50.0 | U | 50.0 | mg/Kg | | 04/26/22 15:58 | 04/29/22 16:42 | • |
| C10-C28) | | | | | | | | |
| Oll Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 04/26/22 15:58 | 04/29/22 16:42 | • |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fa |
| 1-Chlorooctane (Surr) | 88 | | 70 - 130 | | | 04/26/22 15:58 | 04/29/22 16:42 | |
| o-Terphenyl (Surr) | 86 | | 70 - 130 | | | 04/26/22 15:58 | 04/29/22 16:42 | • |
| Method: 300.0 - Anions, Ion C | hromatogra | inhy - Solu | ihle | | | | | |
| Analyte | _ | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fa |

 Chloride
 <4.95</th>
 U
 4.95
 mg/Kg
 05/02/22 00:27
 1

 Client Sample ID: CS-Bottom Hole-11 1.5'
 Lab Sample ID: 880-14112-11

Date Collected: 04/25/22 00:00 Matrix: Solid

Date Received: 04/26/22 15:05

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--|---|--|------------------------------|-------------------|----------|-------------------|---|---------|
| Benzene | <0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:02 | 05/08/22 11:01 | 1 |
| Toluene | < 0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:02 | 05/08/22 11:01 | 1 |
| Ethylbenzene | < 0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:02 | 05/08/22 11:01 | • |
| m,p-Xylenes | <0.00398 | U | 0.00398 | mg/Kg | | 05/07/22 13:02 | 05/08/22 11:01 | |
| o-Xylene | < 0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:02 | 05/08/22 11:01 | 1 |
| Xylenes, Total | <0.00398 | U | 0.00398 | mg/Kg | | 05/07/22 13:02 | 05/08/22 11:01 | , |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fa |
| 4-Bromofluorobenzene (Surr) | 106 | | 70 - 130 | | | 05/07/22 13:02 | 05/08/22 11:01 | |
| 1,4-Difluorobenzene (Surr) | 99 | | 70 - 130 | | | 05/07/22 13:02 | 05/08/22 11:01 | |
| - ´ | | | | | | | | |
| Method: Total BTEX - Tota | I BTEX Calcula | tion | | | | | | |
| Method: Total BTEX - Tota Analyte | | tion Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| | | Qualifier | RL 0.00398 | Unit mg/Kg | <u>D</u> | Prepared | Analyzed 05/09/22 11:41 | Dil Fac |
| Analyte Total BTEX | <0.00398 | Qualifier U | 0.00398 | | <u>D</u> | Prepared | | Dil Fac |
| Analyte Total BTEX Method: 8015 NM - Diesel | Result <0.00398 | Qualifier U | 0.00398 | | <u>D</u> | Prepared Prepared | | Dil Fac |
| Analyte Total BTEX Method: 8015 NM - Diesel Analyte | Result <0.00398 | Qualifier U s (DRO) (C | 0.00398 GC) | mg/Kg | | • | 05/09/22 11:41 | 1 |
| Analyte Total BTEX Method: 8015 NM - Diesel Analyte Total TPH | Result <0.00398 | Qualifier U S (DRO) (C Qualifier U | 0.00398 GC) RL 50.0 | mg/Kg | | • | 05/09/22 11:41 Analyzed | 1 |
| Analyte Total BTEX Method: 8015 NM - Diesel Analyte Total TPH Method: 8015B NM - Diese | Result <0.00398 Range Organic Result <50.0 | Qualifier U S (DRO) (C Qualifier U | 0.00398 GC) RL 50.0 | mg/Kg | | • | 05/09/22 11:41 Analyzed | 1 |
| Analyte | Result <0.00398 Range Organic Result <50.0 | Qualifier U S (DRO) (C Qualifier U ics (DRO) Qualifier | 0.00398 GC) RL 50.0 (GC) | mg/Kg Unit mg/Kg | <u>D</u> | Prepared | 05/09/22 11:41 Analyzed 04/28/22 09:20 | Dil Fac |

Job ID: 880-14112-1

Client: Charger Rentals Project/Site: 49er (JCF6DLE501) SDG: Eddy County, New Mexico

Lab Sample ID: 880-14112-11 Client Sample ID: CS-Bottom Hole-11 1.5'

Date Collected: 04/25/22 00:00 **Matrix: Solid** Date Received: 04/26/22 15:05

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Oll Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 04/26/22 15:58 | 04/29/22 17:39 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 85 | | 70 - 130 | | | 04/26/22 15:58 | 04/29/22 17:39 | 1 |
| o-Terphenyl (Surr) | 84 | | 70 - 130 | | | 04/26/22 15:58 | 04/29/22 17:39 | 1 |

| Method: 300.0 - Anions, Ion Ch | romatogra | phy - Solub | ole | | | | | |
|--------------------------------|-----------|-------------|------|-------|---|----------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Chloride | 16.9 | | 5.03 | mg/Kg | | | 05/02/22 00:33 | 1 |

Lab Sample ID: 880-14112-12 Client Sample ID: CS-Bottom Hole-12 1.5'

Date Collected: 04/25/22 00:00 Matrix: Solid

| Method: 8021B - Volatile Orga Analyte | • | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|--|--|---------------------------|-------------------------|----------|------------------------------------|---|---------|
| Benzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:02 | 05/08/22 11:21 | |
| Toluene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:02 | 05/08/22 11:21 | 1 |
| Ethylbenzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:02 | 05/08/22 11:21 | 1 |
| m,p-Xylenes | <0.00400 | U | 0.00400 | mg/Kg | | 05/07/22 13:02 | 05/08/22 11:21 | 1 |
| o-Xylene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:02 | 05/08/22 11:21 | 1 |
| Xylenes, Total | <0.00400 | U | 0.00400 | mg/Kg | | 05/07/22 13:02 | 05/08/22 11:21 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 113 | | 70 - 130 | | | 05/07/22 13:02 | 05/08/22 11:21 | 1 |
| 1,4-Difluorobenzene (Surr) | 101 | | 70 - 130 | | | 05/07/22 13:02 | 05/08/22 11:21 | 1 |
| Method: Total BTEX - Total B | | | | | | | | |
| Analyte | Result | Qualifier | RL 0.00400 | Unit | <u>D</u> | Prepared | Analyzed 05/09/22 11:41 | Dil Fac |
| | <0.00400 | Qualifier U | 0.00400 | Unit mg/Kg | <u>D</u> | Prepared | Analyzed 05/09/22 11:41 | Dil Fac |
| Analyte Total BTEX | Result <0.00400 | Qualifier U | 0.00400 | | <u>D</u> | Prepared Prepared | | 1 |
| Analyte Total BTEX Method: 8015 NM - Diesel Ra | Result <0.00400 | Qualifier U s (DRO) (C | 0.00400 GC) | mg/Kg | | | 05/09/22 11:41 | Dil Fac |
| Analyte Total BTEX Method: 8015 NM - Diesel Ra Analyte | Result <0.00400 nge Organic Result <49.8 | Qualifier U S (DRO) (O Qualifier U | 0.00400 GC) RL 49.8 | mg/Kg | | | 05/09/22 11:41 Analyzed | 1 |
| Analyte Total BTEX Method: 8015 NM - Diesel Rai Analyte Total TPH Method: 8015B NM - Diesel R | Result <0.00400 nge Organic Result <49.8 ange Organic | Qualifier U S (DRO) (O Qualifier U | 0.00400 GC) RL 49.8 | mg/Kg | | | 05/09/22 11:41 Analyzed | Dil Fac |
| Analyte Total BTEX Method: 8015 NM - Diesel Rai Analyte Total TPH | Result <0.00400 nge Organic Result <49.8 ange Organic | Qualifier U S (DRO) (C Qualifier U ics (DRO) Qualifier | 0.00400 Columbia | mg/Kg Unit mg/Kg | <u>D</u> | Prepared | 05/09/22 11:41 Analyzed 04/28/22 09:20 | Dil Fac |
| Analyte Total BTEX Method: 8015 NM - Diesel Rai Analyte Total TPH Method: 8015B NM - Diesel R Analyte Gasoline Range Organics | Result <0.00400 nge Organic Result <49.8 ange Organic Result | Qualifier U S (DRO) (C Qualifier U ics (DRO) Qualifier U | 0.00400 RL 49.8 (GC) RL | mg/Kg Unit mg/Kg Unit | <u>D</u> | Prepared Prepared 04/26/22 15:58 | 05/09/22 11:41 Analyzed 04/28/22 09:20 Analyzed | 1 |

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <49.8 | U | 49.8 | mg/Kg | | 04/26/22 15:58 | 04/29/22 18:01 | 1 |
| Diesel Range Organics (Over C10-C28) | <49.8 | U | 49.8 | mg/Kg | | 04/26/22 15:58 | 04/29/22 18:01 | 1 |
| Oll Range Organics (Over C28-C36) | <49.8 | U | 49.8 | mg/Kg | | 04/26/22 15:58 | 04/29/22 18:01 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 90 | | 70 - 130 | | | 04/26/22 15:58 | 04/29/22 18:01 | 1 |
| o-Terphenyl (Surr) | 87 | | 70 - 130 | | | 04/26/22 15:58 | 04/29/22 18:01 | 1 |

| Method: 300.0 - Anions, Ion Chroi | matogra | ıphy - Solub | le | | | | | |
|-----------------------------------|---------|--------------|------|-------|---|----------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Chloride | <4.99 | U | 4.99 | mg/Kg | | | 05/02/22 00:40 | 1 |

Client Sample ID: CS-Bottom Hole-13 1.5'

Date Collected: 04/25/22 00:00 Date Received: 04/26/22 15:05

1,4-Difluorobenzene (Surr)

Lab Sample ID: 880-14112-13

05/07/22 13:02 05/08/22 11:42

Matrix: Solid

| rganic Compoi | unds (GC) | | | | | | |
|---------------|--|--------------------|----------|---|---|--|---|
| Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| <0.00201 | U | 0.00201 | mg/Kg | | 05/07/22 13:02 | 05/08/22 11:42 | 1 |
| < 0.00201 | U | 0.00201 | mg/Kg | | 05/07/22 13:02 | 05/08/22 11:42 | 1 |
| <0.00201 | U | 0.00201 | mg/Kg | | 05/07/22 13:02 | 05/08/22 11:42 | 1 |
| <0.00402 | U | 0.00402 | mg/Kg | | 05/07/22 13:02 | 05/08/22 11:42 | 1 |
| <0.00201 | U | 0.00201 | mg/Kg | | 05/07/22 13:02 | 05/08/22 11:42 | 1 |
| <0.00402 | U | 0.00402 | mg/Kg | | 05/07/22 13:02 | 05/08/22 11:42 | 1 |
| %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 108 | | 70 - 130 | | | 05/07/22 13:02 | 05/08/22 11:42 | 1 |
| | Result <0.00201 <0.00201 <0.00201 <0.00402 <0.00201 <0.00402 %Recovery | Result Qualifier | <0.00201 | Result Qualifier RL Unit <0.00201 | Result Qualifier RL Unit D <0.00201 | Result Qualifier RL Unit D Prepared <0.00201 | Result Qualifier RL Unit D Prepared Analyzed <0.00201 |

Method: Total BTEX - Total BTEX Calculation

 Analyte
 Result
 Qualifier
 RL
 Unit
 D
 Prepared
 Analyzed
 Dil Fac

 Total BTEX
 <0.00402</td>
 U
 0.00402
 mg/Kg
 D
 Prepared
 Analyzed
 Dil Fac

70 - 130

| Method: 8015 NM - Diesel Rang | je Organics (D | RO) (GC) | | | | | |
|-------------------------------|----------------|-----------|-------|---|----------|----------------|---------|
| Analyte | Result Qua | lifier RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total TPH | <50.0 U | 50.0 | mg/Kg | | | 04/28/22 09:20 | 1 |

| Method: 8015B NM - Diesel R | ange Organ | ics (DRO) | (GC) | | | | | |
|---|------------|-----------|----------|-------|---|----------------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Gasoline Range Organics (GRO)-C6-C10 | <50.0 | U | 50.0 | mg/Kg | | 04/26/22 15:58 | 04/29/22 18:23 | 1 |
| Diesel Range Organics (Over C10-C28) | <50.0 | U | 50.0 | mg/Kg | | 04/26/22 15:58 | 04/29/22 18:23 | 1 |
| Oll Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 04/26/22 15:58 | 04/29/22 18:23 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 86 | | 70 - 130 | | | 04/26/22 15:58 | 04/29/22 18:23 | 1 |
| o-Terphenyl (Surr) | 82 | | 70 - 130 | | | 04/26/22 15:58 | 04/29/22 18:23 | 1 |

| Method: 300.0 - Anions, Ion Ch | romatography - So | luble | | | | | |
|--------------------------------|-------------------|-------|-------|---|----------|----------------|---------|
| Analyte | Result Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Chloride | <4.96 U | 4.96 | mg/Kg | | | 05/02/22 00:46 | 1 |

Client Sample ID: CS-Bottom Hole-14 1.5'

Lab Sample ID: 880-14112-14

Date Collected: 04/25/22 00:00 Date Received: 04/26/22 15:05

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Benzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:02 | 05/08/22 12:02 | 1 |
| Toluene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:02 | 05/08/22 12:02 | 1 |
| Ethylbenzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:02 | 05/08/22 12:02 | 1 |
| m,p-Xylenes | <0.00399 | U | 0.00399 | mg/Kg | | 05/07/22 13:02 | 05/08/22 12:02 | 1 |
| o-Xylene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:02 | 05/08/22 12:02 | 1 |
| Xylenes, Total | <0.00399 | U | 0.00399 | mg/Kg | | 05/07/22 13:02 | 05/08/22 12:02 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 112 | | 70 - 130 | | | 05/07/22 13:02 | 05/08/22 12:02 | 1 |
| 1,4-Difluorobenzene (Surr) | 99 | | 70 - 130 | | | 05/07/22 13:02 | 05/08/22 12:02 | 1 |

Eurofins Midland

Matrix: Solid

3

5

7

9

10

12

Client Sample ID: CS-Bottom Hole-14 1.5'

Lab Sample ID: 880-14112-14

Date Collected: 04/25/22 00:00 Matrix: Solid
Date Received: 04/26/22 15:05

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------------|-------------|------------|----------|-------|---|----------------|----------------|---------|
| Total BTEX | <0.00399 | U | 0.00399 | mg/Kg | | | 05/09/22 11:41 | 1 |
| Method: 8015 NM - Diesel Rar | nge Organic | s (DRO) (G | SC) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total TPH | <50.0 | U | 50.0 | mg/Kg | | | 04/28/22 09:20 | 1 |
| - Method: 8015B NM - Diesel R | ange Organi | ics (DRO) | (GC) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Gasoline Range Organics | <50.0 | U | 50.0 | mg/Kg | | 04/26/22 15:58 | 04/29/22 18:44 | 1 |
| (GRO)-C6-C10 | | | | | | | | |
| Diesel Range Organics (Over | <50.0 | U | 50.0 | mg/Kg | | 04/26/22 15:58 | 04/29/22 18:44 | 1 |
| C10-C28) | | | | | | | | |
| Oll Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 04/26/22 15:58 | 04/29/22 18:44 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 93 | | 70 - 130 | | | 04/26/22 15:58 | 04/29/22 18:44 | 1 |
| o-Terphenyl (Surr) | 90 | | 70 - 130 | | | 04/26/22 15:58 | 04/29/22 18:44 | 1 |
| Method: 300.0 - Anions, Ion C | hromatogra | phy - Solu | ıble | | | | | |
| Analyte | _ | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Chlorida | -1 OF | 11.54 | 4.05 | | | | 05/02/22 00.52 | |

Client Sample ID: CS-Bottom Hole-15 1.5'

4.95 mg/Kg 05/02/22 00:52 1

Lab Sample ID: 880-14112-15

Client Sample ID: CS-Bottom Hole-15 1.5'

Date Collected: 04/25/22 00:00

Lab Sample ID: 880-14112-15

Matrix: Solid

Date Received: 04/26/22 15:05

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fa |
|--|---|--|--------------------------|-------------------|----------------------|-------------------|--|---------|
| Benzene | <0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:02 | 05/08/22 12:23 | |
| Toluene | < 0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:02 | 05/08/22 12:23 | • |
| Ethylbenzene | < 0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:02 | 05/08/22 12:23 | 1 |
| m,p-Xylenes | <0.00398 | U | 0.00398 | mg/Kg | | 05/07/22 13:02 | 05/08/22 12:23 | 1 |
| o-Xylene | < 0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:02 | 05/08/22 12:23 | 1 |
| Xylenes, Total | <0.00398 | U | 0.00398 | mg/Kg | | 05/07/22 13:02 | 05/08/22 12:23 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | | | 70 - 130 | | | 05/07/22 13:02 | 05/08/22 12:23 | 1 |
| 1,4-Difluorobenzene (Surr) | 101 | | 70 - 130 | | | 05/07/22 12:02 | 05/08/22 12:23 | 1 |
| | | tion | 70 - 730 | | | 03/01/22 13.02 | 00/00/22 12:23 | |
| Method: Total BTEX - Tota | I BTEX Calcula | tion Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Method: Total BTEX - Tota Analyte | I BTEX Calcula | Qualifier | | Unit mg/Kg | <u>D</u> | | | Dil Fac |
| Method: Total BTEX - Tota Analyte Total BTEX | BTEX Calcula Result <0.00398 | Qualifier U | RL 0.00398 | | <u>D</u> | | Analyzed | Dil Fac |
| Method: Total BTEX - Tota Analyte Total BTEX Method: 8015 NM - Diesel | I BTEX Calcula Result <0.00398 Range Organic | Qualifier U | RL 0.00398 | | <u>D</u> | | Analyzed | 1 |
| Method: Total BTEX - Tota Analyte Total BTEX Method: 8015 NM - Diesel Analyte | I BTEX Calcula Result <0.00398 Range Organic | Qualifier U s (DRO) (Qualifier | RL 0.00398 | mg/Kg | _ = | Prepared | Analyzed 05/09/22 11:41 | Dil Fac |
| Method: Total BTEX - Tota Analyte Total BTEX Method: 8015 NM - Diesel Analyte Total TPH Method: 8015B NM - Diese | Range Organic Result <50.00 | Qualifier U S (DRO) (O Qualifier U | RL 0.00398 GC) RL 50.0 | mg/Kg | _ = | Prepared | Analyzed 05/09/22 11:41 Analyzed | 1 |
| Method: Total BTEX - Tota Analyte Total BTEX Method: 8015 NM - Diesel Analyte Total TPH Method: 8015B NM - Diese | Range Organic Result <0.00398 Range Organic Result <50.0 | Qualifier U S (DRO) (O Qualifier U | RL 0.00398 GC) RL 50.0 | mg/Kg | _ = | Prepared | Analyzed 05/09/22 11:41 Analyzed | Dil Fac |
| Method: Total BTEX - Tota Analyte Total BTEX Method: 8015 NM - Diesel Analyte Total TPH | Range Organic Result <0.00398 Range Organic Result <50.0 | Qualifier U S (DRO) (C Qualifier U ics (DRO) Qualifier | RL 0.00398 GC) RL 50.0 | mg/Kg Unit mg/Kg | <u>-</u> <u>D</u> | Prepared Prepared | Analyzed 05/09/22 11:41 Analyzed 04/28/22 09:20 | 1 |

Job ID: 880-14112-1

Client: Charger Rentals Project/Site: 49er (JCF6DLE501) SDG: Eddy County, New Mexico

Lab Sample ID: 880-14112-15 Client Sample ID: CS-Bottom Hole-15 1.5'

Date Collected: 04/25/22 00:00 **Matrix: Solid** Date Received: 04/26/22 15:05

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Oll Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 04/26/22 15:58 | 04/29/22 19:06 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 84 | | 70 - 130 | | | 04/26/22 15:58 | 04/29/22 19:06 | 1 |
| o-Terphenyl (Surr) | 80 | | 70 - 130 | | | 04/26/22 15:58 | 04/29/22 19:06 | 1 |

| Method: 300.0 - Anions, Ion Chromatography - Soluble | | | | | | | | | |
|--|----------|--------|-----------|------|-------|---|----------|----------------|---------|
| | Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| | Chloride | <5.00 | U | 5.00 | mg/Kg | | | 05/02/22 01:11 | 1 |

Client Sample ID: CS-Bottom Hole-16 1.5' Lab Sample ID: 880-14112-16

Date Collected: 04/25/22 00:00 **Matrix: Solid**

Date Received: 04/26/22 15:05

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fa |
|---|-------------------------------|-----------------------|---------------------------------------|--------|----------|---|--|--------|
| Benzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:02 | 05/08/22 12:43 | |
| Toluene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:02 | 05/08/22 12:43 | |
| Ethylbenzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:02 | 05/08/22 12:43 | |
| m,p-Xylenes | < 0.00399 | U | 0.00399 | mg/Kg | | 05/07/22 13:02 | 05/08/22 12:43 | |
| o-Xylene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:02 | 05/08/22 12:43 | |
| Xylenes, Total | <0.00399 | U | 0.00399 | mg/Kg | | 05/07/22 13:02 | 05/08/22 12:43 | |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fa |
| 4-Bromofluorobenzene (Surr) | 112 | | 70 - 130 | | | 05/07/22 13:02 | 05/08/22 12:43 | |
| 1,4-Difluorobenzene (Surr) | 101 | | 70 - 130 | | | 05/07/22 13:02 | 05/08/22 12:43 | |
| Method: Total BTEX - Total B' | TEX Calcula | tion | | | | | | |
| Analyte | | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fa |
| Total BTEX | <0.00399 | U | 0.00399 | mg/Kg | | | 05/09/22 11:41 | |
| Analyte Total TPH | Result <49.9 | | RL 49.9 | | D | Prepared | Analyzed 04/28/22 09:20 | |
| Analyte | | Qualifier | | Unit | <u>D</u> | Prepared | | Dil Fa |
| - | 10.0 | Ü | 10.0 | 9/1.19 | | | 0 1/20/22 00:20 | |
| Method: 8015B NM - Diesel R | ange Organ | ics (DRO) | (GC) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fa |
| Gasoline Range Organics | <49.9 | U | 49.9 | mg/Kg | | 04/26/22 15:58 | 04/29/22 19:28 | |
| (GRO)-C6-C10 | | | | | | | | |
| | <49.9 | 11 | | malka | | ハルワんけつつ 15・50 | | |
| 5 5 , | \49.9 | U | 49.9 | mg/Kg | | 04/20/22 13.38 | 04/29/22 19:28 | |
| C10-C28) | <49.9 | | 49.9 | mg/Kg | | | 04/29/22 19:28 | |
| C10-C28) OII Range Organics (Over C28-C36) | | U | | | | | | Dil Fa |
| C10-C28) Oll Range Organics (Over C28-C36) Surrogate | <49.9 | U | 49.9 | | | 04/26/22 15:58 | 04/29/22 19:28 | Dil Fa |
| Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36) Surrogate 1-Chlorooctane (Surr) o-Terphenyl (Surr) | <49.9 %Recovery | U | 49.9 <i>Limits</i> | | | 04/26/22 15:58 Prepared 04/26/22 15:58 | 04/29/22 19:28 Analyzed | Dil Fa |
| C10-C28) OII Range Organics (Over C28-C36) Surrogate 1-Chlorooctane (Surr) | <49.9 %Recovery 95 90 | U Qualifier | 49.9 Limits 70 - 130 70 - 130 | | | 04/26/22 15:58 Prepared 04/26/22 15:58 | 04/29/22 19:28 Analyzed 04/29/22 19:28 | Dil Fa |

Eurofins Midland

05/02/22 01:18

5.00

mg/Kg

<5.00 U

5/9/2022

Chloride

Client Sample ID: CS-Bottom Hole-17 1.5'

Lab Sample ID: 880-14112-17

Date Collected: 04/25/22 00:00 Matrix: Solid
Date Received: 04/26/22 15:05

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|-------------|-------------|----------|--------------|----------|-----------------|-----------------|---------|
| Benzene | <0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:02 | 05/08/22 13:04 | |
| Toluene | <0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:02 | 05/08/22 13:04 | • |
| Ethylbenzene | <0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:02 | 05/08/22 13:04 | • |
| m,p-Xylenes | <0.00398 | U | 0.00398 | mg/Kg | | 05/07/22 13:02 | 05/08/22 13:04 | |
| o-Xylene | <0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:02 | 05/08/22 13:04 | |
| Xylenes, Total | <0.00398 | U | 0.00398 | mg/Kg | | 05/07/22 13:02 | 05/08/22 13:04 | |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fa |
| 4-Bromofluorobenzene (Surr) | 112 | | 70 - 130 | | | 05/07/22 13:02 | 05/08/22 13:04 | |
| 1,4-Difluorobenzene (Surr) | 102 | | 70 - 130 | | | 05/07/22 13:02 | 05/08/22 13:04 | |
| Method: Total BTEX - Total B | ΓEX Calcula | tion | | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total BTEX | <0.00398 | U | 0.00398 | mg/Kg | | | 05/09/22 11:41 | |
| Method: 8015 NM - Diesel Rai Analyte | Result | Qualifier | RL | Unit | <u>D</u> | Prepared | Analyzed | Dil Fac |
| Total TPH | <49.9 | - | 49.9 | <u>mg/Kg</u> | _ = | Trepared | 04/28/22 09:20 | Diria |
| Method: 8015B NM - Diesel R | ange Organ | ics (DRO) | (GC) | | | | | |
| Analyte | | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fa |
| Gasoline Range Organics | <49.9 | U | 49.9 | mg/Kg | | 04/26/22 15:58 | 04/29/22 19:49 | |
| (GRO)-C6-C10 Diesel Range Organics (Over | <49.9 | U | 49.9 | mg/Kg | | 04/26/22 15:58 | 04/29/22 19:49 | |
| C10-C28) | .0.0 | | .0.0 | 9/. 19 | | 0 1/20/22 10:00 | 0 1/20/22 10110 | |
| Oll Range Organics (Over C28-C36) | <49.9 | U | 49.9 | mg/Kg | | 04/26/22 15:58 | 04/29/22 19:49 | |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fa |
| 1-Chlorooctane (Surr) | 80 | | 70 - 130 | | | 04/26/22 15:58 | 04/29/22 19:49 | |
| o-Terphenyl (Surr) | 76 | | 70 - 130 | | | 04/26/22 15:58 | 04/29/22 19:49 | • |
| Method: 300.0 - Anions, Ion C | hromatogra | ıphy - Solu | ıble | | | | | |
| Amalasta | Desuit | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Analyte | Result | Qualifier | NL | OIIIL | | riepaieu | Allalyzeu | Dillead |

Client Sample ID: CS- North North Sidewall-1 Lab Sample ID: 880-14112-18

Date Collected: 04/25/22 00:00 Matrix: Solid
Date Received: 04/26/22 15:05

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Benzene | <0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:02 | 05/08/22 13:24 | 1 |
| Toluene | < 0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:02 | 05/08/22 13:24 | 1 |
| Ethylbenzene | < 0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:02 | 05/08/22 13:24 | 1 |
| m,p-Xylenes | <0.00398 | U | 0.00398 | mg/Kg | | 05/07/22 13:02 | 05/08/22 13:24 | 1 |
| o-Xylene | < 0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:02 | 05/08/22 13:24 | 1 |
| Xylenes, Total | <0.00398 | U | 0.00398 | mg/Kg | | 05/07/22 13:02 | 05/08/22 13:24 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 108 | | 70 - 130 | | | 05/07/22 13:02 | 05/08/22 13:24 | 1 |
| 1,4-Difluorobenzene (Surr) | 100 | | 70 - 130 | | | 05/07/22 13:02 | 05/08/22 13:24 | 1 |

Client Sample ID: CS- North North Sidewall-1 Lab Sample ID: 880-14112-18

Date Collected: 04/25/22 00:00 Matrix: Solid Date Received: 04/26/22 15:05

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------------|------------|------------|----------|-------|-----|----------------|----------------|---------|
| Total BTEX | <0.00398 | U | 0.00398 | mg/Kg | | | 05/09/22 11:41 | 1 |
| Method: 8015 NM - Diesel Ran | ge Organic | s (DRO) (G | SC) | | | | | |
| Analyte | - | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total TPH | <49.8 | U | 49.8 | mg/Kg | | | 04/28/22 09:20 | 1 |
| Method: 8015B NM - Diesel Ra | nge Organi | ics (DRO) | (GC) | | | | | |
| Analyte | | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Gasoline Range Organics | <49.8 | U | 49.8 | mg/Kg | | 04/26/22 15:58 | 04/29/22 20:10 | 1 |
| (GRO)-C6-C10 | | | | | | | | |
| Diesel Range Organics (Over | <49.8 | U | 49.8 | mg/Kg | | 04/26/22 15:58 | 04/29/22 20:10 | 1 |
| C10-C28) | | | | | | | | |
| Oll Range Organics (Over C28-C36) | <49.8 | U | 49.8 | mg/Kg | | 04/26/22 15:58 | 04/29/22 20:10 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 93 | | 70 - 130 | | | 04/26/22 15:58 | 04/29/22 20:10 | 1 |
| o-Terphenyl (Surr) | 96 | | 70 - 130 | | | 04/26/22 15:58 | 04/29/22 20:10 | 1 |
| Method: 300.0 - Anions, Ion C | hromatogra | phy - Solu | ıble | | | | | |
| Analyte | | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Chloride | 6.38 | | 5.00 | mg/Kg | — – | | 05/02/22 01:43 | 1 |

Client Sample ID: CS- North North Sidewall-2 Lab Sample ID: 880-14112-19

Date Collected: 04/25/22 00:00 Matrix: Solid
Date Received: 04/26/22 15:05

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--|---|--|--------------------------|-----------------------|----------|-------------------|---|---------|
| Benzene | <0.00198 | U | 0.00198 | mg/Kg | | 05/07/22 13:02 | 05/08/22 13:45 | 1 |
| Toluene | <0.00198 | U | 0.00198 | mg/Kg | | 05/07/22 13:02 | 05/08/22 13:45 | 1 |
| Ethylbenzene | <0.00198 | U | 0.00198 | mg/Kg | | 05/07/22 13:02 | 05/08/22 13:45 | 1 |
| m,p-Xylenes | < 0.00397 | U | 0.00397 | mg/Kg | | 05/07/22 13:02 | 05/08/22 13:45 | 1 |
| o-Xylene | <0.00198 | U | 0.00198 | mg/Kg | | 05/07/22 13:02 | 05/08/22 13:45 | 1 |
| Xylenes, Total | <0.00397 | U | 0.00397 | mg/Kg | | 05/07/22 13:02 | 05/08/22 13:45 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 115 | | 70 - 130 | | | 05/07/22 13:02 | 05/08/22 13:45 | 1 |
| 1,4-Difluorobenzene (Surr) | 100 | | 70 - 130 | | | 05/07/22 13:02 | 05/08/22 13:45 | 1 |
| Method: Total BTEX - Total | I BTEX Calcula | tion | | | | | | |
| Method: Total BTEX - Total Analyte Total BTEX | Result | Qualifier | RL | | <u>D</u> | Prepared | Analyzed 05/09/22 11:41 | Dil Fac |
| Analyte Total BTEX Method: 8015 NM - Diesel | Result <0.00397 Range Organic | Qualifier U | 0.00397 | Unit mg/Kg Unit | <u>D</u> | Prepared Prepared | Analyzed 05/09/22 11:41 Analyzed | 1 |
| | Result <0.00397 Range Organic | Qualifier U s (DRO) (C | 0.00397 GC) | mg/Kg | | | 05/09/22 11:41 | Dil Fac |
| Analyte Total BTEX Method: 8015 NM - Diesel Analyte Total TPH | Result <0.00397 Range Organic Result <49.9 | Qualifier U S (DRO) (C Qualifier U | 0.00397 GC) RL 49.9 | mg/Kg | | | 05/09/22 11:41 Analyzed | 1 |
| Analyte Total BTEX Method: 8015 NM - Diesel Analyte Total TPH Method: 8015B NM - Diese | Result <0.00397 Range Organic Result <49.9 | Qualifier U S (DRO) (C Qualifier U | 0.00397 GC) RL 49.9 | mg/Kg | | | 05/09/22 11:41 Analyzed | Dil Fac |
| Analyte Total BTEX Method: 8015 NM - Diesel Analyte | Result <0.00397 Range Organic Result <49.9 | Qualifier U S (DRO) (C Qualifier U ics (DRO) Qualifier | 0.00397 GC) RL 49.9 | mg/Kg Unit mg/Kg | <u>D</u> | Prepared | 05/09/22 11:41 Analyzed 04/28/22 09:20 | 1 |

Job ID: 880-14112-1

Client: Charger Rentals Project/Site: 49er (JCF6DLE501) SDG: Eddy County, New Mexico

Lab Sample ID: 880-14112-19 Client Sample ID: CS- North North Sidewall-2

Date Collected: 04/25/22 00:00 **Matrix: Solid** Date Received: 04/26/22 15:05

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Oll Range Organics (Over C28-C36) | <49.9 | U | 49.9 | mg/Kg | | 04/26/22 15:58 | 04/29/22 20:31 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 79 | | 70 - 130 | | | 04/26/22 15:58 | 04/29/22 20:31 | 1 |
| o-Terphenyl (Surr) | 74 | | 70 - 130 | | | 04/26/22 15:58 | 04/29/22 20:31 | 1 |

| Method: 300.0 - Anions, Ion Chromatography - Soluble | | | | | | | | |
|--|--------|-----------|------|-------|---|----------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Chloride | <4.99 | U | 4.99 | mg/Kg | | | 05/02/22 01:49 | 1 |

Client Sample ID: CS- North South Sidewall-1 Lab Sample ID: 880-14112-20

Date Collected: 04/25/22 00:00 Matrix: Solid

Date Received: 04/26/22 15:05

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--|---|---------------------------------------|--|--------------------------|----------|--|---|---------|
| Benzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:06 | 05/07/22 20:54 | - |
| Toluene | < 0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:06 | 05/07/22 20:54 | 1 |
| Ethylbenzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:06 | 05/07/22 20:54 | 1 |
| m,p-Xylenes | < 0.00401 | U | 0.00401 | mg/Kg | | 05/07/22 13:06 | 05/07/22 20:54 | 1 |
| o-Xylene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:06 | 05/07/22 20:54 | • |
| Xylenes, Total | <0.00401 | U | 0.00401 | mg/Kg | | 05/07/22 13:06 | 05/07/22 20:54 | , |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fa |
| 4-Bromofluorobenzene (Surr) | 190 | S1+ | 70 - 130 | | | 05/07/22 13:06 | 05/07/22 20:54 | |
| 1,4-Difluorobenzene (Surr) | 81 | | 70 - 130 | | | 05/07/22 13:06 | 05/07/22 20:54 | 1 |
| | | | | | | | | |
| Method: 8015 NM - Diesel Rai Analyte | • | s (DRO) (G Qualifier | SC) | Unit | D | Prepared | Analyzed | Dil Fac |
| Method: 8015 NM - Diesel Rai Analyte Total TPH | • | Qualifier | • | Unit mg/Kg | <u>D</u> | Prepared | Analyzed 04/28/22 09:20 | |
| Analyte Total TPH Method: 8015B NM - Diesel R | Result <50.0 | Qualifier U | RL 50.0 | mg/Kg | | | 04/28/22 09:20 | |
| Analyte Total TPH | Result <50.0 | Qualifier U ics (DRO) Qualifier | RL 50.0 | | <u>D</u> | Prepared 04/26/22 15:58 | | |
| Analyte Total TPH Method: 8015B NM - Diesel R Analyte Gasoline Range Organics | Result <50.0 | Qualifier U ics (DRO) Qualifier U | RL 50.0 | mg/Kg | | Prepared | 04/28/22 09:20 Analyzed | Dil Fa |
| Analyte Total TPH Method: 8015B NM - Diesel R Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over | Result <50.0 ange Organ Result <50.0 | Qualifier U ics (DRO) Qualifier U | (GC) RL 50.0 | mg/Kg Unit mg/Kg | | Prepared 04/26/22 15:58 04/26/22 15:58 | 04/28/22 09:20 Analyzed 04/29/22 20:52 | Dil Fac |
| Analyte Total TPH Method: 8015B NM - Diesel R Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) | Result | Qualifier U ics (DRO) Qualifier U U | RL 50.0 (GC) RL 50.0 | mg/Kg Unit mg/Kg mg/Kg | | Prepared 04/26/22 15:58 04/26/22 15:58 | 04/28/22 09:20 Analyzed 04/29/22 20:52 04/29/22 20:52 | Dil Fac |
| Analyte Total TPH Method: 8015B NM - Diesel R Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36) | Result <50.0 ange Organ Result <50.0 <50.0 <50.0 | Qualifier U ics (DRO) Qualifier U U | RL 50.0 (GC) RL 50.0 50.0 | mg/Kg Unit mg/Kg mg/Kg | | Prepared 04/26/22 15:58 04/26/22 15:58 | 04/28/22 09:20 Analyzed 04/29/22 20:52 04/29/22 20:52 04/29/22 20:52 | Dil Fac |

Analyzed

05/02/22 01:56

Prepared

Eurofins Midland

RL

5.01

Unit

mg/Kg

Dil Fac

Analyte

Chloride

Method: 300.0 - Anions, Ion Chromatography - Soluble

Result Qualifier

<5.01 U

Client Sample Results

Client: Charger Rentals Job ID: 880-14112-1 Project/Site: 49er (JCF6DLE501) SDG: Eddy County, New Mexico

Client Sample ID: CS- North South Sidewall-2

Date Collected: 04/25/22 00:00 Date Received: 04/26/22 15:05

Lab Sample ID: 880-14112-21

Matrix: Solid

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------|--------------|-----------|----------|-------|---|----------------|----------------|---------|
| Benzene | <0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:06 | 05/07/22 21:20 | 1 |
| Toluene | < 0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:06 | 05/07/22 21:20 | 1 |
| Ethylbenzene | < 0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:06 | 05/07/22 21:20 | 1 |
| m,p-Xylenes | <0.00398 | U | 0.00398 | mg/Kg | | 05/07/22 13:06 | 05/07/22 21:20 | 1 |
| o-Xylene | < 0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:06 | 05/07/22 21:20 | 1 |
| Xylenes, Total | <0.00398 | U | 0.00398 | mg/Kg | | 05/07/22 13:06 | 05/07/22 21:20 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 155 | S1+ | 70 - 130 | | | 05/07/22 13:06 | 05/07/22 21:20 | 1 |
| 1,4-Difluorobenzene (Surr) | 72 | | 70 - 130 | | | 05/07/22 13:06 | 05/07/22 21:20 | 1 |
| - Method: Total BTEX - Total | BTEX Calcula | tion | | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total RTEV | <0.00200 | II | 0.00309 | malka | | | 05/00/22 11:41 | |

Total BTEX <0.00398 U 0.00398 mg/Kg 05/09/22 11:41

Method: 8015 NM - Diesel Range Organics (DRO) (GC) Result Qualifier Unit Analyte RL D Prepared Analyzed Dil Fac <50.0 U 04/28/22 09:20 Total TPH 50.0 mg/Kg

Method: 8015B NM - Diesel Range Organics (DRO) (GC) Result Qualifier RL Unit Prepared Analyzed Dil Fac Gasoline Range Organics <50.0 U 50.0 mg/Kg 04/26/22 17:00 04/27/22 20:12 (GRO)-C6-C10 Diesel Range Organics (Over <50.0 U 50.0 mg/Kg 04/26/22 17:00 04/27/22 20:12 C10-C28) Oll Range Organics (Over C28-C36) <50.0 U 50.0 mg/Kg 04/26/22 17:00 04/27/22 20:12 Surrogate %Recovery Qualifier Limits Prepared Analyzed Dil Fac 1-Chlorooctane (Surr) 79 70 - 130 04/26/22 17:00 04/27/22 20:12 o-Terphenyl (Surr) 87 70 - 130 04/26/22 17:00 04/27/22 20:12

Method: 300.0 - Anions, Ion Chromatography - Soluble Analyte Result Qualifier RL Unit Prepared Analyzed 5.04 <5.04 U Chloride mg/Kg 05/02/22 02:02

Client Sample ID: CS- North East Sidewall Lab Sample ID: 880-14112-22

Date Collected: 04/25/22 00:00 Date Received: 04/26/22 15:05

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Benzene | <0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:06 | 05/07/22 21:46 | 1 |
| Toluene | <0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:06 | 05/07/22 21:46 | 1 |
| Ethylbenzene | <0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:06 | 05/07/22 21:46 | 1 |
| m,p-Xylenes | <0.00398 | U | 0.00398 | mg/Kg | | 05/07/22 13:06 | 05/07/22 21:46 | 1 |
| o-Xylene | <0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:06 | 05/07/22 21:46 | 1 |
| Xylenes, Total | <0.00398 | U | 0.00398 | mg/Kg | | 05/07/22 13:06 | 05/07/22 21:46 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 130 | | 70 - 130 | | | 05/07/22 13:06 | 05/07/22 21:46 | 1 |
| 1,4-Difluorobenzene (Surr) | 117 | | 70 - 130 | | | 05/07/22 13:06 | 05/07/22 21:46 | 1 |

Eurofins Midland

Matrix: Solid

Client Sample Results

Client: Charger Rentals Job ID: 880-14112-1 Project/Site: 49er (JCF6DLE501) SDG: Eddy County, New Mexico

Client Sample ID: CS- North East Sidewall

Mathadi Total DTEV Total DTEV Calculation

Date Collected: 04/25/22 00:00 Date Received: 04/26/22 15:05

Lab Sample ID: 880-14112-22

Matrix: Solid

| Method: Total BTEX - Total BTEX Calculation | | | | | | | | | |
|---|------------|----------|-----------|---------|-------|---|----------|----------------|-------|
| | Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil F |
| | Total BTEX | <0.00398 | U | 0.00398 | mg/Kg | | | 05/09/22 11:41 | |

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Unit Analyte Result Qualifier RL Analyzed Dil Fac Prepared Total TPH <50.0 U 04/28/22 09:20 50.0 mg/Kg

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------------|-----------|-----------|--------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics | <50.0 | U | 50.0 | mg/Kg | | 04/27/22 08:35 | 04/29/22 22:00 | 1 |
| (GRO)-C6-C10 | | | | | | | | |
| Diesel Range Organics (Over | <50.0 | U | 50.0 | mg/Kg | | 04/27/22 08:35 | 04/29/22 22:00 | 1 |
| C10-C28) | | | | | | | | |
| OII Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 04/27/22 08:35 | 04/29/22 22:00 | 1 |
| _ | | | | | | | | |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |

04/27/22 08:35 04/29/22 22:00 1-Chlorooctane (Surr) 64 S1-70 - 130 o-Terphenyl (Surr) 60 S1-70 - 130 04/27/22 08:35 04/29/22 22:00

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte Result Qualifier RL Unit Prepared Analyzed Dil Fac 4.97 Chloride 5.45 05/02/22 02:08 mg/Kg

Client Sample ID: CS- North West Sidewall

Lab Sample ID: 880-14112-23 Date Collected: 04/25/22 00:00 Matrix: Solid

Date Received: 04/26/22 15:05

| Method: 8021B - | Volatile Organic | Compounds (GC) |
|-----------------|------------------|------------------|
| Analyte | | Result Qualifier |

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|-----------|-----------|---------|-------|---|----------------|----------------|---------|
| Benzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:06 | 05/07/22 22:12 | 1 |
| Toluene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:06 | 05/07/22 22:12 | 1 |
| Ethylbenzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:06 | 05/07/22 22:12 | 1 |
| m,p-Xylenes | <0.00399 | U | 0.00399 | mg/Kg | | 05/07/22 13:06 | 05/07/22 22:12 | 1 |
| o-Xylene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:06 | 05/07/22 22:12 | 1 |
| Xylenes, Total | < 0.00399 | U | 0.00399 | mg/Kg | | 05/07/22 13:06 | 05/07/22 22:12 | 1 |
| | | | | | | | | |

| Surrogate | %Recovery | Qualifier | Limits | Prepared Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|-------------------------------|---------|
| 4-Bromofluorobenzene (Surr) | 170 | S1+ | 70 - 130 | 05/07/22 13:06 05/07/22 22:12 | 1 |
| 1,4-Difluorobenzene (Surr) | 78 | | 70 - 130 | 05/07/22 13:06 05/07/22 22:12 | 1 |

Method: Total BTEX - Total BTEX Calculation

Released to Imaging: 12/16/2022 10:56:19 AM

Analyte Result Qualifier RL Unit D Analyzed Prepared Total BTEX <0.00399 U 0.00399 05/09/22 11:41 mg/Kg

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte Result Qualifier Unit RL Prepared Analyzed Dil Fac Total TPH <49.9 U 04/28/22 09:20 49.9 mg/Kg

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics | <49.9 | U | 49.9 | mg/Kg | | 04/27/22 08:35 | 04/29/22 22:21 | 1 |
| (GRO)-C6-C10 | | | | | | | | |
| Diesel Range Organics (Over | <49.9 | U | 49.9 | mg/Kg | | 04/27/22 08:35 | 04/29/22 22:21 | 1 |
| C10-C28) | | | | | | | | |

Eurofins Midland

Dil Fac

Client Sample Results

Client: Charger Rentals

Job ID: 880-14112-1

Project/Site: 49er (JCF6DLE501)

SDG: Eddy County, New Mexico

Client Sample ID: CS- North West Sidewall

Date Collected: 04/25/22 00:00 Date Received: 04/26/22 15:05 Lab Sample ID: 880-14112-23

Matrix: Solid

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Oll Range Organics (Over C28-C36) | <49.9 | U | 49.9 | mg/Kg | | 04/27/22 08:35 | 04/29/22 22:21 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 84 | | 70 - 130 | | | 04/27/22 08:35 | 04/29/22 22:21 | 1 |
| o-Terphenyl (Surr) | 78 | | 70 - 130 | | | 04/27/22 08:35 | 04/29/22 22:21 | 1 |

| Method: 300.0 - Anions, Ion Chromatography - Soluble | | | | | | | | |
|--|-----------|-------------|-------|---|----------|----------------|---------|--|
| Analyte | Result Qu | ualifier RL | Unit | D | Prepared | Analyzed | Dil Fac | |
| Chloride | 8.69 | 4.99 | mg/Kg | | | 05/02/22 02:15 | 1 | |

Eurofins Midland

3

4

6

9

11

13

14

Surrogate Summary

Client: Charger Rentals Job ID: 880-14112-1 Project/Site: 49er (JCF6DLE501) SDG: Eddy County, New Mexico

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid Prep Type: Total/NA

| | | DED4 | Pe |
|--------------------|----------------------------|-----------------------|----------|
| I ah Camula ID | Olient Commis ID | BFB1 | DFBZ1 |
| Lab Sample ID | Client Sample ID | _ (70-130) | (70-130) |
| 880-14112-1 | CS-Bottom Hole- 1 1.5' | 99 | 89 |
| 880-14112-2 | CS-Bottom Hole-2 1.5' | 104 | 94 |
| 880-14112-3 | CS-Bottom Hole-3 1.5' | 99 | 91 |
| 880-14112-4 | CS-Bottom Hole-4 1.5' | 99 | 88 |
| 880-14112-5 | CS-Bottom Hole-5 1.5' | 98 | 91 |
| 880-14112-6 | CS-Bottom Hole-6 1.5' | 106 | 95 |
| 880-14112-7 | CS-Bottom Hole-7 1.5' | 107 | 95 |
| 880-14112-8 | CS-Bottom Hole-8 1.5' | 103 | 95 |
| 880-14112-9 | CS-Bottom Hole-9 1.5' | 107 | 93 |
| 880-14112-10 | CS-Bottom Hole-10 1.5' | 111 | 96 |
| 880-14112-11 | CS-Bottom Hole-11 1.5' | 106 | 99 |
| 880-14112-12 | CS-Bottom Hole-12 1.5' | 113 | 101 |
| 880-14112-13 | CS-Bottom Hole-13 1.5' | 108 | 98 |
| 880-14112-14 | CS-Bottom Hole-14 1.5' | 112 | 99 |
| 880-14112-15 | CS-Bottom Hole-15 1.5' | 111 | 101 |
| 880-14112-16 | CS-Bottom Hole-16 1.5' | 112 | 101 |
| 880-14112-17 | CS-Bottom Hole-17 1.5' | 112 | 102 |
| 880-14112-18 | CS- North North Sidewall-1 | 108 | 100 |
| 880-14112-19 | CS- North North Sidewall-2 | 115 | 100 |
| 880-14112-20 | CS- North South Sidewall-1 | 190 S1+ | 81 |
| 880-14112-21 | CS- North South Sidewall-2 | 155 S1+ | 72 |
| 880-14112-22 | CS- North East Sidewall | 130 | 117 |
| 880-14112-23 | CS- North West Sidewall | 170 S1+ | 78 |
| LCS 880-25028/1-A | Lab Control Sample | 108 | 100 |
| LCS 880-25029/1-A | Lab Control Sample | 183 S1+ | 87 |
| LCS 880-25030/1-A | Lab Control Sample | 192 S1+ | 77 |
| LCSD 880-25028/2-A | Lab Control Sample Dup | 103 | 97 |
| LCSD 880-25030/2-A | Lab Control Sample Dup | 190 S1+ | 90 |
| MB 880-25027/5-A | Method Blank | 99 | 90 97 |
| MB 880-25028/5-A | Method Blank | 99 | 97 92 |
| MB 880-25029/5-A | Method Blank | 130 | 72 |
| IND OUG-20023/0-14 | Michiod Dialik | 150 | 12 |
| Surrogate Legend | | | |

DFBZ = 1,4-Difluorobenzene (Surr)

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid Prep Type: Total/NA

| | | | Percent Surrogate Recovery (Acceptance Limits) | |
|--|---|------|--|--|
| | | BFB1 | DFBZ1 | |
| Lab Sample ID 880-14112-20 MSD | Client Sample ID CS- North South Sidewall-1 | | | |
| Surrogate Legend | | | | |

DFBZ = 1,4-Difluorobenzene (Surr)

BFB = 4-Bromofluorobenzene (Surr)

Surrogate Summary

Client: Charger Rentals

Job ID: 880-14112-1

Project/Site: 49er (JCF6DLE501)

SDG: Eddy County, New Mexico

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid Prep Type: Total/NA

| | | | Perd | cent Surrogate Recovery (Acceptan |
|------------------------------|----------------------------|----------|----------|-----------------------------------|
| | au .a | 1CO1 | OTPH1 | |
| Lab Sample ID | Client Sample ID | (70-130) | (70-130) | |
| 880-14112-1 | CS-Bottom Hole- 1 1.5' | 85 | 83 | |
| 880-14112-1 MS | CS-Bottom Hole- 1 1.5' | 77 | 71 | |
| 880-14112-1 MSD | CS-Bottom Hole- 1 1.5' | 74 | 65 S1- | |
| 880-14112-2 | CS-Bottom Hole-2 1.5' | 97 | 100 | |
| 880-14112-3 | CS-Bottom Hole-3 1.5' | 70 | 65 S1- | |
| 880-14112-4 | CS-Bottom Hole-4 1.5' | 90 | 87 | |
| 880-14112-5 | CS-Bottom Hole-5 1.5' | 84 | 85 | |
| 880-14112-6 | CS-Bottom Hole-6 1.5' | 89 | 89 | |
| 880-14112-7 | CS-Bottom Hole-7 1.5' | 83 | 86 | |
| 880-14112-8 | CS-Bottom Hole-8 1.5' | 86 | 84 | |
| 880-14112-9 | CS-Bottom Hole-9 1.5' | 84 | 82 | |
| 880-14112-10 | CS-Bottom Hole-10 1.5' | 88 | 86 | |
| 880-14112-11 | CS-Bottom Hole-11 1.5' | 85 | 84 | |
| 880-14112-12 | CS-Bottom Hole-12 1.5' | 90 | 87 | |
| 880-14112-13 | CS-Bottom Hole-13 1.5' | 86 | 82 | |
| 880-14112-14 | CS-Bottom Hole-14 1.5' | 93 | 90 | |
| 880-14112-15 | CS-Bottom Hole-15 1.5' | 84 | 80 | |
| 880-14112-16 | CS-Bottom Hole-16 1.5' | 95 | 90 | |
| 880-14112-17 | CS-Bottom Hole-17 1.5' | 80 | 76 | |
| 880-14112-18 | CS- North North Sidewall-1 | 93 | 96 | |
| | CS- North North Sidewall-2 | 93 79 | 90 74 | |
| 880-14112-19 880-14112-20 | CS- North South Sidewall-1 | 80 | 79 | |
| | | | | |
| 880-14112-21 | CS- North South Sidewall-2 | 79 | 87 | |
| 880-14112-22 | CS- North East Sidewall | 64 S1- | 60 S1- | |
| 880-14112-23 | CS- North West Sidewall | 84 | 78 | |
| LCS 880-24267/2-A | Lab Control Sample | 75 | 71 | |
| LCS 880-24289/2-A | Lab Control Sample | 126 | 133 S1+ | |
| LCS 880-24405/2-A | Lab Control Sample | 91 | 79 | |
| LCS 880-24482/2-A | Lab Control Sample | 104 | 103 | |
| LCSD 880-24267/3-A | Lab Control Sample Dup | 78 | 74 | |
| LCSD 880-24289/3-A | Lab Control Sample Dup | 125 | 134 S1+ | |
| LCSD 880-24405/3-A | Lab Control Sample Dup | 104 | 100 | |
| LCSD 880-24482/3-A | Lab Control Sample Dup | 102 | 101 | |
| MB 880-24267/1-A | Method Blank | 95 | 99 | |
| MB 880-24289/1-A | Method Blank | 120 | 149 S1+ | |
| MB 880-24405/1-A | Method Blank | 89 | 87 | |
| MB 880-24482/1-A | Method Blank | 101 | 112 | |

Surrogate Legend

1CO = 1-Chlorooctane (Surr)
OTPH = o-Terphenyl (Surr)

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid Prep Type: Total/NA

| | | | Perc | ent Surrogate Recovery (Acceptance Limits) |
|--------------------|------------------------|----------|----------|--|
| | | 1CO2 | OTPH2 | |
| Lab Sample ID | Client Sample ID | (70-130) | (70-130) | |
| LCS 880-24262/2-A | Lab Control Sample | 105 | 126 | |
| LCSD 880-24262/3-A | Lab Control Sample Dup | 125 | 153 S1+ | |
| MB 880-24262/1-A | Method Blank | 116 | 145 S1+ | |

Eurofins Midland

Released to Imaging: 12/16/2022 10:56:19 AM

2

5

5

8

11

10

11

Surrogate Summary

Client: Charger Rentals

Project/Site: 49er (JCF6DLE501)

Surrogate Legend

1CO = 1-Chlorooctane (Surr) OTPH = o-Terphenyl (Surr)

Job ID: 880-14112-1 SDG: Eddy County, New Mexico

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-25027/5-A

Matrix: Solid

Analysis Batch: 25033

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 25027

| | MB | MB | | | | | | |
|----------------|----------|-----------|---------|-------|---|----------------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Benzene | <0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 12:54 | 05/07/22 17:41 | 1 |
| Toluene | <0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 12:54 | 05/07/22 17:41 | 1 |
| Ethylbenzene | <0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 12:54 | 05/07/22 17:41 | 1 |
| m,p-Xylenes | <0.00398 | U | 0.00398 | mg/Kg | | 05/07/22 12:54 | 05/07/22 17:41 | 1 |
| o-Xylene | <0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 12:54 | 05/07/22 17:41 | 1 |
| Xylenes, Total | <0.00398 | U | 0.00398 | mg/Kg | | 05/07/22 12:54 | 05/07/22 17:41 | 1 |
| | | | | | | | | |

MB MB

MB MB

Result Qualifier

| Surrogate | %Recovery (| Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-------------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 99 | | 70 - 130 | 05/07/22 12:54 | 05/07/22 17:41 | 1 |
| 1,4-Difluorobenzene (Surr) | 97 | | 70 - 130 | 05/07/22 12:54 | 05/07/22 17:41 | 1 |

Lab Sample ID: MB 880-25028/5-A

Matrix: Solid

Analyte

Analysis Batch: 25033

Client Sample ID: Method Blank Prep Type: Total/NA

Analyzed

Prepared

Prep Batch: 25028

Dil Fac

Benzene 05/07/22 13:02 05/08/22 05:18 <0.00200 U 0.00200 mg/Kg Toluene mg/Kg 05/07/22 13:02 05/08/22 05:18 <0.00200 U 0.00200 Ethylbenzene 0.00200 mg/Kg 05/07/22 13:02 05/08/22 05:18 <0.00200 U 05/07/22 13:02 05/08/22 05:18 m,p-Xylenes <0.00400 U 0.00400 mg/Kg o-Xylene <0.00200 U 0.00200 mg/Kg 05/07/22 13:02 05/08/22 05:18 Xylenes, Total <0.00400 U 0.00400 mg/Kg 05/07/22 13:02 05/08/22 05:18

RL

Unit

MB MB

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 99 | | 70 - 130 | 05/07/22 13:02 | 05/08/22 05:18 | 1 |
| 1,4-Difluorobenzene (Surr) | 92 | | 70 - 130 | 05/07/22 13:02 | 05/08/22 05:18 | 1 |

Lab Sample ID: LCS 880-25028/1-A

Matrix: Solid

Analysis Batch: 25033

Client Sample ID: Lab Control Sample Prep Type: Total/NA

Client Sample ID: Lab Control Sample Dup

Prep Batch: 25028

| | Spike | LCS | LCS | | | | %Rec | |
|--------------|-------|---------|-----------|-------|---|------|----------|--|
| Analyte | Added | Result | Qualifier | Unit | D | %Rec | Limits | |
| Benzene | 0.100 | 0.09246 | | mg/Kg | | 92 | 70 - 130 | |
| Toluene | 0.100 | 0.09265 | | mg/Kg | | 93 | 70 - 130 | |
| Ethylbenzene | 0.100 | 0.09559 | | mg/Kg | | 96 | 70 - 130 | |
| m,p-Xylenes | 0.200 | 0.1965 | | mg/Kg | | 98 | 70 - 130 | |
| o-Xylene | 0.100 | 0.1080 | | mg/Kg | | 108 | 70 - 130 | |

LCS LCS

| Surrogate | %Recovery | Qualifier | Limits |
|-----------------------------|-----------|-----------|----------|
| 4-Bromofluorobenzene (Surr) | 108 | | 70 - 130 |
| 1.4-Difluorobenzene (Surr) | 100 | | 70 - 130 |

Lab Sample ID: LCSD 880-25028/2-A

Matrix: Solid

Analysis Batch: 25033

| | | | | | | Prep Ty | pe: Tot | al/NA |
|-------|---------|-----------|-------|---|------|----------|---------|-------|
| | | | | | | Prep E | atch: 2 | 25028 |
| Spike | LCSD | LCSD | | | | %Rec | | RPD |
| Added | Result | Qualifier | Unit | D | %Rec | Limits | RPD | Limit |
| 0.100 | 0.07363 | | ma/Ka | | 74 | 70 - 130 | 23 | 35 |

Eurofins Midland

Analyte Benzene

Client: Charger Rentals

Project/Site: 49er (JCF6DLE501)

Job ID: 880-14112-1 SDG: Eddy County, New Mexico

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCSD 880-25028/2-A

Matrix: Solid

Analysis Batch: 25033

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA Prep Batch: 25028

LCSD LCSD **RPD** Spike %Rec Analyte Added Result Qualifier Unit %Rec Limits **RPD** Limit Toluene 0.100 0.07424 mg/Kg 74 70 - 130 22 35 Ethylbenzene 0.100 0.07412 mg/Kg 74 70 - 130 25 35 0.200 0.1515 76 70 - 130 35 m,p-Xylenes mg/Kg 26 35 o-Xylene 0.100 0.08551 mg/Kg 86 70 - 130 23

LCSD LCSD

| Surrogate | %Recovery | Qualifier | Limits |
|-----------------------------|-----------|-----------|----------|
| 4-Bromofluorobenzene (Surr) | 103 | | 70 - 130 |
| 1,4-Difluorobenzene (Surr) | 97 | | 70 - 130 |

Lab Sample ID: MB 880-25029/5-A **Client Sample ID: Method Blank**

Matrix: Solid Prep Type: Total/NA Analysis Batch: 25032 Prep Batch: 25029 MB MB

Result Qualifier Unit Prepared Dil Fac **Analyte** RL Analyzed Benzene <0.000400 U 0.000400 05/07/22 13:06 05/07/22 20:28 mg/Kg Toluene <0.000400 U 0.000400 mg/Kg 05/07/22 13:06 05/07/22 20:28 Ethylbenzene <0.000400 U 0.000400 mg/Kg 05/07/22 13:06 05/07/22 20:28 05/07/22 13:06 05/07/22 20:28 m,p-Xylenes <0.000800 U 0.000800 mg/Kg o-Xylene <0.000400 U 0.000400 mg/Kg 05/07/22 13:06 05/07/22 20:28 05/07/22 13:06 05/07/22 20:28 Xylenes, Total <0.000800 U 0.000800 mg/Kg

MB MB

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 130 | | 70 - 130 | 05/07/22 13:06 | 05/07/22 20:28 | 1 |
| 1,4-Difluorobenzene (Surr) | 72 | | 70 - 130 | 05/07/22 13:06 | 05/07/22 20:28 | 1 |

Lab Sample ID: LCS 880-25029/1-A

Matrix: Solid

Analysis Batch: 25032

Client Sample ID: Lab Control Sample Prep Type: Total/NA

Prep Batch: 25029

LCS LCS Spike %Rec Analyte Added Result Qualifier Unit %Rec Limits Benzene 0.100 0.09557 mg/Kg 96 70 - 130 Toluene 0.100 0.09063 mg/Kg 91 70 - 130 Ethylbenzene 0.100 0.09588 mg/Kg 96 70 - 130 m,p-Xylenes 0.200 0.1944 97 70 - 130 mg/Kg o-Xylene 0.100 0.09958 100 70 - 130 mg/Kg

LCS LCS

| Surrogate | %Recovery | Qualifier | Limits |
|-----------------------------|-----------|-----------|----------|
| 4-Bromofluorobenzene (Surr) | 183 | S1+ | 70 - 130 |
| 1,4-Difluorobenzene (Surr) | 87 | | 70 - 130 |

Lab Sample ID: 880-14112-20 MSD

Matrix: Solid

Analysis Batch: 25032

| Client Sample ID: CS- North South Sidewall-1 | Client Sample | ID: CS | - North | South | Sidewall-1 |
|--|----------------------|--------|---------|-------|------------|
|--|----------------------|--------|---------|-------|------------|

Prep Type: Total/NA

| Alialysis balcii. 20032 | | | | | | | | | Frepi | Dalcii. 4 | 25025 |
|-------------------------|-----------|-----------|--------|------------|-----------|-------|---|------|--------|-----------|-------|
| | Sample | Sample | Spike | MSD | MSD | | | | %Rec | | RPD |
| Analyte | Result | Qualifier | Added | Result | Qualifier | Unit | D | %Rec | Limits | RPD | Limit |
| Benzene | <0.00200 | U | 0.0998 | <0.000399 | U | mg/Kg | | | | | |
| Toluene | <0.00200 | U | 0.0998 | <0.000399 | U | mg/Kg | | | | | |
| Ethylbenzene | < 0.00200 | U | 0.0998 | < 0.000399 | U | mg/Kg | | | | | |

Eurofins Midland

Released to Imaging: 12/16/2022 10:56:19 AM

QC Sample Results

Client: Charger Rentals Project/Site: 49er (JCF6DLE501)

Job ID: 880-14112-1 SDG: Eddy County, New Mexico

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 880-14112-20 MSD Client Sample ID: CS- North South Sidewall-1 **Matrix: Solid** Prep Type: Total/NA **Analysis Batch: 25032** Prep Batch: 25029

| - | Sample | Sample | Spike | MSD | MSD | | | | %Rec | | RPD |
|-------------|----------|-----------|--------|------------|-----------|-------|---|------|--------|-----|-------|
| Analyte | Result | Qualifier | Added | Result | Qualifier | Unit | D | %Rec | Limits | RPD | Limit |
| m,p-Xylenes | <0.00401 | U | 0.200 | <0.000798 | U | mg/Kg | | | | | |
| o-Xylene | <0.00200 | U | 0.0998 | < 0.000399 | U | mg/Kg | | | | | |

MSD MSD Surrogate %Recovery Qualifier Limits

4-Bromofluorobenzene (Surr) 1,4-Difluorobenzene (Surr)

Lab Sample ID: LCS 880-25030/1-A **Client Sample ID: Lab Control Sample**

Matrix: Solid Prep Type: Total/NA **Analysis Batch: 25032** Prep Batch: 25030

| Spike | LCS | LCS | | | | %Rec | |
|-------|-------------------------------|---|---|--|--|---|--|
| Added | Result | Qualifier | Unit | D | %Rec | Limits | |
| 0.100 | 0.09461 | | mg/Kg | | 95 | 70 - 130 | |
| 0.100 | 0.08600 | | mg/Kg | | 86 | 70 - 130 | |
| 0.100 | 0.09775 | | mg/Kg | | 98 | 70 - 130 | |
| 0.200 | 0.1960 | | mg/Kg | | 98 | 70 - 130 | |
| 0.100 | 0.1008 | | mg/Kg | | 101 | 70 - 130 | |
| | Added 0.100 0.100 0.100 0.200 | Added Result 0.100 0.09461 0.100 0.08600 0.100 0.09775 0.200 0.1960 | Added Result Qualifier 0.100 0.09461 0.100 0.08600 0.100 0.09775 0.200 0.1960 | Added Result Qualifier Unit 0.100 0.09461 mg/Kg 0.100 0.08600 mg/Kg 0.100 0.09775 mg/Kg 0.200 0.1960 mg/Kg | Added Result Qualifier Unit D 0.100 0.09461 mg/Kg 0.100 0.08600 mg/Kg 0.100 0.09775 mg/Kg 0.200 0.1960 mg/Kg | Added Result Qualifier Unit D %Rec 0.100 0.09461 mg/Kg 95 0.100 0.08600 mg/Kg 86 0.100 0.09775 mg/Kg 98 0.200 0.1960 mg/Kg 98 | Added Result Qualifier Unit D %Rec Limits 0.100 0.09461 mg/Kg 95 70 - 130 0.100 0.08600 mg/Kg 86 70 - 130 0.100 0.09775 mg/Kg 98 70 - 130 0.200 0.1960 mg/Kg 98 70 - 130 |

LCS LCS Surrogate %Recovery Qualifier Limits 4-Bromofluorobenzene (Surr) 192 S1+ 70 - 130 1,4-Difluorobenzene (Surr) 77 70 - 130

Lab Sample ID: LCSD 880-25030/2-A **Client Sample ID: Lab Control Sample Dup**

Matrix: Solid Prep Type: Total/NA Analysis Batch: 25032 Prep Batch: 25030

| Analysis Daton: 20002 | | | | | | | aton. z | . 20000 | |
|-----------------------|-------|---------|-----------|-------|---|------|----------|---------|-------|
| - | Spike | LCSD | LCSD | | | | %Rec | | RPD |
| Analyte | Added | Result | Qualifier | Unit | D | %Rec | Limits | RPD | Limit |
| Benzene | 0.100 | 0.09331 | | mg/Kg | | 93 | 70 - 130 | 1 | 35 |
| Toluene | 0.100 | 0.08691 | | mg/Kg | | 87 | 70 - 130 | 1 | 35 |
| Ethylbenzene | 0.100 | 0.09901 | | mg/Kg | | 99 | 70 - 130 | 1 | 35 |
| m,p-Xylenes | 0.200 | 0.1995 | | mg/Kg | | 100 | 70 - 130 | 2 | 35 |
| o-Xylene | 0.100 | 0.09966 | | mg/Kg | | 100 | 70 - 130 | 1 | 35 |
| | | | | | | | | | |

LCSD LCSD %Recovery Qualifier Limits Surrogate 190 S1+ 70 - 130 4-Bromofluorobenzene (Surr) 90 70 - 130 1,4-Difluorobenzene (Surr)

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

MB MB

Lab Sample ID: MB 880-24262/1-A **Client Sample ID: Method Blank Matrix: Solid** Prep Type: Total/NA

Analysis Batch: 24278 Prep Batch: 24262

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--|--------|-----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <50.0 | U | 50.0 | mg/Kg | | 04/26/22 14:42 | 04/27/22 11:32 | 1 |
| Diesel Range Organics (Over | <50.0 | U | 50.0 | mg/Kg | | 04/26/22 14:42 | 04/27/22 11:32 | 1 |
| C10-C28) Oll Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 04/26/22 14:42 | 04/27/22 11:32 | 1 |

QC Sample Results

Client: Charger Rentals

o-Terphenyl (Surr)

C10-C28)

Oll Range Organics (Over C28-C36)

Project/Site: 49er (JCF6DLE501)

Job ID: 880-14112-1

SDG: Eddy County, New Mexico

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

126

<50.0 U

| | MB | МВ | | | | |
|-----------------------|-----------|-----------|----------|----------------|----------------|---------|
| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 116 | | 70 - 130 | 04/26/22 14:42 | 04/27/22 11:32 | 1 |
| o-Terphenyl (Surr) | 145 | S1+ | 70 - 130 | 04/26/22 14:42 | 04/27/22 11:32 | 1 |

Lab Sample ID: LCS 880-24262/2-A **Client Sample ID: Lab Control Sample Matrix: Solid Prep Type: Total/NA** Prep Batch: 24262 **Analysis Batch: 24278** Spike LCS LCS %Rec Analyte Added Result Qualifier D %Rec Limits Unit Gasoline Range Organics 1000 1162 mg/Kg 116 70 - 130 (GRO)-C6-C10 Diesel Range Organics (Over 1000 966.8 mg/Kg 97 70 - 130C10-C28) LCS LCS %Recovery Qualifier Surrogate Limits 1-Chlorooctane (Surr) 105 70 - 130

Client Sample ID: Lab Control Sample Dup Lab Sample ID: LCSD 880-24262/3-A **Matrix: Solid Prep Type: Total/NA Analysis Batch: 24278** Prep Batch: 24262 LCSD LCSD %Rec RPD Spike

70 - 130

Analyte Added Result Qualifier Unit %Rec Limits RPD Limit 1000 1044 104 70 - 130 20 Gasoline Range Organics mg/Kg 11 (GRO)-C6-C10 Diesel Range Organics (Over 1000 1076 mg/Kg 108 70 - 130 11 20 C10-C28)

LCSD LCSD Surrogate %Recovery Qualifier Limits 1-Chlorooctane (Surr) 125 70 - 130 70 - 130 o-Terphenyl (Surr) 153 S1+

Lab Sample ID: MB 880-24267/1-A **Client Sample ID: Method Blank Matrix: Solid Prep Type: Total/NA Analysis Batch: 24469** Prep Batch: 24267

MB MB Analyte Result Qualifier RL Unit D Prepared Analyzed Dil Fac Gasoline Range Organics <50.0 U 50.0 mg/Kg 04/26/22 15:58 04/29/22 11:34 (GRO)-C6-C10 50.0 Diesel Range Organics (Over <50.0 U mg/Kg 04/26/22 15:58 04/29/22 11:34

50.0

mg/Kg

MB MB Surrogate %Recovery Qualifier Limits Prepared Analyzed Dil Fac 1-Chlorooctane (Surr) 95 70 - 130 04/26/22 15:58 04/29/22 11:34 o-Terphenyl (Surr) 99 70 - 130 04/26/22 15:58 04/29/22 11:34

Eurofins Midland

04/26/22 15:58 04/29/22 11:34

QC Sample Results

Client: Charger Rentals Job ID: 880-14112-1 Project/Site: 49er (JCF6DLE501) SDG: Eddy County, New Mexico

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 880-24267/2-A

Matrix: Solid

Analysis Batch: 24469

Client Sample ID: Lab Control Sample Prep Type: Total/NA

Prep Batch: 24267

Prep Type: Total/NA

Prep Type: Total/NA

Spike LCS LCS %Rec Added Result Qualifier D %Rec Limits Analyte Unit Gasoline Range Organics 1000 888.9 mg/Kg 89 70 - 130 (GRO)-C6-C10 701.4 Diesel Range Organics (Over 1000 mg/Kg 70 70 - 130 C10-C28)

LCS LCS Surrogate %Recovery Qualifier Limits 70 - 130 1-Chlorooctane (Surr) 75 71 70 - 130 o-Terphenyl (Surr)

Lab Sample ID: LCSD 880-24267/3-A **Client Sample ID: Lab Control Sample Dup**

Matrix: Solid

| Analysis Batch: 24469 | | | | | | | Prep E | Batch: 2 | 24267 |
|-----------------------------|-------|--------|-----------|-------|---|------|----------|----------|-------|
| | Spike | LCSD | LCSD | | | | %Rec | | RPD |
| Analyte | Added | Result | Qualifier | Unit | D | %Rec | Limits | RPD | Limit |
| Gasoline Range Organics | 1000 | 923.8 | | mg/Kg | _ | 92 | 70 - 130 | 4 | 20 |
| (GRO)-C6-C10 | | | | | | | | | |
| Diesel Range Organics (Over | 1000 | 765.7 | | mg/Kg | | 77 | 70 - 130 | 9 | 20 |

C10-C28)

| | LCSD | LCSD | |
|-----------------------|-----------|-----------|----------|
| Surrogate | %Recovery | Qualifier | Limits |
| 1-Chlorooctane (Surr) | 78 | | 70 - 130 |
| o-Terphenyl (Surr) | 74 | | 70 - 130 |

Lab Sample ID: 880-14112-1 MS Client Sample ID: CS-Bottom Hole- 1 1.5'

Matrix: Solid

| Analysis Batch: 24469 | | | | | | | | | Prep E | Batch: 24267 |
|---|--------|-----------|-------|--------|-----------|-------|---|------|----------|--------------|
| - | Sample | Sample | Spike | MS | MS | | | | %Rec | |
| Analyte | Result | Qualifier | Added | Result | Qualifier | Unit | D | %Rec | Limits | |
| Gasoline Range Organics (GRO)-C6-C10 | <49.9 | U | 999 | 808.7 | | mg/Kg | | 81 | 70 - 130 | |
| Diesel Range Organics (Over | <49.9 | U F1 | 999 | 705.1 | | mg/Kg | | 71 | 70 - 130 | |

C10-C28)

| | IVIS | IVIS | |
|-----------------------|-----------|-----------|----------|
| Surrogate | %Recovery | Qualifier | Limits |
| 1-Chlorooctane (Surr) | 77 | | 70 - 130 |
| o-Terphenyl (Surr) | 71 | | 70 - 130 |

| Lab Sample ID: 880-14112 Matrix: Solid Analysis Batch: 24469 | 2-1 MSD | | | | | Client S | ampl | e ID: C | S-Bottom Prep Ty Prep E | | al/NA |
|--|-----------|-----------|----------|--------|-----------|----------|------|---------|-------------------------------|-----|-------|
| | Sample | Sample | Spike | MSD | MSD | | | | %Rec | | RPD |
| Analyte | Result | Qualifier | Added | Result | Qualifier | Unit | D | %Rec | Limits | RPD | Limit |
| Gasoline Range Organics (GRO)-C6-C10 | <49.9 | U | 999 | 754.3 | | mg/Kg | | 76 | 70 - 130 | 7 | 20 |
| Diesel Range Organics (Over C10-C28) | <49.9 | U F1 | 999 | 661.6 | F1 | mg/Kg | | 66 | 70 - 130 | 6 | 20 |
| | MSD | MSD | | | | | | | | | |
| Surrogate | %Recovery | Qualifier | Limits | | | | | | | | |
| 1-Chlorooctane (Surr) | 74 | | 70 - 130 | | | | | | | | |

Client: Charger Rentals Project/Site: 49er (JCF6DLE501)

Job ID: 880-14112-1

SDG: Eddy County, New Mexico

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: 880-14112-1 MSD

Matrix: Solid

Analysis Batch: 24469

Client Sample ID: CS-Bottom Hole- 1 1.5'

Prep Type: Total/NA

Prep Batch: 24267

MSD MSD

Surrogate %Recovery Qualifier Limits 65 S1-70 - 130 o-Terphenyl (Surr)

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 24289

Prep Type: Total/NA

Prep Batch: 24289

Lab Sample ID: MB 880-24289/1-A

Matrix: Solid

Analysis Batch: 24465

| | MB | MB | | | | | | |
|---|--------|-----------|------|-------|---|----------------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Gasoline Range Organics (GRO)-C6-C10 | <50.0 | U | 50.0 | mg/Kg | | 04/27/22 08:35 | 04/29/22 19:32 | 1 |
| Diesel Range Organics (Over C10-C28) | <50.0 | U | 50.0 | mg/Kg | | 04/27/22 08:35 | 04/29/22 19:32 | 1 |
| Oll Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 04/27/22 08:35 | 04/29/22 19:32 | 1 |

MB MB

| Surrogate | %Recovery | Qualifier | Limits | Prepared Analyzed | Dil Fac |
|-----------------------|-----------|-----------|----------|-------------------------------|---------|
| 1-Chlorooctane (Surr) | 120 | | 70 - 130 | 04/27/22 08:35 04/29/22 19:32 | 1 |
| o-Terphenyl (Surr) | 149 | S1+ | 70 - 130 | 04/27/22 08:35 04/29/22 19:32 | 1 |

Client Sample ID: Lab Control Sample

Matrix: Solid

Analysis Batch: 24465

Lab Sample ID: LCS 880-24289/2-A

| | Spike | LCS | LCS | | | | %Rec | |
|-----------------------------|-------|--------|-----------|-------|---|------|----------|--|
| Analyte | Added | Result | Qualifier | Unit | D | %Rec | Limits | |
| Gasoline Range Organics | 1000 | 1061 | | mg/Kg | | 106 | 70 - 130 | |
| (GRO)-C6-C10 | | | | | | | | |
| Diesel Range Organics (Over | 1000 | 1213 | | mg/Kg | | 121 | 70 - 130 | |

C10-C28)

| | LCS | LCS | |
|-----------------------|-----------|-----------|----------|
| Surrogate | %Recovery | Qualifier | Limits |
| 1-Chlorooctane (Surr) | 126 | | 70 - 130 |
| o-Terphenyl (Surr) | 133 | S1+ | 70 - 130 |

Lab Sample ID: LCSD 880-24289/3-A **Client Sample ID: Lab Control Sample Dup Prep Type: Total/NA**

Matrix: Solid

| Analysis Batch: 24465 | | | | | | | 24289 | | |
|--------------------------------------|-------|--------|-----------|-------|---|------|----------|-----|-------|
| | Spike | LCSD | LCSD | | | | %Rec | | RPD |
| Analyte | Added | Result | Qualifier | Unit | D | %Rec | Limits | RPD | Limit |
| Gasoline Range Organics (GRO)-C6-C10 | 1000 | 1112 | | mg/Kg | | 111 | 70 - 130 | 5 | 20 |
| Diesel Range Organics (Over | 1000 | 1228 | | mg/Kg | | 123 | 70 - 130 | 1 | 20 |

C10-C28)

LCSD LCSD

| Surrogate | %Recovery | Qualifier | Limits |
|-----------------------|-----------|-----------|----------|
| 1-Chlorooctane (Surr) | 125 | | 70 - 130 |
| o-Terphenyl (Surr) | 134 | S1+ | 70 - 130 |

Eurofins Midland

5/9/2022

QC Sample Results

Client: Charger Rentals Job ID: 880-14112-1 Project/Site: 49er (JCF6DLE501) SDG: Eddy County, New Mexico

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: MB 880-24405/1-A

Lab Sample ID: LCS 880-24405/2-A

Matrix: Solid

Analysis Batch: 24563

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 24405

| | MB | MB | | | | | | |
|---|--------|-----------|------|-------|---|----------------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Gasoline Range Organics (GRO)-C6-C10 | <50.0 | U | 50.0 | mg/Kg | | 04/28/22 11:23 | 04/30/22 21:38 | 1 |
| Diesel Range Organics (Over C10-C28) | <50.0 | U | 50.0 | mg/Kg | | 04/28/22 11:23 | 04/30/22 21:38 | 1 |
| Oll Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 04/28/22 11:23 | 04/30/22 21:38 | 1 |
| | 140 | 440 | | | | | | |

MB MB

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1-Chlorooctane (Surr) | 89 | · | 70 - 130 | 04/28/22 11:23 | 04/30/22 21:38 | 1 |
| o-Terphenyl (Surr) | 87 | | 70 - 130 | 04/28/22 11:23 | 04/30/22 21:38 | 1 |

Client Sample ID: Lab Control Sample

Prep Type: Total/NA Prep Batch: 24405

Matrix: Solid Analysis Batch: 24563 Spike LCS LCS %Rec Added Result Qualifier Limits Analyte Unit D %Rec

Gasoline Range Organics 1000 687.7 *-69 70 - 130 mg/Kg (GRO)-C6-C10 Diesel Range Organics (Over 1000 839.1 mg/Kg 84 70 - 130

C10-C28)

LCS LCS Surrogate %Recovery Qualifier Limits 1-Chlorooctane (Surr) 91 70 - 130 70 - 130 o-Terphenyl (Surr) 79

Client Sample ID: Lab Control Sample Dup Lab Sample ID: LCSD 880-24405/3-A

Matrix: Solid

| Analysis Batch: 24563 | | | | | | | Prep E | satcn: 2 | 4405 |
|-----------------------------|-------|--------|-----------|-------|---|------|----------|----------|-------|
| | Spike | LCSD | LCSD | | | | %Rec | | RPD |
| Analyte | Added | Result | Qualifier | Unit | D | %Rec | Limits | RPD | Limit |
| Gasoline Range Organics | 1000 | 598.1 | *_ | mg/Kg | | 60 | 70 - 130 | 14 | 20 |
| (GRO)-C6-C10 | | | | | | | | | |
| Diesel Range Organics (Over | 1000 | 903.2 | | mg/Kg | | 90 | 70 - 130 | 7 | 20 |

C10-C28)

LCSD LCSD

| Surrogate | %Recovery | Qualifier | Limits |
|-----------------------|-----------|-----------|----------|
| 1-Chlorooctane (Surr) | 104 | | 70 - 130 |
| o-Terphenyl (Surr) | 100 | | 70 - 130 |

Lab Sample ID: MB 880-24482/1-A Client Sample ID: Method Blank **Matrix: Solid Prep Type: Total/NA**

Analysis Batch: 24565

| | MB | MB | | | | | | |
|-----------------------------------|--------|-----------|------|-------|---|----------------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Gasoline Range Organics | <50.0 | U | 50.0 | mg/Kg | | 04/29/22 09:20 | 04/30/22 21:38 | 1 |
| (GRO)-C6-C10 | | | | | | | | |
| Diesel Range Organics (Over | <50.0 | U | 50.0 | mg/Kg | | 04/29/22 09:20 | 04/30/22 21:38 | 1 |
| C10-C28) | | | | | | | | |
| Oll Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 04/29/22 09:20 | 04/30/22 21:38 | 1 |

Eurofins Midland

Prep Type: Total/NA

Prep Batch: 24482

Dil Fac

Client: Charger Rentals Project/Site: 49er (JCF6DLE501)

Job ID: 880-14112-1

SDG: Eddy County, New Mexico

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: MB 880-24482/1-A

Matrix: Solid

Analysis Batch: 24565

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 24482

Analyzed

MB MB

%Recovery Qualifier Limits Surrogate 1-Chlorooctane (Surr) 101 70 - 130 o-Terphenyl (Surr) 112 70 - 130

04/29/22 09:20 04/30/22 21:38

Prepared

Lab Sample ID: LCS 880-24482/2-A **Client Sample ID: Lab Control Sample**

Matrix: Solid

Analysis Batch: 24565

Prep Type: Total/NA Prep Batch: 24482 %Rec

LCS LCS Spike Analyte Added Result Qualifier Unit %Rec Limits Gasoline Range Organics 1000 1171 mg/Kg 117 70 - 130 (GRO)-C6-C10 Diesel Range Organics (Over 1000 1115 mg/Kg 112 70 - 130

C10-C28)

LCS LCS

| Surrogate | %Recovery | Qualifier | Limits |
|-----------------------|-----------|-----------|----------|
| 1-Chlorooctane (Surr) | 104 | | 70 - 130 |
| o-Terphenyl (Surr) | 103 | | 70 - 130 |

Client Sample ID: Lab Control Sample Dup

Lab Sample ID: LCSD 880-24482/3-A

Matrix: Solid

Analysis Batch: 24565

Prep Type: Total/NA Prep Batch: 24482

Spike LCSD LCSD %Rec **RPD** Added Result Qualifier Limits **RPD** Analyte Unit D %Rec I imit 70 - 130 Gasoline Range Organics 1000 1076 mg/Kg 108 8 20 (GRO)-C6-C10 1000 1014 70 - 130 Diesel Range Organics (Over mg/Kg 101 10 20

C10-C28)

LCSD LCSD

| Surrogate | %Recovery | Qualifier | Limits |
|-----------------------|-----------|-----------|----------|
| 1-Chlorooctane (Surr) | 102 | | 70 - 130 |
| o-Terphenyl (Surr) | 101 | | 70 - 130 |

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-24337/1-A Client Sample ID: Method Blank

Matrix: Solid

Analysis Batch: 24527

MB MB

Result Qualifier RL Unit Dil Fac Analyte Prepared Analyzed Chloride <5.00 U 5.00 mg/Kg 05/01/22 23:05

Lab Sample ID: LCS 880-24337/2-A **Client Sample ID: Lab Control Sample Prep Type: Soluble**

Matrix: Solid Analysis Batch: 24527

> LCS LCS Spike %Rec Added Result Qualifier Unit %Rec Limits

Analyte Chloride 250 254.1 102 mq/Kq 90 - 110

Eurofins Midland

Prep Type: Soluble

Dil Fac

QC Sample Results

Client: Charger Rentals

Project/Site: 49er (JCF6DLE501)

Job ID: 880-14112-1 SDG: Eddy County, New Mexico

Client Sample ID: Lab Control Sample Dup

Client Sample ID: CS-Bottom Hole-4 1.5

Client Sample ID: CS-Bottom Hole-4 1.5

Client Sample ID: CS-Bottom Hole-14 1.5

Client Sample ID: CS-Bottom Hole-14 1.5'

Client Sample ID: Method Blank

Analyzed

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCSD 880-24337/3-A

Analysis Batch: 24527

Matrix: Solid

Spike LCSD LCSD %Rec **RPD** Added Result Qualifier %Rec Limits RPD Limit Analyte Unit D Chloride 250 232.5 mg/Kg 93 90 - 110 9 20

Lab Sample ID: 880-14112-4 MS

Matrix: Solid

Analysis Batch: 24527

Sample Sample Spike MS MS %Rec Result Qualifier Added Result Qualifier D %Rec Limits Analyte Unit 11.4 F1 251 Chloride 288 7 F1 mg/Kg 111 90 - 110

Lab Sample ID: 880-14112-4 MSD

Matrix: Solid

Analysis Batch: 24527

Sample Sample Spike MSD MSD %Rec **RPD** Result Qualifier Added Result Qualifier Limits **RPD** Analyte Unit %Rec Limit Chloride 11.4 F1 251 307.0 F1 118 90 - 110 20 mg/Kg

Lab Sample ID: 880-14112-14 MS

Matrix: Solid

Analysis Batch: 24527

Spike MS MS %Rec Sample Sample Analyte Result Qualifier Added Result Qualifier Unit %Rec Limits <4.95 U F1 317.5 F1 Chloride 248 mg/Kg 127 90 - 110

Lab Sample ID: 880-14112-14 MSD

Matrix: Solid

Analysis Batch: 24527

MSD MSD RPD Sample Sample Spike %Rec Result Qualifier Added Result Qualifier Analyte Unit %Rec Limits **RPD** Limit Chloride <4.95 U F1 248 307.3 F1 123 mg/Kg 90 - 110

Lab Sample ID: MB 880-24336/1-A

Matrix: Solid

Analysis Batch: 24547

MB MB

Result Qualifier Analyte U

5.00 05/01/22 12:56 Chloride <5.00 mg/Kg Lab Sample ID: LCS 880-24336/2-A Client Sample ID: Lab Control Sample

RL

Unit

D

Prepared

Client Sample ID: Lab Control Sample Dup

Matrix: Solid

Analysis Batch: 24547

Spike LCS LCS %Rec Added Result Qualifier Limits Analyte Unit %Rec 250 Chloride 246.7 mg/Kg 99 90 - 110

Lab Sample ID: LCSD 880-24336/3-A

Matrix: Solid

Analysis Batch: 24547

Spike LCSD LCSD %Rec **RPD** Added **RPD** Analyte Result Qualifier Unit D %Rec Limits Limit Chloride 250 233.0 mg/Kg 93 90 - 110 20

Client: Charger Rentals

Project/Site: 49er (JCF6DLE501)

Job ID: 880-14112-1 SDG: Eddy County, New Mexico

GC VOA

Prep Batch: 25027

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|------------------|------------------|-----------|--------|--------|------------|
| MB 880-25027/5-A | Method Blank | Total/NA | Solid | 5035 | |

Prep Batch: 25028

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|----------------------------|-----------|--------|--------|------------|
| 880-14112-1 | CS-Bottom Hole- 1 1.5' | Total/NA | Solid | 5035 | |
| 880-14112-2 | CS-Bottom Hole-2 1.5' | Total/NA | Solid | 5035 | |
| 880-14112-3 | CS-Bottom Hole-3 1.5' | Total/NA | Solid | 5035 | |
| 880-14112-4 | CS-Bottom Hole-4 1.5' | Total/NA | Solid | 5035 | |
| 880-14112-5 | CS-Bottom Hole-5 1.5' | Total/NA | Solid | 5035 | |
| 880-14112-6 | CS-Bottom Hole-6 1.5' | Total/NA | Solid | 5035 | |
| 880-14112-7 | CS-Bottom Hole-7 1.5' | Total/NA | Solid | 5035 | |
| 880-14112-8 | CS-Bottom Hole-8 1.5' | Total/NA | Solid | 5035 | |
| 880-14112-9 | CS-Bottom Hole-9 1.5' | Total/NA | Solid | 5035 | |
| 880-14112-10 | CS-Bottom Hole-10 1.5' | Total/NA | Solid | 5035 | |
| 880-14112-11 | CS-Bottom Hole-11 1.5' | Total/NA | Solid | 5035 | |
| 880-14112-12 | CS-Bottom Hole-12 1.5' | Total/NA | Solid | 5035 | |
| 880-14112-13 | CS-Bottom Hole-13 1.5' | Total/NA | Solid | 5035 | |
| 880-14112-14 | CS-Bottom Hole-14 1.5' | Total/NA | Solid | 5035 | |
| 880-14112-15 | CS-Bottom Hole-15 1.5' | Total/NA | Solid | 5035 | |
| 880-14112-16 | CS-Bottom Hole-16 1.5' | Total/NA | Solid | 5035 | |
| 880-14112-17 | CS-Bottom Hole-17 1.5' | Total/NA | Solid | 5035 | |
| 880-14112-18 | CS- North North Sidewall-1 | Total/NA | Solid | 5035 | |
| 880-14112-19 | CS- North North Sidewall-2 | Total/NA | Solid | 5035 | |
| MB 880-25028/5-A | Method Blank | Total/NA | Solid | 5035 | |
| LCS 880-25028/1-A | Lab Control Sample | Total/NA | Solid | 5035 | |
| LCSD 880-25028/2-A | Lab Control Sample Dup | Total/NA | Solid | 5035 | |

Prep Batch: 25029

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|----------------------------|-----------|--------|--------|------------|
| 880-14112-20 | CS- North South Sidewall-1 | Total/NA | Solid | 5035 | |
| 880-14112-21 | CS- North South Sidewall-2 | Total/NA | Solid | 5035 | |
| 880-14112-22 | CS- North East Sidewall | Total/NA | Solid | 5035 | |
| 880-14112-23 | CS- North West Sidewall | Total/NA | Solid | 5035 | |
| MB 880-25029/5-A | Method Blank | Total/NA | Solid | 5035 | |
| LCS 880-25029/1-A | Lab Control Sample | Total/NA | Solid | 5035 | |
| 880-14112-20 MSD | CS- North South Sidewall-1 | Total/NA | Solid | 5035 | |

Prep Batch: 25030

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------|-----------|--------|--------|------------|
| LCS 880-25030/1-A | Lab Control Sample | Total/NA | Solid | 5035 | |
| LCSD 880-25030/2-A | Lab Control Sample Dup | Total/NA | Solid | 5035 | |

Analysis Batch: 25032

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|----------------------------|-----------|--------|--------|------------|
| 880-14112-20 | CS- North South Sidewall-1 | Total/NA | Solid | 8021B | 25029 |
| 880-14112-21 | CS- North South Sidewall-2 | Total/NA | Solid | 8021B | 25029 |
| 880-14112-22 | CS- North East Sidewall | Total/NA | Solid | 8021B | 25029 |
| 880-14112-23 | CS- North West Sidewall | Total/NA | Solid | 8021B | 25029 |
| MB 880-25029/5-A | Method Blank | Total/NA | Solid | 8021B | 25029 |
| LCS 880-25029/1-A | Lab Control Sample | Total/NA | Solid | 8021B | 25029 |
| LCS 880-25030/1-A | Lab Control Sample | Total/NA | Solid | 8021B | 25030 |

Eurofins Midland

Page 36 of 56

Client: Charger Rentals

Project/Site: 49er (JCF6DLE501)

Job ID: 880-14112-1 SDG: Eddy County, New Mexico

GC VOA (Continued) Analysis Batch: 25032 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|----------------------------|-----------|--------|--------|------------|
| LCSD 880-25030/2-A | Lab Control Sample Dup | Total/NA | Solid | 8021B | 25030 |
| 880-14112-20 MSD | CS- North South Sidewall-1 | Total/NA | Solid | 8021B | 25029 |

Analysis Batch: 25033

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|----------------------------|-----------|--------|--------|------------|
| 880-14112-1 | CS-Bottom Hole- 1 1.5' | Total/NA | Solid | 8021B | 25028 |
| 880-14112-2 | CS-Bottom Hole-2 1.5' | Total/NA | Solid | 8021B | 25028 |
| 880-14112-3 | CS-Bottom Hole-3 1.5' | Total/NA | Solid | 8021B | 25028 |
| 880-14112-4 | CS-Bottom Hole-4 1.5' | Total/NA | Solid | 8021B | 25028 |
| 880-14112-5 | CS-Bottom Hole-5 1.5' | Total/NA | Solid | 8021B | 25028 |
| 880-14112-6 | CS-Bottom Hole-6 1.5' | Total/NA | Solid | 8021B | 25028 |
| 880-14112-7 | CS-Bottom Hole-7 1.5' | Total/NA | Solid | 8021B | 25028 |
| 880-14112-8 | CS-Bottom Hole-8 1.5' | Total/NA | Solid | 8021B | 25028 |
| 880-14112-9 | CS-Bottom Hole-9 1.5' | Total/NA | Solid | 8021B | 25028 |
| 880-14112-10 | CS-Bottom Hole-10 1.5' | Total/NA | Solid | 8021B | 25028 |
| 880-14112-11 | CS-Bottom Hole-11 1.5' | Total/NA | Solid | 8021B | 25028 |
| 880-14112-12 | CS-Bottom Hole-12 1.5' | Total/NA | Solid | 8021B | 25028 |
| 880-14112-13 | CS-Bottom Hole-13 1.5' | Total/NA | Solid | 8021B | 25028 |
| 880-14112-14 | CS-Bottom Hole-14 1.5' | Total/NA | Solid | 8021B | 25028 |
| 880-14112-15 | CS-Bottom Hole-15 1.5' | Total/NA | Solid | 8021B | 25028 |
| 880-14112-16 | CS-Bottom Hole-16 1.5' | Total/NA | Solid | 8021B | 25028 |
| 880-14112-17 | CS-Bottom Hole-17 1.5' | Total/NA | Solid | 8021B | 25028 |
| 880-14112-18 | CS- North North Sidewall-1 | Total/NA | Solid | 8021B | 25028 |
| 880-14112-19 | CS- North North Sidewall-2 | Total/NA | Solid | 8021B | 25028 |
| MB 880-25027/5-A | Method Blank | Total/NA | Solid | 8021B | 25027 |
| MB 880-25028/5-A | Method Blank | Total/NA | Solid | 8021B | 25028 |
| LCS 880-25028/1-A | Lab Control Sample | Total/NA | Solid | 8021B | 25028 |
| LCSD 880-25028/2-A | Lab Control Sample Dup | Total/NA | Solid | 8021B | 25028 |

Analysis Batch: 25079

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|----------------------------|-----------|--------|------------|------------|
| 880-14112-1 | CS-Bottom Hole- 1 1.5' | Total/NA | Solid | Total BTEX | |
| 880-14112-2 | CS-Bottom Hole-2 1.5' | Total/NA | Solid | Total BTEX | |
| 880-14112-3 | CS-Bottom Hole-3 1.5' | Total/NA | Solid | Total BTEX | |
| 880-14112-4 | CS-Bottom Hole-4 1.5' | Total/NA | Solid | Total BTEX | |
| 880-14112-5 | CS-Bottom Hole-5 1.5' | Total/NA | Solid | Total BTEX | |
| 880-14112-6 | CS-Bottom Hole-6 1.5' | Total/NA | Solid | Total BTEX | |
| 880-14112-7 | CS-Bottom Hole-7 1.5' | Total/NA | Solid | Total BTEX | |
| 880-14112-8 | CS-Bottom Hole-8 1.5' | Total/NA | Solid | Total BTEX | |
| 880-14112-9 | CS-Bottom Hole-9 1.5' | Total/NA | Solid | Total BTEX | |
| 880-14112-10 | CS-Bottom Hole-10 1.5' | Total/NA | Solid | Total BTEX | |
| 880-14112-11 | CS-Bottom Hole-11 1.5' | Total/NA | Solid | Total BTEX | |
| 880-14112-12 | CS-Bottom Hole-12 1.5' | Total/NA | Solid | Total BTEX | |
| 880-14112-13 | CS-Bottom Hole-13 1.5' | Total/NA | Solid | Total BTEX | |
| 380-14112-14 | CS-Bottom Hole-14 1.5' | Total/NA | Solid | Total BTEX | |
| 880-14112-15 | CS-Bottom Hole-15 1.5' | Total/NA | Solid | Total BTEX | |
| 880-14112-16 | CS-Bottom Hole-16 1.5' | Total/NA | Solid | Total BTEX | |
| 380-14112-17 | CS-Bottom Hole-17 1.5' | Total/NA | Solid | Total BTEX | |
| 880-14112-18 | CS- North North Sidewall-1 | Total/NA | Solid | Total BTEX | |
| 380-14112-19 | CS- North North Sidewall-2 | Total/NA | Solid | Total BTEX | |
| 880-14112-20 | CS- North South Sidewall-1 | Total/NA | Solid | Total BTEX | |

Eurofins Midland

5/9/2022

Client: Charger Rentals

Project/Site: 49er (JCF6DLE501)

Job ID: 880-14112-1

SDG: Eddy County, New Mexico

GC VOA (Continued)

Analysis Batch: 25079 (Continued)

| Lab Sample ID 880-14112-21 | Client Sample ID CS- North South Sidewall-2 | Prep Type Total/NA | Matrix Solid | Method Total BTEX | Prep Batch |
|-------------------------------|--|--------------------|--------------|-------------------|------------|
| 880-14112-22 | CS- North East Sidewall | Total/NA | Solid | Total BTEX | |
| 880-14112-23 | CS- North West Sidewall | Total/NA | Solid | Total BTEX | |

GC Semi VOA

Prep Batch: 24262

| | Lab Sample ID 880-14112-21 | Client Sample ID CS- North South Sidewall-2 | Prep Type Total/NA | Matrix Solid | Method 8015NM Prep | Prep Batch |
|--|--------------------------------------|---|-----------------------|-----------------|-----------------------|------------|
| | MB 880-24262/1-A | Method Blank | Total/NA | Solid | 8015NM Prep | |
| | LCS 880-24262/2-A | Lab Control Sample | Total/NA | Solid | 8015NM Prep | |
| | LCSD 880-24262/3-A | Lab Control Sample Dup | Total/NA | Solid | 8015NM Prep | |

Prep Batch: 24267

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|----------------------------|-----------|--------|-------------|------------|
| 880-14112-1 | CS-Bottom Hole- 1 1.5' | Total/NA | Solid | 8015NM Prep | |
| 880-14112-4 | CS-Bottom Hole-4 1.5' | Total/NA | Solid | 8015NM Prep | |
| 880-14112-5 | CS-Bottom Hole-5 1.5' | Total/NA | Solid | 8015NM Prep | |
| 880-14112-6 | CS-Bottom Hole-6 1.5' | Total/NA | Solid | 8015NM Prep | |
| 880-14112-7 | CS-Bottom Hole-7 1.5' | Total/NA | Solid | 8015NM Prep | |
| 880-14112-8 | CS-Bottom Hole-8 1.5' | Total/NA | Solid | 8015NM Prep | |
| 880-14112-9 | CS-Bottom Hole-9 1.5' | Total/NA | Solid | 8015NM Prep | |
| 880-14112-10 | CS-Bottom Hole-10 1.5' | Total/NA | Solid | 8015NM Prep | |
| 880-14112-11 | CS-Bottom Hole-11 1.5' | Total/NA | Solid | 8015NM Prep | |
| 880-14112-12 | CS-Bottom Hole-12 1.5' | Total/NA | Solid | 8015NM Prep | |
| 880-14112-13 | CS-Bottom Hole-13 1.5' | Total/NA | Solid | 8015NM Prep | |
| 880-14112-14 | CS-Bottom Hole-14 1.5' | Total/NA | Solid | 8015NM Prep | |
| 880-14112-15 | CS-Bottom Hole-15 1.5' | Total/NA | Solid | 8015NM Prep | |
| 880-14112-16 | CS-Bottom Hole-16 1.5' | Total/NA | Solid | 8015NM Prep | |
| 880-14112-17 | CS-Bottom Hole-17 1.5' | Total/NA | Solid | 8015NM Prep | |
| 880-14112-18 | CS- North North Sidewall-1 | Total/NA | Solid | 8015NM Prep | |
| 880-14112-19 | CS- North North Sidewall-2 | Total/NA | Solid | 8015NM Prep | |
| 880-14112-20 | CS- North South Sidewall-1 | Total/NA | Solid | 8015NM Prep | |
| MB 880-24267/1-A | Method Blank | Total/NA | Solid | 8015NM Prep | |
| LCS 880-24267/2-A | Lab Control Sample | Total/NA | Solid | 8015NM Prep | |
| LCSD 880-24267/3-A | Lab Control Sample Dup | Total/NA | Solid | 8015NM Prep | |
| 880-14112-1 MS | CS-Bottom Hole- 1 1.5' | Total/NA | Solid | 8015NM Prep | |
| 880-14112-1 MSD | CS-Bottom Hole- 1 1.5' | Total/NA | Solid | 8015NM Prep | |

Analysis Batch: 24278

| Lab Sample ID 880-14112-21 | Client Sample ID CS- North South Sidewall-2 | Prep Type Total/NA | Matrix Solid | Method 8015B NM | Prep Batch 24262 |
|--------------------------------------|---|--------------------|--------------|--------------------|---------------------|
| MB 880-24262/1-A | Method Blank | Total/NA | Solid | 8015B NM | 24262 |
| LCS 880-24262/2-A | Lab Control Sample | Total/NA | Solid | 8015B NM | 24262 |
| LCSD 880-24262/3-A | Lab Control Sample Dup | Total/NA | Solid | 8015B NM | 24262 |

Prep Batch: 24289

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|------------------|-------------------------|-----------|--------|-------------|------------|
| 880-14112-22 | CS- North East Sidewall | Total/NA | Solid | 8015NM Prep | |
| 880-14112-23 | CS- North West Sidewall | Total/NA | Solid | 8015NM Prep | |
| MB 880-24289/1-A | Method Blank | Total/NA | Solid | 8015NM Prep | |

Client: Charger Rentals

Project/Site: 49er (JCF6DLE501)

Job ID: 880-14112-1 SDG: Eddy County, New Mexico

3

GC Semi VOA (Continued)

Prep Batch: 24289 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------|-----------|--------|-------------|------------|
| LCS 880-24289/2-A | Lab Control Sample | Total/NA | Solid | 8015NM Prep | |
| LCSD 880-24289/3-A | Lab Control Sample Dup | Total/NA | Solid | 8015NM Prep | |

Analysis Batch: 24379

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|----------------------------|-----------|--------|---------|------------|
| 880-14112-1 | CS-Bottom Hole- 1 1.5' | Total/NA | Solid | 8015 NM | |
| 880-14112-2 | CS-Bottom Hole-2 1.5' | Total/NA | Solid | 8015 NM | |
| 880-14112-3 | CS-Bottom Hole-3 1.5' | Total/NA | Solid | 8015 NM | |
| 880-14112-4 | CS-Bottom Hole-4 1.5' | Total/NA | Solid | 8015 NM | |
| 880-14112-5 | CS-Bottom Hole-5 1.5' | Total/NA | Solid | 8015 NM | |
| 880-14112-6 | CS-Bottom Hole-6 1.5' | Total/NA | Solid | 8015 NM | |
| 880-14112-7 | CS-Bottom Hole-7 1.5' | Total/NA | Solid | 8015 NM | |
| 880-14112-8 | CS-Bottom Hole-8 1.5' | Total/NA | Solid | 8015 NM | |
| 880-14112-9 | CS-Bottom Hole-9 1.5' | Total/NA | Solid | 8015 NM | |
| 880-14112-10 | CS-Bottom Hole-10 1.5' | Total/NA | Solid | 8015 NM | |
| 880-14112-11 | CS-Bottom Hole-11 1.5' | Total/NA | Solid | 8015 NM | |
| 880-14112-12 | CS-Bottom Hole-12 1.5' | Total/NA | Solid | 8015 NM | |
| 880-14112-13 | CS-Bottom Hole-13 1.5' | Total/NA | Solid | 8015 NM | |
| 880-14112-14 | CS-Bottom Hole-14 1.5' | Total/NA | Solid | 8015 NM | |
| 880-14112-15 | CS-Bottom Hole-15 1.5' | Total/NA | Solid | 8015 NM | |
| 880-14112-16 | CS-Bottom Hole-16 1.5' | Total/NA | Solid | 8015 NM | |
| 880-14112-17 | CS-Bottom Hole-17 1.5' | Total/NA | Solid | 8015 NM | |
| 880-14112-18 | CS- North North Sidewall-1 | Total/NA | Solid | 8015 NM | |
| 880-14112-19 | CS- North North Sidewall-2 | Total/NA | Solid | 8015 NM | |
| 880-14112-20 | CS- North South Sidewall-1 | Total/NA | Solid | 8015 NM | |
| 880-14112-21 | CS- North South Sidewall-2 | Total/NA | Solid | 8015 NM | |
| 880-14112-22 | CS- North East Sidewall | Total/NA | Solid | 8015 NM | |
| 880-14112-23 | CS- North West Sidewall | Total/NA | Solid | 8015 NM | |

Prep Batch: 24405

| Lab Sample ID 880-14112-3 | Client Sample ID CS-Bottom Hole-3 1.5' | Prep Type Total/NA | Matrix Solid | Method 8015NM Prep | Prep Batch |
|-------------------------------------|--|--------------------|-----------------|-----------------------|------------|
| MB 880-24405/1-A | Method Blank | Total/NA | Solid | 8015NM Prep | |
| LCS 880-24405/2-A | Lab Control Sample | Total/NA | Solid | 8015NM Prep | |
| LCSD 880-24405/3-A | Lab Control Sample Dup | Total/NA | Solid | 8015NM Prep | |

Analysis Batch: 24465

| Lab Sample ID 880-14112-22 | Client Sample ID CS- North East Sidewall | Prep Type Total/NA | Matrix Solid | Method 8015B NM | Prep Batch 24289 |
|-----------------------------------|---|--------------------|--------------|--------------------|---------------------|
| 880-14112-23 | CS- North West Sidewall | Total/NA | Solid | 8015B NM | 24289 |
| MB 880-24289/1-A | Method Blank | Total/NA | Solid | 8015B NM | 24289 |
| LCS 880-24289/2-A | Lab Control Sample | Total/NA | Solid | 8015B NM | 24289 |
| LCSD 880-24289/3-A | Lab Control Sample Dup | Total/NA | Solid | 8015B NM | 24289 |

Analysis Batch: 24469

| Lab Sample ID 880-14112-1 | CS-Bottom Hole- 1 1.5' | Prep Type Total/NA | Matrix Solid | Method 8015B NM | Prep Batch 24267 |
|-------------------------------------|------------------------|--------------------|--------------|--------------------|------------------|
| 880-14112-4 | CS-Bottom Hole-4 1.5' | Total/NA | Solid | 8015B NM | 24267 |
| 880-14112-5 | CS-Bottom Hole-5 1.5' | Total/NA | Solid | 8015B NM | 24267 |
| 880-14112-6 | CS-Bottom Hole-6 1.5' | Total/NA | Solid | 8015B NM | 24267 |
| 880-14112-7 | CS-Bottom Hole-7 1.5' | Total/NA | Solid | 8015B NM | 24267 |

Client: Charger Rentals

Job ID: 880-14112-1

Project/Site: 49er (JCF6DLE501)

SDG: Eddy County, New Mexico

GC Semi VOA (Continued)

Analysis Batch: 24469 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|----------------------------|-----------|--------|----------|------------|
| 880-14112-8 | CS-Bottom Hole-8 1.5' | Total/NA | Solid | 8015B NM | 24267 |
| 880-14112-9 | CS-Bottom Hole-9 1.5' | Total/NA | Solid | 8015B NM | 24267 |
| 880-14112-10 | CS-Bottom Hole-10 1.5' | Total/NA | Solid | 8015B NM | 24267 |
| 880-14112-11 | CS-Bottom Hole-11 1.5' | Total/NA | Solid | 8015B NM | 24267 |
| 880-14112-12 | CS-Bottom Hole-12 1.5' | Total/NA | Solid | 8015B NM | 24267 |
| 880-14112-13 | CS-Bottom Hole-13 1.5' | Total/NA | Solid | 8015B NM | 24267 |
| 880-14112-14 | CS-Bottom Hole-14 1.5' | Total/NA | Solid | 8015B NM | 24267 |
| 880-14112-15 | CS-Bottom Hole-15 1.5' | Total/NA | Solid | 8015B NM | 24267 |
| 880-14112-16 | CS-Bottom Hole-16 1.5' | Total/NA | Solid | 8015B NM | 24267 |
| 880-14112-17 | CS-Bottom Hole-17 1.5' | Total/NA | Solid | 8015B NM | 24267 |
| 880-14112-18 | CS- North North Sidewall-1 | Total/NA | Solid | 8015B NM | 24267 |
| 880-14112-19 | CS- North North Sidewall-2 | Total/NA | Solid | 8015B NM | 24267 |
| 880-14112-20 | CS- North South Sidewall-1 | Total/NA | Solid | 8015B NM | 24267 |
| MB 880-24267/1-A | Method Blank | Total/NA | Solid | 8015B NM | 24267 |
| LCS 880-24267/2-A | Lab Control Sample | Total/NA | Solid | 8015B NM | 24267 |
| LCSD 880-24267/3-A | Lab Control Sample Dup | Total/NA | Solid | 8015B NM | 24267 |
| 880-14112-1 MS | CS-Bottom Hole- 1 1.5' | Total/NA | Solid | 8015B NM | 24267 |
| 880-14112-1 MSD | CS-Bottom Hole- 1 1.5' | Total/NA | Solid | 8015B NM | 24267 |

Prep Batch: 24482

| Lab Sample ID 880-14112-2 | Client Sample ID CS-Bottom Hole-2 1.5' | Prep Type Total/NA | Matrix Solid | Method Prep | p Batch |
|------------------------------|--|--------------------|--------------|-------------|---------|
| MB 880-24482/1-A | Method Blank | Total/NA | Solid | 8015NM Prep | |
| LCS 880-24482/2-A | Lab Control Sample | Total/NA | Solid | 8015NM Prep | |
| LCSD 880-24482/3-A | Lab Control Sample Dup | Total/NA | Solid | 8015NM Prep | |

Analysis Batch: 24563

| Lab Sample ID 880-14112-3 | Client Sample ID CS-Bottom Hole-3 1.5' | Prep Type Total/NA | Matrix Solid | Method 8015B NM | Prep Batch 24405 |
|-------------------------------------|--|-----------------------|-----------------|--------------------|---------------------|
| MB 880-24405/1-A | Method Blank | Total/NA | Solid | 8015B NM | 24405 |
| LCS 880-24405/2-A | Lab Control Sample | Total/NA | Solid | 8015B NM | 24405 |
| LCSD 880-24405/3-A | Lab Control Sample Dup | Total/NA | Solid | 8015B NM | 24405 |

Analysis Batch: 24565

| Lab Sample ID 880-14112-2 | Client Sample ID CS-Bottom Hole-2 1.5' | Prep Type Total/NA | Matrix Solid | Method 8015B NM | Prep Batch 24482 |
|-------------------------------------|--|--------------------|--------------|--------------------|------------------|
| MB 880-24482/1-A | Method Blank | Total/NA | Solid | 8015B NM | 24482 |
| LCS 880-24482/2-A | Lab Control Sample | Total/NA | Solid | 8015B NM | 24482 |
| LCSD 880-24482/3-A | Lab Control Sample Dup | Total/NA | Solid | 8015B NM | 24482 |

HPLC/IC

Leach Batch: 24336

| Lab Sample ID 880-14112-1 | Client Sample ID CS-Bottom Hole- 1 1.5' | Prep Type Soluble | Matrix Solid | Method DI Leach | Prep Batch |
|-------------------------------------|--|-------------------|-----------------|-----------------|------------|
| 880-14112-2 | CS-Bottom Hole-2 1.5' | Soluble | Solid | DI Leach | |
| 880-14112-3 | CS-Bottom Hole-3 1.5' | Soluble | Solid | DI Leach | |
| MB 880-24336/1-A | Method Blank | Soluble | Solid | DI Leach | |
| LCS 880-24336/2-A | Lab Control Sample | Soluble | Solid | DI Leach | |
| LCSD 880-24336/3-A | Lab Control Sample Dup | Soluble | Solid | DI Leach | |

Eurofins Midland

Released to Imaging: 12/16/2022 10:56:19 AM

2

3

5

6

8

10

12

13

14

Client: Charger Rentals

Job ID: 880-14112-1

Project/Site: 49er (JCF6DLE501)

SDG: Eddy County, New Mexico

HPLC/IC

Leach Batch: 24337

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|----------------------------|-----------|--------|----------|------------|
| 880-14112-4 | CS-Bottom Hole-4 1.5' | Soluble | Solid | DI Leach | |
| 880-14112-5 | CS-Bottom Hole-5 1.5' | Soluble | Solid | DI Leach | |
| 880-14112-6 | CS-Bottom Hole-6 1.5' | Soluble | Solid | DI Leach | |
| 880-14112-7 | CS-Bottom Hole-7 1.5' | Soluble | Solid | DI Leach | |
| 880-14112-8 | CS-Bottom Hole-8 1.5' | Soluble | Solid | DI Leach | |
| 880-14112-9 | CS-Bottom Hole-9 1.5' | Soluble | Solid | DI Leach | |
| 880-14112-10 | CS-Bottom Hole-10 1.5' | Soluble | Solid | DI Leach | |
| 880-14112-11 | CS-Bottom Hole-11 1.5' | Soluble | Solid | DI Leach | |
| 880-14112-12 | CS-Bottom Hole-12 1.5' | Soluble | Solid | DI Leach | |
| 880-14112-13 | CS-Bottom Hole-13 1.5' | Soluble | Solid | DI Leach | |
| 880-14112-14 | CS-Bottom Hole-14 1.5' | Soluble | Solid | DI Leach | |
| 880-14112-15 | CS-Bottom Hole-15 1.5' | Soluble | Solid | DI Leach | |
| 880-14112-16 | CS-Bottom Hole-16 1.5' | Soluble | Solid | DI Leach | |
| 880-14112-17 | CS-Bottom Hole-17 1.5' | Soluble | Solid | DI Leach | |
| 880-14112-18 | CS- North North Sidewall-1 | Soluble | Solid | DI Leach | |
| 880-14112-19 | CS- North North Sidewall-2 | Soluble | Solid | DI Leach | |
| 880-14112-20 | CS- North South Sidewall-1 | Soluble | Solid | DI Leach | |
| 880-14112-21 | CS- North South Sidewall-2 | Soluble | Solid | DI Leach | |
| 880-14112-22 | CS- North East Sidewall | Soluble | Solid | DI Leach | |
| 880-14112-23 | CS- North West Sidewall | Soluble | Solid | DI Leach | |
| MB 880-24337/1-A | Method Blank | Soluble | Solid | DI Leach | |
| LCS 880-24337/2-A | Lab Control Sample | Soluble | Solid | DI Leach | |
| LCSD 880-24337/3-A | Lab Control Sample Dup | Soluble | Solid | DI Leach | |
| 880-14112-4 MS | CS-Bottom Hole-4 1.5' | Soluble | Solid | DI Leach | |
| 880-14112-4 MSD | CS-Bottom Hole-4 1.5' | Soluble | Solid | DI Leach | |
| 880-14112-14 MS | CS-Bottom Hole-14 1.5' | Soluble | Solid | DI Leach | |
| 880-14112-14 MSD | CS-Bottom Hole-14 1.5' | Soluble | Solid | DI Leach | |

Analysis Batch: 24527

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|------------------|----------------------------|-----------|--------|--------|------------|
| 880-14112-4 | CS-Bottom Hole-4 1.5' | Soluble | Solid | 300.0 | 24337 |
| 880-14112-5 | CS-Bottom Hole-5 1.5' | Soluble | Solid | 300.0 | 24337 |
| 880-14112-6 | CS-Bottom Hole-6 1.5' | Soluble | Solid | 300.0 | 24337 |
| 880-14112-7 | CS-Bottom Hole-7 1.5' | Soluble | Solid | 300.0 | 24337 |
| 880-14112-8 | CS-Bottom Hole-8 1.5' | Soluble | Solid | 300.0 | 24337 |
| 880-14112-9 | CS-Bottom Hole-9 1.5' | Soluble | Solid | 300.0 | 24337 |
| 880-14112-10 | CS-Bottom Hole-10 1.5' | Soluble | Solid | 300.0 | 24337 |
| 880-14112-11 | CS-Bottom Hole-11 1.5' | Soluble | Solid | 300.0 | 24337 |
| 880-14112-12 | CS-Bottom Hole-12 1.5' | Soluble | Solid | 300.0 | 24337 |
| 880-14112-13 | CS-Bottom Hole-13 1.5' | Soluble | Solid | 300.0 | 24337 |
| 880-14112-14 | CS-Bottom Hole-14 1.5' | Soluble | Solid | 300.0 | 24337 |
| 880-14112-15 | CS-Bottom Hole-15 1.5' | Soluble | Solid | 300.0 | 24337 |
| 880-14112-16 | CS-Bottom Hole-16 1.5' | Soluble | Solid | 300.0 | 24337 |
| 880-14112-17 | CS-Bottom Hole-17 1.5' | Soluble | Solid | 300.0 | 24337 |
| 880-14112-18 | CS- North North Sidewall-1 | Soluble | Solid | 300.0 | 24337 |
| 880-14112-19 | CS- North North Sidewall-2 | Soluble | Solid | 300.0 | 24337 |
| 880-14112-20 | CS- North South Sidewall-1 | Soluble | Solid | 300.0 | 24337 |
| 880-14112-21 | CS- North South Sidewall-2 | Soluble | Solid | 300.0 | 24337 |
| 880-14112-22 | CS- North East Sidewall | Soluble | Solid | 300.0 | 24337 |
| 880-14112-23 | CS- North West Sidewall | Soluble | Solid | 300.0 | 24337 |
| MB 880-24337/1-A | Method Blank | Soluble | Solid | 300.0 | 24337 |

Eurofins Midland

3

4

7

10

12

13

1 4

Released to Imaging: 12/16/2022 10:56:19 AM

Client: Charger Rentals

Job ID: 880-14112-1

Project/Site: 49er (JCF6DLE501)

SDG: Eddy County, New Mexico

HPLC/IC (Continued)

Analysis Batch: 24527 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------|-----------|--------|--------|------------|
| LCS 880-24337/2-A | Lab Control Sample | Soluble | Solid | 300.0 | 24337 |
| LCSD 880-24337/3-A | Lab Control Sample Dup | Soluble | Solid | 300.0 | 24337 |
| 880-14112-4 MS | CS-Bottom Hole-4 1.5' | Soluble | Solid | 300.0 | 24337 |
| 880-14112-4 MSD | CS-Bottom Hole-4 1.5' | Soluble | Solid | 300.0 | 24337 |
| 880-14112-14 MS | CS-Bottom Hole-14 1.5' | Soluble | Solid | 300.0 | 24337 |
| 880-14112-14 MSD | CS-Bottom Hole-14 1.5' | Soluble | Solid | 300.0 | 24337 |

Analysis Batch: 24547

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------|-----------|--------|--------|------------|
| 880-14112-1 | CS-Bottom Hole- 1 1.5' | Soluble | Solid | 300.0 | 24336 |
| 880-14112-2 | CS-Bottom Hole-2 1.5' | Soluble | Solid | 300.0 | 24336 |
| 880-14112-3 | CS-Bottom Hole-3 1.5' | Soluble | Solid | 300.0 | 24336 |
| MB 880-24336/1-A | Method Blank | Soluble | Solid | 300.0 | 24336 |
| LCS 880-24336/2-A | Lab Control Sample | Soluble | Solid | 300.0 | 24336 |
| LCSD 880-24336/3-A | Lab Control Sample Dup | Soluble | Solid | 300.0 | 24336 |

Job ID: 880-14112-1

SDG: Eddy County, New Mexico

Client Sample ID: CS-Bottom Hole- 1 1.5'

Date Collected: 04/25/22 00:00 Date Received: 04/26/22 15:05

Project/Site: 49er (JCF6DLE501)

Lab Sample ID: 880-14112-1

Matrix: Solid

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 4.96 g | 5 mL | 25028 | 05/07/22 13:02 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 25033 | 05/08/22 06:08 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25079 | 05/09/22 11:41 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 24379 | 04/28/22 09:20 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.02 g | 10 mL | 24267 | 04/26/22 15:58 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 24469 | 04/29/22 12:40 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5.01 g | 50 mL | 24336 | 04/27/22 13:05 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 24547 | 05/01/22 15:53 | CH | XEN MID |

Client Sample ID: CS-Bottom Hole-2 1.5'

Date Collected: 04/25/22 00:00

Date Received: 04/26/22 15:05

Lab Sample ID: 880-14112-2

Matrix: Solid

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 5.01 g | 5 mL | 25028 | 05/07/22 13:02 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 25033 | 05/08/22 06:28 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25079 | 05/09/22 11:41 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 24379 | 04/28/22 09:20 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.01 g | 10 mL | 24482 | 04/29/22 09:20 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 24565 | 05/01/22 06:05 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5 g | 50 mL | 24336 | 04/27/22 13:05 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 24547 | 05/01/22 16:00 | CH | XEN MID |

Client Sample ID: CS-Bottom Hole-3 1.5'

Date Collected: 04/25/22 00:00 Date Received: 04/26/22 15:05

Lab Sample ID: 880-14112-3

Matrix: Solid

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 5.02 g | 5 mL | 25028 | 05/07/22 13:02 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 25033 | 05/08/22 06:48 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25079 | 05/09/22 11:41 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 24379 | 04/28/22 09:20 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.01 g | 10 mL | 24405 | 04/28/22 11:23 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 24563 | 05/01/22 06:05 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5 g | 50 mL | 24336 | 04/27/22 13:05 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 24547 | 05/01/22 16:06 | CH | XEN MID |

Client Sample ID: CS-Bottom Hole-4 1.5'

Date Collected: 04/25/22 00:00 Date Received: 04/26/22 15:05 Lab Sample ID: 880-14112-4

Matrix: Solid

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 5.00 g | 5 mL | 25028 | 05/07/22 13:02 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 25033 | 05/08/22 07:09 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25079 | 05/09/22 11:41 | MR | XEN MID |

Matrix: Solid

Lab Chronicle

Client: Charger Rentals

Job ID: 880-14112-1 Project/Site: 49er (JCF6DLE501) SDG: Eddy County, New Mexico

Client Sample ID: CS-Bottom Hole-4 1.5'

Date Collected: 04/25/22 00:00 Date Received: 04/26/22 15:05

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Analysis | 8015 NM | | 1 | | | 24379 | 04/28/22 09:20 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.02 g | 10 mL | 24267 | 04/26/22 15:58 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 24469 | 04/29/22 14:31 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 4.99 g | 50 mL | 24337 | 04/27/22 13:08 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 24527 | 05/01/22 23:24 | CH | XEN MID |

Client Sample ID: CS-Bottom Hole-5 1.5'

Date Collected: 04/25/22 00:00 Date Received: 04/26/22 15:05

Lab Sample ID: 880-14112-5

Lab Sample ID: 880-14112-4

Matrix: Solid

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 4.98 g | 5 mL | 25028 | 05/07/22 13:02 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 25033 | 05/08/22 07:29 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25079 | 05/09/22 11:41 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 24379 | 04/28/22 09:20 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.01 g | 10 mL | 24267 | 04/26/22 15:58 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 24469 | 04/29/22 14:53 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5.02 g | 50 mL | 24337 | 04/27/22 13:08 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 24527 | 05/01/22 23:43 | CH | XEN MID |

Client Sample ID: CS-Bottom Hole-6 1.5'

Date Collected: 04/25/22 00:00 Date Received: 04/26/22 15:05

Lab Sample ID: 880-14112-6

Matrix: Solid

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 4.96 g | 5 mL | 25028 | 05/07/22 13:02 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 25033 | 05/08/22 07:50 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25079 | 05/09/22 11:41 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 24379 | 04/28/22 09:20 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.01 g | 10 mL | 24267 | 04/26/22 15:58 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 24469 | 04/29/22 15:15 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5.05 g | 50 mL | 24337 | 04/27/22 13:08 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 24527 | 05/01/22 23:49 | CH | XEN MID |

Client Sample ID: CS-Bottom Hole-7 1.5'

Date Collected: 04/25/22 00:00

Date Received: 04/26/22 15:05

| ., | 03/01/22 23.49 | CIT | XLIV IVIID |
|----|----------------|-----|---------------|
| | Lab Sample | ID: | 880-14112-7 |
| | | | Matrix: Solid |

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|----------------------|------------------|-------------------------|-----|--------|---------|--------|----------------|----------------------------------|---------|--------------------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 5.01 g | 5 mL | 25028 | 05/07/22 13:02 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 25033 | 05/08/22 08:10 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25079 | 05/09/22 11:41 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 24379 | 04/28/22 09:20 | AJ | XEN MID |
| Total/NA Total/NA | Prep Analysis | 8015NM Prep 8015B NM | | 1 | 10.02 g | 10 mL | 24267 24469 | 04/26/22 15:58 04/29/22 15:37 | | XEN MID XEN MID |

Eurofins Midland

Page 44 of 56

Lab Chronicle

Client: Charger Rentals

Job ID: 880-14112-1 Project/Site: 49er (JCF6DLE501) SDG: Eddy County, New Mexico

Client Sample ID: CS-Bottom Hole-7 1.5'

Date Collected: 04/25/22 00:00 Date Received: 04/26/22 15:05

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|----------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Soluble | Leach | DI Leach | | | 5 g | 50 mL | 24337 | 04/27/22 13:08 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 24527 | 05/01/22 23:55 | CH | XEN MID |

Client Sample ID: CS-Bottom Hole-8 1.5'

Date Collected: 04/25/22 00:00 Date Received: 04/26/22 15:05

Lab Sample ID: 880-14112-8

Lab Sample ID: 880-14112-7

Matrix: Solid

Matrix: Solid

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 5.03 g | 5 mL | 25028 | 05/07/22 13:02 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 25033 | 05/08/22 08:30 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25079 | 05/09/22 11:41 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 24379 | 04/28/22 09:20 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.01 g | 10 mL | 24267 | 04/26/22 15:58 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 24469 | 04/29/22 15:58 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5.03 g | 50 mL | 24337 | 04/27/22 13:08 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 24527 | 05/02/22 00:02 | CH | XEN MID |

Client Sample ID: CS-Bottom Hole-9 1.5'

Date Collected: 04/25/22 00:00 Date Received: 04/26/22 15:05

Lab Sample ID: 880-14112-9

Matrix: Solid

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 5.02 g | 5 mL | 25028 | 05/07/22 13:02 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 25033 | 05/08/22 08:51 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25079 | 05/09/22 11:41 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 24379 | 04/28/22 09:20 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.00 g | 10 mL | 24267 | 04/26/22 15:58 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 24469 | 04/29/22 16:20 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5.02 g | 50 mL | 24337 | 04/27/22 13:08 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 24527 | 05/02/22 00:21 | CH | XEN MID |

Client Sample ID: CS-Bottom Hole-10 1.5'

Date Collected: 04/25/22 00:00

te Received: 04/26/22 15:05

| Date Receive | d: 04/26/22 1 | 5:05 | | | | | | | | |
|--------------|---------------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| = | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
| Prep Type | Туре | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | _ | | 5.01 g | 5 mL | 25028 | 05/07/22 13:02 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 25033 | 05/08/22 10:41 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25079 | 05/09/22 11:41 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 24379 | 04/28/22 09:20 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.01 g | 10 mL | 24267 | 04/26/22 15:58 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 24469 | 04/29/22 16:42 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5.05 g | 50 mL | 24337 | 04/27/22 13:08 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 24527 | 05/02/22 00:27 | CH | XEN MID |

Eurofins Midland

Lab Sample ID: 880-14112-10

Matrix: Solid

Project/Site: 49er (JCF6DLE501)

SDG: Eddy County, New Mexico

Client Sample ID: CS-Bottom Hole-11

Lab Sample ID: 880-14112-11

Date Collected: 04/25/22 00:00 Date Received: 04/26/22 15:05 **Matrix: Solid**

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 5.03 g | 5 mL | 25028 | 05/07/22 13:02 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 25033 | 05/08/22 11:01 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25079 | 05/09/22 11:41 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 24379 | 04/28/22 09:20 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.00 g | 10 mL | 24267 | 04/26/22 15:58 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 24469 | 04/29/22 17:39 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 4.97 g | 50 mL | 24337 | 04/27/22 13:08 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 24527 | 05/02/22 00:33 | CH | XEN MID |

Client Sample ID: CS-Bottom Hole-12 1.5'

Lab Sample ID: 880-14112-12

Matrix: Solid

Date Collected: 04/25/22 00:00 Date Received: 04/26/22 15:05

Batch Batch Dil Initial Final Batch Prepared Method Number or Analyzed **Prep Type** Type Run **Factor Amount** Amount **Analyst** Lab Total/NA 5035 25028 05/07/22 13:02 MR XEN MID Prep 5.00 g 5 mL 8021B Total/NA 5 mL 25033 05/08/22 11:21 MR XEN MID Analysis 5 mL 1 Total/NA Total BTEX 05/09/22 11:41 MR Analysis 1 25079 XEN MID Total/NA 8015 NM 24379 04/28/22 09:20 AJ XEN MID Analysis 1 Total/NA Prep 8015NM Prep 10.04 g 10 mL 24267 04/26/22 15:58 DM XEN MID Total/NA 8015B NM 24469 04/29/22 18:01 AJ XEN MID Analysis 1 Soluble 50 mL 24337 04/27/22 13:08 SC Leach DI Leach 5.01 g XEN MID 300.0 05/02/22 00:40 CH Soluble Analysis 1 24527 **XEN MID**

Client Sample ID: CS-Bottom Hole-13

Lab Sample ID: 880-14112-13

Date Collected: 04/25/22 00:00 Date Received: 04/26/22 15:05

Matrix: Solid

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 4.98 g | 5 mL | 25028 | 05/07/22 13:02 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 25033 | 05/08/22 11:42 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25079 | 05/09/22 11:41 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 24379 | 04/28/22 09:20 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.01 g | 10 mL | 24267 | 04/26/22 15:58 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 24469 | 04/29/22 18:23 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5.04 g | 50 mL | 24337 | 04/27/22 13:08 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 24527 | 05/02/22 00:46 | CH | XEN MID |

Client Sample ID: CS-Bottom Hole-14 1.5'

Lab Sample ID: 880-14112-14

Matrix: Solid

Date Collected: 04/25/22 00:00 Date Received: 04/26/22 15:05

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 5.01 g | 5 mL | 25028 | 05/07/22 13:02 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 25033 | 05/08/22 12:02 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25079 | 05/09/22 11:41 | MR | XEN MID |

Client: Charger Rentals

Project/Site: 49er (JCF6DLE501) SDG: Eddy County, New Mexico

Client Sample ID: CS-Bottom Hole-14 1.5' Lab Sample ID: 880-14112-14

Date Collected: 04/25/22 00:00 Date Received: 04/26/22 15:05

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Analysis | 8015 NM | | 1 | | | 24379 | 04/28/22 09:20 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.00 g | 10 mL | 24267 | 04/26/22 15:58 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 24469 | 04/29/22 18:44 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5.05 g | 50 mL | 24337 | 04/27/22 13:08 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 24527 | 05/02/22 00:52 | CH | XEN MID |

Client Sample ID: CS-Bottom Hole-15 1.5'

Date Received: 04/26/22 15:05

Date Collected: 04/25/22 00:00

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|----------------------|-------------------|-------------------------|-----|---------------|-------------------|-----------------|-----------------|----------------------------------|---------|--------------------|
| Total/NA | Prep | 5035 | | | 5.03 g | 5 mL | 25028 | 05/07/22 13:02 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 25033 | 05/08/22 12:23 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25079 | 05/09/22 11:41 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 24379 | 04/28/22 09:20 | AJ | XEN MID |
| Total/NA Total/NA | Prep Analysis | 8015NM Prep 8015B NM | | 1 | 10.01 g | 10 mL | 24267 24469 | 04/26/22 15:58 04/29/22 19:06 | | XEN MID XEN MID |
| Soluble Soluble | Leach Analysis | DI Leach 300.0 | | 1 | 5 g | 50 mL | 24337 24527 | 04/27/22 13:08 05/02/22 01:11 | | XEN MID XEN MID |

Client Sample ID: CS-Bottom Hole-16 1.5'

Date Collected: 04/25/22 00:00 Date Received: 04/26/22 15:05

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Туре | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 5.01 g | 5 mL | 25028 | 05/07/22 13:02 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 25033 | 05/08/22 12:43 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25079 | 05/09/22 11:41 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 24379 | 04/28/22 09:20 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.02 g | 10 mL | 24267 | 04/26/22 15:58 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 24469 | 04/29/22 19:28 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5 g | 50 mL | 24337 | 04/27/22 13:08 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 24527 | 05/02/22 01:18 | CH | XEN MID |

Client Sample ID: CS-Bottom Hole-17 1.5'

Date Collected: 04/25/22 00:00

Date Received: 04/26/22 15:05

| Prep Type Total/NA | Batch Type Prep | Batch Method 5035 | Run | Dil Factor | Initial Amount 5.02 q | Final Amount 5 mL | Batch Number 25028 | Prepared or Analyzed 05/07/22 13:02 | Analyst MR | Lab XEN MID |
|----------------------|------------------|-------------------------|-----|---------------|-----------------------|-------------------|--------------------------|-------------------------------------|---------------|--------------------|
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 25033 | 05/08/22 13:04 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25079 | 05/09/22 11:41 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 24379 | 04/28/22 09:20 | AJ | XEN MID |
| Total/NA Total/NA | Prep Analysis | 8015NM Prep 8015B NM | | 1 | 10.03 g | 10 mL | 24267 24469 | 04/26/22 15:58 04/29/22 19:49 | DM AJ | XEN MID XEN MID |

Eurofins Midland

Matrix: Solid

Job ID: 880-14112-1

Matrix: Solid

Matrix: Solid

Matrix: Solid

Lab Sample ID: 880-14112-15

Lab Sample ID: 880-14112-16

Lab Sample ID: 880-14112-17

Lab Chronicle

Client: Charger Rentals Job ID: 880-14112-1 Project/Site: 49er (JCF6DLE501) SDG: Eddy County, New Mexico

Client Sample ID: CS-Bottom Hole-17 1.5'

Lab Sample ID: 880-14112-17 Date Collected: 04/25/22 00:00 **Matrix: Solid** Date Received: 04/26/22 15:05

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|----------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Туре | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Soluble | Leach | DI Leach | | | 5.03 g | 50 mL | 24337 | 04/27/22 13:08 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 24527 | 05/02/22 01:37 | CH | XEN MID |

Client Sample ID: CS- North North Sidewall-1

Lab Sample ID: 880-14112-18 Date Collected: 04/25/22 00:00 Matrix: Solid Date Received: 04/26/22 15:05

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 5.03 g | 5 mL | 25028 | 05/07/22 13:02 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 25033 | 05/08/22 13:24 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25079 | 05/09/22 11:41 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 24379 | 04/28/22 09:20 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.04 g | 10 mL | 24267 | 04/26/22 15:58 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 24469 | 04/29/22 20:10 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5 g | 50 mL | 24337 | 04/27/22 13:08 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 24527 | 05/02/22 01:43 | CH | XEN MID |

Client Sample ID: CS- North North Sidewall-2

Lab Sample ID: 880-14112-19 Date Collected: 04/25/22 00:00 **Matrix: Solid** Date Received: 04/26/22 15:05

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Туре | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 5.04 g | 5 mL | 25028 | 05/07/22 13:02 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 5 mL | 25033 | 05/08/22 13:45 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25079 | 05/09/22 11:41 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 24379 | 04/28/22 09:20 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.03 g | 10 mL | 24267 | 04/26/22 15:58 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 24469 | 04/29/22 20:31 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5.01 g | 50 mL | 24337 | 04/27/22 13:08 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 24527 | 05/02/22 01:49 | CH | XEN MID |

Client Sample ID: CS- North South Sidewall-1

Lab Sample ID: 880-14112-20 Date Collected: 04/25/22 00:00 **Matrix: Solid** Date Received: 04/26/22 15:05

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 4.99 g | 5 mL | 25029 | 05/07/22 13:06 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | | | 25032 | 05/07/22 20:54 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25079 | 05/09/22 11:41 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 24379 | 04/28/22 09:20 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.00 g | 10 mL | 24267 | 04/26/22 15:58 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 24469 | 04/29/22 20:52 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 4.99 g | 50 mL | 24337 | 04/27/22 13:08 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 24527 | 05/02/22 01:56 | CH | XEN MID |

Job ID: 880-14112-1 SDG: Eddy County, New Mexico

Client Sample ID: CS- North South Sidewall-2

Lab Sample ID: 880-14112-21 Date Collected: 04/25/22 00:00 **Matrix: Solid**

Date Received: 04/26/22 15:05

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | _ | | 5.02 g | 5 mL | 25029 | 05/07/22 13:06 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | | | 25032 | 05/07/22 21:20 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25079 | 05/09/22 11:41 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 24379 | 04/28/22 09:20 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.00 g | 10 mL | 24262 | 04/26/22 17:00 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 24278 | 04/27/22 20:12 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 4.96 g | 50 mL | 24337 | 04/27/22 13:08 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 24527 | 05/02/22 02:02 | CH | XEN MID |

Client Sample ID: CS- North East Sidewall

Lab Sample ID: 880-14112-22 Date Collected: 04/25/22 00:00 **Matrix: Solid**

Date Received: 04/26/22 15:05

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 5.03 g | 5 mL | 25029 | 05/07/22 13:06 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | | | 25032 | 05/07/22 21:46 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25079 | 05/09/22 11:41 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 24379 | 04/28/22 09:20 | AJ | XEN MI |
| Total/NA | Prep | 8015NM Prep | | | 10.00 g | 10 mL | 24289 | 04/27/22 08:35 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 24465 | 04/29/22 22:00 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5.03 g | 50 mL | 24337 | 04/27/22 13:08 | SC | XEN MI |
| Soluble | Analysis | 300.0 | | 1 | | | 24527 | 05/02/22 02:08 | CH | XEN MI |

Client Sample ID: CS- North West Sidewall

Lab Sample ID: 880-14112-23 Date Collected: 04/25/22 00:00 **Matrix: Solid**

Date Received: 04/26/22 15:05

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | _ | | 5.01 g | 5 mL | 25029 | 05/07/22 13:06 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | | | 25032 | 05/07/22 22:12 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25079 | 05/09/22 11:41 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 24379 | 04/28/22 09:20 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.02 g | 10 mL | 24289 | 04/27/22 08:35 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 24465 | 04/29/22 22:21 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5.01 g | 50 mL | 24337 | 04/27/22 13:08 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 24527 | 05/02/22 02:15 | CH | XEN MID |

Laboratory References:

XEN MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Accreditation/Certification Summary

Client: Charger Rentals Job ID: 880-14112-1 Project/Site: 49er (JCF6DLE501) SDG: Eddy County, New Mexico

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

| Authority | Pr | ogram | Identification Number | Expiration Date |
|---|---------------------|------------------------------|---|--|
| Texas | NE | ELAP | T104704400-21-22 | 06-30-22 |
| The following analyte the agency does not | • | ort, but the laboratory is r | not certified by the governing authority. | This list may include analytes for which |
| and agoney adde not | oner certification. | | | |
| Analysis Method | Prep Method | Matrix | Analyte | |
| 0 , | | Matrix Solid | Analyte Total TPH | |

Method Summary

Client: Charger Rentals

Method

Total BTEX

8015 NM

8015B NM

8015NM Prep

DI Leach

300.0

5035

8021B

Project/Site: 49er (JCF6DLE501)

Method Description

Total BTEX Calculation

Microextraction

Volatile Organic Compounds (GC)

Diesel Range Organics (DRO) (GC)

Diesel Range Organics (DRO) (GC)

Deionized Water Leaching Procedure

Anions, Ion Chromatography

Closed System Purge and Trap

Job ID: 880-14112-1 SDG: Eddy County, New Mexico

XEN MID

XEN MID

| Protocol | Laboratory |
|----------|------------|
| SW846 | XEN MID |
| TAL SOP | XEN MID |
| SW846 | XEN MID |
| SW846 | XEN MID |
| MCAWW | XEN MID |
| SW846 | XEN MID |

SW846

ASTM

Protocol References:

ASTM = ASTM International

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

XEN MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Eurofins Midland

1

3

4

6

8

9

1 1

12

Released to Imaging: 12/16/2022 10:56:19 AM

Sample Summary

Client: Charger Rentals

Project/Site: 49er (JCF6DLE501)

Job ID: 880-14112-1 SDG: Eddy County, New Mexico

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received |
|---------------|----------------------------|--------|----------------|----------------|
| 880-14112-1 | CS-Bottom Hole- 1 1.5' | Solid | 04/25/22 00:00 | 04/26/22 15:05 |
| 880-14112-2 | CS-Bottom Hole-2 1.5' | Solid | 04/25/22 00:00 | 04/26/22 15:05 |
| 880-14112-3 | CS-Bottom Hole-3 1.5' | Solid | 04/25/22 00:00 | 04/26/22 15:05 |
| 880-14112-4 | CS-Bottom Hole-4 1.5' | Solid | 04/25/22 00:00 | 04/26/22 15:05 |
| 880-14112-5 | CS-Bottom Hole-5 1.5' | Solid | 04/25/22 00:00 | 04/26/22 15:05 |
| 880-14112-6 | CS-Bottom Hole-6 1.5' | Solid | 04/25/22 00:00 | 04/26/22 15:05 |
| 880-14112-7 | CS-Bottom Hole-7 1.5' | Solid | 04/25/22 00:00 | 04/26/22 15:05 |
| 880-14112-8 | CS-Bottom Hole-8 1.5' | Solid | 04/25/22 00:00 | 04/26/22 15:05 |
| 880-14112-9 | CS-Bottom Hole-9 1.5' | Solid | 04/25/22 00:00 | 04/26/22 15:05 |
| 880-14112-10 | CS-Bottom Hole-10 1.5' | Solid | 04/25/22 00:00 | 04/26/22 15:05 |
| 880-14112-11 | CS-Bottom Hole-11 1.5' | Solid | 04/25/22 00:00 | 04/26/22 15:05 |
| 880-14112-12 | CS-Bottom Hole-12 1.5' | Solid | 04/25/22 00:00 | 04/26/22 15:05 |
| 880-14112-13 | CS-Bottom Hole-13 1.5' | Solid | 04/25/22 00:00 | 04/26/22 15:05 |
| 880-14112-14 | CS-Bottom Hole-14 1.5' | Solid | 04/25/22 00:00 | 04/26/22 15:05 |
| 880-14112-15 | CS-Bottom Hole-15 1.5' | Solid | 04/25/22 00:00 | 04/26/22 15:05 |
| 880-14112-16 | CS-Bottom Hole-16 1.5' | Solid | 04/25/22 00:00 | 04/26/22 15:05 |
| 880-14112-17 | CS-Bottom Hole-17 1.5' | Solid | 04/25/22 00:00 | 04/26/22 15:05 |
| 880-14112-18 | CS- North North Sidewall-1 | Solid | 04/25/22 00:00 | 04/26/22 15:05 |
| 880-14112-19 | CS- North North Sidewall-2 | Solid | 04/25/22 00:00 | 04/26/22 15:05 |
| 880-14112-20 | CS- North South Sidewall-1 | Solid | 04/25/22 00:00 | 04/26/22 15:05 |
| 880-14112-21 | CS- North South Sidewall-2 | Solid | 04/25/22 00:00 | 04/26/22 15:05 |
| 880-14112-22 | CS- North East Sidewall | Solid | 04/25/22 00:00 | 04/26/22 15:05 |
| 880-14112-23 | CS- North West Sidewall | Solid | 04/25/22 00:00 | 04/26/22 15:05 |

1

3

4

q

10

11

12

ORIGINAL COPY

14

| | | Relinquished by | | Relinquished by | Vopelt Glubbs 31 | Dohort Cribbs | Palinguished | | | | | | | | | | ONLY CONTACT | 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | LAB# | Comments: | Receiving Laboratory: | Invoice to: | Project Location: (county, state) | | Project Name: | 6 | Analysis Red |
|-------------------------|--------------------------------------|-----------------|-------------------------|-----------------|------------------|---------------|----------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------------|---|-----------------------|-----------|-----------------------|-------------|--------------------------------------|------|---|--|---|
| | | | | | ال | , | - North Botton | CS - North Bottom Hole - | | SAMPI | | | oratory: | | | | | HAR ERVIC | quest of Chain of |
| | | Date | | Date | #120172 | | 10 1.5' | 9 1 | Hole - 8 1.5' | Hole - 7 1.5' | Hole - 6 1.5' | Hole - 5 1.5' | Hole - 4 1.5' | Hole - 3 1.5' | Hole - 2 1.5' | Hole - 1 1.5' | | SAMPLE IDENTIFICATION | | | Eurofins | | Eddy County, New Mexico | | Charger Services | GER 2674 | Analysis Request of Chain of Custody Record |
| | | Time | | Time | Ċ | I ime | 1 | | | | | | | | | | | <u>Q</u> | | | | | Mexico | | /ices | | |
| | | Recieved by: | | Rěćieved by | Q 表 | Recieved by | 4/25/2022 | 4/25/2022 | 4/25/2022 | 4/25/2022 | 4/25/2022 | 4/25/2022 | 4/25/2022 | 4/25/2022 | 4/25/2022 | 4/25/2022 | DATE | TEAR | MPL | | Sampler Signature: | | Project #: | 49er | Site Manager: r | 23 W Inc | |
| | | | | | | ን | × | × | × | × | × | × | × | × | × | × | TIME WATER SOIL | ~ 2022 | G MATRIX | | | | JCF | | robert.grubbs@chargerservices.com ronny.crawford@chargerservices.com | Charger Services 23 W Industrial Loop Midland, Tx 79701 (432) 218-7674 | |
| | | Date | | Date | る下が | Date | × | × | × | × | × | × | × | × | × | × | HCL HNO ₃ ICE | | X PRESERVATIVE METHOD | | Robert Grubbs Jr. | | JCF6DLE501 | | s@chargerse d@chargerse | arger Servic | |
| | | Time | | Time | 26/22 15:05 | Time | | - | | 1 | > | -> | 1 | | 1 | -3 | # CONTA | · n o | ERS | | | | | | rvices.com rvices.com | es d, Tx 7970 | |
| (Circle) | 4. | Ç Ç | N E | 1 (0 | | Proces | | | | | | | | | | | BTEX 8 | | | t to C35) |) | | (TX) (TX) | | | > | |
| (Circle) HAND DELIVERED | 8 | College | lemperature | Sample | 250 | | ×× | × | × | ××× | ××× | ××× | × | × × | × | × | BTEX 8 | 102 1151 | 1B | | | D) | (NM) (NM) | | | | |
| LIVERED | | Î | √ re | | | | × | × | × | × | × | × | × | × | × | × | Chlorid | 0 | | | | | | | Q | | |
| - 1 | □ sp | | | | | REMARKS | | | | - | 88 P | | | | | | | | | | | | | | ANALYSIS REQUEST (Circle or Specify Method No.) | | |
| FEDEX UPS | Special Report Limits or TRRP Report | | Rush Charges Authorized | RUSH S | | n . | | - | | - | 880-14112 Chain | | | | \exists | _ | | | | | | | | | ANALYSIS REQUEST | | |
| Tracking #- | eport Lıı | | raes Au | Same Day | | | | | | - - | Chain of | | | | | | | | | | | | | | REQU | | — , |
| * | nits or 1 | | thorized | y 24 hr | | | | _ | | - | of Custody | | | | | | | | | ., | | | | | JEST ethod | and the second s | Page |
| | RRP R | | | | | | | | | - - | ` | | | | \exists | | | | | | | | | | 20 | 4112 | |
| | eport | | | 48hr | | | | | | _ | | | | | | \exists | | | | | | | | _ | | 2 | <u>o</u> |
| | | | | 72hr | | | | | | _ | ı | 1 | 1 | 1 | + | \dashv | Hold | | | | | | ···· | - | | | ω |
| | ************* | | | | | | | نــــا | ابا | | | | | | | | | | | | | | | | | | ł |

ORIGINAL COPY

Charger Services

| strial Loop Midland, Tx 79701 | Haryer Services |
|-------------------------------|-----------------|
|-------------------------------|-----------------|

| 70 | (Circle) HAND DELIVERED | Ĉ. | | | | | | | | | |
|--|--|-------------------|---------|-------------------|------------------------|------------------------------------|---|--------------------|------------|------------------------------------|--------------------------------------|
| П | 8 - | | Ф | Time | Ö | Date | ~ | Recieved by | Time | Date | Kelinquisnea by: |
| Rush CI | Temperature 33/3/2 | | | | | | | | | | |
| RUSH Same Day | Sample | | Ф | Time | ie . | Date | 4 | Récieved by | Time | Date | Relinquished by |
| REMARKS | ONLY | K | S | 177 | W P | TO | | | 1503 | 4/26/22 | Robert Grubbs Jr |
| | D Z | | æ | Time | Ō | Date | | Recieved by | lime | Date | Nelli Iquisi led by |
| | ××× | | -> | | × | × | | 4/25/2022 | | CS - North South Sidewall - 1 | cs-1 |
| | ××× | | 1 | | × | × | | 4/25/2022 | | CS - North North Sidewall - 2 | CS - 1 |
| | XXX | | 1 | | × | × | | 4/25/2022 | | CS - North North Sidewall - 1 | cs - I |
| | ××× | | 1 | | × | × | | 4/25/2022 | 1.5' | CS - North Bottom Hole - 17 | cs - I |
| | X X X | | 1 | | × | × | | 4/25/2022 | 1.57 | CS - North Bottom Hole - 16 | CS - I |
| | ××× | | 1 | | × | × | | 4/25/2022 | -1.5° | CS - North Bottom Hole - 15 | cs - I |
| | XXX | | 1 | | × | × | | 4/25/2022 | 1.5' | CS - North Bottom Hole - 14 | CS - I |
| | x x x | | 1 | | × | × | | 4/25/2022 | 1.5' | CS - North Bottom Hole - 13 | CS - I |
| | ××× | | 1 | | × | × | | 4/25/2022 | 1.5' | CS - North Bottom Hole - 12 | CS - I |
| | × | | 1 | | × | × | | 4/25/2022 | 1.5' | CS - North Bottom Hole - 11 | cs - I |
| | TPH TX BTEX 8 TPH 80 Chloride | FILTERE BTEX 8 | # CONTA | | HNO ₃ | SOIL HCL | TIME WATER | DATE | | | ONLY CONTRACTOR |
| | 100 021 15N | | INE | | | | 2022 | YEAR | CATION | SAMPLE IDENTIFICATION | |
| | 05 (Ext | | RS | ATIVE OD | PRESERVATIVE METHOD | MATRIX | | SAMPLING | | | LAB# |
| | | | | | | | | | | | Comments: |
| | | | | ÷ | Grubbs | Robert Grubbs Jr. | nature: | Sampler Signature: | ifins | ry: Eurofins | Receiving Laboratory: |
| |)) | | | | | | | | | | Invoice to: |
| | (TX) (NM) (NM) | (TX) | | | E501 | JCF6DLE501 | | Project #: | New Mexico | Eddy County, New Mexico | Project Location: (county, state) |
| | | | : | | | | | 49er | | | Project Name: |
| ANALYSIS REQUEST Circle or Specify Method No.) | ga ^{there} s | | s.com | service servic | hargers charger | ubbs@c wford@c | robert.grubbs@chargerservices.com ronny.crawford@chargerservices.com | Site Manager: | Services | Charger Services | Client Name: |
| | | 701 | × 797 | nd, T | Midlaı 8-767- | rial Loop Midlan (432) 218-7674 | 23 W Industrial Loop Midland, Tx 79701 (432) 218-7674 | 23 W I | | HARGER ERVICES 432) 218-7674 | |

ORIGINAL COPY

Relinquished by Robert Grubbs Jr ONLY LYB RSE Relinquished by Relinquished by Receiving Laboratory: (county, state) Project Name: Comments: Project Location: Client Name: Invoice to: LAB# CS - North Easr Sidewall CS - North South Sidewall - 2 CS - North West Sidewall HARGER ERVICES SAMPLE IDENTIFICATION 4/26/22 Date **Eddy County, New Mexico** Date Date Charger Services **Eurofins** Time Time Time Recieved by Sampler Signature: Récieved by Recieved by Project #: 4/25/2022 Manager: 4/25/2022 4/25/2022 Site 23 W Industrial Loop Midland, Tx 79701 DATE SAMPLING 49er robert.grubbs@chargerservices.com ronny.crawford@chargerservices.com 2022 TIME Charger Services (432) 218-7674 WATER MATRIX SOIL × × × Robert Grubbs Jr. JCF6DLE50 Date Date Date HCL PRESERVATIVE METHOD HNO₃ ICE × ×× Time Time # CONTAINERS FILTERED (Y/N) BTEX 8021B (TX) Circle) HAND DELIVERED Temperature 3.3/3.2 SE CE TPH TX1005 (Ext to C35) (TX) Sample BTEX 8021B TPH 8015M (GRO - DRO - MRO) Chloride (NM) (NM) ××× ××× × × (Circle or Specify Method No.) REMARKS FEDEX UPS Special Report Limits or TRRP Report **ANALYSIS REQUEST** Rush Charges Authorized RUSH Same Day Page 24 hr 14112 I N Loc: 880 ယ 48hr ᅌ 72hr Hold

Login Sample Receipt Checklist

Client: Charger Rentals

Job Number: 880-14112-1

SDG Number: Eddy County, New Mexico

List Source: Eurofins Midland

Login Number: 14112 List Number: 1

Creator: Rodriguez, Leticia

| Question | Answer | Comment |
|--|--------|---------|
| The cooler's custody seal, if present, is intact. | N/A | |
| Sample custody seals, if present, are intact. | N/A | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| Is the Field Sampler's name present on COC? | True | |
| There are no discrepancies between the containers received and the COC. | True | |
| Samples are received within Holding Time (excluding tests with immediate HTs) | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified. | N/A | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4"). | N/A | |

-

1

3

4

6

۹ Q

11

13

14

Environment Testing America

ANALYTICAL REPORT

Eurofins Midland 1211 W. Florida Ave Midland, TX 79701 Tel: (432)704-5440

Laboratory Job ID: 880-14113-1

Laboratory Sample Delivery Group: Eddy County, New Mexico Client Project/Site: 49er (JCF6DLE501)

For:

Charger Rentals 23 West Industrial Loop Midland, Texas 79701

Attn: Ronnie Crawford

Holly Taylor

Authorized for release by: 5/9/2022 4:14:29 PM

Holly Taylor, Project Manager (806)794-1296

Holly.Taylor@et.eurofinsus.com

Links

results through
Total Access

Review your project

Have a Question?



Visit us at:

www.eurofinsus.com/Env

Released to Imaging: 12/16/2022 10:56:19 AM

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1

2

4

5

6

8

11

12

16

Client: Charger Rentals Project/Site: 49er (JCF6DLE501) Laboratory Job ID: 880-14113-1 SDG: Eddy County, New Mexico

Table of Contents

| Cover Page | 1 |
|------------------------|----|
| Table of Contents | 2 |
| Definitions/Glossary | 3 |
| Case Narrative | 4 |
| Client Sample Results | 5 |
| Surrogate Summary | 15 |
| QC Sample Results | 16 |
| QC Association Summary | 20 |
| Lab Chronicle | 24 |
| Certification Summary | 28 |
| Method Summary | 29 |
| Sample Summary | 30 |
| Chain of Custody | 31 |
| Receipt Checklists | 33 |

Eurofins Midland

5/9/2022

Definitions/Glossary

Client: Charger Rentals Job ID: 880-14113-1 Project/Site: 49er (JCF6DLE501) SDG: Eddy County, New Mexico

Qualifiers

GC VOA

Qualifier **Qualifier Description**

S1+ Surrogate recovery exceeds control limits, high biased. U Indicates the analyte was analyzed for but not detected.

GC Semi VOA

S1-Surrogate recovery exceeds control limits, low biased. S1+ Surrogate recovery exceeds control limits, high biased. U Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier **Qualifier Description**

Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation These commonly used abbreviations may or may not be present in this report.

Listed under the "D" column to designate that the result is reported on a dry weight basis %R Percent Recovery

CFL Contains Free Liquid **CFU** Colony Forming Unit **CNF** Contains No Free Liquid

DER Duplicate Error Ratio (normalized absolute difference)

Dil Fac **Dilution Factor**

DL Detection Limit (DoD/DOE)

DL, RA, RE, IN Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample

DLC Decision Level Concentration (Radiochemistry)

EDL Estimated Detection Limit (Dioxin) LOD Limit of Detection (DoD/DOE) LOQ Limit of Quantitation (DoD/DOE)

MCL EPA recommended "Maximum Contaminant Level" MDA Minimum Detectable Activity (Radiochemistry) MDC Minimum Detectable Concentration (Radiochemistry)

MDL Method Detection Limit ML Minimum Level (Dioxin) MPN Most Probable Number MQL Method Quantitation Limit

NC Not Calculated

ND Not Detected at the reporting limit (or MDL or EDL if shown)

NEG Negative / Absent POS Positive / Present PQL **Practical Quantitation Limit**

PRES Presumptive QC **Quality Control**

RER Relative Error Ratio (Radiochemistry)

Reporting Limit or Requested Limit (Radiochemistry) RL

RPD Relative Percent Difference, a measure of the relative difference between two points

TEF Toxicity Equivalent Factor (Dioxin) TEQ Toxicity Equivalent Quotient (Dioxin)

TNTC Too Numerous To Count

Case Narrative

Client: Charger Rentals

Project/Site: 49er (JCF6DLE501)

Job ID: 880-14113-1

SDG: Eddy County, New Mexico

Job ID: 880-14113-1

Laboratory: Eurofins Midland

Narrative

Job Narrative 880-14113-1

Comments

No additional comments.

Receipt

The samples were received on 4/26/2022 3:05 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 3.2° C.

Method 8021B: Surrogate recovery for the following samples were outside control limits: CS-West Bottom Hole-1 1.5' (880-14113-1), CS-West Bottom Hole-2 1.5' (880-14113-2), CS-West Bottom Hole-3 1.5' (880-14113-3), CS-West Bottom Hole-4 1.5' (880-14113-4), CS-West Bottom Hole-5 1.5' (880-14113-5), CS-West Bottom Hole-6 1.5' (880-14113-6), CS-West Bottom Hole-7 1.5' (880-14113-7), CS-West North Sidewall (880-14113-8), CS-West South Sidewall (880-14113-9), CS-West East Sidewall-1 (880-14113-10), CS-West East Sidewall-2 (880-14113-11), CS-West West Sidewall-1 (880-14113-12), CS-West West Sidewall-2 (880-14113-13), (CCV 880-25032/2), (CCV 880-25032/20), (CCV 880-25032/33), (CCV 880-25032/51), (LCS 880-25029/1-A), (LCS 880-25030/1-A), (LCS 880-2500/1-A), (MB 880-25030/5-A), (880-14112-A-20-E), (880-14137-A-4-E), (880-14137-A-4-C MS) and (880-14137-A-4-D MSD). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8021B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-25029 and 880-25030 and analytical batch 880-25032 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

GC Semi VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Organic Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Eurofins Midland 5/9/2022 Client: Charger Rentals Job ID: 880-14113-1 Project/Site: 49er (JCF6DLE501) SDG: Eddy County, New Mexico

Lab Sample ID: 880-14113-1 Client Sample ID: CS-West Bottom Hole-1 1.5'

Date Collected: 04/26/22 00:00

Matrix: Solid Date Received: 04/26/22 15:05

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|--|-------------------------|---|---------------|----------|---|--|---------------------------|
| Benzene | <0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:06 | 05/07/22 22:38 | 1 |
| Toluene | < 0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:06 | 05/07/22 22:38 | 1 |
| Ethylbenzene | <0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:06 | 05/07/22 22:38 | 1 |
| m,p-Xylenes | <0.00398 | U | 0.00398 | mg/Kg | | 05/07/22 13:06 | 05/07/22 22:38 | 1 |
| o-Xylene | <0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:06 | 05/07/22 22:38 | 1 |
| Xylenes, Total | <0.00398 | U | 0.00398 | mg/Kg | | 05/07/22 13:06 | 05/07/22 22:38 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 149 | S1+ | 70 - 130 | | | 05/07/22 13:06 | 05/07/22 22:38 | 1 |
| 1,4-Difluorobenzene (Surr) | 81 | | 70 - 130 | | | 05/07/22 13:06 | 05/07/22 22:38 | 1 |
| - Method: Total BTEX - Total B | TEX Calcula | tion | | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total BTEX | <0.00398 | U | 0.00398 | mg/Kg | | | 05/09/22 11:41 | 1 |
| Method: 8015 NM - Diesel Rar | nge Organic | s (DRO) (0 | C) | | | | | |
| Analyte | _ | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total TPH | <50.0 | U | 50.0 | mg/Kg | | | 05/02/22 12:42 | |
| _ | | | | | | | 00/02/22 12112 | Ī |
| Method: 8015B NM - Diesel R | ange Organ | ics (DRO) | (GC) | | | | 00,02,22 :2::2 | , |
| | _ | ics (DRO) Qualifier | (GC) | Unit | D | Prepared | Analyzed | Dil Fac |
| Analyte Gasoline Range Organics | _ | Qualifier | • | Unit mg/Kg | <u>D</u> | Prepared 04/27/22 08:35 | Analyzed | Dil Fac |
| Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over | Result | Qualifier U | RL | | <u>D</u> | 04/27/22 08:35 | Analyzed | Dil Fac |
| Analyte Gasoline Range Organics (GRO)-C6-C10 | <50.0 | Qualifier U | RL 50.0 | mg/Kg | <u>D</u> | 04/27/22 08:35 04/27/22 08:35 | Analyzed 04/29/22 22:42 | Dil Fac |
| Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) | Result <50.0 <50.0 | Qualifier U U U | 50.0 50.0 | mg/Kg | <u>D</u> | 04/27/22 08:35 04/27/22 08:35 | Analyzed 04/29/22 22:42 04/29/22 22:42 | Dil Fac 1 1 |
| Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36) | Result <50.0 <50.0 <50.0 | Qualifier U U U | FL 50.0 50.0 50.0 | mg/Kg | <u>D</u> | 04/27/22 08:35 04/27/22 08:35 04/27/22 08:35 Prepared | Analyzed 04/29/22 22:42 04/29/22 22:42 04/29/22 22:42 Analyzed | Dil Fac |
| Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36) Surrogate | Result <50.0 <50.0 <50.0 <50.0 | Qualifier U U U | 8L 50.0 50.0 50.0 <i>Limits</i> | mg/Kg | <u> </u> | 04/27/22 08:35 04/27/22 08:35 04/27/22 08:35 Prepared 04/27/22 08:35 | Analyzed 04/29/22 22:42 04/29/22 22:42 04/29/22 22:42 Analyzed | Dil Fac |
| Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) OII Range Organics (Over C28-C36) Surrogate 1-Chlorooctane (Surr) | Result <50.0 <50.0 <50.0 | Qualifier U U Qualifier | RL 50.0 50.0 50.0 Limits 70 - 130 70 - 130 | mg/Kg | <u>D</u> | 04/27/22 08:35 04/27/22 08:35 04/27/22 08:35 Prepared 04/27/22 08:35 | Analyzed 04/29/22 22:42 04/29/22 22:42 04/29/22 22:42 Analyzed 04/29/22 22:42 | Dil Fac 1 1 Dil Fac |
| Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) OII Range Organics (Over C28-C36) Surrogate 1-Chlorooctane (Surr) o-Terphenyl (Surr) | Result | Qualifier U U Qualifier | RL 50.0 50.0 50.0 Limits 70 - 130 70 - 130 | mg/Kg | <u>D</u> | 04/27/22 08:35 04/27/22 08:35 04/27/22 08:35 Prepared 04/27/22 08:35 | Analyzed 04/29/22 22:42 04/29/22 22:42 04/29/22 22:42 Analyzed 04/29/22 22:42 | Dil Fac 1 1 1 Dil Fac |

Client Sample ID: CS-West Bottom Hole-2 1.5' Lab Sample ID: 880-14113-2

Date Collected: 04/26/22 00:00 **Matrix: Solid** Date Received: 04/26/22 15:05

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Benzene | <0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:06 | 05/07/22 23:03 | 1 |
| Toluene | < 0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:06 | 05/07/22 23:03 | 1 |
| Ethylbenzene | <0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:06 | 05/07/22 23:03 | 1 |
| m,p-Xylenes | <0.00398 | U | 0.00398 | mg/Kg | | 05/07/22 13:06 | 05/07/22 23:03 | 1 |
| o-Xylene | < 0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:06 | 05/07/22 23:03 | 1 |
| Xylenes, Total | <0.00398 | U | 0.00398 | mg/Kg | | 05/07/22 13:06 | 05/07/22 23:03 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 153 | S1+ | 70 - 130 | | | 05/07/22 13:06 | 05/07/22 23:03 | 1 |
| 1,4-Difluorobenzene (Surr) | 86 | | 70 - 130 | | | 05/07/22 13:06 | 05/07/22 23:03 | 1 |

Client Sample Results

Client: Charger Rentals

Job ID: 880-14113-1

Project/Site: 49er (JCF6DLE501)

SDG: Eddy County, New Mexico

Client Sample ID: CS-West Bottom Hole-2 1.5'

Date Collected: 04/26/22 00:00 Date Received: 04/26/22 15:05 Lab Sample ID: 880-14113-2

Matrix: Solid

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------------|-----------------|------------|----------|-------|---|-------------------------|----------------------------|---------|
| Total BTEX | <0.00398 | U | 0.00398 | mg/Kg | | | 05/09/22 11:41 | 1 |
| Method: 8015 NM - Diesel Rar | nge Organic | s (DRO) (G | SC) | | | | | |
| Analyte | - | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total TPH | <50.0 | U | 50.0 | mg/Kg | | | 05/02/22 12:42 | 1 |
| Method: 8015B NM - Diesel Ra | ange Organ | ics (DRO) | (GC) | | | | | |
| Analyte | • | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Gasoline Range Organics | <50.0 | U | 50.0 | mg/Kg | | 04/27/22 08:35 | 04/29/22 23:04 | 1 |
| (GRO)-C6-C10 | | | | | | | | |
| Diesel Range Organics (Over | <50.0 | U | 50.0 | mg/Kg | | 04/27/22 08:35 | 04/29/22 23:04 | 1 |
| C10-C28) | | | | | | | | |
| Oll Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 04/27/22 08:35 | 04/29/22 23:04 | 1 |
| | | | | | | | | Dil Fac |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | DII Fat |
| Surrogate 1-Chlorooctane (Surr) | %Recovery 91 | Qualifier | 70 - 130 | | | Prepared 04/27/22 08:35 | Analyzed 04/29/22 23:04 | DII Fac |

RL

4.98

Unit

mg/Kg

Client Sample ID: CS-West Bottom Hole-3 1.5'

Result Qualifier

14.2

Date Collected: 04/26/22 00:00 Date Received: 04/26/22 15:05

Analyte

Chloride

Lab Sample ID: 880-14113-3

Analyzed

04/30/22 16:57

Prepared

Matrix: Solid

Dil Fac

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--|---|--|------------------------|-------------------|----------|-------------------|--|---------------------|
| Benzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:06 | 05/07/22 23:27 | 1 |
| Toluene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:06 | 05/07/22 23:27 | 1 |
| Ethylbenzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:06 | 05/07/22 23:27 | 1 |
| m,p-Xylenes | <0.00399 | U | 0.00399 | mg/Kg | | 05/07/22 13:06 | 05/07/22 23:27 | 1 |
| o-Xylene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:06 | 05/07/22 23:27 | 1 |
| Xylenes, Total | <0.00399 | U | 0.00399 | mg/Kg | | 05/07/22 13:06 | 05/07/22 23:27 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 170 | S1+ | 70 - 130 | | | 05/07/22 13:06 | 05/07/22 23:27 | 1 |
| 1,4-Difluorobenzene (Surr) | 80 | | 70 - 130 | | | 05/07/22 13:06 | 05/07/22 23:27 | 1 |
| - | | | | | | | | |
| - | | tion | | | | | | |
| Method: Total BTEX - Total | BTEX Calcula | tion Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Method: Total BTEX - Total Analyte Total BTEX | BTEX Calcula | Qualifier | RL 0.00399 | Unit mg/Kg | <u>D</u> | Prepared | Analyzed 05/09/22 11:41 | Dil Fac |
| Method: Total BTEX - Total Analyte Total BTEX | BTEX Calcula Result <0.00399 | Qualifier U | 0.00399 | | <u>D</u> | Prepared | | Dil Fac |
| Method: Total BTEX - Total Analyte Total BTEX Method: 8015 NM - Diesel R | BTEX Calcula Result <0.00399 Range Organic | Qualifier U | 0.00399 | | <u>D</u> | Prepared Prepared | | 1 |
| Method: Total BTEX - Total Analyte | BTEX Calcula Result <0.00399 Range Organic | Qualifier U | 0.00399 GC) | mg/Kg | | | 05/09/22 11:41 | Dil Fac Dil Fac 1 |
| Method: Total BTEX - Total Analyte Total BTEX Method: 8015 NM - Diesel R Analyte | BTEX Calcula Result <0.00399 Range Organic Result 164 | Qualifier U s (DRO) (C Qualifier | 0.00399 GC) RL 49.9 | mg/Kg | | | 05/09/22 11:41 Analyzed | 1 |
| Method: Total BTEX - Total Analyte Total BTEX Method: 8015 NM - Diesel R Analyte Total TPH Method: 8015B NM - Diesel | Result -0.00399 Range Organic Result 164 Range Organi | Qualifier U s (DRO) (C Qualifier | 0.00399 GC) RL 49.9 | mg/Kg | | | 05/09/22 11:41 Analyzed | Dil Fac |
| Method: Total BTEX - Total Analyte Total BTEX Method: 8015 NM - Diesel R Analyte Total TPH | Result -0.00399 Range Organic Result 164 Range Organi | Qualifier U S (DRO) (C Qualifier ics (DRO) Qualifier | 0.00399 RL 49.9 | mg/Kg Unit mg/Kg | <u>D</u> | Prepared | 05/09/22 11:41 Analyzed 05/02/22 12:42 | 1 |

Client: Charger Rentals Job ID: 880-14113-1

Project/Site: 49er (JCF6DLE501) SDG: Eddy County, New Mexico

Lab Sample ID: 880-14113-3 Client Sample ID: CS-West Bottom Hole-3 1.5'

Date Collected: 04/26/22 00:00 **Matrix: Solid** Date Received: 04/26/22 15:05

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Oll Range Organics (Over | 54.8 | | 49.9 | mg/Kg | | 04/27/22 08:35 | 04/29/22 23:25 | 1 |
| C28-C36) | | | | | | | | |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 77 | | 70 - 130 | | | 04/27/22 08:35 | 04/29/22 23:25 | 1 |
| o-Terphenyl (Surr) | 78 | | 70 - 130 | | | 04/27/22 08:35 | 04/29/22 23:25 | 1 |

| Method: 300.0 - Anions, Ion Chromatography - Soluble | | | | | | | | |
|--|----------|------------------|------|-------|---|----------|----------------|---------|
| | Analyte | Result Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| | Chloride | 14.1 | 4.99 | mg/Kg | | | 05/01/22 16:12 | 1 |

Lab Sample ID: 880-14113-4 Client Sample ID: CS-West Bottom Hole-4 1.5'

Date Collected: 04/26/22 00:00 **Matrix: Solid** Date Received: 04/26/22 15:05

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fa |
|---|--|--|---|--------------------------------------|------------------|--|--|--------|
| Benzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:06 | 05/07/22 23:52 | |
| Toluene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:06 | 05/07/22 23:52 | |
| Ethylbenzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:06 | 05/07/22 23:52 | |
| m,p-Xylenes | <0.00400 | U | 0.00400 | mg/Kg | | 05/07/22 13:06 | 05/07/22 23:52 | |
| o-Xylene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:06 | 05/07/22 23:52 | |
| Xylenes, Total | <0.00400 | U | 0.00400 | mg/Kg | | 05/07/22 13:06 | 05/07/22 23:52 | |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fa |
| 4-Bromofluorobenzene (Surr) | 161 | S1+ | 70 - 130 | | | 05/07/22 13:06 | 05/07/22 23:52 | |
| 1,4-Difluorobenzene (Surr) | 85 | | 70 - 130 | | | 05/07/22 13:06 | 05/07/22 23:52 | |
| Method: Total BTEX - Total B1 | TEX Calcula | tion | | | | | | |
| method: Total BTEX - Total B | | | RL | Unit | D | Prepared | Analyzed | Dil Fa |
| Analyte | Result | Qualifier | KL | Ullit | ט | riepaieu | Allalyzeu | ם וום |
| Total BTEX | <0.00400 | U | 0.00400 | mg/Kg | | | 05/09/22 11:41 | Бите |
| Analyte Total BTEX Method: 8015 NM - Diesel Rar Analyte | <0.00400 | U | 0.00400 | | <u>D</u> | Prepared | | |
| Total BTEX Method: 8015 NM - Diesel Rar | <0.00400 | U S (DRO) (0 | 0.00400 GC) | mg/Kg | = | | 05/09/22 11:41 | Dil Fa |
| Total BTEX Method: 8015 NM - Diesel Rar Analyte | <0.00400 nge Organic Result 52.3 | S (DRO) (O | 0.00400 SC) RL 50.0 | mg/Kg | = | | 05/09/22 11:41 Analyzed | Dil Fa |
| Total BTEX Method: 8015 NM - Diesel Rar Analyte Total TPH | <0.00400 nge Organic Result 52.3 ange Organ | S (DRO) (O | 0.00400 SC) RL 50.0 | mg/Kg | = | | 05/09/22 11:41 Analyzed | Dil Fa |
| Total BTEX Method: 8015 NM - Diesel Rar Analyte Total TPH Method: 8015B NM - Diesel Rar Analyte Gasoline Range Organics | <0.00400 nge Organic Result 52.3 ange Organ | S (DRO) (O Qualifier | 0.00400 Columbia | mg/Kg Unit mg/Kg | <u></u> <u>D</u> | Prepared | 05/09/22 11:41 Analyzed 05/02/22 12:42 Analyzed | Dil Fa |
| Total BTEX Method: 8015 NM - Diesel Rar Analyte Total TPH Method: 8015B NM - Diesel Rar Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over | <0.00400 nge Organic Result 52.3 ange Organ Result | S (DRO) (O Qualifier | 0.00400 RL 50.0 (GC) RL | mg/Kg Unit mg/Kg Unit | <u></u> <u>D</u> | Prepared Prepared 04/27/22 08:35 | 05/09/22 11:41 Analyzed 05/02/22 12:42 Analyzed | Dil Fa |
| Total BTEX Method: 8015 NM - Diesel Rar Analyte Total TPH Method: 8015B NM - Diesel Rar Analyte Gasoline Range Organics (GRO)-C6-C10 | <0.00400 nge Organic Result 52.3 ange Organ Result <50.0 | S (DRO) (O Qualifier ics (DRO) Qualifier U | 0.00400 RL 50.0 (GC) RL 50.0 | mg/Kg Unit mg/Kg Unit mg/Kg | <u></u> <u>D</u> | Prepared Prepared 04/27/22 08:35 04/27/22 08:35 | 05/09/22 11:41 Analyzed 05/02/22 12:42 Analyzed 04/29/22 23:46 | Dil Fa |
| Total BTEX Method: 8015 NM - Diesel Rar Analyte Total TPH Method: 8015B NM - Diesel Rar Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) | <0.00400 nge Organic Result 52.3 ange Organ Result <50.0 52.3 | S (DRO) (O Qualifier ics (DRO) Qualifier U | 0.00400 RL 50.0 (GC) RL 50.0 50.0 | mg/Kg Unit mg/Kg Unit mg/Kg mg/Kg | <u></u> <u>D</u> | Prepared Prepared 04/27/22 08:35 04/27/22 08:35 | 05/09/22 11:41 Analyzed 05/02/22 12:42 Analyzed 04/29/22 23:46 04/29/22 23:46 | Dil Fa |
| Total BTEX Method: 8015 NM - Diesel Rar Analyte Total TPH Method: 8015B NM - Diesel Rar Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36) | <0.00400 nge Organic Result 52.3 ange Organic Result <50.0 52.3 <50.0 | S (DRO) (O Qualifier ics (DRO) Qualifier U | 0.00400 RL 50.0 (GC) RL 50.0 50.0 50.0 | mg/Kg Unit mg/Kg Unit mg/Kg mg/Kg | <u></u> <u>D</u> | Prepared 04/27/22 08:35 04/27/22 08:35 04/27/22 08:35 | 05/09/22 11:41 Analyzed 05/02/22 12:42 Analyzed 04/29/22 23:46 04/29/22 23:46 04/29/22 23:46 | Dil Fa |

Eurofins Midland

Analyzed

04/30/22 20:44

Prepared

RL

5.00

Result Qualifier

11.7

Unit

mg/Kg

Dil Fac

Analyte

Chloride

Client Sample Results

Client: Charger Rentals Job ID: 880-14113-1 Project/Site: 49er (JCF6DLE501) SDG: Eddy County, New Mexico

Client Sample ID: CS-West Bottom Hole-5 1.5'

Date Collected: 04/26/22 00:00 Date Received: 04/26/22 15:05

Lab Sample ID: 880-14113-5

05/07/22 13:06 05/08/22 00:17

Matrix: Solid

| Method: 8021B - Volatile O | rganic Compo | unds (GC) | | | | | | |
|-----------------------------|--------------|-----------|----------|-------|---|----------------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Benzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:06 | 05/08/22 00:17 | 1 |
| Toluene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:06 | 05/08/22 00:17 | 1 |
| Ethylbenzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:06 | 05/08/22 00:17 | 1 |
| m,p-Xylenes | <0.00401 | U | 0.00401 | mg/Kg | | 05/07/22 13:06 | 05/08/22 00:17 | 1 |
| o-Xylene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:06 | 05/08/22 00:17 | 1 |
| Xylenes, Total | <0.00401 | U | 0.00401 | mg/Kg | | 05/07/22 13:06 | 05/08/22 00:17 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 164 | S1+ | 70 - 130 | | | 05/07/22 13:06 | 05/08/22 00:17 | 1 |

Method: Total BTEX - Total BTEX Calculation

1,4-Difluorobenzene (Surr)

Analyte Result Qualifier Unit D Dil Fac RL **Prepared** Analyzed Total BTEX <0.00401 U 0.00401 mg/Kg 05/09/22 11:41

70 - 130

| Method: 8015 NM - Diesel Rang | ge Organics | s (DRO) (G | C) | | | | | |
|-------------------------------|-------------|------------|------|-------|---|----------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total TPH | <49.9 | U | 49.9 | mg/Kg | | | 05/02/22 12:42 | 1 |

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | KL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------------|-----------|-----------|---------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics | <49.9 | U | 49.9 | mg/Kg | | 04/27/22 08:35 | 04/30/22 00:07 | 1 |
| (GRO)-C6-C10 | | | | | | | | |
| Diesel Range Organics (Over | <49.9 | U | 49.9 | mg/Kg | | 04/27/22 08:35 | 04/30/22 00:07 | 1 |
| C10-C28) | | | | | | | | |
| Oll Range Organics (Over C28-C36) | <49.9 | U | 49.9 | mg/Kg | | 04/27/22 08:35 | 04/30/22 00:07 | 1 |
| | | | | | | | | |
| Surrogato | %Pocovory | Ouglifion | l imite | | | Propored | Analyzod | Dil Eac |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------|-----------|-----------|----------|------------------|---------------|---------|
| 1-Chlorooctane (Surr) | 69 | S1- | 70 - 130 | 04/27/22 08:35 0 | 4/30/22 00:07 | 1 |
| o-Terphenyl (Surr) | 70 | | 70 - 130 | 04/27/22 08:35 0 | 4/30/22 00:07 | 1 |
| | | | | | | |

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte Result Qualifier RL Unit Prepared Analyzed 4.99 Chloride 14.0 mg/Kg 04/30/22 20:53

Client Sample ID: CS-West Bottom Hole-6 1.5'

Lab Sample ID: 880-14113-6 Date Collected: 04/26/22 00:00 Date Received: 04/26/22 15:05

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Benzene | <0.00201 | U | 0.00201 | mg/Kg | | 05/07/22 13:06 | 05/08/22 00:42 | 1 |
| Toluene | <0.00201 | U | 0.00201 | mg/Kg | | 05/07/22 13:06 | 05/08/22 00:42 | 1 |
| Ethylbenzene | <0.00201 | U | 0.00201 | mg/Kg | | 05/07/22 13:06 | 05/08/22 00:42 | 1 |
| m,p-Xylenes | <0.00402 | U | 0.00402 | mg/Kg | | 05/07/22 13:06 | 05/08/22 00:42 | 1 |
| o-Xylene | <0.00201 | U | 0.00201 | mg/Kg | | 05/07/22 13:06 | 05/08/22 00:42 | 1 |
| Xylenes, Total | <0.00402 | U | 0.00402 | mg/Kg | | 05/07/22 13:06 | 05/08/22 00:42 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 172 | S1+ | 70 - 130 | | | 05/07/22 13:06 | 05/08/22 00:42 | 1 |
| 1,4-Difluorobenzene (Surr) | 81 | | 70 - 130 | | | 05/07/22 13:06 | 05/08/22 00:42 | 1 |

Eurofins Midland

Matrix: Solid

Date Received: 04/26/22 15:05

Client Sample Results

Client: Charger Rentals Job ID: 880-14113-1 Project/Site: 49er (JCF6DLE501) SDG: Eddy County, New Mexico

Client Sample ID: CS-West Bottom Hole-6 1.5'

Date Collected: 04/26/22 00:00

Lab Sample ID: 880-14113-6

Matrix: Solid

| Method: Total | BTEX - Total | BTEX Calcu | ulation |
|---------------|--------------|------------|---------|
| Amalusta | | Daa | 0 |

RL Unit Qualifier D Prepared Analyzed Dil Fac Analyte Result 0.00402 05/09/22 11:41 Total BTEX <0.00402 U mg/Kg

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Result Qualifier RL Unit D Analyte Prepared Analyzed Dil Fac <50.0 U Total TPH 50.0 mg/Kg 05/02/22 12:42

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Result Qualifier RL Unit D Prepared Dil Fac Analyte Analyzed <50.0 U 50.0 04/27/22 08:35 04/30/22 00:28 Gasoline Range Organics mg/Kg (GRO)-C6-C10 Diesel Range Organics (Over <50.0 U 50.0 mg/Kg 04/27/22 08:35 04/30/22 00:28 C10-C28) Oll Range Organics (Over C28-C36) <50.0 U 50.0 mg/Kg 04/27/22 08:35 04/30/22 00:28

Surrogate %Recovery Qualifier Limits Prepared Analyzed Dil Fac 1-Chlorooctane (Surr) 75 70 - 130 o-Terphenyl (Surr) 79 70 - 130 04/27/22 08:35 04/30/22 00:28

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte Result Qualifier RL Unit Prepared Analyzed Dil Fac 5.04 04/30/22 21:20 Chloride 12.7 mg/Kg

Client Sample ID: CS-West Bottom Hole-7 1.5'

Lab Sample ID: 880-14113-7 Date Collected: 04/26/22 00:00 Matrix: Solid

Date Received: 04/26/22 15:05

Method: 8021B - Volatile Organic Compounds (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|----------|-----------|---------|-------|---|----------------|----------------|---------|
| Benzene | <0.00202 | U | 0.00202 | mg/Kg | | 05/07/22 13:06 | 05/08/22 02:22 | 1 |
| Toluene | <0.00202 | U | 0.00202 | mg/Kg | | 05/07/22 13:06 | 05/08/22 02:22 | 1 |
| Ethylbenzene | <0.00202 | U | 0.00202 | mg/Kg | | 05/07/22 13:06 | 05/08/22 02:22 | 1 |
| m,p-Xylenes | <0.00403 | U | 0.00403 | mg/Kg | | 05/07/22 13:06 | 05/08/22 02:22 | 1 |
| o-Xylene | <0.00202 | U | 0.00202 | mg/Kg | | 05/07/22 13:06 | 05/08/22 02:22 | 1 |
| Xylenes, Total | <0.00403 | U | 0.00403 | mg/Kg | | 05/07/22 13:06 | 05/08/22 02:22 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|-------------------------------|---------|
| 4-Bromofluorobenzene (Surr) | 165 | S1+ | 70 - 130 | 05/07/22 13:06 05/08/22 02:22 | 1 |
| 1,4-Difluorobenzene (Surr) | 87 | | 70 - 130 | 05/07/22 13:06 | 1 |

Method: Total BTEX - Total BTEX Calculation

Released to Imaging: 12/16/2022 10:56:19 AM

Analyte Result Qualifier RL Unit D Analyzed Dil Fac Prepared <0.00403 U Total BTEX 0.00403 05/09/22 11:41 mg/Kg

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte Result Qualifier RL Unit D Prepared Analyzed Dil Fac Total TPH <49.9 U 05/02/22 12:42 49.9 mg/Kg

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics | <49.9 | U | 49.9 | mg/Kg | | 04/27/22 08:35 | 04/30/22 01:11 | 1 |
| (GRO)-C6-C10 | | | | | | | | |
| Diesel Range Organics (Over | <49.9 | U | 49.9 | mg/Kg | | 04/27/22 08:35 | 04/30/22 01:11 | 1 |
| C10-C28) | | | | | | | | |

Client Sample ID: CS-West Bottom Hole-7 1.5'

Lab Sample ID: 880-14113-7

Date Collected: 04/26/22 00:00 Matrix: Solid
Date Received: 04/26/22 15:05

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Oll Range Organics (Over C28-C36) | <49.9 | U | 49.9 | mg/Kg | | 04/27/22 08:35 | 04/30/22 01:11 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 84 | | 70 - 130 | | | 04/27/22 08:35 | 04/30/22 01:11 | 1 |
| o-Terphenyl (Surr) | 84 | | 70 - 130 | | | 04/27/22 08:35 | 04/30/22 01:11 | 1 |

| Method: 300.0 - Anions, Ion Chro | matography - S | Soluble | | | | | |
|----------------------------------|-----------------|---------|-------|---|----------|----------------|---------|
| Analyte | Result Qualifie | er RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Chloride | 18.3 | 4.99 | mg/Kg | | | 04/30/22 21:30 | 1 |

Client Sample ID: CS-West North Sidewall

Lab Sample ID: 880-14113-8

Date Collected: 04/26/22 00:00
Date Received: 04/26/22 15:05

| Method: 8021B - Volatile O | rganic Compo | unds (GC) | | | | | | |
|-----------------------------|---------------|------------|----------|-------|---|----------------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Benzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:06 | 05/08/22 02:47 | 1 |
| Toluene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:06 | 05/08/22 02:47 | 1 |
| Ethylbenzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:06 | 05/08/22 02:47 | 1 |
| m,p-Xylenes | < 0.00399 | U | 0.00399 | mg/Kg | | 05/07/22 13:06 | 05/08/22 02:47 | 1 |
| o-Xylene | < 0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:06 | 05/08/22 02:47 | 1 |
| Xylenes, Total | <0.00399 | U | 0.00399 | mg/Kg | | 05/07/22 13:06 | 05/08/22 02:47 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 165 | S1+ | 70 - 130 | | | 05/07/22 13:06 | 05/08/22 02:47 | 1 |
| 1,4-Difluorobenzene (Surr) | 83 | | 70 - 130 | | | 05/07/22 13:06 | 05/08/22 02:47 | 1 |
| Method: Total BTEX - Total | BTEX Calcula | tion | | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total BTEX | <0.00399 | U | 0.00399 | mg/Kg | | | 05/09/22 11:41 | 1 |
| Method: 8015 NM - Diesel | Range Organic | s (DRO) (0 | GC) | | | | | |
| Analyte | | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| , in any to | | | | | | | | |

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|------------|-----------|----------|-------|---|----------------|----------------|---------|
| Total TPH | <50.0 | U | 50.0 | mg/Kg | | | 05/02/22 12:42 | • |
| Method: 8015B NM - Diesel Ra | ange Organ | ics (DRO) | (GC) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Gasoline Range Organics (GRO)-C6-C10 | <50.0 | U | 50.0 | mg/Kg | | 04/27/22 08:35 | 04/30/22 01:32 | 1 |
| Diesel Range Organics (Over C10-C28) | <50.0 | U | 50.0 | mg/Kg | | 04/27/22 08:35 | 04/30/22 01:32 | 1 |
| Oll Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 04/27/22 08:35 | 04/30/22 01:32 | |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 95 | | 70 - 130 | | | 04/27/22 08:35 | 04/30/22 01:32 | 1 |
| o-Terphenyl (Surr) | 99 | | 70 - 130 | | | 04/27/22 08:35 | 04/30/22 01:32 | 1 |

RL

4.95

Unit

mg/Kg

Prepared

Eurofins Midland

Analyzed

04/30/22 21:39

Result Qualifier

15.7

Dil Fac

Analyte

Chloride

3

<u>ح</u>

8

9

11

Matrix: Solid

13

14

Client Sample ID: CS-West South Sidewall

Date Collected: 04/26/22 00:00 Date Received: 04/26/22 15:05 Lab Sample ID: 880-14113-9

Matrix: Solid

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Benzene | <0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:06 | 05/08/22 03:12 | 1 |
| Toluene | < 0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:06 | 05/08/22 03:12 | 1 |
| Ethylbenzene | <0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:06 | 05/08/22 03:12 | 1 |
| m,p-Xylenes | <0.00398 | U | 0.00398 | mg/Kg | | 05/07/22 13:06 | 05/08/22 03:12 | 1 |
| o-Xylene | < 0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:06 | 05/08/22 03:12 | 1 |
| Xylenes, Total | <0.00398 | U | 0.00398 | mg/Kg | | 05/07/22 13:06 | 05/08/22 03:12 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 152 | S1+ | 70 - 130 | | | 05/07/22 13:06 | 05/08/22 03:12 | 1 |
| 1,4-Difluorobenzene (Surr) | 80 | | 70 - 130 | | | 05/07/22 13:06 | 05/08/22 03:12 | 1 |

Method: Total BTEX - Total BTEX Calculation

 Analyte
 Result
 Qualifier
 RL
 Unit
 D
 Prepared
 Analyzed
 Dil Fac

 Total BTEX
 <0.00398</td>
 U
 0.00398
 mg/Kg
 D
 Prepared
 Analyzed
 Dil Fac

| Method: 8015 NM - Diesei Rang | ge Organics (| (DRO) (GC) | | | | | |
|-------------------------------|---------------|-------------|-------|---|----------|----------------|---------|
| Analyte | Result Q | ualifier RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total TPH | <50.0 U | 50.0 | mg/Kg | | | 05/02/22 12:42 | 1 |

| Method: 8015B NM - Diese | Range Organics (DRO) (GC) |
|--------------------------|---------------------------|
| | 5 11 6 11 6 |

| Α | nalyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----|----------------------------------|--------|-----------|------|-------|---|----------------|----------------|---------|
| G | Sasoline Range Organics | <50.0 | U | 50.0 | mg/Kg | | 04/27/22 08:35 | 04/30/22 01:53 | 1 |
| (0 | GRO)-C6-C10 | | | | | | | | |
| D | iesel Range Organics (Over | <50.0 | U | 50.0 | mg/Kg | | 04/27/22 08:35 | 04/30/22 01:53 | 1 |
| C | :10-C28) | | | | | | | | |
| C | II Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 04/27/22 08:35 | 04/30/22 01:53 | 1 |
| | | | | | | | | | |

| Surrogate | %Recovery | Qualifier | Limits | Prepared Analyzed | Dil Fac |
|-----------------------|-----------|-----------|----------|-------------------------------|---------|
| 1-Chlorooctane (Surr) | 89 | | 70 - 130 | 04/27/22 08:35 04/30/22 01:53 | 1 |
| o-Terphenyl (Surr) | 94 | | 70 - 130 | 04/27/22 08:35 04/30/22 01:53 | 1 |

Method: 300.0 - Anions, Ion Chromatography - Soluble

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|--------|-----------|------|-------|---|----------|----------------|---------|
| Chloride | 9.41 | | 4.95 | mg/Kg | | | 04/30/22 21:48 | 1 |

Client Sample ID: CS-West East Sidewall-1

Date Collected: 04/26/22 00:00 Date Received: 04/26/22 15:05 Lab Sample ID: 880-14113-10

Matrix: Solid

| Method: 8021B - Volatile O | rganic Compo | unds (GC) | | | | | | |
|-----------------------------|--------------|-----------|----------|-------|---|----------------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Benzene | <0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:06 | 05/08/22 03:37 | 1 |
| Toluene | < 0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:06 | 05/08/22 03:37 | 1 |
| Ethylbenzene | < 0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:06 | 05/08/22 03:37 | 1 |
| m,p-Xylenes | <0.00398 | U | 0.00398 | mg/Kg | | 05/07/22 13:06 | 05/08/22 03:37 | 1 |
| o-Xylene | < 0.00199 | U | 0.00199 | mg/Kg | | 05/07/22 13:06 | 05/08/22 03:37 | 1 |
| Xylenes, Total | <0.00398 | U | 0.00398 | mg/Kg | | 05/07/22 13:06 | 05/08/22 03:37 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 163 | S1+ | 70 - 130 | | | 05/07/22 13:06 | 05/08/22 03:37 | 1 |

Eurofins Midland

70 - 130

79

1,4-Difluorobenzene (Surr)

2

4

6

8

10

12

13

14

Client Sample ID: CS-West East Sidewall-1

Method: Total BTEX - Total BTEX Calculation

Date Collected: 04/26/22 00:00 Date Received: 04/26/22 15:05 Lab Sample ID: 880-14113-10

Matrix: Solid

| Analyte Total BTEX | Result <0.00398 | Qualifier U | RL 0.00398 | Unit mg/Kg | _ <u>D</u> | Prepared | Analyzed 05/09/22 11:41 | Dil Fac |
|-------------------------------|------------------------|-------------|---------------|---------------|------------|----------|-------------------------|---------|
| Method: 8015 NM - Diesel Rang | je Organic | s (DRO) (0 | GC) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total TPH | <50.0 | U | 50.0 | mg/Kg | | | 05/02/22 12:42 | 1 |

| Method: 8015B NM - Diesel Ranalyte | • | Qualifier | (GC) RL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|-----------|-----------|------------|-------|-----|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <50.0 | | 50.0 | mg/Kg | _ = | | | 1 |
| Diesel Range Organics (Over C10-C28) | <50.0 | U | 50.0 | mg/Kg | | 04/27/22 08:35 | 04/30/22 02:15 | 1 |
| Oll Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 04/27/22 08:35 | 04/30/22 02:15 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 83 | | 70 - 130 | | | 04/27/22 08:35 | 04/30/22 02:15 | 1 |
| o-Terphenyl (Surr) | 91 | | 70 - 130 | | | 04/27/22 08:35 | 04/30/22 02:15 | 1 |

| Method: 300.0 - Anions, Ion Chromatography - Soluble | | | | | | | | | |
|--|----------|--------|-----------|------|-------|---|----------|----------------|---------|
| | Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| | Chloride | 13.2 | | 4.97 | mg/Kg | | | 04/30/22 21:57 | 1 |

Client Sample ID: CS-West East Sidewall-2

Date Collected: 04/26/22 00:00 Date Received: 04/26/22 15:05

Lab Sample ID: 880-14113-11 **Matrix: Solid**

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|--|--|------------------------------------|----------------------------|----------------------|-------------------|--|---------|
| Benzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:06 | 05/08/22 04:02 | 1 |
| Toluene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:06 | 05/08/22 04:02 | 1 |
| Ethylbenzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:06 | 05/08/22 04:02 | 1 |
| m,p-Xylenes | <0.00399 | U | 0.00399 | mg/Kg | | 05/07/22 13:06 | 05/08/22 04:02 | 1 |
| o-Xylene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:06 | 05/08/22 04:02 | 1 |
| Xylenes, Total | <0.00399 | U | 0.00399 | mg/Kg | | 05/07/22 13:06 | 05/08/22 04:02 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 167 | S1+ | 70 - 130 | | | 05/07/22 13:06 | 05/08/22 04:02 | 1 |
| 1,4-Difluorobenzene (Surr) | 81 | | 70 - 130 | | | 05/07/22 12:06 | 05/08/22 04:02 | 1 |
| Method: Total BTEX - Tota | | tion | 70 - 130 | | | 03/01/22 13.00 | 00/00/22 04.02 | |
| Method: Total BTEX - Tota | I BTEX Calcula | tion Qualifier | 70 - 730 RL | Unit | D | | | Dil Fac |
| Method: Total BTEX - Tota Analyte | I BTEX Calcula | Qualifier | | <mark>Unit</mark> mg/Kg | <u>D</u> | Prepared | Analyzed 05/09/22 11:41 | Dil Fac |
| Method: Total BTEX - Tota Analyte Total BTEX Method: 8015 NM - Diesel | I BTEX Calcula Result <0.00399 Range Organic | Qualifier U | RL 0.00399 | mg/Kg | _ = | Prepared | Analyzed 05/09/22 11:41 | 1 |
| Method: Total BTEX - Tota Analyte Total BTEX Method: 8015 NM - Diesel Analyte | I BTEX Calcula Result <0.00399 Range Organic Result | Qualifier U s (DRO) (Qualifier | RL 0.00399 | mg/Kg | <u>D</u> | | Analyzed | Dil Fac |
| Method: Total BTEX - Tota Analyte Total BTEX Method: 8015 NM - Diesel Analyte | I BTEX Calcula Result <0.00399 Range Organic | Qualifier U s (DRO) (Qualifier | RL 0.00399 GC) RL | mg/Kg | _ = | Prepared | Analyzed 05/09/22 11:41 Analyzed | 1 |
| Method: Total BTEX - Tota Analyte Total BTEX Method: 8015 NM - Diesel Analyte Total TPH | Range Organic Result 49.9 | Qualifier U S (DRO) (O Qualifier U | RL 0.00399 GC) RL 49.9 | mg/Kg | _ = | Prepared | Analyzed 05/09/22 11:41 Analyzed | 1 |
| Method: Total BTEX - Tota Analyte Total BTEX Method: 8015 NM - Diesel Analyte Total TPH Method: 8015B NM - Diese | Range Organic Result 49.9 I Range Organic | Qualifier U S (DRO) (O Qualifier U | RL 0.00399 GC) RL 49.9 | mg/Kg | _ = | Prepared | Analyzed 05/09/22 11:41 Analyzed | Dil Fac |
| • ′ ′ ′ ′ ′ ′ ′ ′ ′ ′ ′ ′ ′ ′ ′ ′ ′ ′ ′ | Range Organic Result 49.9 I Range Organic | Qualifier U S (DRO) (O Qualifier U ics (DRO) Qualifier | RL 0.00399 GC) RL 49.9 | mg/Kg Unit mg/Kg | <u>-</u> <u>D</u> | Prepared Prepared | Analyzed 05/09/22 11:41 Analyzed 05/02/22 12:42 | 1 |

Client Sample ID: CS-West East Sidewall-2 Lab Sample ID: 880-14113-11

Date Collected: 04/26/22 00:00 **Matrix: Solid** Date Received: 04/26/22 15:05

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Oll Range Organics (Over C28-C36) | <49.9 | U | 49.9 | mg/Kg | | 04/27/22 08:35 | 04/30/22 02:36 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 107 | | 70 - 130 | | | 04/27/22 08:35 | 04/30/22 02:36 | 1 |
| o-Terphenyl (Surr) | 101 | | 70 - 130 | | | 04/27/22 08:35 | 04/30/22 02:36 | 1 |

Method: 300.0 - Anions, Ion Chromatography - Soluble Result Qualifier RL Unit D **Prepared** Analyzed Dil Fac Chloride 14.2 4.99 mg/Kg 04/30/22 22:06

Client Sample ID: CS-West West Sidewall-1 Lab Sample ID: 880-14113-12

Date Collected: 04/26/22 00:00 **Matrix: Solid**

Date Received: 04/26/22 15:05

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|----------------|-----------|----------|-------|---|----------------|----------------|---------|
| Benzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:06 | 05/08/22 04:27 | 1 |
| Toluene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:06 | 05/08/22 04:27 | 1 |
| Ethylbenzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:06 | 05/08/22 04:27 | 1 |
| m,p-Xylenes | <0.00400 | U | 0.00400 | mg/Kg | | 05/07/22 13:06 | 05/08/22 04:27 | 1 |
| o-Xylene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:06 | 05/08/22 04:27 | 1 |
| Xylenes, Total | <0.00400 | U | 0.00400 | mg/Kg | | 05/07/22 13:06 | 05/08/22 04:27 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 175 | S1+ | 70 - 130 | | | 05/07/22 13:06 | 05/08/22 04:27 | 1 |
| 1,4-Difluorobenzene (Surr) | 81 | | 70 - 130 | | | 05/07/22 13:06 | 05/08/22 04:27 | 1 |
| Method: Total BTEX - Tota | I BTEX Calcula | tion | | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total BTEX | <0.00400 | П | 0.00400 | mg/Kg | | | 05/09/22 11:41 | 1 |

| Total TPH | <50.0 | U | 50.0 | mg/Kg | | | 05/02/22 12:42 | 1 |
|---|------------|-----------|----------|-------|---|----------------|----------------|---------|
| - Method: 8015B NM - Diesel Ra | ange Organ | ics (DRO) | (GC) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Gasoline Range Organics (GRO)-C6-C10 | <50.0 | U | 50.0 | mg/Kg | | 04/27/22 08:35 | 04/30/22 02:57 | 1 |
| Diesel Range Organics (Over C10-C28) | <50.0 | U | 50.0 | mg/Kg | | 04/27/22 08:35 | 04/30/22 02:57 | , |
| OII Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 04/27/22 08:35 | 04/30/22 02:57 | |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 79 | | 70 - 130 | | | 04/27/22 08:35 | 04/30/22 02:57 | 1 |
| o-Terphenyl (Surr) | 81 | | 70 - 130 | | | 04/27/22 08:35 | 04/30/22 02:57 | 1 |

RL

5.00

Unit

mg/Kg

Prepared

Eurofins Midland

Analyzed

04/30/22 22:34

Result Qualifier

12.4

Dil Fac

Analyte

Chloride

Client Sample ID: CS-West West Sidewall-2 Lab Sample ID: 880-14113-13

Date Collected: 04/26/22 00:00 **Matrix: Solid**

Date Received: 04/26/22 15:05

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|---|--|--|--------------------------|----------|---|---|-----------------------------|
| Benzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:06 | 05/08/22 04:52 | 1 |
| Toluene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:06 | 05/08/22 04:52 | 1 |
| Ethylbenzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:06 | 05/08/22 04:52 | 1 |
| m,p-Xylenes | <0.00401 | U | 0.00401 | mg/Kg | | 05/07/22 13:06 | 05/08/22 04:52 | 1 |
| o-Xylene | <0.00200 | U | 0.00200 | mg/Kg | | 05/07/22 13:06 | 05/08/22 04:52 | 1 |
| Xylenes, Total | <0.00401 | U | 0.00401 | mg/Kg | | 05/07/22 13:06 | 05/08/22 04:52 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 178 | S1+ | 70 - 130 | | | 05/07/22 13:06 | 05/08/22 04:52 | 1 |
| 1,4-Difluorobenzene (Surr) | 80 | | 70 - 130 | | | 05/07/22 13:06 | 05/08/22 04:52 | 1 |
| Method: Total BTEX - Total B | TEX Calcula | tion | | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total BTEX | <0.00401 | U | 0.00401 | mg/Kg | | | 05/09/22 11:41 | 1 |
| | • | | • | 11.24 | _ | Burner | A | D'! E |
| | • | | • | Unit | D | Prenared | Analyzed | Dil Fac |
| Analyte | • | Qualifier | RL 50.0 | Unit mg/Kg | <u>D</u> | Prepared | Analyzed 05/02/22 12:42 | Dil Fac |
| Analyte Total TPH | Result < 50.0 | Qualifier U | RL 50.0 | | <u>D</u> | Prepared | | Dil Fac |
| Analyte Total TPH Method: 8015B NM - Diesel R | Result <50.0 | Qualifier U | RL 50.0 | mg/Kg | _ = | | 05/02/22 12:42 | 1 |
| Analyte Fotal TPH Method: 8015B NM - Diesel R Analyte | Result <50.0 | Qualifier U ics (DRO) Qualifier | RL 50.0 | mg/Kg | <u>D</u> | Prepared | 05/02/22 12:42 Analyzed | 1 Dil Fac |
| Analyte Total TPH Method: 8015B NM - Diesel R Analyte Gasoline Range Organics | Result <50.0 | Qualifier U ics (DRO) Qualifier | RL 50.0 | mg/Kg | _ = | | 05/02/22 12:42 | 1 |
| Analyte Total TPH Method: 8015B NM - Diesel R Analyte Gasoline Range Organics (GRO)-C6-C10 | Result <50.0 | Qualifier U ics (DRO) Qualifier U | RL 50.0 | mg/Kg | _ = | Prepared 04/27/22 08:35 | 05/02/22 12:42 Analyzed | 1 Dil Fac |
| Analyte Total TPH Method: 8015B NM - Diesel R Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over | Result <50.0 ange Organ Result <50.0 | Qualifier U ics (DRO) Qualifier U | RL 50.0 (GC) RL 50.0 | mg/Kg Unit mg/Kg | _ = | Prepared 04/27/22 08:35 | 05/02/22 12:42 Analyzed 04/30/22 03:19 | Dil Fac |
| Analyte Total TPH Method: 8015B NM - Diesel R Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) | Result <50.0 ange Organ Result <50.0 | Qualifier U ics (DRO) Qualifier U | RL 50.0 (GC) RL 50.0 | mg/Kg Unit mg/Kg | _ = | Prepared 04/27/22 08:35 04/27/22 08:35 | 05/02/22 12:42 Analyzed 04/30/22 03:19 | Dil Fac |
| Analyte Total TPH Method: 8015B NM - Diesel R Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36) | Result <50.0 | Qualifier U ics (DRO) Qualifier U U | RL 50.0 (GC) RL 50.0 50.0 | mg/Kg Unit mg/Kg mg/Kg | _ = | Prepared 04/27/22 08:35 04/27/22 08:35 | 05/02/22 12:42 Analyzed 04/30/22 03:19 04/30/22 03:19 | 1 Dil Fac |
| Analyte Total TPH Method: 8015B NM - Diesel R Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) OII Range Organics (Over C28-C36) Surrogate | Result <50.0 ange Organ Result <50.0 <50.0 <50.0 | Qualifier U ics (DRO) Qualifier U U | RL 50.0 (GC) RL 50.0 50.0 50.0 | mg/Kg Unit mg/Kg mg/Kg | _ = | Prepared 04/27/22 08:35 04/27/22 08:35 | 05/02/22 12:42 Analyzed 04/30/22 03:19 04/30/22 03:19 04/30/22 03:19 | 1 Dil Fac |
| Analyte Total TPH Method: 8015B NM - Diesel R Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) OII Range Organics (Over C28-C36) Surrogate 1-Chlorooctane (Surr) | Result <50.0 | Qualifier U ics (DRO) Qualifier U U | RL 50.0 (GC) RL 50.0 50.0 50.0 Limits | mg/Kg Unit mg/Kg mg/Kg | _ = | Prepared 04/27/22 08:35 04/27/22 08:35 04/27/22 08:35 Prepared 04/27/22 08:35 | Analyzed 04/30/22 03:19 04/30/22 03:19 04/30/22 03:19 Analyzed | 1 Dil Fac |
| Analyte Total TPH Method: 8015B NM - Diesel R Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) OII Range Organics (Over C28-C36) Surrogate 1-Chlorooctane (Surr) o-Terphenyl (Surr) | Result <50.0 | Qualifier U ics (DRO) Qualifier U U Qualifier | RL 50.0 (GC) RL 50.0 50.0 50.0 Limits 70 - 130 70 - 130 | mg/Kg Unit mg/Kg mg/Kg | _ = | Prepared 04/27/22 08:35 04/27/22 08:35 04/27/22 08:35 Prepared 04/27/22 08:35 | 05/02/22 12:42 Analyzed 04/30/22 03:19 04/30/22 03:19 Analyzed 04/30/22 03:19 | 1 1 Dil Fac |
| Method: 8015 NM - Diesel Rai Analyte Total TPH Method: 8015B NM - Diesel R Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) OII Range Organics (Over C28-C36) Surrogate 1-Chlorooctane (Surr) o-Terphenyl (Surr) Method: 300.0 - Anions, Ion C Analyte | Result <50.0 | Qualifier U ics (DRO) Qualifier U U Qualifier | RL 50.0 (GC) RL 50.0 50.0 50.0 Limits 70 - 130 70 - 130 | mg/Kg Unit mg/Kg mg/Kg | _ = | Prepared 04/27/22 08:35 04/27/22 08:35 04/27/22 08:35 Prepared 04/27/22 08:35 | 05/02/22 12:42 Analyzed 04/30/22 03:19 04/30/22 03:19 Analyzed 04/30/22 03:19 | 1 Dil Fac 1 1 1 Dil Fac 1 1 |

Surrogate Summary

Client: Charger Rentals Job ID: 880-14113-1 Project/Site: 49er (JCF6DLE501) SDG: Eddy County, New Mexico

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid Prep Type: Total/NA

| | | BFB1 | Percer DFBZ1 | t Surrogate Recovery (Acceptance Limits) |
|--------------------|----------------------------|----------|-----------------|--|
| | | | | |
| Lab Sample ID | Client Sample ID | (70-130) | (70-130) | |
| 880-14113-1 | CS-West Bottom Hole-1 1.5' | 149 S1+ | 81 | |
| 880-14113-2 | CS-West Bottom Hole-2 1.5' | 153 S1+ | 86 | |
| 880-14113-3 | CS-West Bottom Hole-3 1.5' | 170 S1+ | 80 | |
| 880-14113-4 | CS-West Bottom Hole-4 1.5' | 161 S1+ | 85 | |
| 880-14113-5 | CS-West Bottom Hole-5 1.5' | 164 S1+ | 85 | |
| 880-14113-6 | CS-West Bottom Hole-6 1.5' | 172 S1+ | 81 | |
| 880-14113-7 | CS-West Bottom Hole-7 1.5' | 165 S1+ | 87 | |
| 880-14113-8 | CS-West North Sidewall | 165 S1+ | 83 | |
| 880-14113-9 | CS-West South Sidewall | 152 S1+ | 80 | |
| 880-14113-10 | CS-West East Sidewall-1 | 163 S1+ | 79 | |
| 880-14113-11 | CS-West East Sidewall-2 | 167 S1+ | 81 | |
| 880-14113-12 | CS-West West Sidewall-1 | 175 S1+ | 81 | |
| 880-14113-13 | CS-West West Sidewall-2 | 178 S1+ | 80 | |
| LCS 880-25029/1-A | Lab Control Sample | 183 S1+ | 87 | |
| LCS 880-25030/1-A | Lab Control Sample | 192 S1+ | 77 | |
| LCSD 880-25030/2-A | Lab Control Sample Dup | 190 S1+ | 90 | |
| MB 880-25029/5-A | Method Blank | 130 | 72 | |
| Surrogate Legend | | | | |

DFBZ = 1,4-Difluorobenzene (Surr)

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid Prep Type: Total/NA

| | | | Perc | ent Surrogate Recovery (Acceptance Limits) |
|--------------------|----------------------------|----------|----------|--|
| | | 1CO1 | OTPH1 | |
| Lab Sample ID | Client Sample ID | (70-130) | (70-130) | |
| 880-14113-1 | CS-West Bottom Hole-1 1.5' | 70 | 70 | |
| 880-14113-2 | CS-West Bottom Hole-2 1.5' | 91 | 88 | |
| 880-14113-3 | CS-West Bottom Hole-3 1.5' | 77 | 78 | |
| 880-14113-4 | CS-West Bottom Hole-4 1.5' | 73 | 79 | |
| 880-14113-5 | CS-West Bottom Hole-5 1.5' | 69 S1- | 70 | |
| 880-14113-6 | CS-West Bottom Hole-6 1.5' | 75 | 79 | |
| 880-14113-7 | CS-West Bottom Hole-7 1.5' | 84 | 84 | |
| 880-14113-8 | CS-West North Sidewall | 95 | 99 | |
| 880-14113-9 | CS-West South Sidewall | 89 | 94 | |
| 880-14113-10 | CS-West East Sidewall-1 | 83 | 91 | |
| 880-14113-11 | CS-West East Sidewall-2 | 107 | 101 | |
| 880-14113-12 | CS-West West Sidewall-1 | 79 | 81 | |
| 880-14113-13 | CS-West West Sidewall-2 | 71 | 71 | |
| LCS 880-24289/2-A | Lab Control Sample | 126 | 133 S1+ | |
| LCSD 880-24289/3-A | Lab Control Sample Dup | 125 | 134 S1+ | |
| MB 880-24289/1-A | Method Blank | 120 | 149 S1+ | |

Surrogate Legend

1CO = 1-Chlorooctane (Surr)

OTPH = o-Terphenyl (Surr)

Client: Charger Rentals

Project/Site: 49er (JCF6DLE501)

Job ID: 880-14113-1

SDG: Eddy County, New Mexico

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-25029/5-A

Lab Sample ID: LCS 880-25029/1-A

Matrix: Solid

Analysis Batch: 25032

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 25029

| | МВ | МВ | | | | | | |
|----------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Benzene | <0.000400 | U | 0.000400 | mg/Kg | | 05/07/22 13:06 | 05/07/22 20:28 | 1 |
| Toluene | <0.000400 | U | 0.000400 | mg/Kg | | 05/07/22 13:06 | 05/07/22 20:28 | 1 |
| Ethylbenzene | <0.000400 | U | 0.000400 | mg/Kg | | 05/07/22 13:06 | 05/07/22 20:28 | 1 |
| m,p-Xylenes | <0.000800 | U | 0.000800 | mg/Kg | | 05/07/22 13:06 | 05/07/22 20:28 | 1 |
| o-Xylene | <0.000400 | U | 0.000400 | mg/Kg | | 05/07/22 13:06 | 05/07/22 20:28 | 1 |
| Xylenes, Total | <0.00800 | U | 0.000800 | mg/Kg | | 05/07/22 13:06 | 05/07/22 20:28 | 1 |
| | | | | | | | | |

MB MB

| Surrogate | %Recovery Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|---------------------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 130 | 70 - 130 | 05/07/22 13:06 | 05/07/22 20:28 | 1 |
| 1,4-Difluorobenzene (Surr) | 72 | 70 - 130 | 05/07/22 13:06 | 05/07/22 20:28 | 1 |

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 25029

Spike LCS LCS %Rec Analyte Added Result Qualifier Unit %Rec Limits Benzene 70 - 130 0.100 0.09557 mg/Kg 96 Toluene 0.100 mg/Kg 91 70 - 130 0.09063 Ethylbenzene 0.100 0.09588 mg/Kg 96 70 - 130 m,p-Xylenes 0.200 97 0.1944 mg/Kg 70 - 130 o-Xylene 0.100 0.09958 mg/Kg 100 70 - 130

LCS LCS

| Surrogate | %Recovery | Qualifier | Limits |
|-----------------------------|-----------|-----------|----------|
| 4-Bromofluorobenzene (Surr) | 183 | S1+ | 70 - 130 |
| 1,4-Difluorobenzene (Surr) | 87 | | 70 - 130 |

Lab Sample ID: LCS 880-25030/1-A **Client Sample ID: Lab Control Sample**

Matrix: Solid

Matrix: Solid

Analysis Batch: 25032

Analysis Batch: 25032

Prep Type: Total/NA Prep Batch: 25030

| | | Spike | LCS | LCS | | | | %Rec | |
|-----|------------|-------|---------|-----------|-------|---|------|----------|--|
| Ar | alyte | Added | Result | Qualifier | Unit | D | %Rec | Limits | |
| Be | nzene | 0.100 | 0.09461 | | mg/Kg | | 95 | 70 - 130 | |
| То | luene | 0.100 | 0.08600 | | mg/Kg | | 86 | 70 - 130 | |
| Etl | nylbenzene | 0.100 | 0.09775 | | mg/Kg | | 98 | 70 - 130 | |
| m, | p-Xylenes | 0.200 | 0.1960 | | mg/Kg | | 98 | 70 - 130 | |
| o-) | Kylene | 0.100 | 0.1008 | | mg/Kg | | 101 | 70 - 130 | |

LCS LCS

| , | %Recovery | Qualifier | Limits | |
|-----------------------------|-----------|-----------|----------|--|
| 4-Bromofluorobenzene (Surr) | 192 | S1+ | 70 - 130 | |
| 1.4-Difluorobenzene (Surr) | 77 | | 70 - 130 | |

Lab Sample ID: LCSD 880-25030/2-A

Matrix: Solid

Analysis Batch: 25032

Client Sample ID: Lab Control Sample Dup Prep Type: Total/NA

Prep Batch: 25030

| - | Spike | LCSD | LCSD | | | | %Rec | | RPD |
|---------|-------|---------|-----------|-------|---|------|----------|-----|-------|
| Analyte | Added | Result | Qualifier | Unit | D | %Rec | Limits | RPD | Limit |
| Benzene | 0.100 | 0.09331 | | mg/Kg | | 93 | 70 - 130 | 1 | 35 |
| Toluene | 0.100 | 0.08691 | | mg/Kg | | 87 | 70 - 130 | 1 | 35 |

QC Sample Results

Client: Charger Rentals Job ID: 880-14113-1 Project/Site: 49er (JCF6DLE501) SDG: Eddy County, New Mexico

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCSD 880-25030/2-A

Matrix: Solid Analysis Batch: 25032 **Client Sample ID: Lab Control Sample Dup**

Prep Type: Total/NA Prep Batch: 25030

LCSD LCSD %Rec **RPD** Spike Added Result Qualifier Unit %Rec Limits RPD Limit Ethylbenzene 0 100 0.09901 mg/Kg 99 70 - 130 1 35 m,p-Xylenes 0.200 0.1995 mg/Kg 100 70 - 130 2 35 o-Xylene 0.100 0.09966 100 70 - 130 mg/Kg

LCSD LCSD

| Surrogate | %Recovery | Qualifier | Limits |
|-----------------------------|-----------|-----------|----------|
| 4-Bromofluorobenzene (Surr) | 190 | S1+ | 70 - 130 |
| 1,4-Difluorobenzene (Surr) | 90 | | 70 - 130 |

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-24289/1-A

Matrix: Solid

Analysis Batch: 24465

Client Sample ID: Method Blank Prep Type: Total/NA

Prep Batch: 24289

MB MB Result Qualifier Unit Analyte RL Prepared Analyzed Dil Fac <50.0 U 50.0 04/27/22 08:35 04/29/22 19:32 Gasoline Range Organics mg/Kg (GRO)-C6-C10 <50.0 U 50.0 04/27/22 08:35 04/29/22 19:32 Diesel Range Organics (Over mg/Kg C10-C28) Oll Range Organics (Over C28-C36) <50.0 U 50.0 mg/Kg 04/27/22 08:35 04/29/22 19:32

MB MB

| Surrogate | %Recovery Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------|---------------------|----------|----------------|----------------|---------|
| 1-Chlorooctane (Surr) | 120 | 70 - 130 | 04/27/22 08:35 | 04/29/22 19:32 | 1 |
| o-Terphenyl (Surr) | 149 S1+ | 70 - 130 | 04/27/22 08:35 | 04/29/22 19:32 | 1 |

Lab Sample ID: LCS 880-24289/2-A

Matrix: Solid

Analysis Batch: 24465

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 24289

LCS LCS %Rec Spike **Analyte** Added Result Qualifier Unit %Rec Limits Gasoline Range Organics 1000 1061 106 70 - 130 mg/Kg (GRO)-C6-C10 Diesel Range Organics (Over 1000 1213 mg/Kg 121 70 - 130 C10-C28)

LCS LCS

| Surrogate | %Recovery Qualifier | Limits |
|-----------------------|---------------------|----------|
| 1-Chlorooctane (Surr) | 126 | 70 - 130 |
| o-Terphenyl (Surr) | 133 S1+ | 70 - 130 |

Lab Sample ID: LCSD 880-24289/3-A

Matrix: Solid

Analysis Batch: 24465

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA Prep Batch: 24289

| | Spike | LCSD | LCSD | | | | %Rec | | RPD |
|-----------------------------|-------|--------|-----------|-------|---|------|----------|-----|-------|
| Analyte | Added | Result | Qualifier | Unit | D | %Rec | Limits | RPD | Limit |
| Gasoline Range Organics | 1000 | 1112 | | mg/Kg | | 111 | 70 - 130 | 5 | 20 |
| (GRO)-C6-C10 | | | | | | | | | |
| Diesel Range Organics (Over | 1000 | 1228 | | mg/Kg | | 123 | 70 - 130 | 1 | 20 |
| C10-C28) | | | | | | | | | |

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCSD 880-24289/3-A

Matrix: Solid

Analysis Batch: 24465

Client Sample ID: Lab Control Sample Dup Prep Type: Total/NA

Prep Batch: 24289

LCSD LCSD %Recovery Qualifier Limits Surrogate 1-Chlorooctane (Surr) 125 70 - 130 o-Terphenyl (Surr) 134 S1+ 70 - 130

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-24338/1-A Client Sample ID: Method Blank **Prep Type: Soluble**

Matrix: Solid

Analysis Batch: 24573

MB MB

RL Analyte Result Qualifier Unit Prepared Analyzed Dil Fac 5.00 Chloride <5.00 U mg/Kg 04/30/22 16:02

Lab Sample ID: LCS 880-24338/2-A **Client Sample ID: Lab Control Sample Matrix: Solid Prep Type: Soluble**

LCS LCS

Analysis Batch: 24573

Spike %Rec Analyte Added Result Qualifier Unit %Rec Limits Chloride 250 231.2 mg/Kg 92 90 - 110

Lab Sample ID: LCSD 880-24338/3-A Client Sample ID: Lab Control Sample Dup **Matrix: Solid Prep Type: Soluble**

Analysis Batch: 24573

LCSD LCSD **RPD** Spike %Rec Added Analyte Result Qualifier Unit %Rec Limits RPD Limit 250 90 - 110 Chloride 230.0 mg/Kg 92

Lab Sample ID: 880-14113-1 MS Client Sample ID: CS-West Bottom Hole-1 1.5' **Prep Type: Soluble**

Matrix: Solid

Analysis Batch: 24573

MS MS Sample Sample Spike %Rec Result Qualifier Added Result Qualifier Limits Unit %Rec Analyte D 248 244.4 93 90 - 110 Chloride 13 0 mg/Kg

Lab Sample ID: 880-14113-1 MSD Client Sample ID: CS-West Bottom Hole-1 1.5'

Matrix: Solid

Analysis Batch: 24573

Sample Sample Spike MSD MSD %Rec **RPD** Result Qualifier Added Limits RPD Analyte Result Qualifier Unit %Rec Limit Chloride 13.0 248 247.1 95 90 - 110 mg/Kg

Lab Sample ID: 880-14113-11 MS Client Sample ID: CS-West East Sidewall-2

Matrix: Solid

Analysis Batch: 24573

Sample Sample Spike MS MS %Rec Added Analyte Result Qualifier Result Qualifier Unit %Rec Limits Chloride 14.2 250 242.4 mg/Kg 91

Eurofins Midland

Prep Type: Soluble

Prep Type: Soluble

QC Sample Results

Client: Charger Rentals Job ID: 880-14113-1 Project/Site: 49er (JCF6DLE501)

SDG: Eddy County, New Mexico

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: 880-14113-11 MSD Client Sample ID: CS-West East Sidewall-2 **Matrix: Solid**

Prep Type: Soluble Analysis Batch: 24573

| | Sample | Sample | Spike | MSD | MSD | | | | %Rec | | RPD |
|----------|--------|-----------|-------|--------|-----------|-------|---|------|----------|-----|-------|
| Analyte | Result | Qualifier | Added | Result | Qualifier | Unit | D | %Rec | Limits | RPD | Limit |
| Chloride | 14.2 | | 250 | 251.5 | | mg/Kg | | 95 | 90 - 110 | 4 | 20 |

Job ID: 880-14113-1 Client: Charger Rentals Project/Site: 49er (JCF6DLE501) SDG: Eddy County, New Mexico

GC VOA

Prep Batch: 25029

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|-------------------|----------------------------|-----------|--------|--------|------------|
| 880-14113-1 | CS-West Bottom Hole-1 1.5' | Total/NA | Solid | 5035 | |
| 880-14113-2 | CS-West Bottom Hole-2 1.5' | Total/NA | Solid | 5035 | |
| 880-14113-3 | CS-West Bottom Hole-3 1.5' | Total/NA | Solid | 5035 | |
| 880-14113-4 | CS-West Bottom Hole-4 1.5' | Total/NA | Solid | 5035 | |
| 880-14113-5 | CS-West Bottom Hole-5 1.5' | Total/NA | Solid | 5035 | |
| 880-14113-6 | CS-West Bottom Hole-6 1.5' | Total/NA | Solid | 5035 | |
| 880-14113-7 | CS-West Bottom Hole-7 1.5' | Total/NA | Solid | 5035 | |
| 880-14113-8 | CS-West North Sidewall | Total/NA | Solid | 5035 | |
| 880-14113-9 | CS-West South Sidewall | Total/NA | Solid | 5035 | |
| 880-14113-10 | CS-West East Sidewall-1 | Total/NA | Solid | 5035 | |
| 880-14113-11 | CS-West East Sidewall-2 | Total/NA | Solid | 5035 | |
| 880-14113-12 | CS-West West Sidewall-1 | Total/NA | Solid | 5035 | |
| 880-14113-13 | CS-West West Sidewall-2 | Total/NA | Solid | 5035 | |
| MB 880-25029/5-A | Method Blank | Total/NA | Solid | 5035 | |
| LCS 880-25029/1-A | Lab Control Sample | Total/NA | Solid | 5035 | |

Prep Batch: 25030

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------|-----------|--------|--------|------------|
| LCS 880-25030/1-A | Lab Control Sample | Total/NA | Solid | 5035 | |
| LCSD 880-25030/2-A | Lab Control Sample Dup | Total/NA | Solid | 5035 | |

Analysis Batch: 25032

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|----------------------------|-----------|--------|--------|------------|
| 880-14113-1 | CS-West Bottom Hole-1 1.5' | Total/NA | Solid | 8021B | 25029 |
| 880-14113-2 | CS-West Bottom Hole-2 1.5' | Total/NA | Solid | 8021B | 25029 |
| 880-14113-3 | CS-West Bottom Hole-3 1.5' | Total/NA | Solid | 8021B | 25029 |
| 880-14113-4 | CS-West Bottom Hole-4 1.5' | Total/NA | Solid | 8021B | 25029 |
| 880-14113-5 | CS-West Bottom Hole-5 1.5' | Total/NA | Solid | 8021B | 25029 |
| 880-14113-6 | CS-West Bottom Hole-6 1.5' | Total/NA | Solid | 8021B | 25029 |
| 880-14113-7 | CS-West Bottom Hole-7 1.5' | Total/NA | Solid | 8021B | 25029 |
| 880-14113-8 | CS-West North Sidewall | Total/NA | Solid | 8021B | 25029 |
| 880-14113-9 | CS-West South Sidewall | Total/NA | Solid | 8021B | 25029 |
| 880-14113-10 | CS-West East Sidewall-1 | Total/NA | Solid | 8021B | 25029 |
| 880-14113-11 | CS-West East Sidewall-2 | Total/NA | Solid | 8021B | 25029 |
| 880-14113-12 | CS-West West Sidewall-1 | Total/NA | Solid | 8021B | 25029 |
| 880-14113-13 | CS-West West Sidewall-2 | Total/NA | Solid | 8021B | 25029 |
| MB 880-25029/5-A | Method Blank | Total/NA | Solid | 8021B | 25029 |
| LCS 880-25029/1-A | Lab Control Sample | Total/NA | Solid | 8021B | 25029 |
| LCS 880-25030/1-A | Lab Control Sample | Total/NA | Solid | 8021B | 25030 |
| LCSD 880-25030/2-A | Lab Control Sample Dup | Total/NA | Solid | 8021B | 25030 |

Analysis Batch: 25080

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|----------------------------|-----------|--------|------------|--------------|
| 880-14113-1 | CS-West Bottom Hole-1 1.5' | Total/NA | Solid | Total BTEX | - |
| 880-14113-2 | CS-West Bottom Hole-2 1.5' | Total/NA | Solid | Total BTEX | |
| 880-14113-3 | CS-West Bottom Hole-3 1.5' | Total/NA | Solid | Total BTEX | |
| 880-14113-4 | CS-West Bottom Hole-4 1.5' | Total/NA | Solid | Total BTEX | |
| 880-14113-5 | CS-West Bottom Hole-5 1.5' | Total/NA | Solid | Total BTEX | |
| 880-14113-6 | CS-West Bottom Hole-6 1.5' | Total/NA | Solid | Total BTEX | |
| 880-14113-7 | CS-West Bottom Hole-7 1.5' | Total/NA | Solid | Total BTEX | |
| 880-14113-8 | CS-West North Sidewall | Total/NA | Solid | Total BTEX | |

Client: Charger Rentals

Project/Site: 49er (JCF6DLE501)

Job ID: 880-14113-1 SDG: Eddy County, New Mexico

GC VOA (Continued)

Analysis Batch: 25080 (Continued)

| Lab Sample ID 880-14113-9 | Client Sample ID CS-West South Sidewall | Prep Type Total/NA | Matrix Solid | Method Total BTEX | Prep Batch |
|----------------------------------|---|--------------------|--------------|-------------------|------------|
| 880-14113-10 | CS-West East Sidewall-1 | Total/NA | Solid | Total BTEX | |
| 880-14113-11 | CS-West East Sidewall-2 | Total/NA | Solid | Total BTEX | |
| 880-14113-12 | CS-West West Sidewall-1 | Total/NA | Solid | Total BTEX | |
| 880-14113-13 | CS-West West Sidewall-2 | Total/NA | Solid | Total BTEX | |

GC Semi VOA

Prep Batch: 24289

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|----------------------------|-----------|--------|-------------|------------|
| 880-14113-1 | CS-West Bottom Hole-1 1.5' | Total/NA | Solid | 8015NM Prep | |
| 880-14113-2 | CS-West Bottom Hole-2 1.5' | Total/NA | Solid | 8015NM Prep | |
| 880-14113-3 | CS-West Bottom Hole-3 1.5' | Total/NA | Solid | 8015NM Prep | |
| 880-14113-4 | CS-West Bottom Hole-4 1.5' | Total/NA | Solid | 8015NM Prep | |
| 880-14113-5 | CS-West Bottom Hole-5 1.5' | Total/NA | Solid | 8015NM Prep | |
| 880-14113-6 | CS-West Bottom Hole-6 1.5' | Total/NA | Solid | 8015NM Prep | |
| 880-14113-7 | CS-West Bottom Hole-7 1.5' | Total/NA | Solid | 8015NM Prep | |
| 880-14113-8 | CS-West North Sidewall | Total/NA | Solid | 8015NM Prep | |
| 880-14113-9 | CS-West South Sidewall | Total/NA | Solid | 8015NM Prep | |
| 880-14113-10 | CS-West East Sidewall-1 | Total/NA | Solid | 8015NM Prep | |
| 880-14113-11 | CS-West East Sidewall-2 | Total/NA | Solid | 8015NM Prep | |
| 880-14113-12 | CS-West West Sidewall-1 | Total/NA | Solid | 8015NM Prep | |
| 880-14113-13 | CS-West West Sidewall-2 | Total/NA | Solid | 8015NM Prep | |
| MB 880-24289/1-A | Method Blank | Total/NA | Solid | 8015NM Prep | |
| LCS 880-24289/2-A | Lab Control Sample | Total/NA | Solid | 8015NM Prep | |
| LCSD 880-24289/3-A | Lab Control Sample Dup | Total/NA | Solid | 8015NM Prep | |

Analysis Batch: 24465

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|----------------------------|-----------|--------|----------|------------|
| 880-14113-1 | CS-West Bottom Hole-1 1.5' | Total/NA | Solid | 8015B NM | 24289 |
| 880-14113-2 | CS-West Bottom Hole-2 1.5' | Total/NA | Solid | 8015B NM | 24289 |
| 880-14113-3 | CS-West Bottom Hole-3 1.5' | Total/NA | Solid | 8015B NM | 24289 |
| 880-14113-4 | CS-West Bottom Hole-4 1.5' | Total/NA | Solid | 8015B NM | 24289 |
| 880-14113-5 | CS-West Bottom Hole-5 1.5' | Total/NA | Solid | 8015B NM | 24289 |
| 880-14113-6 | CS-West Bottom Hole-6 1.5' | Total/NA | Solid | 8015B NM | 24289 |
| 880-14113-7 | CS-West Bottom Hole-7 1.5' | Total/NA | Solid | 8015B NM | 24289 |
| 880-14113-8 | CS-West North Sidewall | Total/NA | Solid | 8015B NM | 24289 |
| 880-14113-9 | CS-West South Sidewall | Total/NA | Solid | 8015B NM | 24289 |
| 880-14113-10 | CS-West East Sidewall-1 | Total/NA | Solid | 8015B NM | 24289 |
| 880-14113-11 | CS-West East Sidewall-2 | Total/NA | Solid | 8015B NM | 24289 |
| 880-14113-12 | CS-West West Sidewall-1 | Total/NA | Solid | 8015B NM | 24289 |
| 880-14113-13 | CS-West West Sidewall-2 | Total/NA | Solid | 8015B NM | 24289 |
| MB 880-24289/1-A | Method Blank | Total/NA | Solid | 8015B NM | 24289 |
| LCS 880-24289/2-A | Lab Control Sample | Total/NA | Solid | 8015B NM | 24289 |
| LCSD 880-24289/3-A | Lab Control Sample Dup | Total/NA | Solid | 8015B NM | 24289 |

Analysis Batch: 24660

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|----------------------------|-----------|--------|---------|------------|
| 880-14113-1 | CS-West Bottom Hole-1 1.5' | Total/NA | Solid | 8015 NM | |
| 880-14113-2 | CS-West Bottom Hole-2 1.5' | Total/NA | Solid | 8015 NM | |
| 880-14113-3 | CS-West Bottom Hole-3 1.5' | Total/NA | Solid | 8015 NM | |

Eurofins Midland

Page 21 of 33

Client: Charger Rentals

Job ID: 880-14113-1

Project/Site: 49er (JCF6DLE501)

SDG: Eddy County, New Mexico

GC Semi VOA (Continued)

Analysis Batch: 24660 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|----------------------------|-----------|--------|---------|------------|
| 880-14113-4 | CS-West Bottom Hole-4 1.5' | Total/NA | Solid | 8015 NM | |
| 880-14113-5 | CS-West Bottom Hole-5 1.5' | Total/NA | Solid | 8015 NM | |
| 880-14113-6 | CS-West Bottom Hole-6 1.5' | Total/NA | Solid | 8015 NM | |
| 880-14113-7 | CS-West Bottom Hole-7 1.5' | Total/NA | Solid | 8015 NM | |
| 880-14113-8 | CS-West North Sidewall | Total/NA | Solid | 8015 NM | |
| 880-14113-9 | CS-West South Sidewall | Total/NA | Solid | 8015 NM | |
| 880-14113-10 | CS-West East Sidewall-1 | Total/NA | Solid | 8015 NM | |
| 880-14113-11 | CS-West East Sidewall-2 | Total/NA | Solid | 8015 NM | |
| 880-14113-12 | CS-West West Sidewall-1 | Total/NA | Solid | 8015 NM | |
| 880-14113-13 | CS-West West Sidewall-2 | Total/NA | Solid | 8015 NM | |

HPLC/IC

Leach Batch: 24338

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|----------------------------|-----------|--------|----------|------------|
| 880-14113-1 | CS-West Bottom Hole-1 1.5' | Soluble | Solid | DI Leach | |
| 880-14113-2 | CS-West Bottom Hole-2 1.5' | Soluble | Solid | DI Leach | |
| 880-14113-3 | CS-West Bottom Hole-3 1.5' | Soluble | Solid | DI Leach | |
| 880-14113-4 | CS-West Bottom Hole-4 1.5' | Soluble | Solid | DI Leach | |
| 880-14113-5 | CS-West Bottom Hole-5 1.5' | Soluble | Solid | DI Leach | |
| 880-14113-6 | CS-West Bottom Hole-6 1.5' | Soluble | Solid | DI Leach | |
| 880-14113-7 | CS-West Bottom Hole-7 1.5' | Soluble | Solid | DI Leach | |
| 880-14113-8 | CS-West North Sidewall | Soluble | Solid | DI Leach | |
| 880-14113-9 | CS-West South Sidewall | Soluble | Solid | DI Leach | |
| 880-14113-10 | CS-West East Sidewall-1 | Soluble | Solid | DI Leach | |
| 880-14113-11 | CS-West East Sidewall-2 | Soluble | Solid | DI Leach | |
| 880-14113-12 | CS-West West Sidewall-1 | Soluble | Solid | DI Leach | |
| 880-14113-13 | CS-West West Sidewall-2 | Soluble | Solid | DI Leach | |
| MB 880-24338/1-A | Method Blank | Soluble | Solid | DI Leach | |
| LCS 880-24338/2-A | Lab Control Sample | Soluble | Solid | DI Leach | |
| LCSD 880-24338/3-A | Lab Control Sample Dup | Soluble | Solid | DI Leach | |
| 880-14113-1 MS | CS-West Bottom Hole-1 1.5' | Soluble | Solid | DI Leach | |
| 880-14113-1 MSD | CS-West Bottom Hole-1 1.5' | Soluble | Solid | DI Leach | |
| 880-14113-11 MS | CS-West East Sidewall-2 | Soluble | Solid | DI Leach | |
| 880-14113-11 MSD | CS-West East Sidewall-2 | Soluble | Solid | DI Leach | |

Analysis Batch: 24573

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|---------------------------------------|-----------|--------|--------|------------|
| 880-14113-1 | CS-West Bottom Hole-1 1.5' | Soluble | Solid | 300.0 | 24338 |
| 880-14113-2 | CS-West Bottom Hole-2 1.5' | Soluble | Solid | 300.0 | 24338 |
| 880-14113-3 | CS-West Bottom Hole-3 1.5' | Soluble | Solid | 300.0 | 24338 |
| 880-14113-4 | CS-West Bottom Hole-4 1.5' | Soluble | Solid | 300.0 | 24338 |
| 880-14113-5 | 80-14113-5 CS-West Bottom Hole-5 1.5' | | Solid | 300.0 | 24338 |
| 880-14113-6 | CS-West Bottom Hole-6 1.5' | Soluble | Solid | 300.0 | 24338 |
| 880-14113-7 | CS-West Bottom Hole-7 1.5' | Soluble | Solid | 300.0 | 24338 |
| 880-14113-8 | CS-West North Sidewall | Soluble | Solid | 300.0 | 24338 |
| 880-14113-9 | CS-West South Sidewall | Soluble | Solid | 300.0 | 24338 |
| 880-14113-10 | CS-West East Sidewall-1 | Soluble | Solid | 300.0 | 24338 |
| 880-14113-11 | CS-West East Sidewall-2 | Soluble | Solid | 300.0 | 24338 |
| 880-14113-12 | CS-West West Sidewall-1 | Soluble | Solid | 300.0 | 24338 |
| 880-14113-13 | CS-West West Sidewall-2 | Soluble | Solid | 300.0 | 24338 |

Eurofins Midland

5

9

12

12

Job ID: 880-14113-1 Client: Charger Rentals Project/Site: 49er (JCF6DLE501) SDG: Eddy County, New Mexico

HPLC/IC (Continued)

Analysis Batch: 24573 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|----------------------------|-----------|--------|--------|------------|
| MB 880-24338/1-A | Method Blank | Soluble | Solid | 300.0 | 24338 |
| LCS 880-24338/2-A | Lab Control Sample | Soluble | Solid | 300.0 | 24338 |
| LCSD 880-24338/3-A | Lab Control Sample Dup | Soluble | Solid | 300.0 | 24338 |
| 880-14113-1 MS | CS-West Bottom Hole-1 1.5' | Soluble | Solid | 300.0 | 24338 |
| 880-14113-1 MSD | CS-West Bottom Hole-1 1.5' | Soluble | Solid | 300.0 | 24338 |
| 880-14113-11 MS | CS-West East Sidewall-2 | Soluble | Solid | 300.0 | 24338 |
| 880-14113-11 MSD | CS-West East Sidewall-2 | Soluble | Solid | 300.0 | 24338 |

Matrix: Solid

XEN MID

XEN MID

XEN MID

Job ID: 880-14113-1

Lab Sample ID: 880-14113-1

SDG: Eddy County, New Mexico

04/29/22 22:42 AJ

04/27/22 13:12 SC

04/30/22 16:29 SC

24465

24338

24573

50 mL

Client Sample ID: CS-West Bottom Hole-1 1.5'

Date Collected: 04/26/22 00:00 Date Received: 04/26/22 15:05

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 5.02 g | 5 mL | 25029 | 05/07/22 13:06 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | | | 25032 | 05/07/22 22:38 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25080 | 05/09/22 11:41 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 24660 | 05/02/22 12:42 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.01 g | 10 mL | 24289 | 04/27/22 08:35 | DM | XEN MID |

5.05 g

Client Sample ID: CS-West Bottom Hole-2 1.5'

8015B NM

DI Leach

300.0

Date Collected: 04/26/22 00:00

Analysis

Analysis

Leach

Date Received: 04/26/22 15:05

Total/NA

Soluble

Soluble

Lab Sample ID: 880-14113-2

Matrix: Solid

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 5.03 g | 5 mL | 25029 | 05/07/22 13:06 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | | | 25032 | 05/07/22 23:03 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25080 | 05/09/22 11:41 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 24660 | 05/02/22 12:42 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.01 g | 10 mL | 24289 | 04/27/22 08:35 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 24465 | 04/29/22 23:04 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5.02 g | 50 mL | 24338 | 04/27/22 13:12 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 24573 | 04/30/22 16:57 | SC | XEN MID |

Client Sample ID: CS-West Bottom Hole-3 1.5'

Date Collected: 04/26/22 00:00

Date Received: 04/26/22 15:05

| Lab Sample ID: 880-14113-3 |
|----------------------------|
| Matrix: Solid |
| |

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 5.01 g | 5 mL | 25029 | 05/07/22 13:06 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | | | 25032 | 05/07/22 23:27 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25080 | 05/09/22 11:41 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 24660 | 05/02/22 12:42 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.02 g | 10 mL | 24289 | 04/27/22 08:35 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 24465 | 04/29/22 23:25 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5.01 g | 50 mL | 24338 | 04/27/22 13:12 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 24573 | 05/01/22 16:12 | SC | XEN MID |

Client Sample ID: CS-West Bottom Hole-4 1.5'

Date Collected: 04/26/22 00:00

Matrix: Solid Date Received: 04/26/22 15:05

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 5.00 g | 5 mL | 25029 | 05/07/22 13:06 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | | | 25032 | 05/07/22 23:52 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25080 | 05/09/22 11:41 | MR | XEN MID |

Eurofins Midland

Page 24 of 33

Lab Sample ID: 880-14113-4

Job ID: 880-14113-1 SDG: Eddy County, New Mexico

Client Sample ID: CS-West Bottom Hole-4 1.5'

Date Collected: 04/26/22 00:00 Date Received: 04/26/22 15:05 Lab Sample ID: 880-14113-4

Matrix: Solid

| | | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|---|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| | Prep Type | Туре | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| | Total/NA | Analysis | 8015 NM | | 1 | | | 24660 | 05/02/22 12:42 | AJ | XEN MID |
| | Total/NA | Prep | 8015NM Prep | | | 10.01 g | 10 mL | 24289 | 04/27/22 08:35 | DM | XEN MID |
| | Total/NA | Analysis | 8015B NM | | 1 | | | 24465 | 04/29/22 23:46 | AJ | XEN MID |
| | Soluble | Leach | DI Leach | | | 5 g | 50 mL | 24338 | 04/27/22 13:12 | SC | XEN MID |
| l | Soluble | Analysis | 300.0 | | 1 | | | 24573 | 04/30/22 20:44 | SC | XEN MID |

Client Sample ID: CS-West Bottom Hole-5 1.5'

Date Collected: 04/26/22 00:00 Date Received: 04/26/22 15:05

Lab Sample ID: 880-14113-5

Matrix: Solid

Batch Batch Dil Initial Final Batch Prepared Method Amount Amount Number **Prep Type** Type Run **Factor** or Analyzed **Analyst** Lab Total/NA Prep 5035 25029 4.99 g 05/07/22 13:06 MR XEN MID 5 mL Total/NA Analysis 8021B 25032 05/08/22 00:17 MR XEN MID 1 Total/NA Total BTEX 25080 05/09/22 11:41 MR Analysis 1 XEN MID Total/NA 8015 NM 24660 05/02/22 12:42 AJ XEN MID Analysis Total/NA Prep 8015NM Prep 10.02 g 24289 04/27/22 08:35 DM XEN MID 10 mL Total/NA 8015B NM 24465 04/30/22 00:07 AJ XEN MID Analysis 04/27/22 13:12 SC Soluble Leach DI Leach 5.01 g 50 mL 24338 XEN MID Analysis 300.0 24573 04/30/22 20:53 SC XEN MID Soluble

Client Sample ID: CS-West Bottom Hole-6 1.5'

Date Collected: 04/26/22 00:00 Date Received: 04/26/22 15:05

Lab Sample ID: 880-14113-6

Matrix: Solid

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 4.98 g | 5 mL | 25029 | 05/07/22 13:06 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | | | 25032 | 05/08/22 00:42 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25080 | 05/09/22 11:41 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 24660 | 05/02/22 12:42 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.01 g | 10 mL | 24289 | 04/27/22 08:35 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 24465 | 04/30/22 00:28 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 4.96 g | 50 mL | 24338 | 04/27/22 13:12 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 24573 | 04/30/22 21:20 | SC | XEN MID |

Client Sample ID: CS-West Bottom Hole-7 1.5'

Date Collected: 04/26/22 00:00

Date Received: 04/26/22 15:05

Lab Sample ID: 880-14113-7 **Matrix: Solid**

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 4.96 g | 5 mL | 25029 | 05/07/22 13:06 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | | | 25032 | 05/08/22 02:22 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25080 | 05/09/22 11:41 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 24660 | 05/02/22 12:42 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.02 g | 10 mL | 24289 | 04/27/22 08:35 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 24465 | 04/30/22 01:11 | AJ | XEN MID |

Client: Charger Rentals

Project/Site: 49er (JCF6DLE501)

Job ID: 880-14113-1 SDG: Eddy County, New Mexico

Lab Sample ID: 880-14113-7

Client Sample ID: CS-West Bottom Hole-7 1.5'

Date Collected: 04/26/22 00:00 Date Received: 04/26/22 15:05

| Initial | Final | Batch | Prepared |
|---------|-------|-------|----------|

| | Batch | Batch | | DII | Initial | Final | Batch | Prepared | | |
|-----------|----------|----------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Soluble | Leach | DI Leach | | | 5.01 g | 50 mL | 24338 | 04/27/22 13:12 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 24573 | 04/30/22 21:30 | SC | XEN MID |

Client Sample ID: CS-West North Sidewall

Date Collected: 04/26/22 00:00 Date Received: 04/26/22 15:05 Lab Sample ID: 880-14113-8

Matrix: Solid

Matrix: Solid

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 5.01 g | 5 mL | 25029 | 05/07/22 13:06 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | | | 25032 | 05/08/22 02:47 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25080 | 05/09/22 11:41 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 24660 | 05/02/22 12:42 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.01 g | 10 mL | 24289 | 04/27/22 08:35 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 24465 | 04/30/22 01:32 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5.05 g | 50 mL | 24338 | 04/27/22 13:12 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 24573 | 04/30/22 21:39 | SC | XEN MID |

Client Sample ID: CS-West South Sidewall

Date Collected: 04/26/22 00:00 Date Received: 04/26/22 15:05 Lab Sample ID: 880-14113-9

Matrix: Solid

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 5.03 g | 5 mL | 25029 | 05/07/22 13:06 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | | | 25032 | 05/08/22 03:12 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25080 | 05/09/22 11:41 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 24660 | 05/02/22 12:42 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.01 g | 10 mL | 24289 | 04/27/22 08:35 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 24465 | 04/30/22 01:53 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5.05 g | 50 mL | 24338 | 04/27/22 13:12 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 24573 | 04/30/22 21:48 | SC | XEN MID |

Client Sample ID: CS-West East Sidewall-1

Date Collected: 04/26/22 00:00

Date Received: 04/26/22 15:05

| 4573 | 04/30/22 21:48 SC | XEN MID |
|------|-------------------|---------------|
| La | ab Sample ID: 88 | 0-14113-10 |
| | | Matrix: Solid |

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 5.03 g | 5 mL | 25029 | 05/07/22 13:06 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | | | 25032 | 05/08/22 03:37 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25080 | 05/09/22 11:41 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 24660 | 05/02/22 12:42 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.00 g | 10 mL | 24289 | 04/27/22 08:35 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 24465 | 04/30/22 02:15 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5.03 g | 50 mL | 24338 | 04/27/22 13:12 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 24573 | 04/30/22 21:57 | SC | XEN MID |

Client Sample ID: CS-West East Sidewall-2

Date Collected: 04/26/22 00:00 Date Received: 04/26/22 15:05 Lab Sample ID: 880-14113-11

Matrix: Solid

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 5.01 g | 5 mL | 25029 | 05/07/22 13:06 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | | | 25032 | 05/08/22 04:02 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25080 | 05/09/22 11:41 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 24660 | 05/02/22 12:42 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.02 g | 10 mL | 24289 | 04/27/22 08:35 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 24465 | 04/30/22 02:36 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5.01 g | 50 mL | 24338 | 04/27/22 13:12 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 24573 | 04/30/22 22:06 | SC | XEN MID |

Client Sample ID: CS-West West Sidewall-1

Date Collected: 04/26/22 00:00

Date Received: 04/26/22 15:05

Lab Sample ID: 880-14113-12

Matrix: Solid

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 5.00 g | 5 mL | 25029 | 05/07/22 13:06 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | | | 25032 | 05/08/22 04:27 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25080 | 05/09/22 11:41 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 24660 | 05/02/22 12:42 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.01 g | 10 mL | 24289 | 04/27/22 08:35 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 24465 | 04/30/22 02:57 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5 g | 50 mL | 24338 | 04/27/22 13:12 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 24573 | 04/30/22 22:34 | SC | XEN MID |

Client Sample ID: CS-West West Sidewall-2

Date Collected: 04/26/22 00:00

Date Received: 04/26/22 15:05

Lab Sample ID: 880-14113-13

Matrix: Solid

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Туре | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | · | 4.99 g | 5 mL | 25029 | 05/07/22 13:06 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | | | 25032 | 05/08/22 04:52 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25080 | 05/09/22 11:41 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 24660 | 05/02/22 12:42 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.01 g | 10 mL | 24289 | 04/27/22 08:35 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 24465 | 04/30/22 03:19 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5.05 g | 50 mL | 24338 | 04/27/22 13:12 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 24573 | 04/30/22 22:43 | SC | XEN MID |

Laboratory References:

XEN MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Accreditation/Certification Summary

Client: Charger Rentals Job ID: 880-14113-1 Project/Site: 49er (JCF6DLE501) SDG: Eddy County, New Mexico

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

| Authority | Pr | ogram | Identification Number | Expiration Date |
|------------------------|-----------------------------|------------------------------|---|--|
| Texas | NE | ELAP | T104704400-21-22 | 06-30-22 |
| The following analyte | s are included in this rend | ort but the laboratory is r | not certified by the governing authority. | This list may include analytes for which |
| The fellewing dridiyte | s are included in this repo | ort, but the laboratory is i | ior certified by the governing authority. | This list may include analytes for write |
| the agency does not | | ort, but the laboratory is i | to certified by the governing authority. | This list may include analytes for white |
| • , | | Matrix | Analyte | This list may include analytes for white |
| the agency does not o | offer certification. | • | , , , | This list may include analytes for which |

Method Summary

Client: Charger Rentals

Method

8021B

Total BTEX

8015 NM

300.0

5035

8015B NM

8015NM Prep

DI Leach

Project/Site: 49er (JCF6DLE501)

Method Description

Total BTEX Calculation

Microextraction

Volatile Organic Compounds (GC)

Diesel Range Organics (DRO) (GC)

Diesel Range Organics (DRO) (GC)

Deionized Water Leaching Procedure

Anions, Ion Chromatography

Closed System Purge and Trap

Job ID: 880-14113-1 SDG: Eddy County, New Mexico

XEN MID

XEN MID

Protocol Laboratory

SW846 XEN MID

TAL SOP XEN MID

SW846 XEN MID

SW846 XEN MID

MCAWW XEN MID

SW846 XEN MID

SW846 XEN MID

SW846

ASTM

Protocol References:

ASTM = ASTM International

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

XEN MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Eurofins Midland

1

3

4

Q

9

11

13

14

Sample Summary

Client: Charger Rentals

Project/Site: 49er (JCF6DLE501)

Job ID: 880-14113-1 SDG: Eddy County, New Mexico

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received |
|---------------|----------------------------|--------|----------------|----------------|
| 880-14113-1 | CS-West Bottom Hole-1 1.5' | Solid | 04/26/22 00:00 | 04/26/22 15:05 |
| 880-14113-2 | CS-West Bottom Hole-2 1.5' | Solid | 04/26/22 00:00 | 04/26/22 15:05 |
| 880-14113-3 | CS-West Bottom Hole-3 1.5' | Solid | 04/26/22 00:00 | 04/26/22 15:05 |
| 880-14113-4 | CS-West Bottom Hole-4 1.5' | Solid | 04/26/22 00:00 | 04/26/22 15:05 |
| 880-14113-5 | CS-West Bottom Hole-5 1.5' | Solid | 04/26/22 00:00 | 04/26/22 15:05 |
| 880-14113-6 | CS-West Bottom Hole-6 1.5' | Solid | 04/26/22 00:00 | 04/26/22 15:05 |
| 880-14113-7 | CS-West Bottom Hole-7 1.5' | Solid | 04/26/22 00:00 | 04/26/22 15:05 |
| 880-14113-8 | CS-West North Sidewall | Solid | 04/26/22 00:00 | 04/26/22 15:05 |
| 880-14113-9 | CS-West South Sidewall | Solid | 04/26/22 00:00 | 04/26/22 15:05 |
| 880-14113-10 | CS-West East Sidewall-1 | Solid | 04/26/22 00:00 | 04/26/22 15:05 |
| 880-14113-11 | CS-West East Sidewall-2 | Solid | 04/26/22 00:00 | 04/26/22 15:05 |
| 880-14113-12 | CS-West West Sidewall-1 | Solid | 04/26/22 00:00 | 04/26/22 15:05 |
| 880-14113-13 | CS-West West Sidewall-2 | Solid | 04/26/22 00:00 | 04/26/22 15:05 |

-

3

6

R

9

10

11

12

14

ORIGINAL COPY

Analysis Request of Chain of Custody Record

13

Relinquished by Robert Grubbs Jr Relinquished by Relinquished by Receiving Laboratory: Project Name: ONLY EVEN GRE Project Location: Client Name Comments: Invoice to: (county, state) LAB# CS - West East Sidewall - 1 CS - West South Sidewall CS - West Bottom Hole - 7 CS - West Bottom Hole - 6 CS - West Bottom Hole - 5 CS - West Bottom Hole - 3 CS - West Bottom Hole - 2 CS - West Bottom Hole - 1 CS - West North Sidewall CS - West Bottom Hole - 4 SAMPLE IDENTIFICATION 4/26/22 **Eddy County, New Mexico** Date Date Charger Services Eurofins 1.5 . . . 1.51 <u>5</u> . . . 1.5 1.5 Ime Time 507 me Recieved by Récieved by Sampler Signature: Recieved by 4/26/2022 4/26/2022 4/26/2022 Project #: 4/26/2022 4/26/2022 Manager: 4/26/2022 4/26/2022 4/26/2022 4/26/2022 4/26/2022 Site YEAR 23 W Industrial Loop Midland, Tx 79701 DATE SAMPLING 49er ronny.crawford@chargerservices.com TIME Charger Services robert.grubbs@chargerservices.com (432) 218-7674 WATER MATRIX × × × × × × × × × × SOIL Robert Grubbs Jr. JCF6DLE50 Date Date Date HÇL PRESERVATIVE HNO₃ METHOD 2002 ICE × × × × × × × Time Time Time # CONTAINERS FILTERED (Y/N) BTEX 8021B (TX) Circle) HAND DELIVERED S Temperature (TX) TPH TX1005 (Ext to C35) Sample ××× ××× ××× × × ××× ××× XXX BTEX 8021B (NM) ××× ××× × 13.2 × TPH 8015M (GRO - DRO - MRO) (NM) Chloride (Circle or Specify Method No.) REMARKS FEDEX Special Report Limits or TRRP Report 880-14113 Chain of Custody **ANALYSIS REQUEST** Rush Charges Authorized RUSH UPS Same Day Page 24 hr 48hr 으 72hr Hold

| Analysis Reques Client Name: Project Name: Project Location: (county, state) Invoice to: | Analysis Request of Chain of Custody Record HARGER ERVICES Client Name: Charger Services Project Name: Project Location: (county, state) Eddy County, New Mexico Invoice to: | ervices | Charger Services 23 W Industrial Loop Midland, Tx 79701 (432) 218-7674 Site robert.grubbs@chargerservices.com Manager: ronny.crawford@chargerservices.com 49er Project #: JCF6DLE501 | Charger Services Industrial Loop Midland, Tx 797 (432) 218-7674 robert.grubbs@chargerservices.com ronny.crawford@chargerservices.com | arger Servic | Jer Ser Loop Mid 2) 218-76 ubbs@charg wford@charg | Mid -76 harg | Wice | | ices $\stackrel{\times}{\prec}$ σ | 79 79 | | (TX) | (TX) | (NM) | RO) (NM) | | 14113 ANA (Circle or 1 | 7 3 8 3 8 | ္ နွဴ ပ | 95 | <u>8</u> 8 | \ \(\bar{\gamma} \) \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ | | Page 80 13 ANALYSIS REQUEST Or Specify Metho | | Page 2 14113 ANALYSIS REQUEST (Circle or Specify Method No.) | S E W | S E NO | U U | 70.00 | I 1944 (|
|---|---|--------------|--|--|--|---|------------------------|----------|--|--|---------|---------|-------------------------|----------------------------------|--------------------------|---|---------------|------------------------------|-----------------|-----------|------|------------|---|-----------------|--|---|---|-------------|---------------------------------------|-------------|---------|----------|
| Project Location: (county, state) | Eddy County, I | New Mexico | Project #: | | ر ت | 6DL | E50, | _ | ļ | | | | (TX) | (TX) | | (NM) | | | | | | | | | | | | | | | | |
| Invoice to: | | | | | | | | | J | | l | ı | | | |)) | | | | | | | | | | | | | | | | |
| Receiving Laboratory: | ory: Eurofins | ins | Sampler Signature: | nature: | R _Q | Robert Grubbs Jr. | gub | bs. | 7 | ı | ŀ | | | | - Som onking | - MRC | سنسمد السابات | | | | | | | | | | | | | | | |
| Comments: | | | | | l | | l | l | 1 | | | | | to C35) | | O - DRO | ···· | | | | | | | | | ······································ | | | · · · · · · · · · · · · · · · · · · · | | | |
| LAB# | | | SAMPLING YEAR 20 | 23 | MATRIX | _ | PRESERVATIVE METHOD | METHOD | ┦╹┋ | | EKS | (Y/N) | 0B | 05 (Ex | | M (GR | | | | | | | | | | | | | | | | |
| ONLY (NAME) | SAMPLE DENTIFICATION | ATION | DATE | TIME VATER | SOIL | ICL. | INO ₃ | CE | ************************************* | 00117414 | CONTAIN | ILTERED | TEX 826 | PH TX1 | TEX 80 | PH 8015 | hloride | | ***** | | | | | | | | | | | | | old |
| cs - | CS - West East Sidewall - 2 | | 4/26/2022 | | | - | | × | \dashv | \dashv | | ŀ | I | - | | | × | \dashv | \neg | T | 1 | | | + | + | + | 十 | 工 | + | + | + | 1 |
| cs - | CS - West West Sidewall - 1 | | 4/26/2022 | | × | H | | × | H | \vdash | _ | | | | × | × | × | ┝┯┼ | | | | | | $\vdash \vdash$ | \vdash | \dashv | \dashv | | _ | \dashv | | |
| CS - | CS - West West Sidewall - 2 | | 4/26/2022 | | × | | | × | | | | | | | × | × | × | | | | | | | | | | | | | \dashv | | |
| | | | | | | | | | | | | | | | | | | _ | | | | | | | _ _ | | | | | - | | |
| | | | | | | + | | | \dashv | + | | - | | \top | | 4 | | | \top | | | | | | +- | - | \top | | | + | + | |
| | | | | | | ++ | | ++ | ++ | + | 1 | | | | | | ++ | +-+ | 111 | TT | 11 | | 4-1- | ++ | ++ | +-+- | ++- | | + | ++ | +-+ | |
| Relinquished by | Date | Time | Recieved hy | - | L | } | Ľ | \vdash | ╌ | ╟ | L | | T | Г | | <u> </u> | - | ╁ | T | | 1 | | _ | - | - | 1 | | | - | - | <u></u> | |
| Robert Grubbs Jr | | lime /ぞめき | Regieved by | | D | Date | The State | 6 | \simeq | 7 Time | <u></u> | R | | ~ F | NN Par | 8 C C C C C C C C C C C C C C C C C C C | | 교 | MA A | REMARKS | | | | | | ĺ | | | | ł | ļ | |
| Relinquished by | Date | Time | Récieved by | | | Date | O | | _ | Time | Ī | | | Sample Temperature 5,3/3 2 | Sample mperatu 3/3 | | N 9 | | \neg \sqcap | RUSH | 꽃 꽃 | န္တိ ဇ္တ | Same Day harges Auth | ≥ Da | thor | RUSH Same Day 24 hr Rush Charges Authorized | - ₹ | 14 | 48hr | 1 | 72hr | P |
| Kelinquished by | Date | Time | Recieved by | * | | Date | Ф | | | Time | | | | LII | 7 | B | | | ПГ |]Sp | ecia | R | por | Ē | nits | 악 | ¬RR | Ť Z | Special Report Limits or TRRP Report | A | | |
| | | | | | Of the latest designation of the latest desi | | | | | Ī | | | (Circle) HAND DELIVERED | Ē | Ř. | ž (| S I | ∄ ├ | # | FEDEX UPS | ξĺ | ň | Trac | Tracking # | # | | | CTANTED CO. | I | | | |

Login Sample Receipt Checklist

Client: Charger Rentals Job Number: 880-14113-1 SDG Number: Eddy County, New Mexico

List Source: Eurofins Midland

Login Number: 14113 List Number: 1

Creator: Rodriguez, Leticia

| Question | Answer | Comment |
|--|--------|---------|
| The cooler's custody seal, if present, is intact. | N/A | |
| Sample custody seals, if present, are intact. | N/A | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| s the Field Sampler's name present on COC? | True | |
| There are no discrepancies between the containers received and the COC. | True | |
| Samples are received within Holding Time (excluding tests with immediate HTs) | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified. | N/A | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4"). | N/A | |

Eurofins Midland

Released to Imaging: 12/16/2022 10:56:19 AM

Environment Testing America

ANALYTICAL REPORT

Eurofins Midland 1211 W. Florida Ave Midland, TX 79701 Tel: (432)704-5440

Laboratory Job ID: 880-14510-1

Laboratory Sample Delivery Group: JCF6DLE501

Client Project/Site: 49er

For:

Charger Rentals 23 West Industrial Loop Midland, Texas 79701

Attn: Ronnie Crawford

Holly Taylor

Authorized for release by: 5/16/2022 5:57:12 PM

Holly Taylor, Project Manager (806)794-1296

Holly.Taylor@et.eurofinsus.com

LINKS

Review your project results through

Total Access

Have a Question?



Visit us at:

www.eurofinsus.com/Env

Released to Imaging: 12/16/2022 10:56:19 AM

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1

2

3

4

5

7

8

40

11

13

Н

Client: Charger Rentals

Laboratory Job ID: 880-14510-1 SDG: JCF6DLE501

| Eurofins Midland 5/16/2022 |
|-------------------------------|

Table of Contents

| Cover Page | 1 |
|------------------------|----|
| Table of Contents | 2 |
| Definitions/Glossary | 3 |
| Case Narrative | 4 |
| Client Sample Results | 5 |
| Surrogate Summary | 26 |
| QC Sample Results | 28 |
| QC Association Summary | 36 |
| Lab Chronicle | 43 |
| Certification Summary | 52 |
| Method Summary | 53 |
| Sample Summary | 54 |
| Chain of Custody | 55 |
| Receipt Checklists | 58 |

Page 2 of 58

Definitions/Glossary

Client: Charger Rentals Job ID: 880-14510-1 SDG: JCF6DLE501 Project/Site: 49er

Qualifiers

GC VOA

Qualifier **Qualifier Description** F1 MS and/or MSD recovery exceeds control limits. U Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier **Qualifier Description** F1 MS and/or MSD recovery exceeds control limits. S1-Surrogate recovery exceeds control limits, low biased. S1+ Surrogate recovery exceeds control limits, high biased. Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier **Qualifier Description**

U

Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation These commonly used abbreviations may or may not be present in this report.

Listed under the "D" column to designate that the result is reported on a dry weight basis

%R Percent Recovery **CFL** Contains Free Liquid Colony Forming Unit **CFU CNF** Contains No Free Liquid

DER Duplicate Error Ratio (normalized absolute difference)

Dil Fac **Dilution Factor**

DL Detection Limit (DoD/DOE)

DL, RA, RE, IN Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample

DLC Decision Level Concentration (Radiochemistry)

EDL Estimated Detection Limit (Dioxin) LOD Limit of Detection (DoD/DOE) LOQ Limit of Quantitation (DoD/DOE)

EPA recommended "Maximum Contaminant Level" MCL MDA Minimum Detectable Activity (Radiochemistry) MDC Minimum Detectable Concentration (Radiochemistry)

MDL Method Detection Limit MI Minimum Level (Dioxin) MPN Most Probable Number MQL Method Quantitation Limit

NC Not Calculated

ND Not Detected at the reporting limit (or MDL or EDL if shown)

NEG Negative / Absent POS Positive / Present

Practical Quantitation Limit PQL

PRES Presumptive QC **Quality Control**

RER Relative Error Ratio (Radiochemistry)

RL Reporting Limit or Requested Limit (Radiochemistry)

RPD Relative Percent Difference, a measure of the relative difference between two points

TEF Toxicity Equivalent Factor (Dioxin) **TEQ** Toxicity Equivalent Quotient (Dioxin)

Too Numerous To Count **TNTC**

Eurofins Midland

Page 3 of 58 Released to Imaging: 12/16/2022 10:56:19 AM

Case Narrative

Client: Charger Rentals

Job ID: 880-14510-1

Project/Site: 49er

SDG: JCF6DLE501

Job ID: 880-14510-1

Laboratory: Eurofins Midland

Narrative

Job Narrative 880-14510-1

Comments

No additional comments.

Receipt

The samples were received on 5/6/2022 12:36 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 0.3° C.

GC VOA

Method 8021B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-25547 and analytical batch 880-25497 were outside control limits. Sample matrix interference is suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method 8021B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-25548 and analytical batch 880-25561 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

GC Semi VOA

Method 8015B NM: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-25006 and analytical batch 880-25039 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

Method 8015B NM: Surrogate recovery for the following samples were outside control limits: CS-South Bottom Hole-1 4' (880-14510-1), CS-South Bottom Hole-2 4' (880-14510-2), CS-South Bottom Hole-3 1.5' (880-14510-3), CS-South Bottom Hole-4 1.5' (880-14510-4), CS-South Bottom Hole-5 1.5' (880-14510-5), CS-South Bottom Hole-6 1.5' (880-14510-6), CS-South Bottom Hole-7 1.5' (880-14510-7), CS-South Bottom Hole-8 2.5' (880-14510-8), CS-South Bottom Hole-9 2.5' (880-14510-9), CS-South Bottom Hole-10 2.5' (880-14510-10), CS-South North Sidewall-1 (880-14510-11), CS-South North Sidewall-2 (880-14510-12), CS-South North Sidewall-3 (880-14510-13), CS-South North Sidewall-4 (880-14510-14), CS-South South Sidewall-5 (880-14510-15), CS-South North Sidewall-6 (880-14510-16), CS-South South Sidewall-7 (880-14510-17), CS-South South Sidewall-1 (880-14510-18), CS-South South Sidewall-2 (880-14510-19), CS-South South Sidewall-3 (880-14510-20), (880-14510-A-1-B MS) and (880-14510-A-1-C MSD). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8015B NM: Surrogate recovery for the following sample was outside control limits: (LCSD 880-25059/3-A). Evidence of matrix interferences is not obvious.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Organic Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

2

4

5

6

8

4.6

11

13

14

Client Sample Results

Client: Charger Rentals Job ID: 880-14510-1 Project/Site: 49er SDG: JCF6DLE501

Client Sample ID: CS-South Bottom Hole-1 4'

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

Lab Sample ID: 880-14510-1

Matrix: Solid

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--|----------------|-------------------------------|----------|------------|------------|----------------|----------------------------------|---------|
| Benzene | <0.00202 | U | 0.00202 | mg/Kg | | 05/13/22 14:45 | 05/14/22 04:23 | 1 |
| Toluene | <0.00202 | U | 0.00202 | mg/Kg | | 05/13/22 14:45 | 05/14/22 04:23 | 1 |
| Ethylbenzene | < 0.00202 | U | 0.00202 | mg/Kg | | 05/13/22 14:45 | 05/14/22 04:23 | 1 |
| m,p-Xylenes | <0.00403 | U | 0.00403 | mg/Kg | | 05/13/22 14:45 | 05/14/22 04:23 | 1 |
| o-Xylene | < 0.00202 | U | 0.00202 | mg/Kg | | 05/13/22 14:45 | 05/14/22 04:23 | 1 |
| Xylenes, Total | <0.00403 | U | 0.00403 | mg/Kg | | 05/13/22 14:45 | 05/14/22 04:23 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 98 | | 70 - 130 | | | 05/13/22 14:45 | 05/14/22 04:23 | 1 |
| 1,4-Difluorobenzene (Surr) | 93 | | 70 - 130 | | | 05/13/22 14:45 | 05/14/22 04:23 | 1 |
| Method: Total BTEX - Total B | TEX Calcula | tion | | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total BTEX | <0.00403 | U | 0.00403 | mg/Kg | | | 05/14/22 16:04 | 1 |
| Method: 8015 NM - Diesel Rai Analyte | Result | Qualifier | RL | Unit ma/Ka | _ <u>D</u> | Prepared | Analyzed | Dil Fac |
| Analyte Total TPH | Result | | 50.0 —— | mg/Kg | — Б | Prepared | Analyzed 05/09/22 16:22 | DII Fac |
| | | | | | | | | |
| Method: 8015B NM - Diesel R | | | • | | | | | |
| Analyte | | Qualifier | RL | Unit | _ D | Prepared | Analyzed | Dil Fac |
| | <50.0 | U F1 | 50.0 | mg/Kg | | 05/06/22 17:15 | 05/08/22 14:59 | 1 |
| Gasoline Range Organics (GRO)-C6-C10 | | | 30.0 | mg/rtg | | | | |
| (GRO)-C6-C10 Diesel Range Organics (Over | <50.0 | | 50.0 | mg/Kg | | 05/06/22 17:15 | 05/08/22 14:59 | 1 |
| (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) | | U F1 | 50.0 | mg/Kg | | | 05/08/22 14:59 | 1 |
| (GRO)-C6-C10 Diesel Range Organics (Over | <50.0 <50.0 | U F1 | | | | | | 1 |
| (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36) Surrogate | | U F1 U Qualifier | 50.0 | mg/Kg | | | 05/08/22 14:59 | 1 |
| (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36) | <50.0 | U F1 | 50.0 | mg/Kg | | 05/06/22 17:15 | 05/08/22 14:59 05/08/22 14:59 | • |

Client Sample ID: CS-South Bottom Hole-2 4'

Result Qualifier

287

Date Collected: 05/05/22 00:00

Date Received: 05/06/22 12:36

Analyte

Chloride

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Benzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/13/22 14:45 | 05/14/22 04:49 | 1 |
| Toluene | <0.00200 | U | 0.00200 | mg/Kg | | 05/13/22 14:45 | 05/14/22 04:49 | 1 |
| Ethylbenzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/13/22 14:45 | 05/14/22 04:49 | 1 |
| m,p-Xylenes | <0.00400 | U | 0.00400 | mg/Kg | | 05/13/22 14:45 | 05/14/22 04:49 | 1 |
| o-Xylene | <0.00200 | U | 0.00200 | mg/Kg | | 05/13/22 14:45 | 05/14/22 04:49 | 1 |
| Xylenes, Total | <0.00400 | U | 0.00400 | mg/Kg | | 05/13/22 14:45 | 05/14/22 04:49 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 115 | | 70 - 130 | | | 05/13/22 14:45 | 05/14/22 04:49 | 1 |
| 1,4-Difluorobenzene (Surr) | 99 | | 70 - 130 | | | 05/13/22 14:45 | 05/14/22 04:49 | 1 |

RL

4.99

Unit

mg/Kg

Prepared

Analyzed

05/12/22 02:33

Matrix: Solid

Lab Sample ID: 880-14510-2

Client Sample ID: CS-South Bottom Hole-2 4'

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

Lab Sample ID: 880-14510-2

Matrix: Solid

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|--------------------------------|-----------------|----------------------------|---------------|----------|--|--|------------------------|
| Total BTEX | <0.00400 | U | 0.00400 | mg/Kg | | | 05/14/22 16:04 | 1 |
| Method: 8015 NM - Diesel Rar | nge Organic | s (DRO) (G | SC) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total TPH | <49.9 | U | 49.9 | mg/Kg | | | 05/09/22 16:22 | 1 |
| Method: 8015B NM - Diesel R Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Analyte | Result | Qualifier | RL | | <u>D</u> | | | Dil Fac |
| Analyte Gasoline Range Organics | | Qualifier | • • | Unit mg/Kg | <u>D</u> | Prepared 05/06/22 17:15 | Analyzed 05/08/22 16:04 | Dil Fac |
| Analyte Gasoline Range Organics (GRO)-C6-C10 | Result <49.9 | Qualifier U | RL 49.9 | mg/Kg | <u>D</u> | 05/06/22 17:15 | 05/08/22 16:04 | Dil Fac |
| Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over | Result | Qualifier U | RL | | <u>D</u> | | 05/08/22 16:04 | Dil Fac |
| Analyte Gasoline Range Organics (GRO)-C6-C10 | Result <49.9 | Qualifier U | RL 49.9 | mg/Kg | <u> </u> | 05/06/22 17:15 05/06/22 17:15 | 05/08/22 16:04 05/08/22 16:04 | 1 1 1 |
| Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) | Result <49.9 | Qualifier U U U | RL 49.9 49.9 | mg/Kg | <u>D</u> | 05/06/22 17:15 05/06/22 17:15 | 05/08/22 16:04 05/08/22 16:04 | Dil Fac 1 1 Dil Fac |
| Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36) | Result <49.9 <49.9 <49.9 | Qualifier U U U | RL 49.9 49.9 49.9 | mg/Kg | <u> </u> | 05/06/22 17:15 05/06/22 17:15 05/06/22 17:15 | 05/08/22 16:04 05/08/22 16:04 05/08/22 16:04 Analyzed | 1 1 |

Result Qualifier Unit Analyte RL Prepared Dil Fac Analyzed Chloride 5.00 05/12/22 02:57 246 mg/Kg Lab Sample ID: 880-14510-3

Client Sample ID: CS-South Bottom Hole-3 1.5'

Method: 300.0 - Anions, Ion Chromatography - Soluble

Date Collected: 05/05/22 00:00

Date Received: 05/06/22 12:36

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--|---|--|--------------------------|-------------------|------------------|--------------------------|--|---------|
| Benzene | <0.00199 | U | 0.00199 | mg/Kg | | 05/13/22 14:45 | 05/14/22 05:15 | 1 |
| Toluene | < 0.00199 | U | 0.00199 | mg/Kg | | 05/13/22 14:45 | 05/14/22 05:15 | 1 |
| Ethylbenzene | < 0.00199 | U | 0.00199 | mg/Kg | | 05/13/22 14:45 | 05/14/22 05:15 | 1 |
| m,p-Xylenes | <0.00398 | U | 0.00398 | mg/Kg | | 05/13/22 14:45 | 05/14/22 05:15 | 1 |
| o-Xylene | < 0.00199 | U | 0.00199 | mg/Kg | | 05/13/22 14:45 | 05/14/22 05:15 | 1 |
| Xylenes, Total | <0.00398 | U | 0.00398 | mg/Kg | | 05/13/22 14:45 | 05/14/22 05:15 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 104 | | 70 - 130 | | | 05/13/22 14:45 | 05/14/22 05:15 | 1 |
| | | | | | | | | |
| 1,4-Difluorobenzene (Surr) Method: Total BTEX - Total | BTEX Calcula | tion | 70 - 130 | | | 05/13/22 14:45 | 05/14/22 05:15 | 1 |
| | BTEX Calcula | tion Qualifier | 70 - 130 RL | Unit | D | 05/13/22 14:45 Prepared | 05/14/22 05:15 Analyzed | Dil Fac |
| Method: Total BTEX - Total | BTEX Calcula | Qualifier | | Unit mg/Kg | <u>D</u> | | | Dil Fac |
| Method: Total BTEX - Total Analyte | BTEX Calcula Result <0.00398 | Qualifier U | RL 0.00398 | | <u>D</u> | | Analyzed | Dil Fac |
| Method: Total BTEX - Total Analyte Total BTEX | BTEX Calcula Result <0.00398 Range Organic | Qualifier U | RL 0.00398 | | <u>D</u> | | Analyzed | Dil Fac |
| Method: Total BTEX - Total Analyte Total BTEX Method: 8015 NM - Diesel F | BTEX Calcula Result <0.00398 Range Organic | Qualifier U s (DRO) (C | RL 0.00398 | mg/Kg | = | Prepared | Analyzed 05/14/22 16:04 | 1 |
| Method: Total BTEX - Total Analyte Total BTEX Method: 8015 NM - Diesel F Analyte | Range Organic Result < 8 column 1 colum | Qualifier U S (DRO) (C Qualifier U | RL 0.00398 GC) RL 50.0 | mg/Kg | = | Prepared | Analyzed 05/14/22 16:04 Analyzed | 1 |
| Method: Total BTEX - Total Analyte Total BTEX Method: 8015 NM - Diesel F Analyte Total TPH | Range Organic Result <0.00398 Range Organic Result <50.0 | Qualifier U S (DRO) (C Qualifier U | RL 0.00398 GC) RL 50.0 | mg/Kg | = | Prepared | Analyzed 05/14/22 16:04 Analyzed | 1 |
| Method: Total BTEX - Total Analyte Total BTEX Method: 8015 NM - Diesel F Analyte Total TPH Method: 8015B NM - Diesel | Range Organic Result <0.00398 Range Organic Result <50.0 | Qualifier U S (DRO) (C Qualifier U ics (DRO) Qualifier | RL 0.00398 GC) RL 50.0 | mg/Kg Unit mg/Kg | <u></u> <u>D</u> | Prepared Prepared | Analyzed 05/14/22 16:04 Analyzed 05/09/22 16:22 Analyzed | Dil Fac |

Eurofins Midland

Released to Imaging: 12/16/2022 10:56:19 AM

Matrix: Solid

Client Sample ID: CS-South Bottom Hole-3 1.5'

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

Lab Sample ID: 880-14510-3

Lab Sample ID: 880-14510-4

Matrix: Solid

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Oll Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 05/06/22 17:15 | 05/08/22 16:25 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 43 | S1- | 70 - 130 | | | 05/06/22 17:15 | 05/08/22 16:25 | 1 |
| o-Terphenyl (Surr) | 36 | S1- | 70 - 130 | | | 05/06/22 17:15 | 05/08/22 16:25 | 1 |

Method: 300.0 - Anions, Ion Chromatography - Soluble Result Qualifier RL Unit Prepared Analyzed Dil Fac Chloride 247 4.97 mg/Kg 05/12/22 03:05

Client Sample ID: CS-South Bottom Hole-4 1.5'

| Date Collected: 05/05/22 00:00 | Matrix: Solid |
|--------------------------------|---------------|
| Date Received: 05/06/22 12:36 | |
| | |

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Benzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/13/22 14:45 | 05/14/22 05:40 | 1 |
| Toluene | <0.00200 | U | 0.00200 | mg/Kg | | 05/13/22 14:45 | 05/14/22 05:40 | 1 |
| Ethylbenzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/13/22 14:45 | 05/14/22 05:40 | 1 |
| m,p-Xylenes | <0.00401 | U | 0.00401 | mg/Kg | | 05/13/22 14:45 | 05/14/22 05:40 | 1 |
| o-Xylene | <0.00200 | U | 0.00200 | mg/Kg | | 05/13/22 14:45 | 05/14/22 05:40 | 1 |
| Xylenes, Total | <0.00401 | U | 0.00401 | mg/Kg | | 05/13/22 14:45 | 05/14/22 05:40 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 108 | | 70 - 130 | | | 05/13/22 14:45 | 05/14/22 05:40 | 1 |
| 1,4-Difluorobenzene (Surr) | 101 | | 70 - 130 | | | 05/13/22 14:45 | 05/14/22 05:40 | 1 |

| Method: Total BTEX - Total BT | EX Calcula | tion | | | | | | |
|-------------------------------|------------|-----------|---------|-------|---|----------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total BTEX | <0.00401 | U | 0.00401 | mg/Kg | | | 05/14/22 16:04 | 1 |

| Method: 8015 NM - Diesel Rang | e Organic | s (DRO) (GC | ;) | | | | | |
|-------------------------------|-----------|--------------|------------|-------|---|----------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total TPH | <50.0 | U | 50.0 | mg/Kg | | | 05/09/22 16:22 | 1 |
| | | | | | | | | |
| Method: 8015B NM - Diesel Rar | ige Organ | ics (DRO) (G | SC) | | | | | |

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <50.0 | U | 50.0 | mg/Kg | | 05/06/22 17:15 | 05/08/22 16:47 | 1 |
| Diesel Range Organics (Over C10-C28) | <50.0 | U | 50.0 | mg/Kg | | 05/06/22 17:15 | 05/08/22 16:47 | 1 |
| Oll Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 05/06/22 17:15 | 05/08/22 16:47 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 17 | S1- | 70 - 130 | | | 05/06/22 17:15 | 05/08/22 16:47 | 1 |
| o-Terphenyl (Surr) | 4 | S1- | 70 - 130 | | | 05/06/22 17:15 | 05/08/22 16:47 | 1 |

| Method: 300.0 - Anions, Ion Ch | nromatography - Sol | uble | | | | | |
|--------------------------------|---------------------|------|-------|---|----------|----------------|---------|
| Analyte | Result Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Chloride | 309 | 5.01 | mg/Kg | | | 05/12/22 03:14 | 1 |

Client Sample ID: CS-South Bottom Hole-5 1.5'

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

Lab Sample ID: 880-14510-5

Matrix: Solid

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|-------------|-----------|----------|-------|----------|----------------|----------------|---------|
| Benzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/13/22 14:45 | 05/14/22 06:06 | 1 |
| Toluene | <0.00200 | U | 0.00200 | mg/Kg | | 05/13/22 14:45 | 05/14/22 06:06 | 1 |
| Ethylbenzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/13/22 14:45 | 05/14/22 06:06 | 1 |
| m,p-Xylenes | < 0.00399 | U | 0.00399 | mg/Kg | | 05/13/22 14:45 | 05/14/22 06:06 | 1 |
| o-Xylene | <0.00200 | U | 0.00200 | mg/Kg | | 05/13/22 14:45 | 05/14/22 06:06 | 1 |
| Xylenes, Total | <0.00399 | U | 0.00399 | mg/Kg | | 05/13/22 14:45 | 05/14/22 06:06 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 100 | | 70 - 130 | | | 05/13/22 14:45 | 05/14/22 06:06 | 1 |
| 1,4-Difluorobenzene (Surr) | 97 | | 70 - 130 | | | 05/13/22 14:45 | 05/14/22 06:06 | 1 |
| Method: Total BTEX - Total B | ΓEX Calcula | tion | | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total BTEX | <0.00399 | U | 0.00399 | mg/Kg | | | 05/14/22 16:04 | 1 |
| Analyte | | Qualifier | RL | Unit | <u>D</u> | Prepared | Analyzed | Dil Fac |
| Total TPH | <49.9 | | 49.9 | mg/Kg | — – | Prepared | 05/09/22 16:22 | DII Fac |
| • • | | | | 0 0 | | | | |
| Method: 8015B NM - Diesel R | ange Organ | ics (DRO) | (GC) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Gasoline Range Organics (GRO)-C6-C10 | <49.9 | U | 49.9 | mg/Kg | | 05/06/22 17:15 | 05/08/22 17:09 | 1 |
| Diesel Range Organics (Over | <49.9 | U | 49.9 | mg/Kg | | 05/06/22 17:15 | 05/08/22 17:09 | 1 |
| C10-C28) | | | | | | | | |
| Oll Range Organics (Over C28-C36) | <49.9 | U | 49.9 | mg/Kg | | 05/06/22 17:15 | 05/08/22 17:09 | 1 |
| Surrogate | %Recovery | | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 28 | S1- | 70 - 130 | | | 05/06/22 17:15 | 05/08/22 17:09 | 1 |
| o-Terphenyl (Surr) | 15 | S1- | 70 - 130 | | | 05/06/22 17:15 | 05/08/22 17:09 | 1 |
| Method: 300.0 - Anions, Ion C | _ | | | | | | | |
| Analyte | | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Chloride | 320 | | 5.03 | mg/Kg | | | 05/12/22 03:22 | 1 |

Client Sample ID: CS-South Bottom Hole-6 1.5' Lab Sample ID: 880-14510-6 Date Collected: 05/05/22 00:00 **Matrix: Solid**

Date Received: 05/06/22 12:36

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Benzene | <0.00198 | U | 0.00198 | mg/Kg | | 05/13/22 14:45 | 05/14/22 06:32 | 1 |
| Toluene | <0.00198 | U | 0.00198 | mg/Kg | | 05/13/22 14:45 | 05/14/22 06:32 | 1 |
| Ethylbenzene | <0.00198 | U | 0.00198 | mg/Kg | | 05/13/22 14:45 | 05/14/22 06:32 | 1 |
| m,p-Xylenes | <0.00397 | U | 0.00397 | mg/Kg | | 05/13/22 14:45 | 05/14/22 06:32 | 1 |
| o-Xylene | <0.00198 | U | 0.00198 | mg/Kg | | 05/13/22 14:45 | 05/14/22 06:32 | 1 |
| Xylenes, Total | <0.00397 | U | 0.00397 | mg/Kg | | 05/13/22 14:45 | 05/14/22 06:32 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 98 | | 70 - 130 | | | 05/13/22 14:45 | 05/14/22 06:32 | 1 |
| 1.4-Difluorobenzene (Surr) | 98 | | 70 - 130 | | | 05/13/22 14:45 | 05/14/22 06:32 | 1 |

Client Sample ID: CS-South Bottom Hole-6 1.5'

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36 Lab Sample ID: 880-14510-6

Matrix: Solid

05/12/22 03:46

Matrix: Solid

Lab Sample ID: 880-14510-7

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------------|-------------|------------|----------|-------|---|----------------|----------------|---------|
| Total BTEX | <0.00397 | U | 0.00397 | mg/Kg | | | 05/14/22 16:04 | 1 |
| Method: 8015 NM - Diesel Rar | nge Organic | s (DRO) (0 | SC) | | | | | |
| Analyte | • | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total TPH | <49.9 | U | 49.9 | mg/Kg | | | 05/09/22 16:22 | 1 |
| Method: 8015B NM - Diesel R | ange Organ | ics (DRO) | (GC) | | | | | |
| Analyte | - | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Gasoline Range Organics | <49.9 | U | 49.9 | mg/Kg | | 05/06/22 17:15 | 05/08/22 17:31 | 1 |
| (GRO)-C6-C10 | | | | | | | | |
| Diesel Range Organics (Over | <49.9 | U | 49.9 | mg/Kg | | 05/06/22 17:15 | 05/08/22 17:31 | 1 |
| C10-C28) | | | | | | | | |
| Oll Range Organics (Over C28-C36) | <49.9 | U | 49.9 | mg/Kg | | 05/06/22 17:15 | 05/08/22 17:31 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 48 | S1- | 70 - 130 | | | 05/06/22 17:15 | 05/08/22 17:31 | 1 |
| o-Terphenyl (Surr) | 39 | S1- | 70 - 130 | | | 05/06/22 17:15 | 05/08/22 17:31 | 1 |
| Method: 300.0 - Anions, Ion C | hromatogra | nhy - Solu | ıblo | | | | | |
| Analyte | • | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |

4.97

mg/Kg

Client Sample ID: CS-South Bottom Hole-7 1.5'

282

Date Collected: 05/05/22 00:00

Chloride

Date Received: 05/06/22 12:36

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--|---|--|------------------------------|-------------------------|----------|------------------------------------|--|-----------------|
| Benzene | <0.00201 | U | 0.00201 | mg/Kg | | 05/13/22 14:45 | 05/14/22 08:17 | 1 |
| Toluene | < 0.00201 | U | 0.00201 | mg/Kg | | 05/13/22 14:45 | 05/14/22 08:17 | 1 |
| Ethylbenzene | <0.00201 | U | 0.00201 | mg/Kg | | 05/13/22 14:45 | 05/14/22 08:17 | 1 |
| m,p-Xylenes | <0.00402 | U | 0.00402 | mg/Kg | | 05/13/22 14:45 | 05/14/22 08:17 | 1 |
| o-Xylene | < 0.00201 | U | 0.00201 | mg/Kg | | 05/13/22 14:45 | 05/14/22 08:17 | 1 |
| Xylenes, Total | <0.00402 | U | 0.00402 | mg/Kg | | 05/13/22 14:45 | 05/14/22 08:17 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 95 | | 70 - 130 | | | 05/13/22 14:45 | 05/14/22 08:17 | 1 |
| 1,4-Difluorobenzene (Surr) | 88 | | 70 - 130 | | | 05/13/22 14:45 | 05/14/22 08:17 | 1 |
| Method: Total BTEX - Total | l BTEX Calcula | tion | | | | | | |
| Method: Total BTEX - Total | | | | | | | | |
| Analyte | Result | Qualifier | RL | Unit | <u>D</u> | Prepared | Analyzed | |
| Analyte | | Qualifier | RL 0.00402 | Unit mg/Kg | <u>D</u> | Prepared | Analyzed 05/14/22 16:04 | |
| Analyte Total BTEX | <0.00402 | Qualifier U | 0.00402 | | <u>D</u> | Prepared | | |
| Analyte Total BTEX Method: 8015 NM - Diesel | Result <0.00402 | Qualifier U | 0.00402 | | <u>D</u> | Prepared Prepared | | 1 |
| | Result <0.00402 | Qualifier U s (DRO) (C | 0.00402 GC) | mg/Kg | = | · · · | 05/14/22 16:04 | Dil Fac Dil Fac |
| Analyte Total BTEX Method: 8015 NM - Diesel Analyte Total TPH | Result <0.00402 Range Organic Result <50.0 | Qualifier U S (DRO) (C Qualifier U | 0.00402 GC) RL 50.0 | mg/Kg | = | · · · | 05/14/22 16:04 Analyzed | 1 Dil Fac |
| Analyte Total BTEX Method: 8015 NM - Diesel Analyte Total TPH Method: 8015B NM - Diese | Result <0.00402 Range Organic Result <50.0 I Range Organ | Qualifier U s (DRO) (C Qualifier U | 0.00402 GC) RL 50.0 (GC) | mg/Kg Unit mg/Kg | <u>D</u> | Prepared | 05/14/22 16:04 Analyzed 05/09/22 16:22 | Dil Fac |
| Analyte Total BTEX Method: 8015 NM - Diesel Analyte Total TPH Method: 8015B NM - Diese Analyte | Result <0.00402 Range Organic Result <50.0 I Range Organ Result | Qualifier U S (DRO) (C Qualifier U ics (DRO) Qualifier | 0.00402 Columbia | mg/Kg Unit mg/Kg Unit | = | Prepared Prepared | 05/14/22 16:04 Analyzed 05/09/22 16:22 Analyzed | Dil Fac |
| Analyte Total BTEX Method: 8015 NM - Diesel Analyte Total TPH Method: 8015B NM - Diese Analyte Gasoline Range Organics | Result <0.00402 Range Organic Result <50.0 I Range Organ | Qualifier U S (DRO) (C Qualifier U ics (DRO) Qualifier | 0.00402 GC) RL 50.0 (GC) | mg/Kg Unit mg/Kg | <u>D</u> | Prepared | 05/14/22 16:04 Analyzed 05/09/22 16:22 | Dil Fac |
| Analyte Total BTEX Method: 8015 NM - Diesel Analyte | Result <0.00402 Range Organic Result <50.0 I Range Organ Result | Qualifier U S (DRO) (C Qualifier U ics (DRO) Qualifier U | 0.00402 Columbia | mg/Kg Unit mg/Kg Unit | <u>D</u> | Prepared Prepared 05/06/22 17:15 | 05/14/22 16:04 Analyzed 05/09/22 16:22 Analyzed | 1 Dil Fac |

Client Sample ID: CS-South Bottom Hole-7 1.5'

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

Lab Sample ID: 880-14510-7

Matrix: Solid

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Oll Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 05/06/22 17:15 | 05/08/22 17:52 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 48 | S1- | 70 - 130 | | | 05/06/22 17:15 | 05/08/22 17:52 | 1 |
| o-Terphenyl (Surr) | 47 | S1- | 70 - 130 | | | 05/06/22 17:15 | 05/08/22 17:52 | 1 |

Method: 300.0 - Anions, Ion Chromatography - Soluble Result Qualifier RL Unit Prepared Analyzed Dil Fac Chloride 344 4.98 mg/Kg 05/12/22 03:54

Client Sample ID: CS-South Bottom Hole-8 2.5'

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

Lab Sample ID: 880-14510-8

Matrix: Solid

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Benzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/13/22 14:45 | 05/14/22 08:43 | 1 |
| Toluene | <0.00200 | U | 0.00200 | mg/Kg | | 05/13/22 14:45 | 05/14/22 08:43 | 1 |
| Ethylbenzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/13/22 14:45 | 05/14/22 08:43 | 1 |
| m,p-Xylenes | <0.00400 | U | 0.00400 | mg/Kg | | 05/13/22 14:45 | 05/14/22 08:43 | 1 |
| o-Xylene | <0.00200 | U | 0.00200 | mg/Kg | | 05/13/22 14:45 | 05/14/22 08:43 | 1 |
| Xylenes, Total | <0.00400 | U | 0.00400 | mg/Kg | | 05/13/22 14:45 | 05/14/22 08:43 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 96 | | 70 - 130 | | | 05/13/22 14:45 | 05/14/22 08:43 | 1 |
| 1,4-Difluorobenzene (Surr) | 102 | | 70 - 130 | | | 05/13/22 14:45 | 05/14/22 08:43 | 1 |

| Method: Total BTEX - Total BT | EX Calcula | tion | | | | | | |
|-------------------------------|------------|-----------|---------|-------|---|----------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total BTEX | <0.00400 | U | 0.00400 | mg/Kg | | | 05/14/22 16:04 | 1 |

| Method: 8015 NM - Diesel Ra | ange Organic | s (DRO) (GC | ;) | | | | | |
|-----------------------------|--------------|--------------|------------|-------|---|----------------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total TPH | <49.8 | U | 49.8 | mg/Kg | | | 05/09/22 16:22 | 1 |
| Method: 8015B NM - Diesel I | Range Organi | ics (DRO) (G | GC) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| O I' D | - 40.0 | 11 | 40.0 | | | 05/00/00 47:45 | 05/00/00 40:44 | |

| 1-Chlorooctane (Surr) | 30 | S1- | 70 130 | | 05/06/22 17:15 | 05/08/22 18:14 | |
|--------------------------------------|-----------|-----------|--------|-------|----------------|----------------|---------|
| Surrogate | %Recovery | Qualifier | Limits | | Prepared | Analyzed | Dil Fac |
| Oll Range Organics (Over C28-C36) | <49.8 | U | 49.8 | mg/Kg | 05/06/22 17:15 | 05/08/22 18:14 | 1 |
| Diesel Range Organics (Over C10-C28) | <49.8 | U | 49.8 | mg/Kg | 05/06/22 17:15 | 05/08/22 18:14 | 1 |
| (GRO)-C6-C10 | <49.8 | U | 49.8 | mg/Kg | 05/06/22 17:15 | 05/08/22 18:14 | 1 |

| Surrogate | %Recovery | Qualifier | LIMITS | Prepared | Anaiyzea | DII Fac |
|-----------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1-Chlorooctane (Surr) | 30 | S1- | 70 - 130 | 05/06/22 17:15 | 05/08/22 18:14 | 1 |
| o-Terphenyl (Surr) | 29 | S1- | 70 - 130 | 05/06/22 17:15 | 05/08/22 18:14 | 1 |
| | | | | | | |

| Method: 300.0 - Anions, Ion C | hromatogra | phy - Solu | ble | | | | | |
|-------------------------------|------------|------------|------|-------|---|----------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Chloride | 308 | | 4.95 | mg/Kg | | | 05/12/22 04:03 | 1 |

Client Sample ID: CS-South Bottom Hole-9 2.5'

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36 Lab Sample ID: 880-14510-9

Matrix: Solid

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------------|-------------|-------------|----------|-------|---|----------------|----------------|---------|
| Benzene | <0.00199 | U | 0.00199 | mg/Kg | | 05/13/22 14:45 | 05/14/22 09:09 | 1 |
| Toluene | < 0.00199 | U | 0.00199 | mg/Kg | | 05/13/22 14:45 | 05/14/22 09:09 | 1 |
| Ethylbenzene | < 0.00199 | U | 0.00199 | mg/Kg | | 05/13/22 14:45 | 05/14/22 09:09 | 1 |
| m,p-Xylenes | <0.00398 | U | 0.00398 | mg/Kg | | 05/13/22 14:45 | 05/14/22 09:09 | 1 |
| o-Xylene | < 0.00199 | U | 0.00199 | mg/Kg | | 05/13/22 14:45 | 05/14/22 09:09 | 1 |
| Xylenes, Total | <0.00398 | U | 0.00398 | mg/Kg | | 05/13/22 14:45 | 05/14/22 09:09 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 95 | | 70 - 130 | | | 05/13/22 14:45 | 05/14/22 09:09 | 1 |
| 1,4-Difluorobenzene (Surr) | 96 | | 70 - 130 | | | 05/13/22 14:45 | 05/14/22 09:09 | 1 |
| Method: Total BTEX - Total B | ΓEX Calcula | tion | | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total BTEX | <0.00398 | U | 0.00398 | mg/Kg | | | 05/14/22 16:04 | 1 |
| Method: 8015 NM - Diesel Rai | nge Organic | s (DRO) (0 | GC) | | | | | |
| Analyte | • | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total TPH | <50.0 | U | 50.0 | mg/Kg | | | 05/09/22 16:22 | 1 |
| Method: 8015B NM - Diesel R | ange Organ | ics (DRO) | (GC) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Gasoline Range Organics | <50.0 | U | 50.0 | mg/Kg | | 05/06/22 17:15 | 05/08/22 18:35 | 1 |
| (GRO)-C6-C10 | | | | | | | | |
| Diesel Range Organics (Over | <50.0 | U | 50.0 | mg/Kg | | 05/06/22 17:15 | 05/08/22 18:35 | 1 |
| C10-C28) | | | | | | | | |
| Oll Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 05/06/22 17:15 | 05/08/22 18:35 | 1 |
| Surrogate | %Recovery | | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 51 | S1- | 70 - 130 | | | 05/06/22 17:15 | 05/08/22 18:35 | 1 |
| o-Terphenyl (Surr) | 41 | S1- | 70 - 130 | | | 05/06/22 17:15 | 05/08/22 18:35 | 1 |
| Method: 300.0 - Anions, Ion C | hromatogra | ıbhv - Solu | ıble | | | | | |
| | | | | | | | | |

Client Sample ID: CS-South Bottom Hole-10 2.5' Lab Sample ID: 880-14510-10

349

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

Chloride

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Benzene | <0.00201 | U | 0.00201 | mg/Kg | | 05/13/22 14:45 | 05/14/22 09:35 | 1 |
| Toluene | <0.00201 | U | 0.00201 | mg/Kg | | 05/13/22 14:45 | 05/14/22 09:35 | 1 |
| Ethylbenzene | <0.00201 | U | 0.00201 | mg/Kg | | 05/13/22 14:45 | 05/14/22 09:35 | 1 |
| m,p-Xylenes | <0.00402 | U | 0.00402 | mg/Kg | | 05/13/22 14:45 | 05/14/22 09:35 | 1 |
| o-Xylene | <0.00201 | U | 0.00201 | mg/Kg | | 05/13/22 14:45 | 05/14/22 09:35 | 1 |
| Xylenes, Total | <0.00402 | U | 0.00402 | mg/Kg | | 05/13/22 14:45 | 05/14/22 09:35 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 90 | | 70 - 130 | | | 05/13/22 14:45 | 05/14/22 09:35 | 1 |
| 1,4-Difluorobenzene (Surr) | 100 | | 70 - 130 | | | 05/13/22 14:45 | 05/14/22 09:35 | 1 |

4.95

mg/Kg

Eurofins Midland

05/12/22 04:11

Matrix: Solid

А

5

1

9

11

12

14

otins iviidiand

Client Sample ID: CS-South Bottom Hole-10 2.5'

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36 Lab Sample ID: 880-14510-10

Lab Sample ID: 880-14510-11

Matrix: Solid

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------------|-------------|------------|----------|-------|---|----------------|----------------|---------|
| Total BTEX | <0.00402 | U | 0.00402 | mg/Kg | | | 05/14/22 16:04 | 1 |
| Method: 8015 NM - Diesel Rar | nge Organic | s (DRO) (0 | SC) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total TPH | <49.9 | U | 49.9 | mg/Kg | | | 05/09/22 16:22 | 1 |
| Method: 8015B NM - Diesel Ra | ange Organi | ics (DRO) | (GC) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Gasoline Range Organics | <49.9 | U | 49.9 | mg/Kg | | 05/06/22 17:15 | 05/08/22 18:57 | 1 |
| (GRO)-C6-C10 | | | | | | | | |
| Diesel Range Organics (Over | <49.9 | U | 49.9 | mg/Kg | | 05/06/22 17:15 | 05/08/22 18:57 | 1 |
| C10-C28) | | | | | | | | |
| Oll Range Organics (Over C28-C36) | <49.9 | U | 49.9 | mg/Kg | | 05/06/22 17:15 | 05/08/22 18:57 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 47 | S1- | 70 - 130 | | | 05/06/22 17:15 | 05/08/22 18:57 | 1 |
| o-Terphenyl (Surr) | 39 | S1- | 70 - 130 | | | 05/06/22 17:15 | 05/08/22 18:57 | 1 |
| Method: 300.0 - Anions, Ion C | hromatogra | phy - Solu | ıble | | | | | |
| Analyte | _ | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Chloride | 306 | | 5.01 | mg/Kg | | | 05/12/22 04:19 | |

Client Sample ID: CS-South North Sidewall-1

Date Collected: 05/05/22 00:00

Date Received: 05/06/22 12:36

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--|---|--|------------------------|----------------------------|----------|-------------------|--|---------|
| Benzene | <0.00201 | U | 0.00201 | mg/Kg | | 05/13/22 14:45 | 05/14/22 10:00 | 1 |
| Toluene | <0.00201 | U | 0.00201 | mg/Kg | | 05/13/22 14:45 | 05/14/22 10:00 | • |
| Ethylbenzene | < 0.00201 | U | 0.00201 | mg/Kg | | 05/13/22 14:45 | 05/14/22 10:00 | |
| m,p-Xylenes | <0.00402 | U | 0.00402 | mg/Kg | | 05/13/22 14:45 | 05/14/22 10:00 | |
| o-Xylene | < 0.00201 | U | 0.00201 | mg/Kg | | 05/13/22 14:45 | 05/14/22 10:00 | |
| Xylenes, Total | <0.00402 | U | 0.00402 | mg/Kg | | 05/13/22 14:45 | 05/14/22 10:00 | • |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 115 | | 70 - 130 | | | 05/13/22 14:45 | 05/14/22 10:00 | - |
| 1,4-Difluorobenzene (Surr) | 105 | | 70 - 130 | | | 05/13/22 14:45 | 05/14/22 10:00 | |
| Method: Total BTEX - Total | I BTEX Calcula | tion | | | | | | |
| Method: Total BTEX - Total Analyte | | | RI | Unit | n | Prenared | Analyzed | Dil Fa |
| Method: Total BTEX - Total Analyte Total BTEX | | Qualifier | RL 0.00402 | <mark>Unit</mark> mg/Kg | <u>D</u> | Prepared | Analyzed 05/14/22 16:04 | Dil Fa |
| Analyte | Result <0.00402 | Qualifier U s (DRO) (Qualifier | 0.00402 | | <u>D</u> | Prepared Prepared | | Dil Fa |
| Analyte Total BTEX Method: 8015 NM - Diesel Analyte Total TPH Method: 8015B NM - Diese | Result <0.00402 Range Organic Result <50.0 | Qualifier U S (DRO) (O Qualifier U | 0.00402 GC) RL 50.0 | mg/Kg | _ = | | 05/14/22 16:04 Analyzed | |
| Analyte Total BTEX Method: 8015 NM - Diesel Analyte | Result <0.00402 Range Organic Result <50.0 | Qualifier U S (DRO) (C Qualifier U ics (DRO) Qualifier | 0.00402 GC) RL 50.0 | mg/Kg Unit mg/Kg | D | Prepared | 05/14/22 16:04 Analyzed 05/09/22 16:22 | Dil Fa |

Eurofins Midland

Matrix: Solid

Lab Sample ID: 880-14510-11

Client Sample ID: CS-South North Sidewall-1

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

| _ | | |
|---|------|---------------|
| | | Matrix: Solid |
| | | |

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Oll Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 05/06/22 17:15 | 05/08/22 19:40 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 43 | S1- | 70 - 130 | | | 05/06/22 17:15 | 05/08/22 19:40 | 1 |
| o-Terphenyl (Surr) | 36 | S1- | 70 - 130 | | | 05/06/22 17:15 | 05/08/22 19:40 | 1 |

| Method: 300.0 - Anions, Ion Ch | romatogra | phy - Solul | ble | | | | | |
|--------------------------------|-----------|-------------|------|-------|---|----------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Chloride | 350 | | 4.99 | mg/Kg | _ | | 05/12/22 04:27 | 1 |

Client Sample ID: CS-South North Sidewall-2 Lab Sample ID: 880-14510-12 Matrix: Solid

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

Analyte

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Benzene | <0.00202 | U | 0.00202 | mg/Kg | | 05/13/22 14:45 | 05/14/22 10:26 | 1 |
| Toluene | <0.00202 | U | 0.00202 | mg/Kg | | 05/13/22 14:45 | 05/14/22 10:26 | 1 |
| Ethylbenzene | <0.00202 | U | 0.00202 | mg/Kg | | 05/13/22 14:45 | 05/14/22 10:26 | 1 |
| m,p-Xylenes | <0.00404 | U | 0.00404 | mg/Kg | | 05/13/22 14:45 | 05/14/22 10:26 | 1 |
| o-Xylene | <0.00202 | U | 0.00202 | mg/Kg | | 05/13/22 14:45 | 05/14/22 10:26 | 1 |
| Xylenes, Total | <0.00404 | U | 0.00404 | mg/Kg | | 05/13/22 14:45 | 05/14/22 10:26 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 102 | | 70 - 130 | | | 05/13/22 14:45 | 05/14/22 10:26 | 1 |
| 1,4-Difluorobenzene (Surr) | 97 | | 70 - 130 | | | 05/13/22 14:45 | 05/14/22 10:26 | 1 |

| Total BTEX | <0.00404 U | 0.00404 | mg/Kg | | • | 05/14/22 16:04 | 1 |
|--------------------------|------------------------|---------|-------|---|----------|----------------|---------|
| Method: 8015 NM - Diesel | Range Organics (DRO) | (GC) | | | | | |
| Analyte | Result Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total TPH | <49.8 U | 49.8 | mg/Kg | | | 05/09/22 16:22 | 1 |
| Method: 8015B NM - Diese | el Range Organics (DRO | O) (GC) | | | | | |
| Analyte | Result Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |

RL

Unit

Prepared

Analyzed

Dil Fac

Result Qualifier

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <49.8 | U | 49.8 | mg/Kg | | 05/06/22 17:15 | 05/08/22 20:01 | 1 |
| Diesel Range Organics (Over C10-C28) | <49.8 | U | 49.8 | mg/Kg | | 05/06/22 17:15 | 05/08/22 20:01 | 1 |
| Oll Range Organics (Over C28-C36) | <49.8 | U | 49.8 | mg/Kg | | 05/06/22 17:15 | 05/08/22 20:01 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 31 | S1- | 70 - 130 | | | 05/06/22 17:15 | 05/08/22 20:01 | 1 |
| o-Terphenyl (Surr) | 22 | S1- | 70 - 130 | | | 05/06/22 17:15 | 05/08/22 20:01 | 1 |

| Method: 300.0 - Anions, Ion Ch | nromatograph | hy - Solub | ole | | | | | |
|--------------------------------|--------------|------------|------|-------|---|----------|----------------|---------|
| Analyte | Result Q | ualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Chloride | 347 | | 5.00 | mg/Kg | | | 05/12/22 04:52 | 1 |

Client Sample ID: CS-South North Sidewall-3

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36 Lab Sample ID: 880-14510-13

Matrix: Solid

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Benzene | <0.00201 | U | 0.00201 | mg/Kg | | 05/13/22 14:45 | 05/14/22 10:52 | 1 |
| Toluene | <0.00201 | U | 0.00201 | mg/Kg | | 05/13/22 14:45 | 05/14/22 10:52 | 1 |
| Ethylbenzene | <0.00201 | U | 0.00201 | mg/Kg | | 05/13/22 14:45 | 05/14/22 10:52 | 1 |
| m,p-Xylenes | <0.00402 | U | 0.00402 | mg/Kg | | 05/13/22 14:45 | 05/14/22 10:52 | 1 |
| o-Xylene | < 0.00201 | U | 0.00201 | mg/Kg | | 05/13/22 14:45 | 05/14/22 10:52 | 1 |
| Xylenes, Total | <0.00402 | U | 0.00402 | mg/Kg | | 05/13/22 14:45 | 05/14/22 10:52 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 92 | | 70 - 130 | | | 05/13/22 14:45 | 05/14/22 10:52 | 1 |
| 1,4-Difluorobenzene (Surr) | 91 | | 70 - 130 | | | 05/13/22 14:45 | 05/14/22 10:52 | 1 |

Analyte Result Qualifier RL Unit D Prepared Analyzed Dil Fa
Total BTEX < 0.00402 U 0.00402 mg/Kg 05/14/22 16:04

Method: 8015 NM - Diesel Range Organics (DRO) (GC)AnalyteResultQualifierRLUnitDPreparedAnalyzedDil FacTotal TPH<50.0</td>U50.0mg/Kg05/09/22 16:221

Method: 8015B NM - Diesel Range Organics (DRO) (GC) Result Qualifier RL Unit Prepared Analyzed Dil Fac Gasoline Range Organics <50.0 U 50.0 mg/Kg 05/06/22 17:15 05/08/22 20:23 (GRO)-C6-C10 Diesel Range Organics (Over <50.0 U 50.0 mg/Kg 05/06/22 17:15 05/08/22 20:23 C10-C28) Oll Range Organics (Over C28-C36) <50.0 U 50.0 mg/Kg 05/06/22 17:15 05/08/22 20:23 Surrogate %Recovery Qualifier Limits Prepared Analyzed Dil Fac 1-Chlorooctane (Surr) 23 S1-70 - 130 05/06/22 17:15 05/08/22 20:23 o-Terphenyl (Surr) 14 S1-70 - 130 05/06/22 17:15 05/08/22 20:23

Method: 300.0 - Anions, Ion Chromatography - SolubleAnalyteResult
ChlorideQualifierRL
404Unit
4.98D
mg/KgPrepared
05/12/22 05:00Analyzed
05/12/22 05:00Dil Fac
05/12/22 05:00

Client Sample ID: CS-South North Sidewall-4

Date Collected: 05/05/22 00:00

Date Received: 05/06/22 12:36

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Benzene | <0.00199 | U | 0.00199 | mg/Kg | | 05/13/22 14:45 | 05/14/22 11:18 | 1 |
| Toluene | < 0.00199 | U | 0.00199 | mg/Kg | | 05/13/22 14:45 | 05/14/22 11:18 | 1 |
| Ethylbenzene | < 0.00199 | U | 0.00199 | mg/Kg | | 05/13/22 14:45 | 05/14/22 11:18 | 1 |
| m,p-Xylenes | <0.00398 | U | 0.00398 | mg/Kg | | 05/13/22 14:45 | 05/14/22 11:18 | 1 |
| o-Xylene | < 0.00199 | U | 0.00199 | mg/Kg | | 05/13/22 14:45 | 05/14/22 11:18 | 1 |
| Xylenes, Total | <0.00398 | U | 0.00398 | mg/Kg | | 05/13/22 14:45 | 05/14/22 11:18 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 93 | | 70 - 130 | | | 05/13/22 14:45 | 05/14/22 11:18 | 1 |
| 1,4-Difluorobenzene (Surr) | 90 | | 70 - 130 | | | 05/13/22 14:45 | 05/14/22 11:18 | 1 |

Eurofins Midland

Lab Sample ID: 880-14510-14

2

4

6

R

4.0

11

13

14

Matrix: Solid

Client Sample Results

Client: Charger Rentals Job ID: 880-14510-1 Project/Site: 49er SDG: JCF6DLE501

Client Sample ID: CS-South North Sidewall-4

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36 Lab Sample ID: 880-14510-14

Matrix: Solid

05/12/22 05:25

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------------|-------------|------------|----------|-------|---|----------------|----------------|---------|
| Total BTEX | <0.00398 | U | 0.00398 | mg/Kg | | | 05/14/22 16:04 | 1 |
| Method: 8015 NM - Diesel Ran | ige Organic | s (DRO) (0 | SC) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total TPH | <50.0 | U | 50.0 | mg/Kg | | | 05/09/22 16:22 | 1 |
| Method: 8015B NM - Diesel Ra | ange Organi | ics (DRO) | (GC) | | | | | |
| Analyte | • | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Gasoline Range Organics | <50.0 | U | 50.0 | mg/Kg | | 05/06/22 17:15 | 05/08/22 20:44 | 1 |
| (GRO)-C6-C10 | | | | | | | | |
| Diesel Range Organics (Over | <50.0 | U | 50.0 | mg/Kg | | 05/06/22 17:15 | 05/08/22 20:44 | 1 |
| C10-C28) | | | | | | | | |
| Oll Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 05/06/22 17:15 | 05/08/22 20:44 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 25 | S1- | 70 - 130 | | | 05/06/22 17:15 | 05/08/22 20:44 | 1 |
| o-Terphenyl (Surr) | 17 | S1- | 70 - 130 | | | 05/06/22 17:15 | 05/08/22 20:44 | 1 |
| Method: 300.0 - Anions, Ion C | hromatogra | nhy - Solu | ible | | | | | |
| Analyte | _ | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |

Client Sample ID: CS-South North Sidewall-5

330

Date Received: 05/06/22 12:36

Chloride

Lab Sample ID: 880-14510-15 Date Collected: 05/05/22 00:00 **Matrix: Solid**

5.00

mg/Kg

| _ Method: 8021B - Volatile Oi | ganic Compo | unds (GC) | | | | | | |
|----------------------------------|--------------|-----------|----------|-------|---|----------------|----------------|---------|
| Analyte | • | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Benzene | <0.00199 | U | 0.00199 | mg/Kg | | 05/13/22 14:45 | 05/14/22 11:44 | 1 |
| Toluene | <0.00199 | U | 0.00199 | mg/Kg | | 05/13/22 14:45 | 05/14/22 11:44 | 1 |
| Ethylbenzene | <0.00199 | U | 0.00199 | mg/Kg | | 05/13/22 14:45 | 05/14/22 11:44 | 1 |
| m,p-Xylenes | <0.00398 | U | 0.00398 | mg/Kg | | 05/13/22 14:45 | 05/14/22 11:44 | 1 |
| o-Xylene | < 0.00199 | U | 0.00199 | mg/Kg | | 05/13/22 14:45 | 05/14/22 11:44 | 1 |
| Xylenes, Total | <0.00398 | U | 0.00398 | mg/Kg | | 05/13/22 14:45 | 05/14/22 11:44 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 90 | | 70 - 130 | | | 05/13/22 14:45 | 05/14/22 11:44 | 1 |
| 1,4-Difluorobenzene (Surr) | 91 | | 70 - 130 | | | 05/13/22 14:45 | 05/14/22 11:44 | 1 |
| Method: Total BTEX - Total | BTEX Calcula | tion | | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total BTEX | <0.00398 | U | 0.00398 | mg/Kg | | | 05/14/22 16:04 | 1 |

| Method: 8015 NM - Diesel Rang | e Organic | s (DRO) (G | iC) | | | | | |
|-------------------------------|-----------|------------|------|-------|---|----------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total TPH | <50.0 | U | 50.0 | mg/Kg | | | 05/09/22 16:22 | 1 |

| Method: 8015B NM - Diesel R | Range Organic | s (DRO) (G | iC) | | | | | |
|---|---------------|------------|------|-------|---|----------------|----------------|---------|
| Analyte | Result (| Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Gasoline Range Organics (GRO)-C6-C10 | <50.0 U | J | 50.0 | mg/Kg | | 05/06/22 17:15 | 05/08/22 21:06 | 1 |
| Diesel Range Organics (Over C10-C28) | <50.0 l | J | 50.0 | mg/Kg | | 05/06/22 17:15 | 05/08/22 21:06 | 1 |

Eurofins Midland

Released to Imaging: 12/16/2022 10:56:19 AM

Job ID: 880-14510-1 SDG: JCF6DLE501

Client Sample ID: CS-South North Sidewall-5

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

Client: Charger Rentals

Project/Site: 49er

Lab Sample ID: 880-14510-15

Matrix: Solid

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Oll Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 05/06/22 17:15 | 05/08/22 21:06 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 32 | S1- | 70 - 130 | | | 05/06/22 17:15 | 05/08/22 21:06 | 1 |
| o-Terphenyl (Surr) | 25 | S1- | 70 - 130 | | | 05/06/22 17:15 | 05/08/22 21:06 | 1 |

Method: 300.0 - Anions, Ion Chromatography - Soluble Result Qualifier RL Unit Prepared Analyzed Dil Fac Chloride 334 5.01 mg/Kg 05/12/22 05:33

Client Sample ID: CS-South North Sidewall-6

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

Lab Sample ID: 880-14510-16 **Matrix: Solid**

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Benzene | <0.00198 | U | 0.00198 | mg/Kg | | 05/13/22 14:45 | 05/14/22 12:10 | 1 |
| Toluene | <0.00198 | U | 0.00198 | mg/Kg | | 05/13/22 14:45 | 05/14/22 12:10 | 1 |
| Ethylbenzene | <0.00198 | U | 0.00198 | mg/Kg | | 05/13/22 14:45 | 05/14/22 12:10 | 1 |
| m,p-Xylenes | <0.00396 | U | 0.00396 | mg/Kg | | 05/13/22 14:45 | 05/14/22 12:10 | 1 |
| o-Xylene | <0.00198 | U | 0.00198 | mg/Kg | | 05/13/22 14:45 | 05/14/22 12:10 | 1 |
| Xylenes, Total | <0.00396 | U | 0.00396 | mg/Kg | | 05/13/22 14:45 | 05/14/22 12:10 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 105 | | 70 - 130 | | | 05/13/22 14:45 | 05/14/22 12:10 | 1 |
| 1,4-Difluorobenzene (Surr) | 100 | | 70 - 130 | | | 05/13/22 14:45 | 05/14/22 12:10 | 1 |

| mothod. Total BTEX - Total BT | EX Galcala | tion | | | | | | |
|-------------------------------|------------|------------|---------|-------|---|----------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total BTEX | <0.00396 | U | 0.00396 | mg/Kg | | | 05/14/22 16:04 | 1 |
| Method: 8015 NM - Diesel Ran | ne Organio | s (DRO) (G | C) | | | | | |

| Method, ou to Min - Dieser Rang | je Organie | 3 (DITO) (GC | •) | | | | | |
|---|------------|--------------|------|-------|---|----------------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total TPH | <49.9 | U | 49.9 | mg/Kg | | | 05/09/22 16:22 | 1 |
| Method: 8015B NM - Diesel Rar | nge Organ | ics (DRO) (G | SC) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Gasoline Range Organics (GRO)-C6-C10 | <49.9 | U | 49.9 | mg/Kg | | 05/06/22 17:15 | 05/08/22 21:27 | 1 |
| Diesel Range Organics (Over C10-C28) | <49.9 | U | 49.9 | mg/Kg | | 05/06/22 17:15 | 05/08/22 21:27 | 1 |
| Oll Range Organics (Over C28-C36) | <49.9 | U | 49.9 | mg/Kg | | 05/06/22 17:15 | 05/08/22 21:27 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1-Chlorooctane (Surr) | 31 | S1- | 70 - 130 | 05/06/22 17:15 | 05/08/22 21:27 | 1 |
| o-Terphenyl (Surr) | 27 | S1- | 70 - 130 | 05/06/22 17:15 | 05/08/22 21:27 | 1 |

| Method: 300.0 - Anions, Ion Cl | hromatogra | phy - Solul | ble | | | | | |
|--------------------------------|------------|-------------|------|-------|---|----------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Chloride | 271 | | 4.99 | mg/Kg | | | 05/12/22 05:41 | 1 |

Eurofins Midland

5/16/2022

Client Sample Results

Client: Charger Rentals Job ID: 880-14510-1 Project/Site: 49er SDG: JCF6DLE501

RL

0.000402

0.000402

0.000402

0.000805

0.000402

0.000805

Unit

mg/Kg

mg/Kg

mg/Kg

mg/Kg

mg/Kg

mg/Kg

Client Sample ID: CS-South North Sidewall-7

Method: 8021B - Volatile Organic Compounds (GC)

Result Qualifier

<0.000402 U F1

<0.000402 UF1

<0.000402 UF1

<0.000805 UF1

<0.000402 UF1

<0.000805 UF1

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

Analyte

Benzene

Toluene

o-Xylene

Ethylbenzene

m,p-Xylenes

Xylenes, Total

Lab Sample ID: 880-14510-17

Matrix: Solid

| Prepared | Analyzed | Dil Fac | 5 |
|----------------|----------------|---------|---|
| 05/13/22 14:53 | 05/15/22 22:17 | 1 | |
| 05/13/22 14:53 | 05/15/22 22:17 | 1 | |
| 05/13/22 14:53 | 05/15/22 22:17 | 1 | |
| 05/13/22 14:53 | 05/15/22 22:17 | 1 | |
| 05/13/22 14:53 | 05/15/22 22:17 | 1 | |
| 05/13/22 14:53 | 05/15/22 22:17 | 1 | ۶ |

| Surrogate | %Recovery Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|---------------------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 104 | 70 - 130 | 05/13/22 14:53 | 05/15/22 22:17 | 1 |
| 1,4-Difluorobenzene (Surr) | 99 | 70 - 130 | 05/13/22 14:53 | 05/15/22 22:17 | 1 |

Method: Total BTEX - Total BTEX Calculation

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|-----------|-----------|----------|-------|---|----------|----------------|---------|
| Total BTEX | <0.000805 | U | 0.000805 | mg/Kg | | | 05/14/22 16:04 | 1 |

| Method: 8015 NW - Diesei Rang | ge Organics | (DKO) (G | <u>ن</u>) | | | | | |
|-------------------------------|-------------|----------|------------|-------|---|----------|----------------|---------|
| Analyte | Result Q | ualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total TPH | <49.9 U | , | 49.9 | mg/Kg | _ | | 05/09/22 16:22 | 1 |

| Method: 8015B NM - Diesel Rar | nge Organ | ics (DRO) (0 | GC) | | | | | |
|---|-----------|--------------|------|-------|---|----------------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Gasoline Range Organics (GRO)-C6-C10 | <49.9 | U | 49.9 | mg/Kg | | 05/06/22 17:15 | 05/08/22 21:49 | 1 |
| Diesel Range Organics (Over C10-C28) | <49.9 | U | 49.9 | mg/Kg | | 05/06/22 17:15 | 05/08/22 21:49 | 1 |
| Oll Range Organics (Over C28-C36) | <49.9 | U | 49.9 | mg/Kg | | 05/06/22 17:15 | 05/08/22 21:49 | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------|-----------|-----------|----------|----------------|----------------|---------|
| 1-Chlorooctane (Surr) | 29 | S1- | 70 - 130 | 05/06/22 17:15 | 05/08/22 21:49 | 1 |
| o-Terphenyl (Surr) | 27 | S1- | 70 - 130 | 05/06/22 17:15 | 05/08/22 21:49 | 1 |

| Method: 300.0 - Anions, ion Ci | nromatograpr | ny - Soluble | | | | | |
|--------------------------------|--------------|--------------|-------|---|----------|----------------|---------|
| Analyte | Result Q | ualifier RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Chloride | 266 | 5.00 | mg/Kg | | | 05/12/22 05:49 | 1 |

Lab Sample ID: 880-14510-18 Client Sample ID: CS-South South Sidewall-1 Date Collected: 05/05/22 00:00

Date Received: 05/06/22 12:36

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Benzene | <0.000398 | U | 0.000398 | mg/Kg | | 05/13/22 14:53 | 05/15/22 22:44 | 1 |
| Toluene | <0.000398 | U | 0.000398 | mg/Kg | | 05/13/22 14:53 | 05/15/22 22:44 | 1 |
| Ethylbenzene | <0.000398 | U | 0.000398 | mg/Kg | | 05/13/22 14:53 | 05/15/22 22:44 | 1 |
| m,p-Xylenes | <0.000797 | U | 0.000797 | mg/Kg | | 05/13/22 14:53 | 05/15/22 22:44 | 1 |
| o-Xylene | <0.000398 | U | 0.000398 | mg/Kg | | 05/13/22 14:53 | 05/15/22 22:44 | 1 |
| Xylenes, Total | <0.000797 | U | 0.000797 | mg/Kg | | 05/13/22 14:53 | 05/15/22 22:44 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 110 | | 70 - 130 | | | 05/13/22 14:53 | 05/15/22 22:44 | 1 |
| 1,4-Difluorobenzene (Surr) | 101 | | 70 - 130 | | | 05/13/22 14:53 | 05/15/22 22:44 | 1 |

Eurofins Midland

Matrix: Solid

Client Sample ID: CS-South South Sidewall-1

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36 Lab Sample ID: 880-14510-18

Matrix: Solid

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------------------------|-------------|------------|----------|-------|---|----------------|----------------|---------|
| Total BTEX | <0.000797 | U | 0.000797 | mg/Kg | | | 05/14/22 16:04 | 1 |
| - Method: 8015 NM - Diesel Rar | nge Organic | s (DRO) (0 | GC) | | | | | |
| Analyte | • | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total TPH | <50.0 | U | 50.0 | mg/Kg | | | 05/09/22 16:22 | 1 |
| - Method: 8015B NM - Diesel R | ange Organi | ics (DRO) | (GC) | | | | | |
| Analyte | | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Gasoline Range Organics | <50.0 | U | 50.0 | mg/Kg | | 05/06/22 17:15 | 05/08/22 22:10 | 1 |
| (GRO)-C6-C10 | | | | | | | | |
| Diesel Range Organics (Over | <50.0 | U | 50.0 | mg/Kg | | 05/06/22 17:15 | 05/08/22 22:10 | 1 |
| C10-C28) | | | | | | | | |
| Oll Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 05/06/22 17:15 | 05/08/22 22:10 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 110 | | 70 - 130 | | | 05/06/22 17:15 | 05/08/22 22:10 | 1 |
| o-Terphenyl (Surr) | 116 | | 70 - 130 | | | 05/06/22 17:15 | 05/08/22 22:10 | 1 |
| - Method: 300.0 - Anions, Ion C | hromatogra | phy - Solu | ıble | | | | | |
| Analyte | • | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Chloride | 342 | | 5.00 | mg/Kg | | | 05/12/22 05:57 | |

Client Sample ID: CS-South South Sidewall-2 Lab Sample ID: 880-14510-19

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

C10-C28)

Released to Imaging: 12/16/2022 10:56:19 AM

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--|--|-------------------------------------|-------------------------|-------------------|---------------|-------------------|--|---------|
| Benzene | <0.000398 | U | 0.000398 | mg/Kg | | 05/13/22 14:53 | 05/15/22 23:11 | 1 |
| Toluene | <0.000398 | U | 0.000398 | mg/Kg | | 05/13/22 14:53 | 05/15/22 23:11 | 1 |
| Ethylbenzene | < 0.000398 | U | 0.000398 | mg/Kg | | 05/13/22 14:53 | 05/15/22 23:11 | 1 |
| m,p-Xylenes | <0.000795 | U | 0.000795 | mg/Kg | | 05/13/22 14:53 | 05/15/22 23:11 | 1 |
| o-Xylene | < 0.000398 | U | 0.000398 | mg/Kg | | 05/13/22 14:53 | 05/15/22 23:11 | 1 |
| Xylenes, Total | <0.000795 | U | 0.000795 | mg/Kg | | 05/13/22 14:53 | 05/15/22 23:11 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 108 | | 70 - 130 | | | 05/13/22 14:53 | 05/15/22 23:11 | 1 |
| 1,4-Difluorobenzene (Surr) | 102 | | 70 - 130 | | | 05/13/22 14:53 | 05/15/22 23:11 | 1 |
| Mathad: Tatal DTEV - Tatal | DTEV Coloule | tion | | | | | | |
| Method: Total BTEX - Total | BIEX Calcula | แบบ | | | | | | |
| Analyte | | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| | | Qualifier | RL 0.000795 | Unit mg/Kg | <u>D</u> | Prepared | Analyzed 05/14/22 16:04 | Dil Fac |
| Analyte Total BTEX | <0.000795 | Qualifier U | 0.000795 | | <u>D</u> | Prepared | | Dil Fac |
| Analyte Total BTEX Method: 8015 NM - Diesel I | Result <0.000795 | Qualifier U | 0.000795 | | <u>D</u> D | Prepared Prepared | | Dil Fac |
| Analyte | Result <0.000795 Range Organic Result | Qualifier U | 0.000795 | mg/Kg | | | 05/14/22 16:04 | 1 |
| Analyte Total BTEX Method: 8015 NM - Diesel I Analyte | Result <0.000795 Range Organic Result <49.9 | Qualifier U S (DRO) (C Qualifier U | 0.000795 GC) RL 49.9 | mg/Kg | | | 05/14/22 16:04 Analyzed | 1 |
| Analyte Total BTEX Method: 8015 NM - Diesel I Analyte Total TPH Method: 8015B NM - Diese | Result <0.000795 Range Organic Result <49.9 I Range Organ | Qualifier U S (DRO) (C Qualifier U | 0.000795 GC) RL 49.9 | mg/Kg | | | 05/14/22 16:04 Analyzed | 1 |
| Analyte Total BTEX Method: 8015 NM - Diesel I Analyte Total TPH | Result <0.000795 Range Organic Result <49.9 I Range Organ Result | Qualifier U s (DRO) (C Qualifier U | 0.000795 GC) RL 49.9 | mg/Kg Unit mg/Kg | <u>D</u> | Prepared | 05/14/22 16:04 Analyzed 05/09/22 16:22 | Dil Fac |

Eurofins Midland

Matrix: Solid

Job ID: 880-14510-1 SDG: JCF6DLE501

Client: Charger Rentals Project/Site: 49er

Client Sample ID: CS-South South Sidewall-2 Lab Sample ID: 880-14510-19

Date Collected: 05/05/22 00:00 **Matrix: Solid** Date Received: 05/06/22 12:36

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Oll Range Organics (Over C28-C36) | <49.9 | U | 49.9 | mg/Kg | | 05/06/22 17:15 | 05/08/22 22:32 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 75 | | 70 - 130 | | | 05/06/22 17:15 | 05/08/22 22:32 | 1 |
| o-Terphenyl (Surr) | 71 | | 70 - 130 | | | 05/06/22 17:15 | 05/08/22 22:32 | 1 |

Method: 300.0 - Anions, Ion Chromatography - Soluble Result Qualifier RL Unit Prepared Analyzed Dil Fac Chloride 252 5.00 mg/Kg 05/12/22 06:06

Client Sample ID: CS-South South Sidewall-3 Lab Sample ID: 880-14510-20

Date Collected: 05/05/22 00:00 **Matrix: Solid** Date Received: 05/06/22 12:36

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|--|---|---|------------------------------------|----------|--|---|------------------------------|
| Benzene | <0.000399 | U | 0.000399 | mg/Kg | | 05/13/22 14:53 | 05/15/22 23:37 | 1 |
| Toluene | < 0.000399 | U | 0.000399 | mg/Kg | | 05/13/22 14:53 | 05/15/22 23:37 | 1 |
| Ethylbenzene | < 0.000399 | U | 0.000399 | mg/Kg | | 05/13/22 14:53 | 05/15/22 23:37 | 1 |
| m,p-Xylenes | <0.000798 | U | 0.000798 | mg/Kg | | 05/13/22 14:53 | 05/15/22 23:37 | 1 |
| o-Xylene | < 0.000399 | U | 0.000399 | mg/Kg | | 05/13/22 14:53 | 05/15/22 23:37 | 1 |
| Xylenes, Total | <0.000798 | U | 0.000798 | mg/Kg | | 05/13/22 14:53 | 05/15/22 23:37 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 103 | | 70 - 130 | | | 05/13/22 14:53 | 05/15/22 23:37 | 1 |
| 1,4-Difluorobenzene (Surr) | 95 | | 70 - 130 | | | 05/13/22 14:53 | 05/15/22 23:37 | 1 |
| Method: Total BTEX - Total B | TEX Calcula | tion | | | | | | |
| | | | | | _ | _ | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Analyte Total BTEX | <0.000798 | | 0.000798 | Unit mg/Kg | _ D | Prepared | Analyzed 05/14/22 16:04 | Dil Fac |
| | <0.000798 | U | 0.000798 | | <u>D</u> | Prepared Prepared | | Dil Fac |
| Total BTEX Method: 8015 NM - Diesel Rai | <0.000798 | S (DRO) (C | 0.000798 GC) | mg/Kg | | | 05/14/22 16:04 | 1 |
| Total BTEX Method: 8015 NM - Diesel Rai Analyte Total TPH | <0.000798 nge Organic Result <49.8 | S (DRO) (C Qualifier | 0.000798 GC) RL 49.8 | mg/Kg | | | 05/14/22 16:04 Analyzed | 1 |
| Total BTEX Method: 8015 NM - Diesel Rai Analyte | <0.000798 nge Organic Result <49.8 ange Organic | S (DRO) (C Qualifier | 0.000798 GC) RL 49.8 | mg/Kg | | | 05/14/22 16:04 Analyzed | 1 |
| Total BTEX Method: 8015 NM - Diesel Rai Analyte Total TPH Method: 8015B NM - Diesel R Analyte Gasoline Range Organics | <0.000798 nge Organic Result <49.8 ange Organic | S (DRO) (O Qualifier U | 0.000798 GC) RL 49.8 (GC) | mg/Kg Unit mg/Kg | <u>D</u> | Prepared | 05/14/22 16:04 Analyzed 05/09/22 16:22 Analyzed | Dil Fac |
| Total BTEX Method: 8015 NM - Diesel Rai Analyte Total TPH Method: 8015B NM - Diesel R Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over | <0.000798 nge Organic Result <49.8 ange Organic Result | S (DRO) (O Qualifier U ics (DRO) Qualifier U | 0.000798 GC) RL 49.8 (GC) RL | mg/Kg Unit mg/Kg Unit | <u>D</u> | Prepared Prepared 05/06/22 17:15 | 05/14/22 16:04 Analyzed 05/09/22 16:22 Analyzed | Dil Fac |
| Total BTEX Method: 8015 NM - Diesel Rai Analyte Total TPH Method: 8015B NM - Diesel R Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over | <0.000798 nge Organic Result <49.8 Result <49.8 | S (DRO) (O Qualifier U ics (DRO) Qualifier U | 0.000798 RL 49.8 (GC) RL 49.8 | mg/Kg Unit mg/Kg Unit mg/Kg | <u>D</u> | Prepared Prepared 05/06/22 17:15 05/06/22 17:15 | Analyzed 05/08/22 22:53 | Dil Fac Dil Fac |
| Total BTEX Method: 8015 NM - Diesel Rai Analyte Total TPH Method: 8015B NM - Diesel R Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36) | <0.000798 nge Organic Result <49.8 Result <49.8 <49.8 | S (DRO) (C Qualifier U ics (DRO) Qualifier U U | 0.000798 RL 49.8 (GC) RL 49.8 49.8 | Unit mg/Kg Unit mg/Kg unit mg/Kg | <u>D</u> | Prepared Prepared 05/06/22 17:15 05/06/22 17:15 | Analyzed 05/08/22 22:53 05/08/22 22:53 | Dil Fac |
| Total BTEX Method: 8015 NM - Diesel Rai Analyte Total TPH Method: 8015B NM - Diesel R Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) | <pre><0.000798 nge Organic Result <49.8 ange Organi Result <49.8 <49.8 <49.8 %Recovery</pre> | S (DRO) (C Qualifier U ics (DRO) Qualifier U U | 0.000798 RL 49.8 (GC) RL 49.8 49.8 49.8 | Unit mg/Kg Unit mg/Kg unit mg/Kg | <u>D</u> | Prepared Prepared 05/06/22 17:15 05/06/22 17:15 Prepared | Analyzed 05/08/22 22:53 05/08/22 22:53 | Dil Fac Dil Fac 1 Dil Fac |

Eurofins Midland

Analyzed

05/12/22 06:14

RL

4.95

Unit

mg/Kg

Prepared

Dil Fac

Analyte

Chloride

Method: 300.0 - Anions, Ion Chromatography - Soluble

Result Qualifier

Client Sample ID: CS-South South Sidewall-4

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

Lab Sample ID: 880-14510-21

Lab Sample ID: 880-14510-22

Matrix: Solid

| Method: 8021B - Volatile O | rganic Compo | unds (GC) | | | | | | |
|-----------------------------|--------------|-----------|----------|-------|---|----------------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Benzene | <0.000400 | U | 0.000400 | mg/Kg | | 05/13/22 14:53 | 05/16/22 00:03 | 1 |
| Toluene | <0.000400 | U | 0.000400 | mg/Kg | | 05/13/22 14:53 | 05/16/22 00:03 | 1 |
| Ethylbenzene | <0.000400 | U | 0.000400 | mg/Kg | | 05/13/22 14:53 | 05/16/22 00:03 | 1 |
| m,p-Xylenes | <0.000800 | U | 0.000800 | mg/Kg | | 05/13/22 14:53 | 05/16/22 00:03 | 1 |
| o-Xylene | <0.000400 | U | 0.000400 | mg/Kg | | 05/13/22 14:53 | 05/16/22 00:03 | 1 |
| Xylenes, Total | <0.000800 | U | 0.00800 | mg/Kg | | 05/13/22 14:53 | 05/16/22 00:03 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 105 | | 70 - 130 | | | 05/13/22 14:53 | 05/16/22 00:03 | 1 |
| 1,4-Difluorobenzene (Surr) | 104 | | 70 - 130 | | | 05/13/22 14:53 | 05/16/22 00:03 | 1 |

Method: Total BTEX - Total BTEX Calculation Analyte Result Qualifier RL Unit D Dil Fac Prepared Analyzed Total BTEX <0.000800 U 0.000800 mg/Kg 05/14/22 16:04

Method: 8015 NM - Diesel Range Organics (DRO) (GC) Result Qualifier Unit Analyte RL D Prepared Analyzed Dil Fac Total TPH <49.9 U 05/09/22 16:22 49.9 mg/Kg

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Gasoline Range Organics (GRO)-C6-C10 | <49.9 | U | 49.9 | mg/Kg | | 05/09/22 08:51 | 05/09/22 15:01 | 1 |
| Diesel Range Organics (Over C10-C28) | <49.9 | U | 49.9 | mg/Kg | | 05/09/22 08:51 | 05/09/22 15:01 | 1 |
| Oll Range Organics (Over C28-C36) | <49.9 | U | 49.9 | mg/Kg | | 05/09/22 08:51 | 05/09/22 15:01 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 94 | | 70 - 130 | | | 05/09/22 08:51 | 05/09/22 15:01 | 1 |
| o-Terphenyl (Surr) | 90 | | 70 - 130 | | | 05/09/22 08:51 | 05/09/22 15:01 | 1 |

Method: 300.0 - Anions, Ion Chromatography - Soluble Analyte Result Qualifier RL Unit Prepared Analyzed 5.00 Chloride 272 mg/Kg 05/11/22 22:10

Client Sample ID: CS-South South Sidewall-5

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Benzene | <0.000398 | U | 0.000398 | mg/Kg | | 05/13/22 14:53 | 05/16/22 00:29 | 1 |
| Toluene | <0.000398 | U | 0.000398 | mg/Kg | | 05/13/22 14:53 | 05/16/22 00:29 | 1 |
| Ethylbenzene | <0.000398 | U | 0.000398 | mg/Kg | | 05/13/22 14:53 | 05/16/22 00:29 | 1 |
| m,p-Xylenes | <0.000797 | U | 0.000797 | mg/Kg | | 05/13/22 14:53 | 05/16/22 00:29 | 1 |
| o-Xylene | <0.000398 | U | 0.000398 | mg/Kg | | 05/13/22 14:53 | 05/16/22 00:29 | 1 |
| Xylenes, Total | <0.000797 | U | 0.000797 | mg/Kg | | 05/13/22 14:53 | 05/16/22 00:29 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 103 | | 70 - 130 | | | 05/13/22 14:53 | 05/16/22 00:29 | 1 |
| 1,4-Difluorobenzene (Surr) | 101 | | 70 - 130 | | | 05/13/22 14:53 | 05/16/22 00:29 | 1 |

Eurofins Midland

Matrix: Solid

Client Sample ID: CS-South South Sidewall-5 Lab Sample ID: 880-14510-22

Date Collected: 05/05/22 00:00 **Matrix: Solid** Date Received: 05/06/22 12:36

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------------|-------------|------------|----------|-------|---|----------------|----------------|---------|
| Total BTEX | <0.000797 | U | 0.000797 | mg/Kg | | | 05/14/22 16:04 | 1 |
| Method: 8015 NM - Diesel Rar | nge Organic | s (DRO) (G | SC) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total TPH | <49.9 | U | 49.9 | mg/Kg | | | 05/09/22 16:22 | 1 |
| Method: 8015B NM - Diesel Ra | ange Organi | ics (DRO) | (GC) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Gasoline Range Organics | <49.9 | U | 49.9 | mg/Kg | | 05/09/22 08:51 | 05/09/22 15:22 | 1 |
| (GRO)-C6-C10 | | | | | | | | |
| Diesel Range Organics (Over | <49.9 | U | 49.9 | mg/Kg | | 05/09/22 08:51 | 05/09/22 15:22 | 1 |
| C10-C28) | | | | | | | | |
| Oll Range Organics (Over C28-C36) | <49.9 | U | 49.9 | mg/Kg | | 05/09/22 08:51 | 05/09/22 15:22 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 113 | | 70 - 130 | | | 05/09/22 08:51 | 05/09/22 15:22 | 1 |
| o-Terphenyl (Surr) | 107 | | 70 - 130 | | | 05/09/22 08:51 | 05/09/22 15:22 | 1 |

245 4.97 05/11/22 22:18 Chloride mg/Kg Lab Sample ID: 880-14510-23 Client Sample ID: CS-South South Sidewall-6

RL

Unit

Prepared

Analyzed

Date Collected: 05/05/22 00:00 **Matrix: Solid**

Result Qualifier

Date Received: 05/06/22 12:36

Analyte

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|--|--|---------------------------------|-------------------|----------|-------------------|--|---------|
| Benzene | <0.000396 | U | 0.000396 | mg/Kg | | 05/13/22 14:53 | 05/16/22 00:55 | 1 |
| Toluene | < 0.000396 | U | 0.000396 | mg/Kg | | 05/13/22 14:53 | 05/16/22 00:55 | 1 |
| Ethylbenzene | < 0.000396 | U | 0.000396 | mg/Kg | | 05/13/22 14:53 | 05/16/22 00:55 | • |
| m,p-Xylenes | <0.000792 | U | 0.000792 | mg/Kg | | 05/13/22 14:53 | 05/16/22 00:55 | |
| o-Xylene | < 0.000396 | U | 0.000396 | mg/Kg | | 05/13/22 14:53 | 05/16/22 00:55 | |
| Xylenes, Total | <0.000792 | U | 0.000792 | mg/Kg | | 05/13/22 14:53 | 05/16/22 00:55 | • |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fa |
| 4-Bromofluorobenzene (Surr) | | | 70 - 130 | | | 05/13/22 14:53 | 05/16/22 00:55 | |
| 4.4.Different beauty (0.00) | 100 | | 70 400 | | | 05/40/00 44 50 | 05/46/22 00:55 | |
| 1,4-Difluorobenzene (Surr) Method: Total BTEX - Tota | I BTEX Calcula | | 70 - 130 | | _ | 05/13/22 14:53 | | |
| · | I BTEX Calcula | Qualifier | RL | Unit mg/Kg | <u>D</u> | Prepared | Analyzed 05/14/22 16:04 | Dil Fa |
| Method: Total BTEX - Tota Analyte Total BTEX Method: 8015 NM - Diesel | I BTEX Calcula Result <0.000792 Range Organic | Qualifier U s (DRO) (0 | RL 0.000792 | mg/Kg | <u>D</u> | Prepared | Analyzed 05/14/22 16:04 | |
| Method: Total BTEX - Tota Analyte Total BTEX | I BTEX Calcula Result <0.000792 Range Organic | Qualifier U s (DRO) (C | RL 0.000792 | | _ = | | Analyzed | Dil Fa |
| Method: Total BTEX - Tota Analyte Total BTEX Method: 8015 NM - Diesel Analyte | I BTEX Calcula Result <0.000792 Range Organic Result <50.0 | Qualifier U S (DRO) (O Qualifier U | RL 0.000792 GC) RL 50.0 | mg/Kg | _ = | Prepared | Analyzed 05/14/22 16:04 Analyzed | |
| Method: Total BTEX - Tota Analyte Total BTEX Method: 8015 NM - Diesel Analyte Total TPH Method: 8015B NM - Diese | I BTEX Calcula Result <0.000792 Range Organic Result <50.0 | Qualifier U S (DRO) (C Qualifier U ics (DRO) Qualifier | RL 0.000792 GC) RL 50.0 (GC) | mg/Kg Unit mg/Kg | | Prepared Prepared | Analyzed 05/14/22 16:04 Analyzed 05/09/22 16:22 | Dil Fa |

Eurofins Midland

Dil Fac

Job ID: 880-14510-1 SDG: JCF6DLE501

Client Sample ID: CS-South South Sidewall-6

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

Client: Charger Rentals

Project/Site: 49er

Lab Sample ID: 880-14510-23

Matrix: Solid

| Analyte | | Qualifier | (GC) (Continue | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------------|-----------|-----------|----------------|-------|---|----------------|----------------|---------|
| Oll Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 05/09/22 08:51 | 05/09/22 15:43 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 96 | | 70 - 130 | | | 05/09/22 08:51 | 05/09/22 15:43 | 1 |
| o-Terphenyl (Surr) | 98 | | 70 - 130 | | | 05/09/22 08:51 | 05/09/22 15:43 | 1 |

Method: 300.0 - Anions, Ion Chromatography - Soluble Result Qualifier RL Unit Prepared Analyzed Dil Fac Chloride 291 4.99 mg/Kg 05/11/22 22:27

Client Sample ID: CS-South South Sidewall-7

Date Received: 05/06/22 12:36

Lab Sample ID: 880-14510-24 Date Collected: 05/05/22 00:00 **Matrix: Solid**

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--|--|--|---------------------------------------|------------------------------|----------|--|---|---------|
| Benzene | <0.000401 | U | 0.000401 | mg/Kg | | 05/13/22 14:53 | 05/16/22 01:21 | |
| Toluene | <0.000401 | U | 0.000401 | mg/Kg | | 05/13/22 14:53 | 05/16/22 01:21 | |
| Ethylbenzene | <0.000401 | U | 0.000401 | mg/Kg | | 05/13/22 14:53 | 05/16/22 01:21 | |
| m,p-Xylenes | <0.000802 | U | 0.000802 | mg/Kg | | 05/13/22 14:53 | 05/16/22 01:21 | |
| o-Xylene | < 0.000401 | U | 0.000401 | mg/Kg | | 05/13/22 14:53 | 05/16/22 01:21 | |
| Xylenes, Total | <0.000802 | U | 0.000802 | mg/Kg | | 05/13/22 14:53 | 05/16/22 01:21 | |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fa |
| 4-Bromofluorobenzene (Surr) | 96 | - | 70 - 130 | | | 05/13/22 14:53 | 05/16/22 01:21 | |
| 1,4-Difluorobenzene (Surr) | 94 | | 70 - 130 | | | 05/13/22 14:53 | 05/16/22 01:21 | |
| Method: Total BTEX - Total B | TEX Calcula | tion | | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fa |
| | | | | | | | | |
| Total BTEX | <0.000802 | U | 0.000802 | mg/Kg | | · · · | 05/14/22 16:04 | |
| Total BTEX Method: 8015 NM - Diesel Rai Analyte | nge Organic | | | mg/Kg Unit | | Prepared | 05/14/22 16:04 Analyzed | |
| : Method: 8015 NM - Diesel Rai | nge Organic | s (DRO) (C | SC) | | <u>D</u> | Prepared | | Dil Fa |
| : Method: 8015 NM - Diesel Rai Analyte | nge Organic Result <49.9 | S (DRO) (O Qualifier | RL 49.9 | Unit | <u>D</u> | Prepared | Analyzed | Dil Fa |
| Method: 8015 NM - Diesel Rai Analyte Total TPH | nge Organic Result <49.9 | S (DRO) (O Qualifier | RL 49.9 | Unit | | Prepared Prepared | Analyzed | Dil Fa |
| Method: 8015 NM - Diesel Rai Analyte Total TPH Method: 8015B NM - Diesel R Analyte Gasoline Range Organics | nge Organic Result <49.9 | S (DRO) (O Qualifier U | RL 49.9 (GC) | Unit mg/Kg | _ = | | Analyzed 05/09/22 16:22 | Dil Fa |
| Method: 8015 NM - Diesel Rai Analyte Total TPH Method: 8015B NM - Diesel R Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over | nge Organic Result <49.9 ange Organ Result | S (DRO) (C Qualifier U ics (DRO) Qualifier | RL 49.9 (GC) | Unit mg/Kg | _ = | Prepared | Analyzed 05/09/22 16:22 Analyzed | Dil Fa |
| Method: 8015 NM - Diesel Rai Analyte Total TPH Method: 8015B NM - Diesel R Analyte Gasoline Range Organics (GRO)-C6-C10 | nge Organic Result <49.9 ange Organ Result <49.9 | S (DRO) (C Qualifier U ics (DRO) Qualifier U | (GC) RL 49.9 (BC) RL 49.9 | Unit mg/Kg Unit mg/Kg | _ = | Prepared 05/09/22 08:51 | Analyzed 05/09/22 16:22 Analyzed 05/09/22 16:04 | Dil Fa |
| Method: 8015 NM - Diesel Rai Analyte Total TPH Method: 8015B NM - Diesel R Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) | nge Organic Result <49.9 ange Organ Result <49.9 | S (DRO) (C Qualifier U Qualifier U U | GC) RL 49.9 (GC) RL 49.9 49.9 | Unit mg/Kg Unit mg/Kg mg/Kg | _ = | Prepared 05/09/22 08:51 05/09/22 08:51 | Analyzed 05/09/22 16:22 Analyzed 05/09/22 16:04 05/09/22 16:04 | Dil Fa |
| Method: 8015 NM - Diesel Rai Analyte Total TPH Method: 8015B NM - Diesel R Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36) | nge Organic Result <49.9 ange Organ Result <49.9 <49.9 | S (DRO) (C Qualifier U Qualifier U U | GC) RL 49.9 (GC) RL 49.9 49.9 49.9 | Unit mg/Kg Unit mg/Kg mg/Kg | _ = | Prepared 05/09/22 08:51 05/09/22 08:51 | Analyzed 05/09/22 16:22 Analyzed 05/09/22 16:04 05/09/22 16:04 | Dil Fa |

Eurofins Midland

Analyzed

05/11/22 22:35

RL

5.04

Unit

mg/Kg

Prepared

Result Qualifier

265

Dil Fac

Analyte

Chloride

Client Sample ID: CS-South East Sidewall-1

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36 Lab Sample ID: 880-14510-25

| Matrix: Solid |
|---------------|
| |

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fa |
|---|---|-------------------------------------|--|--------------------------|----------|--|--|--------|
| Benzene | <0.000402 | U | 0.000402 | mg/Kg | | 05/13/22 14:53 | 05/16/22 01:46 | |
| Toluene | < 0.000402 | U | 0.000402 | mg/Kg | | 05/13/22 14:53 | 05/16/22 01:46 | |
| Ethylbenzene | < 0.000402 | U | 0.000402 | mg/Kg | | 05/13/22 14:53 | 05/16/22 01:46 | |
| m,p-Xylenes | <0.000805 | U | 0.000805 | mg/Kg | | 05/13/22 14:53 | 05/16/22 01:46 | |
| o-Xylene | < 0.000402 | U | 0.000402 | mg/Kg | | 05/13/22 14:53 | 05/16/22 01:46 | |
| Xylenes, Total | <0.000805 | U | 0.000805 | mg/Kg | | 05/13/22 14:53 | 05/16/22 01:46 | |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fa |
| 4-Bromofluorobenzene (Surr) | 103 | | 70 - 130 | | | 05/13/22 14:53 | 05/16/22 01:46 | |
| 1,4-Difluorobenzene (Surr) | 101 | | 70 - 130 | | | 05/13/22 14:53 | 05/16/22 01:46 | |
| Method: Total BTEX - Total B1 | ΓEX Calcula | tion | | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fa |
| Total BTEX | <0.000805 | U | 0.000805 | mg/Kg | | | 05/14/22 16:04 | |
| | | | | 0 0 | | | | |
| Method: 8015 NM - Diesel Rar | nge Organic | s (DRO) (O | 3C) | 0 0 | | | | |
| | - | s (DRO) (C | GC) | Unit | D | Prepared | Analyzed | Dil Fa |
| Method: 8015 NM - Diesel Rar Analyte Total TPH | - | Qualifier | • | Unit mg/Kg | <u>D</u> | Prepared | Analyzed 05/09/22 16:22 | |
| Analyte Total TPH | Result <49.9 | Qualifier U | RL 49.9 | | <u>D</u> | Prepared | | |
| Analyte Fotal TPH Method: 8015B NM - Diesel Ra | Result <49.9 | Qualifier U | RL 49.9 | | <u>D</u> | Prepared Prepared | | |
| Analyte Total TPH Method: 8015B NM - Diesel Ra Analyte Gasoline Range Organics | Result <49.9 | Qualifier U ics (DRO) Qualifier | RL 49.9 | mg/Kg | | | 05/09/22 16:22 | Dil Fa |
| Analyte Total TPH Method: 8015B NM - Diesel Ra Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over | Result <49.9 ange Organ Result | Qualifier U ics (DRO) Qualifier U | RL 49.9 (GC) | mg/Kg | | Prepared | 05/09/22 16:22 Analyzed | Dil Fa |
| Analyte Total TPH Method: 8015B NM - Diesel Ra Analyte Gasoline Range Organics GRO)-C6-C10 Diesel Range Organics (Over C10-C28) | Result | Qualifier U ics (DRO) Qualifier U | RL 49.9 (GC) RL 49.9 | mg/Kg Unit mg/Kg mg/Kg | | Prepared 05/09/22 08:51 05/09/22 08:51 | 05/09/22 16:22 Analyzed 05/09/22 16:25 05/09/22 16:25 | Dil Fa |
| Analyte Total TPH Method: 8015B NM - Diesel Ra Analyte Gasoline Range Organics GRO)-C6-C10 Diesel Range Organics (Over C10-C28) | Result <49.9 ange Organ Result <49.9 | Qualifier U ics (DRO) Qualifier U | (GC) RL 49.9 | mg/Kg Unit mg/Kg | | Prepared 05/09/22 08:51 | 05/09/22 16:22 Analyzed 05/09/22 16:25 | Dil Fa |
| Analyte | Result | Qualifier U ics (DRO) Qualifier U U | RL 49.9 (GC) RL 49.9 | mg/Kg Unit mg/Kg mg/Kg | | Prepared 05/09/22 08:51 05/09/22 08:51 05/09/22 08:51 Prepared | 05/09/22 16:22 Analyzed 05/09/22 16:25 05/09/22 16:25 05/09/22 16:25 Analyzed | Dil Fa |
| Analyte Total TPH Method: 8015B NM - Diesel Ra Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36) | Result | Qualifier U ics (DRO) Qualifier U U | RL 49.9 (GC) RL 49.9 49.9 | mg/Kg Unit mg/Kg mg/Kg | | Prepared 05/09/22 08:51 05/09/22 08:51 | 05/09/22 16:22 Analyzed 05/09/22 16:25 05/09/22 16:25 05/09/22 16:25 | Dil Fa |

Client Sample ID: CS-South East Sidewall-2 Lab Sample ID: 880-14510-26

RL

4.98

Unit

mg/Kg

Prepared

Analyzed

05/11/22 23:00

Matrix: Solid

Result Qualifier

259

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

Analyte

Chloride

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|------------|-----------|----------|-------|---|----------------|----------------|---------|
| Benzene | <0.000403 | U | 0.000403 | mg/Kg | | 05/13/22 14:53 | 05/16/22 02:12 | 1 |
| Toluene | < 0.000403 | U | 0.000403 | mg/Kg | | 05/13/22 14:53 | 05/16/22 02:12 | 1 |
| Ethylbenzene | < 0.000403 | U | 0.000403 | mg/Kg | | 05/13/22 14:53 | 05/16/22 02:12 | 1 |
| m,p-Xylenes | <0.000806 | U | 0.000806 | mg/Kg | | 05/13/22 14:53 | 05/16/22 02:12 | 1 |
| o-Xylene | < 0.000403 | U | 0.000403 | mg/Kg | | 05/13/22 14:53 | 05/16/22 02:12 | 1 |
| Xylenes, Total | <0.000806 | U | 0.000806 | mg/Kg | | 05/13/22 14:53 | 05/16/22 02:12 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 97 | | 70 - 130 | | | 05/13/22 14:53 | 05/16/22 02:12 | 1 |
| 1,4-Difluorobenzene (Surr) | 95 | | 70 - 130 | | | 05/13/22 14:53 | 05/16/22 02:12 | 1 |

Client Sample Results

Client: Charger Rentals Job ID: 880-14510-1 Project/Site: 49er SDG: JCF6DLE501

Client Sample ID: CS-South East Sidewall-2

Method: Total BTEX - Total BTEX Calculation

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

Lab Sample ID: 880-14510-26

Matrix: Solid

Analyzed

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--|-------------|----------------|----------------|------------|----------|-------------------------|-------------------------|-----------|
| Total BTEX | <0.000806 | U | 0.000806 | mg/Kg | | | 05/14/22 16:04 | 1 |
| - Method: 8015 NM - Diesel Rai | nge Organic | s (DRO) (0 | SC) | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total TPH | <50.0 | U | 50.0 | mg/Kg | | | 05/09/22 16:22 | 1 |
| | ange Organ | ICS (1)R()) | (GC) | | | | | |
| MIELITOU. OUTOD INIM - DIESELK | ange Organ | ICS (DRO) | (GC) | | | | | |
| Method: 8015B NM - Diesel R Analyte | | Qualifier | (GC) RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Analyte Gasoline Range Organics | | Qualifier | • • | Unit mg/Kg | <u>D</u> | Prepared 05/09/22 08:51 | Analyzed 05/09/22 17:08 | Dil Fac |
| | Result | Qualifier | RL | | <u>D</u> | | | Dil Fac |
| Analyte Gasoline Range Organics | Result | Qualifier U | RL | | <u>D</u> | | | Dil Fac |
| Analyte Gasoline Range Organics (GRO)-C6-C10 | <50.0 | Qualifier U | RL 50.0 | mg/Kg | <u>D</u> | 05/09/22 08:51 | 05/09/22 17:08 | Dil Fac 1 |

Limits Prepared Analyzed Surrogate %Recovery Qualifier Dil Fac 1-Chlorooctane (Surr) 96 70 - 130 05/09/22 08:51 05/09/22 17:08 o-Terphenyl (Surr) 88 70 - 130 05/09/22 08:51 05/09/22 17:08 Method: 300.0 - Anions, Ion Chromatography - Soluble

Unit

Prepared

Result Qualifier Analyte RL 4.95 Chloride 276

05/11/22 23:08 mg/Kg Client Sample ID: CS-South West Sidewall-1 Lab Sample ID: 880-14510-27

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--|---|--|-------------------------------|-------------------|----------|-------------------|--|---------|
| Benzene | <0.000402 | U | 0.000402 | mg/Kg | | 05/13/22 14:53 | 05/16/22 03:56 | 1 |
| Toluene | <0.000402 | U | 0.000402 | mg/Kg | | 05/13/22 14:53 | 05/16/22 03:56 | 1 |
| Ethylbenzene | <0.000402 | U | 0.000402 | mg/Kg | | 05/13/22 14:53 | 05/16/22 03:56 | 1 |
| m,p-Xylenes | <0.000803 | U | 0.000803 | mg/Kg | | 05/13/22 14:53 | 05/16/22 03:56 | 1 |
| o-Xylene | < 0.000402 | U | 0.000402 | mg/Kg | | 05/13/22 14:53 | 05/16/22 03:56 | 1 |
| Xylenes, Total | <0.000803 | U | 0.000803 | mg/Kg | | 05/13/22 14:53 | 05/16/22 03:56 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 95 | | 70 - 130 | | | 05/13/22 14:53 | 05/16/22 03:56 | 1 |
| 1,4-Difluorobenzene (Surr) | 96 | | 70 - 130 | | | 05/13/22 14:53 | 05/16/22 03:56 | 1 |
| | | | | | | | | |
| : Method: Total BTEX - Tota | I BTEX Calcula | tion | | | | | | |
| | | tion Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Method: Total BTEX - Tota Analyte Total BTEX | | Qualifier | RL | Unit mg/Kg | <u>D</u> | Prepared | Analyzed 05/14/22 16:04 | Dil Fac |
| Analyte Total BTEX | <0.000803 | Qualifier U | 0.000803 | | <u>D</u> | Prepared | | Dil Fac |
| Analyte Total BTEX Method: 8015 NM - Diesel | Result <0.000803 | Qualifier U | 0.000803 | | <u>D</u> | Prepared Prepared | | 1 |
| Analyte Total BTEX Method: 8015 NM - Diesel Analyte | Result <0.000803 | Qualifier U s (DRO) (C | 0.000803 | mg/Kg | | · · | 05/14/22 16:04 | 1 |
| Analyte Total BTEX Method: 8015 NM - Diesel Analyte Total TPH | Result <0.000803 Range Organic Result <50.00 | Qualifier U s (DRO) (C Qualifier U | 0.000803 GC) RL 50.0 | mg/Kg | | · · | 05/14/22 16:04 Analyzed | Dil Fac |
| Analyte Total BTEX Method: 8015 NM - Diesel Analyte Total TPH Method: 8015B NM - Diese | Result <0.000803 Range Organic Result <50.0 | Qualifier U s (DRO) (C Qualifier U | 0.000803 GC) RL 50.0 | mg/Kg | | · · | 05/14/22 16:04 Analyzed | Dil Fac |
| Analyte | Result <0.000803 Range Organic Result <50.0 | Qualifier U S (DRO) (C Qualifier U ics (DRO) Qualifier | 0.000803 GC) RL 50.0 (GC) | mg/Kg Unit mg/Kg | <u>D</u> | Prepared | 05/14/22 16:04 Analyzed 05/09/22 16:22 | 1 |

Eurofins Midland

Dil Fac

Matrix: Solid

Client: Charger Rentals Job ID: 880-14510-1 SDG: JCF6DLE501

Client Sample ID: CS-South West Sidewall-1

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

Project/Site: 49er

Lab Sample ID: 880-14510-27

Matrix: Solid

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------------|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| Oll Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 05/09/22 08:51 | 05/09/22 17:29 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 100 | | 70 - 130 | | | 05/09/22 08:51 | 05/09/22 17:29 | 1 |
| o-Terphenyl (Surr) | 93 | | 70 - 130 | | | 05/09/22 08:51 | 05/09/22 17:29 | 1 |

Method: 300.0 - Anions, Ion Chromatography - Soluble Result Qualifier RL Unit **Prepared** Analyzed Dil Fac Chloride 161 5.00 mg/Kg 05/11/22 23:16

Client Sample ID: CS-South West Sidewall-2 Lab Sample ID: 880-14510-28 **Matrix: Solid**

Date Collected: 05/05/22 00:00 Data Dansivadi 05/06/22 42:26

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------------|-----------|----------|-------|---|----------------|----------------|---------|
| Benzene | <0.000401 | U | 0.000401 | mg/Kg | | 05/13/22 14:53 | 05/16/22 04:22 | 1 |
| Toluene | < 0.000401 | U | 0.000401 | mg/Kg | | 05/13/22 14:53 | 05/16/22 04:22 | 1 |
| Ethylbenzene | < 0.000401 | U | 0.000401 | mg/Kg | | 05/13/22 14:53 | 05/16/22 04:22 | 1 |
| m,p-Xylenes | <0.000802 | U | 0.000802 | mg/Kg | | 05/13/22 14:53 | 05/16/22 04:22 | 1 |
| o-Xylene | < 0.000401 | U | 0.000401 | mg/Kg | | 05/13/22 14:53 | 05/16/22 04:22 | 1 |
| Xylenes, Total | <0.000802 | U | 0.000802 | mg/Kg | | 05/13/22 14:53 | 05/16/22 04:22 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 95 | | 70 - 130 | | | 05/13/22 14:53 | 05/16/22 04:22 | 1 |
| 1,4-Difluorobenzene (Surr) | 100 | | 70 - 130 | | | 05/13/22 14:53 | 05/16/22 04:22 | 1 |
| Method: Total BTEX - Total | BTEX Calcula | tion | | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total BTEX | <0.000802 | U | 0.000802 | mg/Kg | | | 05/14/22 16:04 | 1 |

| Method: 8015 NM - Diesel Ra | nge Organics | s (DRO) (GC | () | | | | | |
|--|--------------|---------------------------|------------|-------|----------|-------------------------|-------------------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Total TPH | <50.0 | U | 50.0 | mg/Kg | | | 05/09/22 16:22 | 1 |
| _ | | | | | | | | |
| Method: 8015B NM - Diesel R | ange Organi | ics (DRO) (G | SC) | | | | | |
| Method: 8015B NM - Diesel R Analyte | | ics (DRO) (G Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| | | Qualifier | • | Unit | <u>D</u> | Prepared 05/09/22 08:51 | Analyzed 05/09/22 17:50 | Dil Fac |
| Analyte | Result | Qualifier | RL | | <u>D</u> | | | Dil Fac |

| Oll Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | 05/09/22 08:51 | 05/09/22 17:50 | 1 |
|-----------------------------------|-----------|-----------|----------|-------|----------------|----------------|---------|
| Surrogate | %Recovery | Qualifier | Limits | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 93 | | 70 - 130 | | 05/09/22 08:51 | 05/09/22 17:50 | 1 |
| o-Terphenyl (Surr) | 85 | | 70 - 130 | | 05/09/22 08:51 | 05/09/22 17:50 | 1 |

| Method: 300.0 - Anions, Ion Cl | nromatogra | phy - Solul | ble | | | | | |
|--------------------------------|------------|-------------|------|-------|---|----------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Chloride | 209 | | 4.99 | mg/Kg | | | 05/11/22 23:24 | 1 |

Surrogate Summary

Client: Charger Rentals

Job ID: 880-14510-1

Project/Site: 49er

SDG: JCF6DLE501

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid Prep Type: Total/NA

| | | | | rrogate Recovery (Acceptance Limits) |
|--------------------|------------------------------|------------------|-------------------|--------------------------------------|
| Lab Sample ID | Client Sample ID | BFB1 (70-130) | DFBZ1 (70-130) | |
| 880-14510-1 | CS-South Bottom Hole-1 4' | 98 | 93 | |
| 880-14510-2 | CS-South Bottom Hole-2 4' | 115 | 99 | |
| 880-14510-3 | CS-South Bottom Hole-3 1.5' | 104 | 100 | |
| 880-14510-4 | CS-South Bottom Hole-4 1.5' | 108 | 101 | |
| 880-14510-5 | CS-South Bottom Hole-5 1.5' | 100 | 97 | |
| 880-14510-6 | CS-South Bottom Hole-6 1.5' | 98 | 98 | |
| 880-14510-7 | CS-South Bottom Hole-7 1.5' | 95 | 88 | |
| 880-14510-8 | CS-South Bottom Hole-8 2.5' | 96 | 102 | |
| 880-14510-9 | CS-South Bottom Hole-9 2.5' | 95 | 96 | |
| 880-14510-10 | CS-South Bottom Hole-10 2.5' | 90 | 100 | |
| 880-14510-11 | CS-South North Sidewall-1 | 115 | 105 | |
| 880-14510-12 | CS-South North Sidewall-2 | 102 | 97 | |
| 880-14510-13 | CS-South North Sidewall-3 | 92 | 91 | |
| 880-14510-14 | CS-South North Sidewall-4 | 93 | 90 | |
| 880-14510-15 | CS-South North Sidewall-5 | 90 | 91 | |
| 880-14510-16 | CS-South North Sidewall-6 | 105 | 100 | |
| 880-14510-17 | CS-South North Sidewall-7 | 104 | 99 | |
| 880-14510-17 MS | CS-South North Sidewall-7 | 89 | 99 | |
| 880-14510-17 MSD | CS-South North Sidewall-7 | 78 | 95 | |
| 880-14510-18 | CS-South South Sidewall-1 | 110 | 101 | |
| 880-14510-19 | CS-South South Sidewall-2 | 108 | 102 | |
| 880-14510-20 | CS-South South Sidewall-3 | 103 | 95 | |
| 880-14510-21 | CS-South South Sidewall-4 | 105 | 104 | |
| 880-14510-22 | CS-South South Sidewall-5 | 103 | 101 | |
| 880-14510-23 | CS-South South Sidewall-6 | 107 | 100 | |
| 880-14510-24 | CS-South South Sidewall-7 | 96 | 94 | |
| 880-14510-25 | CS-South East Sidewall-1 | 103 | 101 | |
| 880-14510-26 | CS-South East Sidewall-2 | 97 | 95 | |
| 880-14510-27 | CS-South West Sidewall-1 | 95 | 96 | |
| 880-14510-28 | CS-South West Sidewall-2 | 95 | 100 | |
| LCS 880-25547/1-A | Lab Control Sample | 104 | 98 | |
| LCS 880-25548/1-A | Lab Control Sample | 97 | 104 | |
| LCSD 880-25547/2-A | Lab Control Sample Dup | 97 | 104 | |
| LCSD 880-25548/2-A | Lab Control Sample Dup | 108 | 101 | |
| LCSD 880-25563/2-A | Lab Control Sample Dup | 99 | 105 | |
| MB 880-25310/5-A | Method Blank | 74 | 96 | |
| MB 880-25547/5-A | Method Blank | 74 | 95 | |
| MB 880-25548/5-A | Method Blank | 79 | 93 | |
| MB 880-25563/5-A | Method Blank | 77 | 94 | |
| MB 880-25564/5-A | Method Blank | 77 | 92 | |

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

DFBZ = 1,4-Difluorobenzene (Surr)

Surrogate Summary

Client: Charger Rentals

Job ID: 880-14510-1

Project/Site: 49er

SDG: JCF6DLE501

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid Prep Type: Total/NA

| | | | Perce | ent Surrogate Recovery (Acceptance Limits) |
|--------------------|------------------------------|----------|----------|--|
| | | 1CO1 | OTPH1 | |
| Lab Sample ID | Client Sample ID | (70-130) | (70-130) | |
| 380-14510-1 | CS-South Bottom Hole-1 4' | 29 S1- | 19 S1- | |
| 380-14510-1 MS | CS-South Bottom Hole-1 4' | 31 S1- | 29 S1- | |
| 380-14510-1 MSD | CS-South Bottom Hole-1 4' | 27 S1- | 23 S1- | |
| 380-14510-2 | CS-South Bottom Hole-2 4' | 29 S1- | 21 S1- | |
| 380-14510-3 | CS-South Bottom Hole-3 1.5' | 43 S1- | 36 S1- | |
| 380-14510-4 | CS-South Bottom Hole-4 1.5' | 17 S1- | 4 S1- | |
| 380-14510-5 | CS-South Bottom Hole-5 1.5' | 28 S1- | 15 S1- | |
| 380-14510-6 | CS-South Bottom Hole-6 1.5' | 48 S1- | 39 S1- | |
| 380-14510-7 | CS-South Bottom Hole-7 1.5' | 48 S1- | 47 S1- | |
| 380-14510-8 | CS-South Bottom Hole-8 2.5' | 30 S1- | 29 S1- | |
| 380-14510-9 | CS-South Bottom Hole-9 2.5' | 51 S1- | 41 S1- | |
| 380-14510-10 | CS-South Bottom Hole-10 2.5' | 47 S1- | 39 S1- | |
| 380-14510-11 | CS-South North Sidewall-1 | 43 S1- | 36 S1- | |
| 380-14510-12 | CS-South North Sidewall-2 | 31 S1- | 22 S1- | |
| 380-14510-13 | CS-South North Sidewall-3 | 23 S1- | 14 S1- | |
| 380-14510-14 | CS-South North Sidewall-4 | 25 S1- | 17 S1- | |
| 380-14510-15 | CS-South North Sidewall-5 | 32 S1- | 25 S1- | |
| 380-14510-16 | CS-South North Sidewall-6 | 31 S1- | 27 S1- | |
| 380-14510-17 | CS-South North Sidewall-7 | 29 S1- | 27 S1- | |
| 380-14510-18 | CS-South South Sidewall-1 | 110 | 116 | |
| 380-14510-19 | CS-South South Sidewall-2 | 75 | 71 | |
| 380-14510-20 | CS-South South Sidewall-3 | 63 S1- | 56 S1- | |
| 380-14510-21 | CS-South South Sidewall-4 | 94 | 90 | |
| 380-14510-22 | CS-South South Sidewall-5 | 113 | 107 | |
| 380-14510-23 | CS-South South Sidewall-6 | 96 | 98 | |
| 380-14510-24 | CS-South South Sidewall-7 | 97 | 87 | |
| 380-14510-25 | CS-South East Sidewall-1 | 98 | 97 | |
| 380-14510-26 | CS-South East Sidewall-2 | 96 | 88 | |
| 380-14510-27 | CS-South West Sidewall-1 | 100 | 93 | |
| 380-14510-28 | CS-South West Sidewall-2 | 93 | 85 | |
| _CS 880-25006/2-A | Lab Control Sample | 110 | 109 | |
| _CS 880-25059/2-A | Lab Control Sample | 118 | 106 | |
| _CSD 880-25006/3-A | Lab Control Sample Dup | 114 | 112 | |
| _CSD 880-25059/3-A | Lab Control Sample Dup | 137 S1+ | 120 | |
| MB 880-25006/1-A | Method Blank | 116 | 128 | |
| MB 880-25059/1-A | Method Blank | 95 | 96 | |

Surrogate Legend

1CO = 1-Chlorooctane (Surr)

OTPH = o-Terphenyl (Surr)

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-25310/5-A

Matrix: Solid

Analysis Batch: 25497

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 25310

| | MB | MB | | | | | | |
|----------------|----------|-----------|---------|-------|---|----------------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Benzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/11/22 09:22 | 05/13/22 11:47 | 1 |
| Toluene | <0.00200 | U | 0.00200 | mg/Kg | | 05/11/22 09:22 | 05/13/22 11:47 | 1 |
| Ethylbenzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/11/22 09:22 | 05/13/22 11:47 | 1 |
| m,p-Xylenes | <0.00400 | U | 0.00400 | mg/Kg | | 05/11/22 09:22 | 05/13/22 11:47 | 1 |
| o-Xylene | <0.00200 | U | 0.00200 | mg/Kg | | 05/11/22 09:22 | 05/13/22 11:47 | 1 |
| Xylenes, Total | <0.00400 | U | 0.00400 | mg/Kg | | 05/11/22 09:22 | 05/13/22 11:47 | 1 |
| | | | | | | | | |

MB MB

| Surrogate | %Recovery Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|---------------------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 74 | 70 - 130 | 05/11/22 09:22 | 05/13/22 11:47 | 1 |
| 1,4-Difluorobenzene (Surr) | 96 | 70 - 130 | 05/11/22 09:22 | 05/13/22 11:47 | 1 |

Lab Sample ID: MB 880-25547/5-A

Matrix: Solid

Analysis Batch: 25497

Client Sample ID: Method Blank Prep Type: Total/NA

Prep Batch: 25547

| | MB | MB | | | | | | | |
|----------------|-----------|-----------|---------|-------|---|----------------|----------------|---------|--|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac | |
| Benzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/13/22 14:45 | 05/14/22 02:13 | 1 | |
| Toluene | <0.00200 | U | 0.00200 | mg/Kg | | 05/13/22 14:45 | 05/14/22 02:13 | 1 | |
| Ethylbenzene | <0.00200 | U | 0.00200 | mg/Kg | | 05/13/22 14:45 | 05/14/22 02:13 | 1 | |
| m,p-Xylenes | <0.00400 | U | 0.00400 | mg/Kg | | 05/13/22 14:45 | 05/14/22 02:13 | 1 | |
| o-Xylene | <0.00200 | U | 0.00200 | mg/Kg | | 05/13/22 14:45 | 05/14/22 02:13 | 1 | |
| Xvlenes. Total | < 0.00400 | U | 0.00400 | mg/Kg | | 05/13/22 14:45 | 05/14/22 02:13 | 1 | |

MB MB

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 74 | | 70 - 130 | 05/13/22 14:45 | 05/14/22 02:13 | 1 |
| 1,4-Difluorobenzene (Surr) | 95 | | 70 - 130 | 05/13/22 14:45 | 05/14/22 02:13 | 1 |

Lab Sample ID: LCS 880-25547/1-A

Matrix: Solid

Analysis Batch: 25497

Client Sample ID: Lab Control Sample

Prep Type: Total/NA Prep Batch: 25547

| | Spike | LCS | LCS | | | | %Rec | |
|--------------|-------|---------|-----------|-------|---|------|----------|--|
| Analyte | Added | Result | Qualifier | Unit | D | %Rec | Limits | |
| Benzene | 0.100 | 0.09921 | | mg/Kg | | 99 | 70 - 130 | |
| Toluene | 0.100 | 0.1015 | | mg/Kg | | 102 | 70 - 130 | |
| Ethylbenzene | 0.100 | 0.09906 | | mg/Kg | | 99 | 70 - 130 | |
| m,p-Xylenes | 0.200 | 0.1981 | | mg/Kg | | 99 | 70 - 130 | |
| o-Xylene | 0.100 | 0.09933 | | mg/Kg | | 99 | 70 - 130 | |

LCS LCS

| Surrogate | %Recovery | Qualifier | Limits |
|-----------------------------|-----------|-----------|----------|
| 4-Bromofluorobenzene (Surr) | 104 | | 70 - 130 |
| 1,4-Difluorobenzene (Surr) | 98 | | 70 - 130 |

Lab Sample ID: LCSD 880-25547/2-A

Matrix: Solid

Analyte Benzene

Analysis Batch: 25497

| | | Prep Type: Total/NA | | | | | | | |
|---------|-----------|---------------------|---|-------------------|----------|-----|-------|--|--|
| | | | | Prep Batch: 25547 | | | | | |
| LCSD | LCSD | | | | %Rec | | RPD | | |
| Result | Qualifier | Unit | D | %Rec | Limits | RPD | Limit | | |
| 0.09719 | | mg/Kg | _ | 97 | 70 - 130 | 2 | 35 | | |

Client Sample ID: Lab Control Sample Dun

Eurofins Midland

Spike Added

0.100

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCSD 880-25547/2-A

Matrix: Solid

Analysis Batch: 25497

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA Prep Batch: 25547

LCSD LCSD **RPD** Spike %Rec Analyte Added Result Qualifier Unit %Rec Limits RPD Limit 35 Toluene 0.100 0.09173 mg/Kg 92 70 - 130 10 Ethylbenzene 0.100 0.08756 mg/Kg 88 70 - 13012 35 m,p-Xylenes 0.200 0.1788 89 70 - 130 35 mg/Kg 10 35 o-Xylene 0.100 0.09187 mg/Kg 92 70 - 130 8

LCSD LCSD

| Surrogate | %Recovery Qualifier | Limits |
|-----------------------------|---------------------|----------|
| 4-Bromofluorobenzene (Surr) | 97 | 70 - 130 |
| 1,4-Difluorobenzene (Surr) | 104 | 70 - 130 |

Lab Sample ID: MB 880-25548/5-A

Matrix: Solid

Analysis Batch: 25561

Client Sample ID: Method Blank

Prep Type: Total/NA Prep Batch: 25548

MB MB Result Qualifier Unit Dil Fac Analyte RL Prepared Analyzed Benzene <0.000400 U 0.000400 05/13/22 14:53 05/15/22 21:49 mg/Kg Toluene <0.000400 U 0.000400 mg/Kg 05/13/22 14:53 05/15/22 21:49 Ethylbenzene <0.000400 U 0.000400 mg/Kg 05/13/22 14:53 05/15/22 21:49 0.000800 m,p-Xylenes <0.000800 U mg/Kg 05/13/22 14:53 05/15/22 21:49 o-Xylene <0.000400 U 0.000400 mg/Kg 05/13/22 14:53 05/15/22 21:49 Xylenes, Total <0.000800 U 0.000800 mg/Kg 05/13/22 14:53 05/15/22 21:49

MB MB

| Surrogate | %Recovery Qualit | fier Limits | Prepared | Analyzed | Dil Fac |
|-----------------------------|------------------|-------------|----------------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 79 | 70 - 130 | 05/13/22 14:53 | 05/15/22 21:49 | 1 |
| 1,4-Difluorobenzene (Surr) | 93 | 70 - 130 | 05/13/22 14:53 | 05/15/22 21:49 | 1 |

Lab Sample ID: LCS 880-25548/1-A

Matrix: Solid

Analysis Batch: 25561

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 25548

| | Spike | LCS | LCS | | | | %Rec | |
|--------------|--------|---------|-----------|-------|---|------|----------|--|
| Analyte | Added | Result | Qualifier | Unit | D | %Rec | Limits | |
| Benzene | 0.0200 | 0.02303 | | mg/Kg | | 115 | 70 - 130 | |
| Toluene | 0.0200 | 0.02093 | | mg/Kg | | 105 | 70 - 130 | |
| Ethylbenzene | 0.0200 | 0.02046 | | mg/Kg | | 102 | 70 - 130 | |
| m,p-Xylenes | 0.0400 | 0.04147 | | mg/Kg | | 104 | 70 - 130 | |
| o-Xylene | 0.0200 | 0.02016 | | mg/Kg | | 101 | 70 - 130 | |

LCS LCS

| Surrogate | %Recovery Qι | ıalifier | Limits |
|-----------------------------|--------------|----------|----------|
| 4-Bromofluorobenzene (Surr) | 97 | | 70 - 130 |
| 1.4-Difluorobenzene (Surr) | 104 | | 70 - 130 |

Lab Sample ID: LCSD 880-25548/2-A

Matrix: Solid

| Client Sam | ple ID: Lab | Control | Sample | Dup |
|-------------------|-------------|---------|---------------|-------|
| Onone Oun | P.O | ••••• | - up.o | _ ~ ~ |

Prep Type: Total/NA

| Analysis batch: 25561 | | | | | | | Prep : | saten: 2 | 20040 |
|-----------------------|--------|---------|-----------|-------|---|------|----------|----------|-------|
| | Spike | LCSD | LCSD | | | | %Rec | | RPD |
| Analyte | Added | Result | Qualifier | Unit | D | %Rec | Limits | RPD | Limit |
| Benzene | 0.0200 | 0.02075 | | mg/Kg | | 104 | 70 - 130 | 10 | 35 |
| Toluene | 0.0200 | 0.01890 | | mg/Kg | | 95 | 70 - 130 | 10 | 35 |
| Ethylbenzene | 0.0200 | 0.01727 | | mg/Kg | | 86 | 70 - 130 | 17 | 35 |

QC Sample Results

Client: Charger Rentals Job ID: 880-14510-1 SDG: JCF6DLE501 Project/Site: 49er

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCSD 880-25548/2-A Client Sample ID: Lab Control Sample Dup Prep Type: Total/NA

70 - 130

Matrix: Solid

Analysis Batch: 25561 Prep Batch: 25548 LCSD LCSD **RPD** Spike %Rec Analyte Added Result Qualifier Unit %Rec Limits **RPD** Limit m,p-Xylenes 0.0400 0.03510 mg/Kg 88 70 - 130 17 35

o-Xylene 0.0200 0.01746 LCSD LCSD Surrogate %Recovery Qualifier Limits 4-Bromofluorobenzene (Surr) 108 70 - 130

101

Lab Sample ID: 880-14510-17 MS

Matrix: Solid

Analysis Batch: 25561

1,4-Difluorobenzene (Surr)

Client Sample ID: CS-South North Sidewall-7 **Prep Type: Total/NA**

Prep Batch: 25548

87

70 - 130

14

mg/Kg

Spike MS MS %Rec Sample Sample Result Qualifier Analyte Added Result Qualifier Unit D %Rec Limits 0.01283 F1 Benzene < 0.000402 U F1 0.0199 mg/Kg 64 70 - 130 mg/Kg 0.0199 55 70 - 130 Toluene <0.000402 UF1 0.01089 F1 0.0199 50 70 - 130 Ethylbenzene <0.000402 UF1 0.01002 F1 mg/Kg 50 m,p-Xylenes <0.000805 UF1 0.0398 0.01972 F1 mg/Kg 70 - 130 0.0199 0.009417 F1 47 70 - 130 o-Xylene <0.000402 U F1 mg/Kg

MS MS

Surrogate Qualifier Limits %Recovery 4-Bromofluorobenzene (Surr) 70 - 130 89 1,4-Difluorobenzene (Surr) 99 70 - 130

Lab Sample ID: 880-14510-17 MSD

Matrix: Solid

Analysis Batch: 25561

Client Sample ID: CS-South North Sidewall-7

0

Prep Type: Total/NA Prep Batch: 25548

Spike MSD MSD %Rec **RPD** Sample Sample Analyte Result Qualifier Added Result Qualifier Unit D %Rec Limits **RPD** Limit 0.0200 Benzene <0.000402 U F1 <0.000401 U F1 0 70 - 130 NC 35 mg/Kg Toluene <0.000402 UF1 0.0200 <0.000401 UF1 mg/Kg 0 70 - 130 NC 35 Ethylbenzene <0.000402 UF1 0.0200 <0.000401 UF1 mg/Kg 0 70 - 130 NC 35 0 m,p-Xylenes <0.000805 UF1 0.0401 <0.000802 UF1 mg/Kg 70 - 130 NC 35

<0.000401 UF1

mg/Kg

0.0200

MSD MSD

<0.000402 U F1

%Recovery Qualifier Limits Surrogate 70 - 130 4-Bromofluorobenzene (Surr) 78 70 - 130 1,4-Difluorobenzene (Surr) 95

Lab Sample ID: MB 880-25563/5-A

Matrix: Solid

o-Xylene

Analysis Batch: 25561

Client Sample ID: Method Blank

70 - 130

Prep Type: Total/NA

Prep Batch: 25563

NC

35

мв мв

| Analyte | Result C | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|------------|-----------|---------|-------|---|----------------|----------------|---------|
| Benzene | <0.00200 U | J | 0.00200 | mg/Kg | | 05/14/22 12:33 | 05/15/22 07:45 | 1 |
| Toluene | <0.00200 L | J | 0.00200 | mg/Kg | | 05/14/22 12:33 | 05/15/22 07:45 | 1 |
| Ethylbenzene | <0.00200 L | J | 0.00200 | mg/Kg | | 05/14/22 12:33 | 05/15/22 07:45 | 1 |
| m,p-Xylenes | <0.00400 L | j | 0.00400 | mg/Kg | | 05/14/22 12:33 | 05/15/22 07:45 | 1 |
| o-Xylene | <0.00200 L | J | 0.00200 | mg/Kg | | 05/14/22 12:33 | 05/15/22 07:45 | 1 |
| Xylenes, Total | <0.00400 L | J | 0.00400 | mg/Kg | | 05/14/22 12:33 | 05/15/22 07:45 | 1 |

Eurofins Midland

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

| | MB | MB | | | | |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 77 | | 70 - 130 | 05/14/22 12:33 | 05/15/22 07:45 | 1 |
| 1,4-Difluorobenzene (Surr) | 94 | | 70 - 130 | 05/14/22 12:33 | 05/15/22 07:45 | 1 |

Lab Sample ID: LCSD 880-25563/2-A **Client Sample ID: Lab Control Sample Dup** Matrix: Solid Prep Type: Total/NA Prep Batch: 25563 **Analysis Batch: 25561**

| | Spike | LCSD | LCSD | | | | %Rec | | RPD |
|--------------|-------|--------|-----------|-------|---|------|----------|-----|-------|
| Analyte | Added | Result | Qualifier | Unit | D | %Rec | Limits | RPD | Limit |
| Benzene | 0.100 | 0.1174 | | mg/Kg | | 117 | 70 - 130 | 12 | 35 |
| Toluene | 0.100 | 0.1064 | | mg/Kg | | 106 | 70 - 130 | 9 | 35 |
| Ethylbenzene | 0.100 | 0.1024 | | mg/Kg | | 102 | 70 - 130 | 8 | 35 |
| m,p-Xylenes | 0.200 | 0.2038 | | mg/Kg | | 102 | 70 - 130 | 8 | 35 |
| o-Xylene | 0.100 | 0.1007 | | mg/Kg | | 101 | 70 - 130 | 8 | 35 |

| | LCSD | LCSD | |
|-----------------------------|-----------|-----------|----------|
| Surrogate | %Recovery | Qualifier | Limits |
| 4-Bromofluorobenzene (Surr) | 99 | | 70 - 130 |
| 1,4-Difluorobenzene (Surr) | 105 | | 70 - 130 |

Lab Sample ID: MB 880-25564/5-A Client Sample ID: Method Blank **Matrix: Solid** Prep Type: Total/NA

Analysis Batch: 25561

Xylenes, Total

| | MB M | IB | | | | |
|--------------|------------|-------------|-------|----------------|----------------|---------|
| Analyte | Result Q | ualifier RL | Unit | D Prepared | Analyzed | Dil Fac |
| Benzene | <0.00200 U | 0.00200 | mg/Kg | 05/14/22 12:37 | 05/14/22 18:01 | 1 |
| Toluene | <0.00200 U | 0.00200 | mg/Kg | 05/14/22 12:37 | 05/14/22 18:01 | 1 |
| Ethylbenzene | <0.00200 U | 0.00200 | mg/Kg | 05/14/22 12:37 | 05/14/22 18:01 | 1 |
| m,p-Xylenes | <0.00400 U | 0.00400 | mg/Kg | 05/14/22 12:37 | 05/14/22 18:01 | 1 |
| o-Xylene | <0.00200 U | 0.00200 | mg/Kg | 05/14/22 12:37 | 05/14/22 18:01 | 1 |

0.00400

mg/Kg

| | MB | MB | | | | |
|-----------------------------|-----------|-----------|----------|----------------|----------------|---------|
| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
| 4-Bromofluorobenzene (Surr) | 77 | | 70 - 130 | 05/14/22 12:37 | 05/14/22 18:01 | 1 |
| 1,4-Difluorobenzene (Surr) | 92 | | 70 - 130 | 05/14/22 12:37 | 05/14/22 18:01 | 1 |

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

<0.00400 U

Lab Sample ID: MB 880-25006/1-A **Client Sample ID: Method Blank Matrix: Solid Prep Type: Total/NA** Analysis Potoby 25020

| Analysis Batch: 25039 | | | | | | | Prep Batch: | 25006 |
|---|-----------|-----------|----------|-------|---|----------------|----------------|---------|
| | MB | MB | | | | | | |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Gasoline Range Organics (GRO)-C6-C10 | <50.0 | U | 50.0 | mg/Kg | | 05/06/22 17:15 | 05/08/22 13:30 | 1 |
| Diesel Range Organics (Over C10-C28) | <50.0 | U | 50.0 | mg/Kg | | 05/06/22 17:15 | 05/08/22 13:30 | 1 |
| Oll Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 05/06/22 17:15 | 05/08/22 13:30 | 1 |
| | MB | MB | | | | | | |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1-Chlorooctane (Surr) | 116 | | 70 - 130 | | | 05/06/22 17:15 | 05/08/22 13:30 | 1 |
| o-Terphenyl (Surr) | 128 | | 70 - 130 | | | 05/06/22 17:15 | 05/08/22 13:30 | 1 |

Eurofins Midland

Prep Batch: 25564

05/14/22 12:37 05/14/22 18:01

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 880-25006/2-A

Matrix: Solid

Analysis Batch: 25039

Client Sample ID: Lab Control Sample

Prep Type: Total/NA Prep Batch: 25006

Prep Type: Total/NA Prep Batch: 25006

Spike LCS LCS %Rec Added Result Qualifier %Rec Limits Analyte Unit Gasoline Range Organics 1000 940.4 mg/Kg 94 70 - 130 (GRO)-C6-C10 1000 Diesel Range Organics (Over 70 - 130 1115 mg/Kg 111

C10-C28)

LCS LCS Surrogate %Recovery Qualifier Limits 1-Chlorooctane (Surr) 70 - 130 110 70 - 130 o-Terphenyl (Surr) 109

Lab Sample ID: LCSD 880-25006/3-A **Client Sample ID: Lab Control Sample Dup**

Matrix: Solid

Analysis Batch: 25039

| | Spike | LCSD | LCSD | | | | %Rec | | RPD |
|-----------------------------|----------|--------|-----------|-------|---|------|----------|-----|-------|
| Analyte | Added | Result | Qualifier | Unit | D | %Rec | Limits | RPD | Limit |
| Gasoline Range Organics | 1000 | 1032 | | mg/Kg | | 103 | 70 - 130 | 9 | 20 |
| (GRO)-C6-C10 | | | | | | | | | |
| Diesel Range Organics (Over | 1000 | 1107 | | mg/Kg | | 111 | 70 - 130 | 1 | 20 |
| C10-C28) | | | | | | | | | |

LCSD LCSD %Recovery Qualifier Surrogate Limits 1-Chlorooctane (Surr) 114 70 - 130 o-Terphenyl (Surr) 112 70 - 130

Lab Sample ID: 880-14510-1 MS

Matrix: Solid

| Clie | nt Sample | ID: | CS-South | Bottom | Hole-1 | 4' |
|------|-----------|-----|-----------------|---------------|----------|-----|
| | | | D. | on Tuno | . Total/ | A L |

Prep Type: Total/NA

Analysis Batch: 25039 Prep Batch: 25006 Sample Sample Spike MS MS %Rec

Analyte Result Qualifier Added Result Qualifier Unit %Rec Limits Gasoline Range Organics <50.0 U F1 1000 300.7 F1 27 70 - 130 mg/Kg (GRO)-C6-C10 Diesel Range Organics (Over <50.0 UF1 1000 270.2 F1 mg/Kg 25 70 - 130 C10-C28)

| | IVIS | IVIS | |
|-----------------------|-----------|-----------|----------|
| Surrogate | %Recovery | Qualifier | Limits |
| 1-Chlorooctane (Surr) | 31 | S1- | 70 - 130 |
| o-Terphenyl (Surr) | 29 | S1- | 70 - 130 |

Lab Sample ID: 880-14510-1 MSD

Matrix: Solid

Analysis Batch: 25039

| Client Samp | e ID: CS-South Bottom Hole-1 | 4' |
|--------------------|------------------------------|----|
|--------------------|------------------------------|----|

Prep Type: Total/NA Prep Batch: 25006

Sample Sample Spike MSD MSD %Rec **RPD** Result Qualifier Added Result Qualifier Limits RPD Limit Analyte Unit %Rec <50.0 U F1 998 Gasoline Range Organics 249.5 F1 mg/Kg 22 70 - 130 19 20 (GRO)-C6-C10 Diesel Range Organics (Over <50.0 U F1 998 224.1 F1 mg/Kg 21 70 - 130 20 19

C10-C28)

| | MSD | MSD | |
|-----------------------|-----------|-----------|----------|
| Surrogate | %Recovery | Qualifier | Limits |
| 1-Chlorooctane (Surr) | 27 | S1- | 70 - 130 |

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: 880-14510-1 MSD

Matrix: Solid

Analysis Batch: 25039

Client Sample ID: CS-South Bottom Hole-1 4'

Prep Type: Total/NA

Prep Batch: 25006

MSD MSD

%Recovery Qualifier Limits Surrogate 23 S1-70 - 130 o-Terphenyl (Surr)

Lab Sample ID: MB 880-25059/1-A

Matrix: Solid

Analysis Batch: 25068

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 25059

| | MB | MR | | | | | | |
|---|--------|-----------|------|-------|---|----------------|----------------|---------|
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Gasoline Range Organics (GRO)-C6-C10 | <50.0 | U | 50.0 | mg/Kg | | 05/09/22 08:51 | 05/09/22 11:29 | 1 |
| Diesel Range Organics (Over C10-C28) | <50.0 | U | 50.0 | mg/Kg | | 05/09/22 08:51 | 05/09/22 11:29 | 1 |
| Oll Range Organics (Over C28-C36) | <50.0 | U | 50.0 | mg/Kg | | 05/09/22 08:51 | 05/09/22 11:29 | 1 |
| | MD | MD | | | | | | |

MB MB

| Surrogate | %Recovery | Qualifier | Limits | Prepared A | Analyzed | Dil Fac |
|-----------------------|-----------|-----------|----------|---------------------|-------------|---------|
| 1-Chlorooctane (Surr) | 95 | | 70 - 130 | 05/09/22 08:51 05/0 | 09/22 11:29 | 1 |
| o-Terphenyl (Surr) | 96 | | 70 - 130 | 05/09/22 08:51 05/0 | 09/22 11:29 | 1 |

Client Sample ID: Lab Control Sample

Matrix: Solid

Analysis Batch: 25068

Lab Sample ID: LCS 880-25059/2-A

Prep Type: Total/NA

Prep Batch: 25059

| | Spike | LCS | LCS | | | | %Rec | |
|--------------------------------------|-------|--------|-----------|-------|---|------|----------|--|
| Analyte | Added | Result | Qualifier | Unit | D | %Rec | Limits | |
| Gasoline Range Organics (GRO)-C6-C10 | 1000 | 951.9 | | mg/Kg | | 95 | 70 - 130 | |
| Diesel Range Organics (Over | 1000 | 1188 | | mg/Kg | | 119 | 70 - 130 | |
| C10-C28) | | | | | | | | |

LCS LCS

| Surrogate | %Recovery Qualifier | Limits |
|-----------------------|---------------------|----------|
| 1-Chlorooctane (Surr) | 118 | 70 - 130 |
| o-Terphenyl (Surr) | 106 | 70 - 130 |

Lab Sample ID: LCSD 880-25059/3-A **Client Sample ID: Lab Control Sample Dup Matrix: Solid**

Analysis Batch: 25068

Prep Type: Total/NA Prep Batch: 25059

| | Spike | LCSD | LCSD | | | %Rec | | RPD |
|--|-------|--------|-----------|---------|------|----------|-----|-------|
| Analyte | Added | Result | Qualifier | Unit [| %Rec | Limits | RPD | Limit |
| Gasoline Range Organics | 1000 | 1119 | | mg/Kg | 112 | 70 - 130 | 16 | 20 |
| (GRO)-C6-C10 Diesel Range Organics (Over | 1000 | 1290 | | mg/Kg | 129 | 70 - 130 | Ω | 20 |
| C10-C28) | 1000 | 1290 | | ilig/Ng | 123 | 70 - 130 | 0 | 20 |

LCSD LCSD

| Surrogate | %Recovery | Qualifier | Limits |
|-----------------------|-----------|-----------|----------|
| 1-Chlorooctane (Surr) | 137 | S1+ | 70 - 130 |
| o-Terphenyl (Surr) | 120 | | 70 - 130 |

Client: Charger Rentals Job ID: 880-14510-1 SDG: JCF6DLE501 Project/Site: 49er

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-25207/1-A

Client Sample ID: Method Blank **Prep Type: Soluble**

Client Sample ID: Lab Control Sample Dup

Matrix: Solid

Analysis Batch: 25349

MB MB

Result Qualifier RL Unit Analyzed Dil Fac Analyte D Prepared 5.00 05/11/22 21:21 Chloride <5.00 U mg/Kg

Lab Sample ID: LCS 880-25207/2-A Client Sample ID: Lab Control Sample **Matrix: Solid Prep Type: Soluble**

Analysis Batch: 25349

Spike LCS LCS %Rec Added Result Qualifier D %Rec Limits Analyte Unit 250 90 - 110 Chloride 264.2 mg/Kg 106

Lab Sample ID: LCSD 880-25207/3-A Client Sample ID: Lab Control Sample Dup **Prep Type: Soluble**

Matrix: Solid

Analysis Batch: 25349

Spike LCSD LCSD %Rec **RPD** Added Result Qualifier Limits **RPD** Analyte Unit %Rec Limit Chloride 250 264.6 106 90 - 110 mg/Kg

Lab Sample ID: MB 880-25007/1-A Client Sample ID: Method Blank **Prep Type: Soluble**

Matrix: Solid

Analysis Batch: 25350

MB MB

Analyte Result Qualifier RL Unit Prepared Analyzed Dil Fac <5.00 U 5 00 05/12/22 02:08 Chloride mg/Kg

Lab Sample ID: LCS 880-25007/2-A **Client Sample ID: Lab Control Sample Matrix: Solid Prep Type: Soluble**

Analysis Batch: 25350

LCS LCS Spike %Rec Analyte Added Result Qualifier Unit %Rec Limits Chloride 250 267.4 mg/Kg 107 90 - 110

Lab Sample ID: LCSD 880-25007/3-A

Matrix: Solid

Analysis Batch: 25350

Spike LCSD LCSD %Rec **RPD** Added Limits **RPD** Limit Analyte Result Qualifier Unit D %Rec 250 Chloride 267.9 mg/Kg 107 90 - 110

Lab Sample ID: 880-14510-1 MS Client Sample ID: CS-South Bottom Hole-1 4'

Matrix: Solid Prep Type: Soluble

Analysis Batch: 25350

Sample Sample Spike MS MS %Rec Result Qualifier Added Result Qualifier %Rec Limits Analyte Unit Chloride 287 250 533.7 mg/Kg 99 90 - 110

Lab Sample ID: 880-14510-1 MSD Client Sample ID: CS-South Bottom Hole-1 4'

Matrix: Solid

Analysis Batch: 25350

Released to Imaging: 12/16/2022 10:56:19 AM

Spike MSD MSD %Rec **RPD** Sample Sample RPD Added Analyte Result Qualifier Result Qualifier Unit %Rec Limits Limit Chloride 287 250 534.3 mg/Kg 99 90 - 110 20

Eurofins Midland

Prep Type: Soluble

Prep Type: Soluble

QC Sample Results

Client: Charger Rentals

Job ID: 880-14510-1

Project/Site: 49er

SDG: JCF6DLE501

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: 880-14510-11 MS

Client Sample ID: CS-South North Sidewall-1

Matrix: Solid

Prep Type: Soluble

Analysis Batch: 25350

| 7 maryoto Zatom Zooco | Sample | Sample | Spike | MS | MS | | | | %Rec | | |
|-----------------------|--------|-----------|-------|--------|-----------|-------|---|------|----------|--|--|
| Analyte | Result | Qualifier | Added | Result | Qualifier | Unit | D | %Rec | Limits | | |
| Chloride | 350 | | 250 | 589.4 | | mg/Kg | | 96 | 90 - 110 | | |

Lab Sample ID: 880-14510-11 MSD

Client Sample ID: CS-South North Sidewall-1

Matrix: Solid

Prep Type: Soluble

Analysis Batch: 25350

RPD Sample Sample Spike MSD MSD %Rec **Analyte** Result Qualifier Added Result Qualifier Unit D %Rec Limits RPD Limit Chloride 350 250 589.2 96 90 - 110 0 mg/Kg

13

Job ID: 880-14510-1 Client: Charger Rentals Project/Site: 49er SDG: JCF6DLE501

GC VOA

Prep Batch: 25310

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|------------------|------------------|-----------|--------|--------|------------|
| MB 880-25310/5-A | Method Blank | Total/NA | Solid | 5035 | |

Analysis Batch: 25497

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------------|-----------|--------|--------|------------|
| 880-14510-1 | CS-South Bottom Hole-1 4' | Total/NA | Solid | 8021B | 25547 |
| 880-14510-2 | CS-South Bottom Hole-2 4' | Total/NA | Solid | 8021B | 25547 |
| 880-14510-3 | CS-South Bottom Hole-3 1.5' | Total/NA | Solid | 8021B | 25547 |
| 880-14510-4 | CS-South Bottom Hole-4 1.5' | Total/NA | Solid | 8021B | 25547 |
| 880-14510-5 | CS-South Bottom Hole-5 1.5' | Total/NA | Solid | 8021B | 25547 |
| 880-14510-6 | CS-South Bottom Hole-6 1.5' | Total/NA | Solid | 8021B | 25547 |
| 880-14510-7 | CS-South Bottom Hole-7 1.5' | Total/NA | Solid | 8021B | 25547 |
| 880-14510-8 | CS-South Bottom Hole-8 2.5' | Total/NA | Solid | 8021B | 25547 |
| 880-14510-9 | CS-South Bottom Hole-9 2.5' | Total/NA | Solid | 8021B | 25547 |
| 880-14510-10 | CS-South Bottom Hole-10 2.5' | Total/NA | Solid | 8021B | 25547 |
| 880-14510-11 | CS-South North Sidewall-1 | Total/NA | Solid | 8021B | 25547 |
| 880-14510-12 | CS-South North Sidewall-2 | Total/NA | Solid | 8021B | 25547 |
| 880-14510-13 | CS-South North Sidewall-3 | Total/NA | Solid | 8021B | 25547 |
| 880-14510-14 | CS-South North Sidewall-4 | Total/NA | Solid | 8021B | 25547 |
| 880-14510-15 | CS-South North Sidewall-5 | Total/NA | Solid | 8021B | 25547 |
| 880-14510-16 | CS-South North Sidewall-6 | Total/NA | Solid | 8021B | 25547 |
| MB 880-25310/5-A | Method Blank | Total/NA | Solid | 8021B | 25310 |
| MB 880-25547/5-A | Method Blank | Total/NA | Solid | 8021B | 25547 |
| LCS 880-25547/1-A | Lab Control Sample | Total/NA | Solid | 8021B | 25547 |
| LCSD 880-25547/2-A | Lab Control Sample Dup | Total/NA | Solid | 8021B | 25547 |

Prep Batch: 25547

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------------|-----------|--------|--------|------------|
| 880-14510-1 | CS-South Bottom Hole-1 4' | Total/NA | Solid | 5035 | _ |
| 880-14510-2 | CS-South Bottom Hole-2 4' | Total/NA | Solid | 5035 | |
| 880-14510-3 | CS-South Bottom Hole-3 1.5' | Total/NA | Solid | 5035 | |
| 880-14510-4 | CS-South Bottom Hole-4 1.5' | Total/NA | Solid | 5035 | |
| 880-14510-5 | CS-South Bottom Hole-5 1.5' | Total/NA | Solid | 5035 | |
| 880-14510-6 | CS-South Bottom Hole-6 1.5' | Total/NA | Solid | 5035 | |
| 880-14510-7 | CS-South Bottom Hole-7 1.5' | Total/NA | Solid | 5035 | |
| 880-14510-8 | CS-South Bottom Hole-8 2.5' | Total/NA | Solid | 5035 | |
| 880-14510-9 | CS-South Bottom Hole-9 2.5' | Total/NA | Solid | 5035 | |
| 880-14510-10 | CS-South Bottom Hole-10 2.5' | Total/NA | Solid | 5035 | |
| 880-14510-11 | CS-South North Sidewall-1 | Total/NA | Solid | 5035 | |
| 880-14510-12 | CS-South North Sidewall-2 | Total/NA | Solid | 5035 | |
| 880-14510-13 | CS-South North Sidewall-3 | Total/NA | Solid | 5035 | |
| 880-14510-14 | CS-South North Sidewall-4 | Total/NA | Solid | 5035 | |
| 880-14510-15 | CS-South North Sidewall-5 | Total/NA | Solid | 5035 | |
| 880-14510-16 | CS-South North Sidewall-6 | Total/NA | Solid | 5035 | |
| MB 880-25547/5-A | Method Blank | Total/NA | Solid | 5035 | |
| LCS 880-25547/1-A | Lab Control Sample | Total/NA | Solid | 5035 | |
| LCSD 880-25547/2-A | Lab Control Sample Dup | Total/NA | Solid | 5035 | |

Prep Batch: 25548

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|---------------------------|-----------|--------|--------|------------|
| 880-14510-17 | CS-South North Sidewall-7 | Total/NA | Solid | 5035 | |
| 880-14510-18 | CS-South South Sidewall-1 | Total/NA | Solid | 5035 | |

Client: Charger Rentals
Project/Site: 49er

Job ID: 880-14510-1
SDG: JCF6DLE501

GC VOA (Continued)

Prep Batch: 25548 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|---------------------------|-----------|--------|--------|------------|
| 880-14510-19 | CS-South South Sidewall-2 | Total/NA | Solid | 5035 | |
| 880-14510-20 | CS-South South Sidewall-3 | Total/NA | Solid | 5035 | |
| 880-14510-21 | CS-South South Sidewall-4 | Total/NA | Solid | 5035 | |
| 880-14510-22 | CS-South South Sidewall-5 | Total/NA | Solid | 5035 | |
| 880-14510-23 | CS-South South Sidewall-6 | Total/NA | Solid | 5035 | |
| 880-14510-24 | CS-South South Sidewall-7 | Total/NA | Solid | 5035 | |
| 880-14510-25 | CS-South East Sidewall-1 | Total/NA | Solid | 5035 | |
| 880-14510-26 | CS-South East Sidewall-2 | Total/NA | Solid | 5035 | |
| 880-14510-27 | CS-South West Sidewall-1 | Total/NA | Solid | 5035 | |
| 880-14510-28 | CS-South West Sidewall-2 | Total/NA | Solid | 5035 | |
| MB 880-25548/5-A | Method Blank | Total/NA | Solid | 5035 | |
| LCS 880-25548/1-A | Lab Control Sample | Total/NA | Solid | 5035 | |
| LCSD 880-25548/2-A | Lab Control Sample Dup | Total/NA | Solid | 5035 | |
| 880-14510-17 MS | CS-South North Sidewall-7 | Total/NA | Solid | 5035 | |
| 880-14510-17 MSD | CS-South North Sidewall-7 | Total/NA | Solid | 5035 | |

Analysis Batch: 25561

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|---------------------------|-----------|--------|--------|------------|
| 880-14510-17 | CS-South North Sidewall-7 | Total/NA | Solid | 8021B | 25548 |
| 880-14510-18 | CS-South South Sidewall-1 | Total/NA | Solid | 8021B | 25548 |
| 880-14510-19 | CS-South South Sidewall-2 | Total/NA | Solid | 8021B | 25548 |
| 880-14510-20 | CS-South South Sidewall-3 | Total/NA | Solid | 8021B | 25548 |
| 880-14510-21 | CS-South South Sidewall-4 | Total/NA | Solid | 8021B | 25548 |
| 880-14510-22 | CS-South South Sidewall-5 | Total/NA | Solid | 8021B | 25548 |
| 880-14510-23 | CS-South South Sidewall-6 | Total/NA | Solid | 8021B | 25548 |
| 880-14510-24 | CS-South South Sidewall-7 | Total/NA | Solid | 8021B | 25548 |
| 880-14510-25 | CS-South East Sidewall-1 | Total/NA | Solid | 8021B | 25548 |
| 880-14510-26 | CS-South East Sidewall-2 | Total/NA | Solid | 8021B | 25548 |
| 880-14510-27 | CS-South West Sidewall-1 | Total/NA | Solid | 8021B | 25548 |
| 880-14510-28 | CS-South West Sidewall-2 | Total/NA | Solid | 8021B | 25548 |
| MB 880-25548/5-A | Method Blank | Total/NA | Solid | 8021B | 25548 |
| MB 880-25563/5-A | Method Blank | Total/NA | Solid | 8021B | 25563 |
| MB 880-25564/5-A | Method Blank | Total/NA | Solid | 8021B | 25564 |
| LCS 880-25548/1-A | Lab Control Sample | Total/NA | Solid | 8021B | 25548 |
| LCSD 880-25548/2-A | Lab Control Sample Dup | Total/NA | Solid | 8021B | 25548 |
| LCSD 880-25563/2-A | Lab Control Sample Dup | Total/NA | Solid | 8021B | 25563 |
| 880-14510-17 MS | CS-South North Sidewall-7 | Total/NA | Solid | 8021B | 25548 |
| 880-14510-17 MSD | CS-South North Sidewall-7 | Total/NA | Solid | 8021B | 25548 |

Prep Batch: 25563

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------|-----------|--------|--------|------------|
| MB 880-25563/5-A | Method Blank | Total/NA | Solid | 5035 | |
| LCSD 880-25563/2-A | Lab Control Sample Dup | Total/NA | Solid | 5035 | |

Prep Batch: 25564

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|------------------|------------------|-----------|--------|--------|------------|
| MB 880-25564/5-A | Method Blank | Total/NA | Solid | 5035 | |

Analysis Batch: 25575

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|---------------------------|-----------|--------|------------|--------------|
| 880-14510-1 | CS-South Bottom Hole-1 4' | Total/NA | Solid | Total BTEX | - |

Eurofins Midland

4

6

8

10

12

1 1

Client: Charger Rentals

Job ID: 880-14510-1

Project/Site: 49er

SDG: JCF6DLE501

GC VOA (Continued)

Analysis Batch: 25575 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------------------|-----------|--------|------------|------------|
| 880-14510-2 | CS-South Bottom Hole-2 4' | Total/NA | Solid | Total BTEX | |
| 880-14510-3 | CS-South Bottom Hole-3 1.5' | Total/NA | Solid | Total BTEX | |
| 880-14510-4 | CS-South Bottom Hole-4 1.5' | Total/NA | Solid | Total BTEX | |
| 880-14510-5 | CS-South Bottom Hole-5 1.5' | Total/NA | Solid | Total BTEX | |
| 880-14510-6 | CS-South Bottom Hole-6 1.5' | Total/NA | Solid | Total BTEX | |
| 880-14510-7 | CS-South Bottom Hole-7 1.5' | Total/NA | Solid | Total BTEX | |
| 880-14510-8 | CS-South Bottom Hole-8 2.5' | Total/NA | Solid | Total BTEX | |
| 880-14510-9 | CS-South Bottom Hole-9 2.5' | Total/NA | Solid | Total BTEX | |
| 880-14510-10 | CS-South Bottom Hole-10 2.5' | Total/NA | Solid | Total BTEX | |
| 880-14510-11 | CS-South North Sidewall-1 | Total/NA | Solid | Total BTEX | |
| 880-14510-12 | CS-South North Sidewall-2 | Total/NA | Solid | Total BTEX | |
| 880-14510-13 | CS-South North Sidewall-3 | Total/NA | Solid | Total BTEX | |
| 880-14510-14 | CS-South North Sidewall-4 | Total/NA | Solid | Total BTEX | |
| 880-14510-15 | CS-South North Sidewall-5 | Total/NA | Solid | Total BTEX | |
| 880-14510-16 | CS-South North Sidewall-6 | Total/NA | Solid | Total BTEX | |
| 880-14510-17 | CS-South North Sidewall-7 | Total/NA | Solid | Total BTEX | |
| 880-14510-18 | CS-South South Sidewall-1 | Total/NA | Solid | Total BTEX | |
| 880-14510-19 | CS-South South Sidewall-2 | Total/NA | Solid | Total BTEX | |
| 880-14510-20 | CS-South South Sidewall-3 | Total/NA | Solid | Total BTEX | |
| 880-14510-21 | CS-South South Sidewall-4 | Total/NA | Solid | Total BTEX | |
| 880-14510-22 | CS-South South Sidewall-5 | Total/NA | Solid | Total BTEX | |
| 880-14510-23 | CS-South South Sidewall-6 | Total/NA | Solid | Total BTEX | |
| 880-14510-24 | CS-South South Sidewall-7 | Total/NA | Solid | Total BTEX | |
| 880-14510-25 | CS-South East Sidewall-1 | Total/NA | Solid | Total BTEX | |
| 880-14510-26 | CS-South East Sidewall-2 | Total/NA | Solid | Total BTEX | |
| 880-14510-27 | CS-South West Sidewall-1 | Total/NA | Solid | Total BTEX | |
| 880-14510-28 | CS-South West Sidewall-2 | Total/NA | Solid | Total BTEX | |

GC Semi VOA

Prep Batch: 25006

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batcl |
|---------------|------------------------------|-----------|--------|-------------|------------|
| 880-14510-1 | CS-South Bottom Hole-1 4' | Total/NA | Solid | 8015NM Prep | |
| 880-14510-2 | CS-South Bottom Hole-2 4' | Total/NA | Solid | 8015NM Prep | |
| 880-14510-3 | CS-South Bottom Hole-3 1.5' | Total/NA | Solid | 8015NM Prep | |
| 880-14510-4 | CS-South Bottom Hole-4 1.5' | Total/NA | Solid | 8015NM Prep | |
| 880-14510-5 | CS-South Bottom Hole-5 1.5' | Total/NA | Solid | 8015NM Prep | |
| 880-14510-6 | CS-South Bottom Hole-6 1.5' | Total/NA | Solid | 8015NM Prep | |
| 880-14510-7 | CS-South Bottom Hole-7 1.5' | Total/NA | Solid | 8015NM Prep | |
| 880-14510-8 | CS-South Bottom Hole-8 2.5' | Total/NA | Solid | 8015NM Prep | |
| 880-14510-9 | CS-South Bottom Hole-9 2.5' | Total/NA | Solid | 8015NM Prep | |
| 880-14510-10 | CS-South Bottom Hole-10 2.5' | Total/NA | Solid | 8015NM Prep | |
| 880-14510-11 | CS-South North Sidewall-1 | Total/NA | Solid | 8015NM Prep | |
| 880-14510-12 | CS-South North Sidewall-2 | Total/NA | Solid | 8015NM Prep | |
| 880-14510-13 | CS-South North Sidewall-3 | Total/NA | Solid | 8015NM Prep | |
| 880-14510-14 | CS-South North Sidewall-4 | Total/NA | Solid | 8015NM Prep | |
| 880-14510-15 | CS-South North Sidewall-5 | Total/NA | Solid | 8015NM Prep | |
| 880-14510-16 | CS-South North Sidewall-6 | Total/NA | Solid | 8015NM Prep | |
| 880-14510-17 | CS-South North Sidewall-7 | Total/NA | Solid | 8015NM Prep | |
| 880-14510-18 | CS-South South Sidewall-1 | Total/NA | Solid | 8015NM Prep | |
| 880-14510-19 | CS-South South Sidewall-2 | Total/NA | Solid | 8015NM Prep | |

Eurofins Midland

2

3

4

6

Ö

10

12

Client: Charger Rentals

Job ID: 880-14510-1

Project/Site: 49er

SDG: JCF6DLE501

GC Semi VOA (Continued)

Prep Batch: 25006 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|---------------------------|-----------|--------|-------------|------------|
| 880-14510-20 | CS-South South Sidewall-3 | Total/NA | Solid | 8015NM Prep | |
| MB 880-25006/1-A | Method Blank | Total/NA | Solid | 8015NM Prep | |
| LCS 880-25006/2-A | Lab Control Sample | Total/NA | Solid | 8015NM Prep | |
| LCSD 880-25006/3-A | Lab Control Sample Dup | Total/NA | Solid | 8015NM Prep | |
| 880-14510-1 MS | CS-South Bottom Hole-1 4' | Total/NA | Solid | 8015NM Prep | |
| 880-14510-1 MSD | CS-South Bottom Hole-1 4' | Total/NA | Solid | 8015NM Prep | |

Analysis Batch: 25039

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------------|-----------|--------|----------|------------|
| 880-14510-1 | CS-South Bottom Hole-1 4' | Total/NA | Solid | 8015B NM | 25006 |
| 880-14510-2 | CS-South Bottom Hole-2 4' | Total/NA | Solid | 8015B NM | 25006 |
| 880-14510-3 | CS-South Bottom Hole-3 1.5' | Total/NA | Solid | 8015B NM | 25006 |
| 880-14510-4 | CS-South Bottom Hole-4 1.5' | Total/NA | Solid | 8015B NM | 25006 |
| 880-14510-5 | CS-South Bottom Hole-5 1.5' | Total/NA | Solid | 8015B NM | 25006 |
| 880-14510-6 | CS-South Bottom Hole-6 1.5' | Total/NA | Solid | 8015B NM | 25006 |
| 880-14510-7 | CS-South Bottom Hole-7 1.5' | Total/NA | Solid | 8015B NM | 25006 |
| 880-14510-8 | CS-South Bottom Hole-8 2.5' | Total/NA | Solid | 8015B NM | 25006 |
| 880-14510-9 | CS-South Bottom Hole-9 2.5' | Total/NA | Solid | 8015B NM | 25006 |
| 880-14510-10 | CS-South Bottom Hole-10 2.5' | Total/NA | Solid | 8015B NM | 25006 |
| 880-14510-11 | CS-South North Sidewall-1 | Total/NA | Solid | 8015B NM | 25006 |
| 880-14510-12 | CS-South North Sidewall-2 | Total/NA | Solid | 8015B NM | 25006 |
| 880-14510-13 | CS-South North Sidewall-3 | Total/NA | Solid | 8015B NM | 25006 |
| 880-14510-14 | CS-South North Sidewall-4 | Total/NA | Solid | 8015B NM | 25006 |
| 880-14510-15 | CS-South North Sidewall-5 | Total/NA | Solid | 8015B NM | 25006 |
| 880-14510-16 | CS-South North Sidewall-6 | Total/NA | Solid | 8015B NM | 25006 |
| 880-14510-17 | CS-South North Sidewall-7 | Total/NA | Solid | 8015B NM | 25006 |
| 880-14510-18 | CS-South South Sidewall-1 | Total/NA | Solid | 8015B NM | 25006 |
| 880-14510-19 | CS-South South Sidewall-2 | Total/NA | Solid | 8015B NM | 25006 |
| 880-14510-20 | CS-South South Sidewall-3 | Total/NA | Solid | 8015B NM | 25006 |
| MB 880-25006/1-A | Method Blank | Total/NA | Solid | 8015B NM | 25006 |
| LCS 880-25006/2-A | Lab Control Sample | Total/NA | Solid | 8015B NM | 25006 |
| LCSD 880-25006/3-A | Lab Control Sample Dup | Total/NA | Solid | 8015B NM | 25006 |
| 880-14510-1 MS | CS-South Bottom Hole-1 4' | Total/NA | Solid | 8015B NM | 25006 |
| 880-14510-1 MSD | CS-South Bottom Hole-1 4' | Total/NA | Solid | 8015B NM | 25006 |

Prep Batch: 25059

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|---------------------------|-----------|--------|-------------|------------|
| 880-14510-21 | CS-South South Sidewall-4 | Total/NA | Solid | 8015NM Prep | |
| 880-14510-22 | CS-South South Sidewall-5 | Total/NA | Solid | 8015NM Prep | |
| 880-14510-23 | CS-South South Sidewall-6 | Total/NA | Solid | 8015NM Prep | |
| 880-14510-24 | CS-South South Sidewall-7 | Total/NA | Solid | 8015NM Prep | |
| 880-14510-25 | CS-South East Sidewall-1 | Total/NA | Solid | 8015NM Prep | |
| 880-14510-26 | CS-South East Sidewall-2 | Total/NA | Solid | 8015NM Prep | |
| 880-14510-27 | CS-South West Sidewall-1 | Total/NA | Solid | 8015NM Prep | |
| 880-14510-28 | CS-South West Sidewall-2 | Total/NA | Solid | 8015NM Prep | |
| MB 880-25059/1-A | Method Blank | Total/NA | Solid | 8015NM Prep | |
| LCS 880-25059/2-A | Lab Control Sample | Total/NA | Solid | 8015NM Prep | |
| LCSD 880-25059/3-A | Lab Control Sample Dup | Total/NA | Solid | 8015NM Prep | |

Eurofins Midland

9

3

4

6

8

46

11

13

Client: Charger Rentals
Project/Site: 49er

Job ID: 880-14510-1
SDG: JCF6DLE501

GC Semi VOA

Analysis Batch: 25068

| Lab Sample ID 880-14510-21 | Client Sample ID CS-South South Sidewall-4 | Prep Type Total/NA | Matrix Solid | Method 8015B NM | Prep Batch 25059 |
|-------------------------------|---|--------------------|--------------|--------------------|------------------|
| 880-14510-22 | CS-South South Sidewall-5 | Total/NA | Solid | 8015B NM | 25059 |
| 880-14510-23 | CS-South South Sidewall-6 | Total/NA | Solid | 8015B NM | 25059 |
| 880-14510-24 | CS-South South Sidewall-7 | Total/NA | Solid | 8015B NM | 25059 |
| 880-14510-25 | CS-South East Sidewall-1 | Total/NA | Solid | 8015B NM | 25059 |
| 880-14510-26 | CS-South East Sidewall-2 | Total/NA | Solid | 8015B NM | 25059 |
| 880-14510-27 | CS-South West Sidewall-1 | Total/NA | Solid | 8015B NM | 25059 |
| 880-14510-28 | CS-South West Sidewall-2 | Total/NA | Solid | 8015B NM | 25059 |
| MB 880-25059/1-A | Method Blank | Total/NA | Solid | 8015B NM | 25059 |
| LCS 880-25059/2-A | Lab Control Sample | Total/NA | Solid | 8015B NM | 25059 |
| LCSD 880-25059/3-A | Lab Control Sample Dup | Total/NA | Solid | 8015B NM | 25059 |

Analysis Batch: 25186

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|------------------------------|-----------|--------|---------|------------|
| 880-14510-1 | CS-South Bottom Hole-1 4' | Total/NA | Solid | 8015 NM | _ |
| 880-14510-2 | CS-South Bottom Hole-2 4' | Total/NA | Solid | 8015 NM | |
| 880-14510-3 | CS-South Bottom Hole-3 1.5' | Total/NA | Solid | 8015 NM | |
| 880-14510-4 | CS-South Bottom Hole-4 1.5' | Total/NA | Solid | 8015 NM | |
| 880-14510-5 | CS-South Bottom Hole-5 1.5' | Total/NA | Solid | 8015 NM | |
| 880-14510-6 | CS-South Bottom Hole-6 1.5' | Total/NA | Solid | 8015 NM | |
| 880-14510-7 | CS-South Bottom Hole-7 1.5' | Total/NA | Solid | 8015 NM | |
| 880-14510-8 | CS-South Bottom Hole-8 2.5' | Total/NA | Solid | 8015 NM | |
| 880-14510-9 | CS-South Bottom Hole-9 2.5' | Total/NA | Solid | 8015 NM | |
| 880-14510-10 | CS-South Bottom Hole-10 2.5' | Total/NA | Solid | 8015 NM | |
| 880-14510-11 | CS-South North Sidewall-1 | Total/NA | Solid | 8015 NM | |
| 880-14510-12 | CS-South North Sidewall-2 | Total/NA | Solid | 8015 NM | |
| 880-14510-13 | CS-South North Sidewall-3 | Total/NA | Solid | 8015 NM | |
| 880-14510-14 | CS-South North Sidewall-4 | Total/NA | Solid | 8015 NM | |
| 880-14510-15 | CS-South North Sidewall-5 | Total/NA | Solid | 8015 NM | |
| 880-14510-16 | CS-South North Sidewall-6 | Total/NA | Solid | 8015 NM | |
| 880-14510-17 | CS-South North Sidewall-7 | Total/NA | Solid | 8015 NM | |
| 880-14510-18 | CS-South South Sidewall-1 | Total/NA | Solid | 8015 NM | |
| 880-14510-19 | CS-South South Sidewall-2 | Total/NA | Solid | 8015 NM | |
| 880-14510-20 | CS-South South Sidewall-3 | Total/NA | Solid | 8015 NM | |
| 880-14510-21 | CS-South South Sidewall-4 | Total/NA | Solid | 8015 NM | |
| 880-14510-22 | CS-South South Sidewall-5 | Total/NA | Solid | 8015 NM | |
| 880-14510-23 | CS-South South Sidewall-6 | Total/NA | Solid | 8015 NM | |
| 880-14510-24 | CS-South South Sidewall-7 | Total/NA | Solid | 8015 NM | |
| 880-14510-25 | CS-South East Sidewall-1 | Total/NA | Solid | 8015 NM | |
| 880-14510-26 | CS-South East Sidewall-2 | Total/NA | Solid | 8015 NM | |
| 880-14510-27 | CS-South West Sidewall-1 | Total/NA | Solid | 8015 NM | |
| 880-14510-28 | CS-South West Sidewall-2 | Total/NA | Solid | 8015 NM | |

HPLC/IC

Leach Batch: 25007

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------|-----------------------------|-----------|--------|----------|------------|
| 880-14510-1 | CS-South Bottom Hole-1 4' | Soluble | Solid | DI Leach | |
| 880-14510-2 | CS-South Bottom Hole-2 4' | Soluble | Solid | DI Leach | |
| 880-14510-3 | CS-South Bottom Hole-3 1.5' | Soluble | Solid | DI Leach | |
| 880-14510-4 | CS-South Bottom Hole-4 1.5' | Soluble | Solid | DI Leach | |

Client: Charger Rentals

Job ID: 880-14510-1

Project/Site: 49er

SDG: JCF6DLE501

HPLC/IC (Continued)

Leach Batch: 25007 (Continued)

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------------|-----------|--------|----------|------------|
| 880-14510-5 | CS-South Bottom Hole-5 1.5' | Soluble | Solid | DI Leach | _ |
| 880-14510-6 | CS-South Bottom Hole-6 1.5' | Soluble | Solid | DI Leach | |
| 880-14510-7 | CS-South Bottom Hole-7 1.5' | Soluble | Solid | DI Leach | |
| 880-14510-8 | CS-South Bottom Hole-8 2.5' | Soluble | Solid | DI Leach | |
| 880-14510-9 | CS-South Bottom Hole-9 2.5' | Soluble | Solid | DI Leach | |
| 880-14510-10 | CS-South Bottom Hole-10 2.5' | Soluble | Solid | DI Leach | |
| 880-14510-11 | CS-South North Sidewall-1 | Soluble | Solid | DI Leach | |
| 880-14510-12 | CS-South North Sidewall-2 | Soluble | Solid | DI Leach | |
| 880-14510-13 | CS-South North Sidewall-3 | Soluble | Solid | DI Leach | |
| 880-14510-14 | CS-South North Sidewall-4 | Soluble | Solid | DI Leach | |
| 880-14510-15 | CS-South North Sidewall-5 | Soluble | Solid | DI Leach | |
| 880-14510-16 | CS-South North Sidewall-6 | Soluble | Solid | DI Leach | |
| 880-14510-17 | CS-South North Sidewall-7 | Soluble | Solid | DI Leach | |
| 880-14510-18 | CS-South South Sidewall-1 | Soluble | Solid | DI Leach | |
| 880-14510-19 | CS-South South Sidewall-2 | Soluble | Solid | DI Leach | |
| 880-14510-20 | CS-South South Sidewall-3 | Soluble | Solid | DI Leach | |
| MB 880-25007/1-A | Method Blank | Soluble | Solid | DI Leach | |
| LCS 880-25007/2-A | Lab Control Sample | Soluble | Solid | DI Leach | |
| LCSD 880-25007/3-A | Lab Control Sample Dup | Soluble | Solid | DI Leach | |
| 880-14510-1 MS | CS-South Bottom Hole-1 4' | Soluble | Solid | DI Leach | |
| 880-14510-1 MSD | CS-South Bottom Hole-1 4' | Soluble | Solid | DI Leach | |
| 880-14510-11 MS | CS-South North Sidewall-1 | Soluble | Solid | DI Leach | |
| 880-14510-11 MSD | CS-South North Sidewall-1 | Soluble | Solid | DI Leach | |

Leach Batch: 25207

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|---------------------------|-----------|--------|----------|------------|
| 880-14510-21 | CS-South South Sidewall-4 | Soluble | Solid | DI Leach | |
| 880-14510-22 | CS-South South Sidewall-5 | Soluble | Solid | DI Leach | |
| 880-14510-23 | CS-South South Sidewall-6 | Soluble | Solid | DI Leach | |
| 880-14510-24 | CS-South South Sidewall-7 | Soluble | Solid | DI Leach | |
| 880-14510-25 | CS-South East Sidewall-1 | Soluble | Solid | DI Leach | |
| 880-14510-26 | CS-South East Sidewall-2 | Soluble | Solid | DI Leach | |
| 880-14510-27 | CS-South West Sidewall-1 | Soluble | Solid | DI Leach | |
| 880-14510-28 | CS-South West Sidewall-2 | Soluble | Solid | DI Leach | |
| MB 880-25207/1-A | Method Blank | Soluble | Solid | DI Leach | |
| LCS 880-25207/2-A | Lab Control Sample | Soluble | Solid | DI Leach | |
| LCSD 880-25207/3-A | Lab Control Sample Dup | Soluble | Solid | DI Leach | |

Analysis Batch: 25349

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|---------------------------|-----------|--------|--------|------------|
| 880-14510-21 | CS-South South Sidewall-4 | Soluble | Solid | 300.0 | 25207 |
| 880-14510-22 | CS-South South Sidewall-5 | Soluble | Solid | 300.0 | 25207 |
| 880-14510-23 | CS-South South Sidewall-6 | Soluble | Solid | 300.0 | 25207 |
| 880-14510-24 | CS-South South Sidewall-7 | Soluble | Solid | 300.0 | 25207 |
| 880-14510-25 | CS-South East Sidewall-1 | Soluble | Solid | 300.0 | 25207 |
| 880-14510-26 | CS-South East Sidewall-2 | Soluble | Solid | 300.0 | 25207 |
| 880-14510-27 | CS-South West Sidewall-1 | Soluble | Solid | 300.0 | 25207 |
| 880-14510-28 | CS-South West Sidewall-2 | Soluble | Solid | 300.0 | 25207 |
| MB 880-25207/1-A | Method Blank | Soluble | Solid | 300.0 | 25207 |
| LCS 880-25207/2-A | Lab Control Sample | Soluble | Solid | 300.0 | 25207 |
| LCSD 880-25207/3-A | Lab Control Sample Dup | Soluble | Solid | 300.0 | 25207 |

Eurofins Midland

Page 41 of 58

__

3

5

7

0

10

12

Client: Charger Rentals

Job ID: 880-14510-1

Project/Site: 49er

SDG: JCF6DLE501

HPLC/IC

Analysis Batch: 25350

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------------------|-----------|--------|--------|------------|
| 880-14510-1 | CS-South Bottom Hole-1 4' | Soluble | Solid | 300.0 | 25007 |
| 880-14510-2 | CS-South Bottom Hole-2 4' | Soluble | Solid | 300.0 | 25007 |
| 880-14510-3 | CS-South Bottom Hole-3 1.5' | Soluble | Solid | 300.0 | 25007 |
| 880-14510-4 | CS-South Bottom Hole-4 1.5' | Soluble | Solid | 300.0 | 25007 |
| 880-14510-5 | CS-South Bottom Hole-5 1.5' | Soluble | Solid | 300.0 | 25007 |
| 880-14510-6 | CS-South Bottom Hole-6 1.5' | Soluble | Solid | 300.0 | 25007 |
| 880-14510-7 | CS-South Bottom Hole-7 1.5' | Soluble | Solid | 300.0 | 25007 |
| 880-14510-8 | CS-South Bottom Hole-8 2.5' | Soluble | Solid | 300.0 | 25007 |
| 880-14510-9 | CS-South Bottom Hole-9 2.5' | Soluble | Solid | 300.0 | 25007 |
| 880-14510-10 | CS-South Bottom Hole-10 2.5' | Soluble | Solid | 300.0 | 25007 |
| 880-14510-11 | CS-South North Sidewall-1 | Soluble | Solid | 300.0 | 25007 |
| 880-14510-12 | CS-South North Sidewall-2 | Soluble | Solid | 300.0 | 25007 |
| 880-14510-13 | CS-South North Sidewall-3 | Soluble | Solid | 300.0 | 25007 |
| 880-14510-14 | CS-South North Sidewall-4 | Soluble | Solid | 300.0 | 25007 |
| 880-14510-15 | CS-South North Sidewall-5 | Soluble | Solid | 300.0 | 25007 |
| 880-14510-16 | CS-South North Sidewall-6 | Soluble | Solid | 300.0 | 25007 |
| 880-14510-17 | CS-South North Sidewall-7 | Soluble | Solid | 300.0 | 25007 |
| 880-14510-18 | CS-South South Sidewall-1 | Soluble | Solid | 300.0 | 25007 |
| 880-14510-19 | CS-South South Sidewall-2 | Soluble | Solid | 300.0 | 25007 |
| 880-14510-20 | CS-South South Sidewall-3 | Soluble | Solid | 300.0 | 25007 |
| MB 880-25007/1-A | Method Blank | Soluble | Solid | 300.0 | 25007 |
| LCS 880-25007/2-A | Lab Control Sample | Soluble | Solid | 300.0 | 25007 |
| LCSD 880-25007/3-A | Lab Control Sample Dup | Soluble | Solid | 300.0 | 25007 |
| 880-14510-1 MS | CS-South Bottom Hole-1 4' | Soluble | Solid | 300.0 | 25007 |
| 880-14510-1 MSD | CS-South Bottom Hole-1 4' | Soluble | Solid | 300.0 | 25007 |
| 880-14510-11 MS | CS-South North Sidewall-1 | Soluble | Solid | 300.0 | 25007 |
| 880-14510-11 MSD | CS-South North Sidewall-1 | Soluble | Solid | 300.0 | 25007 |

Eurofins Midland

2

3

4

6

8

9

11

12

Lab Sample ID: 880-14510-1

Lab Sample ID: 880-14510-3

Job ID: 880-14510-1

Client: Charger Rentals Project/Site: 49er SDG: JCF6DLE501

Client Sample ID: CS-South Bottom Hole-1 4'

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 4.96 g | 5 mL | 25547 | 05/13/22 14:45 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | | | 25497 | 05/14/22 04:23 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25575 | 05/14/22 16:04 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 25186 | 05/09/22 16:22 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.01 g | 10 mL | 25006 | 05/06/22 17:15 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 25039 | 05/08/22 14:59 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5.01 g | 50 mL | 25007 | 05/06/22 17:45 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 25350 | 05/12/22 02:33 | CH | XEN MID |

Client Sample ID: CS-South Bottom Hole-2 4'

Date Received: 05/06/22 12:36

Lab Sample ID: 880-14510-2 Date Collected: 05/05/22 00:00 **Matrix: Solid**

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Туре | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 5.00 g | 5 mL | 25547 | 05/13/22 14:45 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | | | 25497 | 05/14/22 04:49 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25575 | 05/14/22 16:04 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 25186 | 05/09/22 16:22 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.02 g | 10 mL | 25006 | 05/06/22 17:15 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 25039 | 05/08/22 16:04 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5 g | 50 mL | 25007 | 05/06/22 17:45 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 25350 | 05/12/22 02:57 | CH | XEN MID |

Client Sample ID: CS-South Bottom Hole-3 1.5'

Date Collected: 05/05/22 00:00

Matrix: Solid Date Received: 05/06/22 12:36 Batch Batch Dil Initial Final Batch Prepared

| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
|-----------|----------|-------------|------|--------|---------|--------|--------|----------------|---------|---------|
| Total/NA | Prep | 5035 | · —— | | 5.03 g | 5 mL | 25547 | 05/13/22 14:45 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | | | 25497 | 05/14/22 05:15 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25575 | 05/14/22 16:04 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 25186 | 05/09/22 16:22 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.01 g | 10 mL | 25006 | 05/06/22 17:15 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 25039 | 05/08/22 16:25 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5.03 g | 50 mL | 25007 | 05/06/22 17:45 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 25350 | 05/12/22 03:05 | CH | XEN MID |

Client Sample ID: CS-South Bottom Hole-4 1.5'

Lab Sample ID: 880-14510-4 Date Collected: 05/05/22 00:00 **Matrix: Solid** Date Received: 05/06/22 12:36

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 4.99 g | 5 mL | 25547 | 05/13/22 14:45 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | | | 25497 | 05/14/22 05:40 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25575 | 05/14/22 16:04 | MR | XEN MID |

XEN MID

Matrix: Solid

Lab Sample ID: 880-14510-4

Lab Sample ID: 880-14510-6

Lab Sample ID: 880-14510-7

05/12/22 03:14 CH

Client: Charger Rentals Job ID: 880-14510-1 Project/Site: 49er SDG: JCF6DLE501

Client Sample ID: CS-South Bottom Hole-4 1.5'

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

Batch Dil Initial Batch Batch Final Prepared **Prep Type** Method Number or Analyzed Type Run **Factor Amount** Amount Analyst Lab Total/NA 8015 NM 25186 05/09/22 16:22 AJ XEN MID Analysis Total/NA Prep 8015NM Prep 10.01 g 10 mL 25006 05/06/22 17:15 DM **XEN MID** Total/NA Analysis 8015B NM 1 25039 05/08/22 16:47 AJ XEN MID Soluble 50 mL 25007 05/06/22 17:45 SC XEN MID Leach DI Leach 4.99 g

Client Sample ID: CS-South Bottom Hole-5 1.5'

300.0

Analysis

Soluble

Lab Sample ID: 880-14510-5 Date Collected: 05/05/22 00:00 **Matrix: Solid** Date Received: 05/06/22 12:36

25350

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 5.01 g | 5 mL | 25547 | 05/13/22 14:45 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | | | 25497 | 05/14/22 06:06 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25575 | 05/14/22 16:04 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 25186 | 05/09/22 16:22 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.02 g | 10 mL | 25006 | 05/06/22 17:15 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 25039 | 05/08/22 17:09 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 4.97 g | 50 mL | 25007 | 05/06/22 17:45 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 25350 | 05/12/22 03:22 | CH | XEN MID |

Client Sample ID: CS-South Bottom Hole-6 1.5'

Date Collected: 05/05/22 00:00

Date Received: 05/06/22 12:36

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 5.04 g | 5 mL | 25547 | 05/13/22 14:45 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | | | 25497 | 05/14/22 06:32 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25575 | 05/14/22 16:04 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 25186 | 05/09/22 16:22 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.03 g | 10 mL | 25006 | 05/06/22 17:15 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 25039 | 05/08/22 17:31 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5.03 g | 50 mL | 25007 | 05/06/22 17:45 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 25350 | 05/12/22 03:46 | CH | XEN MID |

Client Sample ID: CS-South Bottom Hole-7 1.5'

Date Collected: 05/05/22 00:00

Date Received: 05/06/22 12:36

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|----------------------|------------------|-------------------------|-----|--------|---------|--------|----------------|----------------------------------|---------|--------------------|
| Prep Type | Туре | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 4.97 g | 5 mL | 25547 | 05/13/22 14:45 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | | | 25497 | 05/14/22 08:17 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25575 | 05/14/22 16:04 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 25186 | 05/09/22 16:22 | AJ | XEN MID |
| Total/NA Total/NA | Prep Analysis | 8015NM Prep 8015B NM | | 1 | 10.01 g | 10 mL | 25006 25039 | 05/06/22 17:15 05/08/22 17:52 | | XEN MID XEN MID |

Eurofins Midland

Matrix: Solid

Page 44 of 58

Matrix: Solid

Matrix: Solid

Matrix: Solid

Lab Sample ID: 880-14510-7

Lab Sample ID: 880-14510-8

Lab Sample ID: 880-14510-9

Lab Sample ID: 880-14510-10

Client: Charger Rentals Job ID: 880-14510-1 Project/Site: 49er SDG: JCF6DLE501

Client Sample ID: CS-South Bottom Hole-7 1.5'

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|----------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Soluble | Leach | DI Leach | | | 5.02 g | 50 mL | 25007 | 05/06/22 17:45 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 25350 | 05/12/22 03:54 | CH | XEN MID |

Client Sample ID: CS-South Bottom Hole-8 2.5'

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 5.00 g | 5 mL | 25547 | 05/13/22 14:45 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | | | 25497 | 05/14/22 08:43 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25575 | 05/14/22 16:04 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 25186 | 05/09/22 16:22 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.04 g | 10 mL | 25006 | 05/06/22 17:15 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 25039 | 05/08/22 18:14 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5.05 g | 50 mL | 25007 | 05/06/22 17:45 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 25350 | 05/12/22 04:03 | CH | XEN MID |

Client Sample ID: CS-South Bottom Hole-9 2.5'

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 5.02 g | 5 mL | 25547 | 05/13/22 14:45 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | | | 25497 | 05/14/22 09:09 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25575 | 05/14/22 16:04 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 25186 | 05/09/22 16:22 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.00 g | 10 mL | 25006 | 05/06/22 17:15 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 25039 | 05/08/22 18:35 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5.05 g | 50 mL | 25007 | 05/06/22 17:45 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 25350 | 05/12/22 04:11 | CH | XEN MID |

Client Sample ID: CS-South Bottom Hole-10 2.5

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Туре | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 4.97 g | 5 mL | 25547 | 05/13/22 14:45 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | | | 25497 | 05/14/22 09:35 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25575 | 05/14/22 16:04 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 25186 | 05/09/22 16:22 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.03 g | 10 mL | 25006 | 05/06/22 17:15 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 25039 | 05/08/22 18:57 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 4.99 g | 50 mL | 25007 | 05/06/22 17:45 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 25350 | 05/12/22 04:19 | CH | XEN MID |

Lab Sample ID: 880-14510-11

Matrix: Solid

Date Collected: 05/05/22 00:00

Date Received: 05/06/22 12:36

Client: Charger Rentals

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 4.98 g | 5 mL | 25547 | 05/13/22 14:45 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | | | 25497 | 05/14/22 10:00 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25575 | 05/14/22 16:04 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 25186 | 05/09/22 16:22 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.01 g | 10 mL | 25006 | 05/06/22 17:15 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 25039 | 05/08/22 19:40 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5.01 g | 50 mL | 25007 | 05/06/22 17:45 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 25350 | 05/12/22 04:27 | CH | XEN MID |

Client Sample ID: CS-South North Sidewall-2

Date Collected: 05/05/22 00:00

Lab Sample ID: 880-14510-12

Lab Sample ID: 880-14510-13

Lab Sample ID: 880-14510-14

Matrix: Solid

Matrix: Solid

Date Received: 05/06/22 12:36

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Туре | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 4.95 g | 5 mL | 25547 | 05/13/22 14:45 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | | | 25497 | 05/14/22 10:26 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25575 | 05/14/22 16:04 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 25186 | 05/09/22 16:22 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.04 g | 10 mL | 25006 | 05/06/22 17:15 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 25039 | 05/08/22 20:01 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5 g | 50 mL | 25007 | 05/06/22 17:45 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 25350 | 05/12/22 04:52 | CH | XEN MID |

Client Sample ID: CS-South North Sidewall-3

Date Collected: 05/05/22 00:00

Date Received: 05/06/22 12:36

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 4.97 g | 5 mL | 25547 | 05/13/22 14:45 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | | | 25497 | 05/14/22 10:52 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25575 | 05/14/22 16:04 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 25186 | 05/09/22 16:22 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.01 g | 10 mL | 25006 | 05/06/22 17:15 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 25039 | 05/08/22 20:23 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5.02 g | 50 mL | 25007 | 05/06/22 17:45 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 25350 | 05/12/22 05:00 | CH | XEN MID |

Client Sample ID: CS-South North Sidewall-4

Date Collected: 05/05/22 00:00

Date Received: 05/06/22 12:36

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 5.03 g | 5 mL | 25547 | 05/13/22 14:45 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | | | 25497 | 05/14/22 11:18 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25575 | 05/14/22 16:04 | MR | XEN MID |

Eurofins Midland

Matrix: Solid

Matrix: Solid

Matrix: Solid

SDG: JCF6DLE501

Lab Sample ID: 880-14510-14

Lab Sample ID: 880-14510-15

Lab Sample ID: 880-14510-16

Lab Sample ID: 880-14510-17

Client Sample ID: CS-South North Sidewall-4

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

Client: Charger Rentals

Project/Site: 49er

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Analysis | 8015 NM | | 1 | | | 25186 | 05/09/22 16:22 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.00 g | 10 mL | 25006 | 05/06/22 17:15 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 25039 | 05/08/22 20:44 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5 g | 50 mL | 25007 | 05/06/22 17:45 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 25350 | 05/12/22 05:25 | CH | XEN MID |

Client Sample ID: CS-South North Sidewall-5

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 5.02 g | 5 mL | 25547 | 05/13/22 14:45 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | | | 25497 | 05/14/22 11:44 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25575 | 05/14/22 16:04 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 25186 | 05/09/22 16:22 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.01 g | 10 mL | 25006 | 05/06/22 17:15 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 25039 | 05/08/22 21:06 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 4.99 g | 50 mL | 25007 | 05/06/22 17:45 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 25350 | 05/12/22 05:33 | CH | XEN MID |

Client Sample ID: CS-South North Sidewall-6

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 5.05 g | 5 mL | 25547 | 05/13/22 14:45 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | | | 25497 | 05/14/22 12:10 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25575 | 05/14/22 16:04 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 25186 | 05/09/22 16:22 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.02 g | 10 mL | 25006 | 05/06/22 17:15 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 25039 | 05/08/22 21:27 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5.01 g | 50 mL | 25007 | 05/06/22 17:45 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 25350 | 05/12/22 05:41 | CH | XEN MID |

Client Sample ID: CS-South North Sidewall-7

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|----------------------|------------------|-------------------------|-----|--------|---------|--------|----------------|----------------------------------|---------|--------------------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 4.97 g | 5 mL | 25548 | 05/13/22 14:53 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 1.0 mL | 25561 | 05/15/22 22:17 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25575 | 05/14/22 16:04 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 25186 | 05/09/22 16:22 | AJ | XEN MID |
| Total/NA Total/NA | Prep Analysis | 8015NM Prep 8015B NM | | 1 | 10.03 g | 10 mL | 25006 25039 | 05/06/22 17:15 05/08/22 21:49 | | XEN MID XEN MID |

Eurofins Midland

Matrix: Solid

Matrix: Solid

Matrix: Solid

Matrix: Solid

Lab Sample ID: 880-14510-17

Lab Sample ID: 880-14510-19

Lab Sample ID: 880-14510-20

Client: Charger Rentals Job ID: 880-14510-1 Project/Site: 49er SDG: JCF6DLE501

Client Sample ID: CS-South North Sidewall-7

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

Dil Initial Einal Datab Prep Type Soluble Soluble

Client Sample ID: CS-South South Sidewall-1

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

| | Daten | Datell | | ווט | IIIIIIai | rillai | Daten | Prepareu | | | |
|------|-------------|-----------|----------|--------|----------|--------|--------|----------------|---------|----------|--|
| pe | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab | |
| | Leach | DI Leach | | | 5 g | 50 mL | 25007 | 05/06/22 17:45 | SC | XEN MID | |
| | Analysis | 300.0 | | 1 | | | 25350 | 05/12/22 05:49 | CH | XEN MID | |
| Samp | ole ID: CS- | South Sou | th Sidew | /all-1 | | | La | b Sample II | D: 880- | 14510-18 | |

Batch Batch Dil Initial Final Batch Prepared Method **Prep Type Amount Amount** Number or Analyzed Type Run **Factor** Analyst Lab 25548 Total/NA Prep 5035 5.02 g 5 mL 05/13/22 14:53 MR XEN MID Total/NA 8021B 5 mL 25561 Analysis 1.0 mL 05/15/22 22:44 MR XEN MID 1 Total/NA Analysis Total BTEX 25575 05/14/22 16:04 MR XEN MID 1 Total/NA 8015 NM Analysis 25186 05/09/22 16:22 AJ **XEN MID** Total/NA Prep 8015NM Prep 10.01 g 25006 05/06/22 17:15 DM XEN MID 10 mL 8015B NM 25039 05/08/22 22:10 AJ Total/NA Analysis XEN MID Soluble DI Leach 25007 05/06/22 17:45 SC XEN MID Leach 5 g 50 mL 25350 05/12/22 05:57 CH Analysis 300.0 XEN MID Soluble

Client Sample ID: CS-South South Sidewall-2

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

Batch Batch Dil Initial Final Batch Prepared **Prep Type** Type Method Run **Factor Amount** Amount Number or Analyzed Analyst Lab Total/NA Prep 5035 5.03 g 5 mL 25548 05/13/22 14:53 MR XEN MID Total/NA 8021B 25561 05/15/22 23:11 MR Analysis 5 mL 1.0 mL **XEN MID** 1 Total/NA Analysis Total BTEX 1 25575 05/14/22 16:04 MR XEN MID Total/NA Analysis 8015 NM 1 25186 05/09/22 16:22 AJ **XEN MID** Total/NA Prep 8015NM Prep 10.02 g 10 mL 25006 05/06/22 17:15 DM **XEN MID** Total/NA Analysis 8015B NM 25039 05/08/22 22:32 AJ **XEN MID** 1 Soluble Leach DI Leach 5 g 50 mL 25007 05/06/22 17:45 SC XEN MID Soluble 300.0 25350 05/12/22 06:06 CH Analysis **XEN MID**

Client Sample ID: CS-South South Sidewall-3

Date Collected: 05/05/22 00:00

Date Received: 05/06/22 12:36

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 5.01 g | 5 mL | 25548 | 05/13/22 14:53 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 1.0 mL | 25561 | 05/15/22 23:37 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25575 | 05/14/22 16:04 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 25186 | 05/09/22 16:22 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.04 g | 10 mL | 25006 | 05/06/22 17:15 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 25039 | 05/08/22 22:53 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5.05 g | 50 mL | 25007 | 05/06/22 17:45 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 25350 | 05/12/22 06:14 | CH | XEN MID |

SDG: JCF6DLE501

Client Sample ID: CS-South South Sidewall-4

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

Client: Charger Rentals

Project/Site: 49er

Lab Sample ID: 880-14510-21

Matrix: Solid

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 5.00 g | 5 mL | 25548 | 05/13/22 14:53 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 1.0 mL | 25561 | 05/16/22 00:03 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25575 | 05/14/22 16:04 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 25186 | 05/09/22 16:22 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.02 g | 10 mL | 25059 | 05/09/22 08:51 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 25068 | 05/09/22 15:01 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5 g | 50 mL | 25207 | 05/09/22 16:46 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 25349 | 05/11/22 22:10 | CH | XEN MID |

Client Sample ID: CS-South South Sidewall-5

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

Lab Sample ID: 880-14510-22

Matrix: Solid

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|----------------------|-------------------|-------------------------|-----|---------------|-------------------|-----------------|-----------------|----------------------------------|----------|--------------------|
| Total/NA | Prep | 5035 | | | 5.02 g | 5 mL | 25548 | 05/13/22 14:53 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 1.0 mL | 25561 | 05/16/22 00:29 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25575 | 05/14/22 16:04 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 25186 | 05/09/22 16:22 | AJ | XEN MID |
| Total/NA Total/NA | Prep Analysis | 8015NM Prep 8015B NM | | 1 | 10.02 g | 10 mL | 25059 25068 | 05/09/22 08:51 05/09/22 15:22 | DM AJ | XEN MID XEN MID |
| Soluble Soluble | Leach Analysis | DI Leach 300.0 | | 1 | 5.03 g | 50 mL | 25207 25349 | 05/09/22 16:46 05/11/22 22:18 | | XEN MID XEN MID |

Client Sample ID: CS-South South Sidewall-6

Date Collected: 05/05/22 00:00

Lab Sample ID: 880-14510-23 Matrix: Solid Date Received: 05/06/22 12:36

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 5.05 g | 5 mL | 25548 | 05/13/22 14:53 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 1.0 mL | 25561 | 05/16/22 00:55 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25575 | 05/14/22 16:04 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 25186 | 05/09/22 16:22 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.01 g | 10 mL | 25059 | 05/09/22 08:51 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 25068 | 05/09/22 15:43 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5.01 g | 50 mL | 25207 | 05/09/22 16:46 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 25349 | 05/11/22 22:27 | CH | XEN MID |

Client Sample ID: CS-South South Sidewall-7

Lab Sample ID: 880-14510-24 Date Collected: 05/05/22 00:00 **Matrix: Solid** Date Received: 05/06/22 12:36

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Туре | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 4.99 g | 5 mL | 25548 | 05/13/22 14:53 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 1.0 mL | 25561 | 05/16/22 01:21 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25575 | 05/14/22 16:04 | MR | XEN MID |

Eurofins Midland

Job ID: 880-14510-1 SDG: JCF6DLE501

Client Sample ID: CS-South South Sidewall-7

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

Client: Charger Rentals

Project/Site: 49er

Lab Sample ID: 880-14510-24

Matrix: Solid

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Analysis | 8015 NM | | 1 | | | 25186 | 05/09/22 16:22 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.02 g | 10 mL | 25059 | 05/09/22 08:51 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 25068 | 05/09/22 16:04 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 4.96 g | 50 mL | 25207 | 05/09/22 16:46 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 25349 | 05/11/22 22:35 | CH | XEN MID |

Client Sample ID: CS-South East Sidewall-1

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

Lab Sample ID: 880-14510-25 **Matrix: Solid**

Lab Sample ID: 880-14510-26

Lab Sample ID: 880-14510-27

Matrix: Solid

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|----------------------|-------------------|-------------------------|-----|--------|---------|--------|----------------|----------------------------------|----------|--------------------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 4.97 g | 5 mL | 25548 | 05/13/22 14:53 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 1.0 mL | 25561 | 05/16/22 01:46 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25575 | 05/14/22 16:04 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 25186 | 05/09/22 16:22 | AJ | XEN MID |
| Total/NA Total/NA | Prep Analysis | 8015NM Prep 8015B NM | | 1 | 10.03 g | 10 mL | 25059 25068 | 05/09/22 08:51 05/09/22 16:25 | DM AJ | XEN MID XEN MID |
| Soluble Soluble | Leach Analysis | DI Leach 300.0 | | 1 | 5.02 g | 50 mL | 25207 25349 | 05/09/22 16:46 05/11/22 23:00 | | XEN MID XEN MID |

Client Sample ID: CS-South East Sidewall-2

Date Collected: 05/05/22 00:00 Date Received: 05/06/22 12:36

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 4.96 g | 5 mL | 25548 | 05/13/22 14:53 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 1.0 mL | 25561 | 05/16/22 02:12 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25575 | 05/14/22 16:04 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 25186 | 05/09/22 16:22 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.01 g | 10 mL | 25059 | 05/09/22 08:51 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 25068 | 05/09/22 17:08 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5.05 g | 50 mL | 25207 | 05/09/22 16:46 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 25349 | 05/11/22 23:08 | CH | XEN MID |

Client Sample ID: CS-South West Sidewall-1

Date Collected: 05/05/22 00:00

Date Received: 05/06/22 12:36

| Jale Receive | u. 05/06/22 1 | 2.30 | | | | | | | | |
|--------------|---------------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| - | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
| Prep Type | Туре | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 4.98 g | 5 mL | 25548 | 05/13/22 14:53 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 1.0 mL | 25561 | 05/16/22 03:56 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25575 | 05/14/22 16:04 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 25186 | 05/09/22 16:22 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.00 g | 10 mL | 25059 | 05/09/22 08:51 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 25068 | 05/09/22 17:29 | AJ | XEN MID |

Eurofins Midland

Matrix: Solid

Lab Chronicle

Client: Charger Rentals

Project/Site: 49er

Job ID: 880-14510-1
SDG: JCF6DLE501

Client Sample ID: CS-South West Sidewall-1

Date Collected: 05/05/22 00:00
Date Received: 05/06/22 12:36

Lab Sample ID: 880-14510-27
Matrix: Solid

Batch Batch Dil Initial Final Batch Prepared **Prep Type** Method Factor Number or Analyzed Type Run **Amount Amount** Analyst Soluble DI Leach 50 mL 25207 05/09/22 16:46 SC XEN MID Leach 5 g 05/11/22 23:16 CH Soluble 300.0 Analysis 25349 XEN MID 1

Client Sample ID: CS-South West Sidewall-2 Lab Sample ID: 880-14510-28

Date Collected: 05/05/22 00:00 Matrix: Solid

Date Received: 05/06/22 12:36

| | Batch | Batch | | Dil | Initial | Final | Batch | Prepared | | |
|-----------|----------|-------------|-----|--------|---------|--------|--------|----------------|---------|---------|
| Prep Type | Type | Method | Run | Factor | Amount | Amount | Number | or Analyzed | Analyst | Lab |
| Total/NA | Prep | 5035 | | | 4.99 g | 5 mL | 25548 | 05/13/22 14:53 | MR | XEN MID |
| Total/NA | Analysis | 8021B | | 1 | 5 mL | 1.0 mL | 25561 | 05/16/22 04:22 | MR | XEN MID |
| Total/NA | Analysis | Total BTEX | | 1 | | | 25575 | 05/14/22 16:04 | MR | XEN MID |
| Total/NA | Analysis | 8015 NM | | 1 | | | 25186 | 05/09/22 16:22 | AJ | XEN MID |
| Total/NA | Prep | 8015NM Prep | | | 10.00 g | 10 mL | 25059 | 05/09/22 08:51 | DM | XEN MID |
| Total/NA | Analysis | 8015B NM | | 1 | | | 25068 | 05/09/22 17:50 | AJ | XEN MID |
| Soluble | Leach | DI Leach | | | 5.01 g | 50 mL | 25207 | 05/09/22 16:46 | SC | XEN MID |
| Soluble | Analysis | 300.0 | | 1 | | | 25349 | 05/11/22 23:24 | CH | XEN MID |

Laboratory References:

XEN MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Eurofins Midland

9

3

Λ

5

7

9

11

13

Н

Accreditation/Certification Summary

Job ID: 880-14510-1 Client: Charger Rentals Project/Site: 49er SDG: JCF6DLE501

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

| Authority | Pro | ogram | Identification Number | Expiration Date |
|-----------------------|-----------------------------|-----------------------------|---|--------------------------------------|
| Texas | NE | ELAP | T104704400-21-22 | 06-30-22 |
| The following analyte | s are included in this repo | ort but the laboratory is r | not certified by the governing authority. | This list may include analytes for w |
| the agency does not | • | , 24: 1 | iot ocitined by the governing additionty. | This list may include analytes for w |
| , | • | Matrix | Analyte | This list may include analytes for w |
| the agency does not o | offer certification. | • | , , , | This list may include analytes for w |

Eurofins Midland

Method Summary

Client: Charger Rentals Project/Site: 49er Job ID: 880-14510-1 SDG: JCF6DLE501

| Method | Method Description | Protocol | Laboratory |
|-------------|------------------------------------|----------|------------|
| 8021B | Volatile Organic Compounds (GC) | SW846 | XEN MID |
| Total BTEX | Total BTEX Calculation | TAL SOP | XEN MID |
| 8015 NM | Diesel Range Organics (DRO) (GC) | SW846 | XEN MID |
| 8015B NM | Diesel Range Organics (DRO) (GC) | SW846 | XEN MID |
| 300.0 | Anions, Ion Chromatography | MCAWW | XEN MID |
| 5035 | Closed System Purge and Trap | SW846 | XEN MID |
| 8015NM Prep | Microextraction | SW846 | XEN MID |
| DI Leach | Deionized Water Leaching Procedure | ASTM | XEN MID |

Protocol References:

ASTM = ASTM International

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

XEN MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Eurofins Midland

•

3

4

5

7

_

10

ш

13

14

Sample Summary

Client: Charger Rentals Project/Site: 49er

880-14510-28

CS-South West Sidewall-2

Job ID: 880-14510-1 SDG: JCF6DLE501

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received |
|---------------|------------------------------|--------|----------------|----------------|
| 880-14510-1 | CS-South Bottom Hole-1 4' | Solid | 05/05/22 00:00 | 05/06/22 12:36 |
| 880-14510-2 | CS-South Bottom Hole-2 4' | Solid | 05/05/22 00:00 | 05/06/22 12:36 |
| 880-14510-3 | CS-South Bottom Hole-3 1.5' | Solid | 05/05/22 00:00 | 05/06/22 12:36 |
| 880-14510-4 | CS-South Bottom Hole-4 1.5' | Solid | 05/05/22 00:00 | 05/06/22 12:36 |
| 880-14510-5 | CS-South Bottom Hole-5 1.5' | Solid | 05/05/22 00:00 | 05/06/22 12:36 |
| 880-14510-6 | CS-South Bottom Hole-6 1.5' | Solid | 05/05/22 00:00 | 05/06/22 12:36 |
| 880-14510-7 | CS-South Bottom Hole-7 1.5' | Solid | 05/05/22 00:00 | 05/06/22 12:36 |
| 880-14510-8 | CS-South Bottom Hole-8 2.5' | Solid | 05/05/22 00:00 | 05/06/22 12:36 |
| 880-14510-9 | CS-South Bottom Hole-9 2.5' | Solid | 05/05/22 00:00 | 05/06/22 12:36 |
| 880-14510-10 | CS-South Bottom Hole-10 2.5' | Solid | 05/05/22 00:00 | 05/06/22 12:36 |
| 880-14510-11 | CS-South North Sidewall-1 | Solid | 05/05/22 00:00 | 05/06/22 12:36 |
| 880-14510-12 | CS-South North Sidewall-2 | Solid | 05/05/22 00:00 | 05/06/22 12:36 |
| 880-14510-13 | CS-South North Sidewall-3 | Solid | 05/05/22 00:00 | 05/06/22 12:36 |
| 880-14510-14 | CS-South North Sidewall-4 | Solid | 05/05/22 00:00 | 05/06/22 12:36 |
| 880-14510-15 | CS-South North Sidewall-5 | Solid | 05/05/22 00:00 | 05/06/22 12:36 |
| 880-14510-16 | CS-South North Sidewall-6 | Solid | 05/05/22 00:00 | 05/06/22 12:36 |
| 880-14510-17 | CS-South North Sidewall-7 | Solid | 05/05/22 00:00 | 05/06/22 12:36 |
| 880-14510-18 | CS-South South Sidewall-1 | Solid | 05/05/22 00:00 | 05/06/22 12:36 |
| 880-14510-19 | CS-South South Sidewall-2 | Solid | 05/05/22 00:00 | 05/06/22 12:36 |
| 880-14510-20 | CS-South South Sidewall-3 | Solid | 05/05/22 00:00 | 05/06/22 12:36 |
| 880-14510-21 | CS-South South Sidewall-4 | Solid | 05/05/22 00:00 | 05/06/22 12:36 |
| 880-14510-22 | CS-South South Sidewall-5 | Solid | 05/05/22 00:00 | 05/06/22 12:36 |
| 880-14510-23 | CS-South South Sidewall-6 | Solid | 05/05/22 00:00 | 05/06/22 12:36 |
| 880-14510-24 | CS-South South Sidewall-7 | Solid | 05/05/22 00:00 | 05/06/22 12:36 |
| 880-14510-25 | CS-South East Sidewall-1 | Solid | 05/05/22 00:00 | 05/06/22 12:36 |
| 880-14510-26 | CS-South East Sidewall-2 | Solid | 05/05/22 00:00 | 05/06/22 12:36 |
| 880-14510-27 | CS-South West Sidewall-1 | Solid | 05/05/22 00:00 | 05/06/22 12:36 |

Solid

05/05/22 00:00 05/06/22 12:36

1

3

4

9

10

46

12

112

Relinquished by Robert Grubbs Jr Relinquished by

Date

Time

Recieved by

Date

Time

Sample

RUSH

Same Day

24 hr

48hr

72hr

CS - South Bottom Hole - 10 CS - South Bottom Hole - 9 CS - South Bottom Hole - 8 CS - South Bottom Hole - 7

> 2.5 25 1.5 1.5 -1 -5;

5/5/2022

5/5/2022 5/5/2022 5/5/2022 5/5/2022 5/5/2022

5/5/2022

× × × ×

_

×××

×

× × × ×

×

Time

LAB USE ATA

REMARKS

×××

××× ×××

5/6/22

Time

Redjeved by

5/5/2022

CS - South Bottom Hole - 5 CS - South Bottom Hole - 6

CS - South Bottom Hole - 4 CS - South Bottom Hole - 3 CS - South Bottom Hole - 2 CS - South Bottom Hole - 1

1.5

1.5

4 4

5/5/2022

5/5/2022

× × × SOIL

×

× × × × × ×

×

× × ×

XXX

XXX XXX

×××

Relinquished by

Date

Time

Recieved by

Date

Time

Temperature

Rush Charges Authorized

Circle) HAND DELIVERED

Special Report Limits or TRRP Report

ORIGINAL COPY

Comments:

SE ASE

SAMPLE IDENTIFICATION

YEAR

SAMPLING

MATRIX

PRESERVATIVE

DATE

TIME

WATER

HCL

HNO₃

CONTAINERS

FILTERED (Y/N) BTEX 8021B

BTEX 8021B

Chloride

TPH TX1005 (Ext to C35)

TPH 8015M (GRO - DRO - MRO)

LAB#

Receiving Laboratory

Eurofins

Sampler Signature

Robert Grubbs Jr

Invoice to: (county, state) Project Location:

Eddy County, New Mexico

Project #:

JCF6DLE501

(TX)

(NM)

(TX)

(NM)

49er


Manager:

ronny.crawford@chargerservices.com

(Circle or Specify Method No.)

ANALYSIS REQUEST

Project Name:



23 W Industrial Loop Midland, Tx 7970 (432) 218-7674

| 880-14510 Chain of Custody | | |
|----------------------------|---|---|
| 0 | 1 | l |

0 ್ಲ

Page 55 of 58

Hold

2

3

4

6

8

11 12

13 14

Robert Grubbs Jr Relinquished by Relinquished by Relinquished by Comments: Receiving Laboratory: Invoice to: (county, state) Project Location: Project Name: Client Name: MS AND CONTRACTION OF LAB# CS - South South Sidewall - 3 CS - South South Sidewall - 2 CS - South South Sidewall - 1 CS - South North Sidewall - 2 CS - South North Sidewall - 7 CS - South North Sidewall - 6 CS - South North Sidewall - 5 CS - South North Sidewall - 4 CS - South North Sidewall - 3 CS - South North Sidewall -SAMPLE IDENTIFICATION 5/6/22 **Eddy County, New Mexico** Date Date Charger Services Tecord Eurofins Time Time Time Sampler Signature: ORIGINAL COPY Recieved by Project #: Recieved by 5/5/2022 Received by Manager: 5/5/2022 5/5/2022 5/5/2022 5/5/2022 5/5/2022 5/5/2022 5/5/2022 5/5/2022 5/5/2022 23 W Industrial Loop Midland, Tx 79701 Site YEAR DATE SAMPLING 49er ronny.crawford@chargerservices.com 2022 TIME robert.grubbs@chargerservices.com Charger Services (432) 218-7674 WATER MATRIX × × × × × × × × SOIL Robert Grubbs Jr JCF6DLE50 Date Date HCL PRESERVATIVE METHOD HNO₃ ICE × × × × × × × × × Ime # CONTAINERS --_ FILTERED (Y/N) (TX) BTEX 8021B Circle) HAND DELIVERED 15/12/1 Temperature (TX) SE CSE TPH TX1005 (Ext to C35) Sample ××× ××× ××× ××× XXX ××× ××× BTEX 80218 (NM) ××× × Έ TPH 8015M (GRO - DRO - MRO) (NM) × Chloride (Circle or Specify Method No.) REMARKS FEDEX UPS **ANALYSIS REQUEST** Special Report Limits or TRRP Report Rush Charges Authorized RUSH Same Day Page 24 hr 48hr g 72hr ŵ Hold

ORIGINAL COPY

Page

Ś

Relinquished by Robert Grubbs Jr Relinquished by Relinquished by Project Location: (county, state) Receiving Laboratory: CS - South West Sidewall - 2 CS - South West Sidewall - 1 CS - South East Sidewall - 2 CS - South East Sidewall - 1 CS - South South Sidewall - 7 CS - South South Sidewall - 6 CS - South South Sidewall - 5 CS - South South Sidewall - 4 SAMPLE IDENTIFICATION ARCHE VICES or Custody Record 5/6/22 Date Date Date **Eddy County, New Mexico** Charger Services Eurofins Time Time Time Recieved by Récieved by Recieved by Sampler Signature: Project #: 5/5/2022 5/5/2022 5/5/2022 5/5/2022 Manager: 5/5/2022 5/5/2022 5/5/2022 5/5/2022 YEAR 23 W Industrial Loop Midland, Tx 79701 DATE SAMPLING 49er 2022 ronny.crawford@chargerservices.com TIME robert.grubbs@chargerservices.com Charger Services WATER (432) 218-7674 MATRIX × × × SOIL × × × × Robert Grubbs Jr. JCF6DLE50 Date Date Date HCL HNO₃ METHOD ICE × × × × × × × Time Time Time # CONTAINERS FILTERED (Y/N) BTEX 8021B (TX) (Circle) Temperature SE COM TPH TX1005 (Ext to C35) (TX) Sample ××× ××× × × × ××× ××× BTEX 8021B (NM) HAND DELIVERED ××× ××× TPH 8015M (GRO - DRO - MRO) (NM) Chloride Circle or Specify Method No. 14510 REMARKS FEDEX UPS **ANALYSIS REQUEST** RUSH Same Day of AKKE Report URSH ್ಞ Hold 5/16/2022 Released to Imaging: 12/16/2022 10:56:19 AM

LAB#

Comments:

invoice to:

Project Name:

Client Name:

Login Sample Receipt Checklist

Client: Charger Rentals Job Number: 880-14510-1 SDG Number: JCF6DLE501

Login Number: 14510 **List Source: Eurofins Midland**

List Number: 1

Creator: Rodriguez, Leticia

| Question | Answer | Comment |
|--|--------|---------|
| The cooler's custody seal, if present, is intact. | N/A | |
| Sample custody seals, if present, are intact. | N/A | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| Is the Field Sampler's name present on COC? | True | |
| There are no discrepancies between the containers received and the COC. | True | |
| Samples are received within Holding Time (excluding tests with immediate HTs) | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified. | N/A | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| Containers requiring zero headspace have no headspace or bubble is | N/A | |

<6mm (1/4").

| SUNDANCE SERVICES WEST, INC. P.O. Box 1737 Eunice, New Mexico 88231 Business: (575) 394-2511 · Disposal: (575) 390-7842 TICKET No. 635727 | | | | | |
|---|---------------------------|---|---|--|--|
| LEASE OPERATOR/SH | IPPER/COMPANY: | CI Inc. | DATE: 7-07-22 | | |
| LEASE NAME: TO | rty Niner | Ridge 114H. | TIME: A AM/RM | | |
| RIG NAME & NUMBER | - 31 | J | VEHICLE NO: | | |
| TRANSPORTER COMP | PANY: LP TV | ucking. | PHONE: | | |
| GENERATOR COMPA | | bert Gunitos. | PHONE: 325-446-286 | | |
| CHARGE TO: | hourger E | jervices. | | | |
| TYPE OF | [] Tank Bottoms | [] Drilling Fluids [] | Rinsate [] BS&W Content: | | |
| MATERIAL | [] Solids | Contaminated Soil [] . | Jet Out | | |
| Description: | | 00 | | | |
| VOLUME OF MATERIAL | []BBLS | : (YARD 20 | _: [] | | |
| RRC or API # | | C-13. | 3# Um ' | | |
| STICKERS, COL | DES, NUMBERS, ETC. | JOB TICKET, OPERATOR/SHIPPER REPRESENTS AN HEREWITH IS MATERIAL EXEMPT FROM THE RESO AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 361.001 et seq., and regulations related th drilling fluids, produced waters, and oth development or production of crude oil or also as a condition to sundance services, in this job ticket. Transporter represents and | CCEPTANCE OF THE MATERIALS SHIPPED WITH THIS D WARRANTS THAT THE WASTE MATERIAL SHIPPED URCE, CONSERVATION AND RECOVERY ACT OF 1976, 6901, et seq., the NM Health and Saf. Code 5 iereto, by virtue of the exemption afforded ier waste associated with the exploration, natural gas or geothermal energy. C.'S acceptance of the materials shipped with D warrants that only the material delivered ow delivered by transporter to sundance | | |
| above described loca | ation, and that it was te | porter loaded the material represented by ndered by the above described shippen the material was delivered without incide | This will certify that no additional | | |
| DRIVER: | one's | | | | |
| (SIGNATU FACILITY REPR | | $\bigcirc \mathcal{P}$. | | | |
| reversel I tabel IV | (SIGNATURE) | L | | | |
| Wł | nite - Sundance | Canary - Sundance Acct #1 | Pink - Transporter | | |

Reorder from: Vertigo Creative Services LLC • www.VertigoCreative.com • Form#SDI-004c



| 1 | Business: (575) 394-2511 • Dis | posal: (575) 390-7842 | 900120 | | |
|---|---|---|-------------------|--|--|
| LEASE OPERATOR/S | HIPPER/COMPANY: 🔾 🔾 | I TMC. | DATE: 1-07-22 | | |
| LEASE NAME: Forty Winer Ridge 114H. TIME: 2:12 AM/PM | | | | | |
| RIG NAME & NUMB | 3 | 0 | VEHICLE NO: | | |
| TRANSPORTER COM | MPANY: FONSOCO | atricking. PHO | NE: | | |
| GENERATOR COMP | ANY MAN'S NAME: V | sert Grubbs, PHO | NE: | | |
| CHARGE TO: | Charger | Suc. | | | |
| TYPE OF MATERIAL Description: | [] Tank Bottoms | [] Drilling Fluids [] Rinsate [Contaminated Soil [] Jet Out | [] BS&W Content: | | |
| VOLUME OF MATERIAL | [] BBLS | : [MYARD 30 : | [] | | |
| RRC or API # | | C-133# | nm | | |
| AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., THE NM HEALTH AND SAF, CODE § 361.001 et seq., AND REGULATIONS RELATED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTE ASSOCIATED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY. ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET. TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE SERVICES, INC.'S FACILITY FOR DISPOSAL. THIS WILL CERTIFY that the above Transporter loaded the material represented by this Transporter Statement at the above described location, and that it was tendered by the above described shipper. This will certify that no additional | | | | | |
| DRIVER: (SIGNA FACILITY REP | RESENTATIVE: (SIGNATURE) | anary - Sundance Acct #1 Pink - Tra | insporter | | |
| | Reorder from: Vertigo Creative Services LLC • www.VertigoCreative.com • Form#SDI-004c | | | | |

| SUNDANCE SERVICES WEST, INC. P.O. Box 1737 Eunice, New Mexico 88231 Business: (575) 394-2511 · Disposal: (575) 390-7842 TICKET No. 635729 | | | | | |
|---|--|--|--|--|--|
| LEASE OPERATOR/SHIP | PPER/COMPANY: | IT Inc. | DATE: 7-07-23 | | |
| LEASE NAME: TOY | Ay Nino | er Ridge 114H. | TIME: | | |
| RIG NAME & NUMBER: | 3 | 3 | VEHICLE NO: | | |
| TRANSPORTER COMPA | INY: Fonsel | 1015 Trucking PH | ONE: | | |
| GENERATOR COMPAN | Y MAN'S NAME: | bert Grubbs PH | ONE: | | |
| CHARGE TO: | horger | Suc. | | | |
| TYPE OF | [] Tank Bottoms | [] Drilling Fluids [] Rinsat | e [] BS&W Content: | | |
| MATERIAL | [] Solids | [Contaminated Soil [] Jet Ou | t | | |
| Description: | | OD | | | |
| VOLUME OF MATERIAL | []BBLS | : [\text{yard} \(\particle{\particle}{\particle}\): | [] | | |
| RRC or API # | | C-133# | um. | | |
| STICKERS, CODI | ES, NUMBERS, ETC. | AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTAND JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRAND HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, CO AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et 361.001 et seq., and regulations related thereto, et drilling fluids, produced waters, and other was development or production of crude oil or natural also as a condition to sundance services, inc.'s acceptible the time of time of the time of time | INTS THAT THE WASTE MATERIAL SHIPPED NSERVATION AND RECOVERY ACT OF 1976, seq., THE NM HEALTH AND SAF. CODE S IN VIRTUE OF THE EXEMPTION AFFORDED TE ASSOCIATED WITH THE EXPLORATION, L GAS OR GEOTHERMAL ENERGY. PTANCE OF THE MATERIALS SHIPPED WITH NTS THAT ONLY THE MATERIAL DELIVERED | | |
| above described locat | tion, and that it was ten to this load, and that th | orter loaded the material represented by this dered by the above described shipper. This was delivered without incident. | | | |
| Whi | te - Sundance | Canary - Sundance Acct #1 Pink - T | ransporter | | |

Reorder from: Vertigo Creative Services LLC • www.VertigoCreative.com • Form#SDI-004c



| IIII Busi | iness: (575) 394-2511 • Dis | sposal: (575) 390-7842 | 033730 | | |
|--|---|------------------------------|------------------------|--|--|
| LEASE OPERATOR/SHIPPER/COMPANY: | | | | | |
| LEASE NAME: TO | LEASE NAME: Forty Winer Ridge 114H TIME: 2:16 AM/PM | | | | |
| RIG NAME & NUMBER: | 1 | 3 | VEHICLE NO: | | |
| TRANSPORTER COMPA | ANY: 1P Tru | Chiner. | PHONE: | | |
| GENERATOR COMPAN | Y MAN'S NAME: | obert Grubbs | PHONE: | | |
| CHARGE TO: | hourger | Suc. | | | |
| TYPE OF | [] Tank Bottoms | [] Drilling Fluids [] Rins | sate [] BS&W Content: | | |
| MATERIAL | [] Solids | Contaminated Soil [] Jet | Out | | |
| Description: | | 00. | | | |
| VOLUME OF MATERIAL | []BBLS | : (DYARD 20: | [] | | |
| RRC or API # | | C-133# | Nm. | | |
| AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., THE NM HEALTH AND SAF. CODE § 361.001 et seq., AND REGULATIONS RELATED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTE ASSOCIATED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY. ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET. TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE SERVICES, INC.'S FACILITY FOR DISPOSAL. | | | | | |
| THIS WILL CERTIFY that the above Transporter loaded the material represented by this Transporter Statement at the above described location, and that it was tendered by the above described shipper. This will certify that no additional materials were added to this load, and that the material was delivered without incident. | | | | | |
| DRIVER: (SIGNATURE) FACILITY REPRESENTATIVE: (SIGNATURE) | | | | | |
| White - Sundance Canary - Sundance Acct #1 Pink - Transporter | | | | | |
| | Reorder from: Vertigo Creative Services LLC • www.VertigoCreative.com • Form#SDI-004c | | | | |

| | P.O. Box 1737 Eunice, Notes in the property of | err memee dollor | (ET No. 635807 |
|--|--|---|---|
| LEASE OPERATOR/SH | IIPPER/COMPANY: | inction fuels | DATE: 7 8 2 Z |
| LEASE NAME: | tyniner | Pidge 114 | TIME: SEAM/PM |
| RIG NAME & NUMBER | | | VEHICLE NO: |
| TRANSPORTER COME | PANY: C3A mo | CYTIMEZ PH | ONE: |
| GENERATOR COMPA | NY MAN'S NAME: | Se Pulviquez PH | ONE: 325 446 2963 |
| CHARGE TO: | harger si |) C. | |
| TYPE OF | [] Tank Bottoms | [] Drilling Fluids [] Rinsat | e [] BS&W Content: |
| MATERIAL | [] Solids | Contaminated Soil [] Jet Ou | t |
| Description: | | (0) | |
| VOLUME OF MATERIAL | [] BBLS | : YARD_20: | [] |
| RRC or API # | | C-133# | Lm |
| • | DES, NUMBERS, ETC. | AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTAN JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRA HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, CO AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et 361.001 et seq., and regulations related thereto, e DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WAS DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURA ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCE THIS JOB TICKET. TRANSPORTER REPRESENTS AND WARRA BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELI SERVICES, INC.'S FACILITY FOR DISPOSAL. | INTS THAT THE WASTE MATERIAL SHIPPED NSERVATION AND RECOVERY ACT OF 1976, seq., THE NM HEALTH AND SAF. CODE \$ IN VIRTUE OF THE EXEMPTION AFFORDED TE ASSOCIATED WITH THE EXPLORATION, L GAS OR GEOTHERMAL ENERGY. PTANCE OF THE MATERIALS SHIPPED WITH NTS THAT ONLY THE MATERIAL DELIVERED |
| above described loca materials were adde DRIVER: | ation, and that it was tered to this look and that the | orter loaded the material represented by this ndered by the above described shipper. This whe material was delivered without incident. | Transporter Statement at the vill certify that no additional |
| FACILITY REPR | RESENTATIVE: (SIGNATURE) | | |
| 14.6 | hita Cundar | Consum Sundames Agent VA | |
| VV | hite - Sundance | Canary - Sundance Acct #1 Pink - T | ransporter |

Reorder from: Vertigo Creative Services LLC • www.VertigoCreative.com • Form#SDI-004c



| Business: (575) 394-2511 • Disposal: (575) 390-7842 | | | | | | |
|--|------------------|---------------------------------|-------------------|--|--|--|
| LEASE OPERATOR/SHIPPER/COMPANY: Jonation Foreig DATE: 78-22 | | | | | | |
| LEASE NAME: | | | | | | |
| RIG NAME & NUMBER: | | | VEHICLE NO: | | | |
| TRANSPORTER COMPA | NY: Funseci | a T. PHO | DNE: | | | |
| GENERATOR COMPANY | Y MAN'S NAME: | SSIE RUCINQUEZ PHO | DNE: | | | |
| CHARGE TO: | runger s | | | | | |
| TYPE OF | [] Tank Bottoms | [] Drilling Fluids [] Rinsate | [] BS&W Content: | | | |
| MATERIAL | [] Solids | Contaminated Soil [] Jet Out | | | | |
| Description: | | 00 | | | | |
| VOLUME OF MATERIAL | [] BBLS | : [/] YARD 20 : | | | | |
| RRC or API # | | C-133# | , | | | |
| STICKERS, CODES, NUMBERS, ETC. AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., THE NM HEALTH AND SAF. CODE § 361.001 et seq., AND REGULATIONS BELATED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTE ASSOCIATED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY. ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET. TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE SERVICES, INC.'S FACILITY FOR DISPOSAL. THIS WILL CERTIFY that the above Transporter loaded the material represented by this Transporter Statement at the above described location, and that it was tendered by the above described shipper. This will certify that no additional materials were added to this load, and that the material was delivered without incident. DRIVER: SIGNALIME SIGNALIME | | | | | | |
| (SIGNATURE) | | | | | | |
| White - Sundance Canary - Sundance Acct #1 Pink - Transporter | | | | | | |
| Reorder from: Vertigo Creative Services LLC • www.VertigoCreative.com • Form#SDI-004c | | | | | | |



P.O. Box 1737 Eunice, New Mexico 88231

Business: (575) 394-2511 • Disposal: (575) 390-7842

TICKET No. 635809

DATE: LEASE OPERATOR/SHIPPER/COMPANY: unction Fuels TIME: 9:09 **LEASE NAME:** AM/PM orty niner Ridge 114H **RIG NAME & NUMBER: VEHICLE NO:** PHONE: TRANSPORTER COMPANY: Funseca PHONE: **GENERATOR COMPANY MAN'S NAME:** CHARGE TO: Charger Suc [] Drilling Fluids [] Rinsate [] BS&W Content: [] Tank Bottoms TYPE OF MATERIAL [] Solids Contaminated Soil [] Jet Out Description: **VOLUME OF** [] BBLS.______: YARD_____: [] MATERIAL RRC or API# C-133# AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS STICKERS, CODES, NUMBERS, ETC. JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976. AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., THE NM HEALTH AND SAF. CODE § 361.001 et seq., AND REGULATIONS RELATED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTE ASSOCIATED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY. ALSO AS A CONDITION TO SUNDANCE SERVICES, INC:S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET. TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE SERVICES, INC.'S FACILITY FOR DISPOSAL, THIS WILL CERTIFY that the above Transporter loaded the material represented by this Transporter Statement at the above described location, and that it was tendered by the above described shipper. This will certify that no additional materials were added to this load, and that the material was delivered without incident. DRIVER: Say **FACILITY REPRESENTATIVE:** (SIGNATURE) Canary - Sundance Acct #1 White - Sundance Pink - Transporter Reorder from: Vertigo Creative Services LLC · www.VertigoCreative.com · Form#SDI-004c



| Business: (575) 394-2511 • Disposal: (575) 390-7842 | | | | | | |
|--|--|---------------------|-------------|-------------------|--|--|
| LEASE OPERATOR/SHIP | LEASE OPERATOR/SHIPPER/COMPANY: Junction Fuels. DATE: 7822 | | | | | |
| LEASE NAME: To | | | | | | |
| RIG NAME & NUMBER: | | | | VEHICLE NO: | | |
| TRANSPORTER COMPA | NY: Fonsecu | is T. | РНО | NE: | | |
| GENERATOR COMPANY | MAN'S NAME:) es | SE Rodrique | PHO | NE: | | |
| CHARGETO: | narger | 50 C. | | | | |
| TYPE OF | [] Tank Bottoms | [] Drilling Fluids | [] Rinsate | [] BS&W Content: | | |
| MATERIAL | [] Solids | Contaminated Soil | [] Jet Out | (| | |
| Description: | | 05 | | | | |
| VOLUME OF MATERIAL | []BBLS | _: X YARD_ 2 | <u>O_</u> : | [] | | |
| RRC or API # | | | C-133# | m | | |
| AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., THE NM HEALTH AND SAF. CODE § 361.001 et seq., AND REGULATIONS RELATED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTE ASSOCIATED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY. ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET. TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE SERVICES, INC.'S FACILITY FOR DISPOSAL. | | | | | | |
| THIS WILL CERTIFY that the above Transporter loaded the material represented by this Transporter Statement at the above described location, and that it was tendered by the above described shipper. This will certify that no additional materials were added to this load, and that the material was delivered without incident. | | | | | | |
| DRIVER: US | Chavic | | | | | |
| FACILITY REPRES | | 5 | | | | |
| (SIGNATURE) | | | | | | |
| White - Sundance Canary - Sundance Acct #1 Pink - Transporter | | | | | | |
| Reorder from: Vertigo Creative Services LLC • www.VertigoCreative.com • Form#SDI-004c | | | | | | |



| Busi | ness: (575) 394-2511 • Di | isposal: (575) 390-7842 | 000011 | | | |
|--|---|---|---|--|--|--|
| LEASE OPERATOR/SHIPPER/COMPANY: Junction F DATE: 78.27 | | | | | | |
| LEASE NAME: | LEASE NAME: Forty niner Eidge 114H TIME: 9 13 AM/PM | | | | | |
| RIG NAME & NUMBER: | , | | VEHICLE NO: | | | |
| TRANSPORTER COMPA | NY: LP TN | ucking P | HONE: | | | |
| GENERATOR COMPANY | Y MAN'S NAME: | SSIE Richagnez P | HONE: | | | |
| CHARGETO: | nuvyer s | | | | | |
| TYPE OF | [] Tank Bottoms | [] Drilling Fluids [] Rinsa | ate [] BS&W Content: | | | |
| MATERIAL | [] Solids | Contaminated Soil [] Jet C | ut | | | |
| Description: | | 00 | | | | |
| VOLUME OF MATERIAL | [] BBLS | : XYARD 20 : | [] | | | |
| RRC or API # | | C-133# | nn | | | |
| THIS WILL CERTIFY above described locate | that the above Transpo | AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTATION JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WAR HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, 361.001 et seq., AND REGULATIONS RELATED THERETO, DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WATER DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACID THIS JOB TICKET. TRANSPORTER REPRESENTS AND WARI BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DESCRIVES, INC.'S FACILITY FOR DISPOSAL. OF THE LOADED THE MATERIAL REPRESENTED BY THIS dered by the above described shipper. This is material was delivered without incident. | RANTS THAT THE WASTE MATERIAL SHIPPED CONSERVATION AND RECOVERY ACT OF 1976, et seq., The NM HEALTH AND SAF. CODE § , BY VIRTUE OF THE EXEMPTION AFFORDED ASTE ASSOCIATED WITH THE EXPLORATION, FAL GAS OR GEOTHERMAL ENERGY. CEPTANCE OF THE MATERIALS SHIPPED WITH PRANTS THAT ONLY THE MATERIAL DELIVERED CLIVERED BY TRANSPORTER TO SUNDANCE | | | |
| DRIVER: | in the | | | | | |
| (SIGNATURE) | | K | | | | |
| FACILITY REPRES | SENTATIVE:(SIGNATURE) | 2 | | | | |
| Whit | te - Sundance | Canary - Sundance Acct #1 Pink - | Transporter | | | |
| | Reorder from: Vertigo Creative Services LLC • www.VertigoCreative.com • Form#SDI-004c | | | | | |



Disposal: (575) 390-7842

TICKET No.

635813

| LEASE OPERATOR/SHIPPER/COMPANY: Junchion Fuels DATE: 7 8-72 | | | | | |
|--|---|-------------|--|--|--|
| LEASE NAME: Forty miner Ridge 114H TIME: 9:16 AM/PM | | | | | |
| RIG NAME & NUMBER: | | VEHICLE NO: | | | |
| TRANSPORTER COMPANY: | PHC PHC | ONE: | | | |
| GENERATOR COMPANY MAN'S NAME: | essie Rachiquez PHO | DNE: | | | |
| CHARGETO: Charger | Suc. | | | | |
| TYPE OF [] Tank Bottoms MATERIAL [] Solids Description: | [] Drilling Fluids [] Rinsate Contaminated Soil [] Jet Out | | | | |
| VOLUME OF []BBLS. | : | [] | | | |
| RRC or API # | C-133# | JM. | | | |
| AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., THE NM HEALTH AND SAF. CODE § 361.001 et seq., AND REGULATIONS RELATED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTE ASSOCIATED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY. ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET. TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE SERVICES, INC.'S FACILITY FOR DISPOSAL. THIS WILL CERTIFY that the above Transporter loaded the material represented by this Transporter Statement at the above described location, and that it was tendered by the above described shipper. This will certify that no additional materials were added to this load, and that the material was delivered without incident. | | | | | |
| DRIVER: (SIGNATURE) FACILITY REPRESENTATIVE: (SIGNATURE) | 3 | | | | |
| White - Sundance Canary - Sundance Acct #1 Pink - Transporter Reorder from: Vertigo Creative Services LLC · www.VertigoCreative.com · Form#SDI-004c | | | | | |



| IIII Busii | ness: (575) 394-2511 • Di | sposal: (575) 390-7842 | | | |
|--|---|---|-----------------------------|--|--|
| LEASE OPERATOR/SHIP | LEASE OPERATOR/SHIPPER/COMPANY: JUNCHION FUELS DATE: 7 8 32 | | | | |
| LEASE NAME: | c 1995 155 155 | | TIME:\\\ S AM/PM | | |
| RIG NAME & NUMBER: | 3 | | VEHICLE NO: | | |
| TRANSPORTER COMPA | NY: Fonseco | CIT. | PHONE: | | |
| GENERATOR COMPANY | MAN'S NAME: | Sole Rechique | PHONE: | | |
| CHARGE TO: | narger s | ov C. | | | |
| TYPE OF | [] Tank Bottoms | [] Drilling Fluids |] Rinsate [] BS&W Content: | | |
| MATERIAL | [] Solids | Contaminated Soil |] Jet Out | | |
| Description: | | 90 | ~ | | |
| VOLUME OF MATERIAL | [] BBLS | _: X] YARD_ 2 C | . [1 | | |
| RRC or API# | | C | -133# _N | | |
| AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., THE NM HEALTH AND SAF. CODE § 361.001 et seq., AND REGULATIONS RELATED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTE ASSOCIATED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY. ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET. TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE SERVICES, INC'S FACILITY FOR DISPOSAL. THIS WILL CERTIFY that the above Transporter loaded the material represented by this Transporter Statement at the | | | | | |
| above described location, and that it was tendered by the above described shipper. This will certify that no additional materials were added to this load, and that the material was delivered without incident. | | | | | |
| DRIVER: | | | | | |
| FACILITY REPRES | SENTATIVE: | K | | | |
| | (SIGNATURE) | 2 | | | |
| Whit | te - Sundance | Canary - Sundance Acct #1 | Pink - Transporter | | |
| | Reorder from: Vertigo Creativ | re Services LLC • www.VertigoCreative.com | • Form#SDI-004c | | |

| | ıllı | |
|---|-----------|--|
| _ | 严 | |
| _ | \ <u></u> | |
| | Щ | |

P.O. Box 1737 Eunice, New Mexico 88231

| | Business: (575) 394-2511 • Dis | sposal: (575) 390-7842 | |
|---|--------------------------------|--|-------------------|
| LEASE OPERATOR/S | SHIPPER/COMPANY: | nction Foels | DATE: 7 - 8 - 7 3 |
| LEASE NAME: | uty niner | Ridge 1144 | TIME: \ \ AMPM |
| RIG NAME & NUMB | J | | VEHICLE NO: |
| TRANSPORTER CO | MPANY: C 3 A | ravinez PH | ONE: |
| GENERATOR COMP | 'ANY MAN'S NAME: | ssie Rodviguez PH | ONE: |
| CHARGE TO: | Charger ? | Svc. | |
| TYPE OF | [] Tank Bottoms | [] Drilling Fluids [] Rinsate | BS&W Content: |
| MATERIAL | [] Solids | Contaminated Soil [] Jet Our | |
| Description: | | (C) | |
| VOLUME OF MATERIAL | [] BBLS | : X YARD 20 : | [] |
| RRC or API # | | C-133# | DM. |
| AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., THE NM HEALTH AND SAF. CODE § 361.001 et seq., AND REGULATIONS RELATED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTE ASSOCIATED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY. ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET. TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE SERVICES, INC.'S FACILITY FOR DISPOSAL. THIS WILL CERTIFY that the above Transporter loaded the material represented by this Transporter Statement at the above described location, and that it was tendered by the above described shipper. This will certify that no additional materials were added to this light, and that the material was delivered without incident. | | | |
| DRIVER: | | - Material was delivered without incident. | |
| (SIGNATURE) | | | |
| White - Sundance Canary - Sundance Acct #1 Pink - Transporter | | | |
| Reorder from: Vertigo Creative Services LLC • www.VertigoCreative.com • Form#SDI-004c | | | |



P.O. Box 1737 Eunice, New Mexico 88231

Business: (575) 394-2511 • Disposal: (575) 390-7842

TICKET No.

635854

| LEASE OPERATOR/SHIPPER/COMPANY: Junction, Fuels. DATE: 8 30 | | | | |
|--|--|--|--|--|
| LEASE NAME: Forty niner Ridge 1144 TIME: 1' 30 AM/PM | | | | |
| RIG NAME & NUMBER: VEHICLE NO: 3 | | | | |
| TRANSPORTER COMPANY: FORSECO T. PHONE: | | | | |
| GENERATOR COMPANY MAN'S NAME: Sesse Volume PHONE: | | | | |
| CHARGETO: Charger Suc. | | | | |
| TYPE OF [] Tank Bottoms [] Drilling Fluids [] Rinsate [] BS&W Content: MATERIAL [] Solids [] Jet Out | | | | |
| VOLUME OF MATERIAL : MYARD -: [] | | | | |
| RRC or API # C-133# | | | | |
| AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., THE NM HEALTH AND SAF. CODE § 361.001 et seq., AND REGULATIONS RELATED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTE ASSOCIATED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY. ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIAL SHIPPED WITH THIS JOB TICKET. TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE SERVICES, INC.'S FACILITY FOR DISPOSAL. THIS WILL CERTIFY that the above Transporter loaded the material represented by this Transporter Statement at the | | | | |
| above described location, and that it was tendered by the above described shipper. This will certify that no additional materials were added to this load, and that the material was delivered without incident. | | | | |
| DRIVER: Baynundo (SIGNATURE) | | | | |
| FACILITY REPRESENTATIVE: (SIGNATURE) | | | | |
| White - Sundance Canary - Sundance Acct #1 Pink - Transporter Reorder from: Vertigo Creative Services LLC • www.VertigoCreative.com • Form#5DI-004c | | | | |



Pusinger (575) 394-2511 - Disposal (575) 390-7842

| Business: (575) 394-2511 • Disposal: (575) 390-7842 | | | | |
|--|------------------|---------------------------------|---------------|--|
| LEASE OPERATOR/SHIPPER/COMPANY: DATE: 7 8 32 | | | | |
| LEASE NAME: Forty niver Ridge 1144 TIME: 1:30 AM/PM | | | | |
| RIG NAME & NUMBER: | | , | VEHICLE NO: | |
| TRANSPORTER COMPA | NY: Forseco | PHO | ONE: | |
| GENERATOR COMPANY | Y MAN'S NAME: | SSIE ROCKIQUEZ PHO | ONE: | |
| CHARGE TO: | havger | , | | |
| TYPE OF | [] Tank Bottoms | [] Drilling Fluids [] Rinsate | BS&W Content: | |
| MATERIAL | [] Solids | Contaminated Soil [] Jet Out | | |
| Description: | | (D) | | |
| VOLUME OF MATERIAL | [] BBLS | : YARD -: | [] | |
| RRC or API # | | C-133# | M | |
| STICKERS, CODES, NUMBERS, ETC. AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, DPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., THE NM HEALTH AND SAF, CODE § 36,001 et seq., AND REQUIRED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTE ASSOCIATED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY. ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET. TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL SHIPPED WITH THIS JOB TICKET. TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL SHIPPED WITH THIS JOB TICKET. TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL SHIPPED WITH THIS JOB TICKET. TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL SHIPPED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY. ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIAL SHIPPED WITH THE EXPLORATION, DEVELOPMENT OF PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY. ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIAL SHIPPED HEREWITH INDICATE OF THE EXEMPTION AND THE RESOURCE, CONSERVATION AND THE RESOURCE, CONSERVATION AND THE RESOURCE, CONSERVATION AND THE RESOURCE, CONSERVATION AND THERE WAS A GOOD TO THE WASTE ASSOCIATED. SHIPPED WITH THE EXPLORATION AND THE RESOURCE, CONSERVATION AND THE RESOURCE, CONSERVATION AND THE MATERIAL SHIPPED HEREOF, TO SERVICES, INC.'S ACCEPTANCE OF THE MATERIAL SHIPPED HEREOF. THE WASTE ASSOCIATED WITH THE EXEMPTION AND THE WASTE ASSOC | | | | |
| | | | | |
| White - Sundance Canary - Sundance Acct #1 Pink - Transporter Reorder from: Vertigo Creative Services LLC • www.VertigoCreative.com • Form#5DI-004c | | | | |

| 1 | 1 | lı | |
|----------|---|----|--|
| \equiv | _ | E | |
| | | П | |

P.O. Box 1737 Eunice, New Mexico 88231
Business: (575) 394-2511 • Disposal: (575) 390-7842

| Busi | ness: (575) 394-2511 • Di | isposal: (575) 390-7842 | | |
|--|------------------------------|---|-------------------|--|
| LEASE OPERATOR/SHIP | PPER/COMPANY: | enchion F | DATE: 7 8 72 | |
| LEASE NAME: Forty niver Ridge 1144 TIME: 1:00 AM/RM | | | | |
| RIG NAME & NUMBER: | 9 | , | VEHICLE NO: | |
| TRANSPORTER COMPA | INY: CP TY | OCTING PHO | DNE: | |
| GENERATOR COMPAN | Y MAN'S NAME: | SSIE Ranguez PHO | DNE: | |
| CHARGE TO: | marger . | Suc | | |
| TYPE OF | [] Tank Bottoms | [] Drilling Fluids [] Rinsate | [] BS&W Content: | |
| MATERIAL | [] Solids | Contaminated Soil [] Jet Out | | |
| Description: | | 0) | | |
| VOLUME OF MATERIAL | [] BBLS. | : X YARD 20 : | [] | |
| RRC or API # | | C-133# | m | |
| STICKERS, CODES, NUMBERS, ETC. AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., The NM HEALTH AND SAF. CODE § 361.001 et seq., AND REGULATIONS RELATED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTE ASSOCIATED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY. ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET. TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE SERVICES, INC.'S FACILITY FOR DISPOSAL. | | | | |
| THIS WILL CERTIFY that the above Transporter loaded the material represented by this Transporter Statement at the above described location, and that it was tendered by the above described shipper. This will certify that no additional materials were added to this load, and that the material was delivered without incident. | | | | |
| DRIVER: (SIGNATURE FACILITY REPRE | SENTATIVE: | 4 | | |
| (SIGNATURE) | | | | |
| Whi | ite - Sundance | Canary - Sundance Acct #1 Pink - Tr | ansporter | |
| | Reorder from: Vertigo Creati | ve Services LLC - www.VertigoCreative.com - Form#SDI- | 004c | |



P.O. Box 1737 Eunice, New Mexico 88231

Business: (575) 394-2511 • Disposal: (575) 390-7842

| 5 Basiness (575) 55 1 2511 | | | | |
|---|----------------|--|--|--|
| LEASE OPERATOR/SHIPPER/COMPANY: Junchion I | DATE: 7 8 70 | | | |
| LEASE NAME: FORTY MINTER RICIGE 114H TIME: 1 33 AMPM | | | | |
| RIG NAME & NUMBER: | VEHICLE NO: \\ | | | |
| TRANSPORTER COMPANY: PT TWCKING PHO | ONE: | | | |
| GENERATOR COMPANY MAN'S NAME: Jessie Rochiquez PHO | ONE: | | | |
| CHARGETO: Charger Suc | | | | |
| TYPE OF [] Tank Bottoms [] Drilling Fluids [] Rinsate MATERIAL [] Solids Contaminated Soil [] Jet Out Description: | | | | |
| VOLUME OF BBLS. : YARD :: | [] | | | |
| RRC or API # C-133# | M | | | |
| AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., THE NM HEALTH AND SAF. CODE § 361.001 et seq., AND REGULATIONS RELATED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY. ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET. TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE SERVICES, INC.'S FACILITY FOR DISPOSAL. THIS WILL CERTIFY that the above Transporter loaded the material represented by this Transporter Statement at the above described location, and that it was tendered by the above described shipper. This will certify that no additional materials were added to this load, and that the material was delivered without incident. DRIVER: [SIGNATURE] FACILITY REPRESENTATIVE: | | | | |
| (SIGNATURE) | | | | |
| White - Sundance Canary - Sundance Acct #1 Pink - Tr | ansporter | | | |
| Reorder from: Vertigo Creative Services LLC • www.VertigoCreative.com • Form#SDI-004c | | | | |



| Business: (575) 394-2511 · Disposal: (575) 390-7842 | | | | |
|--|-------------------------------|---|--|--|
| LEASE OPERATOR/SHIP | PER/COMPANY: | oction Fuels | DATE: 7 · (1 · 7 2 | |
| LEASE NAME: TOV | ty niner | Ridge 114H | TIME: Q \ \ O AM7PM | |
| RIG NAME & NUMBER: | | | VEHICLE NO: \ \ \ \ \ | |
| TRANSPORTER COMPA | NY: GCI | PH | IONE: | |
| GENERATOR COMPANY | MAN'S NAME: ZOV | pert Grubbs PH | IONE: 335 446. 2863 | |
| CHARGE TO: | navyer o | Suc | | |
| TYPE OF | [] Tank Bottoms | [] Drilling Fluids [] Rinsat | e [] BS&W Content: | |
| MATERIAL | [] Solids | Contaminated Soil [] Jet Ou | ıt | |
| Description: | | 00 | | |
| VOLUME OF MATERIAL | []BBLS | _: <u>X1 YARD 20</u> : | [] | |
| RRC or API # | | C-133# | | |
| STICKERS, CODE | ES, NUMBERS, ETC. | AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANT JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARR HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, C. AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, e. 361.001 et seq., and regulations related thereto, drilling fluids, produced waters, and other was development or production of crude oil or natural also as a condition to sundance services, inc.'s acceptants in this job ticket. Transporter represents and warr. By operator/shipper to transporter is now decided to the services, inc.'s facility for disposal. | ANTS THAT THE WASTE MATERIAL SHIPPED DINSERVATION AND RECOVERY ACT OF 1976, it seq., the NM Health and Saf. Code 5 by virtue of the exemption afforded Ste associated with the exploration, algas or geothermal energy. EPTANCE OF THE MATERIALS SHIPPED WITH ANTS THAT ONLY THE MATERIAL DELIVERED | |
| THIS WILL CERTIFY that the above Transporter loaded the material represented by this Transporter Statement at the above described location, and that it was tendered by the above described shipper. This will certify that no additional materials were added to this load, and that the material was delivered without incident. DRIVER: (SIGNATURE) White - Sundance Canary - Sundance Acct #1 Pink - Transporter Reorder from: Vertigo Creative Services LLC • www.VertigoCreative.com • Form#SDI-004c | | | | |
| | Reorder from: Vertigo Creativ | ve Services LLC • www.VertigoCreative.com • Form#SD | 01-004c | |

| ıll | 1 |
|---------|----------|
| (" | \equiv |
| \prod | \top |

P.O. Box 1737 Eunice, New Mexico 88231

Business: (575) 394-2511 • Disposal: (575) 390-7842

| Business: (5/5) 394-2511 • Disposai: (5/5) 390-/842 | | | | |
|---|-----------------------------|---|----------------|--|
| LEASE OPERATOR/SHIPPER/COMPANY: Junction Foels DATE: 7.11.23 | | | | |
| LEASE NAME: | ty niner | Ridge 114H | TIME A SOME PM | |
| RIG NAME & NUMBER: | J | | VEHICLE NO: | |
| TRANSPORTER COMPAN | NY:C3A W | rartines PHO | ONE: | |
| GENERATOR COMPANY | MAN'S NAME: Z | bert Grubos PHO | ONE: | |
| CHARGETO: | navger | Sic | | |
| TYPE OF MATERIAL | [] Tank Bottoms [] Solids | [] Drilling Fluids [] Rinsate Ti Contaminated Soil [] Jet Out | | |
| Description: | | | - | |
| VOLUME OF MATERIAL | [] BBLS | : XYARD 20 : | [] | |
| RRC or API # | | C-133# _N | JV | |
| AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., THE NM HEALTH AND SAF. CODE § 361.001 et seq., AND REGULATIONS RELATED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTE ASSOCIATED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY. ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED | | | | |
| BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE SERVICES, INC.'S FACILITY FOR DISPOSAL. | | | | |
| THIS WILL CERTIF X that the above Transporter loaded the material represented by this Transporter Statement at the above described location, and that it was tendered by the above described shipper. This will certify that no additional materials were added to this load, and that the material was delivered without incident. DRIVER: (SO, THUSE) FACILITY REPRESENTATIVE: | | | | |
| White - Sundance Canary - Sundance Acct #1 Pink - Transporter | | | | |
| Reorder from: Vertigo Creative Services LLC • www.VertigoCreative.com • Form#5DI-004c | | | | |

| ш | 1 | |
|----|---|---|
| μ | ¥ | _ |
| 'n | f | = |
| | | М |

| P.O. Box 1737 Eunice, New Mexico 88231 Business: (575) 394-2511 • Disposal: (575) 390-7842 | LINO. 636134 | | | |
|--|---------------|--|--|--|
| LEASE OPERATOR/SHIPPER/COMPANY: Junction Fuels DATE: 7 11 22 | | | | |
| LEASE NAME: FORTY MINEY MICHGE. 114 TIMES 21 AMPM | | | | |
| RIG NAME & NUMBER: | VEHICLE NO: | | | |
| TRANSPORTER COMPANY: CP TYUCKIY) CA PHO | DNE: | | | |
| GENERATOR COMPANY MAN'S NAME: POWERT GROWN PHO | DNE: | | | |
| CHARGETO: Charger suc. | | | | |
| TYPE OF [] Tank Bottoms [] Drilling Fluids [] Rinsate MATERIAL [] Solids [] Jet Out | | | | |
| Description: | | | | |
| VOLUME OF []BBLS: | [] | | | |
| RRC or API # C-133# \ | \mathcal{M} | | | |
| AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKER, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., THE NM HEALTH AND SAF. CODE § 361.001 et seq., AND REGULATIONS RELATED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTE ASSOCIATED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY. ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET. TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE SERVICES, INC.'S FACILITY FOR DISPOSAL. | | | | |
| THIS WILL CERTIFY that the above Transporter loaded the material represented by this Transporter Statement at the above described location, and that it was tendered by the above described shipper. This will certify that no additional materials were added to this load, and that the material was delivered without incident. | | | | |
| DRIVER: | | | | |
| FACILITY REPRESENTATIVE: | | | | |
| (SIGNATURE) | | | | |
| White - Sundance Canary - Sundance Acct #1 Pink - Transporter | | | | |
| Reorder from: Vertigo Creative Services LLC • www.VertigoCreative.com • Form#SDI-004c | | | | |

| - 1 | 11 | |
|--------|---------|-----------|
| ⇉ | ц | \models |
| \neg | \prod | |

P.O. Box 1737 Eunice, New Mexico 88231

| Business: (575) 394-2511 · Disposal: (575) 390-7842 | | | |
|--|--------------------------------|---|--------------------|
| LEASE OPERATOR/SHIP | PER/COMPANY: | nction Fuels | DATE: 7. 11. 72 |
| LEASE NAME: To | y niner | Ridge 114H | TIMEQ 1. > 3 AM/PM |
| RIG NAME & NUMBER: | J | | VEHICLE NO: \ |
| TRANSPORTER COMPA | NY: Fonsec | CPHC | NE: |
| GENERATOR COMPANY | MAN'S NAME: | hert Grobbs PHO | NE: |
| CHARGETO: (| navyer « | 50(, | |
| TYPE OF | [] Tank Bottoms | [] Drilling Fluids [] Rinsate | [] BS&W Content: |
| MATERIAL | [] Solids | Contaminated Soil [] Jet Out | |
| Description: | | CO | |
| VOLUME OF MATERIAL | []BBLS | : YARD 20 : | [] |
| RRC or API # | | C-133# |)~ |
| AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS 10B TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., THE NM HEALTH AND SAF. CODE § 361.001 et seq., AND REGULATIONS RELATED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTE ASSOCIATED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY. ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET. TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE SERVICES, INC.'S FACILITY FOR DISPOSAL. | | | |
| THIS WILL CERTIFY that the above Transporter loaded the material represented by this Transporter Statement at the above described location, and that it was tendered by the above described shipper. This will certify that no additional materials were added to this load, and that the material was delivered without incident. DRIVER: (SIGNATURE) (SIGNATURE) | | | |
| Whi | ite - Sundance | Canary - Sundance Acct #1 Pink - Tr | ansporter |
| | Reorder from: Vertigo Creation | ve Services LLC • www.VertigoCreative.com • Form#SDI- | 004c |



| Business: (575) 394-2511 • Disposal: (575) 390-7842 | | | |
|---|--------------------|--|--|
| LEASE OPERATOR/SHIPPER/COMPANY: Junction Fuels | DATE: 7 . (1 . 3 3 | | |
| LEASE NAME: Forty niner ridge 114H | TIME:9 >5 AM/PM | | |
| RIG NAME & NUMBER: | VEHICLE NO: 69 | | |
| TRANSPORTER COMPANY: CP Trucking PH | ONE: | | |
| GENERATOR COMPANY MAN'S NAME: POSSEL + GYODDS PH | ONE: | | |
| CHARGETO: (norger Soc. | | | |
| TYPE OF [] Tank Bottoms [] Drilling Fluids [] Rinsate MATERIAL [] Solids [] Jet Ou | | | |
| Description: | | | |
| VOLUME OF []BBLS: YARD 20 : | [] | | |
| RRC or API # C-133# | , www. | | |
| AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS A MENDED FROM TIME, 40 U.S.C. § 6901, et seq., THE NM HEALTH AND SAF. CODE § 361.001 et seq., AND REGULATIONS RELATED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTE ASSOCIATED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY. ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET. TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE SERVICES, INC.'S FACILITY FOR DISPOSAL. | | | |
| THIS WILL CERTIFY that the above Transporter loaded the material represented by this Transporter Statement at the above described location, and that it was tendered by the above described shipper. This will certify that no additional materials were added to this load, and that the material was delivered without incident. | | | |
| DRIVER: (SIGNATURE) FACILITY REPRESENTATIVE: | | | |
| (SIGNATURE) | | | |
| White - Sundance Canary - Sundance Acct #1 Pink - Transporter | | | |
| Reorder from: Vertigo Creative Services LLC · www.VertigoCreative.com · Form#SC | I-004c | | |



P.O. Box 1737 Eunice, New Mexico 88231

Business: (575) 394-2511 • Disposal: (575) 390-7842

| LEASE OPERATOR/SHIPPER/COMPANY: | Fuels. DATE: 7-11-02 | | |
|--|-----------------------------------|--|--|
| LEASE NAME: FOX by niner vidge 114H TIME:9:0 | | | |
| RIG NAME & NUMBER: | VEHICLE NO: | | |
| TRANSPORTER COMPANY: CO TOCKING | PHONE: | | |
| GENERATOR COMPANY MAN'S NAME: | DUCALE | | |
| CHARGETO: Mayger Suc. | | | |
| TYPE OF [] Tank Bottoms [] Drilling Fluid MATERIAL [] Solids Contaminate | | | |
| Description: | 4 3011 [] Set Out | | |
| VOLUME OF []BBLS: YA | RD_20: [] | | |
| RRC or API # | C-133# WM | | |
| AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., THE NM HEALTH AND SAF. CODE § 361.001 et seq., AND REGULATIONS RELATED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTE ASSOCIATED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY. | | | |
| ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET. TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE SERVICES, INC.'S FACILITY FOR DISPOSAL. | | | |
| THIS WILL CERTIFY that the above Transporter loaded the material represented by this Transporter Statement at the above described location, and that it was tendered by the above described shipper. This will certify that no additional materials were added to this load, and that the material was delivered without incident. DRIVER: (SIGNATURE) | | | |
| FACILITY REPRESENTATIVE: | | | |
| (SIGNATURE) | | | |
| White - Sundance Canary - Sundance A | Acct #1 Pink - Transporter | | |
| Reorder from: Vertigo Creative Services LLC • www.Ve | rtigoCreative.com • Form#SDI-004c | | |

| \equiv | Ш | F |
|----------|---|---|

P.O. Box 1737 Eunice, New Mexico 88231

| Business: (575) 394-2511 · Disposal: (575) 390-7842 | | | | |
|--|------------------|------------------------------------|---------------------|--|
| LEASE OPERATOR/SHIPPER/COMPANY: Southon Foels DATE: 7 11 30 | | | | |
| LEASE NAME: | vry nint | er Ridge 1144 | TIME: Q' 2 7 AM/PM | |
| RIG NAME & NUMBER: | 3 | | VEHICLE NO: | |
| TRANSPORTER COMPA | NY: UP TWO | King PH | ONE: | |
| GENERATOR COMPANY | Y MAN'S NAME: | bert hubbs PH | ONE: | |
| CHARGETO: | harger s | 50C. | | |
| TYPE OF | [] Tank Bottoms | [] Drilling Fluids [] Rinsato | e [] BS&W Content: | |
| MATERIAL | [] Solids | Contaminated Soil [] Jet Ou | t | |
| Description: | | | | |
| VOLUME OF MATERIAL | [] BBLS | : | [] | |
| RRC or API # | | C-133# | m | |
| AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., THE NM HEALTH AND SAF. CODE § 361.001 et seq., and regulations related thereto, by virtue of the exemption afforded drilling fluids, produced waters, and other waste associated with the exploration, development or production of crude oil or natural gas or geothermal energy. ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET. TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE SERVICES, INC.'S FACILITY FOR DISPOSAL. | | | | |
| THIS WILL CERTIFY that the above Transporter loaded the material represented by this Transporter Statement at the above described location, and that it was tendered by the above described shipper. This will certify that no additional materials were added to this load, and that the material was delivered without incident. | | | | |
| DRIVER:(SIGNATURE | SH | 1. | | |
| FACILITY REPRE | | | | |
| | (SIGNATURE) | | | |
| Whi | ite - Sundance | Canary - Sundance Acct #1 Pink - T | ransporter | |
| Reorder from: Vertigo Creative Services LLC • www.VertigoCreative.com • Form#SDI-004c | | | | |

| . 1 | 1. | |
|-----|----|---|
| ĮĮ. | Ц | _ |
| | Æ | Ξ |
| | | Щ |

P.O. Box 1737 Eunice, New Mexico 88231

Business: (575) 394-2511 • Disposal: (575) 390-7842

| LEASE OPERATOR/SHIP | LEASE OPERATOR/SHIPPER/COMPANY: Junction Fuels DATE:) 11.33 | | | |
|--|---|---------------------------------|--|--|
| LEASE NAME: FOY | LEASE NAME: Forky niner vidge 1144 TIME: 9 29 AMPM | | | |
| RIG NAME & NUMBER: | 3 | | VEHICLE NO: 🔱 | |
| TRANSPORTER COMPA | INY: Fon Sec | as T PHO | DNE: | |
| GENERATOR COMPAN | Y MAN'S NAME: 🔀 | obert Grubbs PHO | DNE: | |
| CHARGETO: | navyer | Suc | | |
| TYPE OF | [] Tank Bottoms | [] Drilling Fluids [] Rinsate | [] BS&W Content: | |
| MATERIAL | [] Solids | Contaminated Soil [] Jet Out | · <u>- · · · · · · · · · · · · · · · · · ·</u> | |
| Description: | | 90 | | |
| VOLUME OF MATERIAL | []BBLS | : YARD 20 : | [] | |
| RRC or API # | | C-133# W | vm | |
| AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., THE NM HEALTH AND SAF. CODE § 361.001 et seq., AND REGULATIONS RELATED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTE ASSOCIATED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY. ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE | | | | |
| THIS WILL CERTIFY that the above Transporter loaded the material represented by this Transporter Statement at the above described location, and that it was tendered by the above described shipper. This will certify that no additional materials were added to this load, and that the material was delivered without incident. DRIVER: (SIGNATURE) FACILITY REPRESENTATIVE: | | | | |
| (SIGNATURE) | | | | |
| White - Sundance Canary - Sundance Acct #1 Pink - Transporter | | | | |
| | Reorder from: Vertigo Creative Services LLC • www.VertigoCreative.com • Form#SDI-004c | | | |

| SUNDANCE SERVICES WEST, INC. P.O. Box 1737 Eunice, New Mexico 88231 Business: (575) 394-2511 • Disposal: (575) 390-7842 TICKET No. 636203 | | | | |
|---|----------------------------|--|---------------------|--|
| LEASE OPERATOR/SHIP | PER/COMPANY: | action fuels | GG.11. [:3TAD] | |
| LEASE NAME: FOV | ry nine | r Ridge 114H | TIME: \ \ \ S AM/PM | |
| RIG NAME & NUMBER: | 2 | | VEHICLE NO: \ | |
| TRANSPORTER COMPA | NY: Fonseca | T. PH | ONE: | |
| GENERATOR COMPANY | MAN'S NAME: | pert (nubbs PH | ONE: | |
| CHARGE TO: | narger S | NC. | | |
| TYPE OF | [] Tank Bottoms | [] Drilling Fluids [] Rinsat | e [] BS&W Content: | |
| MATERIAL | [] Solids | Contaminated Soil [] Jet Ou | t | |
| Description: | | 9 | | |
| VOLUME OF MATERIAL | []BBLS | : M YARD 20 : | [] | |
| RRC or API # | | C-133# 1 | um . | |
| AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS 10B TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., The NM HEALTH AND SAF. CODE § 361.001 et seq., AND REGULATIONS RELATED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTE ASSOCIATED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY. ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIAL SHIPPED WITH THIS 10B TICKET. TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE SERVICES, INC.'S FACILITY FOR DISPOSAL. | | | | |
| above described locat | tion, and that it was tend | rter loaded the material represented by this dered by the above described shipper. This material was delivered without incident. | | |
| (SIGNATURE | | Ł | | |
| FACILITY REPRE | SENTATIVE: (SIGNATURE) | 2 | | |
| Whi | ite - Sundance (| Canary - Sundance Acct #1 Pink - 7 | Transporter | |
| | | e Services LLC • www.VertigoCreative.com • Form#SD | | |

| | | L |
|-----------|---|---|
| \exists | I | F |

P.O. Box 1737 Eunice, New Mexico 88231

Business: (575) 394-2511 • Disposal: (575) 390-7842

| Business: (575) 394-2511 • Disposal: (575) 390-7842 | | | |
|---|--------------------------------|---|-----------------|
| LEASE OPERATOR/SHIP | PER/COMPANY: | inchion Fuels | DATE: 7 11 72 |
| LEASE NAME: FOY | to nine | rridge 114H | TIME: C AM/PM |
| RIG NAME & NUMBER: | 1 | | VEHICLE NO: |
| TRANSPORTER COMPA | NY: C & A r | navtines PH | ONE: |
| GENERATOR COMPANY | MAN'S NAME: | bert Grubos PH | ONE: |
| CHARGETO: CY | navyer | SVC | |
| TYPE OF MATERIAL | [] Tank Bottoms [] Solids | [] Drilling Fluids [] Rinsate | |
| Description: | | 00 | |
| VOLUME OF MATERIAL | [] BBLS | : YARD: | [] |
| RRC or API # | | C-133# 📉 | \sim |
| AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., THE NM HEALTH AND SAF. CODE § 361.001 et seq., AND REGULATIONS RELATED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTE ASSOCIATED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY. ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET. TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE SERVICES, INC.'S FACILITY FOR DISPOSAL. THIS WILL CERTIFY that the above Transporter loaded the material represented by this Transporter Statement at the above described location and that it was tendered by the above described shipper. This will certify that no additional materials were added to this Load, and that the material was delivered without incident. | | | |
| DRIVER: | | L'Indichar was denvered without melderit. | |
| FACILITY REPRE | SENTATIVE:(SIGNATURE) | 2 | |
| 14/6: | te - Sundance | Canary - Sundance Acct #1 Pink - 1 | ransporter |
| vvni | | tive Services LLC · www.VertigoCreative.com · Form#SD | |

| | dl. | |
|---|-----|---|
| _ | Щ | = |
| - | mf | = |
| | | |

| P.O. Box 1737 Eunice, New Mexico 88231 Business: (575) 394-2511 • Disposal: (575) 390-7842 | | | | | |
|---|--------------------|--------------------------------|----------------------|--|--|
| LEASE OPERATOR/SHIPPER/COMPANY: Section Foels DATE: 7.11.72 | | | | | |
| LEASE NAME: Forty niner Ridge 114H TIME: 1:17 AMPM) | | | | | |
| RIG NAME & NUMBER: | 7 | | VEHICLE NO: | | |
| TRANSPORTER COMPA | INY: UP Truc | King P | HONE: | | |
| GENERATOR COMPAN | Y MAN'S NAME: (CO) | pert GNOOS P | HONE: | | |
| CHARGETO: | navyer | Suc. | | | |
| TYPE OF | [] Tank Bottoms | [] Drilling Fluids [] Rinsa | te [] BS&W Content: | | |
| MATERIAL | [] Solids | Contaminated Soil [] Jet O | ut | | |
| Description: | | 9 | | | |
| VOLUME OF MATERIAL | []BBLS | : XYARD 20 : | [] | | |
| RRC or API # | | C-133# | m | | |
| AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., THE NM HEALTH AND SAF. CODE § 361.001 et seq., AND REGULATIONS RELATED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTE ASSOCIATED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY. ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET. TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE SERVICES, INC.'S FACILITY FOR DISPOSAL. THIS WILL CERTIFY that the above Transporter loaded the material represented by this Transporter Statement at the | | | | | |
| above described location, and that it was tendered by the above described shipper. This will certify that no additional materials were added to this load, and that the material was delivered without incident. | | | | | |
| DRIVER: | E) | | 1 | | |
| FACILITY REPRE | | 4 /9 | | | |
| | (SIGNATURE) | 1 | | | |
| Wh | ite - Sundance | Canary - Sundance Acct #1 Pink | - Transporter | | |
| Reorder from: Vertigo Creative Services LLC • www.VertigoCreative.com • Form#SDI-004c | | | | | |

| | | | 1 | |
|---|---|---|---|---|
| = | = | H | 1 | _ |

P.O. Box 1737 Eunice, New Mexico 88231

Business: (575) 394-2511 • Disposal: (575) 390-7842

| Business: (575) 394-2511 • Disposal: (575) 390-7842 | | | | | | |
|--|--|--|--|--|--|--|
| LEASE OPERATOR/SHIPPER/COMPANY: Junction Fuels DATE: 7 11. 33 | | | | | | |
| LEASE NAME: Forty niner vidge 1144 | TIME: (1,36 AM/PM) | | | | | |
| RIG NAME & NUMBER: | VEHICLE NO: | | | | | |
| TRANSPORTER COMPANY: Fonsecus T. PHO | ONE: | | | | | |
| GENERATOR COMPANY MAN'S NAME: CONCENT GIVENS PHO | DNE: | | | | | |
| CHARGETO: Charger Suc | | | | | | |
| TYPE OF [] Tank Bottoms [] Drilling Fluids [] Rinsate | [] BS&W Content: | | | | | |
| MATERIAL [] Solids Contaminated Soil [] Jet Out | | | | | | |
| Description: | | | | | | |
| VOLUME OF []BBLS: → YARD → O: | []: | | | | | |
| RRC or API # C-133# | VM | | | | | |
| AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE STICKERS, CODES, NUMBERS, ETC. AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANT HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, CON AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et a 361.001 et seq., and regulations related thereto, by DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WAST DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE THIS JOB TICKET, TRANSPORTER REPRESENTS AND WARRANT BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVE SERVICES, INC.'S FACILITY FOR DISPOSAL. | NTS THAT THE WASTE MATERIAL SHIPPED ISERVATION AND RECOVERY ACT OF 1976, SEQ., THE NM HEALTH AND SAF. CODE SET IN THE EXEMPTION AFFORDED E ASSOCIATED WITH THE EXPLORATION, GAS OR GEOTHERMAL ENERGY. PEANCE OF THE MATERIALS SHIPPED WITH ITS THAT ONLY THE MATERIAL DELIVERED | | | | | |
| THIS WILL CERTIFY that the above Transporter loaded the material represented by this above described location, and that it was tendered by the above described shipper. This was materials were added to this load, and that the material was delivered without incident. DRIVER: (SIGNATURE) | | | | | | |
| FACILITY REPRESENTATIVE: | | | | | | |
| (SIGNATURE) | | | | | | |
| White - Sundance Canary - Sundance Acct #1 Pink - Ti | ransporter | | | | | |
| Reorder from: Vertigo Creative Services LLC • www.VertigoCreative.com • Form#SDI- | 004c | | | | | |

| | 1 | h | |
|---|---|---|---|
| - | ₹ | 4 | = |
| - | 7 | T | _ |

P.O. Box 1737 Eunice, New Mexico 88231

| Business: (575) 394-2511 • Disposal: (575) 390-7842 | | | | | |
|--|-------------------------------|---|---|--|--|
| LEASE OPERATOR/SHIPPER/COMPANY: Junchion Fuels DATE: 7.11.22 | | | | | |
| LEASE NAME: FORTH MINEY YICIGE 114H TIME: 1'36 AMPM | | | | | |
| RIG NAME & NUMBER: | 3 | | VEHICLE NO: | | |
| TRANSPORTER COMPA | ANY: UP TY | UCKING PH | ONE: | | |
| GENERATOR COMPAN | Y MAN'S NAME: CO | bert Gnbbs PH | ONE: | | |
| CHARGETO: | havger s | SUC. | | | |
| TYPE OF | [] Tank Bottoms | [] Drilling Fluids [] Rinsat | e [] BS&W Content: | | |
| MATERIAL | [] Solids | Contaminated Soil [] Jet Ou | t | | |
| Description: | | CD | | | |
| VOLUME OF MATERIAL | [] BBLS | : YARD | [] | | |
| RRC or API # | | C-133# | m | | |
| STICKERS, COD | ES, NUMBERS, ETC. | AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANT JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARR. HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, CO. AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et 361.001 et seq., and regulations related thereto, drilling fluids, produced waters, and other was development or production of crude oil or natural also as a condition to sundance services, inc.'s accities job ticket. Transporter represents and warraby operator/shipper to transporter is now delegative. | ANTS THAT THE WASTE MATERIAL SHIPPED DINSERVATION AND RECOVERY ACT OF 1976, it seq., the NM Health and Saf. Code & By Virtue of the exemption afforded STE ASSOCIATED WITH THE EXPLORATION, IN GAS OR GEOTHERMAL ENERGY. EPTANCE OF THE MATERIALS SHIPPED WITH ANTS THAT ONLY THE MATERIAL DELIVERED | | |
| above described loca | ntion, and that it was tend | rter loaded the material represented by this dered by the above described shipper. This e material was delivered without incident. | - | | |
| DRIVER: | CJ4 | | | | |
| FACILITY REPRI | | | | | |
| | (SIGNATURE) | | | | |
| Wh | nite - Sundance | Canary - Sundance Acct #1 Pink - | Transporter | | |
| | Reorder from: Vertigo Creativ | ve Services LLC • www.VertigoCreative.com • Form#SD | 01-004c | | |



SUNDANCE SERVICES WEST, INC. P.O. Box 1737 Eunice, New Mexico 88231

| Business: (575) 394-2511 • Disposal: (575) 390-7842 | | | | | | |
|--|---|---|---|--|--|--|
| LEASE OPERATOR/SHIPPER/COMPANY: Junction Fuels DATE: 7.11.32 | | | | | | |
| LEASE NAME: | | | | | | |
| RIG NAME & NUMBER: | : | | VEHICLE NO: | | | |
| TRANSPORTER COMPA | ANY: UP TW | cking. PHO | DNE: | | | |
| GENERATOR COMPAN | IY MAN'S NAME: Vo | bert Embbs PHO | DNE: | | | |
| CHARGETO: | narger | | | | | |
| TYPE OF | [] Tank Bottoms | [] Drilling Fluids [] Rinsate | [] BS&W Content: | | | |
| MATERIAL | [] Solids | Contaminated Soil [] Jet Out | | | | |
| Description: | | 00 | | | | |
| VOLUME OF MATERIAL | [] BBLS | : YARD OC : | [] | | | |
| RRC or API # | | C-133# | vm. | | | |
| STICKERS, COD | ES, NUMBERS, ETC. | AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANC JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRAN HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, CON AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et s 361.001 et seq., AND REGULATIONS RELATED THERETO, BY DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WAST! DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL ALSD AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEP THIS JOB TICKET. TRANSPORTER REPRESENTS AND WARRAN BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIV SERVICES, INC.'S FACILITY FOR DISPOSAL. | ITS THAT THE WASTE MATERIAL SHIPPED ISERVATION AND RECOVERY ACT OF 1976, SEQ., THE NM HEALTH AND SAF. CODE SEY VIRTUE OF THE EXEMPTION AFFORDED E ASSOCIATED WITH THE EXPLORATION, GAS OR GEOTHERMAL ENERGY. PTANCE OF THE MATERIALS SHIPPED WITH ITS THAT ONLY THE MATERIAL DELIVERED | | | |
| above described loca | ntion, and that it was ten d to this load, and that th | orter loaded the material represented by this T dered by the above described shipper. This w se material was delivered without incident. | | | | |
| FACILITY REPR | | | | | | |
| | (SIGNATURE) | 7 | | | | |
| Wh | nite - Sundance | Canary - Sundance Acct #1 Pink - Tr | ransporter | | | |
| | Reorder from: Vertigo Creati | ve Services LLC • www.VertigoCreative.com • Form#SDI- | 004c | | | |



TICKET No. 636215

P.O. Box 1737 Eunice, New Mexico 88231

Business: (575) 394-2511 • Disposal: (575) 390-7842

| Business: (575) 394-2511 • Disposal: (573) 390-7642 | | | | | |
|---|---|---|---------------|--|--|
| LEASE OPERATOR/SHIPPER/COMPANY: Junction Fivels DATE: 7-11 33 | | | | | |
| LEASE NAME: | EASE NAME: FOR Y NINEY MIGGE 114H TIME: 1.43 AM/PM | | | | |
| RIG NAME & NUMBER: | 3 | | VEHICLE NO: \ | | |
| TRANSPORTER COMPA | NY: P TWC | XI NO PHO | DNE: | | |
| GENERATOR COMPANY | | | DNE: | | |
| CHARGETO: | rarger 5 | W(1 | | | |
| TYPE OF MATERIAL | [] Tank Bottoms [] Solids | [] Drilling Fluids [] Rinsate Contaminated Soil [] Jet Out | | | |
| Description: | | 00 | | | |
| VOLUME OF MATERIAL | [] BBLS | : YARD_20: | [] | | |
| RRC or API # | | C-133# | M. | | |
| AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., THE NM HEALTH AND SAF. CODE § 361.001 et seq., AND REGULATIONS RELATED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTE ASSOCIATED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY. ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET. TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE SERVICES, INC.'S FACILITY FOR DISPOSAL. | | | | | |
| above described local materials were added DRIVER: (SIGNATUR FACILITY REPRI | etion, and that it was tend to this load, and that the set of the | corter loaded the material represented by this dered by the above described shipper. This is the material was delivered without incident. Canary - Sundance Acct #1 Pink - ive Services LLC · www.VertigoCreative.com · Form#SD | Transporter | | |
| | | | | | |

| | P.O. Box 1737 Eunice, Nev siness: (575) 394-2511 · Dis | | TICKET No. 636216 |
|---|---|--|---|
| LEASE OPERATOR/SH | IIPPER/COMPANY: | nction fuels | DATE: 7 - 11 - 2 3 |
| LEASE NAME: 🖵 | My niner | ridge 114H | TIME: 1: SO AMPM |
| RIG NAME & NUMBEI | R: | | VEHICLE NO: \(\(\) |
| TRANSPORTER COM | PANY: SCO | Transport | PHONE: |
| GENERATOR COMPA | NY MAN'S NAME: 汉 💍 | bert GNODS | PHONE: |
| CHARGE TO: | havger | 5 VC | |
| TYPE OF | [] Tank Bottoms | [] Drilling Fluids [|] Rinsate [] BS&W Content: |
| MATERIAL | [] Solids | Contaminated Soil [|] Jet Out |
| Description: | | a | |
| VOLUME OF MATERIAL | [] BBLS | : X YARD 20 | . [] |
| RRC or API # | | C- | 133# ~~. |
| STICKERS, COI | DES, NUMBERS, ETC. | JOB TICKET, OPERATOR/SHIPPER REPRESENTS HEREWITH IS MATERIAL EXEMPT FROM THE R AS AMENDED FROM TIME TO TIME, 40 U.S.C 361.001 et seq., and regulations related DRILLING FLUIDS, PRODUCED WATERS, AND DEVELOPMENT OR PRODUCTION OF CRUDE OF ALSO AS A CONDITION TO SUNDANCE SERVICE THIS JOB TICKET. TRANSPORTER REPRESENTS | S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED ESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, \$ 6901, et seq., The NM HEALTH AND SAF. CODE \$ THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED OTHER WASTE ASSOCIATED WITH THE EXPLORATION, OR NATURAL GAS OR GEOTHERMAL ENERGY. \$ INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH AND WARRANTS THAT ONLY THE MATERIAL DELIVERED S NOW DELIVERED BY TRANSPORTER TO SUNDANCE |
| above described loc materials were adde DRIVER: | cation, and that it was tended to this load, and that th | | d by this Transporter Statement at the per. This will certify that no additional cident. |

Canary - Sundance Acct #1

Reorder from: Vertigo Creative Services LLC • www.VertigoCreative.com • Form#SDI-004c

Pink - Transporter

(SIGNATURE)

White - Sundance

| | Ш | L |
|---|---|---|
| = | Ш | = |

P.O. Box 1737 Eunice, New Mexico 88231

Business: (575) 394-2511 • Disposal: (575) 390-7842

| Business: (575) 394-2511 • Disposal: (575) 390-7842 | | | | | |
|--|--|--|--|--|--|
| LEASE OPERATOR/SHIPPER/COMPANY: Junchion Fuels DATE: 7/2/20 | | | | | |
| LEASE NAME: FORTH MINEY VICIAE 114H TIME: 8'49 AM/PM | | | | | |
| RIG NAME & NUMBER: | VEHICLE NO: | | | | |
| TRANSPORTER COMPANY: C 3 A May time? PHO | DNE: | | | | |
| GENERATOR COMPANY MAN'S NAME: PHO | DNE: 325 446 286 | | | | |
| CHARGETO: Charger Suc | | | | | |
| TYPE OF [] Tank Bottoms [] Drilling Fluids [] Rinsate MATERIAL [] Solids Contaminated Soil [] Jet Out Description: | | | | | |
| VOLUME OF []BBLS: XI YARD 20 : | [1 | | | | |
| RRC or API # C-133# | | | | | |
| AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANC JOB TICKERS, CODES, NUMBERS, ETC. HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, CON AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et s 361.001 et seq., and regulations related thereto, by DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTI DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL | ITS THAT THE WASTE MATERIAL SHIPPED SERVATION AND RECOVERY ACT OF 1976, eq., THE NM HEALTH AND SAF. CODE § VIRTUE OF THE EXEMPTION AFFORDED E ASSOCIATED WITH THE EXPLORATION, | | | | |
| ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEP THIS JOB TICKET. TRANSPORTER REPRESENTS AND WARRAN BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIV SERVICES, INC.'S FACILITY FOR DISPOSAL. | TS THAT ONLY THE MATERIAL DELIVERED | | | | |
| THIS WILL CERTIFY that the above Transporter loaded the material represented by this Transporter Statement at the above described location, and that it was tendered by the above described shipper. This will certify that no additional materials were added to this load, and that the material was delivered without incident. DRIVER: | | | | | |
| FACILITY REPRESENTATIVE: | | | | | |
| (SIGNATURE) | | | | | |
| White - Sundance Canary - Sundance Acct #1 Pink - Tr | ansporter | | | | |
| Reorder from: Vertigo Creative Services LLC • www.VertigoCreative.com • Form#SDI-0 | 004c | | | | |

| | 1 | | 1 | |
|---|---|----|---|--|
| Ė | ₹ | _ | E | |
| | 1 | 11 | 1 | |

SUNDANCE SERVICES WEST, INC. P.O. Box 1737 Eunice, New Mexico 88231

| Business: (575) 394-2511 • Disposal: (575) 390-7842 | | | | |
|--|-------------------------------|--|--|--|
| LEASE OPERATOR/SHIP | PPER/COMPANY: | nction bels. | DATE: 7 12- 33 | |
| LEASE NAME: FO | | | | |
| RIG NAME & NUMBER: | 1 | \\ | VEHICLE NO: \ \ | |
| TRANSPORTER COMPA | ANY: JCO T | PHC | DNE: | |
| GENERATOR COMPAN | Y MAN'S NAME: | pert 6 words PHC | DNE: | |
| CHARGE TO: | navyer | Suc | | |
| TYPE OF | [] Tank Bottoms | [] Drilling Fluids [] Rinsate | [] BS&W Content: | |
| MATERIAL | [] Solids | Contaminated Soil [] Jet Out | | |
| Description: | | CO | | |
| VOLUME OF MATERIAL | [] BBLS | : YARD 20 : | [] | |
| RRC or API # | | C-133# | w | |
| 1 | ES, NUMBERS, ETC. | AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANC 10B TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRAN HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, CON AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et 3 361.001 et seq., and regulations related thereto, by drilling fluids, produced waters, and other wast development or production of crude oil or natural 1 also as a condition to sundance services, inc.'s acceptance | ITS THAT THE WASTE MATERIAL SHIPPED ISERVATION AND RECOVERY ACT OF 1976, SEQ., THE NM HEALTH AND SAF. CODE 5 / VIRTUE OF THE EXEMPTION AFFORDED E ASSOCIATED WITH THE EXPLORATION, GAS OR GEOTHERMAL ENERGY. | |
| 1 | | THIS JOB TICKET. TRANSPORTER REPRESENTS AND WARRAN BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVING SERVICES, INC.'S FACILITY FOR DISPOSAL. | | |
| THIS WILL CERTIFY that the above Transporter loaded the material represented by this Transporter Statement at the above described location, and that it was tendered by the above described shipper. This will certify that no additional materials were added to this load, and that the material was delivered without incident. DRIVER: (SIGNATURE) | | | | |
| FACILITY REPRI | ESENTATIVE: | 5 | | |
| | (SIGNATURE) | | | |
| Wh | nite - Sundance | Canary - Sundance Acct #1 Pink - Ti | ransporter | |
| | Reorder from: Vertigo Creativ | e Services LLC • www.VertigoCreative.com • Form#SDI- | 004c | |



SUNDANCE SERVICES WEST, INC. P.O. Box 1737 Eunice, New Mexico 88231

| Business: (575) 394-2511 • Disposal: (575) 390-7842 | | | |
|---|-------------|--|--|
| LEASE OPERATOR/SHIPPER/COMPANY: DATE: 7 12 22 | | | |
| LEASE NAME: FORM MINEY VICINE 114H TIME: 9:07 A | | | |
| RIG NAME & NUMBER: | VEHICLE NO: | | |
| TRANSPORTER COMPANY: CP TWCKING PH | ONE: | | |
| V | ONE: | | |
| CHARGETO: Charger Suc | | | |
| TYPE OF [] Tank Bottoms [] Drilling Fluids [] Rinsate MATERIAL [] Solids Contaminated Soil [] Jet Ou | | | |
| Description: | | | |
| VOLUME OF BBLS. : YARD > :: | [] | | |
| RRC or API # C-133# N | m | | |
| AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS 10B TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., THE NM HEALTH AND SAF. CODE § 361.001 et seq., AND REGULATIONS RELATED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTE ASSOCIATED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY. ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED | | | |
| BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE SERVICES, INC.'S FACILITY FOR DISPOSAL. THIS WILL CERTIFY that the above Transporter loaded the material represented by this Transporter Statement at the | | | |
| above described location, and that it was tendered by the above described shipper. This will certify that no additional materials were added to this load, and that the material was delivered without incident. | | | |
| DRIVER: | 199 | | |
| FACILITY REPRESENTATIVE: | // | | |
| (SIGNATURE) | , | | |
| White - Sundance Canary - Sundance Acct #1 Pink - Transporter | | | |
| Reorder from: Vertigo Creative Services LLC • www.VertigoCreative.com • Form#SDI-004c | | | |



P.O. Box 1737 Eunice, New Mexico 88231 **Business: (575) 394-2511**• Disposal: (575) 390-7842

| M. | | | |
|--|--------------------------------|--|--------------------|
| LEASE OPERATOR/SHIPP | ER/COMPANY: | iction Fuels | DATE: 7 12-23 |
| LEASE NAME: FOY | y niner | ridge 114H | TIME: 9'. 08 AM/PM |
| RIG NAME & NUMBER: | 9 | \ | VEHICLE NO: |
| TRANSPORTER COMPAN | Y: UP Tru | cking PH | ONE: |
| GENERATOR COMPANY | MAN'S NAME: 20 | pert Grubbs PH | ONE: |
| CHARGETO: | 1014er s | 5v (, | |
| 111 2 01 | [] Tank Bottoms [] Solids | [] Drilling Fluids [] Rinsate Contaminated Soil [] Jet Ou | |
| VOLUME OF MATERIAL | [] BBLS | _: **YARD | [] |
| RRC or API # | | C-133# | NM |
| AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., THE NM HEALTH AND SAF. CODE § 361.001 et seq., AND REGULATIONS RELATED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTE ASSOCIATED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY. ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET. TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE SERVICES, INC.'S FACILITY FOR DISPOSAL. THIS WILL CERTIFY that the above Transporter loaded the material represented by this Transporter Statement at the above described location, and that it was tendered by the above described shipper. This will certify that no additional materials were added to this load, and that the material was delivered without incident. | | | |
| DRIVER: | ENTATIVE: (SIGNATURE) | 5 | , |
| White | | • | Fransporter |
| | Reorder from: Vertigo Creative | Services LLC • www.VertigoCreative.com • Form#SD | I-004c |

| | ıllı | |
|---|--------------|----------|
| = | | \equiv |
| | \mathbb{I} | |

P.O. Box 1737 Eunice, New Mexico 88231

Business: (575) 394-2511 • Disposal: (575) 390-7842

| Business: (575) 394-2511 • Disposal: (575) 390-7842 | | | |
|---|---|---|---|
| LEASE OPERATOR/SHI | PPER/COMPANY: | onction Fuels | DATE: 7 - (2. 23 |
| LEASE NAME: | | | |
| RIG NAME & NUMBER | | | VEHICLE NO: |
| TRANSPORTER COMPA | ANY: C 3 A V | nartinez Pl | HONE: |
| GENERATOR COMPAN | IY MAN'S NAME: | opert hubbs Pl | HONE: |
| CHARGE TO: | harger | SUC. | |
| TYPE OF MATERIAL | [] Tank Bottoms [] Solids | [] Drilling Fluids [] Rinsa Contaminated Soil [] Jet O | |
| Description: | | (1) | |
| VOLUME OF MATERIAL | []BBLS | : ¥1 YARD 20 : | [] |
| RRC or API # | | C-133# | Nm. |
| THIS WILL CERTIF | ation, and that it was ten a to this load, and that th | AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTA 10B TICKET, OPERATOR/SHIPPER REPRESENTS AND WARF HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, C AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, 6 361.001 et seq., AND REGULATIONS RELATED THERETO, DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WAS DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACIENTIS 10B TICKET. TRANSPORTER REPRESENTS AND WARF BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DESERVICES, INC.'S FACILITY FOR DISPOSAL. SERVICES, INC.'S FACILITY FOR DISPOSAL. Forter loaded the material represented by this defeed by the above described shipper. This are material was delivered without incident. | RANTS THAT THE WASTE MATERIAL SHIPPED CONSERVATION AND RECOVERY ACT OF 1976, et seq., The NM HEALTH AND SAF. CODE § BY VIRTUE OF THE EXEMPTION AFFORDED STE ASSOCIATED WITH THE EXPLORATION, AL GAS OR GEOTHERMAL ENERGY. CEPTANCE OF THE MATERIALS SHIPPED WITH MANTS THAT ONLY THE MATERIAL DELIVERED LIVERED BY TRANSPORTER TO SUNDANCE |
| | (SIGNATURE) | | |
| White - Sundance Canary - Sundance Acct #1 Pink - Transporter | | | |
| | Reorder from: Vertigo Creati | ive Services LLC • www.VertigoCreative.com • Form#Si | OI-004c |

| _1 | Ш |
|----|---|
| 寻 | F |

| P.O. Box 1737 Eunice, New Mexico 88231 Business: (575) 394-2511 · Disposal: (575) 390-7842 | | | | |
|--|---|--------------|--|--|
| LEASE OPERATOR/SHI | LEASE OPERATOR/SHIPPER/COMPANY:) WCTION F. DATE: 7 13-33 | | | |
| LEASE NAME: | vty niner | | TIME: \'.\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | |
| RIG NAME & NUMBER | 3 | | VEHICLE NO: \\ | |
| TRANSPORTER COMP | ANY: LP TNO | King | PHONE: | |
| GENERATOR COMPAN | IY MAN'S NAME: | obert andbos | PHONE: | |
| CHARGE TO: | hunger s | »C· | | |
| TYPE OF MATERIAL | [] Tank Bottoms [] Solids | | Rinsate [] BS&W Content: Jet Out | |
| Description: | | 90 | | |
| VOLUME OF MATERIAL | [] BBLS | : X YARD 20 | _: [] | |
| RRC or API # | | C-13 | 3# WM | |
| AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., THE NM HEALTH AND SAF. CODE § 361.001 et seq., AND REGULATIONS RELATED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTE ASSOCIATED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY. ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET. TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE SERVICES, INC.'S FACILITY FOR DISPOSAL. | | | | |
| above described loca | ation, and that it was tend | | by this Transporter Statement at the r. This will certify that no additional dent. | |
| DRIVER: | or. | | - land | |
| (SIGNATU | | 6 | 1// | |
| (SIGNATURE) | | | | |
| White - Sundance | | | Pink - Transporter | |
| Reorder from: Vertigo Creative Services LLC • www.VertigoCreative.com • Form#SDI-004c | | | | |

| | 1 | | |
|---|---|----|---|
| = | ₹ | II | F |

| P.O. Box 1737 Eunice, New Mexico 88231 Business: (575) 394-2511 • Disposal: (575) 390-7842 | | | |
|--|-------------------------------|---|---------------------|
| LEASE OPERATOR/SHIP | PPER/COMPANY: | nction F. | DATE: 7 13. 33 |
| LEASE NAME: | ry niner | Ridge 114H | TIME: [, 1 8 AM/PM |
| RIG NAME & NUMBER: | 3 | | VEHICLE NO: \O\ |
| TRANSPORTER COMPA | ANY: JCO | PHO | NE: |
| GENERATOR COMPAN | Y MAN'S NAME: | obert GNDOS PHO | NE: |
| CHARGE TO: | harger | Svc | |
| TYPE OF | [] Tank Bottoms | [] Drilling Fluids [] Rinsate | [] BS&W Content: |
| MATERIAL | [] Solids | Contaminated Soil [] Jet Out | |
| Description: | | CO | |
| VOLUME OF MATERIAL | [] BBLS | : YARD 20 : | [] |
| RRC or API # | | C-133# W | m |
| STICKERS, CODES, NUMBERS, ETC. AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET, OPERATOR/SHIPPER REPRESENTS AND WARRANTS THAT THE WASTE MATERIAL SHIPPED HEREWITH IS MATERIAL EXEMPT FROM THE RESOURCE, CONSERVATION AND RECOVERY ACT OF 1976, AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 6901, et seq., The NM HEALTH AND SAF. CODE § 361.001 et seq., AND REGULATIONS RELATED THERETO, BY VIRTUE OF THE EXEMPTION AFFORDED DRILLING FLUIDS, PRODUCED WATERS, AND OTHER WASTE ASSOCIATED WITH THE EXPLORATION, DEVELOPMENT OR PRODUCTION OF CRUDE OIL OR NATURAL GAS OR GEOTHERMAL ENERGY. ALSO AS A CONDITION TO SUNDANCE SERVICES, INC.'S ACCEPTANCE OF THE MATERIALS SHIPPED WITH THIS JOB TICKET. TRANSPORTER REPRESENTS AND WARRANTS THAT ONLY THE MATERIAL DELIVERED BY OPERATOR/SHIPPER TO TRANSPORTER IS NOW DELIVERED BY TRANSPORTER TO SUNDANCE SERVICES, INC.'S FACILITY FOR DISPOSAL. | | | |
| THIS WILL CERTIFY that the above Transporter loaded the material represented by this Transporter Statement at the above described location, and that it was tendered by the above described shipper. This will certify that no additional materials were added to this load, and that the material was delivered without incident. | | | |
| DRIVER: (SIGNATURE | | 10310 | |
| FACILITY REPRE | SENTATIVE: (SIGNATURE) | | |
| | (a.a. a. a.c.) | 0 | |
| Wh | ite - Sundance | Canary - Sundance Acct #1 Pink - Tra | ansporter |
| | Reorder from: Vertigo Creativ | e Services LLC • www.VertigoCreative.com • Form#SDI-0 | 04c |

| | ANCE SERVIC P.O. Box 1737 Eunice, New iness: (575) 394-2511 • Dis | | TICKET No. 636377 |
|--------------------------------|--|---|---|
| LEASE OPERATOR/SHIP | PPER/COMPANY: | iction F. | DATE: 7 17 37 37 |
| LEASE NAME: | ity ninex | Ridge 114H | TIME:\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ |
| RIG NAME & NUMBER: | | | VEHICLE NO: |
| TRANSPORTER COMPA | ANY: UP TVO | cking. | PHONE: |
| GENERATOR COMPAN | Y MAN'S NAME: VOY | pert Grubbs | PHONE: |
| CHARGE TO: | harger 5 | »)(. | |
| TYPE OF MATERIAL Description: | [] Tank Bottoms [] Solids | | Rinsate [] BS&W Content: Jet Out |
| VOLUME OF MATERIAL | [] BBLS | : 74 YARD 20 | _: [] |
| RRC or API # | | C-13 | 3# MM. |
| THIS WILL CERTIF | | I JOB TICKET, OPERATOR/SHIPPER REPRESENTS AN HEREWITH IS MATERIAL EXEMPT FROM THE RESO AS AMENDED FROM TIME TO TIME, 40 U.S.C. § 361.001 et seq., AND REGULATIONS RELATED THE DRILLING FLUIDS, PRODUCED WATERS, AND OTH DEVELOPMENT OR PRODUCTION OF CRUDE OIL OF ALSO AS A CONDITION TO SUNDANCE SERVICES, IN THIS JOB TICKET. TRANSPORTER REPRESENTS AN BY OPERATOR/SHIPPER TO TRANSPORTER IS NEW SERVICES, INC.'S FACILITY FOR DISPOSAL. | IC:S ACCEPTANCE OF THE MATERIALS SHIPPED WITH D WARRANTS THAT ONLY THE MATERIAL DELIVERED IOW DELIVERED BY TRANSPORTER TO SUNDANCE by this Transporter Statement at the |
| above described loca | ition, and that it was tend | lered by the above described shipper | r. This will certify that no additional |

е materials were added to this load, and that the material was delivered without incident.

DRIVER:

(SIGNATURE)

FACILITY REPRESENTATIVE:

(SIGNATURE)

White - Sundance

Canary - Sundance Acct #1

Pink - Transporter

Reorder from: Vertigo Creative Services LLC • www.VertigoCreative.com • Form#SDI-004c

SHIPPING FACILITY NAME & ADDRESS:

JUNCTION FUELS -**2110 MAIN ST** JUNCTION, TX 76849 Phone # (325) 446-2863

Attn: ROBERT D GRUBBS JR.

LOCATION OF MATERIAL:

FORTY NINER RIDGE 114H

API# 30-015-47452

32.302598 N Latitude

Longitude

-103.888282 W.

RRC#

Eddy County, New Mexico

CHARGER SERVICES

TRANSPORTER NAME AND ADDRESS:

PO #JCF6DLE501

GCI Inc.

720 S Texaco Road Hobbs, New Mexico 88240 Phone # (575) 393-3180 Attn: Jesse Rodriguez

DESCRIPTION OF WASTE:

Contaminated soil

QUANTITY: 20yds

FACILITY CONTACT:

Date:

Signature of Contact: ROBERT D GRUBBS JR, JESSIE RODRIGUEZ

(Agent for JUNCTION FUELS (325) 446-2863

NAME OF TRANSPORTER (Driver):

Date:

DISPOSAL SITE:

R360

CARLSBAD, NM

Date: 7-7-22

Signature Driver: Lange Reves

Representative Signature: Luis Beig

Mulliner



mian Basin

Customer #

Ordered by: ROBERT GRUBBS

AFE #. PO #.

Manifest #: NA Manif. Date: 7/7/2022

Hauler: Driver LP TRUCKING HIRGE

Truck # 11

Card # Job Ref # Ticket #: 700-1322521 Bid #: 06UJ9A000HCG

Date: 7/7/2022

Generator: MEWBOURNE OIL CO
Generator #: Sunction Fuel's

Well Ser. #: 47452

Well Name: FORTY NINER RIDGE UNIT

Well #: 114H

Field:

Field #:

Rig: NON-DRILLING County EDDY (NM)

:ility: CRI

duct / Service

Quantity Units

ntaminated Soil (RCRA Exempt)

20.00 yards

nerator Certification Statement of Waste Status

reby certify that according to the Resource Conservation and Recovery Act (RCRA) and the US Environmental Protection Agency's July 8 regulatory determination, the above described waste is:

RCRA Exempt: Oil Field wastes generated from oil and gas exploration and production operations and are not mixed with non-exempt wast RCRA Non-Exempt: Oil field waste which is non-hazardous that does not exceed the minimum standards for waste hazardous by racteristics established in RCRA regulations, 40 CFR 261.21-261.24 or listed hazardous waste as defined in 40 CFR, part 261, subpart D, as ended. The following documentation is attached to demonstrate the above-described waste is non-hazardous. (Check the appropriate items):

MSDS Information ___ RCRA Hazardous Waste Analysis ___ Process Knowledge ___ Other (Provide description above)

ver/ Agent Signature

R360 Representative Signature

stomer Approval

THIS IS NOT AN INVOICE!

oproved By:

Date:

| MA | NIFEST | # |
|----|--------|----|
| | | ,, |

SHIPPING FACILITY NAME & ADDRESS:

JUNCTION FUELS m arphi**2110 MAIN ST** JUNCTION, TX 76849 Phone # (325) 446-2863 Attn: ROBERT D GRUBBS JR.

LOCATION OF MATERIAL:

FORTY NINER RIDGE 114H

API# 30-015-47452

Latitude 32.302598 N

Longitude

-103.888282 W.

RRC#

Eddy County, New Mexico

TRANSPORTER NAME AND ADDRESS:

CHARGER SERVICES PO #JCF6DLE501

GCI Inc.

720 S Texaco Road Hobbs, New Mexico 88240 Phone # (575) 393-3180 Attn: Jesse Rodriguez

DESCRIPTION OF WASTE:

Contaminated soil

QUANTITY: 20yds

FACILITY CONTACT:

Date:

Signature of Contact: ROBERT D GRUBBS JR, JESSIE RODRIGUEZ

(Agent for JUNCTION FUELS (325) 446-2863

NAME OF TRANSPORTER (Driver):

Date:

DISPOSAL SITE:

R360

CARLSBAD, NM

Date: 7-7-22

Signature Driver: Kalmondo Loya #5

Fonseca trucking

Representative Signature: Leik Dees



Permian Basin

Customer: 'Customer #

GOT - UILU

Ordered by ROBERT GRUBBS

RAYMUNDO

AFE#: PO#:

Manifest #: NA Manif. Date: 7/7/2022 Hauler: FONSECA

Driver Truck #

Card # Job Ref # Ticket #: 700-1322523 Bid #: 06UJ9A000HCG

Date: 7/7/2022

Generator: MEWBOURNE OIL GO
Generator #: Surction Fuels

Well Ser. #: 47452

Well Name: FORTY NINER RIDGE UNIT

Well #: 114H

Field:

Field #:

Rig: NON-DRILLING County EDDY (NM)

Facility: CRI

Product / Service

Quantity Units

20.00 yards

Generator Certification Statement of Waste Status

Contaminated Soil (RCRA Exempt)

I hereby certify that according to the Resource Conservation and Recovery Act (RCRA) and the US Environmental Protection Agency's July 1988 regulatory determination, the above described waste is:

X RCRA Exempt: Oil Field wastes generated from oil and gas exploration and production operations and are not mixed with non-exempt waste RCRA Non-Exempt: Oil field waste which is non-hazardous that does not exceed the minimum standards for waste hazardous by characteristics established in RCRA regulations, 40 CFR 261.21-261.24 or listed hazardous waste as defined in 40 CFR, part 261, subpart D, as amended. The following documentation is attached to demonstrate the above-described waste is non-hazardous. (Check the appropriate items):

__MSDS Information __RCRA Hazardous Waste Analysis __Process Knowledge __Other (Provide description above)

Driver/ Agent Signature

ROYNUNDE LOYA

R360 Representative Signature

Date:

Customer Approval

THIS IS NOT AN INVOICE!

Approved By:

| MANIFEST | # | |
|----------|---|---|
| | | = |

SHIPPING FACILITY NAME & ADDRESS:

JUNCTION FUELS **2110 MAIN ST** JUNCTION, TX 76849 Phone # (325) 446-2863 Attn: ROBERT D GRUBBS JR.

LOCATION OF MATERIAL:

FORTY NINER RIDGE 114H

API# 30-015-47452

Latitude 32.302598 N Longitude -103.888282 W. RRC#

Eddy County, New Mexico

CHARGER SERVICES TRANSPORTER NAME AND ADDRESS: PO #JCF6DLE501

GCI Inc. 720 S Texaco Road Hobbs, New Mexico 88240 Phone # (575) 393-3180 Attn: Jesse Rodriguez

DESCRIPTION OF WASTE:

Contaminated soil QUANTITY: 20yds

FACILITY CONTACT:

Date:

Signature of Contact: ROBERT D GRUBBS JR, JESSIE RODRIGUEZ

(Agent for JUNCTION FUELS (325) 446-2863

NAME OF TRANSPORTER (Driver):

Signature Driver: Luis Chause # 4 fonscess Trucking LLC Date: **DISPOSAL SITE:**

R360

CARLSBAD, NM Representative Signature: Leis Ales Date: 7-7-22



Permian Basin

Customer: Customer#

Ordered by: ROBERT GRUBBS

LUIS

AFE #: PO #:

Manifest #: N/A
Manif. Date: 7/7/2022
Hauler: FONSECA

Driver Truck #

Card # Job Ref # Ticket # 700-1322524 Bid #: O6UJ9A000HCG

Date: 7/7/2022

Generator # Sunction Fucts

Well Ser. #. 47452

Well Name: FORTY NINER RIDGE UNIT

Well#: 114H

Field

Field #:
Rig: NON-DRILLING
County EDDY (NM)

Facility: CRI

Product / Service

Quantity Units

20.00 yards

Contaminated Soil (RCRA Exempt)

Generator Certification Statement of Waste Status

I hereby certify that according to the Resource Conservation and Recovery Act (RCRA) and the US Environmental Protection Agency's July 1988 regulatory determination, the above described waste is:

X RCRA Exempt: Oil Field wastes generated from oil and gas exploration and production operations and are not mixed with non-exempt waste RCRA Non-Exempt: Oil field waste which is non-hazardous that does not exceed the minimum standards for waste hazardous by characteristics established in RCRA regulations, 40 CFR 261.21-261.24 or listed hazardous waste as defined in 40 CFR, part 261, subpart D. as amended. The following documentation is attached to demonstrate the above-described waste is non-hazardous. (Check the appropriate items):

_MSDS Information ____ RCRA Hazardous Waste Analysis ____ Process Knowledge _____ Other (Provide description above)

| D | riv | er/ | Agen | Sig | nature |
|---|-----|-----|-------|-------|--------|
| _ | 104 | CII | AUGIE | L OIU | Hatule |

R360 Representative Signature

Customer Approval

THIS IS NOT AN INVOICE!

| Approved By: | Date: |
|--------------|-------|
|--------------|-------|

| | / |
|--|-----|
| ANIFEST# | |
| HIPPING FACILITY NAME & ADDRESS: | |
| INCTION FUELS | |
| DCATION OF MATERIAL: | |
| ORTY NINER RIDGE 114H | |
| PI# 30-015-47452 | |
| titude 32.302598 N Longitude -103.888282 W. RRC# | |
| dy County, New Mexico | |
| CHARGER SERVICES PO #JCF6DLE501 | |
| CI Inc. O S Texaco Road Obbs, New Mexico 88240 one # (575) 393-3180 tn: Jesse Rodriguez | |
| ESCRIPTION OF WASTE: | |
| ntaminated soil QUANTITY: 20yds | |
| CILITY CONTACT: | |
| te: Signature of Contact: ROBERT D GRUBBS JR, JESSIE RODRIGUE. (Agent for JUNCTION FUELS (325) 446-2863 | Z |
| ME OF TRANSPORTER (Driver): | |
| SPOSAL SITE: SIgnature Driver: Jacob Michaello #/0 RLSBAD, NM | |
| te: 7-7-22 Representative Signature: Leis Bisz LP Trickin | گــ |
| 1e: 7-7-22 Representative Signature: Leis Bisz LP Tricking R3W- MWYINUZ | |



Permian Basin

Customer #: CCT ... OIL

Ordered by: ROBERT GRUBBS

JACOB

AFE #: PO #:

Manifest #: NA Manif, Date: 7/7/2022 Hauler: LP TRUCKING

Driver

Truck # 10

Card # Job Ref # Ticket #: 700-1322525 Bid #: O6UJ9A000HCG

Date: 7/7/2022

Generator: MEWBOURNE OIL CO

Well Ser. #: 47452

Well Name: FORTY NINER RIDGE UNIT

Well #: 114H

Field:

Field #: Rig: County

NON-DRILLING EDDY (NM)

Facility: CRI

Product / Service

Quantity Units

Contaminated Soil (RCRA Exempt)

20.00 yards

Generator Certification Statement of Waste Status

I hereby certify that according to the Resource Conservation and Recovery Act (RCRA) and the US Environmental Protection Agency's July 1988 regulatory determination, the above described waste is:

Driver/ Agent Signature

R360 Representative Signature

Customer Approval

THIS IS NOT AN INVOICE!

Approved By: ______ Date: ____

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 143303

CONDITIONS

| Operator: | OGRID: |
|------------------|---|
| MEWBOURNE OIL CO | 14744 |
| P.O. Box 5270 | Action Number: |
| Hobbs, NM 88241 | 143303 |
| | Action Type: |
| | [C-141] Release Corrective Action (C-141) |

CONDITIONS

| Created By | Condition | Condition Date |
|------------|---|----------------|
| rhamlet | We have received your closure report and final C-141 for Incident #NAPP2208750257 FNRU 16-21 BATTERY - JUNCTION FUELS, thank you. This closure is approved. | 12/16/2022 |