



Certificate of Analysis

Number: 6030-21100297-002A

Artesia Laboratory

200 E Main St.
Artesia, NM 88210
Phone 575-746-3481Zach LaCount
Mewbourne Oil Company
4801 Business Park Blvd
Hobbs, NM 88240

Nov. 04, 2021

Station Name: Silver Bullet 16 Battery VRU
Station Location: Mewbourne
Sample Point: VRU Meter run
Instrument: 6030_GC2 (Agilent GC-7890B)
Last Inst. Cal.: 09/13/2021 15:05 PM
Analyzed: 11/02/2021 09:31:43 by EJLSampled By: Michael Mirabal
Sample Of: Gas Spot
Sample Date: 10/28/2021
Sample Conditions: 117 psig Ambient: 72 °F
Effective Date: 10/28/2021
Method: GPA 2286
Cylinder No: 5030-02268

Analytical Data

Components	Un-normalized Mol %	Mol. %	Wt. %	GPM at 14.696 psia	
Hydrogen Sulfide	0.000	0.00000	0.000		GPM TOTAL C2+ 12.465
Nitrogen	0.572	0.56400	0.544		GPM TOTAL C3+ 8.264
Methane	58.266	57.47100	31.765		GPM TOTAL iC5+ 2.285
Carbon Dioxide	0.115	0.11300	0.171		
Ethane	15.848	15.63200	16.194	4.201	
Propane	12.366	12.19700	18.529	3.377	
Iso-butane	2.285	2.25400	4.513	0.741	
n-Butane	5.954	5.87300	11.760	1.861	
Iso-pentane	1.497	1.47700	3.671	0.543	
n-Pentane	1.868	1.84200	4.579	0.671	
Hexanes Plus	2.613	2.57700	8.274	1.071	
	101.384	100.00000	100.000	12.465	

Calculated Physical Properties	Total	C6+
Relative Density Real Gas	1.0089	3.2035
Calculated Molecular Weight	29.03	92.78
Compressibility Factor	0.9926	

GPA 2172 Calculation:

Calculated Gross BTU per ft³ @ 14.696 psia & 60°F

Real Gas Dry BTU	1704	5020
Water Sat. Gas Base BTU	1674	4932
Ideal, Gross HV - Dry at 14.696 psia	1691.2	5019.5
Ideal, Gross HV - Wet	1661.7	0.000

Comments: H2S Field Content 0 ppm

Data reviewed by: Krystle Fitzwater, Laboratory Manager

Quality Assurance: The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated.



Certificate of Analysis

Number: 6030-21100297-002A

Artesia Laboratory

200 E Main St.
Artesia, NM 88210
Phone 575-746-3481Zach LaCount
Mewbourne Oil Company
4801 Business Park Blvd
Hobbs, NM 88240

Nov. 04, 2021

Station Name: Silver Bullet 16 Battery VRU
Station Location: Mewbourne
Sample Point: VRU Meter run
Cylinder No: 5030-02268
Analyzed: 11/03/2021 09:10:29 by EJRSampled By: Michael Mirabal
Sample Of: Gas Spot
Sample Date: 10/28/2021
Sample Conditions: 117 psig
Method: GPA 2286

Analytical Data

Components	Mol. %	Wt. %	GPM at 14.696 psia
Hydrogen Sulfide	0.000	0.000	
Nitrogen	0.564	0.544	
Methane	57.471	31.765	
Carbon Dioxide	0.113	0.171	
Ethane	15.632	16.194	4.201
Propane	12.197	18.529	3.377
Iso-Butane	2.254	4.513	0.741
n-Butane	5.873	11.760	1.861
Iso-Pentane	1.477	3.671	0.543
n-Pentane	1.842	4.579	0.671
i-Hexanes	0.651	1.897	0.263
n-Hexane	0.464	1.382	0.192
Benzene	0.029	0.076	0.008
Cyclohexane	0.214	0.622	0.073
i-Heptanes	0.480	1.552	0.197
n-Heptane	0.159	0.545	0.073
Toluene	0.041	0.131	0.014
i-Octanes	0.379	1.386	0.170
n-Octane	0.041	0.157	0.021
Ethylbenzene	0.002	0.007	0.001
Xylenes	0.029	0.102	0.011
i-Nonanes	0.065	0.281	0.033
n-Nonane	0.012	0.054	0.007
Decanes Plus	0.011	0.082	0.008
	100.000	100.000	12.465



Certificate of Analysis

Number: 6030-21100297-002A

Artesia Laboratory

200 E Main St.
Artesia, NM 88210
Phone 575-746-3481Zach LaCount
Mewbourne Oil Company
4801 Business Park Blvd
Hobbs, NM 88240

Nov. 04, 2021

Station Name: Silver Bullet 16 Battery VRU
Station Location: Mewbourne
Sample Point: VRU Meter run
Cylinder No: 5030-02268
Analyzed: 11/03/2021 09:10:29 by EJRSampled By: Michael Mirabal
Sample Of: Gas Spot
Sample Date: 10/28/2021
Sample Conditions: 117 psig
Method: GPA 2286

Calculated Physical Properties	Total	C10+
Calculated Molecular Weight	29.03	156.31
GPA 2172 Calculation:		
Calculated Gross BTU per ft³ @ 14.696 psia & 60°F		
Real Gas Dry BTU	1703.8	8552.5
Water Sat. Gas Base BTU	1674.0	8341.1
Relative Density Real Gas	1.0089	5.3970
Compressibility Factor	0.9926	
Ideal, Gross HV - Wet	1661.7	
Ideal, Gross HV - Dry at 14.696 psia	1691.2	
Net BTU Dry Gas - real gas	1557	
Net BTU Wet Gas - real gas	1530	

Comments: H2S Field Content 0 ppm

Data reviewed by: Krystle Fitzwater, Laboratory Manager

Quality Assurance: The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated.



Certificate of Analysis

Number: 6030-21100297-002A

Artesia Laboratory

200 E Main St.
Artesia, NM 88210
Phone 575-746-3481Zach LaCount
Mewbourne Oil Company
4801 Business Park Blvd
Hobbs, NM 88240

Nov. 04, 2021

Station Name: Silver Bullet 16 Battery VRU
Station Location: Mewbourne
Sample Point: VRU Meter run
Instrument: 6030_GC2 (Agilent GC-7890B)
Last Inst. Cal.: 09/13/2021 15:05 PM
Analyzed: 11/02/2021 09:31:43 by EJLSampled By: Michael Mirabal
Sample Of: Gas Spot
Sample Date: 10/28/2021
Sample Conditions: 117 psig Ambient: 72 °F
Effective Date: 10/28/2021
Method: GPA 2286
Cylinder No: 5030-02268

Analytical Data

Components	Un-normalized Mol %	Mol. %	Wt. %	GPM at 14.696 psia	
Hydrogen Sulfide	0.000	0.00000	0.000		GPM TOTAL C2+ 12.465
Nitrogen	0.572	0.56400	0.544		GPM TOTAL C3+ 8.264
Methane	58.266	57.47100	31.765		GPM TOTAL iC5+ 2.285
Carbon Dioxide	0.115	0.11300	0.171		
Ethane	15.848	15.63200	16.194	4.201	
Propane	12.366	12.19700	18.529	3.377	
Iso-butane	2.285	2.25400	4.513	0.741	
n-Butane	5.954	5.87300	11.760	1.861	
Iso-pentane	1.497	1.47700	3.671	0.543	
n-Pentane	1.868	1.84200	4.579	0.671	
Hexanes Plus	2.613	2.57700	8.274	1.071	
	101.384	100.00000	100.000	12.465	

Calculated Physical Properties	Total	C6+
Relative Density Real Gas	1.0089	3.2035
Calculated Molecular Weight	29.03	92.78
Compressibility Factor	0.9926	

GPA 2172 Calculation:

Calculated Gross BTU per ft³ @ 14.696 psia & 60°F

Real Gas Dry BTU	1704	5020
Water Sat. Gas Base BTU	1674	4932
Ideal, Gross HV - Dry at 14.696 psia	1691.2	5019.5
Ideal, Gross HV - Wet	1661.7	0.000

Comments: H2S Field Content 0 ppm

Data reviewed by: Krystle Fitzwater, Laboratory Manager

Quality Assurance: The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated.



Certificate of Analysis

Number: 6030-21100297-002A

Artesia Laboratory

200 E Main St.
Artesia, NM 88210
Phone 575-746-3481Zach LaCount
Mewbourne Oil Company
4801 Business Park Blvd
Hobbs, NM 88240

Nov. 04, 2021

Station Name: Silver Bullet 16 Battery VRU
Station Location: Mewbourne
Sample Point: VRU Meter run
Cylinder No: 5030-02268
Analyzed: 11/03/2021 09:10:29 by EJRSampled By: Michael Mirabal
Sample Of: Gas Spot
Sample Date: 10/28/2021
Sample Conditions: 117 psig
Method: GPA 2286

Analytical Data

Components	Mol. %	Wt. %	GPM at 14.696 psia
Hydrogen Sulfide	0.000	0.000	
Nitrogen	0.564	0.544	
Methane	57.471	31.765	
Carbon Dioxide	0.113	0.171	
Ethane	15.632	16.194	4.201
Propane	12.197	18.529	3.377
Iso-Butane	2.254	4.513	0.741
n-Butane	5.873	11.760	1.861
Iso-Pentane	1.477	3.671	0.543
n-Pentane	1.842	4.579	0.671
i-Hexanes	0.651	1.897	0.263
n-Hexane	0.464	1.382	0.192
Benzene	0.029	0.076	0.008
Cyclohexane	0.214	0.622	0.073
i-Heptanes	0.480	1.552	0.197
n-Heptane	0.159	0.545	0.073
Toluene	0.041	0.131	0.014
i-Octanes	0.379	1.386	0.170
n-Octane	0.041	0.157	0.021
Ethylbenzene	0.002	0.007	0.001
Xylenes	0.029	0.102	0.011
i-Nonanes	0.065	0.281	0.033
n-Nonane	0.012	0.054	0.007
Decanes Plus	0.011	0.082	0.008
	100.000	100.000	12.465



Certificate of Analysis

Number: 6030-21100297-002A

Artesia Laboratory

200 E Main St.
Artesia, NM 88210
Phone 575-746-3481Zach LaCount
Mewbourne Oil Company
4801 Business Park Blvd
Hobbs, NM 88240

Nov. 04, 2021

Station Name: Silver Bullet 16 Battery VRU
Station Location: Mewbourne
Sample Point: VRU Meter run
Cylinder No: 5030-02268
Analyzed: 11/03/2021 09:10:29 by EJRSampled By: Michael Mirabal
Sample Of: Gas Spot
Sample Date: 10/28/2021
Sample Conditions: 117 psig
Method: GPA 2286

Calculated Physical Properties	Total	C10+
Calculated Molecular Weight	29.03	156.31
GPA 2172 Calculation:		
Calculated Gross BTU per ft³ @ 14.696 psia & 60°F		
Real Gas Dry BTU	1703.8	8552.5
Water Sat. Gas Base BTU	1674.0	8341.1
Relative Density Real Gas	1.0089	5.3970
Compressibility Factor	0.9926	
Ideal, Gross HV - Wet	1661.7	
Ideal, Gross HV - Dry at 14.696 psia	1691.2	
Net BTU Dry Gas - real gas	1557	
Net BTU Wet Gas - real gas	1530	

Comments: H2S Field Content 0 ppm

Data reviewed by: Krystle Fitzwater, Laboratory Manager

Quality Assurance: The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

DEFINITIONS

Action 175588

DEFINITIONS

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241	OGRID: 14744
	Action Number: 175588
	Action Type: [C-129] Venting and/or Flaring (C-129)

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application: • this application's operator, hereinafter "this operator"; • venting and/or flaring, hereinafter "vent or flare"; • any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms"; • the statements in (and/or attached to) this, hereinafter "the statements in this"; • and the past tense will be used in lieu of mixed past/present tense questions and statements.
--

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 175588

QUESTIONS

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241	OGRID: 14744
	Action Number: 175588
	Action Type: [C-129] Venting and/or Flaring (C-129)

QUESTIONS

Prerequisites Any messages presented in this section, will prevent submission of this application. Please resolve these issues before continuing with the rest of the questions.	
Incident Well	Unavailable.
Incident Facility	[fAPP2130938454] SILVER BULLET 16-21 BATTERY

Determination of Reporting Requirements Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide additional guidance.	
Was this vent or flare caused by an emergency or malfunction	Yes
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	Yes
Is this considered a submission for a vent or flare event	Yes, minor venting and/or flaring of natural gas.
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during venting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC.	
Was there at least 50 MCF of natural gas vented and/or flared during this event	Yes
Did this vent or flare result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No
Was the vent or flare within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No

Equipment Involved	
Primary Equipment Involved	Production Tank
Additional details for Equipment Involved. Please specify	Not answered.

Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group.	
Methane (CH4) percentage	57
Nitrogen (N2) percentage, if greater than one percent	1
Hydrogen Sulfide (H2S) PPM, rounded up	0
Carbon Dioxide (C02) percentage, if greater than one percent	0
Oxygen (O2) percentage, if greater than one percent	0
If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas.	
Methane (CH4) percentage quality requirement	Not answered.
Nitrogen (N2) percentage quality requirement	Not answered.
Hydrogen Sufide (H2S) PPM quality requirement	Not answered.
Carbon Dioxide (C02) percentage quality requirement	Not answered.
Oxygen (O2) percentage quality requirement	Not answered.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 175588

QUESTIONS (continued)

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241	OGRID: 14744
	Action Number: 175588
	Action Type: [C-129] Venting and/or Flaring (C-129)

QUESTIONS

Date(s) and Time(s)	
Date vent or flare was discovered or commenced	12/30/2022
Time vent or flare was discovered or commenced	12:00 AM
Time vent or flare was terminated	11:59 PM
Cumulative hours during this event	24

Measured or Estimated Volume of Vented or Flared Natural Gas	
Natural Gas Vented (Mcf) Details	Cause: Equipment Failure Production Tank Natural Gas Vented Released: 83 Mcf Recovered: 0 Mcf Lost: 83 Mcf.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Volume calculated
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity	
Was this vent or flare a result of downstream activity	No
Was notification of downstream activity received by this operator	Not answered.
Downstream OGRID that should have notified this operator	Not answered.
Date notified of downstream activity requiring this vent or flare	Not answered.
Time notified of downstream activity requiring this vent or flare	Not answered.

Steps and Actions to Prevent Waste	
For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control.	True
Please explain reason for why this event was beyond this operator's control	Tank hatches and PRVs venting.
Steps taken to limit the duration and magnitude of vent or flare	Cleaned and repaired hatches and PRVs.
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	Continued routine preventive maintenance and daily operational inspections

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 175588

ACKNOWLEDGMENTS

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241	OGRID:	14744
	Action Number:	175588
	Action Type:	[C-129] Venting and/or Flaring (C-129)

ACKNOWLEDGMENTS

☒	I acknowledge that I am authorized to submit a <i>Venting and/or Flaring</i> (C-129) report on behalf of this operator and understand that this report can be a complete C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC.
☒	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively.
☒	I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
☒	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
☒	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 175588

CONDITIONS

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241	OGRID: 14744
	Action Number: 175588
	Action Type: [C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
zlaount	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	1/17/2023