District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

Incident ID	nAB14247333253
District RP	2RP-2472
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the following items must be included in the closure report.

A scaled site and sampling diagram as described in 19.15.29.11 NMAC						
Nhotographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)						
Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)						
☐ Description of remediation activities						
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete. Printed Name: Dale Woodall Title: EHS Consultant Signature: Dale Woodall Date: 1/18/2023 Telephone: 575-748-1838						

APPROVED

By Ashley Maxwell at 8:29 am, Jan 18, 2023

Devon Energy Production Company, LP



Request for Incident Closure

June 2nd, 2020

Arcturus 18 Fed Com 8H

API – 30-015-42033

nAB1424733253

2RP-2472

Description of Original Incident:

On August 26th, of 2014, during drilling the solids control bin overflowed due to the transfer pump not being shut down. This caused a mixture of Salt Water Gel and fresh water to be released onto the wellpad. The release was approximately 8 bbls in volume, with approximately 6 bbls being recovered. The location of this site is, M-17-19S-31E; 32.65400, -103.89910.

Immediate Actions Taken:

The company man on shift issued a lecture on communication to the crew, and a vacuum truck was called out to recover the standing fluid. Attached to this report is an email from a Devon Staff Drilling Engineer stating that we do in fact drill with fresh water. Also attached is the original MSDS sheet for Salt Water Gel showing there are no environmental concerns with this substance. Another attachment is the updated MSDS for this substance which is now called Quik Gel, and it still shows there are no environmental concerns. Finally, there are pictures attached showing there are no other signs of contamination on this wellpad.

Our current assessment of this incident was performed on May 29th, 2020. With the information and pictures provided, we would like to respectfully request that the incident be closed out.

Thank you so much for your time. If there is anything more that you would like us to do with this incident in order to close it out, please let us know and we'll be happy to make the necessary arrangements.

Have a wonderful day,

Tom Bynum

Tom Bynum


EHS Consultant/Contractor

tom.bynum@dvn.com

580-748-1613




Devon Energy Production Company, LP





Devon Energy Production Company, LP





NM OIL CONSERVATION

ARTESIA DISTRICT

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

SEP 0 4 2014

Form C-141 Revised.August 8, 2011

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Submit 1 Copy to appropriate District Office in RECEIVED accordance with 19.15.29 NMAC.

Release Notification and Corrective Action												
NHBIL	1247	<i>33253</i>	1			OPERAT	ΓOR		Initia	Report	Final R	eport
		Devon Energ	<u></u>	4137		Contact – Trae Warcup						
Address – 4134 Seven Rivers Highway					No. – (575) 748-		>.:11:\					
Facility Name – Arcturus 18 FED COM 8H				Facility Typ	e – Oil/Gas We	II Pad (I	Irilling)	- www.				
Surface Ow	ner - Fede	ral		Mineral O	vner -	Federal			API No.	- 3001542	2033	
				LOCA		N OF REI	LEASE					
Unit Letter	Section	Township	Range	Feet from the	North	/South Line	Feet from the	East/W	est Line		County	
M	17	198	31E	300		South	312	W	/est		Eddy	
			Lat	itude32° 39' 14.	3" N	Longitude	103° 53' 56.438"	'W				
				NAT	JRE	OF RELI	EASE					
Type of Relea	ase – Drilli	ng Fluid					Release – 8 bbls.			ecovered -		
Source of Rel	ease – Soli	ds Control Bi	n			1	lour of Occurrenc	e -		lour of Dis	covery - 082614	١,
Was Immedia	te Notice (Yes [No ⊠ Not Rec	uired	082614, 7:0			7:00 pm			
By Whom?						Date and H	lour					
Was a Water	course Read	ched?	Yes ⊠] No			olume Impacting t	he Water	rcourse.			
If a Watercou	rse was Im	nacted Descr	ibe Fully '	*				•				
Solids contro	l bin overfl		ack of con	n Taken.* nmunication of shu ch the bin levels an							cussion with all	
Describe Are	a Affected	and Cleanup	Action Tal	en.*						**		$\neg \uparrow$
Area was app	roximately	2050 sq. ft. a	nd clean w	as done by a vacu	am tru	ck.						d models
regulations al public health should their co or the environ	I operators or the envi operations I nment. In a	are required tronment. The nave failed to	o report and acceptant adequately OCD accept	is true and completed is true and completed is true and complete of a C-141 report investigate and restance of a C-141 report and complete is true and compl	lease n t by th mediat	notifications and ne NMOCD m te contaminati	nd perform correct arked as "Final Rition that pose a thr	ctive acti leport" d eat to gr	ons for rele oes not reli ound water	eases which eve the ope , surface wa	may endanger erator of liability ater, human hea	,
							OIL CON	SERV	ATION	DIVISIO	ON	
Signature:	-	,) <u>, </u>							- //	/		
Printed Name: Trae Warcup Approved by Environmental Specialist:												
Title: EHS Pr			· · · · · · · · · · · · · · · · · · ·			Approval Da	te:	I	Expiration	Date:		
E-mail Addre			ın								. 🗆	
					١.		of Approval:	0 (lolines	Attached	ı 📙	
Date: 09/03/2 Attach Addit		ets If Necess	sary	Phone: 575-628-2	,,,,,	Remediation per OCD Rule & Guidelines. SUBMIT REMEDIATION PROPOSAL NO LATER THAN: LATER THAN:				2472		
					1							

From: <u>Billings, Bradford, EMNRD</u>
To: <u>Bynum, Tom (Contract)</u>

Subject: [EXTERNAL] RE: Arcturus 18 Fed Com 8H - 2RP-2472

Date: Monday, June 1, 2020 8:48:50 AM

Hi,

Verify that liquid was indeed "fresh" water and as such the gel mixer, a silica mixture, presents no environmental issue, include the MSDS again, with the final C-141 Form and we are likely good to go, pics too of course. Add incident number to communication if you have it please. In essence, okay.

Bradford

From: Bynum, Tom (Contract) <Tom.Bynum@dvn.com>

Sent: Sunday, May 31, 2020 7:12 PM

To: Billings, Bradford, EMNRD <Bradford.Billings@state.nm.us>

Subject: [EXT] Arcturus 18 Fed Com 8H - 2RP-2472

Good evening Bradford,

I think I may need a little guidance on this one whenever you might have an extra second...

Would the attached report be okay for requesting to close out this incident? Or will we need to do more investigating on this pad?

If we're good, I'll put it all together and submit through the portal, if not we'll do what we need to do then submit.

Thank you sir, have a good evening.

Thank you,

TOM BYNUM EHS CONTRACTOR 580-748-1613

"Nothing has ever been resolved by continually pointing out the problem."

Devon - Internal

Confidentiality Warning: This message and any attachments are only for the use of the intended recipient(s), are confidential, and may be privileged. If you are not the intended recipient, you are hereby notified that any review, retransmission, conversion to hard copy, copying, circulation or other use of all or any portion of this message and any attachments is strictly prohibited. If you are not the intended recipient, please notify the sender immediately by return e-mail, and delete this message and any attachments from your system. This message was sent by a contractor of Devon Energy Corporation or one of its affiliate or subsidiaries ("Devon") and does not convey that

contractor has the actual, implied, or apparent authority to contract on behalf of Devon. No agreement with Devon shall be of any force or effect unless it is signed by a duly authorized representative of Devon.

Confidentiality Warning: This message and any attachments are intended only for the use of the intended recipient(s), are confidential, and may be privileged. If you are not the intended recipient, you are hereby notified that any review, retransmission, conversion to hard copy, copying, circulation or other use of all or any portion of this message and any attachments is strictly prohibited. If you are not the intended recipient, please notify the sender immediately by return e-mail, and delete this message and any attachments from your system.

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-141 Revised August 24, 2018 Submit to appropriate OCD District office

Incident ID	nAB14247333253
District RP	2RP-2472
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: Each of the following items must be included in the closure report.						
☐ A scaled site and sampling diagram as described in 19.15.29.11 NMAC						
Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)						
☐ Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)						
□ Description of remediation activities						
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete. Printed Name: Dale Woodall Title: EHS Consultant Signature: Dale Woodall Date: 1/18/2023						
email: dale.woodall@dvn.com Telephone: 575-748-1838						

Received by OCD: 1/18/2023 7:49:22 AM State of New Mexico
Page 2 Oil Conservation Division

	Page 9 of	38
Incident ID	nAB1424733253	
District RP	2RP-2472	
Facility ID		
Application ID		

OCD Only	
Received by:	Date:
Closure approval by the OCD does not relieve the responsible party of liabil remediate contamination that poses a threat to groundwater, surface water, he party of compliance with any other federal, state, or local laws and/or regular	uman health, or the environment nor does not relieve the responsible
Closure Approved by:	_ Date:
Printed Name:	Title:

From: <u>Hart, Jamison</u>

To: Currie, Bryan; Davis, Amanda; Bynum, Tom (Contract); Robison, Jason; Carrasco, Lupe; Mathews, Wesley

Cc: Epperson, Ryan; Vora, Kumar; Bernhard, Alex; Bingham, Colten; Browning, Carter

Subject: Re: State of NM Water Well Data (links, data, etc...)

Date: Monday, May 4, 2020 12:53:33 PM

Attachments: <u>image001.png</u>

We drill with fresh water so it would be difficult for us to determine with any certainty.

Thanks,

Jamie Hart
Drilling Engineer
Delaware Basin
Mobile: 405-230-0992

From: Currie, Bryan < Bryan.Currie@dvn.com>

Sent: Monday, May 4, 2020 1:48:15 PM

To: Davis, Amanda <Amanda.Davis@dvn.com>; Bynum, Tom (Contract) <Tom.Bynum@dvn.com>; Robison, Jason <Jason.Robison@dvn.com>; Carrasco, Lupe <Lupe.Carrasco@dvn.com>; Mathews, Wesley <Wesley.Mathews@dvn.com>

Cc: Epperson, Ryan <Ryan.Epperson@dvn.com>; Hart, Jamison <Jamison.Hart@dvn.com>; Vora, Kumar <Kumar.Vora@dvn.com>; Bernhard, Alex <Alex.Bernhard@dvn.com>; Bingham, Colten <Colten.Bingham@dvn.com>; Browning, Carter <Carter.Browning@dvn.com>

Subject: RE: State of NM Water Well Data (links, data, etc...)

That would be something I would have to discuss with the drilling team. I will get back to you on that.

Drilling,

How difficulty is it to record the depth at which you encounter the water table?

Thanks, Bryan

From: Davis, Amanda

Sent: Monday, May 4, 2020 1:37 PM

To: Currie, Bryan <Bryan.Currie@dvn.com>; Bynum, Tom (Contract) <Tom.Bynum@dvn.com>; Robison, Jason <Jason.Robison@dvn.com>; Carrasco, Lupe <Lupe.Carrasco@dvn.com>; Mathews, Wesley <Wesley.Mathews@dvn.com>

Subject: RE: State of NM Water Well Data (links, data, etc...)

Bryan,

Would it be possible to start collecting this information when we drill a well? Debate over groundwater depths in NM has been a persistent issue for many years.

Amanda Trujillo Davis Environmental Representative Devon Energy Corporation 6488 Seven Rivers Highway Artesia, New Mexico 88210 (575) 748-0176 Direct (505) 350-1336 Mobile



HALLIBURTON

NATERIAL SAFETY DATA SHEET

Product Trade Name:

SALT WATER GEL

Revision Date:

05-Jan-2005

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Trade Name:

SALT WATER GEL

Synonyma:

None

Chemical Family:

Blend

Application:

Additive

Manufacturer/Supplier

Halliburton Energy Services

P.O. Box 1431

Duncan, Oklahoma 73536-0431

Emergency Telephone: (281) 575-5000

Prepared By

Chemical Compliance

Telephone: 1-580-251-4335

2. COMPOSITION/INFORMATION ON INGREDIENTS

9	SUBSTANCE	CAS Number	PERCENT	ACGIH TLV-TWA	OSHA PEL-TWA
-	Crystalline silica, cristobalite	14464-46-1	<1	0.05 mg/m³	1/2 x <u>10 mg/m³</u>
	-				%SiO2 + 2
1	Crystalline silica, quartz	14808-60-7	C. I	0.05 mg/m³	<u>10 mg/m³</u>
design		And the second s			%SiO2 + 2

More restrictive exposure limits may be enforced by some states, agencies, or other authorities.

HAZARDS IDENTIFICATION

Hazard Overview

CAUTION! - ACUTE HEALTH HAZARD

May cause eye and respiratory irritation.

DANGER! - CHRONIC HEALTH HAZARD

Breathing crystalline silica can cause lung disease, including silicosis and lung cancer. Crystalline silica has also been associated with scleroderma and kidney disease.

This product contains quartz, cristobalite, and/or tridymite which may become airborne without a visible cloud. Avoid breathing dust. Avoid creating dusty conditions. Use only with adequate ventilation to keep exposures below recommended exposure limits. Wear a NIOSH certified, European Standard EN 149, or equivalent respirator when using this product. Review the Material Safety Data Sheet (MSDS) for this product, which has been provided to your employer.

4. FIRST AID MEASURES

SALT WATER GEL Page 1 of 6 inhalation

If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation

develops or if breathing becomes difficult.

Skin

Wash with soap and water.

Eyes

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes

and get medical attention if irritation persists.

Ingestion

Under normal conditions, first aid procedures are not required.

Notes to Physician

Not Applicable

FIRE FIGHTING MEASURES

Flash Point/Range (F): Flash Point/Range (C): Flash Point Wethod:

Not Determined Not Determined

Autoignition Temperature (F): Autoignition Temperature (C): Flammability Limits in Air - Lower (%): Not Determined Not Determined Not Determined

Flammability Limits in Air - Upper (%):

Not Determined Not Determined

Fire Extinguishing Media

All standard firefighting media.

Special Exposure Hazards

Not applicable.

Special Protective Equipment for Not applicable.

Fire-Fighters

MFPA Ratinos: HMIS Ratings:

Health 1, Flammability 0, Reactivity 0 Flammability 0, Reactivity 0, Health 1*

ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measures Use appropriate protective equipment. Avoid creating and breathing dust.

Environmental Precautionary

Measures

Mone known.

Procedure for Cleaning /

Absorption

Collect using dustless method and hold for appropriate disposal. Consider possible toxic or fire hazards associated with contaminating substances and use appropriate methods for collection, storage and disposal.

HANDLING AND STORAGE

Handling Precautions

Avoid contact with eyes, skin, or clothing. This product contains quartz, cristobalite, and/or tridymite which may become airborne without a visible cloud. Avoid breathing dust. Avoid creating dusty conditions. Use only with adequate ventilation to keep exposure below recommended exposure limits. Wear a NIOSH certified, European Standard En 149, or equivalent respirator when using this product. Material is

slippery when wet.

Storage Information

Store in a cool, dry location. Use good housekeeping in storage and work areas to prevent accumulation of dust. Close container when not in use. Do not reuse empty container. Product has a shelf life of 24 months.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls

Use approved industrial ventilation and local exhaust as required to maintain exposures below applicable exposure limits listed in Section 2.

> SALT WATER GEL Page 2 of 6

Respiratory Protection

Wear a NIOSH certified, European Standard EN 149, or equivalent respirator when

using this product.

Hand Protection

Normal work gloves.

Skin Protection

Wear clothing appropriate for the work environment. Dusty clothing should be laundered before reuse. Use precautionary measures to avoid creating dust when

removing or laundering clothing.

Eye Protection

Wear safety glasses or goggles to protect against exposure.

Other Precautions

None known.

PHYSICAL AND CHEMICAL PROPERTIES

Physical State:

Solid

Color: Odor:

Gray to red brown Odorless

到着:

Not Determined

Specific Gravity @ 20 C (Water=1): Density @ 20 C (lbs/gallon):

Not Determined

Bulk Density @ 20 C (lbs/ft3):

Boiling Point/Range (F): Boiling Point/Range (C): Freezing Point/Range (F): Freezing Point/Range (C):

Not Determined Not Determined Not Determined Not Determined Not Determined

Vapor Pressure @ 20 C (mmHg): Vapor Density (Air=1): Percent Volatiles:

Not Determined Not Determined Not Determined Insoluble

Evaporation Rate (Butyl Acetate=1): Solubility in Water (g/100ml): Solubility in Solvents (g/100ml):

Not Determined Not Determined Not Determined

VOCs (lbs./gallon): Viscosity, Dynamic @ 20 C (centipoise): Viscosity, Kinematic @ 20 C (centistrokes):

Not Determined Not Determined Not Determined

Partition Coefficient/n-Octanol/Water: Molecular Weight (g/mole):

STABILITY AND REACTIVITY

Stability Data:

Stable

Hazardous Polymerization:

Will Not Occur

Conditions to Avoid

None anticipated

Incompatibility (Materials to

Avoid)

Strong oxidizers.

Hazardous Decomposition

Products

Amorphous silica may transform at elevated temperatures to tridymite (870 C) or

cristobalite (1470 C).

Additional Guidelines

Not Applicable

TOXICOLOGICAL INFORMATION

Principle Route of Exposure

Eye or skin contact, inhalation.

SALT WATER GEL Page 3 of 6

Inhalation

Inhaled crystalline silica in the form of quartz or cristobalite from occupational sources is carcinogenic to humans (IARC, Group 1). There is sufficient evidence in experimental animals for the carcinogenicity of tridymite (IARC, Group 2A).

Breathing silica dust may cause irritation of the nose, throat, and respiratory passages. Breathing silica dust may not cause noticeable injury or illness even though permanent lung damage may be occurring. Inhalation of dust may also have serious chronic health effects (See "Chronic Effects/Carcinogenicity" subsection below).

Skin Contact

None known.

Eye Contact

May cause eve irritation.

Ingestion

None known

Aggravated Medical Conditions

Individuals with respiratory disease, including but not limited to asthma and bronchitis, or subject to eye irritation, should not be exposed to quartz dust.

Chronic Effects/Carcinogenicity

Silicosis: Excessive inhalation of respirable crystalline silica dust may cause a progressive, disabling, and sometimes-fatal lung disease called silicosis. Symptoms include cough, shortness of breath, wheezing, non-specific chest illness, and reduced pulmonary function. This disease is exacerbated by smoking. Individuals with silicosis are predisposed to develop tubercutosis.

Carroer Status: The International Agancy for Research on Cancer (IARC) has determined that crystalline silica inhaled in the form of quartz or cristobalite from occupational sources can cause lung cancer in humans (Group 1 - carcinogenic to humans) and has determined that there is sufficient evidence in experimental animals for the carcinogenicity of tridymite (Group 2A - possible carcinogen to humans). Refer to IARC Monograph 68, Silica, Some Silicates and Organic Fibres (June 1997) in conjunction with the use of these minerals. The National Toxicology Program classifies respirable crystalline silica as "Known to be a human carcinogen". Refer to the 9th Report on Carcinogens (2000). The American Conference of Governmental Industrial Hygienists (ACGIH) classifies crystalline silica, quartz, as a suspected human carcinogen (A2).

There is some evidence that breathing respirable crystalline silica or the disease silicosis is associated with an increased incidence of significant disease endpoints such as scieroderma (an immune system disorder manifested by scarring of the lungs, skin, and other internal organs) and kidney disease.

Other Information

For further information consult "Adverse Effects of Crystalline Silica Exposure" published by the American Thoracic Society Medical Section of the American Lung Association, American Journal of Respiratory and Critical Care Medicine, Volume 155, pages 761-768 (1997).

Toxicity Tests

Oral Toxicity:

Not determined

Dennal Toxicity:

Not determined

inhalation Toxicity:

Not determined

Primary Irritation Effect:

Not determined

Carcinogenicity

Refer to IARC Monograph 68, Silica, Some Silicates and Organic Fibres (June

1997).

Genotoxicity:

Not determined

SALT WATER GEL Page 4 of 6 Reproductive /

Not determined

Developmental Toxicity:

12. ECOLOGICAL INFORMATION

Mobility (Water/Soil/Air)

Not determined

Persistence/Degradability

Not applicable

Bio-accumulation

Not Determined

Ecotoxicological information

Acute Fish Toxicity:

Not determined

Acute Crustaceans Toxicity: Not determined Acute Algae Toxicity:

Not determined

Chemical Fate Information

Not determined

Other information

Not applicable

13. DISPOSAL CONSIDERATIONS

Disposal Method

Bury in a licensed landfill according to federal, state, and local regulations.

Contaminated Packaging

Follow all applicable national or local regulations.

14. TRANSPORT INFORMATION

Land Transportation

DOT

Not restricted

Canadian TOG

Not restricted

ADR Not restricted

Air Transportation

ICAO/IATA Not restricted

Sea Transportation

IMDG

Not restricted

Other Shipping Information

Labels:

None

15. REGULATORY INFORMATION

US Regulations

SALT WATER GEL Page 5 of 6

US TSCA inventory

All components listed on inventory.

EPA SARA Title III Extremely

Hazardous Substances

EPA SARA (311,312) Hazard

Not applicable

Class

Acute Health Hazard Chronic Health Hazard

EPA SARA (313) Chemicals

This product does not contain a toxic chemical for routine annual "Toxic Chemical Release Reporting" under Section 313 (40 CFR 372).

EPA CERCLA/Superfund

Reportable Spill Quantity For This

Not applicable.

Product

EPA RCRA Hazardous Waste

Classification

If product becomes a waste, it does NOT meet the criteria of a hazardous waste as defined by the US EPA.

California Proposition 65

The California Proposition 65 regulations apply to this product.

MA Right-to-Know Law

One or more components listed.

NJ Right-to-Know Law

One or more components listed.

PA Right-to-Know Law

One or more components listed.

Canadian Regulations

Canadian DSL Inventory

All components listed on inventory.

WHIMIS Hazard Class

D2A Very Toxic Materials Crystalline silica

OTHER INFORMATION

The following sections have been revised since the last issue of this MSDS Not applicable

Additional Information

For additional information on the use of this product, contact your local Halliburton representative.

For questions about the Material Safety Data Sheet for this or other Hailiburton products, contact Chemical Compliance at 1-580-251-4335

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

END OF MSDS

SALT WATER GEL Page 6 of 6

Appendix A. Material Safety Data Sheets for Drilling Mud

HALLIBURTON

MATERIAL SAFETY DATA SHEET

Product Trade Name: EZ-MUD® GOLD

Revision Date: 01-Aug-2011

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Trade Name:

EZ-MUD® GOLD

Synonyms:

None

Chemical Family:

Anionic Polymer

Application:

Additive

Manufacturer/Supplier

Baroid Fluid Services

Product Service Line of Halliburton

P.O. Box 1675 Houston, TX 77251

Telephone: (281) 871-4000

Emergency Telephone: (281) 575-5000

Prepared By

Chemical Compliance

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	CAS Number	PERCENT	ACGIH TLV-TWA	OSHA PEL-TWA
Contains no hazardous	Mixture	60 - 100%	Not applicable	Not applicable
substances				

3. HAZARDS IDENTIFICATION

Hazard Overview May cause eye and skin irritation. Airborne dust may be explosive.

4. FIRST AID MEASURES

Inhalation If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation

develops or if breathing becomes difficult.

Skin Wash with soap and water. Get medical attention if irritation persists.

Eyes In case of contact, immediately flush eyes with plenty of water for at least 15 minutes

and get medical attention if irritation persists.

Ingestion Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek

medical attention. Never give anything by mouth to an unconscious person.

Notes to Physician Not Applicable

EZ-MUD® GOLD Page 1 of 6

FIRE FIGHTING MEASURES

Flash Point/Range (F): Not Determined Flash Point/Range (C): Not Determined Flash Point Method: Not Determined **Autoignition Temperature (F):** Not Determined **Autoignition Temperature (C):** Not Determined Not Determined Flammability Limits in Air - Lower (%): Flammability Limits in Air - Upper (%): Not Determined

Fire Extinguishing Media Water fog, carbon dioxide, foam, dry chemical.

Special Exposure Hazards Decomposition in fire may produce toxic gases. Organic dust in the presence of an

ignition source can be explosive in high concentrations. Good housekeeping

practices are required to minimize this potential.

Fire-Fighters

Special Protective Equipment for Full protective clothing and approved self-contained breathing apparatus required for

fire fighting personnel.

NFPA Ratings: Health 1, Flammability 0, Reactivity 0 Health 1, Flammability 0, Reactivity 0 **HMIS Ratings:**

ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measures Use appropriate protective equipment. Avoid creating and breathing dust. Slippery

when wet.

Environmental Precautionary

Measures

Prevent from entering sewers, waterways, or low areas.

Procedure for Cleaning /

Absorption

Scoop up and remove.

HANDLING AND STORAGE

Handling Precautions Avoid contact with eyes, skin, or clothing. Avoid creating or inhaling dust. Slippery

when wet.

Store away from oxidizers. Store in a cool, dry location. Product has a shelf life of 36 **Storage Information**

months.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Use in a well ventilated area. **Engineering Controls**

Personal Protective Equipment If engineering controls and work practices cannot prevent excessive exposures, the

selection and proper use of personal protective equipment should be determined by

an industrial hygienist or other qualified professional based on the specific

application of this product.

Respiratory Protection Not normally needed. But if significant exposures are possible then the following

respirator is recommended: Dust/mist respirator. (95%)

Hand Protection Normal work gloves.

Skin Protection Normal work coveralls.

Eye Protection Wear safety glasses or goggles to protect against exposure.

> **EZ-MUD® GOLD** Page 2 of 6

Other Precautions None known.

9. PHYSICAL AND CHEMICAL PROPERTIES

 Physical State:
 Granules

 Color:
 Off white

 Odor:
 Odorless

 pH:
 7.75 (1%)

 Specific Gravity @ 20 C (Water=1):
 0.8-1.0

 Density @ 20 C (lbs./gallon):
 6.66-8.33

 Bulk Density @ 20 C (lbs/ft3):
 52

Boiling Point/Range (F): Not Determined **Boiling Point/Range (C):** Not Determined Freezing Point/Range (F): Not Determined Freezing Point/Range (C): Not Determined Vapor Pressure @ 20 C (mmHg): Not Determined Vapor Density (Air=1): Not Determined **Percent Volatiles:** Not Determined **Evaporation Rate (Butyl Acetate=1):** Not Determined

Solubility in Water (g/100ml): Soluble

Solubility in Solvents (g/100ml):

VOCs (lbs./gallon):

Viscosity, Dynamic @ 20 C (centipoise):

Viscosity, Kinematic @ 20 C (centistrokes):

Partition Coefficient/n-Octanol/Water:

Molecular Weight (g/mole):

Not Determined

Not Determined

10. STABILITY AND REACTIVITY

Stability Data: Stable

Hazardous Polymerization: Will Not Occur

Conditions to Avoid None anticipated

Incompatibility (Materials to

Avoid)

Strong oxidizers.

Hazardous Decomposition

Products

Ammonia. Oxides of nitrogen. Carbon monoxide and carbon dioxide.

Additional Guidelines Not Applicable

11. TOXICOLOGICAL INFORMATION

Principle Route of Exposure Eye or skin contact, inhalation.

Inhalation None known.

Skin Contact May cause mild skin irritation.

Eye Contact May cause mild eye irritation.

Ingestion None known

Aggravated Medical Conditions None known.

Chronic Effects/Carcinogenicity No data available to indicate product or components present at greater than 1% are

chronic health hazards.

EZ-MUD® GOLD Page 3 of 6

Other Information None known.

Toxicity Tests

Oral Toxicity: LD50: > 5000 mg/kg (Rat)

Dermal Toxicity: Not determined

Inhalation Toxicity: Not determined

Primary Irritation Effect: Not determined

Carcinogenicity Not determined

Genotoxicity: Not determined

Reproductive /

Not determined

Developmental Toxicity:

12. ECOLOGICAL INFORMATION

Mobility (Water/Soil/Air) Not determined

Persistence/Degradability Not readily biodegradable.

Bio-accumulation Will not bio-accumulate.

Ecotoxicological Information

Acute Fish Toxicity: TLM96: >1000 mg/l (Pimephales promelas)

Acute Crustaceans Toxicity: Not determined

Acute Algae Toxicity: EC50: > 500 mg/l (Selenastrum capricornutum)

Chemical Fate InformationNot determinedOther InformationNot applicable

13. DISPOSAL CONSIDERATIONS

Disposal MethodDisposal should be made in accordance with federal, state, and local regulations.

Contaminated Packaging Follow all applicable national or local regulations.

14. TRANSPORT INFORMATION

Land Transportation

DOT

Not restricted

Canadian TDG

Not restricted

ADR

Not restricted

Air Transportation

EZ-MUD® GOLD Page 4 of 6

ICAO/IATA

Not restricted

Sea Transportation

IMDG

Not restricted

Other Transportation Information

Labels: None

15. REGULATORY INFORMATION

US Regulations

All components listed on inventory or are exempt. **US TSCA Inventory**

EPA SARA Title III Extremely

Hazardous Substances

Not applicable

EPA SARA (311,312) Hazard

Class

None

This product does not contain a toxic chemical for routine annual "Toxic Chemical **EPA SARA (313) Chemicals**

Release Reporting" under Section 313 (40 CFR 372).

EPA CERCLA/Superfund

Reportable Spill Quantity

Not applicable.

EPA RCRA Hazardous Waste

Classification

If product becomes a waste, it does NOT meet the criteria of a hazardous waste as

defined by the US EPA.

The California Proposition 65 regulations apply to this product. **California Proposition 65**

MA Right-to-Know Law One or more components listed.

NJ Right-to-Know Law One or more components listed.

PA Right-to-Know Law One or more components listed.

Canadian Regulations

Canadian DSL Inventory All components listed on inventory or are exempt.

WHMIS Hazard Class Un-Controlled

16. OTHER INFORMATION

The following sections have been revised since the last issue of this MSDS

Not applicable

Additional Information For additional information on the use of this product, contact your local Halliburton

representative.

For questions about the Material Safety Data Sheet for this or other Halliburton

products, contact Chemical Compliance at 1-580-251-4335.

EZ-MUD® GOLD Page 5 of 6

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

END OF MSDS

HALLIBURTON

MATERIAL SAFETY DATA SHEET

Product Trade Name: QUIK-GEL®

Revision Date: 19-Dec-2011

I. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Trade Name: QUIK-GEL®
Synonyms: None
Chemical Family: Mineral
Application: Viscosifier

Manufacturer/Supplier Baroid Fluid Services

Product Service Line of Halliburton

P.O. Box 1675 Houston, TX 77251

Telephone: (281) 871-4000

Emergency Telephone: (281) 575-5000

Prepared By Chemical Compliance

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

Substances	CAS Number	PERCENT	ACGIH TLV-TWA	OSHA PEL-TWA
Bentonite	1302-78-9	60 - 100%	Not applicable	Not applicable
Crystalline silica, cristobalite	14464-46-1	0 - 1%	0.025 mg/m ³	1/2 x 10 mg/m ³ %SiO2 + 2
Crystalline silica, tridymite	15468-32-3	0 - 1%	0.05 mg/m ³	1/2 x <u>10 mg/m³</u> %SiO2 + 2
Crystalline silica, quartz	14808-60-7	1 - 5%	0.025 mg/m ³	10 mg/m ³ %SiO2 + 2

More restrictive exposure limits may be enforced by some states, agencies, or other authorities.

QUIK-GEL® Page 1 of 7

3. HAZARDS IDENTIFICATION

Hazard Overview CAUTION! - ACUTE HEALTH HAZARD

May cause eye and respiratory irritation.

DANGER! - CHRONIC HEALTH HAZARD

Breathing crystalline silica can cause lung disease, including silicosis and lung cancer. Crystalline silica has also been associated with scleroderma and kidney

disease.

This product contains quartz, cristobalite, and/or tridymite which may become airborne without a visible cloud. Avoid breathing dust. Avoid creating dusty conditions. Use only with adequate ventilation to keep exposures below recommended exposure limits. Wear a NIOSH certified, European Standard EN 149, or equivalent respirator when using this product. Review the Material Safety Data Sheet (MSDS) for this product, which has been provided to your employer.

4. FIRST AID MEASURES

Inhalation If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation

develops or if breathing becomes difficult.

Skin Wash with soap and water. Get medical attention if irritation persists.

Eyes In case of contact, immediately flush eyes with plenty of water for at least 15 minutes

and get medical attention if irritation persists.

Ingestion Under normal conditions, first aid procedures are not required.

Notes to Physician Treat symptomatically.

FIRE FIGHTING MEASURES

Flash Point/Range (F):

Flash Point/Range (C):

Flash Point Method:

Autoignition Temperature (F):

Autoignition Temperature (C):

Flammability Limits in Air - Lower (%):

Flammability Limits in Air - Upper (%):

Not Determined

Not Determined

Not Determined

Not Determined

Fire Extinguishing Media All standard firefighting media.

Special Exposure Hazards Not applicable.

Special Protective Equipment for Not applicable.

Fire-Fighters

NFPA Ratings: Health 0, Flammability 0, Reactivity 0

HMIS Ratings: Health 0*, Flammability 0, Physical Hazard 0, PPE: E

ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measures Use appropriate protective equipment. Avoid creating and breathing dust.

Environmental Precautionary

Measures

None known.

QUIK-GEL® Page 2 of 7 Procedure for Cleaning /

Absorption

Collect using dustless method and hold for appropriate disposal. Consider possible toxic or fire hazards associated with contaminating substances and use appropriate methods for collection, storage and disposal.

7. HANDLING AND STORAGE

Handling Precautions This product contains quartz, cristobalite, and/or tridymite which may become

airborne without a visible cloud. Avoid breathing dust. Avoid creating dusty

conditions. Use only with adequate ventilation to keep exposure below

recommended exposure limits. Wear a NIOSH certified, European Standard En 149, or equivalent respirator when using this product. Material is slippery when wet.

Storage Information Use good housekeeping in storage and work areas to prevent accumulation of dust.

Close container when not in use. Keep from excessive heat. Do not reuse empty

container. Product has a shelf life of 36 months.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls

Use approved industrial ventilation and local exhaust as required to maintain

exposures below applicable exposure limits listed in Section 2.

Personal Protective Equipment If engineering controls and work practices cannot prevent excessive exposures, the

selection and proper use of personal protective equipment should be determined by

an industrial hygienist or other qualified professional based on the specific

application of this product.

Respiratory ProtectionNot normally needed. But if significant exposures are possible then the following

respirator is recommended: Dust/mist respirator. (95%)

Hand Protection Normal work gloves.

Skin Protection Wear clothing appropriate for the work environment. Dusty clothing should be

laundered before reuse. Use precautionary measures to avoid creating dust when

removing or laundering clothing.

Eye Protection Wear safety glasses or goggles to protect against exposure.

Other Precautions None known.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Powder

Color: Various
Odor: Mild earthy
pH: 8-10
Specific Gravity @ 20 C (Water=1): 2.6

Density @ 20 C (lbs./gallon):

Not Determined

Bulk Density @ 20 C (lbs/ft3): 47.6-72.1 **Boiling Point/Range (F):** Not Determined **Boiling Point/Range (C):** Not Determined Freezing Point/Range (F): Not Determined Freezing Point/Range (C): Not Determined Not Determined Vapor Pressure @ 20 C (mmHg): Vapor Density (Air=1): Not Determined **Percent Volatiles:** Not Determined **Evaporation Rate (Butyl Acetate=1):** Not Determined

> QUIK-GEL® Page 3 of 7

Slightly soluble

Solubility in Water (g/100ml):

9. PHYSICAL AND CHEMICAL PROPERTIES

Solubility in Solvents (g/100ml):

VOCs (lbs./gallon):

Viscosity, Dynamic @ 20 C (centipoise):

Viscosity, Kinematic @ 20 C (centistrokes):

Partition Coefficient/n-Octanol/Water:

Molecular Weight (g/mole):

Not Determined

Not Determined

10. STABILITY AND REACTIVITY

Stability Data: Stable

Hazardous Polymerization: Will Not Occur

Conditions to Avoid None anticipated

Incompatibility (Materials to

Avoid)

Hydrofluoric acid.

Hazardous Decomposition

Products

Amorphous silica may transform at elevated temperatures to tridymite (870 C) or

cristobalite (1470 C).

Additional Guidelines Not Applicable

11. TOXICOLOGICAL INFORMATION

Principle Route of Exposure Eye or skin contact, inhalation.

Inhalation Inhaled crystalline silica in the form of quartz or cristobalite from occupational

sources is carcinogenic to humans (IARC, Group 1). There is sufficient evidence in

experimental animals for the carcinogenicity of tridymite (IARC, Group 2A).

Breathing silica dust may cause irritation of the nose, throat, and respiratory passages. Breathing silica dust may not cause noticeable injury or illness even though permanent lung damage may be occurring. Inhalation of dust may also have serious chronic health effects (See "Chronic Effects/Carcinogenicity" subsection

below).

Skin Contact May cause mechanical skin irritation.

Eye Contact May cause eye irritation.

Ingestion None known

bronchitis, or subject to eye irritation, should not be exposed to quartz dust.

QUIK-GEL® Page 4 of 7

Chronic Effects/Carcinogenicity

Silicosis: Excessive inhalation of respirable crystalline silica dust may cause a progressive, disabling, and sometimes-fatal lung disease called silicosis. Symptoms include cough, shortness of breath, wheezing, non-specific chest illness, and reduced pulmonary function. This disease is exacerbated by smoking. Individuals with silicosis are predisposed to develop tuberculosis.

Cancer Status: The International Agency for Research on Cancer (IARC) has determined that crystalline silica inhaled in the form of quartz or cristobalite from occupational sources can cause lung cancer in humans (Group 1 - carcinogenic to humans) and has determined that there is sufficient evidence in experimental animals for the carcinogenicity of tridymite (Group 2A - possible carcinogen to humans). Refer to IARC Monograph 68, Silica, Some Silicates and Organic Fibres (June 1997) in conjunction with the use of these minerals. The National Toxicology Program classifies respirable crystalline silica as "Known to be a human carcinogen". Refer to the 9th Report on Carcinogens (2000). The American Conference of Governmental Industrial Hygienists (ACGIH) classifies crystalline silica, quartz, as a suspected human carcinogen (A2).

There is some evidence that breathing respirable crystalline silica or the disease silicosis is associated with an increased incidence of significant disease endpoints such as scleroderma (an immune system disorder manifested by scarring of the lungs, skin, and other internal organs) and kidney disease.

Other Information

For further information consult "Adverse Effects of Crystalline Silica Exposure" published by the American Thoracic Society Medical Section of the American Lung Association, American Journal of Respiratory and Critical Care Medicine, Volume 155, pages 761-768 (1997).

Toxicity Tests

Oral Toxicity: Not determined

Dermal Toxicity: Not determined

Inhalation Toxicity: Not determined

Primary Irritation Effect: Not determined

Carcinogenicity Refer to IARC Monograph 68, Silica, Some Silicates and Organic Fibres (June

1997).

Genotoxicity: Not determined

Reproductive /

Developmental Toxicity:

Not determined

12. ECOLOGICAL INFORMATION

Mobility (Water/Soil/Air) Not determined

Persistence/Degradability Not determined

Bio-accumulation Not determined

Ecotoxicological Information

Acute Fish Toxicity: TLM96: 10000 ppm (Oncorhynchus mykiss)

Acute Crustaceans Toxicity: Not determined

QUIK-GEL® Page 5 of 7

Acute Algae Toxicity: Not determined

Chemical Fate Information Not determined

Other Information Not applicable

13. DISPOSAL CONSIDERATIONS

Disposal Method If practical, recover and reclaim, recycle, or reuse by the guidelines of an approved

local reuse program. Should contaminated product become a waste, dispose of in a

licensed industrial landfill according to federal, state, and local regulations.

Contaminated Packaging Follow all applicable national or local regulations.

14. TRANSPORT INFORMATION

Land Transportation

DOT

Not restricted

Canadian TDG

Not restricted

ADR

Not restricted

Air Transportation

ICAO/IATA

Not restricted

Sea Transportation

IMDG

Not restricted

Other Transportation Information

Labels: None

15. REGULATORY INFORMATION

US Regulations

US TSCA Inventory All components listed on inventory or are exempt.

EPA SARA Title III Extremely

Hazardous Substances

Not applicable

EPA SARA (311,312) Hazard

Class

Acute Health Hazard Chronic Health Hazard

EPA SARA (313) Chemicals This product does not contain a toxic chemical for routine annual "Toxic Chemical

Release Reporting" under Section 313 (40 CFR 372).

QUIK-GEL® Page 6 of 7

EPA CERCLA/Superfund Reportable Spill Quantity

Not applicable.

EPA RCRA Hazardous Waste

Classification

If product becomes a waste, it does NOT meet the criteria of a hazardous waste as

defined by the US EPA.

California Proposition 65 The California Proposition 65 regulations apply to this product.

MA Right-to-Know Law One or more components listed.

NJ Right-to-Know Law One or more components listed.

PA Right-to-Know Law One or more components listed.

Canadian Regulations

Canadian DSL Inventory

All components listed on inventory or are exempt.

WHMIS Hazard Class D2A Very Toxic Materials

Crystalline silica

16. OTHER INFORMATION

The following sections have been revised since the last issue of this MSDS

Section 7. Handling and Storage

Additional Information

For additional information on the use of this product, contact your local Halliburton

representative.

For questions about the Material Safety Data Sheet for this or other Halliburton

products, contact Chemical Compliance at 1-580-251-4335.

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of

the user.

END OF MSDS

QUIK-GEL® Page 7 of 7

HALLIBURTON

MATERIAL SAFETY DATA SHEET

Product Trade Name: SODA ASH

Revision Date: 04-Jan-2010

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Trade Name: SODA ASH Synonyms: None Chemical Family: Carbonate Application: Buffer

Manufacturer/Supplier Halliburton Energy Services

P.O. Box 1431

Duncan, Oklahoma 73536-0431

Emergency Telephone: (281) 575-5000

Prepared By Chemical Compliance

Telephone: 1-580-251-4335

e-mail: fdunexchem@halliburton.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

SUBSTANCE	CAS Number	PERCENT	ACGIH TLV-TWA	OSHA PEL-TWA
Sodium carbonate	497-19-8	60 - 100%	Not applicable	Not applicable

3. HAZARDS IDENTIFICATION

Hazard Overview May cause eye, skin, and respiratory irritation.

4. FIRST AID MEASURES

Inhalation If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation

develops or if breathing becomes difficult.

Skin Wash with soap and water. Get medical attention if irritation persists.

Eyes In case of contact, immediately flush eyes with plenty of water for at least 15 minutes

and get medical attention if irritation persists.

Ingestion Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek

medical attention. Never give anything by mouth to an unconscious person.

Notes to Physician Not Applicable

SODA ASH Page 1 of 6

FIRE FIGHTING MEASURES

Flash Point/Range (F): Not Determined Flash Point/Range (C): Not Determined Flash Point Method: Not Determined **Autoignition Temperature (F):** Not Determined **Autoignition Temperature (C):** Not Determined Flammability Limits in Air - Lower (%): Not Determined Flammability Limits in Air - Upper (%): Not Determined

Fire Extinguishing Media Water fog, carbon dioxide, foam, dry chemical. **Special Exposure Hazards** Decomposition in fire may produce toxic gases.

Fire-Fighters

Special Protective Equipment for Full protective clothing and approved self-contained breathing apparatus required for

fire fighting personnel.

Health 2, Flammability 0, Reactivity 0 **NFPA Ratings: HMIS Ratings:** Health 2, Flammability 0, Reactivity 0

ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measures Use appropriate protective equipment. Avoid creating and breathing dust.

Environmental Precautionary

Measures

Prevent from entering sewers, waterways, or low areas.

Procedure for Cleaning /

Absorption

Scoop up and remove.

HANDLING AND STORAGE

Handling Precautions Avoid contact with eyes, skin, or clothing. Avoid creating or inhaling dust.

Storage Information Store away from acids. Store in a cool, dry location. Product has a shelf life of 36

months.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls Use in a well ventilated area. Localized ventilation should be used to control dust

levels.

Personal Protective Equipment If engineering controls and work practices cannot prevent excessive exposures, the

selection and proper use of personal protective equipment should be determined by

an industrial hygienist or other qualified professional based on the specific

application of this product.

Dust/mist respirator. (95%) **Respiratory Protection**

Hand Protection Normal work gloves.

Skin Protection Normal work coveralls.

Eye Protection Dust proof goggles.

Other Precautions Eyewash fountains and safety showers must be easily accessible.

> **SODA ASH** Page 2 of 6

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Powder

Color: White
Odor: Odorless
pH: 11.5
Specific Gravity @ 20 C (Water=1): 2.5

Density @ 20 C (lbs./gallon): Not Determined

Bulk Density @ 20 C (lbs/ft3): 48- 62

Not Determined **Boiling Point/Range (F): Boiling Point/Range (C):** Not Determined Freezing Point/Range (F): Not Determined Freezing Point/Range (C): Not Determined Vapor Pressure @ 20 C (mmHg): Not Determined Vapor Density (Air=1): Not Determined **Percent Volatiles:** Not Determined **Evaporation Rate (Butyl Acetate=1):** Not Determined Solubility in Water (g/100ml): Partially soluble Solubility in Solvents (g/100ml): Not Determined VOCs (lbs./gallon): Not Determined Viscosity, Dynamic @ 20 C (centipoise): Not Determined Viscosity, Kinematic @ 20 C (centistrokes): Not Determined Partition Coefficient/n-Octanol/Water: Not Determined

Molecular Weight (g/mole): 105.99

10. STABILITY AND REACTIVITY

Stability Data: Stable

Hazardous Polymerization: Will Not Occur

Conditions to Avoid None anticipated

Incompatibility (Materials to

Avoid)

Strong acids.

Hazardous Decomposition

Products

Carbon monoxide and carbon dioxide.

Additional Guidelines Not Applicable

11. TOXICOLOGICAL INFORMATION

Principle Route of Exposure Eye or skin contact, inhalation.

Inhalation May cause respiratory irritation.

Skin Contact Prolonged or repeated contact may cause skin irritation.

Eye Contact May cause eye irritation.

Ingestion Irritation of the mouth, throat, and stomach.

Aggravated Medical Conditions None known.

Chronic Effects/Carcinogenicity No data available to indicate product or components present at greater than 1% are

chronic health hazards.

Other Information None known.

SODA ASH Page 3 of 6

Toxicity Tests

Oral Toxicity: LD50: 4220 mg/kg (Rat)

Dermal Toxicity: Not determined

Inhalation Toxicity: Not determined

Primary Irritation Effect: Not determined

Carcinogenicity Not determined

Genotoxicity: Not determined

Reproductive /

Not determined

Developmental Toxicity:

12. ECOLOGICAL INFORMATION

Mobility (Water/Soil/Air) Not determined

Persistence/Degradability Not applicable

Bio-accumulation Not Determined

Ecotoxicological Information

Acute Fish Toxicity: TLM24: 385 mg/l (Lepomis macrochirus)

Acute Crustaceans Toxicity: Not determined Acute Algae Toxicity: Not determined

Chemical Fate Information Not determined

Other Information Not applicable

13. DISPOSAL CONSIDERATIONS

Disposal MethodBury in a licensed landfill according to federal, state, and local regulations.

Contaminated Packaging Follow all applicable national or local regulations.

14. TRANSPORT INFORMATION

Land Transportation

DOT

Not restricted

Canadian TDG

Not restricted

ADR

Not restricted

Air Transportation

SODA ASH Page 4 of 6 ICAO/IATA

Not restricted

Sea Transportation

IMDG

Not restricted

Other Shipping Information

Labels: None

15. REGULATORY INFORMATION

US Regulations

US TSCA Inventory All components listed on inventory or are exempt.

EPA SARA Title III Extremely

Hazardous Substances

Not applicable

EPA SARA (311,312) Hazard

Class

Acute Health Hazard

EPA SARA (313) Chemicals

This product does not contain a toxic chemical for routine annual "Toxic Chemical

Release Reporting" under Section 313 (40 CFR 372).

EPA CERCLA/Superfund Reportable Spill Quantity

Not applicable.

EPA RCRA Hazardous Waste

Classification

If product becomes a waste, it does NOT meet the criteria of a hazardous waste as

defined by the US EPA.

California Proposition 65 All components listed do not apply to the California Proposition 65 Regulation.

MA Right-to-Know Law Does not apply.

NJ Right-to-Know Law Does not apply.

PA Right-to-Know Law Does not apply.

Canadian Regulations

Canadian DSL Inventory All components listed on inventory.

WHMIS Hazard Class Un-Controlled

16. OTHER INFORMATION

The following sections have been revised since the last issue of this MSDS

Not applicable

Additional Information For additional information on the use of this product, contact your local Halliburton

representative.

For questions about the Material Safety Data Sheet for this or other Halliburton

products, contact Chemical Compliance at 1-580-251-4335.

SODA ASH Page 5 of 6

Disclaimer Statement

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. The information is obtained from various sources including the manufacturer and other third party sources. The information may not be valid under all conditions nor if this material is used in combination with other materials or in any process. Final determination of suitability of any material is the sole responsibility of the user.

END OF MSDS

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 176922

CONDITIONS

Operator:	OGRID:
DEVON ENERGY PRODUCTION COMPANY, LP	6137
	Action Number:
Oklahoma City, OK 73102	176922
	Action Type:
	[C-141] Release Corrective Action (C-141)

CONDITIONS

Created By		Condition Date
amaxwell	None	1/18/2023