



## SITE INFORMATION

---

**Closure Report**  
**Admiral Federal Com 002H (11.07.22)**  
**Incident #: NAPP2231848433**  
**Eddy County, New Mexico**  
**Unit O Sec 28 T25S R29E**  
**32.0941°, -103.9867°**

**Produced Water Release**  
**Point of Release: Tank overflow**  
**Release Date: 11/07/2022**  
**Volume Released: 9.295 barrels of Produced Water**  
**Volume Recovered: 9 barrels of Produced Water**

**CARMONA RESOURCES**



**Prepared for:**  
**Concho Operating, LLC**  
**15 West London Road**  
**Loving, New Mexico 88256**

**Prepared by:**  
**Carmona Resources, LLC**  
**310 West Wall Street**  
**Suite 415**  
**Midland, Texas 79701**



## TABLE OF CONTENTS

### 1.0 SITE INFORMATION AND BACKGROUND

### 2.0 SITE CHARACTERIZATION AND GROUNDWATER

### 3.0 NMAC REGULATORY CRITERIA

### 4.0 LINER INSPECTION ACTIVITIES

### 5.0 CONCLUSIONS

### FIGURES

FIGURE 1      OVERVIEW                      FIGURE 2      TOPOGRAPHIC

FIGURE 3      SECONDARY CONTAINMENT MAP

### APPENDICES

APPENDIX A      PHOTOS

APPENDIX B      INITIAL C-141 AND FINAL/NMOC D CORRESPONDENCE

APPENDIX C      SITE CHARACTERIZATION AND GROUNDWATER

November 30, 2022

Mike Bratcher  
District Supervisor  
Oil Conservation Division, District 2  
811 S. First Street  
Artesia, New Mexico 88210

**Re: Closure Report**  
**Admiral Federal Com 002H (11.07.22)**  
**Concho Operating, LLC**  
**Incident ID NAPP2231848433**  
**Site Location: Unit O, S28, T25S, R29E**  
**(Lat 32.0941°, Long -103.9867°)**  
**Eddy County, New Mexico**

Mr. Bratcher:

On behalf of Concho Operating, LLC (COG), Carmona Resources, LLC has prepared this letter to document site activities for Admiral Federal Com 002H (11.07.22). The site is located at 32.0941°, -103.9867° within Unit O, S28, T25S, R29E, in Eddy County, New Mexico (Figures 1 and 2).

### **1.0 Site information and Background**

Based on the initial C-141 obtained from the New Mexico Oil Conservation Division (NMOCD), the release was discovered on November 7, 2022, due to a tank overflowing inside the secondary containment. It resulted in approximately nine point two nine five (9.295) barrels of produced water and nine (9) barrels of produced water recovered. See figure 3. The initial C-141 form is attached in Appendix B.

### **2.0 Site Characterization and Groundwater**

The site is located within a medium karst area. Based on a review of the New Mexico Office of State Engineers and USGS databases, 2 known water sources within a 0.50-mile radius of the location. The closest well is located approximately 1.06 miles West of the site in S32 and was drilled in 1992. The well has a reported depth to groundwater of 98.13' feet below ground surface (ft bgs). A copy of the associated point of diversion is attached in Appendix C.

### **3.0 Site Characterization and Groundwater**

Per the NMOCD regulatory criteria established in 19.15.29.12 NMAC, the following criteria were utilized in assessing the site.

- Benzene: 10 milligrams per kilogram (mg/kg).
- Benzene, toluene, ethylbenzene, and total xylenes (BTEX): 50 mg/kg.
- TPH: 100 mg/kg (GRO + DRO + MRO).
- Chloride: 600 mg/kg.

#### **4.0 Liner Inspection Activities**

Before performing the liner inspection, the NMOCD division office was notified via email on November 16, 2022, per Subsection D of 19.15.29.12 NMAC. See Appendix B. On November 21, 2022, Carmona Resources, LLC conducted liner inspection activities to assess the liner's integrity within the facility and determined the liner was intact with no integrity issues. Refer to the Photolog.

#### **5.0 Conclusions**

Based on the liner inspection throughout the facility, no further actions are required at the site. The final C-141 is attached, and COG formally requests the closure of the spill. If you have any questions regarding this report or need additional information, don't hesitate to contact us at 432-813-1992.

Sincerely,

**Carmona Resources, LLC**



Mike Carmona  
Environmental Manager




Conner Moehring  
Sr. Project Manager


# FIGURES

CARMONA RESOURCES





<p>SITE OVERVIEW MAP COG OPERATING, LLC ADMIRAL FEDERAL COM 002H (11.07.22) EDDY COUNTY, NEW MEXICO 32.0941°, -103.9867°</p>	<p>CARMONA RESOURCES </p>	<p>FIGURE 1</p>
--	--	-----------------



TOPOGRAPHIC MAP  
COG OPERATING, LLC  
ADMIRAL FEDERAL COM 002H (11.07.22)  
EDDY COUNTY, NEW MEXICO  
32.0941°, -103.9867°



FIGURE 2



SECONDARY CONTAINMENT MAP  
COG OPERATING, LLC  
ADMIRAL FEDERAL COM 002H (11.07.22)  
EDDY COUNTY, NEW MEXICO  
32.0941°, -103.9867°



FIGURE 3

# APPENDIX A

CARMONA RESOURCES



# PHOTOGRAPHIC LOG


## Concho Operating, LLC

### Photograph No. 1

**Facility:** Admiral Federal Com 002H  
(11.07.22)

**County:** Eddy County, New Mexico

**Description:**  
View Northwest of the lined facility.




### Photograph No. 2

**Facility:** Admiral Federal Com 002H  
(11.07.22)

**County:** Eddy County, New Mexico

**Description:**  
View Northwest of the lined facility.



### Photograph No. 3

**Facility:** Admiral Federal Com 002H  
(11.07.22)

**County:** Eddy County, New Mexico

**Description:**  
View South of the lined facility.



# PHOTOGRAPHIC LOG

Concho Operating, LLC

## Photograph No. 4

**Facility:** Admiral Federal Com 002H  
(11.07.22)

**County:** Eddy County, New Mexico

**Description:**  
View South of the lined facility.



## Photograph No. 5

**Facility:** Admiral Federal Com 002H  
(11.07.22)

**County:** Eddy County, New Mexico

**Description:**  
View Southeast of the lined facility.



## APPENDIX B

CARMONA RESOURCES



District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
811 S. First St., Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural  
Resources Department  
  
Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-141  
Revised August 24, 2018  
Submit to appropriate OCD District office

Incident ID	
District RP	
Facility ID	
Application ID	

## Release Notification

### Responsible Party

Responsible Party	OGRID
Contact Name	Contact Telephone
Contact email	Incident # (assigned by OCD)
Contact mailing address	

### Location of Release Source

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_  
(NAD 83 in decimal degrees to 5 decimal places)

Site Name	Site Type
Date Release Discovered	API# (if applicable)

Unit Letter	Section	Township	Range	County

Surface Owner:  State  Federal  Tribal  Private (Name: \_\_\_\_\_)

### Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input type="checkbox"/> Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Produced Water	Volume Released (bbls)	Volume Recovered (bbls)
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release

Incident ID	
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC?  <input type="checkbox"/> Yes <input type="checkbox"/> No	If YES, for what reason(s) does the responsible party consider this a major release?
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?	

### Initial Response

*The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury*

<input type="checkbox"/> The source of the release has been stopped. <input type="checkbox"/> The impacted area has been secured to protect human health and the environment. <input type="checkbox"/> Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices. <input type="checkbox"/> All free liquids and recoverable materials have been removed and managed appropriately.
If all the actions described above have <u>not</u> been undertaken, explain why:
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.
Printed Name: _____ Title: _____ Signature:  _____ Date: _____ email: _____ Telephone: _____
<b><u>OCD Only</u></b> Received by: _____ Date: _____

## L48 Spill Volume Estimate Form

Facility Name &amp; Number: Admiral Fed Com 2H

Asset Area: California 3 Festival

*Received by OCD: 12/12/2022 9:35:48 AM**Page 15 of 32*

Release Discovery Date &amp; Time: 11/6/2022

Release Type: Produced Water

Provide any known details about the event: 2" reduce threads rotted resulting in 1" ball valve breaking off on overflow water tank

## Spill Calculation - On Pad Surface Pool Spill

Convert Irregular shape into a series of rectangles	Length (ft.)	Width (ft.)	Deepest point in each of the areas (in.)	No. of boundaries of "shore" in each area	Estimated <u>Pool</u> Area (sq. ft.)	Estimated Average Depth (ft.)	Estimated volume of each pool area (bbl.)	Penetration allowance (ft.)	Total Estimated Volume of Spill (bbl.)
Rectangle A	50.0	20.0	2.50	4	1000.000	0.052	9.271	0.003	9.295
Rectangle B					0.000	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Rectangle C					0.000	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Rectangle D					0.000	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Rectangle E					0.000	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Rectangle F					0.000	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Rectangle G					0.000	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Rectangle H					0.000	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Rectangle I					0.000	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!
Rectangle J					0.000	#DIV/0!	#DIV/0!	#DIV/0!	#DIV/0!

*Released to Imaging: 2/7/2023 12:18:41 PM*

Total Volume Release:

9.295

Incident ID	
District RP	
Facility ID	
Application ID	

## Site Assessment/Characterization

*This information must be provided to the appropriate district office no later than 90 days after the release discovery date.*

What is the shallowest depth to groundwater beneath the area affected by the release?	_____ (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Did the release impact areas <b>not</b> on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

**Characterization Report Checklist: Each of the following items must be included in the report.**

- Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- Field data
- Data table of soil contaminant concentration data
- Depth to water determination
- Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- Boring or excavation logs
- Photographs including date and GIS information
- Topographic/Aerial maps
- Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

State of New Mexico  
Oil Conservation Division

Page 4

Incident ID	
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: \_\_\_\_\_ Title: \_\_\_\_\_

Signature: Jocelyn Harimon Date: \_\_\_\_\_

email: \_\_\_\_\_ Telephone: \_\_\_\_\_

**OCD Only**

Received by: Jocelyn Harimon Date: 12/12/2022

Incident ID	
District RP	
Facility ID	
Application ID	

## Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

**Closure Report Attachment Checklist:** *Each of the following items must be included in the closure report.*

- A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: \_\_\_\_\_ Title: \_\_\_\_\_

Signature: Jacques Harimon Date: \_\_\_\_\_

email: \_\_\_\_\_ Telephone: \_\_\_\_\_

**OCD Only**

Received by: Jocelyn Harimon Date: 12/12/2022

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: Jennifer Nobui Date: \_\_\_\_\_

Printed Name: \_\_\_\_\_ Title: \_\_\_\_\_

---

**From:** Mike Carmona  
**Sent:** Wednesday, November 16, 2022 8:26 AM  
**To:** NMOCD Spill Notifications (OCD.Enviro@emnrd.nm.gov)  
**Cc:** Harris, Jacqui; Conner Moehring  
**Subject:** COG Admiral Federal Com 002H (11.07.22) Incident#-NAPP2231848433

Good Morning,

On behalf of COG, Carmona Resources will conduct a liner inspection at the below-referenced site on 11/21/2022. Please let me know if you have any questions.

COG Admiral Federal Com 002H (11.07.22)  
Incident#-NAPP2231848433

Mike J. Carmona  
310 West Wall Street, Suite 415  
Midland TX, 79701  
M: 432-813-1992  
[Mcarmona@carmonaresources.com](mailto:Mcarmona@carmonaresources.com)

CARMONA RESOURCES



## APPENDIX C

CARMONA RESOURCES




# Nearest water well

COG Operating

**Legend**

- 0.50 Mile Radius
- 1.06 Miles
- 1.98 Miles
- 2.43 Miles
- 2.44 Miles
- 2.45 Miles
- Admiral Federal Com 002H (11.07.2022)
- NMSEO Water Well
- USGS Water Well




# Medium Karst

COG Operating

**Legend**

- Admiral Federal Com 002H (11.07.2022)
- High
- Low
- Medium



Admiral Federal Com 002H (11.07.2022)



3 mi



# New Mexico Office of the State Engineer Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)  
(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	POD Sub-Code	basin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	Distance	Depth Well	Depth Water	Water Column
<a href="#">C 04473 POD1</a>	CUB	ED		3	4	3	33	25S	29E	595018	3549768	1657	110		
<a href="#">C 04558 POD1</a>	CUB	ED		3	4	3	23	25S	29E	598354	3553039	3236			
<a href="#">C 03508 POD1</a>	C	ED		1	3	3	05	26S	29E	593063	3548361	3903	140	75	65
<a href="#">C 01337</a>	C	ED			2	1	30	25S	29E	591926	3552642*	3920	180	30	150
<a href="#">C 03507 POD1</a>	C	ED		1	3	3	05	26S	29E	593064	3548313	3939	140	78	62
<a href="#">C 02371</a>	C	ED			2	3	15	25S	29E	596741	3555106*	3954	200	60	140
<a href="#">C 02680</a>	CUB	ED			2	3	15	25S	29E	596741	3555106*	3954	200		

Average Depth to Water: **60 feet**

Minimum Depth: **30 feet**

Maximum Depth: **78 feet**

**Record Count: 7**

**UTMNAD83 Radius Search (in meters):**

**Easting (X):** 595615

**Northing (Y):** 3551315

**Radius:** 4000

\*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



USGS Home  
 Contact USGS  
 Search USGS

National Water Information System: Web Interface

USGS Water Resources

Data Category:  Geographic Area:

Click to hide News Bulletins

- **ALERT!** USGS will be performing an upgrade to their network on **Thursday, November 17, 2022, starting at 10:00pm EST.** During the maintenance period, the Water Data for the Nation web portal and water services will be accessible; however, delivery of the most recent time-series data and WaterAlert notifications will be disrupted. The maintenance period is not expected to exceed 4 hours, after which the backlog of time-series data will be processed and delivered.
- [Water Data for the Nation Blog](#)

Groundwater levels for New Mexico

Click to hide state-specific text

**i** Important: [Next Generation Monitoring Location Page](#)

**Search Results -- 1 sites found**

Agency code = usgs  
 site\_no list = 

- 320532104001701

Minimum number of levels = 1  
[Save file of selected sites](#) to local disk for future upload

**USGS 320532104001701 25S.29E.32.21111**

Eddy County, New Mexico  
 Latitude 32°05'32", Longitude 104°00'17" NAD27  
 Land-surface elevation 2,988 feet above NAVD88  
 The depth of the well is 128 feet below land surface.  
 This well is completed in the Other aquifers (N9999OTHER) national aquifer.  
 This well is completed in the Rustler Formation (312RSLR) local aquifer.

**Output formats**

<a href="#">Table of data</a>
<a href="#">Tab-separated data</a>
<a href="#">Graph of data</a>
<a href="#">Reselect period</a>

Date	Time	? Water-level date-time accuracy	? Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	? Status	? Method of measurement	? Measuring agency	? Source measu
1949-03-11			D 62610		2871.10	NGVD29	1		Z	
1949-03-11			D 62611		2872.66	NAVD88	1		Z	
1949-03-11			D 72019	115.34			1		Z	
1958-08-19			D 62610		2887.81	NGVD29	1		Z	
1958-08-19			D 62611		2889.37	NAVD88	1		Z	
1958-08-19			D 72019	98.63			1		Z	
1959-03-24			D 62610		2887.84	NGVD29	1		Z	
1959-03-24			D 62611		2889.40	NAVD88	1		Z	
1959-03-24			D 72019	98.60			1		Z	
1978-01-13			D 62610		2891.21	NGVD29	1		Z	
1978-01-13			D 62611		2892.77	NAVD88	1		Z	
1978-01-13			D 72019	95.23			1		Z	
1983-02-01			D 62610		2890.81	NGVD29	1		Z	

Date	Time	? Water-level date-time accuracy	? Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	? Status	? Method of measurement	? Measuring agency	? Source measu
1983-02-01			D	62611		2892.37	NAVD88	1		Z
1983-02-01			D	72019	95.63			1		Z
1987-10-14			D	62610		2889.75	NGVD29	1		Z
1987-10-14			D	62611		2891.31	NAVD88	1		Z
1987-10-14			D	72019	96.69			1		Z
1988-04-06			D	62610		2889.51	NGVD29	1		Z
1988-04-06			D	62611		2891.07	NAVD88	1		Z
1988-04-06			D	72019	96.93			1		Z
1992-11-03			D	62610		2888.31	NGVD29	1		S
1992-11-03			D	62611		2889.87	NAVD88	1		S
1992-11-03			D	72019	98.13			1		S

Explanation

Section	Code	Description
Water-level date-time accuracy	D	Date is accurate to the Day
Parameter code	62610	Groundwater level above NGVD 1929, feet
Parameter code	62611	Groundwater level above NAVD 1988, feet
Parameter code	72019	Depth to water level, feet below land surface
Referenced vertical datum	NAVD88	North American Vertical Datum of 1988
Referenced vertical datum	NGVD29	National Geodetic Vertical Datum of 1929
Status	1	Static
Method of measurement	S	Steel-tape measurement.
Method of measurement	Z	Other.
Measuring agency		Not determined
Source of measurement		Not determined
Water-level approval status	A	Approved for publication -- Processing and review completed.

- [Questions about sites/data?](#)
- [Feedback on this web site](#)
- [Automated retrievals](#)
- [Help](#)
- [Data Tips](#)
- [Explanation of terms](#)
- [Subscribe for system changes](#)
- [News](#)

Accessibility FOIA Privacy Policies and Notices

U.S. Department of the Interior | U.S. Geological Survey

Title: Groundwater for New Mexico: Water Levels

URL: <https://nwis.waterdata.usgs.gov/nm/nwis/gwlevels?>



Page Contact Information: [New Mexico Water Data Maintainer](#)

Page Last Modified: 2022-11-16 09:42:46 EST

0.27 0.24 nadww02



USGS Home  
Contact USGS  
Search USGS

National Water Information System: Web Interface

USGS Water Resources

Data Category:  Geographic Area:

Click to hide News Bulletins

- **ALERT!** USGS will be performing an upgrade to their network on **Thursday, November 17, 2022, starting at 10:00pm EST.** During the maintenance period, the Water Data for the Nation web portal and water services will be accessible; however, delivery of the most recent time-series data and WaterAlert notifications will be disrupted. The maintenance period is not expected to exceed 4 hours, after which the backlog of time-series data will be processed and delivered.
- [Water Data for the Nation Blog](#)

Groundwater levels for New Mexico

Click to hide state-specific text

**i** Important: [Next Generation Monitoring Location Page](#)

**Search Results -- 1 sites found**

Agency code = usgs  
site\_no list =  
• 320719103584601

Minimum number of levels = 1  
[Save file of selected sites](#) to local disk for future upload

**USGS 320719103584601 25S.29E.16.44444**

Eddy County, New Mexico  
Latitude 32°07'19", Longitude 103°58'46" NAD27  
Land-surface elevation 3,042 feet above NAVD88  
The depth of the well is 200 feet below land surface.  
This well is completed in the Other aquifers (N9999OTHER) national aquifer.  
This well is completed in the Rustler Formation (312RSLR) local aquifer.

**Output formats**

<a href="#">Table of data</a>
<a href="#">Tab-separated data</a>
<a href="#">Graph of data</a>
<a href="#">Reselect period</a>

Date	Time	? Water-level date-time accuracy	? Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	? Status	? Method of measurement	? Measuring agency	? Source measu
1958-08-19			D 62610		2870.28	NGVD29	1		Z	
1958-08-19			D 62611		2871.86	NAVD88	1		Z	
1958-08-19			D 72019	170.14			1		Z	
1958-10-23			D 62610		2869.62	NGVD29	1		Z	
1958-10-23			D 62611		2871.20	NAVD88	1		Z	
1958-10-23			D 72019	170.80			1		Z	
1975-12-09			D 62610		2875.47	NGVD29	1		S	
1975-12-09			D 62611		2877.05	NAVD88	1		S	
1975-12-09			D 72019	164.95			1		S	
1976-01-16			D 62610		2873.30	NGVD29	1		S	
1976-01-16			D 62611		2874.88	NAVD88	1		S	
1976-01-16			D 72019	167.12			1		S	
1977-01-14			D 62610		2875.37	NGVD29	1		S	

Date	Time	? Water-level date-time accuracy	? Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	? Status	? Method of measurement	? Measuring agency	? Source measur
1977-01-14			D	62611	2876.95	NAVD88	1		S	
1977-01-14			D	72019	165.05		1		S	

Explanation

Section	Code	Description
Water-level date-time accuracy	D	Date is accurate to the Day
Parameter code	62610	Groundwater level above NGVD 1929, feet
Parameter code	62611	Groundwater level above NAVD 1988, feet
Parameter code	72019	Depth to water level, feet below land surface
Referenced vertical datum	NAVD88	North American Vertical Datum of 1988
Referenced vertical datum	NGVD29	National Geodetic Vertical Datum of 1929
Status	1	Static
Method of measurement	S	Steel-tape measurement.
Method of measurement	Z	Other.
Measuring agency		Not determined
Source of measurement		Not determined
Water-level approval status	A	Approved for publication -- Processing and review completed.

- [Questions about sites/data?](#)
- [Feedback on this web site](#)
- [Automated retrievals](#)
- [Help](#)
- [Data Tips](#)
- [Explanation of terms](#)
- [Subscribe for system changes](#)
- [News](#)

Accessibility    FOIA    Privacy    Policies and Notices

[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)

**Title: Groundwater for New Mexico: Water Levels**

**URL: <https://nwis.waterdata.usgs.gov/nm/nwis/gwlevels?>**



Page Contact Information: [New Mexico Water Data Maintainer](#)

Page Last Modified: 2022-11-16 09:44:30 EST

0.27 0.23 nadww02



# New Mexico Office of the State Engineer

## Point of Diversion Summary

<b>Well Tag</b>	<b>POD Number</b>	(quarters are 1=NW 2=NE 3=SW 4=SE)				(NAD83 UTM in meters)				
		(quarters are smallest to largest)	Q64	Q16	Q4	Sec	Tws	Rng	X	Y
	C 03508 POD1	1	3	3	05	26S	29E	593063	3548361	

<b>Driller License:</b> 1058	<b>Driller Company:</b> KEY'S DRILLING & PUMP SERVICE	
<b>Driller Name:</b> KEY, CLINTON		
<b>Drill Start Date:</b> 08/24/2011	<b>Drill Finish Date:</b> 08/24/2011	<b>Plug Date:</b>
<b>Log File Date:</b> 09/12/2011	<b>PCW Rev Date:</b>	<b>Source:</b> Shallow
<b>Pump Type:</b> SUBMER	<b>Pipe Discharge Size:</b>	<b>Estimated Yield:</b> 40 GPM
<b>Casing Size:</b> 6.00	<b>Depth Well:</b> 140 feet	<b>Depth Water:</b> 75 feet

Water Bearing Stratifications:	Top	Bottom	Description
	75	76	Shale/Mudstone/Siltstone

Casing Perforations:	Top	Bottom
	65	105

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

11/16/22 7:34 AM

POINT OF DIVERSION SUMMARY



# New Mexico Office of the State Engineer

## Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)  
 (quarters are smallest to largest) (NAD83 UTM in meters)

<b>Well Tag</b>	<b>POD Number</b>	<b>Q64</b>	<b>Q16</b>	<b>Q4</b>	<b>Sec</b>	<b>Tw</b>	<b>Rng</b>	<b>X</b>	<b>Y</b>
C	01337	2	1	30	25S	29E	591926	3552642*	

<b>Driller License:</b> 24	<b>Driller Company:</b> BRININSTOOL, M.D.	
<b>Driller Name:</b> HOWARD HEMLER		
<b>Drill Start Date:</b> 08/25/1966	<b>Drill Finish Date:</b> 08/30/1966	<b>Plug Date:</b>
<b>Log File Date:</b> 01/26/1967	<b>PCW Rev Date:</b>	<b>Source:</b> Shallow
<b>Pump Type:</b>	<b>Pipe Discharge Size:</b>	<b>Estimated Yield:</b>
<b>Casing Size:</b> 7.00	<b>Depth Well:</b> 180 feet	<b>Depth Water:</b> 30 feet

<b>Water Bearing Stratifications:</b>	<b>Top</b>	<b>Bottom</b>	<b>Description</b>
	73	93	Sandstone/Gravel/Conglomerate
	163	172	Sandstone/Gravel/Conglomerate

<b>Casing Perforations:</b>	<b>Top</b>	<b>Bottom</b>
	163	172

\*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

11/16/22 7:36 AM

POINT OF DIVERSION SUMMARY



# New Mexico Office of the State Engineer

## Point of Diversion Summary

		(quarters are 1=NW 2=NE 3=SW 4=SE)						
<b>Well Tag</b>	<b>POD Number</b>							
		(quarters are smallest to largest)	(NAD83 UTM in meters)					
		<b>Q64 Q16 Q4 Sec TwS Rng</b>	<b>X Y</b>					
	C 03507 POD1	1 3 3 05 26S 29E	593064 3548313					

<b>Driller License:</b> 1058	<b>Driller Company:</b> KEY'S DRILLING & PUMP SERVICE	
<b>Driller Name:</b> KEY, CLINTON		
<b>Drill Start Date:</b> 08/26/2011	<b>Drill Finish Date:</b> 08/26/2011	<b>Plug Date:</b>
<b>Log File Date:</b> 09/12/2011	<b>PCW Rev Date:</b>	<b>Source:</b> Shallow
<b>Pump Type:</b> SUBMER	<b>Pipe Discharge Size:</b>	<b>Estimated Yield:</b> 35 GPM
<b>Casing Size:</b> 6.00	<b>Depth Well:</b> 140 feet	<b>Depth Water:</b> 78 feet

Water Bearing Stratifications:	Top	Bottom	Description
	78	79	Shale/Mudstone/Siltstone
	105	106	Sandstone/Gravel/Conglomerate


Casing Perforations:	Top	Bottom
	75	112

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.


11/16/22 7:38 AM

POINT OF DIVERSION SUMMARY

# New Mexico NFHL Data



November 16, 2022



FEMA, Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey,

[nmflood.org](http://nmflood.org) is made possible through a collaboration with NMDHSEM,

This is a non-regulatory product for informational use only. Please consult your local floodplain administrator for further information.

**District I**  
 1625 N. French Dr., Hobbs, NM 88240  
 Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
 811 S. First St., Artesia, NM 88210  
 Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
 1220 S. St Francis Dr., Santa Fe, NM 87505  
 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 165993

**CONDITIONS**

Operator: COG OPERATING LLC 600 W Illinois Ave Midland, TX 79701	OGRID: 229137
	Action Number: 165993
	Action Type: [C-141] Release Corrective Action (C-141)

**CONDITIONS**

Created By	Condition	Condition Date
jnobui	Closure Report Approved.	2/7/2023