



www.permianls.com  
575.397.3713 2609 W Marland Hobbs NM 88240

## C6+ Gas Analysis Report

|                                 |                           |                                          |                        |
|---------------------------------|---------------------------|------------------------------------------|------------------------|
| <b>14014G</b>                   | <b>Carnival Sales</b>     | <b>Carnival Sales</b>                    |                        |
| Sample Point Code               | Sample Point Name         | Sample Point Location                    |                        |
| <b>Laboratory Services</b>      | <b>2022052712</b>         | <b>1386</b>                              | <b>DB - Spot</b>       |
| Source Laboratory               | Lab File No               | Container Identity                       | Sampler                |
| <b>USA</b>                      | <b>USA</b>                | <b>USA</b>                               | <b>New Mexico</b>      |
| District                        | Area Name                 | Field Name                               | Facility Name          |
| <b>Mar 29, 2022 13:27</b>       | <b>Mar 29, 2022 13:27</b> | <b>Mar 30, 2022 09:41</b>                | <b>Mar 30, 2022</b>    |
| Date Sampled                    | Date Effective            | Date Received                            | Date Reported          |
| <b>75.00</b>                    | <b>8,456.00</b>           | <b>System Administrator</b>              |                        |
| Ambient Temp (°F)               | Flow Rate (Mcf)           | Analyst                                  |                        |
|                                 |                           | <b>151 @ 106</b>                         |                        |
|                                 |                           | Press PSI @ Temp °F<br>Source Conditions |                        |
| <b>Franklin Mountain Energy</b> |                           |                                          | <b>BH</b>              |
| Operator                        |                           |                                          | Lab Source Description |

| Component          | Normalized Mol % | Un-Normalized Mol % | GPM    |
|--------------------|------------------|---------------------|--------|
| H2S (H2S)          | 0.0000           | 0                   |        |
| Nitrogen (N2)      | 2.6450           | 2.645               |        |
| CO2 (CO2)          | 0.6400           | 0.64                |        |
| Methane (C1)       | 71.9270          | 71.928              |        |
| Ethane (C2)        | 12.5420          | 12.542              | 3.3350 |
| Propane (C3)       | 6.8880           | 6.888               | 1.8870 |
| I-Butane (IC4)     | 0.8310           | 0.831               | 0.2700 |
| N-Butane (NC4)     | 2.1420           | 2.142               | 0.6710 |
| I-Pentane (IC5)    | 0.5370           | 0.537               | 0.1950 |
| N-Pentane (NC5)    | 0.5270           | 0.527               | 0.1900 |
| Hexanes Plus (C6+) | 1.3210           | 1.321               | 0.5700 |
| TOTAL              | 100.0000         | 100.0010            | 7.1180 |

Method(s): Gas C6+ - GPA 2261, Extended Gas - GPA 2286, Calculations - GPA 2172

| Analyzer Information |                   |                |              |
|----------------------|-------------------|----------------|--------------|
| Device Type:         | Gas Chromatograph | Device Make:   | Shimadzu     |
| Device Model:        | GC-2014           | Last Cal Date: | Jan 24, 2022 |

| Gross Heating Values (Real, BTU/ft³)          |              |                        |           |
|-----------------------------------------------|--------------|------------------------|-----------|
| 14.696 PSI @ 60.00 Å°F                        |              | 14.65 PSI @ 60.00 Å°F  |           |
| Dry                                           | Saturated    | Dry                    | Saturated |
| 1,333.7                                       | 1,312.2      | 1,329.5                | 1,308.1   |
| Calculated Total Sample Properties            |              |                        |           |
| GPA2145-16 *Calculated at Contract Conditions |              |                        |           |
| Relative Density Real                         |              | Relative Density Ideal |           |
| 0.8006                                        |              | 0.7975                 |           |
| Molecular Weight                              |              |                        |           |
| 23.0967                                       |              |                        |           |
| C6+ Group Properties                          |              |                        |           |
| Assumed Composition                           |              |                        |           |
| C6 - 60.000%                                  | C7 - 30.000% | C8 - 10.000%           |           |
| Field H2S                                     |              |                        |           |
| 0 PPM                                         |              |                        |           |

**PROTREND STATUS:**

Passed By Validator on Mar 31, 2022

**DATA SOURCE:**

Imported

**PASSED BY VALIDATOR REASON:**

First sample taken @ this point, composition looks reasonable

**VALIDATOR:**

Brooke Rush

**VALIDATOR COMMENTS:**

OK

| Operator | CTB         | Event  | Start Time      | End Time        | Duration (Hr) | Total (MCF) |
|----------|-------------|--------|-----------------|-----------------|---------------|-------------|
| FME      | Green Light | 50 MCF | 1/26/2023 3:25  | 1/26/2023 3:31  | 0.09          | 60.39       |
| FME      | Green Light | 50 MCF | 1/26/2023 3:35  | 1/26/2023 3:42  | 0.11          | 64.39       |
| FME      | Green Light | 50 MCF | 1/26/2023 3:44  | 1/26/2023 3:50  | 0.09          | 59.44       |
| FME      | Green Light | 50 MCF | 1/26/2023 3:52  | 1/26/2023 3:57  | 0.08          | 52.84       |
| FME      | Green Light | 50 MCF | 1/26/2023 4:00  | 1/26/2023 4:05  | 0.09          | 62.98       |
| FME      | Green Light | 50 MCF | 1/26/2023 4:10  | 1/26/2023 4:16  | 0.1           | 50.25       |
| FME      | Green Light | 50 MCF | 1/26/2023 4:23  | 1/26/2023 4:28  | 0.09          | 65.11       |
| FME      | Green Light | 50 MCF | 1/26/2023 4:29  | 1/26/2023 4:38  | 0.16          | 97.34       |
| FME      | Green Light | 50 MCF | 1/26/2023 4:39  | 1/26/2023 4:45  | 0.11          | 73.06       |
| FME      | Green Light | 50 MCF | 1/26/2023 4:58  | 1/26/2023 5:03  | 0.08          | 55.94       |
| FME      | Green Light | 50 MCF | 1/26/2023 5:07  | 1/26/2023 5:19  | 0.21          | 63.83       |
| FME      | Green Light | 50 MCF | 1/26/2023 5:24  | 1/26/2023 5:33  | 0.14          | 62.45       |
| FME      | Green Light | 50 MCF | 1/26/2023 5:33  | 1/26/2023 5:40  | 0.11          | 63.73       |
| FME      | Green Light | 50 MCF | 1/26/2023 5:41  | 1/26/2023 5:52  | 0.19          | 69.42       |
| FME      | Paul Foster | 50 MCF | 1/26/2023 8:01  | 1/26/2023 9:25  | 1.39          | 341.67      |
| FME      | Green Light | 50 MCF | 1/26/2023 8:25  | 1/26/2023 9:03  | 0.63          | 301.73      |
| FME      | Green Light | 50 MCF | 1/26/2023 9:50  | 1/26/2023 9:54  | 0.07          | 50.73       |
| FME      | Green Light | 50 MCF | 1/26/2023 10:07 | 1/26/2023 10:14 | 0.11          | 56.38       |
| FME      | Green Light | 50 MCF | 1/26/2023 10:15 | 1/26/2023 10:20 | 0.09          | 62.11       |
| FME      | LOE         | 50 MCF | 1/26/2023 10:16 | 1/26/2023 10:23 | 0.11          | 52.02       |
| FME      | Green Light | 50 MCF | 1/26/2023 10:21 | 1/26/2023 10:26 | 0.09          | 52.66       |
| FME      | Green Light | 50 MCF | 1/26/2023 10:27 | 1/26/2023 10:32 | 0.09          | 53.11       |
| FME      | Green Light | 50 MCF | 1/26/2023 10:33 | 1/26/2023 10:37 | 0.08          | 54.8        |
| FME      | Green Light | 50 MCF | 1/26/2023 10:54 | 1/26/2023 11:00 | 0.09          | 50.83       |
| FME      | Green Light | 50 MCF | 1/26/2023 11:02 | 1/26/2023 11:07 | 0.09          | 51.61       |
| FME      | Green Light | 50 MCF | 1/26/2023 11:08 | 1/26/2023 11:13 | 0.09          | 57.64       |
| FME      | Green Light | 50 MCF | 1/26/2023 11:14 | 1/26/2023 11:21 | 0.1           | 51.11       |
| FME      | Green Light | 50 MCF | 1/26/2023 11:22 | 1/26/2023 11:28 | 0.1           | 54.02       |
| FME      | Green Light | 50 MCF | 1/26/2023 11:29 | 1/26/2023 11:35 | 0.09          | 54.23       |
| FME      | Green Light | 50 MCF | 1/26/2023 11:36 | 1/26/2023 11:43 | 0.13          | 60.72       |
| FME      | Green Light | 50 MCF | 1/26/2023 11:44 | 1/26/2023 11:50 | 0.1           | 83.86       |
| FME      | Green Light | 50 MCF | 1/26/2023 11:50 | 1/26/2023 11:56 | 0.09          | 77.94       |
| FME      | Green Light | 50 MCF | 1/26/2023 11:56 | 1/26/2023 12:01 | 0.09          | 81.09       |
| FME      | Green Light | 50 MCF | 1/26/2023 12:02 | 1/26/2023 12:07 | 0.09          | 84.64       |
| FME      | Green Light | 50 MCF | 1/26/2023 12:08 | 1/26/2023 12:13 | 0.09          | 73.08       |
| FME      | Green Light | 50 MCF | 1/26/2023 12:14 | 1/26/2023 12:22 | 0.13          | 97.59       |
| FME      | Green Light | 50 MCF | 1/26/2023 12:22 | 1/26/2023 12:28 | 0.11          | 85.25       |
| FME      | Green Light | 50 MCF | 1/26/2023 12:28 | 1/26/2023 12:46 | 0.29          | 167.8       |
| FME      | Green Light | 50 MCF | 1/26/2023 12:46 | 1/26/2023 12:52 | 0.09          | 71.38       |
| FME      | Green Light | 50 MCF | 1/26/2023 12:52 | 1/26/2023 13:00 | 0.12          | 91.17       |
| FME      | LOE         | 50 MCF | 1/26/2023 12:56 | 1/26/2023 13:02 | 0.1           | 56.63       |
| FME      | Green Light | 50 MCF | 1/26/2023 13:00 | 1/26/2023 13:05 | 0.09          | 69.22       |
| FME      | Green Light | 50 MCF | 1/26/2023 13:05 | 1/26/2023 13:11 | 0.1           | 78.03       |
| FME      | Green Light | 50 MCF | 1/26/2023 13:11 | 1/26/2023 13:22 | 0.18          | 136.83      |
| FME      | Green Light | 50 MCF | 1/26/2023 13:23 | 1/26/2023 13:33 | 0.17          | 112.73      |
| FME      | Green Light | 50 MCF | 1/26/2023 13:33 | 1/26/2023 13:42 | 0.14          | 108.42      |

|     |             |        |                 |                 |      |        |
|-----|-------------|--------|-----------------|-----------------|------|--------|
| FME | Green Light | 50 MCF | 1/26/2023 13:42 | 1/26/2023 13:47 | 0.09 | 73.91  |
| FME | Green Light | 50 MCF | 1/26/2023 13:48 | 1/26/2023 13:57 | 0.16 | 128.77 |
| FME | Green Light | 50 MCF | 1/26/2023 13:58 | 1/26/2023 14:03 | 0.09 | 72.05  |
| FME | Green Light | 50 MCF | 1/26/2023 14:03 | 1/26/2023 14:10 | 0.12 | 87.73  |
| FME | Green Light | 50 MCF | 1/26/2023 14:11 | 1/26/2023 14:20 | 0.15 | 101.77 |
| FME | Green Light | 50 MCF | 1/26/2023 14:20 | 1/26/2023 14:37 | 0.29 | 182.91 |
| FME | Green Light | 50 MCF | 1/26/2023 14:38 | 1/26/2023 14:57 | 0.33 | 201.36 |
| FME | Carnival    | 50 MCF | 1/26/2023 14:42 | 1/26/2023 15:02 | 0.32 | 56.44  |
| FME | Green Light | 50 MCF | 1/26/2023 14:58 | 1/26/2023 15:34 | 0.61 | 314.53 |
| FME | Carnival    | 50 MCF | 1/26/2023 15:29 | 1/26/2023 15:53 | 0.4  | 54.22  |
| FME | Green Light | 50 MCF | 1/26/2023 15:35 | 1/26/2023 15:51 | 0.27 | 162.67 |
| FME | Green Light | 50 MCF | 1/26/2023 15:51 | 1/26/2023 15:58 | 0.12 | 93.27  |
| FME | Green Light | 50 MCF | 1/26/2023 15:59 | 1/26/2023 16:12 | 0.22 | 149.02 |
| FME | Carnival    | 50 MCF | 1/26/2023 16:01 | 1/26/2023 16:28 | 0.44 | 68.72  |
| FME | Green Light | 50 MCF | 1/26/2023 16:12 | 1/26/2023 16:24 | 0.2  | 143.23 |
| FME | Green Light | 50 MCF | 1/26/2023 16:24 | 1/26/2023 16:30 | 0.1  | 74.34  |
| FME | LOE         | 50 MCF | 1/26/2023 16:31 | 1/26/2023 16:42 | 0.19 | 84.67  |
| FME | Green Light | 50 MCF | 1/26/2023 16:31 | 1/26/2023 16:55 | 0.4  | 148.5  |
| FME | Carnival    | 50 MCF | 1/26/2023 19:14 | 1/26/2023 19:41 | 0.44 | 61.84  |
| FME | Carnival    | 50 MCF | 1/26/2023 19:52 | 1/26/2023 20:43 | 0.85 | 129.91 |
| FME | Carnival    | 50 MCF | 1/26/2023 21:23 | 1/26/2023 21:42 | 0.32 | 54.5   |
| FME | Carnival    | 50 MCF | 1/27/2023 12:38 | 1/27/2023 13:11 | 0.54 | 81.5   |
| FME | LOE         | 50 MCF | 1/27/2023 12:59 | 1/27/2023 13:12 | 0.21 | 61.32  |
| FME | LOE         | 50 MCF | 1/27/2023 13:13 | 1/27/2023 13:23 | 0.17 | 53.45  |
| FME | LOE         | 50 MCF | 1/27/2023 13:35 | 1/27/2023 13:53 | 0.29 | 67.25  |
| FME | Green Light | 50 MCF | 1/27/2023 13:37 | 1/27/2023 14:21 | 0.74 | 248.2  |
| FME | LOE         | 50 MCF | 1/27/2023 14:19 | 1/27/2023 14:48 | 0.48 | 111.48 |
| FME | Carnival    | 50 MCF | 1/27/2023 14:21 | 1/27/2023 14:46 | 0.42 | 71.66  |
| FME | Green Light | 50 MCF | 1/27/2023 14:22 | 1/27/2023 14:32 | 0.17 | 86.22  |
| FME | Green Light | 50 MCF | 1/27/2023 14:33 | 1/27/2023 14:52 | 0.33 | 145.94 |
| FME | Carnival    | 50 MCF | 1/27/2023 14:58 | 1/27/2023 15:21 | 0.37 | 64.5   |
| FME | Green Light | 50 MCF | 1/27/2023 15:04 | 1/27/2023 15:12 | 0.12 | 65.44  |
| FME | Green Light | 50 MCF | 1/27/2023 15:12 | 1/27/2023 15:49 | 0.62 | 204.98 |
| FME | Green Light | 50 MCF | 1/27/2023 15:54 | 1/27/2023 16:07 | 0.21 | 84.05  |
| FME | Green Light | 50 MCF | 1/27/2023 16:07 | 1/27/2023 16:16 | 0.14 | 72.45  |
| FME | Green Light | 50 MCF | 1/27/2023 16:19 | 1/27/2023 16:28 | 0.15 | 78.72  |
| FME | Green Light | 50 MCF | 1/27/2023 16:29 | 1/27/2023 16:34 | 0.09 | 51.38  |
| FME | Green Light | 50 MCF | 1/27/2023 16:37 | 1/27/2023 16:43 | 0.1  | 58.72  |
| FME | Green Light | 50 MCF | 1/27/2023 16:46 | 1/27/2023 16:51 | 0.09 | 56.97  |
| FME | FMM         | 50 MCF | 1/27/2023 16:59 | 1/27/2023 17:46 | 0.78 | 249.78 |
| FME | FMM         | 50 MCF | 1/27/2023 17:00 | 1/27/2023 17:46 | 0.77 | 157.21 |
| FME | Green Light | 50 MCF | 1/27/2023 17:02 | 1/27/2023 17:12 | 0.15 | 60.31  |
| FME | Green Light | 50 MCF | 1/27/2023 17:15 | 1/27/2023 17:21 | 0.11 | 59.69  |
| FME | Green Light | 50 MCF | 1/27/2023 17:24 | 1/27/2023 17:30 | 0.1  | 58.28  |
| FME | Green Light | 50 MCF | 1/27/2023 17:37 | 1/27/2023 17:59 | 0.38 | 119.28 |
| FME | Green Light | 50 MCF | 1/27/2023 18:00 | 1/27/2023 18:05 | 0.08 | 55.06  |
| FME | Carnival    | 50 MCF | 1/27/2023 18:22 | 1/27/2023 18:46 | 0.4  | 65.16  |

|     |             |        |                 |                 |      |        |
|-----|-------------|--------|-----------------|-----------------|------|--------|
| FME | Green Light | 50 MCF | 1/27/2023 18:48 | 1/27/2023 18:53 | 0.09 | 52.91  |
| FME | Green Light | 50 MCF | 1/27/2023 18:54 | 1/27/2023 19:00 | 0.09 | 51.06  |
| FME | Carnival    | 50 MCF | 1/27/2023 18:57 | 1/27/2023 19:23 | 0.43 | 78.78  |
| FME | Green Light | 50 MCF | 1/27/2023 19:06 | 1/27/2023 19:13 | 0.11 | 61.53  |
| FME | Carnival    | 50 MCF | 1/28/2023 0:52  | 1/28/2023 1:20  | 0.46 | 72.75  |
| FME | Green Light | 50 MCF | 1/28/2023 1:54  | 1/28/2023 2:04  | 0.16 | 62.25  |
| FME | Carnival    | 50 MCF | 1/28/2023 10:18 | 1/28/2023 10:55 | 0.62 | 63.44  |
| FME | Carnival    | 50 MCF | 1/28/2023 11:16 | 1/28/2023 11:46 | 0.51 | 75.38  |
| FME | Colorado    | 50 MCF | 1/28/2023 11:33 | 1/28/2023 11:38 | 0.09 | 53.23  |
| FME | Colorado    | 50 MCF | 1/28/2023 12:05 | 1/28/2023 12:09 | 0.07 | 57.1   |
| FME | Green Light | 50 MCF | 1/28/2023 13:05 | 1/28/2023 13:13 | 0.13 | 54.53  |
| FME | Carnival    | 50 MCF | 1/28/2023 13:09 | 1/28/2023 13:55 | 0.77 | 119.59 |
| FME | Green Light | 50 MCF | 1/28/2023 13:21 | 1/28/2023 13:27 | 0.09 | 54.12  |
| FME | Green Light | 50 MCF | 1/28/2023 13:44 | 1/28/2023 13:59 | 0.25 | 100.62 |
| FME | Colorado    | 50 MCF | 1/28/2023 13:47 | 1/28/2023 13:51 | 0.07 | 53.95  |
| FME | Green Light | 50 MCF | 1/28/2023 14:00 | 1/28/2023 14:05 | 0.1  | 61.41  |
| FME | Carnival    | 50 MCF | 1/28/2023 14:00 | 1/28/2023 14:24 | 0.41 | 67.75  |
| FME | Green Light | 50 MCF | 1/28/2023 14:06 | 1/28/2023 14:11 | 0.09 | 51.47  |
| FME | Colorado    | 50 MCF | 1/28/2023 14:19 | 1/28/2023 14:26 | 0.11 | 60.84  |
| FME | Green Light | 50 MCF | 1/28/2023 14:20 | 1/28/2023 14:42 | 0.37 | 87.22  |
| FME | Carnival    | 50 MCF | 1/28/2023 14:27 | 1/28/2023 14:55 | 0.47 | 71.31  |
| FME | Green Light | 50 MCF | 1/28/2023 14:43 | 1/28/2023 14:49 | 0.1  | 52.81  |
| FME | Green Light | 50 MCF | 1/28/2023 14:57 | 1/28/2023 15:31 | 0.57 | 108.03 |
| FME | Green Light | 50 MCF | 1/28/2023 15:34 | 1/28/2023 15:58 | 0.41 | 79.53  |
| FME | FMM         | 50 MCF | 1/29/2023 5:46  | 1/29/2023 6:17  | 0.52 | 146.35 |
| FME | FMM         | 50 MCF | 1/29/2023 5:59  | 1/29/2023 6:33  | 0.57 | 126.9  |
| FME | Green Light | 50 MCF | 1/29/2023 6:54  | 1/29/2023 6:58  | 0.07 | 54.16  |
| FME | Green Light | 50 MCF | 1/29/2023 6:59  | 1/29/2023 7:03  | 0.08 | 57.47  |
| FME | Green Light | 50 MCF | 1/29/2023 7:03  | 1/29/2023 7:08  | 0.08 | 62.81  |
| FME | Green Light | 50 MCF | 1/29/2023 7:09  | 1/29/2023 7:18  | 0.16 | 94.44  |
| FME | Green Light | 50 MCF | 1/29/2023 7:19  | 1/29/2023 7:57  | 0.64 | 179.81 |
| FME | Green Light | 50 MCF | 1/29/2023 8:03  | 1/29/2023 8:31  | 0.46 | 54.84  |
| FME | Green Light | 50 MCF | 1/29/2023 13:05 | 1/29/2023 13:12 | 0.11 | 59.97  |
| FME | Carnival    | 50 MCF | 1/30/2023 5:43  | 1/30/2023 6:10  | 0.45 | 75.03  |
| FME | Colorado    | 50 MCF | 1/30/2023 5:49  | 1/30/2023 6:04  | 0.25 | 80.57  |
| FME | Carnival    | 50 MCF | 1/30/2023 6:13  | 1/30/2023 6:41  | 0.48 | 69.94  |
| FME | Colorado    | 50 MCF | 1/30/2023 6:23  | 1/30/2023 6:36  | 0.23 | 76.81  |
| FME | Colorado    | 50 MCF | 1/30/2023 6:48  | 1/30/2023 7:04  | 0.27 | 94.52  |
| FME | Green Light | 50 MCF | 1/30/2023 7:13  | 1/30/2023 7:33  | 0.33 | 65.47  |
| FME | Colorado    | 50 MCF | 1/30/2023 7:18  | 1/30/2023 7:33  | 0.25 | 69.81  |
| FME | Green Light | 50 MCF | 1/30/2023 7:46  | 1/30/2023 8:04  | 0.3  | 51.56  |
| FME | Carnival    | 50 MCF | 1/30/2023 8:12  | 1/30/2023 8:34  | 0.37 | 61.66  |
| FME | Carnival    | 50 MCF | 1/30/2023 9:12  | 1/30/2023 9:36  | 0.39 | 71.22  |
| FME | Carnival    | 50 MCF | 1/30/2023 9:37  | 1/30/2023 10:01 | 0.4  | 71.84  |
| FME | Green Light | 50 MCF | 1/30/2023 22:52 | 1/30/2023 22:58 | 0.1  | 86.81  |
| FME | Green Light | 50 MCF | 1/30/2023 22:58 | 1/30/2023 23:04 | 0.1  | 94.44  |
| FME | Carnival    | 50 MCF | 1/30/2023 23:01 | 1/30/2023 23:19 | 0.29 | 55.91  |

|     |             |        |                 |                 |      |        |
|-----|-------------|--------|-----------------|-----------------|------|--------|
| FME | Green Light | 50 MCF | 1/30/2023 23:04 | 1/30/2023 23:11 | 0.1  | 98.91  |
| FME | Green Light | 50 MCF | 1/30/2023 23:11 | 1/30/2023 23:16 | 0.09 | 88.75  |
| FME | Green Light | 50 MCF | 1/30/2023 23:17 | 1/30/2023 23:22 | 0.09 | 80.16  |
| FME | Green Light | 50 MCF | 1/30/2023 23:22 | 1/30/2023 23:28 | 0.09 | 73.88  |
| FME | Carnival    | 50 MCF | 1/30/2023 23:25 | 1/30/2023 23:48 | 0.39 | 60.12  |
| FME | Green Light | 50 MCF | 1/31/2023 10:53 | 1/31/2023 10:56 | 0.06 | 50.72  |
| FME | Green Light | 50 MCF | 1/31/2023 11:02 | 1/31/2023 11:07 | 0.08 | 55.69  |
| FME | Green Light | 50 MCF | 1/31/2023 12:25 | 1/31/2023 12:31 | 0.09 | 85     |
| FME | Green Light | 50 MCF | 1/31/2023 12:31 | 1/31/2023 12:37 | 0.11 | 110.66 |
| FME | Green Light | 50 MCF | 1/31/2023 12:38 | 1/31/2023 12:44 | 0.11 | 118.03 |
| FME | LOE         | 50 MCF | 1/31/2023 13:39 | 1/31/2023 14:19 | 0.67 | 203.15 |
| FME | Green Light | 50 MCF | 1/31/2023 13:59 | 1/31/2023 14:05 | 0.1  | 94.97  |
| FME | Green Light | 50 MCF | 1/31/2023 14:05 | 1/31/2023 14:11 | 0.1  | 101.12 |
| FME | Green Light | 50 MCF | 1/31/2023 14:12 | 1/31/2023 14:17 | 0.09 | 85.03  |
| FME | Green Light | 50 MCF | 1/31/2023 14:17 | 1/31/2023 14:23 | 0.1  | 91.91  |
| FME | FMM         | 50 MCF | 1/31/2023 14:23 | 1/31/2023 15:07 | 0.75 | 141.01 |
| FME | Green Light | 50 MCF | 1/31/2023 14:24 | 1/31/2023 14:30 | 0.11 | 80.81  |
| FME | Green Light | 50 MCF | 1/31/2023 14:31 | 1/31/2023 14:37 | 0.11 | 105.22 |
| FME | Green Light | 50 MCF | 1/31/2023 14:37 | 1/31/2023 14:43 | 0.1  | 102.53 |
| FME | Green Light | 50 MCF | 1/31/2023 14:44 | 1/31/2023 14:49 | 0.09 | 75.22  |
| FME | Green Light | 50 MCF | 1/31/2023 14:49 | 1/31/2023 14:54 | 0.09 | 74.41  |
| FME | Green Light | 50 MCF | 1/31/2023 14:55 | 1/31/2023 15:00 | 0.09 | 71.94  |
| FME | Green Light | 50 MCF | 1/31/2023 15:01 | 1/31/2023 15:07 | 0.11 | 75.09  |
| FME | Green Light | 50 MCF | 1/31/2023 15:07 | 1/31/2023 15:13 | 0.1  | 79.78  |
| FME | FMM         | 50 MCF | 1/31/2023 15:08 | 1/31/2023 15:40 | 0.52 | 107.77 |
| FME | Green Light | 50 MCF | 1/31/2023 15:14 | 1/31/2023 15:19 | 0.09 | 83.75  |
| FME | Green Light | 50 MCF | 1/31/2023 15:19 | 1/31/2023 15:25 | 0.09 | 75.97  |
| FME | Green Light | 50 MCF | 1/31/2023 15:25 | 1/31/2023 15:31 | 0.1  | 78.94  |
| FME | Green Light | 50 MCF | 1/31/2023 15:31 | 1/31/2023 15:36 | 0.09 | 74.38  |
| FME | Green Light | 50 MCF | 1/31/2023 15:37 | 1/31/2023 15:42 | 0.09 | 69.53  |
| FME | Green Light | 50 MCF | 1/31/2023 15:42 | 1/31/2023 15:48 | 0.1  | 70.94  |
| FME | FMM         | 50 MCF | 1/31/2023 15:44 | 1/31/2023 16:02 | 0.3  | 50.39  |
| FME | Green Light | 50 MCF | 1/31/2023 15:48 | 1/31/2023 15:54 | 0.09 | 79.19  |
| FME | Green Light | 50 MCF | 1/31/2023 15:54 | 1/31/2023 16:02 | 0.12 | 116.78 |
| FME | Green Light | 50 MCF | 1/31/2023 16:02 | 1/31/2023 16:08 | 0.1  | 101.16 |
| FME | Green Light | 50 MCF | 1/31/2023 16:08 | 1/31/2023 16:14 | 0.1  | 90.62  |
| FME | Green Light | 50 MCF | 1/31/2023 16:15 | 1/31/2023 16:20 | 0.09 | 68.56  |
| FME | Green Light | 50 MCF | 1/31/2023 16:20 | 1/31/2023 16:26 | 0.09 | 74.22  |
| FME | Green Light | 50 MCF | 1/31/2023 16:26 | 1/31/2023 16:31 | 0.09 | 79.41  |
| FME | Green Light | 50 MCF | 1/31/2023 16:31 | 1/31/2023 16:37 | 0.1  | 91.81  |
| FME | Green Light | 50 MCF | 1/31/2023 16:38 | 1/31/2023 16:44 | 0.11 | 95.56  |
| FME | Green Light | 50 MCF | 1/31/2023 16:44 | 1/31/2023 16:50 | 0.09 | 76.66  |
| FME | Green Light | 50 MCF | 1/31/2023 16:50 | 1/31/2023 16:55 | 0.08 | 69.97  |
| FME | Green Light | 50 MCF | 1/31/2023 16:55 | 1/31/2023 17:01 | 0.09 | 69.62  |
| FME | Green Light | 50 MCF | 1/31/2023 17:01 | 1/31/2023 17:06 | 0.09 | 75.59  |
| FME | Green Light | 50 MCF | 1/31/2023 17:07 | 1/31/2023 17:12 | 0.09 | 79.5   |
| FME | Green Light | 50 MCF | 1/31/2023 17:13 | 1/31/2023 17:18 | 0.09 | 70.28  |

|     |             |         |                 |                 |      |        |
|-----|-------------|---------|-----------------|-----------------|------|--------|
| FME | Green Light | 50 MCF  | 1/31/2023 17:18 | 1/31/2023 17:24 | 0.1  | 84.78  |
| FME | Green Light | 50 MCF  | 1/31/2023 17:24 | 1/31/2023 17:30 | 0.09 | 77.53  |
| FME | Green Light | 50 MCF  | 1/31/2023 17:34 | 1/31/2023 17:39 | 0.09 | 72.81  |
| FME | Green Light | 50 MCF  | 1/31/2023 17:39 | 1/31/2023 17:45 | 0.09 | 85.91  |
| FME | Green Light | 50 MCF  | 1/31/2023 17:45 | 1/31/2023 17:51 | 0.1  | 87.31  |
| FME | Green Light | 50 MCF  | 1/31/2023 17:51 | 1/31/2023 17:57 | 0.09 | 72.31  |
| FME | Green Light | 50 MCF  | 1/31/2023 17:57 | 1/31/2023 18:03 | 0.1  | 99.88  |
| FME | Green Light | 50 MCF  | 1/31/2023 18:03 | 1/31/2023 18:09 | 0.1  | 91.84  |
| FME | Green Light | 50 MCF  | 1/31/2023 18:09 | 1/31/2023 18:15 | 0.09 | 77.34  |
| FME | Green Light | 50 MCF  | 1/31/2023 18:15 | 1/31/2023 18:21 | 0.09 | 79.09  |
| FME | Green Light | 50 MCF  | 1/31/2023 18:21 | 1/31/2023 18:26 | 0.09 | 75.72  |
| FME | Carnival    | 50 MCF  | 1/31/2023 18:27 | 1/31/2023 18:58 | 0.52 | 78.94  |
| FME | Green Light | 50 MCF  | 1/31/2023 18:28 | 1/31/2023 18:33 | 0.09 | 64.31  |
| FME | Green Light | 50 MCF  | 1/31/2023 18:33 | 1/31/2023 18:39 | 0.09 | 67.88  |
| FME | Green Light | 50 MCF  | 1/31/2023 18:39 | 1/31/2023 18:44 | 0.09 | 64.81  |
| FME | Green Light | 50 MCF  | 1/31/2023 18:45 | 1/31/2023 18:50 | 0.09 | 68.47  |
| FME | Green Light | 50 MCF  | 1/31/2023 18:50 | 1/31/2023 18:56 | 0.1  | 70.94  |
| FME | Green Light | 50 MCF  | 1/31/2023 18:56 | 1/31/2023 19:02 | 0.09 | 74.09  |
| FME | Green Light | 50 MCF  | 1/31/2023 19:02 | 1/31/2023 19:08 | 0.1  | 80.06  |
| FME | Carnival    | 50 MCF  | 1/31/2023 19:03 | 1/31/2023 19:32 | 0.48 | 72.72  |
| FME | Green Light | 50 MCF  | 1/31/2023 19:08 | 1/31/2023 19:14 | 0.09 | 64.69  |
| FME | Green Light | 50 MCF  | 1/31/2023 19:14 | 1/31/2023 19:19 | 0.09 | 64.31  |
| FME | Green Light | 50 MCF  | 1/31/2023 19:19 | 1/31/2023 19:25 | 0.09 | 60.94  |
| FME | Green Light | 50 MCF  | 1/31/2023 19:25 | 1/31/2023 19:31 | 0.09 | 64.72  |
| FME | Green Light | 50 MCF  | 1/31/2023 19:31 | 1/31/2023 19:37 | 0.09 | 70.94  |
| FME | Green Light | 50 MCF  | 1/31/2023 19:37 | 1/31/2023 19:43 | 0.11 | 90.66  |
| FME | Green Light | 50 MCF  | 1/31/2023 19:44 | 1/31/2023 19:49 | 0.09 | 66.81  |
| FME | Green Light | 50 MCF  | 1/31/2023 19:50 | 1/31/2023 19:56 | 0.1  | 72.41  |
| FME | Green Light | 50 MCF  | 1/31/2023 19:56 | 1/31/2023 20:01 | 0.09 | 55.72  |
| FME | Green Light | 50 MCF  | 1/31/2023 20:01 | 1/31/2023 20:07 | 0.09 | 57.06  |
| FME | Green Light | 50 MCF  | 1/31/2023 20:07 | 1/31/2023 20:26 | 0.32 | 232.41 |
| FME | Carnival    | 50 MCF  | 1/31/2023 20:11 | 1/31/2023 20:26 | 0.26 | 50.97  |
| FME | Green Light | 50 MCF  | 1/31/2023 20:26 | 1/31/2023 20:36 | 0.17 | 118.69 |
| FME | Carnival    | 50 MCF  | 1/31/2023 20:28 | 1/31/2023 21:01 | 0.55 | 80.75  |
| FME | Green Light | 50 MCF  | 1/31/2023 20:37 | 1/31/2023 20:42 | 0.09 | 58.34  |
| FME | Green Light | 50 MCF  | 1/31/2023 20:42 | 1/31/2023 20:48 | 0.1  | 62.91  |
| FME | Green Light | 50 MCF  | 1/31/2023 20:50 | 1/31/2023 21:02 | 0.21 | 146.94 |
| FME | Green Light | 50 MCF  | 1/31/2023 21:03 | 1/31/2023 21:17 | 0.25 | 171.66 |
| FME | Green Light | 50 MCF  | 1/31/2023 21:18 | 1/31/2023 21:23 | 0.09 | 61.75  |
| FME | Carnival    | 50 MCF  | 1/31/2023 21:22 | 1/31/2023 21:57 | 0.58 | 93.75  |
| FME | Green Light | 50 MCF  | 1/31/2023 21:24 | 1/31/2023 21:30 | 0.1  | 67.53  |
| FME | Green Light | 500 MCF | 1/31/2023 21:30 | 1/31/2023 23:59 | 2.49 | 2019   |
| FME | Carnival    | 50 MCF  | 1/31/2023 21:58 | 1/31/2023 22:27 | 0.48 | 61.28  |
| FME | Carnival    | 50 MCF  | 1/31/2023 22:34 | 1/31/2023 22:59 | 0.42 | 72.97  |
| FME | Carnival    | 50 MCF  | 1/31/2023 23:02 | 1/31/2023 23:21 | 0.33 | 50.19  |



**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

DEFINITIONS  
  
Action 184918

DEFINITIONS

|                                                                                     |                                                            |
|-------------------------------------------------------------------------------------|------------------------------------------------------------|
| Operator:<br><br>Franklin Mountain Energy LLC<br>44 Cook Street<br>Denver, CO 80206 | OGRID:<br><br>373910                                       |
|                                                                                     | Action Number:<br><br>184918                               |
|                                                                                     | Action Type:<br><br>[C-129] Venting and/or Flaring (C-129) |

DEFINITIONS

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application: <ul style="list-style-type: none"><li>• this application's operator, hereinafter "this operator";</li><li>• venting and/or flaring, hereinafter "vent or flare";</li><li>• any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";</li><li>• the statements in (and/or attached to) this, hereinafter "the statements in this";</li><li>• and the past tense will be used in lieu of mixed past/present tense questions and statements.</li></ul> |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**District I**

1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**

811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**

1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**

1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS

Action 184918

**QUESTIONS**

|                                                                                 |                                                        |
|---------------------------------------------------------------------------------|--------------------------------------------------------|
| Operator:<br>Franklin Mountain Energy LLC<br>44 Cook Street<br>Denver, CO 80206 | OGRID:<br>373910                                       |
|                                                                                 | Action Number:<br>184918                               |
|                                                                                 | Action Type:<br>[C-129] Venting and/or Flaring (C-129) |

**QUESTIONS****Prerequisites**

Any messages presented in this section, will prevent submission of this application. Please resolve these issues before continuing with the rest of the questions.

|                   |                               |
|-------------------|-------------------------------|
| Incident Well     | Unavailable.                  |
| Incident Facility | [fAPP2123468509] Carnival CTB |

**Determination of Reporting Requirements**

Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide additional guidance.

|                                                                                                            |                                                   |
|------------------------------------------------------------------------------------------------------------|---------------------------------------------------|
| Was this vent or flare caused by an emergency or malfunction                                               | No                                                |
| Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event | No                                                |
| Is this considered a submission for a vent or flare event                                                  | Yes, minor venting and/or flaring of natural gas. |

An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during venting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC.

|                                                                                                                                                                                                                                                                                            |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Was there at least 50 MCF of natural gas vented and/or flared during this event                                                                                                                                                                                                            | Yes |
| Did this vent or flare result in the release of <b>ANY</b> liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water | No  |
| Was the vent or flare within an incorporated municipal boundary or within 300 feet from an occupied permanent residence, school, hospital, institution or church in existence                                                                                                              | No  |

**Equipment Involved**

|                                                           |               |
|-----------------------------------------------------------|---------------|
| Primary Equipment Involved                                | Not answered. |
| Additional details for Equipment Involved. Please specify | Not answered. |

**Representative Compositional Analysis of Vented or Flared Natural Gas**

Please provide the mole percent for the percentage questions in this group.

|                                                              |    |
|--------------------------------------------------------------|----|
| Methane (CH4) percentage                                     | 71 |
| Nitrogen (N2) percentage, if greater than one percent        | 2  |
| Hydrogen Sulfide (H2S) PPM, rounded up                       | 0  |
| Carbon Dioxide (CO2) percentage, if greater than one percent | 1  |
| Oxygen (O2) percentage, if greater than one percent          | 0  |

If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas.

|                                                     |               |
|-----------------------------------------------------|---------------|
| Methane (CH4) percentage quality requirement        | Not answered. |
| Nitrogen (N2) percentage quality requirement        | Not answered. |
| Hydrogen Sulfide (H2S) PPM quality requirement      | Not answered. |
| Carbon Dioxide (CO2) percentage quality requirement | Not answered. |
| Oxygen (O2) percentage quality requirement          | Not answered. |



**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 184918

QUESTIONS (continued)

|                                                                                 |                                                        |
|---------------------------------------------------------------------------------|--------------------------------------------------------|
| Operator:<br>Franklin Mountain Energy LLC<br>44 Cook Street<br>Denver, CO 80206 | OGRID:<br>373910                                       |
|                                                                                 | Action Number:<br>184918                               |
|                                                                                 | Action Type:<br>[C-129] Venting and/or Flaring (C-129) |

QUESTIONS

| Date(s) and Time(s)                            |            |
|------------------------------------------------|------------|
| Date vent or flare was discovered or commenced | 01/30/2023 |
| Time vent or flare was discovered or commenced | 09:12 AM   |
| Time vent or flare was terminated              | 09:36 AM   |
| Cumulative hours during this event             | 0          |

| Measured or Estimated Volume of Vented or Flared Natural Gas              |                                                                                                                               |
|---------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| Natural Gas Vented (Mcf) Details                                          | Not answered.                                                                                                                 |
| Natural Gas Flared (Mcf) Details                                          | Cause: High Line Pressure   Gas Compressor Station   Natural Gas Flared   Released: 71 Mcf   Recovered: 0 Mcf   Lost: 71 Mcf. |
| Other Released Details                                                    | Not answered.                                                                                                                 |
| Additional details for Measured or Estimated Volume(s). Please specify    | Not answered.                                                                                                                 |
| Is this a gas only submission (i.e. only significant Mcf values reported) | Yes, according to supplied volumes this appears to be a "gas only" report.                                                    |

| Venting or Flaring Resulting from Downstream Activity             |                              |
|-------------------------------------------------------------------|------------------------------|
| Was this vent or flare a result of downstream activity            | Yes                          |
| Was notification of downstream activity received by this operator | No                           |
| Downstream OGRID that should have notified this operator          | [330718] Pinon Midstream LLC |
| Date notified of downstream activity requiring this vent or flare | Not answered.                |
| Time notified of downstream activity requiring this vent or flare | Not answered.                |

| Steps and Actions to Prevent Waste                                                                                               |                                                             |
|----------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|
| For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control. | True                                                        |
| Please explain reason for why this event was beyond this operator's control                                                      | Inlet screens were plugged off. Compression station offline |
| Steps taken to limit the duration and magnitude of vent or flare                                                                 | Swing volumes to Targa Sweet & Sour                         |
| Corrective actions taken to eliminate the cause and reoccurrence of vent or flare                                                | Work with Chemical Vendor to set up continous treatment     |

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

ACKNOWLEDGMENTS  
  
Action 184918

ACKNOWLEDGMENTS

|                                                                                     |                                                            |
|-------------------------------------------------------------------------------------|------------------------------------------------------------|
| Operator:<br><br>Franklin Mountain Energy LLC<br>44 Cook Street<br>Denver, CO 80206 | OGRID:<br><br>373910                                       |
|                                                                                     | Action Number:<br><br>184918                               |
|                                                                                     | Action Type:<br><br>[C-129] Venting and/or Flaring (C-129) |

ACKNOWLEDGMENTS

|                                     |                                                                                                                                                                                                                                                                                                                           |
|-------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <input checked="" type="checkbox"/> | I acknowledge that I am authorized to submit a <i>Venting and/or Flaring</i> (C-129) report on behalf of this operator and understand that this report can be a <b>complete</b> C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC.                                                                                      |
| <input checked="" type="checkbox"/> | I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively. |
| <input checked="" type="checkbox"/> | I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.                                                                                                        |
| <input checked="" type="checkbox"/> | I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.                       |
| <input checked="" type="checkbox"/> | I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.                                                                                                                          |

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS  
  
Action 184918

CONDITIONS

|                                                                                     |                                                            |
|-------------------------------------------------------------------------------------|------------------------------------------------------------|
| Operator:<br><br>Franklin Mountain Energy LLC<br>44 Cook Street<br>Denver, CO 80206 | OGRID:<br><br>373910                                       |
|                                                                                     | Action Number:<br><br>184918                               |
|                                                                                     | Action Type:<br><br>[C-129] Venting and/or Flaring (C-129) |

CONDITIONS

| Created By | Condition                                                                                                                                                                          | Condition Date |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| tbiggart   | If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event. | 2/10/2023      |