

CARMONA RESOURCES



SITE INFORMATION

Work Plan

Federal 29 Z 002H (07.16.22)

Incident # NAPP2221331648

Eddy County, New Mexico

Unit L Sec 29 T20S R27E

32.5425°, -104.3108°

Crude Oil Release

Point of Release: Packing blowout

Release Date: 07.16.22

Volume Released: 1.5 barrels of Crude Oil

Volume Recovered: 0 barrels of Crude Oil

CARMONA RESOURCES



Prepared for:

Concho Operating, LLC

15 West London Road

Loving, New Mexico 88256

Prepared by:

Carmona Resources, LLC

310 West Wall Street

Suite 415

Midland, Texas 79701

310 West Wall Street, Suite 415
Midland TX, 79701
432.813.1992

TABLE OF CONTENTS

1.0 SITE INFORMATION AND BACKGROUND

2.0 SITE CHARACTERIZATION AND GROUNDWATER

3.0 NMAC REGULATORY CRITERIA

4.0 SITE ASSESSMENT ACTIVITIES

5.0 PROPOSED WORK PLAN

6.0 CONCLUSIONS

FIGURES

FIGURE 1	OVERVIEW	FIGURE 2	TOPOGRAPHIC
FIGURE 3	SAMPLE LOCATION	FIGURE 4	PROPOSED EXCAVATION

APPENDICES

APPENDIX A	TABLE
APPENDIX B	PHOTOS
APPENDIX C	INITIAL C-141 AND REMEDIATION PLAN
APPENDIX D	SITE CHARACTERIZATION AND GROUNDWATER
APPENDIX E	LABORATORY REPORTS



December 15, 2022

Mike Bratcher
District Supervisor
Oil Conservation Division, District 2
811 S. First Street
Artesia, New Mexico 88210

**Re: Work Plan
Federal 29 Z 002H (07.16.22)
Concho Operating, LLC
Incident # NAPP2221331648
Site Location: Unit L, S29, T20S, R27E
(Lat 32.5425°, Long -104.3108°)
Eddy County, New Mexico**

Mr. Bratcher:

On behalf of Concho Operating, LLC (COG), Carmona Resources, LLC has prepared this letter to document site activities for the Federal 29 Z 002H (07.16.22). The site is located at 32.5425°, -104.3108° within Unit L, S29, T20S, R27E, in Eddy County, New Mexico (Figures 1 and 2).

1.0 Site information and Background

Based on the initial C-141 obtained from the New Mexico Oil Conservation Division (NMOCD), the release was discovered on July 16, 2022, from a packing blowout. It resulted in the release of approximately one point five (1.5) barrels of crude oil, and zero (0) barrels were recovered. Refer to Figure 3. The initial C-141 form is attached in Appendix C.

2.0 Site Characterization and Groundwater

The site is located within a high karst area. Based on a review of the New Mexico Office of State Engineers and USGS databases, there is no known water source within a 0.50-mile radius of the location. The nearest identified well is located approximately 0.70 miles Southeast of the site in S29, T20S, R27E and was drilled in 1957. The well has a reported depth to groundwater of 83.75' below ground surface (ft bgs). A copy of the associated Point of Diversion Summary report is attached in Appendix D.

3.0 NMAC Regulatory Criteria

Per the NMOCD regulatory criteria established in 19.15.29.12 NMAC, the following criteria were utilized in assessing the site.

- Benzene: 10 milligrams per kilogram (mg/kg).
- Benzene, toluene, ethylbenzene, and total xylenes (BTEX): 50 mg/kg.
- TPH: 100 mg/kg (GRO + DRO + MRO).
- Chloride: 600 mg/kg.

310 West Wall Street, Suite 415
Midland, Texas 79701
432.813.1992



4.0 Site Assessment Activities

Initial Assessment

On September 20, 2022, Carmona Resources, LLC performed site assessment activities to evaluate soil impacts stemming from the release. A total of six (6) sample points and seven (7) horizontal samples were advanced to depths ranging from the surface to 4.5' bgs inside and surrounding the release area to evaluate the vertical and horizontal extent. See Figure 3 for the soil sample locations. For chemical analysis, the soil samples were collected and placed directly into laboratory-provided sample containers, stored on ice, and transported under the proper chain-of-custody protocol to Eurofins Laboratories in Midland, Texas. The samples were analyzed for total petroleum hydrocarbons (TPH) by EPA method 8015, modified benzene, toluene, ethylbenzene, and xylenes (BTEX) by EPA Method 8021B, and chloride by EPA method 300.0. The laboratory reports, including analytical methods, results, and chain-of-custody documents, are attached in Appendix E.

Vertical delineation was not achieved due to the dense layer encountered. Refer to Table 1.

Horizontal Delineation

The areas of H-1 through H-7 were below the regulatory limits for benzene, total BTEX, TPH, and chloride concentrations. Refer to Table 1.

Trenching

Based on the area having heavy rainfall events, Carmona Resources returned to the location on December 9, 2022, to vertically delineate the area of S-3 and evaluate soil impacts stemming from the release. A total of one (1) trench (T-1) was installed to a total depth from surface to 6.0 ft below the surface. Soil samples were collected and submitted to the laboratory for TPH analysis by EPA method 8015 modified, BTEX by EPA Method 8021B, and chloride by EPA method 300.0. Copies of laboratory analysis and chain-of-custody documentation are included in Appendix E. The sample locations are shown in Figure 3.

The area of Trench-1 showed no chloride impact from surface to 6.0 ft below the surface. The rain has significantly helped dilute or migrate the chloride concentrations during the rainfall events. Vertical delineation was achieved. Refer to Table 1.

5.0 Proposed Work Plan

Based on the analytical data and the detected chloride concentrations, Concho proposes to remediate the areas shown in Figure 4 and highlighted (blue) in Table 1.

- The area of S-6 will be excavated to a depth of 4.0' below the surface and backfilled with clean material to grade. Which is on the edge of the reserve pit.
- COG requests to collect composite sidewall samples from the surface to 1' to mitigate digging into and sampling the possible impact from the reserve pit at 4.0'.
- An estimated 875 cubic yards will be removed and hauled to the nearest disposal based on the maximum depth.
- A variance is requested per 19.15.29.14. A NMAC, Five-point composite bottom floor hole, and sidewall samples will be collected every 400 square feet to represent the release area.
- Once the site activities and excavation are complete, the areas will be backfilled with clean material to surface grade. The remediation will be implemented 90 days after the work plan is approved.

CARMONA RESOURCES



- Impacted soil around the reserve pit, oil and gas equipment, structures, or lines may not be removed during remediation activities due to safety concerns for the onsite personnel. However, COG will excavate the impacted soils to the maximum extent possible.

6.0 Conclusions

Upon completion, a final closure report describing the remediation activities will be presented to the New Mexico Oil Conservation Division (NMOCD). If you have any questions regarding this report or need additional information, don't hesitate to contact us at 432-813-1992.

Sincerely,

Carmona Resources, LLC


Mike Carmona
Environmental Manager


Conner Moehring
Sr. Project Manager

FIGURES

CARMONA RESOURCES








TOPOGRAPHIC MAP
 COG OPERATING
 FEDERAL 29 Z 002 (07.16.22)
 EDDY COUNTY, NEW MEXICO
 32.5425, -104.3108




FIGURE 2



SAMPLE LOCATION MAP
COG OPERATING
FEDERAL 29 Z 002 (07.16.22)
EDDY COUNTY, NEW MEXICO
32.5425, -104.3108



FIGURE 3



PROPOSED EXCAVATION DEPTH MAP
COG OPERATING
FEDERAL 29 Z 002 (07.16.22)
EDDY COUNTY, NEW MEXICO
32.5425, -104.3108



FIGURE 4

APPENDIX A

CARMONA RESOURCES



Table 1
COG
Federal 29 Z #2 (07.16.22)
Eddy County, New Mexico

Sample ID	Date	Depth (ft)	TPH (mg/kg)				Benzene (mg/kg)	Toluene (mg/kg)	Ethlybenzene (mg/kg)	Xylene (mg/kg)	Total BTEX (mg/kg)	Chloride (mg/kg)
			GRO	DRO	MRO	Total						
S-1	9/20/2022	0-1	<49.9	<49.9	<49.9	<49.9	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402	12.0
	"	1.5	<49.9	<49.9	<49.9	<49.9	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	33.0
	"	2.0	<50.0	<50.0	<50.0	<50.0	<0.00198	<0.00198	<0.00198	<0.00396	<0.00396	60.2
S-2	9/20/2022	0-1	<49.9	<49.9	<49.9	<49.9	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402	12.3
	"	1.5	<50.0	<50.0	<50.0	<50.0	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399	14.7
	"	2.0	<50.0	<50.0	<50.0	<50.0	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	18.6
	"	2.5	<49.8	<49.8	<49.8	<49.8	<0.00200	<0.00200	<0.00200	<0.00401	<0.00401	14.0
S-3	9/20/2022	0-1	<49.9	<49.9	<49.9	<49.9	<0.00200	<0.00200	<0.00200	<0.00401	<0.00401	18.3
	"	1.5	<49.9	<49.9	<49.9	<49.9	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402	19.6
	"	2.0	<50.0	<50.0	<50.0	<50.0	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399	16.6
	"	2.5	<50.0	<50.0	<50.0	<50.0	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	815
	"	3.0	<49.9	<49.9	<49.9	<49.9	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399	161
	"	3.5	<50.0	<50.0	<50.0	<50.0	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	1,090
	"	4.0	<50.0	<50.0	<50.0	<50.0	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402	1,560
T-1	12/9/2022	0-1	<49.9	<49.9	<49.9	<49.9	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402	34.0
	"	1.5	<50.0	<50.0	<50.0	<50.0	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	63.9
	"	2.0	<49.9	<49.9	<49.9	<49.9	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399	344
	"	3.0	<49.9	<49.9	<49.9	<49.9	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	492
	"	4.0	<49.8	<49.8	<49.8	<49.8	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402	228
	"	5.0	<50.0	<50.0	<50.0	<50.0	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402	85.6
S-4	9/20/2022	0-1	<49.9	<49.9	<49.9	<49.9	<0.00200	<0.00200	<0.00200	<0.00401	<0.00401	18.3
	"	1.5	<49.9	<49.9	<49.9	<49.9	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402	19.6
	"	2.0	<50.0	<50.0	<50.0	<50.0	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399	16.6
S-5	9/20/2022	0-1	<49.9	<49.9	<49.9	<49.9	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	19.1
	"	1.5	<50.0	<50.0	<50.0	<50.0	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	12.6
	"	2.0	<49.9	<49.9	<49.9	<49.9	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402	16.0
S-6	9/20/2022	0-1	<49.9	<49.9	<49.9	<49.9	<0.00200	<0.00200	<0.00200	<0.00401	<0.00401	3,860
	"	1.5	<49.9	<49.9	<49.9	<49.9	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399	2,320
	"	2.0	<50.0	79.1	<50.0	79.1	<0.00198	<0.00198	<0.00198	<0.00396	<0.00396	773
	"	2.5	<49.9	<49.9	<49.9	<49.9	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402	1,630
	"	3.0	<50.0	<50.0	<50.0	<50.0	<0.00202	<0.00202	<0.00202	<0.00404	<0.00404	1,540
	"	3.5	<50.0	<50.0	<50.0	<50.0	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399	1,170
	"	4.0	<49.8	<49.8	<49.8	<49.8	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	291
Regulatory Criteria ^A						100 mg/kg	10 mg/kg	-	-	-	50 mg/kg	600 mg/kg

(-) Not Analyzed

^A – Table 1 - 19.15.29 NMAC

mg/kg - milligram per kilogram

TPH- Total Petroleum Hydrocarbons

ft-feet

(S) Sample Point

(T) Trench

 Proposed Excavation

Table 1
COG
Federal 29 Z #2 (07.16.22)
Eddy County, New Mexico

Sample ID	Date	Depth (ft)	TPH (mg/kg)				Benzene (mg/kg)	Toluene (mg/kg)	Ethlybenzene (mg/kg)	Xylene (mg/kg)	Total BTEX (mg/kg)	Chloride (mg/kg)
			GRO	DRO	MRO	Total						
H-1	9/20/2022	0-0.5	<50.0	76.7	<50.0	76.7	<0.00202	<0.00202	<0.00202	<0.00403	<0.00403	15.3
H-2	9/20/2022	0-0.5	<49.9	<49.9	<49.9	<49.9	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402	220
H-3	9/20/2022	0-0.5	<50.0	<50.0	<50.0	<50.0	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402	8.83
H-4	9/20/2022	0-0.5	<49.9	<49.9	<49.9	<49.9	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399	11.3
H-5	9/20/2022	0-0.5	<49.8	<49.8	<49.8	<49.8	<0.00201	<0.00201	<0.00201	<0.00402	<0.00402	9.39
H-6	9/20/2022	0-0.5	<50.0	<50.0	<50.0	<50.0	<0.00200	<0.00200	<0.00200	<0.00399	<0.00399	8.84
H-7	9/20/2022	0-0.5	<49.8	99.5	<49.8	99.5	<0.00199	<0.00199	<0.00199	<0.00398	<0.00398	103
Regulatory Criteria ^A						100 mg/kg	10 mg/kg	-	-	-	50 mg/kg	600 mg/kg

(-) Not Analyzed

^A – Table 1 - 19.15.29 NMAC

mg/kg - milligram per kilogram

TPH- Total Petroleum Hydrocarbons

ft-feet

(H) Horizontal

APPENDIX B

CARMONA RESOURCES



PHOTOGRAPHIC LOG

Concho Operating, LLC

Photograph No. 1

Facility: Federal 29 Z 002H (07.16.22)

County: Eddy County, New Mexico

Description:

View South, area of sample point S-1.



Photograph No. 2

Facility: Federal 29 Z 002H (07.16.22)

County: Eddy County, New Mexico

Description:

View West, areas of sample points S-2 and S-3.



Photograph No. 3

Facility: Federal 29 Z 002H (07.16.22)

County: Eddy County, New Mexico

Description:

View West, areas of sample points S-4 and S-5.



PHOTOGRAPHIC LOG

Concho Operating, LLC

Photograph No. 4

Facility: Federal 29 Z 002H (07.16.22)

County: Eddy County, New Mexico

Description:

View Northeast, area of sample point S-6.



Photograph No. 5

Facility: Federal 29 Z 002H (07.16.22)

County: Eddy County, New Mexico

Description:

View East, area of S-3 (Trench-1).



APPENDIX C

CARMONA RESOURCES



District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party	OGRID
Contact Name	Contact Telephone
Contact email	Incident # (assigned by OCD)
Contact mailing address	

Location of Release Source

Latitude _____ Longitude _____
(NAD 83 in decimal degrees to 5 decimal places)

Site Name	Site Type
Date Release Discovered	API# (if applicable)

Unit Letter	Section	Township	Range	County

Surface Owner: ☐ State ☐ Federal ☐ Tribal ☐ Private (Name: _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

☐ Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
☐ Produced Water	Volume Released (bbls)	Volume Recovered (bbls)
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	☐ Yes ☐ No
☐ Condensate	Volume Released (bbls)	Volume Recovered (bbls)
☐ Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
☐ Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release

Incident ID	
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC? ☐ Yes ☐ No	If YES, for what reason(s) does the responsible party consider this a major release?
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

☐ The source of the release has been stopped.	
☐ The impacted area has been secured to protect human health and the environment.	
☐ Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.	
☐ All free liquids and recoverable materials have been removed and managed appropriately.	
If all the actions described above have <u>not</u> been undertaken, explain why:	
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
Printed Name _____	Title: _____
Signature: <u>Battani Espinoza</u>	Date: _____
email: _____	Telephone: _____
<u>OCD Only</u>	
Received by: <u>Jocelyn Harimon</u>	Date: _____

L48 Spill Volume Estimate Form									
Facility Name & Number:		Federal 29 Z #2							
Asset Area:		DBWN							
Release Discovery Date & Time:		7.15.22							
Release Type:		Oil Mixture							
Provide any known details about the event:		Packing Blow out							
Spill Calculation - Subsurface Spill - Rectangle									
Was the release on pad or off-pad?				See reference table below					
Has it rained at least a half inch in the last 24 hours?				See reference table below					
Convert Irregular shape into a series of rectangles	Length (ft.)	Width (ft.)	Depth (in.)	Soil Spilled-Fluid Saturation	Estimated volume of each area (bbl.)	Total Estimated Volume of Spill (bbl.)	Percentage of Oil if Spilled Fluid is a Mixture	Total Estimated Volume of Spilled Oil (bbl.)	Total Estimated Volume of Spilled Liquid other than Oil (bbl.)
Rectangle A	180.0	60.0	0.10	10.50%	16.020	1.682	50.00%	0.841	0.841
Rectangle B					0.000	0.000	50.00%	0.000	0.000
Rectangle C					0.000	0.000		0.000	0.000
Rectangle D					0.000	0.000		0.000	0.000
Rectangle E					0.000	0.000		0.000	0.000
Rectangle F					0.000	0.000		0.000	0.000
Rectangle G					0.000	0.000		0.000	0.000
Rectangle H					0.000	0.000		0.000	0.000
Rectangle I					0.000	0.000		0.000	0.000
Rectangle J					0.000	0.000		0.000	0.000
Total Volume Release:						1.682		0.841	0.841

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 130057

CONDITIONS

Operator: COG OPERATING LLC 600 W Illinois Ave Midland, TX 79701	OGRID: 229137
	Action Number: 130057
	Action Type: [C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
jharimon	None	8/1/2022

Incident ID	
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	_____ (ft bgs)
Did this release impact groundwater or surface water?	☐ Yes ☐ No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	☐ Yes ☐ No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	☐ Yes ☐ No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	☐ Yes ☐ No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	☐ Yes ☐ No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	☐ Yes ☐ No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	☐ Yes ☐ No
Are the lateral extents of the release within 300 feet of a wetland?	☐ Yes ☐ No
Are the lateral extents of the release overlying a subsurface mine?	☐ Yes ☐ No
Are the lateral extents of the release overlying an unstable area such as karst geology?	☐ Yes ☐ No
Are the lateral extents of the release within a 100-year floodplain?	☐ Yes ☐ No
Did the release impact areas not on an exploration, development, production, or storage site?	☐ Yes ☐ No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: Each of the following items must be included in the report.

- ☐ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- ☐ Field data
- ☐ Data table of soil contaminant concentration data
- ☐ Depth to water determination
- ☐ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- ☐ Boring or excavation logs
- ☐ Photographs including date and GIS information
- ☐ Topographic/Aerial maps
- ☐ Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

State of New Mexico
Oil Conservation Division

Page 4

Incident ID	
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: _____ Title: _____

Signature: Jacqui Harimon Date: 12/15/2022

email: _____ Telephone: _____

OCD Only

Received by: Jocelyn Harimon Date: 12/15/2022

Incident ID	
District RP	
Facility ID	
Application ID	

Remediation Plan

Remediation Plan Checklist: *Each of the following items must be included in the plan.*

- ☐ Detailed description of proposed remediation technique
- ☐ Scaled sitemap with GPS coordinates showing delineation points
- ☐ Estimated volume of material to be remediated
- ☐ Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC
- ☐ Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)

Deferral Requests Only: *Each of the following items must be confirmed as part of any request for deferral of remediation.*

- ☐ Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.
- ☐ Extents of contamination must be fully delineated.
- ☐ Contamination does not cause an imminent risk to human health, the environment, or groundwater.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: _____ Title: _____
Signature: Jacqui Harimon Date: 12/15/2022
email: _____ Telephone: _____

OCD Only

Received by: Jocelyn Harimon Date: 12/15/2022

☐ Approved ☐ Approved with Attached Conditions of Approval ☐ Denied ☐ Deferral Approved

Signature: _____ Date: _____

APPENDIX D

CARMONA RESOURCES



NEAREST WATER WELL

COG OPERATING

Legend

- 0.50 Mile Radius
- 0.70 Miles
- 1.55 Miles
- 1.61 Miles
- 1.81 Miles
- Federal 29 Z #2
- NMSEO Water Well
- USGS Water Well



HIGH KARST

COG OPERATING

Legend

-  Federal 29 Z #2
-  High
-  Medium

Brantley Lake State Park

Federal 29 Z #2

Pecos





New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	POD Code	Sub-basin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	Distance	Depth Well	Depth Water	Water Column
C 00419	C	CUB	ED	3	3	4	19	20S	27E	563904	3601904*	1391	1813		
RA 03979		RA	ED	1	1	3	21	20S	27E	566306	3602539*	2309	190		
RA 10049		RA	ED	4	3	1	21	20S	27E	566506	3602744*	2595	200		
RA 04764		RA	ED		3	1	21	20S	27E	566407	3602845*	2608	171	150	21
RA 05857		RA	ED	2	2	2	20	20S	27E	566104	3603346*	2861			
C 01182	C	ED		1	1	4	36	20S	26E	562296	3599260*	2921	150	135	15
RA 07841		RA	ED		1	1	21	20S	27E	566408	3603251*	2936	200	140	60

Average Depth to Water: **141 feet**

Minimum Depth: **135 feet**

Maximum Depth: **150 feet**

Record Count: 7

UTM NAD83 Radius Search (in meters):

Easting (X): 564769.94

Northing (Y): 3600814.18

Radius: 4000

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

7/29/22 9:48 AM

Page 1 of 1

WATER COLUMN/ AVERAGE
DEPTH TO WATER



USGS Home
Contact USGS
Search USGS

National Water Information System: Web Interface

USGS Water Resources

Data Category: Geographic Area:

Click to hide News Bulletins

- Explore the *NEW* [USGS National Water Dashboard](#) interactive map to access real-time water data from over 13,500 stations nationwide.
- [Full News](#)

Groundwater levels for New Mexico

Click to hide state-specific text

Important: [Next Generation Monitoring Location Page](#)

Search Results -- 1 sites found

Agency code = usgs

site_no list =

- 323229104175401

Minimum number of levels = 1

[Save file of selected sites](#) to local disk for future upload

USGS 323229104175401 20S.27E.29.441131

Eddy County, New Mexico

Latitude 32°32'29", Longitude 104°17'54" NAD27

Land-surface elevation 3,199 feet above NAVD88

The depth of the well is 125 feet below land surface.

This well is completed in the Other aquifers (N9999OTHER) national aquifer.

This well is completed in the Rustler Formation (312RSLR) local aquifer.

Output formats

Table of data
Tab-separated data
Graph of data
Reselect period

Date	Time	? Water-level date-time accuracy	? Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	? Status	? Method of measurement	? Measuring agency	? Source measu
1948-10-06			D 62610		3121.75	NGVD29	1		Z	
1948-10-06			D 62611		3123.30	NAVD88	1		Z	
1948-10-06			D 72019	75.70			1		Z	
1953-03-05			D 62610		3118.79	NGVD29	P		Z	
1953-03-05			D 62611		3120.34	NAVD88	P		Z	
1953-03-05			D 72019	78.66			P		Z	
1953-03-12	21:23 UTC		m 62610		3118.42	NGVD29	P		S	USGS
1953-03-12	21:23 UTC		m 62611		3119.97	NAVD88	P		S	USGS
1953-03-12	21:23 UTC		m 72019	79.03			P		S	USGS
1953-04-03			D 62610		3117.75	NGVD29	1		Z	
1953-04-03			D 62611		3119.30	NAVD88	1		Z	
1953-04-03			D 72019	79.70			1		Z	
1953-06-12			D 62610		3115.87	NGVD29	1		Z	
1953-06-12			D 62611		3117.42	NAVD88	1		Z	

Date	Time	? Water-level date-time accuracy	? Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	? Status	? Method of measurement	? Measuring agency	? Source measu
1953-06-12			D 72019	81.58			1	Z		
1953-07-02			D 62610		3115.00	NGVD29	1	Z		
1953-07-02			D 62611		3116.55	NAVD88	1	Z		
1953-07-02			D 72019	82.45			1	Z		
1953-07-17			D 62610		3114.58	NGVD29	1	Z		
1953-07-17			D 62611		3116.13	NAVD88	1	Z		
1953-07-17			D 72019	82.87			1	Z		
1953-08-10			D 62610		3113.91	NGVD29	1	Z		
1953-08-10			D 62611		3115.46	NAVD88	1	Z		
1953-08-10			D 72019	83.54			1	Z		
1953-09-19			D 62610		3114.23	NGVD29	1	Z		
1953-09-19			D 62611		3115.78	NAVD88	1	Z		
1953-09-19			D 72019	83.22			1	Z		
1953-10-31			D 62610		3114.57	NGVD29	1	Z		
1953-10-31			D 62611		3116.12	NAVD88	1	Z		
1953-10-31			D 72019	82.88			1	Z		
1953-11-20			D 62610		3114.65	NGVD29	1	Z		
1953-11-20			D 62611		3116.20	NAVD88	1	Z		
1953-11-20			D 72019	82.80			1	Z		
1953-12-08			D 62610		3114.77	NGVD29	1	Z		
1953-12-08			D 62611		3116.32	NAVD88	1	Z		
1953-12-08			D 72019	82.68			1	Z		
1954-01-18			D 62610		3116.74	NGVD29	1	Z		
1954-01-18			D 62611		3118.29	NAVD88	1	Z		
1954-01-18			D 72019	80.71			1	Z		
1954-03-15			D 62610		3117.63	NGVD29	1	Z		
1954-03-15			D 62611		3119.18	NAVD88	1	Z		
1954-03-15			D 72019	79.82			1	Z		
1954-04-09			D 62610		3116.99	NGVD29	1	Z		
1954-04-09			D 62611		3118.54	NAVD88	1	Z		
1954-04-09			D 72019	80.46			1	Z		
1954-05-28			D 62610		3115.62	NGVD29	1	Z		
1954-05-28			D 62611		3117.17	NAVD88	1	Z		
1954-05-28			D 72019	81.83			1	Z		
1954-06-25			D 62610		3115.07	NGVD29	1	Z		
1954-06-25			D 62611		3116.62	NAVD88	1	Z		
1954-06-25			D 72019	82.38			1	Z		
1954-07-30			D 62610		3113.51	NGVD29	1	Z		
1954-07-30			D 62611		3115.06	NAVD88	1	Z		
1954-07-30			D 72019	83.94			1	Z		
1954-09-28			D 62610		3113.06	NGVD29	1	Z		
1954-09-28			D 62611		3114.61	NAVD88	1	Z		
1954-09-28			D 72019	84.39			1	Z		
1954-10-18			D 62610		3113.87	NGVD29	1	Z		
1954-10-18			D 62611		3115.42	NAVD88	1	Z		
1954-10-18			D 72019	83.58			1	Z		
1954-11-30			D 62610		3116.92	NGVD29	1	Z		
1954-11-30			D 62611		3118.47	NAVD88	1	Z		
1954-11-30			D 72019	80.53			1	Z		
1954-12-31			D 62610		3118.45	NGVD29	1	Z		

Date	Time	? Water-level date-time accuracy	? Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	? Status	? Method of measurement	? Measuring agency	? Source measu
1954-12-31			D	62611	3120.00	NAVD88	1	Z		
1954-12-31			D	72019	79.00		1	Z		
1955-01-28			D	62610	3119.38	NGVD29	1	Z		
1955-01-28			D	62611	3120.93	NAVD88	1	Z		
1955-01-28			D	72019	78.07		1	Z		
1955-02-25			D	62610	3119.01	NGVD29	1	Z		
1955-02-25			D	62611	3120.56	NAVD88	1	Z		
1955-02-25			D	72019	78.44		1	Z		
1955-03-12			D	62610	3118.42	NGVD29	1	Z		
1955-03-12			D	62611	3119.97	NAVD88	1	Z		
1955-03-12			D	72019	79.03		1	Z		
1955-03-25			D	62610	3117.95	NGVD29	1	Z		
1955-03-25			D	62611	3119.50	NAVD88	1	Z		
1955-03-25			D	72019	79.50		1	Z		
1955-04-26			D	62610	3117.50	NGVD29	1	Z		
1955-04-26			D	62611	3119.05	NAVD88	1	Z		
1955-04-26			D	72019	79.95		1	Z		
1955-05-24			D	62610	3116.45	NGVD29	1	Z		
1955-05-24			D	62611	3118.00	NAVD88	1	Z		
1955-05-24			D	72019	81.00		1	Z		
1955-06-17			D	62610	3115.42	NGVD29	1	Z		
1955-06-17			D	62611	3116.97	NAVD88	1	Z		
1955-06-17			D	72019	82.03		1	Z		
1955-07-26			D	62610	3113.76	NGVD29	1	Z		
1955-07-26			D	62611	3115.31	NAVD88	1	Z		
1955-07-26			D	72019	83.69		1	Z		
1955-08-30			D	62610	3114.73	NGVD29	1	Z		
1955-08-30			D	62611	3116.28	NAVD88	1	Z		
1955-08-30			D	72019	82.72		1	Z		
1955-09-22			D	62610	3115.31	NGVD29	1	Z		
1955-09-22			D	62611	3116.86	NAVD88	1	Z		
1955-09-22			D	72019	82.14		1	Z		
1955-10-19			D	62610	3117.12	NGVD29	1	Z		
1955-10-19			D	62611	3118.67	NAVD88	1	Z		
1955-10-19			D	72019	80.33		1	Z		
1955-11-23			D	62610	3120.38	NGVD29	1	Z		
1955-11-23			D	62611	3121.93	NAVD88	1	Z		
1955-11-23			D	72019	77.07		1	Z		
1955-12-28			D	62610	3122.85	NGVD29	1	Z		
1955-12-28			D	62611	3124.40	NAVD88	1	Z		
1955-12-28			D	72019	74.60		1	Z		
1956-01-28			D	62610	3123.08	NGVD29	1	Z		
1956-01-28			D	62611	3124.63	NAVD88	1	Z		
1956-01-28			D	72019	74.37		1	Z		
1957-01-24			D	62610	3113.70	NGVD29	P	Z		
1957-01-24			D	62611	3115.25	NAVD88	P	Z		
1957-01-24			D	72019	83.75		P	Z		

Explanation

Section	Code	Description
Water-level date-time accuracy	D	Date is accurate to the Day
Water-level date-time accuracy	m	Date is accurate to the Minute
Parameter code	62610	Groundwater level above NGVD 1929, feet
Parameter code	62611	Groundwater level above NAVD 1988, feet
Parameter code	72019	Depth to water level, feet below land surface
Referenced vertical datum	NAVD88	North American Vertical Datum of 1988
Referenced vertical datum	NGVD29	National Geodetic Vertical Datum of 1929
Status	1	Static
Status	P	Pumping
Method of measurement	S	Steel-tape measurement.
Method of measurement	Z	Other.
Measuring agency		Not determined
Measuring agency	USGS	U.S. Geological Survey
Source of measurement		Not determined
Source of measurement	S	Measured by personnel of reporting agency.
Water-level approval status	A	Approved for publication -- Processing and review completed.

[Questions about sites/data?](#)

[Feedback on this web site](#)

[Automated retrievals](#)

[Help](#)

[Data Tips](#)

[Explanation of terms](#)

[Subscribe for system changes](#)

[News](#)

[Accessibility](#)

[FOIA](#)

[Privacy](#)

[Policies and Notices](#)

[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)

Title: Groundwater for New Mexico: Water Levels

URL: <https://nwis.waterdata.usgs.gov/nm/nwis/gwlevels?>



Page Contact Information: [New Mexico Water Data Maintainer](#)

Page Last Modified: 2022-08-01 11:27:29 EDT

0.33 0.28 nadww02



USGS Home
Contact USGS
Search USGS

National Water Information System: Web Interface

USGS Water Resources

Data Category:
Groundwater

Geographic Area:
New Mexico

GO

Click to hideNews Bulletins

- Explore the NEW [USGS National Water Dashboard](#) interactive map to access real-time water data from over 13,500 stations nationwide.
- [Full News](#)

Groundwater levels for New Mexico

Click to hide state-specific text

! Important: [Next Generation Monitoring Location Page](#)

Search Results -- 1 sites found

Agency code = usgs
site_no list =

- 323336104173501

Minimum number of levels = 1
[Save file of selected sites](#) to local disk for future upload

USGS 323336104173501 20S.27E.21.31112

Eddy County, New Mexico
Latitude 32°33'36", Longitude 104°17'35" NAD27
Land-surface elevation 3,222 feet above NAVD88
The depth of the well is 190 feet below land surface.
This well is completed in the Other aquifers (N9999OTHER) national aquifer.
This well is completed in the Rustler Formation (312RSLR) local aquifer.

Output formats

Table of data
Tab-separated data
Graph of data
Reselect period

Date	Time	? Water-level date-time accuracy	? Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	? Status	? Method of measurement	? Measuring agency	? Source measu
1961-01-03			D 62610		3109.46	NGVD29	1		Z	
1961-01-03			D 62611		3111.02	NAVD88	1		Z	
1961-01-03			D 72019	110.98			1		Z	
1963-09-04			D 62610		3100.29	NGVD29	1		Z	
1963-09-04			D 62611		3101.85	NAVD88	1		Z	
1963-09-04			D 72019	120.15			1		Z	
1984-02-28			D 62610		3108.53	NGVD29	1		Z	
1984-02-28			D 62611		3110.09	NAVD88	1		Z	
1984-02-28			D 72019	111.91			1		Z	
1989-02-14			D 62610		3110.41	NGVD29	1		Z	
1989-02-14			D 62611		3111.97	NAVD88	1		Z	
1989-02-14			D 72019	110.03			1		Z	
1993-02-10			D 62610		3108.55	NGVD29	1		S	
1993-02-10			D 62611		3110.11	NAVD88	1		S	

Date	Time	? Water-level date-time accuracy	? Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	? Status	? Method of measurement	? Measuring agency	? Source measu
1993-02-10			D	72019	111.89			1	S	
1994-02-11			D	62610		3105.41	NGVD29	1	S	
1994-02-11			D	62611		3106.97	NAVD88	1	S	
1994-02-11			D	72019	115.03			1	S	
1999-01-28			D	62610		3105.12	NGVD29	1	S	USGS
1999-01-28			D	62611		3106.68	NAVD88	1	S	USGS
1999-01-28			D	72019	115.32			1	S	USGS
2015-01-12	20:45 UTC		m	62610		3108.31	NGVD29	1	S	NM001
2015-01-12	20:45 UTC		m	62611		3109.87	NAVD88	1	S	NM001
2015-01-12	20:45 UTC		m	72019	112.13			1	S	NM001

Explanation

Section	Code	Description
Water-level date-time accuracy	D	Date is accurate to the Day
Water-level date-time accuracy	m	Date is accurate to the Minute
Parameter code	62610	Groundwater level above NGVD 1929, feet
Parameter code	62611	Groundwater level above NAVD 1988, feet
Parameter code	72019	Depth to water level, feet below land surface
Referenced vertical datum	NAVD88	North American Vertical Datum of 1988
Referenced vertical datum	NGVD29	National Geodetic Vertical Datum of 1929
Status	1	Static
Method of measurement	S	Steel-tape measurement.
Method of measurement	Z	Other.
Measuring agency		Not determined
Measuring agency	NM001	New Mexico State Engineers Office
Measuring agency	USGS	U.S. Geological Survey
Source of measurement		Not determined
Source of measurement	A	Reported by another government agency (do not use "A" if reported by owner, use "O").
Source of measurement	S	Measured by personnel of reporting agency.
Water-level approval status	A	Approved for publication -- Processing and review completed.

[Questions about sites/data?](#)[Feedback on this web site](#)[Automated retrievals](#)[Help](#)[Data Tips](#)[Explanation of terms](#)[Subscribe for system changes](#)[News](#)

Accessibility

FOIA

Privacy

Policies and Notices

[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)**Title:** Groundwater for New Mexico: Water Levels**URL:** <https://nwis.waterdata.usgs.gov/nm/nwis/gwlevels?>Page Contact Information: [New Mexico Water Data Maintainer](#)

Page Last Modified: 2022-08-01 11:29:33 EDT

0.28 0.24 nadww02



New Mexico Office of the State Engineer

Point of Diversion Summary

		(quarters are 1=NW 2=NE 3=SW 4=SE)				(NAD83 UTM in meters)	
		(quarters are smallest to largest)				X	Y
Well Tag	POD Number	Q64	Q16	Q4	Sec	Tw	Rng
	RA 04764	3	1	21	20S	27E	566407 3602845* 
Driller License: 28		Driller Company: SMITH, A.F.					
Driller Name: SMITH, A.F.							
Drill Start Date:	02/01/1963	Drill Finish Date:		02/02/1963		Plug Date:	
Log File Date:	02/21/1963	PCW Rev Date:				Source:	Shallow
Pump Type:		Pipe Discharge Size:				Estimated Yield:	
Casing Size:		Depth Well:		171 feet		Depth Water:	150 feet

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

7/29/22 9:52 AM

POINT OF DIVERSION SUMMARY



New Mexico Office of the State Engineer


Point of Diversion Summary

		(quarters are 1=NW 2=NE 3=SW 4=SE)						(quarters are smallest to largest)		(NAD83 UTM in meters)	
Well Tag	POD Number	Q64	Q16	Q4	Sec	Tw	Rng	X	Y		
C	01182	1	1	4	36	20S	26E	562296	3599260*		
x											
Driller License:	30	Driller Company:				BARRON, EMMETT					
Driller Name:	BARRON, EMMETT										
Drill Start Date:	04/06/1964	Drill Finish Date:				04/10/1964		Plug Date:			
Log File Date:	05/01/1964	PCW Rcv Date:						Source:		Shallow	
Pump Type:		Pipe Discharge Size:						Estimated Yield:			
Casing Size:	7.00	Depth Well:				150 feet		Depth Water:		135 feet	
x											
Water Bearing Stratifications:					Top	Bottom	Description				
					140	150	Limestone/Dolomite/Chalk				


*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

New Mexico NFHL Data



July 29, 2022



FEMA, Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey,

nmflood.org is made possible through a collaboration with NMDHSEM,

This is a non-regulatory product for informational use only. Please consult your local floodplain administrator for further information.

APPENDIX E

CARMONA RESOURCES





Environment Testing America

ANALYTICAL REPORT

Eurofins Midland
1211 W. Florida Ave
Midland, TX 79701
Tel: (432)704-5440

Laboratory Job ID: 880-19485-1

Laboratory Sample Delivery Group: Eddy County, New Mexico
Client Project/Site: Federal 29 Z #2

For:

Carmona Resources
310 W Wall St
Ste 415
Midland, Texas 79701

Attn: Conner Moehring

Authorized for release by:

9/22/2022 12:19:02 PM

Jessica Kramer, Project Manager
(432)704-5440

Jessica.Kramer@et.eurofinsus.com

LINKS

Review your project
results through



Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Laboratory Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Client Sample Results	6
Surrogate Summary	33
QC Sample Results	35
QC Association Summary	44
Lab Chronicle	52
Certification Summary	63
Method Summary	64
Sample Summary	65
Chain of Custody	66
Receipt Checklists	70

1

2

3

4

5

6

7

8

9

10

11

12

13

14

Definitions/Glossary

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Qualifiers

GC VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
*1	LCS/LCSD RPD exceeds control limits.
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
F2	MS/MSD RPD exceeds control limits
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Job ID: 880-19485-1**Laboratory: Eurofins Midland****Narrative****Job Narrative
880-19485-1****Receipt**

The samples were received on 9/21/2022 10:34 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 0.6°C

GC VOA

Method 8021B: Surrogate recovery for the following samples were outside control limits: S-2 (0-1') (880-19485-4), S-2 (1.5') (880-19485-5), S-2 (2.5') (880-19485-7), S-3 (0-1') (880-19485-8), S-3 (1.5') (880-19485-9), S-3 (2') (880-19485-10), S-3 (2.5') (880-19485-11), S-3 (3') (880-19485-12), S-3 (3.5') (880-19485-13), S-3 (4') (880-19485-14), S-4 (0-1') (880-19485-15), S-4 (1.5') (880-19485-16), S-4 (2') (880-19485-17), S-5 (0-1') (880-19485-18), S-5 (1.5') (880-19485-19), S-5 (2') (880-19485-20), S-6 (0-1') (880-19485-21), S-6 (1.5') (880-19485-22), S-6 (2') (880-19485-23), S-6 (2.5') (880-19485-24), S-6 (3') (880-19485-25), S-6 (3.5') (880-19485-26), S-6 (4') (880-19485-27), S-6 (4.5') (880-19485-28), H-1 (0-0.5') (880-19485-29) and H-2 (0-0.5') (880-19485-30). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8021B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries and precision for preparation batch 880-35061 and analytical batch 880-35073 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample / laboratory sample control duplicate (LCS/LCSD) precision was within acceptance limits.

Method 8021B: Surrogate recovery for the following samples were outside control limits: H-3 (0-0.5') (880-19485-31), H-4 (0-0.5') (880-19485-32) and H-5 (0-0.5') (880-19485-33). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8021B: Surrogate recovery for the following sample was outside control limits: H-7 (0-0.5') (880-19485-35). Evidence of matrix interferences is not obvious.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC Semi VOA

Method 8015MOD_NM: The RPD of the laboratory control sample (LCS) and laboratory control sample duplicate (LCSD) for preparation batch 880-35098 and analytical batch 880-35005 recovered outside control limits for the following analytes: Gasoline Range Organics (GRO)-C6-C10.

Method 8015MOD_NM: The surrogate recovery for the blank associated with preparation batch 880-35103 and analytical batch 880-35007 was outside the upper control limits.

Method 8015MOD_NM: Surrogate recovery for the following samples were outside control limits: H-4 (0-0.5') (880-19485-32) and H-5 (0-0.5') (880-19485-33). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

Method 300_ORGFM_28D: The matrix spike / matrix spike duplicate (MS/MSD) recoveries and precision for preparation batch 880-35064, 880-35064 and 880-35064 and analytical batch 880-35115 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample / laboratory sample control duplicate (LCS/LCSD) precision was within acceptance limits.

Method 300_ORGFM_28D: The matrix spike / matrix spike duplicate (MS/MSD) recoveries and precision for preparation batch 880-35063 and 880-35063 and analytical batch 880-35114 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample / laboratory sample control duplicate (LCS/LCSD) precision was within acceptance limits.

Case Narrative

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Job ID: 880-19485-1 (Continued)

Laboratory: Eurofins Midland (Continued)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

Client Sample Results

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: S-1 (0-1')

Lab Sample ID: 880-19485-1

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		09/21/22 12:57	09/21/22 17:17	1
Toluene	<0.00201	U	0.00201		mg/Kg		09/21/22 12:57	09/21/22 17:17	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		09/21/22 12:57	09/21/22 17:17	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		09/21/22 12:57	09/21/22 17:17	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		09/21/22 12:57	09/21/22 17:17	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		09/21/22 12:57	09/21/22 17:17	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	117		70 - 130	09/21/22 12:57	09/21/22 17:17	1
1,4-Difluorobenzene (Surr)	108		70 - 130	09/21/22 12:57	09/21/22 17:17	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			09/22/22 09:40	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			09/22/22 11:04	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U *1	49.9		mg/Kg		09/21/22 15:28	09/21/22 20:49	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		09/21/22 15:28	09/21/22 20:49	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		09/21/22 15:28	09/21/22 20:49	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	115		70 - 130	09/21/22 15:28	09/21/22 20:49	1
o-Terphenyl	108		70 - 130	09/21/22 15:28	09/21/22 20:49	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	12.0		4.96		mg/Kg			09/22/22 01:23	1

Client Sample ID: S-1 (1.5')

Lab Sample ID: 880-19485-2

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		09/21/22 12:57	09/21/22 17:38	1
Toluene	<0.00199	U	0.00199		mg/Kg		09/21/22 12:57	09/21/22 17:38	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		09/21/22 12:57	09/21/22 17:38	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		09/21/22 12:57	09/21/22 17:38	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		09/21/22 12:57	09/21/22 17:38	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		09/21/22 12:57	09/21/22 17:38	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	117		70 - 130	09/21/22 12:57	09/21/22 17:38	1
1,4-Difluorobenzene (Surr)	110		70 - 130	09/21/22 12:57	09/21/22 17:38	1

Eurofins Midland

Client Sample Results

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: S-1 (1.5')

Lab Sample ID: 880-19485-2

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			09/22/22 09:40	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			09/22/22 11:04	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U *1	49.9		mg/Kg		09/21/22 15:28	09/21/22 21:53	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		09/21/22 15:28	09/21/22 21:53	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		09/21/22 15:28	09/21/22 21:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	89		70 - 130				09/21/22 15:28	09/21/22 21:53	1
o-Terphenyl	86		70 - 130				09/21/22 15:28	09/21/22 21:53	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	33.0		5.02		mg/Kg			09/22/22 01:38	1

Client Sample ID: S-1 (2')

Lab Sample ID: 880-19485-3

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		09/21/22 12:57	09/21/22 17:58	1
Toluene	<0.00198	U	0.00198		mg/Kg		09/21/22 12:57	09/21/22 17:58	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		09/21/22 12:57	09/21/22 17:58	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		09/21/22 12:57	09/21/22 17:58	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		09/21/22 12:57	09/21/22 17:58	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		09/21/22 12:57	09/21/22 17:58	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	131	S1+	70 - 130				09/21/22 12:57	09/21/22 17:58	1
1,4-Difluorobenzene (Surr)	95		70 - 130				09/21/22 12:57	09/21/22 17:58	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			09/22/22 09:40	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			09/22/22 11:04	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U *1	50.0		mg/Kg		09/21/22 15:28	09/21/22 22:15	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		09/21/22 15:28	09/21/22 22:15	1

Eurofins Midland

Client Sample Results

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: S-1 (2')

Lab Sample ID: 880-19485-3

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		09/21/22 15:28	09/21/22 22:15	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	95		70 - 130				09/21/22 15:28	09/21/22 22:15	1
o-Terphenyl	92		70 - 130				09/21/22 15:28	09/21/22 22:15	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	60.2		5.05		mg/Kg			09/22/22 01:43	1

Client Sample ID: S-2 (0-1')

Lab Sample ID: 880-19485-4

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		09/21/22 12:57	09/21/22 18:19	1
Toluene	<0.00201	U	0.00201		mg/Kg		09/21/22 12:57	09/21/22 18:19	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		09/21/22 12:57	09/21/22 18:19	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		09/21/22 12:57	09/21/22 18:19	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		09/21/22 12:57	09/21/22 18:19	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		09/21/22 12:57	09/21/22 18:19	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	141	S1+	70 - 130				09/21/22 12:57	09/21/22 18:19	1
1,4-Difluorobenzene (Surr)	108		70 - 130				09/21/22 12:57	09/21/22 18:19	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			09/22/22 09:40	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			09/22/22 11:04	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U *1	49.9		mg/Kg		09/21/22 15:28	09/21/22 22:37	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		09/21/22 15:28	09/21/22 22:37	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		09/21/22 15:28	09/21/22 22:37	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	110		70 - 130				09/21/22 15:28	09/21/22 22:37	1
o-Terphenyl	105		70 - 130				09/21/22 15:28	09/21/22 22:37	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	12.3		5.05		mg/Kg			09/22/22 01:47	1

Eurofins Midland

Client Sample Results

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: S-2 (1.5')

Lab Sample ID: 880-19485-5

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		09/21/22 12:57	09/21/22 18:40	1
Toluene	<0.00200	U	0.00200		mg/Kg		09/21/22 12:57	09/21/22 18:40	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		09/21/22 12:57	09/21/22 18:40	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		09/21/22 12:57	09/21/22 18:40	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		09/21/22 12:57	09/21/22 18:40	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		09/21/22 12:57	09/21/22 18:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	138	S1+	70 - 130	09/21/22 12:57	09/21/22 18:40	1
1,4-Difluorobenzene (Surr)	94		70 - 130	09/21/22 12:57	09/21/22 18:40	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			09/22/22 09:40	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			09/22/22 11:04	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U *1	50.0		mg/Kg		09/21/22 15:28	09/21/22 22:58	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		09/21/22 15:28	09/21/22 22:58	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		09/21/22 15:28	09/21/22 22:58	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	113		70 - 130	09/21/22 15:28	09/21/22 22:58	1
o-Terphenyl	110		70 - 130	09/21/22 15:28	09/21/22 22:58	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	14.7		5.01		mg/Kg			09/22/22 01:52	1

Client Sample ID: S-2 (2')

Lab Sample ID: 880-19485-6

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		09/21/22 12:57	09/21/22 19:01	1
Toluene	<0.00199	U	0.00199		mg/Kg		09/21/22 12:57	09/21/22 19:01	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		09/21/22 12:57	09/21/22 19:01	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		09/21/22 12:57	09/21/22 19:01	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		09/21/22 12:57	09/21/22 19:01	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		09/21/22 12:57	09/21/22 19:01	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	130		70 - 130	09/21/22 12:57	09/21/22 19:01	1
1,4-Difluorobenzene (Surr)	111		70 - 130	09/21/22 12:57	09/21/22 19:01	1

Eurofins Midland

Client Sample Results

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: S-2 (2')

Lab Sample ID: 880-19485-6

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			09/22/22 09:40	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			09/22/22 11:04	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U *1	50.0		mg/Kg		09/21/22 15:28	09/21/22 23:20	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		09/21/22 15:28	09/21/22 23:20	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		09/21/22 15:28	09/21/22 23:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	112		70 - 130				09/21/22 15:28	09/21/22 23:20	1
o-Terphenyl	105		70 - 130				09/21/22 15:28	09/21/22 23:20	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	18.6		4.97		mg/Kg			09/22/22 02:07	1

Client Sample ID: S-2 (2.5')

Lab Sample ID: 880-19485-7

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		09/21/22 12:57	09/21/22 19:21	1
Toluene	<0.00200	U	0.00200		mg/Kg		09/21/22 12:57	09/21/22 19:21	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		09/21/22 12:57	09/21/22 19:21	1
m-Xylene & p-Xylene	<0.00401	U	0.00401		mg/Kg		09/21/22 12:57	09/21/22 19:21	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		09/21/22 12:57	09/21/22 19:21	1
Xylenes, Total	<0.00401	U	0.00401		mg/Kg		09/21/22 12:57	09/21/22 19:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	145	S1+	70 - 130				09/21/22 12:57	09/21/22 19:21	1
1,4-Difluorobenzene (Surr)	113		70 - 130				09/21/22 12:57	09/21/22 19:21	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00401	U	0.00401		mg/Kg			09/22/22 09:40	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			09/22/22 11:04	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U *1	49.8		mg/Kg		09/21/22 15:28	09/21/22 23:41	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		09/21/22 15:28	09/21/22 23:41	1

Eurofins Midland

Client Sample Results

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: S-2 (2.5')

Lab Sample ID: 880-19485-7

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		09/21/22 15:28	09/21/22 23:41	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	114		70 - 130				09/21/22 15:28	09/21/22 23:41	1
o-Terphenyl	108		70 - 130				09/21/22 15:28	09/21/22 23:41	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	14.0	F1 F2	4.97		mg/Kg			09/22/22 00:46	1

Client Sample ID: S-3 (0-1')

Lab Sample ID: 880-19485-8

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		09/21/22 12:57	09/21/22 19:42	1
Toluene	<0.00200	U	0.00200		mg/Kg		09/21/22 12:57	09/21/22 19:42	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		09/21/22 12:57	09/21/22 19:42	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		09/21/22 12:57	09/21/22 19:42	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		09/21/22 12:57	09/21/22 19:42	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		09/21/22 12:57	09/21/22 19:42	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	145	S1+	70 - 130				09/21/22 12:57	09/21/22 19:42	1
1,4-Difluorobenzene (Surr)	115		70 - 130				09/21/22 12:57	09/21/22 19:42	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			09/22/22 09:40	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			09/22/22 11:04	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U *1	49.9		mg/Kg		09/21/22 15:28	09/22/22 00:02	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		09/21/22 15:28	09/22/22 00:02	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		09/21/22 15:28	09/22/22 00:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	101		70 - 130				09/21/22 15:28	09/22/22 00:02	1
o-Terphenyl	96		70 - 130				09/21/22 15:28	09/22/22 00:02	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	43.1		4.99		mg/Kg			09/22/22 01:01	1

Eurofins Midland

Client Sample Results

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: S-3 (1.5')

Lab Sample ID: 880-19485-9

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		09/21/22 12:57	09/21/22 20:03	1
Toluene	<0.00199	U	0.00199		mg/Kg		09/21/22 12:57	09/21/22 20:03	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		09/21/22 12:57	09/21/22 20:03	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		09/21/22 12:57	09/21/22 20:03	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		09/21/22 12:57	09/21/22 20:03	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		09/21/22 12:57	09/21/22 20:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	151	S1+	70 - 130	09/21/22 12:57	09/21/22 20:03	1
1,4-Difluorobenzene (Surr)	114		70 - 130	09/21/22 12:57	09/21/22 20:03	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			09/22/22 09:40	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			09/22/22 11:04	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U *1	49.9		mg/Kg		09/21/22 15:28	09/22/22 00:23	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		09/21/22 15:28	09/22/22 00:23	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		09/21/22 15:28	09/22/22 00:23	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	106		70 - 130	09/21/22 15:28	09/22/22 00:23	1
o-Terphenyl	105		70 - 130	09/21/22 15:28	09/22/22 00:23	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	59.7		5.00		mg/Kg			09/22/22 01:06	1

Client Sample ID: S-3 (2')

Lab Sample ID: 880-19485-10

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		09/21/22 12:57	09/21/22 20:23	1
Toluene	<0.00200	U	0.00200		mg/Kg		09/21/22 12:57	09/21/22 20:23	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		09/21/22 12:57	09/21/22 20:23	1
m-Xylene & p-Xylene	<0.00401	U	0.00401		mg/Kg		09/21/22 12:57	09/21/22 20:23	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		09/21/22 12:57	09/21/22 20:23	1
Xylenes, Total	<0.00401	U	0.00401		mg/Kg		09/21/22 12:57	09/21/22 20:23	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	147	S1+	70 - 130	09/21/22 12:57	09/21/22 20:23	1
1,4-Difluorobenzene (Surr)	113		70 - 130	09/21/22 12:57	09/21/22 20:23	1

Eurofins Midland

Client Sample Results

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: S-3 (2')

Lab Sample ID: 880-19485-10

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00401	U	0.00401		mg/Kg			09/22/22 09:40	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			09/22/22 11:04	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U *1	49.9		mg/Kg		09/21/22 15:28	09/22/22 00:44	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		09/21/22 15:28	09/22/22 00:44	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		09/21/22 15:28	09/22/22 00:44	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	105		70 - 130				09/21/22 15:28	09/22/22 00:44	1
o-Terphenyl	96		70 - 130				09/21/22 15:28	09/22/22 00:44	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	170		5.00		mg/Kg			09/22/22 01:10	1

Client Sample ID: S-3 (2.5')

Lab Sample ID: 880-19485-11

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		09/21/22 12:57	09/21/22 21:48	1
Toluene	<0.00199	U	0.00199		mg/Kg		09/21/22 12:57	09/21/22 21:48	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		09/21/22 12:57	09/21/22 21:48	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		09/21/22 12:57	09/21/22 21:48	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		09/21/22 12:57	09/21/22 21:48	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		09/21/22 12:57	09/21/22 21:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	146	S1+	70 - 130				09/21/22 12:57	09/21/22 21:48	1
1,4-Difluorobenzene (Surr)	113		70 - 130				09/21/22 12:57	09/21/22 21:48	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			09/22/22 09:40	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			09/22/22 11:04	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U *1	50.0		mg/Kg		09/21/22 15:28	09/22/22 01:26	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		09/21/22 15:28	09/22/22 01:26	1

Eurofins Midland

Client Sample Results

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: S-3 (2.5')

Lab Sample ID: 880-19485-11

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		09/21/22 15:28	09/22/22 01:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	102		70 - 130				09/21/22 15:28	09/22/22 01:26	1
o-Terphenyl	92		70 - 130				09/21/22 15:28	09/22/22 01:26	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	815		4.99		mg/Kg			09/22/22 01:15	1

Client Sample ID: S-3 (3')

Lab Sample ID: 880-19485-12

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		09/21/22 12:57	09/21/22 22:08	1
Toluene	<0.00200	U	0.00200		mg/Kg		09/21/22 12:57	09/21/22 22:08	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		09/21/22 12:57	09/21/22 22:08	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		09/21/22 12:57	09/21/22 22:08	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		09/21/22 12:57	09/21/22 22:08	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		09/21/22 12:57	09/21/22 22:08	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	167	S1+	70 - 130				09/21/22 12:57	09/21/22 22:08	1
1,4-Difluorobenzene (Surr)	120		70 - 130				09/21/22 12:57	09/21/22 22:08	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			09/22/22 09:40	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			09/22/22 11:04	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U *1	49.9		mg/Kg		09/21/22 15:28	09/22/22 01:47	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		09/21/22 15:28	09/22/22 01:47	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		09/21/22 15:28	09/22/22 01:47	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	108		70 - 130				09/21/22 15:28	09/22/22 01:47	1
o-Terphenyl	101		70 - 130				09/21/22 15:28	09/22/22 01:47	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	161		4.96		mg/Kg			09/22/22 01:30	1

Eurofins Midland

Client Sample Results

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: S-3 (3.5')

Lab Sample ID: 880-19485-13

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		09/21/22 12:57	09/21/22 22:29	1
Toluene	<0.00199	U	0.00199		mg/Kg		09/21/22 12:57	09/21/22 22:29	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		09/21/22 12:57	09/21/22 22:29	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		09/21/22 12:57	09/21/22 22:29	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		09/21/22 12:57	09/21/22 22:29	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		09/21/22 12:57	09/21/22 22:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	160	S1+	70 - 130	09/21/22 12:57	09/21/22 22:29	1
1,4-Difluorobenzene (Surr)	111		70 - 130	09/21/22 12:57	09/21/22 22:29	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			09/22/22 09:40	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			09/22/22 11:04	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U *1	50.0		mg/Kg		09/21/22 15:28	09/22/22 02:08	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		09/21/22 15:28	09/22/22 02:08	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		09/21/22 15:28	09/22/22 02:08	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	101		70 - 130	09/21/22 15:28	09/22/22 02:08	1
o-Terphenyl	93		70 - 130	09/21/22 15:28	09/22/22 02:08	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1090		4.95		mg/Kg			09/22/22 01:35	1

Client Sample ID: S-3 (4')

Lab Sample ID: 880-19485-14

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		09/21/22 12:57	09/21/22 22:50	1
Toluene	<0.00201	U	0.00201		mg/Kg		09/21/22 12:57	09/21/22 22:50	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		09/21/22 12:57	09/21/22 22:50	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		09/21/22 12:57	09/21/22 22:50	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		09/21/22 12:57	09/21/22 22:50	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		09/21/22 12:57	09/21/22 22:50	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	156	S1+	70 - 130	09/21/22 12:57	09/21/22 22:50	1
1,4-Difluorobenzene (Surr)	116		70 - 130	09/21/22 12:57	09/21/22 22:50	1

Eurofins Midland

Client Sample Results

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: S-3 (4')

Lab Sample ID: 880-19485-14

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			09/22/22 09:40	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			09/22/22 11:04	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U *1	50.0		mg/Kg		09/21/22 15:28	09/22/22 02:30	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		09/21/22 15:28	09/22/22 02:30	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		09/21/22 15:28	09/22/22 02:30	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	106		70 - 130				09/21/22 15:28	09/22/22 02:30	1
o-Terphenyl	95		70 - 130				09/21/22 15:28	09/22/22 02:30	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1560		24.8		mg/Kg			09/22/22 01:40	5

Client Sample ID: S-4 (0-1')

Lab Sample ID: 880-19485-15

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		09/21/22 12:57	09/21/22 23:11	1
Toluene	<0.00200	U	0.00200		mg/Kg		09/21/22 12:57	09/21/22 23:11	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		09/21/22 12:57	09/21/22 23:11	1
m-Xylene & p-Xylene	<0.00401	U	0.00401		mg/Kg		09/21/22 12:57	09/21/22 23:11	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		09/21/22 12:57	09/21/22 23:11	1
Xylenes, Total	<0.00401	U	0.00401		mg/Kg		09/21/22 12:57	09/21/22 23:11	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	159	S1+	70 - 130				09/21/22 12:57	09/21/22 23:11	1
1,4-Difluorobenzene (Surr)	119		70 - 130				09/21/22 12:57	09/21/22 23:11	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00401	U	0.00401		mg/Kg			09/22/22 09:40	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			09/22/22 11:04	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U *1	49.9		mg/Kg		09/21/22 15:28	09/22/22 02:51	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		09/21/22 15:28	09/22/22 02:51	1

Eurofins Midland

Client Sample Results

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: S-4 (0-1')

Lab Sample ID: 880-19485-15

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		09/21/22 15:28	09/22/22 02:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	110		70 - 130				09/21/22 15:28	09/22/22 02:51	1
o-Terphenyl	97		70 - 130				09/21/22 15:28	09/22/22 02:51	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	18.3		5.02		mg/Kg			09/22/22 01:45	1

Client Sample ID: S-4 (1.5')

Lab Sample ID: 880-19485-16

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		09/21/22 12:57	09/21/22 23:31	1
Toluene	<0.00201	U	0.00201		mg/Kg		09/21/22 12:57	09/21/22 23:31	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		09/21/22 12:57	09/21/22 23:31	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		09/21/22 12:57	09/21/22 23:31	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		09/21/22 12:57	09/21/22 23:31	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		09/21/22 12:57	09/21/22 23:31	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	161	S1+	70 - 130				09/21/22 12:57	09/21/22 23:31	1
1,4-Difluorobenzene (Surr)	117		70 - 130				09/21/22 12:57	09/21/22 23:31	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			09/22/22 09:40	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			09/22/22 11:04	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U *1	49.9		mg/Kg		09/21/22 15:28	09/22/22 03:11	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		09/21/22 15:28	09/22/22 03:11	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		09/21/22 15:28	09/22/22 03:11	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	111		70 - 130				09/21/22 15:28	09/22/22 03:11	1
o-Terphenyl	102		70 - 130				09/21/22 15:28	09/22/22 03:11	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	19.6		5.01		mg/Kg			09/22/22 01:50	1

Eurofins Midland

Client Sample Results

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: S-4 (2')

Lab Sample ID: 880-19485-17

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		09/21/22 12:57	09/21/22 23:52	1
Toluene	<0.00200	U	0.00200		mg/Kg		09/21/22 12:57	09/21/22 23:52	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		09/21/22 12:57	09/21/22 23:52	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		09/21/22 12:57	09/21/22 23:52	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		09/21/22 12:57	09/21/22 23:52	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		09/21/22 12:57	09/21/22 23:52	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	161	S1+	70 - 130	09/21/22 12:57	09/21/22 23:52	1
1,4-Difluorobenzene (Surr)	118		70 - 130	09/21/22 12:57	09/21/22 23:52	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			09/22/22 09:40	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			09/22/22 11:04	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U *1	50.0		mg/Kg		09/21/22 15:28	09/22/22 03:32	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		09/21/22 15:28	09/22/22 03:32	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		09/21/22 15:28	09/22/22 03:32	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	107		70 - 130	09/21/22 15:28	09/22/22 03:32	1
o-Terphenyl	99		70 - 130	09/21/22 15:28	09/22/22 03:32	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	16.6		5.03		mg/Kg			09/22/22 01:55	1

Client Sample ID: S-5 (0-1')

Lab Sample ID: 880-19485-18

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		09/21/22 12:57	09/22/22 00:13	1
Toluene	<0.00199	U	0.00199		mg/Kg		09/21/22 12:57	09/22/22 00:13	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		09/21/22 12:57	09/22/22 00:13	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		09/21/22 12:57	09/22/22 00:13	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		09/21/22 12:57	09/22/22 00:13	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		09/21/22 12:57	09/22/22 00:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	170	S1+	70 - 130	09/21/22 12:57	09/22/22 00:13	1
1,4-Difluorobenzene (Surr)	115		70 - 130	09/21/22 12:57	09/22/22 00:13	1

Eurofins Midland

Client Sample Results

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: S-5 (0-1')

Lab Sample ID: 880-19485-18

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			09/22/22 09:40	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			09/22/22 11:04	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U *1	49.9		mg/Kg		09/21/22 15:28	09/22/22 03:53	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		09/21/22 15:28	09/22/22 03:53	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		09/21/22 15:28	09/22/22 03:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	101		70 - 130				09/21/22 15:28	09/22/22 03:53	1
o-Terphenyl	98		70 - 130				09/21/22 15:28	09/22/22 03:53	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	19.1		4.97		mg/Kg			09/22/22 02:10	1

Client Sample ID: S-5 (1.5')

Lab Sample ID: 880-19485-19

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		09/21/22 12:57	09/22/22 00:33	1
Toluene	<0.00199	U	0.00199		mg/Kg		09/21/22 12:57	09/22/22 00:33	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		09/21/22 12:57	09/22/22 00:33	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		09/21/22 12:57	09/22/22 00:33	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		09/21/22 12:57	09/22/22 00:33	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		09/21/22 12:57	09/22/22 00:33	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	157	S1+	70 - 130				09/21/22 12:57	09/22/22 00:33	1
1,4-Difluorobenzene (Surr)	115		70 - 130				09/21/22 12:57	09/22/22 00:33	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			09/22/22 09:40	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			09/22/22 11:04	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U *1	50.0		mg/Kg		09/21/22 15:29	09/22/22 04:14	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		09/21/22 15:29	09/22/22 04:14	1

Eurofins Midland

Client Sample Results

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: S-5 (1.5')

Lab Sample ID: 880-19485-19

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		09/21/22 15:29	09/22/22 04:14	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	95		70 - 130				09/21/22 15:29	09/22/22 04:14	1
o-Terphenyl	90		70 - 130				09/21/22 15:29	09/22/22 04:14	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	12.6		4.96		mg/Kg			09/22/22 02:15	1

Client Sample ID: S-5 (2')

Lab Sample ID: 880-19485-20

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		09/21/22 12:57	09/22/22 00:54	1
Toluene	<0.00201	U	0.00201		mg/Kg		09/21/22 12:57	09/22/22 00:54	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		09/21/22 12:57	09/22/22 00:54	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		09/21/22 12:57	09/22/22 00:54	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		09/21/22 12:57	09/22/22 00:54	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		09/21/22 12:57	09/22/22 00:54	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	172	S1+	70 - 130				09/21/22 12:57	09/22/22 00:54	1
1,4-Difluorobenzene (Surr)	117		70 - 130				09/21/22 12:57	09/22/22 00:54	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			09/22/22 09:40	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			09/22/22 11:04	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U *1	49.9		mg/Kg		09/21/22 15:29	09/22/22 04:35	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		09/21/22 15:29	09/22/22 04:35	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		09/21/22 15:29	09/22/22 04:35	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	104		70 - 130				09/21/22 15:29	09/22/22 04:35	1
o-Terphenyl	102		70 - 130				09/21/22 15:29	09/22/22 04:35	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	16.0		5.01		mg/Kg			09/22/22 02:30	1

Eurofins Midland

Client Sample Results

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: S-6 (0-1')

Lab Sample ID: 880-19485-21

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U F1	0.00200		mg/Kg		09/21/22 13:04	09/22/22 03:58	1
Toluene	<0.00200	U	0.00200		mg/Kg		09/21/22 13:04	09/22/22 03:58	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		09/21/22 13:04	09/22/22 03:58	1
m-Xylene & p-Xylene	<0.00401	U	0.00401		mg/Kg		09/21/22 13:04	09/22/22 03:58	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		09/21/22 13:04	09/22/22 03:58	1
Xylenes, Total	<0.00401	U	0.00401		mg/Kg		09/21/22 13:04	09/22/22 03:58	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	139	S1+	70 - 130	09/21/22 13:04	09/22/22 03:58	1
1,4-Difluorobenzene (Surr)	112		70 - 130	09/21/22 13:04	09/22/22 03:58	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00401	U	0.00401		mg/Kg			09/22/22 09:40	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			09/22/22 12:50	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		09/21/22 15:33	09/21/22 20:49	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		09/21/22 15:33	09/21/22 20:49	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		09/21/22 15:33	09/21/22 20:49	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	103		70 - 130	09/21/22 15:33	09/21/22 20:49	1
o-Terphenyl	121		70 - 130	09/21/22 15:33	09/21/22 20:49	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3860		49.9		mg/Kg			09/22/22 02:35	10

Client Sample ID: S-6 (1.5')

Lab Sample ID: 880-19485-22

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		09/21/22 13:04	09/22/22 04:19	1
Toluene	<0.00200	U	0.00200		mg/Kg		09/21/22 13:04	09/22/22 04:19	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		09/21/22 13:04	09/22/22 04:19	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		09/21/22 13:04	09/22/22 04:19	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		09/21/22 13:04	09/22/22 04:19	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		09/21/22 13:04	09/22/22 04:19	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	169	S1+	70 - 130	09/21/22 13:04	09/22/22 04:19	1
1,4-Difluorobenzene (Surr)	115		70 - 130	09/21/22 13:04	09/22/22 04:19	1

Eurofins Midland

Client Sample Results

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: S-6 (1.5')

Lab Sample ID: 880-19485-22

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			09/22/22 09:40	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			09/22/22 12:50	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		09/21/22 15:33	09/21/22 21:53	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		09/21/22 15:33	09/21/22 21:53	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		09/21/22 15:33	09/21/22 21:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	97		70 - 130				09/21/22 15:33	09/21/22 21:53	1
o-Terphenyl	112		70 - 130				09/21/22 15:33	09/21/22 21:53	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2320		25.2		mg/Kg			09/22/22 02:40	5

Client Sample ID: S-6 (2')

Lab Sample ID: 880-19485-23

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		09/21/22 13:04	09/22/22 04:40	1
Toluene	<0.00198	U	0.00198		mg/Kg		09/21/22 13:04	09/22/22 04:40	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		09/21/22 13:04	09/22/22 04:40	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		09/21/22 13:04	09/22/22 04:40	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		09/21/22 13:04	09/22/22 04:40	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		09/21/22 13:04	09/22/22 04:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	146	S1+	70 - 130				09/21/22 13:04	09/22/22 04:40	1
1,4-Difluorobenzene (Surr)	118		70 - 130				09/21/22 13:04	09/22/22 04:40	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			09/22/22 09:40	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	79.1		50.0		mg/Kg			09/22/22 12:50	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		09/21/22 15:33	09/21/22 22:15	1
Diesel Range Organics (Over C10-C28)	79.1		50.0		mg/Kg		09/21/22 15:33	09/21/22 22:15	1

Eurofins Midland

Client Sample Results

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: S-6 (2')

Lab Sample ID: 880-19485-23

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		09/21/22 15:33	09/21/22 22:15	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	95		70 - 130				09/21/22 15:33	09/21/22 22:15	1
o-Terphenyl	109		70 - 130				09/21/22 15:33	09/21/22 22:15	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	773		25.3		mg/Kg			09/22/22 02:45	5

Client Sample ID: S-6 (2.5')

Lab Sample ID: 880-19485-24

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		09/21/22 13:04	09/22/22 05:00	1
Toluene	<0.00201	U	0.00201		mg/Kg		09/21/22 13:04	09/22/22 05:00	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		09/21/22 13:04	09/22/22 05:00	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		09/21/22 13:04	09/22/22 05:00	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		09/21/22 13:04	09/22/22 05:00	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		09/21/22 13:04	09/22/22 05:00	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	177	S1+	70 - 130				09/21/22 13:04	09/22/22 05:00	1
1,4-Difluorobenzene (Surr)	132	S1+	70 - 130				09/21/22 13:04	09/22/22 05:00	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			09/22/22 09:40	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			09/22/22 12:50	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		09/21/22 15:33	09/21/22 22:37	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		09/21/22 15:33	09/21/22 22:37	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		09/21/22 15:33	09/21/22 22:37	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	94		70 - 130				09/21/22 15:33	09/21/22 22:37	1
o-Terphenyl	107		70 - 130				09/21/22 15:33	09/21/22 22:37	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1630		25.0		mg/Kg			09/22/22 02:50	5

Eurofins Midland

Client Sample Results

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: S-6 (3')

Lab Sample ID: 880-19485-25

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		09/21/22 13:04	09/22/22 05:21	1
Toluene	<0.00202	U	0.00202		mg/Kg		09/21/22 13:04	09/22/22 05:21	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		09/21/22 13:04	09/22/22 05:21	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		09/21/22 13:04	09/22/22 05:21	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		09/21/22 13:04	09/22/22 05:21	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		09/21/22 13:04	09/22/22 05:21	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	151	S1+	70 - 130	09/21/22 13:04	09/22/22 05:21	1
1,4-Difluorobenzene (Surr)	115		70 - 130	09/21/22 13:04	09/22/22 05:21	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			09/22/22 09:40	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			09/22/22 12:50	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		09/21/22 15:33	09/21/22 22:58	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		09/21/22 15:33	09/21/22 22:58	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		09/21/22 15:33	09/21/22 22:58	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	108		70 - 130	09/21/22 15:33	09/21/22 22:58	1
o-Terphenyl	123		70 - 130	09/21/22 15:33	09/21/22 22:58	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1540		25.0		mg/Kg			09/22/22 02:55	5

Client Sample ID: S-6 (3.5')

Lab Sample ID: 880-19485-26

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		09/21/22 13:04	09/22/22 05:41	1
Toluene	<0.00200	U	0.00200		mg/Kg		09/21/22 13:04	09/22/22 05:41	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		09/21/22 13:04	09/22/22 05:41	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		09/21/22 13:04	09/22/22 05:41	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		09/21/22 13:04	09/22/22 05:41	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		09/21/22 13:04	09/22/22 05:41	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	169	S1+	70 - 130	09/21/22 13:04	09/22/22 05:41	1
1,4-Difluorobenzene (Surr)	123		70 - 130	09/21/22 13:04	09/22/22 05:41	1

Eurofins Midland

Client Sample Results

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: S-6 (3.5')

Lab Sample ID: 880-19485-26

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			09/22/22 09:40	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			09/22/22 12:50	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		09/21/22 15:33	09/21/22 23:20	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		09/21/22 15:33	09/21/22 23:20	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		09/21/22 15:33	09/21/22 23:20	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	99		70 - 130				09/21/22 15:33	09/21/22 23:20	1
o-Terphenyl	114		70 - 130				09/21/22 15:33	09/21/22 23:20	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1170		25.0		mg/Kg			09/22/22 03:00	5

Client Sample ID: S-6 (4')

Lab Sample ID: 880-19485-27

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		09/21/22 13:04	09/22/22 06:02	1
Toluene	<0.00199	U	0.00199		mg/Kg		09/21/22 13:04	09/22/22 06:02	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		09/21/22 13:04	09/22/22 06:02	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		09/21/22 13:04	09/22/22 06:02	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		09/21/22 13:04	09/22/22 06:02	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		09/21/22 13:04	09/22/22 06:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	179	S1+	70 - 130				09/21/22 13:04	09/22/22 06:02	1
1,4-Difluorobenzene (Surr)	122		70 - 130				09/21/22 13:04	09/22/22 06:02	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			09/22/22 09:40	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			09/22/22 12:50	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		09/21/22 15:33	09/21/22 23:41	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		09/21/22 15:33	09/21/22 23:41	1

Eurofins Midland

Client Sample Results

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: S-6 (4')

Lab Sample ID: 880-19485-27

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		09/21/22 15:33	09/21/22 23:41	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	90		70 - 130				09/21/22 15:33	09/21/22 23:41	1
o-Terphenyl	103		70 - 130				09/21/22 15:33	09/21/22 23:41	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	291	F1	5.01		mg/Kg			09/21/22 20:13	1

Client Sample ID: S-6 (4.5')

Lab Sample ID: 880-19485-28

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		09/21/22 13:04	09/22/22 06:23	1
Toluene	<0.00200	U	0.00200		mg/Kg		09/21/22 13:04	09/22/22 06:23	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		09/21/22 13:04	09/22/22 06:23	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		09/21/22 13:04	09/22/22 06:23	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		09/21/22 13:04	09/22/22 06:23	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		09/21/22 13:04	09/22/22 06:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	173	S1+	70 - 130				09/21/22 13:04	09/22/22 06:23	1
1,4-Difluorobenzene (Surr)	123		70 - 130				09/21/22 13:04	09/22/22 06:23	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			09/22/22 09:40	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			09/22/22 12:50	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		09/21/22 15:33	09/22/22 00:02	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		09/21/22 15:33	09/22/22 00:02	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		09/21/22 15:33	09/22/22 00:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	105		70 - 130				09/21/22 15:33	09/22/22 00:02	1
o-Terphenyl	122		70 - 130				09/21/22 15:33	09/22/22 00:02	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	293		4.98		mg/Kg			09/21/22 20:28	1

Eurofins Midland

Client Sample Results

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: H-1 (0-0.5')

Lab Sample ID: 880-19485-29

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		09/21/22 13:04	09/22/22 06:43	1
Toluene	<0.00202	U	0.00202		mg/Kg		09/21/22 13:04	09/22/22 06:43	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		09/21/22 13:04	09/22/22 06:43	1
m-Xylene & p-Xylene	<0.00403	U	0.00403		mg/Kg		09/21/22 13:04	09/22/22 06:43	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		09/21/22 13:04	09/22/22 06:43	1
Xylenes, Total	<0.00403	U	0.00403		mg/Kg		09/21/22 13:04	09/22/22 06:43	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	166	S1+	70 - 130	09/21/22 13:04	09/22/22 06:43	1
1,4-Difluorobenzene (Surr)	117		70 - 130	09/21/22 13:04	09/22/22 06:43	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00403	U	0.00403		mg/Kg			09/22/22 09:40	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	76.7		50.0		mg/Kg			09/22/22 12:50	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		09/21/22 15:33	09/22/22 00:23	1
Diesel Range Organics (Over C10-C28)	76.7		50.0		mg/Kg		09/21/22 15:33	09/22/22 00:23	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		09/21/22 15:33	09/22/22 00:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	106		70 - 130				09/21/22 15:33	09/22/22 00:23	1
o-Terphenyl	119		70 - 130				09/21/22 15:33	09/22/22 00:23	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	15.3		5.00		mg/Kg			09/21/22 20:33	1

Client Sample ID: H-2 (0-0.5')

Lab Sample ID: 880-19485-30

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		09/21/22 13:04	09/22/22 07:04	1
Toluene	<0.00201	U	0.00201		mg/Kg		09/21/22 13:04	09/22/22 07:04	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		09/21/22 13:04	09/22/22 07:04	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		09/21/22 13:04	09/22/22 07:04	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		09/21/22 13:04	09/22/22 07:04	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		09/21/22 13:04	09/22/22 07:04	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	176	S1+	70 - 130	09/21/22 13:04	09/22/22 07:04	1
1,4-Difluorobenzene (Surr)	117		70 - 130	09/21/22 13:04	09/22/22 07:04	1

Eurofins Midland

Client Sample Results

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: H-2 (0-0.5')

Lab Sample ID: 880-19485-30

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			09/22/22 09:40	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			09/22/22 12:50	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		09/21/22 15:33	09/22/22 00:44	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		09/21/22 15:33	09/22/22 00:44	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		09/21/22 15:33	09/22/22 00:44	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	101		70 - 130				09/21/22 15:33	09/22/22 00:44	1
o-Terphenyl	114		70 - 130				09/21/22 15:33	09/22/22 00:44	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	220		4.96		mg/Kg			09/21/22 20:38	1

Client Sample ID: H-3 (0-0.5')

Lab Sample ID: 880-19485-31

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		09/21/22 13:04	09/22/22 09:13	1
Toluene	<0.00201	U	0.00201		mg/Kg		09/21/22 13:04	09/22/22 09:13	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		09/21/22 13:04	09/22/22 09:13	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		09/21/22 13:04	09/22/22 09:13	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		09/21/22 13:04	09/22/22 09:13	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		09/21/22 13:04	09/22/22 09:13	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	139	S1+	70 - 130				09/21/22 13:04	09/22/22 09:13	1
1,4-Difluorobenzene (Surr)	111		70 - 130				09/21/22 13:04	09/22/22 09:13	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			09/22/22 09:40	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			09/22/22 12:50	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		09/21/22 15:33	09/22/22 01:26	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		09/21/22 15:33	09/22/22 01:26	1

Eurofins Midland

Client Sample Results

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: H-3 (0-0.5')

Lab Sample ID: 880-19485-31

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		09/21/22 15:33	09/22/22 01:26	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	107		70 - 130				09/21/22 15:33	09/22/22 01:26	1
o-Terphenyl	123		70 - 130				09/21/22 15:33	09/22/22 01:26	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	8.83		5.02		mg/Kg			09/21/22 20:43	1

Client Sample ID: H-4 (0-0.5')

Lab Sample ID: 880-19485-32

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		09/21/22 13:04	09/22/22 09:34	1
Toluene	<0.00200	U	0.00200		mg/Kg		09/21/22 13:04	09/22/22 09:34	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		09/21/22 13:04	09/22/22 09:34	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		09/21/22 13:04	09/22/22 09:34	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		09/21/22 13:04	09/22/22 09:34	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		09/21/22 13:04	09/22/22 09:34	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	148	S1+	70 - 130				09/21/22 13:04	09/22/22 09:34	1
1,4-Difluorobenzene (Surr)	116		70 - 130				09/21/22 13:04	09/22/22 09:34	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			09/22/22 09:40	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			09/22/22 12:50	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		09/21/22 15:33	09/22/22 01:47	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		09/21/22 15:33	09/22/22 01:47	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		09/21/22 15:33	09/22/22 01:47	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	125		70 - 130				09/21/22 15:33	09/22/22 01:47	1
o-Terphenyl	140	S1+	70 - 130				09/21/22 15:33	09/22/22 01:47	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	11.3		5.04		mg/Kg			09/21/22 20:58	1

Eurofins Midland

Client Sample Results

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: H-5 (0-0.5')

Lab Sample ID: 880-19485-33

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		09/21/22 13:04	09/22/22 09:54	1
Toluene	<0.00201	U	0.00201		mg/Kg		09/21/22 13:04	09/22/22 09:54	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		09/21/22 13:04	09/22/22 09:54	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		09/21/22 13:04	09/22/22 09:54	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		09/21/22 13:04	09/22/22 09:54	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		09/21/22 13:04	09/22/22 09:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	183	S1+	70 - 130	09/21/22 13:04	09/22/22 09:54	1
1,4-Difluorobenzene (Surr)	117		70 - 130	09/21/22 13:04	09/22/22 09:54	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			09/22/22 09:40	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			09/22/22 12:50	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		09/21/22 15:33	09/22/22 02:08	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		09/21/22 15:33	09/22/22 02:08	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		09/21/22 15:33	09/22/22 02:08	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	124		70 - 130	09/21/22 15:33	09/22/22 02:08	1
o-Terphenyl	136	S1+	70 - 130	09/21/22 15:33	09/22/22 02:08	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	9.39		5.04		mg/Kg			09/21/22 21:03	1

Client Sample ID: H-6 (0-0.5')

Lab Sample ID: 880-19485-34

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		09/21/22 13:04	09/22/22 10:15	1
Toluene	<0.00200	U	0.00200		mg/Kg		09/21/22 13:04	09/22/22 10:15	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		09/21/22 13:04	09/22/22 10:15	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		09/21/22 13:04	09/22/22 10:15	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		09/21/22 13:04	09/22/22 10:15	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		09/21/22 13:04	09/22/22 10:15	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	121		70 - 130	09/21/22 13:04	09/22/22 10:15	1
1,4-Difluorobenzene (Surr)	109		70 - 130	09/21/22 13:04	09/22/22 10:15	1

Eurofins Midland

Client Sample Results

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: H-6 (0-0.5')

Lab Sample ID: 880-19485-34

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			09/22/22 09:40	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			09/22/22 12:50	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		09/21/22 15:33	09/22/22 02:30	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		09/21/22 15:33	09/22/22 02:30	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		09/21/22 15:33	09/22/22 02:30	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	106		70 - 130				09/21/22 15:33	09/22/22 02:30	1
o-Terphenyl	119		70 - 130				09/21/22 15:33	09/22/22 02:30	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	8.84		4.97		mg/Kg			09/21/22 21:08	1

Client Sample ID: H-7 (0-0.5')

Lab Sample ID: 880-19485-35

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		09/21/22 13:04	09/22/22 10:36	1
Toluene	<0.00199	U	0.00199		mg/Kg		09/21/22 13:04	09/22/22 10:36	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		09/21/22 13:04	09/22/22 10:36	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		09/21/22 13:04	09/22/22 10:36	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		09/21/22 13:04	09/22/22 10:36	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		09/21/22 13:04	09/22/22 10:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	159	S1+	70 - 130				09/21/22 13:04	09/22/22 10:36	1
1,4-Difluorobenzene (Surr)	120		70 - 130				09/21/22 13:04	09/22/22 10:36	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			09/22/22 09:40	1

Method: 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	99.5		49.8		mg/Kg			09/22/22 12:50	1

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		09/21/22 15:33	09/22/22 02:51	1
Diesel Range Organics (Over C10-C28)	99.5		49.8		mg/Kg		09/21/22 15:33	09/22/22 02:51	1

Eurofins Midland

Client Sample Results

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: H-7 (0-0.5')

Lab Sample ID: 880-19485-35

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		09/21/22 15:33	09/22/22 02:51	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	101		70 - 130	09/21/22 15:33	09/22/22 02:51	1
o-Terphenyl	113		70 - 130	09/21/22 15:33	09/22/22 02:51	1

Method: 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	103		4.95		mg/Kg			09/21/22 21:13	1

Surrogate Summary

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		BFB1 (70-130)	DFBZ1 (70-130)
880-19485-1	S-1 (0-1')	117	108
880-19485-1 MS	S-1 (0-1')	123	110
880-19485-1 MSD	S-1 (0-1')	118	105
880-19485-2	S-1 (1.5')	117	110
880-19485-3	S-1 (2')	131 S1+	95
880-19485-4	S-2 (0-1')	141 S1+	108
880-19485-5	S-2 (1.5')	138 S1+	94
880-19485-6	S-2 (2')	130	111
880-19485-7	S-2 (2.5')	145 S1+	113
880-19485-8	S-3 (0-1')	145 S1+	115
880-19485-9	S-3 (1.5')	151 S1+	114
880-19485-10	S-3 (2')	147 S1+	113
880-19485-11	S-3 (2.5')	146 S1+	113
880-19485-12	S-3 (3')	167 S1+	120
880-19485-13	S-3 (3.5')	160 S1+	111
880-19485-14	S-3 (4')	156 S1+	116
880-19485-15	S-4 (0-1')	159 S1+	119
880-19485-16	S-4 (1.5')	161 S1+	117
880-19485-17	S-4 (2')	161 S1+	118
880-19485-18	S-5 (0-1')	170 S1+	115
880-19485-19	S-5 (1.5')	157 S1+	115
880-19485-20	S-5 (2')	172 S1+	117
880-19485-21	S-6 (0-1')	139 S1+	112
880-19485-21 MS	S-6 (0-1')	140 S1+	109
880-19485-21 MSD	S-6 (0-1')	135 S1+	108
880-19485-22	S-6 (1.5')	169 S1+	115
880-19485-23	S-6 (2')	146 S1+	118
880-19485-24	S-6 (2.5')	177 S1+	132 S1+
880-19485-25	S-6 (3')	151 S1+	115
880-19485-26	S-6 (3.5')	169 S1+	123
880-19485-27	S-6 (4')	179 S1+	122
880-19485-28	S-6 (4.5')	173 S1+	123
880-19485-29	H-1 (0-0.5')	166 S1+	117
880-19485-30	H-2 (0-0.5')	176 S1+	117
880-19485-31	H-3 (0-0.5')	139 S1+	111
880-19485-32	H-4 (0-0.5')	148 S1+	116
880-19485-33	H-5 (0-0.5')	183 S1+	117
880-19485-34	H-6 (0-0.5')	121	109
880-19485-35	H-7 (0-0.5')	159 S1+	120
LCS 880-35060/1-A	Lab Control Sample	116	103
LCS 880-35061/1-A	Lab Control Sample	130	117
LCSD 880-35060/2-A	Lab Control Sample Dup	113	108
LCSD 880-35061/2-A	Lab Control Sample Dup	154 S1+	121
MB 880-35060/5-A	Method Blank	86	106
MB 880-35061/5-A	Method Blank	112	106

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

DFBZ = 1,4-Difluorobenzene (Surr)

Eurofins Midland

Surrogate Summary

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO1 (70-130)	OTPH1 (70-130)
880-19485-1	S-1 (0-1')	115	108
880-19485-1 MS	S-1 (0-1')	95	88
880-19485-1 MSD	S-1 (0-1')	87	80
880-19485-2	S-1 (1.5')	89	86
880-19485-3	S-1 (2')	95	92
880-19485-4	S-2 (0-1')	110	105
880-19485-5	S-2 (1.5')	113	110
880-19485-6	S-2 (2')	112	105
880-19485-7	S-2 (2.5')	114	108
880-19485-8	S-3 (0-1')	101	96
880-19485-9	S-3 (1.5')	106	105
880-19485-10	S-3 (2')	105	96
880-19485-11	S-3 (2.5')	102	92
880-19485-12	S-3 (3')	108	101
880-19485-13	S-3 (3.5')	101	93
880-19485-14	S-3 (4')	106	95
880-19485-15	S-4 (0-1')	110	97
880-19485-16	S-4 (1.5')	111	102
880-19485-17	S-4 (2')	107	99
880-19485-18	S-5 (0-1')	101	98
880-19485-19	S-5 (1.5')	95	90
880-19485-20	S-5 (2')	104	102
880-19485-21	S-6 (0-1')	103	121
880-19485-21 MS	S-6 (0-1')	97	102
880-19485-21 MSD	S-6 (0-1')	97	101
880-19485-22	S-6 (1.5')	97	112
880-19485-23	S-6 (2')	95	109
880-19485-24	S-6 (2.5')	94	107
880-19485-25	S-6 (3')	108	123
880-19485-26	S-6 (3.5')	99	114
880-19485-27	S-6 (4')	90	103
880-19485-28	S-6 (4.5')	105	122
880-19485-29	H-1 (0-0.5')	106	119
880-19485-30	H-2 (0-0.5')	101	114
880-19485-31	H-3 (0-0.5')	107	123
880-19485-32	H-4 (0-0.5')	125	140 S1+
880-19485-33	H-5 (0-0.5')	124	136 S1+
880-19485-34	H-6 (0-0.5')	106	119
880-19485-35	H-7 (0-0.5')	101	113
LCS 880-35098/2-A	Lab Control Sample	88	88
LCS 880-35103/2-A	Lab Control Sample	91	99
LCSD 880-35098/3-A	Lab Control Sample Dup	105	102
LCSD 880-35103/3-A	Lab Control Sample Dup	93	105
MB 880-35098/1-A	Method Blank	118	111
MB 880-35103/1-A	Method Blank	116	134 S1+

Surrogate Legend

1CO = 1-Chlorooctane

OTPH = o-Terphenyl

Eurofins Midland

QC Sample Results

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-35060/5-A

Matrix: Solid

Analysis Batch: 35073

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 35060

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		09/21/22 12:57	09/21/22 16:55	1
Toluene	<0.00200	U	0.00200		mg/Kg		09/21/22 12:57	09/21/22 16:55	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		09/21/22 12:57	09/21/22 16:55	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		09/21/22 12:57	09/21/22 16:55	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		09/21/22 12:57	09/21/22 16:55	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		09/21/22 12:57	09/21/22 16:55	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	86		70 - 130	09/21/22 12:57	09/21/22 16:55	1
1,4-Difluorobenzene (Surr)	106		70 - 130	09/21/22 12:57	09/21/22 16:55	1

Lab Sample ID: LCS 880-35060/1-A

Matrix: Solid

Analysis Batch: 35073

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 35060

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.1016		mg/Kg		102	70 - 130
Toluene	0.100	0.1031		mg/Kg		103	70 - 130
Ethylbenzene	0.100	0.1007		mg/Kg		101	70 - 130
m-Xylene & p-Xylene	0.200	0.2172		mg/Kg		109	70 - 130
o-Xylene	0.100	0.1057		mg/Kg		106	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	116		70 - 130
1,4-Difluorobenzene (Surr)	103		70 - 130

Lab Sample ID: LCSD 880-35060/2-A

Matrix: Solid

Analysis Batch: 35073

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 35060

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.1098		mg/Kg		110	70 - 130	8	35
Toluene	0.100	0.1100		mg/Kg		110	70 - 130	6	35
Ethylbenzene	0.100	0.1035		mg/Kg		103	70 - 130	3	35
m-Xylene & p-Xylene	0.200	0.2207		mg/Kg		110	70 - 130	2	35
o-Xylene	0.100	0.1075		mg/Kg		108	70 - 130	2	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	113		70 - 130
1,4-Difluorobenzene (Surr)	108		70 - 130

Lab Sample ID: 880-19485-1 MS

Matrix: Solid

Analysis Batch: 35073

Client Sample ID: S-1 (0-1')

Prep Type: Total/NA

Prep Batch: 35060

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	<0.00201	U	0.100	0.09328		mg/Kg		93	70 - 130
Toluene	<0.00201	U	0.100	0.09091		mg/Kg		91	70 - 130

Eurofins Midland

QC Sample Results

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 880-19485-1 MS

Matrix: Solid

Analysis Batch: 35073

Client Sample ID: S-1 (0-1')

Prep Type: Total/NA

Prep Batch: 35060

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Ethylbenzene	<0.00201	U	0.100	0.08587		mg/Kg		86	70 - 130
m-Xylene & p-Xylene	<0.00402	U	0.201	0.1887		mg/Kg		94	70 - 130
o-Xylene	<0.00201	U	0.100	0.09383		mg/Kg		93	70 - 130

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene (Surr)	123		70 - 130
1,4-Difluorobenzene (Surr)	110		70 - 130

Lab Sample ID: 880-19485-1 MSD

Matrix: Solid

Analysis Batch: 35073

Client Sample ID: S-1 (0-1')

Prep Type: Total/NA

Prep Batch: 35060

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	<0.00201	U	0.0998	0.08358		mg/Kg		84	70 - 130	11	35
Toluene	<0.00201	U	0.0998	0.08557		mg/Kg		86	70 - 130	6	35
Ethylbenzene	<0.00201	U	0.0998	0.08223		mg/Kg		82	70 - 130	4	35
m-Xylene & p-Xylene	<0.00402	U	0.200	0.1829		mg/Kg		92	70 - 130	3	35
o-Xylene	<0.00201	U	0.0998	0.08905		mg/Kg		89	70 - 130	5	35

Surrogate	MSD %Recovery	MSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	118		70 - 130
1,4-Difluorobenzene (Surr)	105		70 - 130

Lab Sample ID: MB 880-35061/5-A

Matrix: Solid

Analysis Batch: 35073

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 35061

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		09/21/22 13:04	09/22/22 03:37	1
Toluene	<0.00200	U	0.00200		mg/Kg		09/21/22 13:04	09/22/22 03:37	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		09/21/22 13:04	09/22/22 03:37	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		09/21/22 13:04	09/22/22 03:37	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		09/21/22 13:04	09/22/22 03:37	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		09/21/22 13:04	09/22/22 03:37	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	112		70 - 130	09/21/22 13:04	09/22/22 03:37	1
1,4-Difluorobenzene (Surr)	106		70 - 130	09/21/22 13:04	09/22/22 03:37	1

Lab Sample ID: LCS 880-35061/1-A

Matrix: Solid

Analysis Batch: 35073

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 35061

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.07370		mg/Kg		74	70 - 130
Toluene	0.100	0.07810		mg/Kg		78	70 - 130
Ethylbenzene	0.100	0.08578		mg/Kg		86	70 - 130
m-Xylene & p-Xylene	0.200	0.1910		mg/Kg		96	70 - 130

Eurofins Midland

QC Sample Results

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCS 880-35061/1-A

Matrix: Solid

Analysis Batch: 35073

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 35061

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
o-Xylene	0.100	0.09680		mg/Kg		97	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	130		70 - 130
1,4-Difluorobenzene (Surr)	117		70 - 130

Lab Sample ID: LCSD 880-35061/2-A

Matrix: Solid

Analysis Batch: 35073

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 35061

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.08829		mg/Kg		88	70 - 130	18	35
Toluene	0.100	0.09815		mg/Kg		98	70 - 130	23	35
Ethylbenzene	0.100	0.1069		mg/Kg		107	70 - 130	22	35
m-Xylene & p-Xylene	0.200	0.2382		mg/Kg		119	70 - 130	22	35
o-Xylene	0.100	0.1184		mg/Kg		118	70 - 130	20	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	154	S1+	70 - 130
1,4-Difluorobenzene (Surr)	121		70 - 130

Lab Sample ID: 880-19485-21 MS

Matrix: Solid

Analysis Batch: 35073

Client Sample ID: S-6 (0-1')

Prep Type: Total/NA

Prep Batch: 35061

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	<0.00200	U F1	0.0998	0.06937		mg/Kg		70	70 - 130
Toluene	<0.00200	U	0.0998	0.07597		mg/Kg		76	70 - 130
Ethylbenzene	<0.00200	U	0.0998	0.07868		mg/Kg		79	70 - 130
m-Xylene & p-Xylene	<0.00401	U	0.200	0.1789		mg/Kg		90	70 - 130
o-Xylene	<0.00200	U	0.0998	0.08893		mg/Kg		89	70 - 130

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene (Surr)	140	S1+	70 - 130
1,4-Difluorobenzene (Surr)	109		70 - 130

Lab Sample ID: 880-19485-21 MSD

Matrix: Solid

Analysis Batch: 35073

Client Sample ID: S-6 (0-1')

Prep Type: Total/NA

Prep Batch: 35061

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	<0.00200	U F1	0.100	0.06824	F1	mg/Kg		68	70 - 130	2	35
Toluene	<0.00200	U	0.100	0.08287		mg/Kg		83	70 - 130	9	35
Ethylbenzene	<0.00200	U	0.100	0.07688		mg/Kg		77	70 - 130	2	35
m-Xylene & p-Xylene	<0.00401	U	0.201	0.1785		mg/Kg		89	70 - 130	0	35
o-Xylene	<0.00200	U	0.100	0.08825		mg/Kg		88	70 - 130	1	35

Eurofins Midland

QC Sample Results

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 880-19485-21 MSD

Matrix: Solid

Analysis Batch: 35073

Client Sample ID: S-6 (0-1')

Prep Type: Total/NA

Prep Batch: 35061

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	135	S1+	70 - 130
1,4-Difluorobenzene (Surr)	108		70 - 130

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-35098/1-A

Matrix: Solid

Analysis Batch: 35005

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 35098

	MB	MB								
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil	Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		09/21/22 15:28	09/21/22 19:44	1	
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		09/21/22 15:28	09/21/22 19:44	1	
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		09/21/22 15:28	09/21/22 19:44	1	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil	Fac
1-Chlorooctane	118		70 - 130				09/21/22 15:28	09/21/22 19:44	1	
o-Terphenyl	111		70 - 130				09/21/22 15:28	09/21/22 19:44	1	

Lab Sample ID: LCS 880-35098/2-A

Matrix: Solid

Analysis Batch: 35005

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 35098

			Spike	LCS	LCS				%Rec	
Analyte			Added	Result	Qualifier	Unit	D	%Rec	Limits	
Gasoline Range Organics (GRO)-C6-C10			1000	778.7		mg/Kg		78	70 - 130	
Diesel Range Organics (Over C10-C28)			1000	885.1		mg/Kg		89	70 - 130	
Surrogate	%Recovery	Qualifier	Limits							
1-Chlorooctane	88		70 - 130							
o-Terphenyl	88		70 - 130							

Lab Sample ID: LCSD 880-35098/3-A

Matrix: Solid

Analysis Batch: 35005

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 35098

			Spike	LCSD	LCSD				%Rec		RPD	
Analyte			Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit	
Gasoline Range Organics (GRO)-C6-C10			1000	1032	*1	mg/Kg		103	70 - 130	28	20	
Diesel Range Organics (Over C10-C28)			1000	1026		mg/Kg		103	70 - 130	15	20	
Surrogate	%Recovery	Qualifier	Limits									
1-Chlorooctane	105		70 - 130									
o-Terphenyl	102		70 - 130									

Eurofins Midland

QC Sample Results

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: 880-19485-1 MS

Matrix: Solid

Analysis Batch: 35005

Client Sample ID: S-1 (0-1')

Prep Type: Total/NA

Prep Batch: 35098

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	<49.9	U *1	996	931.0		mg/Kg		93	70 - 130
Diesel Range Organics (Over C10-C28)	<49.9	U	996	970.7		mg/Kg		96	70 - 130
Surrogate	MS %Recovery	MS Qualifier	Limits						
1-Chlorooctane	95		70 - 130						
o-Terphenyl	88		70 - 130						

Lab Sample ID: 880-19485-1 MSD

Matrix: Solid

Analysis Batch: 35005

Client Sample ID: S-1 (0-1')

Prep Type: Total/NA

Prep Batch: 35098

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	<49.9	U *1	999	796.5		mg/Kg		80	70 - 130	16	20
Diesel Range Organics (Over C10-C28)	<49.9	U	999	898.7		mg/Kg		88	70 - 130	8	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1-Chlorooctane	87		70 - 130								
o-Terphenyl	80		70 - 130								

Lab Sample ID: MB 880-35103/1-A

Matrix: Solid

Analysis Batch: 35007

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 35103

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		09/21/22 15:33	09/21/22 19:44	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		09/21/22 15:33	09/21/22 19:44	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		09/21/22 15:33	09/21/22 19:44	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	116		70 - 130				09/21/22 15:33	09/21/22 19:44	1
o-Terphenyl	134	S1+	70 - 130				09/21/22 15:33	09/21/22 19:44	1

Lab Sample ID: LCS 880-35103/2-A

Matrix: Solid

Analysis Batch: 35007

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 35103

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	1000	1038		mg/Kg		104	70 - 130
Diesel Range Organics (Over C10-C28)	1000	978.2		mg/Kg		98	70 - 130

Eurofins Midland

QC Sample Results

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 880-35103/2-A

Matrix: Solid

Analysis Batch: 35007

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 35103

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	91		70 - 130
o-Terphenyl	99		70 - 130

Lab Sample ID: LCSD 880-35103/3-A

Matrix: Solid

Analysis Batch: 35007

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 35103

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	946.6		mg/Kg		95	70 - 130	9	20
Diesel Range Organics (Over C10-C28)	1000	1014		mg/Kg		101	70 - 130	4	20

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	93		70 - 130
o-Terphenyl	105		70 - 130

Lab Sample ID: 880-19485-21 MS

Matrix: Solid

Analysis Batch: 35007

Client Sample ID: S-6 (0-1')

Prep Type: Total/NA

Prep Batch: 35103

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	996	962.8		mg/Kg		94	70 - 130		
Diesel Range Organics (Over C10-C28)	<49.9	U	996	1097		mg/Kg		108	70 - 130		

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	97		70 - 130
o-Terphenyl	102		70 - 130

Lab Sample ID: 880-19485-21 MSD

Matrix: Solid

Analysis Batch: 35007

Client Sample ID: S-6 (0-1')

Prep Type: Total/NA

Prep Batch: 35103

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	999	912.2		mg/Kg		89	70 - 130	5	20
Diesel Range Organics (Over C10-C28)	<49.9	U	999	1095		mg/Kg		108	70 - 130	0	20

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	97		70 - 130
o-Terphenyl	101		70 - 130

Eurofins Midland

QC Sample Results

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-35062/1-A

Matrix: Solid

Analysis Batch: 35112

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<5.00	U	5.00		mg/Kg			09/22/22 01:09	1

Lab Sample ID: LCS 880-35062/2-A

Matrix: Solid

Analysis Batch: 35112

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	254.7		mg/Kg		102	90 - 110

Lab Sample ID: LCSD 880-35062/3-A

Matrix: Solid

Analysis Batch: 35112

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	255.3		mg/Kg		102	90 - 110	0	20

Lab Sample ID: 880-19485-1 MS

Matrix: Solid

Analysis Batch: 35112

Client Sample ID: S-1 (0-1')

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	12.0		248	264.9		mg/Kg		102	90 - 110

Lab Sample ID: 880-19485-1 MSD

Matrix: Solid

Analysis Batch: 35112

Client Sample ID: S-1 (0-1')

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	12.0		248	265.3		mg/Kg		102	90 - 110	0	20

Lab Sample ID: MB 880-35063/1-A

Matrix: Solid

Analysis Batch: 35114

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<5.00	U	5.00		mg/Kg			09/22/22 00:31	1

Lab Sample ID: LCS 880-35063/2-A

Matrix: Solid

Analysis Batch: 35114

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	249.3		mg/Kg		100	90 - 110

Lab Sample ID: LCSD 880-35063/3-A

Matrix: Solid

Analysis Batch: 35114

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	264.2		mg/Kg		106	90 - 110	6	20

Eurofins Midland

QC Sample Results

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: 880-19485-7 MS

Matrix: Solid

Analysis Batch: 35114

Client Sample ID: S-2 (2.5')

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
Chloride	14.0	F1 F2	249	259.1		mg/Kg		99	90 - 110		

Lab Sample ID: 880-19485-7 MSD

Matrix: Solid

Analysis Batch: 35114

Client Sample ID: S-2 (2.5')

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	14.0	F1 F2	249	204.1	F1 F2	mg/Kg		76	90 - 110	24	20

Lab Sample ID: 880-19485-17 MS

Matrix: Solid

Analysis Batch: 35114

Client Sample ID: S-4 (2')

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
Chloride	16.6		252	278.5		mg/Kg		104	90 - 110		

Lab Sample ID: 880-19485-17 MSD

Matrix: Solid

Analysis Batch: 35114

Client Sample ID: S-4 (2')

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	16.6		252	264.2		mg/Kg		98	90 - 110	5	20

Lab Sample ID: MB 880-35064/1-A

Matrix: Solid

Analysis Batch: 35115

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<5.00	U	5.00		mg/Kg			09/21/22 19:58	1

Lab Sample ID: LCS 880-35064/2-A

Matrix: Solid

Analysis Batch: 35115

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
Chloride			250	259.0		mg/Kg		104	90 - 110		

Lab Sample ID: LCSD 880-35064/3-A

Matrix: Solid

Analysis Batch: 35115

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride			250	245.4		mg/Kg		98	90 - 110	5	20

Lab Sample ID: 880-19485-27 MS

Matrix: Solid

Analysis Batch: 35115

Client Sample ID: S-6 (4')

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
Chloride	291	F1	251	488.2	F1	mg/Kg		79	90 - 110		

Eurofins Midland

QC Sample Results

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: 880-19485-27 MSD

Client Sample ID: S-6 (4')

Matrix: Solid

Prep Type: Soluble

Analysis Batch: 35115

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limits
Chloride	291	F1	251	525.7		mg/Kg		94	90 - 110	7	20

QC Association Summary

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

GC VOA

Prep Batch: 35060

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-19485-1	S-1 (0-1')	Total/NA	Solid	5035	
880-19485-2	S-1 (1.5')	Total/NA	Solid	5035	
880-19485-3	S-1 (2')	Total/NA	Solid	5035	
880-19485-4	S-2 (0-1')	Total/NA	Solid	5035	
880-19485-5	S-2 (1.5')	Total/NA	Solid	5035	
880-19485-6	S-2 (2')	Total/NA	Solid	5035	
880-19485-7	S-2 (2.5')	Total/NA	Solid	5035	
880-19485-8	S-3 (0-1')	Total/NA	Solid	5035	
880-19485-9	S-3 (1.5')	Total/NA	Solid	5035	
880-19485-10	S-3 (2')	Total/NA	Solid	5035	
880-19485-11	S-3 (2.5')	Total/NA	Solid	5035	
880-19485-12	S-3 (3')	Total/NA	Solid	5035	
880-19485-13	S-3 (3.5')	Total/NA	Solid	5035	
880-19485-14	S-3 (4')	Total/NA	Solid	5035	
880-19485-15	S-4 (0-1')	Total/NA	Solid	5035	
880-19485-16	S-4 (1.5')	Total/NA	Solid	5035	
880-19485-17	S-4 (2')	Total/NA	Solid	5035	
880-19485-18	S-5 (0-1')	Total/NA	Solid	5035	
880-19485-19	S-5 (1.5')	Total/NA	Solid	5035	
880-19485-20	S-5 (2')	Total/NA	Solid	5035	
MB 880-35060/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-35060/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-35060/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-19485-1 MS	S-1 (0-1')	Total/NA	Solid	5035	
880-19485-1 MSD	S-1 (0-1')	Total/NA	Solid	5035	

Prep Batch: 35061

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-19485-21	S-6 (0-1')	Total/NA	Solid	5035	
880-19485-22	S-6 (1.5')	Total/NA	Solid	5035	
880-19485-23	S-6 (2')	Total/NA	Solid	5035	
880-19485-24	S-6 (2.5')	Total/NA	Solid	5035	
880-19485-25	S-6 (3')	Total/NA	Solid	5035	
880-19485-26	S-6 (3.5')	Total/NA	Solid	5035	
880-19485-27	S-6 (4')	Total/NA	Solid	5035	
880-19485-28	S-6 (4.5')	Total/NA	Solid	5035	
880-19485-29	H-1 (0-0.5')	Total/NA	Solid	5035	
880-19485-30	H-2 (0-0.5')	Total/NA	Solid	5035	
880-19485-31	H-3 (0-0.5')	Total/NA	Solid	5035	
880-19485-32	H-4 (0-0.5')	Total/NA	Solid	5035	
880-19485-33	H-5 (0-0.5')	Total/NA	Solid	5035	
880-19485-34	H-6 (0-0.5')	Total/NA	Solid	5035	
880-19485-35	H-7 (0-0.5')	Total/NA	Solid	5035	
MB 880-35061/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-35061/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-35061/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-19485-21 MS	S-6 (0-1')	Total/NA	Solid	5035	
880-19485-21 MSD	S-6 (0-1')	Total/NA	Solid	5035	

Eurofins Midland

QC Association Summary

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

GC VOA

Analysis Batch: 35073

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-19485-1	S-1 (0-1')	Total/NA	Solid	8021B	35060
880-19485-2	S-1 (1.5')	Total/NA	Solid	8021B	35060
880-19485-3	S-1 (2')	Total/NA	Solid	8021B	35060
880-19485-4	S-2 (0-1')	Total/NA	Solid	8021B	35060
880-19485-5	S-2 (1.5')	Total/NA	Solid	8021B	35060
880-19485-6	S-2 (2')	Total/NA	Solid	8021B	35060
880-19485-7	S-2 (2.5')	Total/NA	Solid	8021B	35060
880-19485-8	S-3 (0-1')	Total/NA	Solid	8021B	35060
880-19485-9	S-3 (1.5')	Total/NA	Solid	8021B	35060
880-19485-10	S-3 (2')	Total/NA	Solid	8021B	35060
880-19485-11	S-3 (2.5')	Total/NA	Solid	8021B	35060
880-19485-12	S-3 (3')	Total/NA	Solid	8021B	35060
880-19485-13	S-3 (3.5')	Total/NA	Solid	8021B	35060
880-19485-14	S-3 (4')	Total/NA	Solid	8021B	35060
880-19485-15	S-4 (0-1')	Total/NA	Solid	8021B	35060
880-19485-16	S-4 (1.5')	Total/NA	Solid	8021B	35060
880-19485-17	S-4 (2')	Total/NA	Solid	8021B	35060
880-19485-18	S-5 (0-1')	Total/NA	Solid	8021B	35060
880-19485-19	S-5 (1.5')	Total/NA	Solid	8021B	35060
880-19485-20	S-5 (2')	Total/NA	Solid	8021B	35060
880-19485-21	S-6 (0-1')	Total/NA	Solid	8021B	35061
880-19485-22	S-6 (1.5')	Total/NA	Solid	8021B	35061
880-19485-23	S-6 (2')	Total/NA	Solid	8021B	35061
880-19485-24	S-6 (2.5')	Total/NA	Solid	8021B	35061
880-19485-25	S-6 (3')	Total/NA	Solid	8021B	35061
880-19485-26	S-6 (3.5')	Total/NA	Solid	8021B	35061
880-19485-27	S-6 (4')	Total/NA	Solid	8021B	35061
880-19485-28	S-6 (4.5')	Total/NA	Solid	8021B	35061
880-19485-29	H-1 (0-0.5')	Total/NA	Solid	8021B	35061
880-19485-30	H-2 (0-0.5')	Total/NA	Solid	8021B	35061
880-19485-31	H-3 (0-0.5')	Total/NA	Solid	8021B	35061
880-19485-32	H-4 (0-0.5')	Total/NA	Solid	8021B	35061
880-19485-33	H-5 (0-0.5')	Total/NA	Solid	8021B	35061
880-19485-34	H-6 (0-0.5')	Total/NA	Solid	8021B	35061
880-19485-35	H-7 (0-0.5')	Total/NA	Solid	8021B	35061
MB 880-35060/5-A	Method Blank	Total/NA	Solid	8021B	35060
MB 880-35061/5-A	Method Blank	Total/NA	Solid	8021B	35061
LCS 880-35060/1-A	Lab Control Sample	Total/NA	Solid	8021B	35060
LCS 880-35061/1-A	Lab Control Sample	Total/NA	Solid	8021B	35061
LCSD 880-35060/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	35060
LCSD 880-35061/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	35061
880-19485-1 MS	S-1 (0-1')	Total/NA	Solid	8021B	35060
880-19485-1 MSD	S-1 (0-1')	Total/NA	Solid	8021B	35060
880-19485-21 MS	S-6 (0-1')	Total/NA	Solid	8021B	35061
880-19485-21 MSD	S-6 (0-1')	Total/NA	Solid	8021B	35061

Analysis Batch: 35131

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-19485-1	S-1 (0-1')	Total/NA	Solid	Total BTEX	
880-19485-2	S-1 (1.5')	Total/NA	Solid	Total BTEX	
880-19485-3	S-1 (2')	Total/NA	Solid	Total BTEX	

Eurofins Midland

QC Association Summary

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

GC VOA (Continued)

Analysis Batch: 35131 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-19485-4	S-2 (0-1')	Total/NA	Solid	Total BTEX	
880-19485-5	S-2 (1.5')	Total/NA	Solid	Total BTEX	
880-19485-6	S-2 (2')	Total/NA	Solid	Total BTEX	
880-19485-7	S-2 (2.5')	Total/NA	Solid	Total BTEX	
880-19485-8	S-3 (0-1')	Total/NA	Solid	Total BTEX	
880-19485-9	S-3 (1.5')	Total/NA	Solid	Total BTEX	
880-19485-10	S-3 (2')	Total/NA	Solid	Total BTEX	
880-19485-11	S-3 (2.5')	Total/NA	Solid	Total BTEX	
880-19485-12	S-3 (3')	Total/NA	Solid	Total BTEX	
880-19485-13	S-3 (3.5')	Total/NA	Solid	Total BTEX	
880-19485-14	S-3 (4')	Total/NA	Solid	Total BTEX	
880-19485-15	S-4 (0-1')	Total/NA	Solid	Total BTEX	
880-19485-16	S-4 (1.5')	Total/NA	Solid	Total BTEX	
880-19485-17	S-4 (2')	Total/NA	Solid	Total BTEX	
880-19485-18	S-5 (0-1')	Total/NA	Solid	Total BTEX	
880-19485-19	S-5 (1.5')	Total/NA	Solid	Total BTEX	
880-19485-20	S-5 (2')	Total/NA	Solid	Total BTEX	
880-19485-21	S-6 (0-1')	Total/NA	Solid	Total BTEX	
880-19485-22	S-6 (1.5')	Total/NA	Solid	Total BTEX	
880-19485-23	S-6 (2')	Total/NA	Solid	Total BTEX	
880-19485-24	S-6 (2.5')	Total/NA	Solid	Total BTEX	
880-19485-25	S-6 (3')	Total/NA	Solid	Total BTEX	
880-19485-26	S-6 (3.5')	Total/NA	Solid	Total BTEX	
880-19485-27	S-6 (4')	Total/NA	Solid	Total BTEX	
880-19485-28	S-6 (4.5')	Total/NA	Solid	Total BTEX	
880-19485-29	H-1 (0-0.5')	Total/NA	Solid	Total BTEX	
880-19485-30	H-2 (0-0.5')	Total/NA	Solid	Total BTEX	
880-19485-31	H-3 (0-0.5')	Total/NA	Solid	Total BTEX	
880-19485-32	H-4 (0-0.5')	Total/NA	Solid	Total BTEX	
880-19485-33	H-5 (0-0.5')	Total/NA	Solid	Total BTEX	
880-19485-34	H-6 (0-0.5')	Total/NA	Solid	Total BTEX	
880-19485-35	H-7 (0-0.5')	Total/NA	Solid	Total BTEX	

GC Semi VOA

Analysis Batch: 35005

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-19485-1	S-1 (0-1')	Total/NA	Solid	8015B NM	35098
880-19485-2	S-1 (1.5')	Total/NA	Solid	8015B NM	35098
880-19485-3	S-1 (2')	Total/NA	Solid	8015B NM	35098
880-19485-4	S-2 (0-1')	Total/NA	Solid	8015B NM	35098
880-19485-5	S-2 (1.5')	Total/NA	Solid	8015B NM	35098
880-19485-6	S-2 (2')	Total/NA	Solid	8015B NM	35098
880-19485-7	S-2 (2.5')	Total/NA	Solid	8015B NM	35098
880-19485-8	S-3 (0-1')	Total/NA	Solid	8015B NM	35098
880-19485-9	S-3 (1.5')	Total/NA	Solid	8015B NM	35098
880-19485-10	S-3 (2')	Total/NA	Solid	8015B NM	35098
880-19485-11	S-3 (2.5')	Total/NA	Solid	8015B NM	35098
880-19485-12	S-3 (3')	Total/NA	Solid	8015B NM	35098
880-19485-13	S-3 (3.5')	Total/NA	Solid	8015B NM	35098
880-19485-14	S-3 (4')	Total/NA	Solid	8015B NM	35098

Eurofins Midland

QC Association Summary

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

GC Semi VOA (Continued)

Analysis Batch: 35005 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-19485-15	S-4 (0-1')	Total/NA	Solid	8015B NM	35098
880-19485-16	S-4 (1.5')	Total/NA	Solid	8015B NM	35098
880-19485-17	S-4 (2')	Total/NA	Solid	8015B NM	35098
880-19485-18	S-5 (0-1')	Total/NA	Solid	8015B NM	35098
880-19485-19	S-5 (1.5')	Total/NA	Solid	8015B NM	35098
880-19485-20	S-5 (2')	Total/NA	Solid	8015B NM	35098
MB 880-35098/1-A	Method Blank	Total/NA	Solid	8015B NM	35098
LCS 880-35098/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	35098
LCSD 880-35098/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	35098
880-19485-1 MS	S-1 (0-1')	Total/NA	Solid	8015B NM	35098
880-19485-1 MSD	S-1 (0-1')	Total/NA	Solid	8015B NM	35098

Analysis Batch: 35007

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-19485-21	S-6 (0-1')	Total/NA	Solid	8015B NM	35103
880-19485-22	S-6 (1.5')	Total/NA	Solid	8015B NM	35103
880-19485-23	S-6 (2')	Total/NA	Solid	8015B NM	35103
880-19485-24	S-6 (2.5')	Total/NA	Solid	8015B NM	35103
880-19485-25	S-6 (3')	Total/NA	Solid	8015B NM	35103
880-19485-26	S-6 (3.5')	Total/NA	Solid	8015B NM	35103
880-19485-27	S-6 (4')	Total/NA	Solid	8015B NM	35103
880-19485-28	S-6 (4.5')	Total/NA	Solid	8015B NM	35103
880-19485-29	H-1 (0-0.5')	Total/NA	Solid	8015B NM	35103
880-19485-30	H-2 (0-0.5')	Total/NA	Solid	8015B NM	35103
880-19485-31	H-3 (0-0.5')	Total/NA	Solid	8015B NM	35103
880-19485-32	H-4 (0-0.5')	Total/NA	Solid	8015B NM	35103
880-19485-33	H-5 (0-0.5')	Total/NA	Solid	8015B NM	35103
880-19485-34	H-6 (0-0.5')	Total/NA	Solid	8015B NM	35103
880-19485-35	H-7 (0-0.5')	Total/NA	Solid	8015B NM	35103
MB 880-35103/1-A	Method Blank	Total/NA	Solid	8015B NM	35103
LCS 880-35103/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	35103
LCSD 880-35103/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	35103
880-19485-21 MS	S-6 (0-1')	Total/NA	Solid	8015B NM	35103
880-19485-21 MSD	S-6 (0-1')	Total/NA	Solid	8015B NM	35103

Prep Batch: 35098

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-19485-1	S-1 (0-1')	Total/NA	Solid	8015NM Prep	
880-19485-2	S-1 (1.5')	Total/NA	Solid	8015NM Prep	
880-19485-3	S-1 (2')	Total/NA	Solid	8015NM Prep	
880-19485-4	S-2 (0-1')	Total/NA	Solid	8015NM Prep	
880-19485-5	S-2 (1.5')	Total/NA	Solid	8015NM Prep	
880-19485-6	S-2 (2')	Total/NA	Solid	8015NM Prep	
880-19485-7	S-2 (2.5')	Total/NA	Solid	8015NM Prep	
880-19485-8	S-3 (0-1')	Total/NA	Solid	8015NM Prep	
880-19485-9	S-3 (1.5')	Total/NA	Solid	8015NM Prep	
880-19485-10	S-3 (2')	Total/NA	Solid	8015NM Prep	
880-19485-11	S-3 (2.5')	Total/NA	Solid	8015NM Prep	
880-19485-12	S-3 (3')	Total/NA	Solid	8015NM Prep	
880-19485-13	S-3 (3.5')	Total/NA	Solid	8015NM Prep	
880-19485-14	S-3 (4')	Total/NA	Solid	8015NM Prep	

Eurofins Midland

QC Association Summary

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

GC Semi VOA (Continued)

Prep Batch: 35098 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-19485-15	S-4 (0-1')	Total/NA	Solid	8015NM Prep	
880-19485-16	S-4 (1.5')	Total/NA	Solid	8015NM Prep	
880-19485-17	S-4 (2')	Total/NA	Solid	8015NM Prep	
880-19485-18	S-5 (0-1')	Total/NA	Solid	8015NM Prep	
880-19485-19	S-5 (1.5')	Total/NA	Solid	8015NM Prep	
880-19485-20	S-5 (2')	Total/NA	Solid	8015NM Prep	
MB 880-35098/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-35098/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-35098/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
880-19485-1 MS	S-1 (0-1')	Total/NA	Solid	8015NM Prep	
880-19485-1 MSD	S-1 (0-1')	Total/NA	Solid	8015NM Prep	

Prep Batch: 35103

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-19485-21	S-6 (0-1')	Total/NA	Solid	8015NM Prep	
880-19485-22	S-6 (1.5')	Total/NA	Solid	8015NM Prep	
880-19485-23	S-6 (2')	Total/NA	Solid	8015NM Prep	
880-19485-24	S-6 (2.5')	Total/NA	Solid	8015NM Prep	
880-19485-25	S-6 (3')	Total/NA	Solid	8015NM Prep	
880-19485-26	S-6 (3.5')	Total/NA	Solid	8015NM Prep	
880-19485-27	S-6 (4')	Total/NA	Solid	8015NM Prep	
880-19485-28	S-6 (4.5')	Total/NA	Solid	8015NM Prep	
880-19485-29	H-1 (0-0.5')	Total/NA	Solid	8015NM Prep	
880-19485-30	H-2 (0-0.5')	Total/NA	Solid	8015NM Prep	
880-19485-31	H-3 (0-0.5')	Total/NA	Solid	8015NM Prep	
880-19485-32	H-4 (0-0.5')	Total/NA	Solid	8015NM Prep	
880-19485-33	H-5 (0-0.5')	Total/NA	Solid	8015NM Prep	
880-19485-34	H-6 (0-0.5')	Total/NA	Solid	8015NM Prep	
880-19485-35	H-7 (0-0.5')	Total/NA	Solid	8015NM Prep	
MB 880-35103/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-35103/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-35103/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
880-19485-21 MS	S-6 (0-1')	Total/NA	Solid	8015NM Prep	
880-19485-21 MSD	S-6 (0-1')	Total/NA	Solid	8015NM Prep	

Analysis Batch: 35170

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-19485-1	S-1 (0-1')	Total/NA	Solid	8015 NM	
880-19485-2	S-1 (1.5')	Total/NA	Solid	8015 NM	
880-19485-3	S-1 (2')	Total/NA	Solid	8015 NM	
880-19485-4	S-2 (0-1')	Total/NA	Solid	8015 NM	
880-19485-5	S-2 (1.5')	Total/NA	Solid	8015 NM	
880-19485-6	S-2 (2')	Total/NA	Solid	8015 NM	
880-19485-7	S-2 (2.5')	Total/NA	Solid	8015 NM	
880-19485-8	S-3 (0-1')	Total/NA	Solid	8015 NM	
880-19485-9	S-3 (1.5')	Total/NA	Solid	8015 NM	
880-19485-10	S-3 (2')	Total/NA	Solid	8015 NM	
880-19485-11	S-3 (2.5')	Total/NA	Solid	8015 NM	
880-19485-12	S-3 (3')	Total/NA	Solid	8015 NM	
880-19485-13	S-3 (3.5')	Total/NA	Solid	8015 NM	
880-19485-14	S-3 (4')	Total/NA	Solid	8015 NM	

Eurofins Midland

QC Association Summary

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

GC Semi VOA (Continued)

Analysis Batch: 35170 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-19485-15	S-4 (0-1')	Total/NA	Solid	8015 NM	
880-19485-16	S-4 (1.5')	Total/NA	Solid	8015 NM	
880-19485-17	S-4 (2')	Total/NA	Solid	8015 NM	
880-19485-18	S-5 (0-1')	Total/NA	Solid	8015 NM	
880-19485-19	S-5 (1.5')	Total/NA	Solid	8015 NM	
880-19485-20	S-5 (2')	Total/NA	Solid	8015 NM	
880-19485-21	S-6 (0-1')	Total/NA	Solid	8015 NM	
880-19485-22	S-6 (1.5')	Total/NA	Solid	8015 NM	
880-19485-23	S-6 (2')	Total/NA	Solid	8015 NM	
880-19485-24	S-6 (2.5')	Total/NA	Solid	8015 NM	
880-19485-25	S-6 (3')	Total/NA	Solid	8015 NM	
880-19485-26	S-6 (3.5')	Total/NA	Solid	8015 NM	
880-19485-27	S-6 (4')	Total/NA	Solid	8015 NM	
880-19485-28	S-6 (4.5')	Total/NA	Solid	8015 NM	
880-19485-29	H-1 (0-0.5')	Total/NA	Solid	8015 NM	
880-19485-30	H-2 (0-0.5')	Total/NA	Solid	8015 NM	
880-19485-31	H-3 (0-0.5')	Total/NA	Solid	8015 NM	
880-19485-32	H-4 (0-0.5')	Total/NA	Solid	8015 NM	
880-19485-33	H-5 (0-0.5')	Total/NA	Solid	8015 NM	
880-19485-34	H-6 (0-0.5')	Total/NA	Solid	8015 NM	
880-19485-35	H-7 (0-0.5')	Total/NA	Solid	8015 NM	

HPLC/IC

Leach Batch: 35062

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-19485-1	S-1 (0-1')	Soluble	Solid	DI Leach	
880-19485-2	S-1 (1.5')	Soluble	Solid	DI Leach	
880-19485-3	S-1 (2')	Soluble	Solid	DI Leach	
880-19485-4	S-2 (0-1')	Soluble	Solid	DI Leach	
880-19485-5	S-2 (1.5')	Soluble	Solid	DI Leach	
880-19485-6	S-2 (2')	Soluble	Solid	DI Leach	
MB 880-35062/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-35062/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-35062/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-19485-1 MS	S-1 (0-1')	Soluble	Solid	DI Leach	
880-19485-1 MSD	S-1 (0-1')	Soluble	Solid	DI Leach	

Leach Batch: 35063

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-19485-7	S-2 (2.5')	Soluble	Solid	DI Leach	
880-19485-8	S-3 (0-1')	Soluble	Solid	DI Leach	
880-19485-9	S-3 (1.5')	Soluble	Solid	DI Leach	
880-19485-10	S-3 (2')	Soluble	Solid	DI Leach	
880-19485-11	S-3 (2.5')	Soluble	Solid	DI Leach	
880-19485-12	S-3 (3')	Soluble	Solid	DI Leach	
880-19485-13	S-3 (3.5')	Soluble	Solid	DI Leach	
880-19485-14	S-3 (4')	Soluble	Solid	DI Leach	
880-19485-15	S-4 (0-1')	Soluble	Solid	DI Leach	
880-19485-16	S-4 (1.5')	Soluble	Solid	DI Leach	
880-19485-17	S-4 (2')	Soluble	Solid	DI Leach	

Eurofins Midland

QC Association Summary

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

HPLC/IC (Continued)

Leach Batch: 35063 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-19485-18	S-5 (0-1')	Soluble	Solid	DI Leach	
880-19485-19	S-5 (1.5')	Soluble	Solid	DI Leach	
880-19485-20	S-5 (2')	Soluble	Solid	DI Leach	
880-19485-21	S-6 (0-1')	Soluble	Solid	DI Leach	
880-19485-22	S-6 (1.5')	Soluble	Solid	DI Leach	
880-19485-23	S-6 (2')	Soluble	Solid	DI Leach	
880-19485-24	S-6 (2.5')	Soluble	Solid	DI Leach	
880-19485-25	S-6 (3')	Soluble	Solid	DI Leach	
880-19485-26	S-6 (3.5')	Soluble	Solid	DI Leach	
MB 880-35063/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-35063/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-35063/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-19485-7 MS	S-2 (2.5')	Soluble	Solid	DI Leach	
880-19485-7 MSD	S-2 (2.5')	Soluble	Solid	DI Leach	
880-19485-17 MS	S-4 (2')	Soluble	Solid	DI Leach	
880-19485-17 MSD	S-4 (2')	Soluble	Solid	DI Leach	

Leach Batch: 35064

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-19485-27	S-6 (4')	Soluble	Solid	DI Leach	
880-19485-28	S-6 (4.5')	Soluble	Solid	DI Leach	
880-19485-29	H-1 (0-0.5')	Soluble	Solid	DI Leach	
880-19485-30	H-2 (0-0.5')	Soluble	Solid	DI Leach	
880-19485-31	H-3 (0-0.5')	Soluble	Solid	DI Leach	
880-19485-32	H-4 (0-0.5')	Soluble	Solid	DI Leach	
880-19485-33	H-5 (0-0.5')	Soluble	Solid	DI Leach	
880-19485-34	H-6 (0-0.5')	Soluble	Solid	DI Leach	
880-19485-35	H-7 (0-0.5')	Soluble	Solid	DI Leach	
MB 880-35064/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-35064/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-35064/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-19485-27 MS	S-6 (4')	Soluble	Solid	DI Leach	
880-19485-27 MSD	S-6 (4')	Soluble	Solid	DI Leach	

Analysis Batch: 35112

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-19485-1	S-1 (0-1')	Soluble	Solid	300.0	35062
880-19485-2	S-1 (1.5')	Soluble	Solid	300.0	35062
880-19485-3	S-1 (2')	Soluble	Solid	300.0	35062
880-19485-4	S-2 (0-1')	Soluble	Solid	300.0	35062
880-19485-5	S-2 (1.5')	Soluble	Solid	300.0	35062
880-19485-6	S-2 (2')	Soluble	Solid	300.0	35062
MB 880-35062/1-A	Method Blank	Soluble	Solid	300.0	35062
LCS 880-35062/2-A	Lab Control Sample	Soluble	Solid	300.0	35062
LCSD 880-35062/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	35062
880-19485-1 MS	S-1 (0-1')	Soluble	Solid	300.0	35062
880-19485-1 MSD	S-1 (0-1')	Soluble	Solid	300.0	35062

Analysis Batch: 35114

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-19485-7	S-2 (2.5')	Soluble	Solid	300.0	35063

Eurofins Midland

QC Association Summary

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

HPLC/IC (Continued)

Analysis Batch: 35114 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-19485-8	S-3 (0-1')	Soluble	Solid	300.0	35063
880-19485-9	S-3 (1.5')	Soluble	Solid	300.0	35063
880-19485-10	S-3 (2')	Soluble	Solid	300.0	35063
880-19485-11	S-3 (2.5')	Soluble	Solid	300.0	35063
880-19485-12	S-3 (3')	Soluble	Solid	300.0	35063
880-19485-13	S-3 (3.5')	Soluble	Solid	300.0	35063
880-19485-14	S-3 (4')	Soluble	Solid	300.0	35063
880-19485-15	S-4 (0-1')	Soluble	Solid	300.0	35063
880-19485-16	S-4 (1.5')	Soluble	Solid	300.0	35063
880-19485-17	S-4 (2')	Soluble	Solid	300.0	35063
880-19485-18	S-5 (0-1')	Soluble	Solid	300.0	35063
880-19485-19	S-5 (1.5')	Soluble	Solid	300.0	35063
880-19485-20	S-5 (2')	Soluble	Solid	300.0	35063
880-19485-21	S-6 (0-1')	Soluble	Solid	300.0	35063
880-19485-22	S-6 (1.5')	Soluble	Solid	300.0	35063
880-19485-23	S-6 (2')	Soluble	Solid	300.0	35063
880-19485-24	S-6 (2.5')	Soluble	Solid	300.0	35063
880-19485-25	S-6 (3')	Soluble	Solid	300.0	35063
880-19485-26	S-6 (3.5')	Soluble	Solid	300.0	35063
MB 880-35063/1-A	Method Blank	Soluble	Solid	300.0	35063
LCS 880-35063/2-A	Lab Control Sample	Soluble	Solid	300.0	35063
LCSD 880-35063/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	35063
880-19485-7 MS	S-2 (2.5')	Soluble	Solid	300.0	35063
880-19485-7 MSD	S-2 (2.5')	Soluble	Solid	300.0	35063
880-19485-17 MS	S-4 (2')	Soluble	Solid	300.0	35063
880-19485-17 MSD	S-4 (2')	Soluble	Solid	300.0	35063

Analysis Batch: 35115

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-19485-27	S-6 (4')	Soluble	Solid	300.0	35064
880-19485-28	S-6 (4.5')	Soluble	Solid	300.0	35064
880-19485-29	H-1 (0-0.5')	Soluble	Solid	300.0	35064
880-19485-30	H-2 (0-0.5')	Soluble	Solid	300.0	35064
880-19485-31	H-3 (0-0.5')	Soluble	Solid	300.0	35064
880-19485-32	H-4 (0-0.5')	Soluble	Solid	300.0	35064
880-19485-33	H-5 (0-0.5')	Soluble	Solid	300.0	35064
880-19485-34	H-6 (0-0.5')	Soluble	Solid	300.0	35064
880-19485-35	H-7 (0-0.5')	Soluble	Solid	300.0	35064
MB 880-35064/1-A	Method Blank	Soluble	Solid	300.0	35064
LCS 880-35064/2-A	Lab Control Sample	Soluble	Solid	300.0	35064
LCSD 880-35064/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	35064
880-19485-27 MS	S-6 (4')	Soluble	Solid	300.0	35064
880-19485-27 MSD	S-6 (4')	Soluble	Solid	300.0	35064

Eurofins Midland

Lab Chronicle

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: S-1 (0-1')

Lab Sample ID: 880-19485-1

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	35060	09/21/22 12:57	MR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	35073	09/21/22 17:17	MR	EET MID
Total/NA	Analysis	Total BTEX		1			35131	09/22/22 09:40	AJ	EET MID
Total/NA	Analysis	8015 NM		1			35170	09/22/22 11:04	SM	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	35098	09/21/22 15:28	DM	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	35005	09/21/22 20:49	SM	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	35062	09/21/22 13:37	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	35112	09/22/22 01:23	CH	EET MID

Client Sample ID: S-1 (1.5')

Lab Sample ID: 880-19485-2

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	35060	09/21/22 12:57	MR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	35073	09/21/22 17:38	MR	EET MID
Total/NA	Analysis	Total BTEX		1			35131	09/22/22 09:40	AJ	EET MID
Total/NA	Analysis	8015 NM		1			35170	09/22/22 11:04	SM	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	35098	09/21/22 15:28	DM	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	35005	09/21/22 21:53	SM	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	35062	09/21/22 13:38	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	35112	09/22/22 01:38	CH	EET MID

Client Sample ID: S-1 (2')

Lab Sample ID: 880-19485-3

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	35060	09/21/22 12:57	MR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	35073	09/21/22 17:58	MR	EET MID
Total/NA	Analysis	Total BTEX		1			35131	09/22/22 09:40	AJ	EET MID
Total/NA	Analysis	8015 NM		1			35170	09/22/22 11:04	SM	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	35098	09/21/22 15:28	DM	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	35005	09/21/22 22:15	SM	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	35062	09/21/22 13:38	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	35112	09/22/22 01:43	CH	EET MID

Client Sample ID: S-2 (0-1')

Lab Sample ID: 880-19485-4

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	35060	09/21/22 12:57	MR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	35073	09/21/22 18:19	MR	EET MID
Total/NA	Analysis	Total BTEX		1			35131	09/22/22 09:40	AJ	EET MID

Eurofins Midland

Lab Chronicle

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: S-2 (0-1')

Lab Sample ID: 880-19485-4

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			35170	09/22/22 11:04	SM	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	35098	09/21/22 15:28	DM	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	35005	09/21/22 22:37	SM	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	35062	09/21/22 13:38	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	35112	09/22/22 01:47	CH	EET MID

Client Sample ID: S-2 (1.5')

Lab Sample ID: 880-19485-5

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	35060	09/21/22 12:57	MR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	35073	09/21/22 18:40	MR	EET MID
Total/NA	Analysis	Total BTEX		1			35131	09/22/22 09:40	AJ	EET MID
Total/NA	Analysis	8015 NM		1			35170	09/22/22 11:04	SM	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	35098	09/21/22 15:28	DM	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	35005	09/21/22 22:58	SM	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	35062	09/21/22 13:38	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	35112	09/22/22 01:52	CH	EET MID

Client Sample ID: S-2 (2')

Lab Sample ID: 880-19485-6

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	35060	09/21/22 12:57	MR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	35073	09/21/22 19:01	MR	EET MID
Total/NA	Analysis	Total BTEX		1			35131	09/22/22 09:40	AJ	EET MID
Total/NA	Analysis	8015 NM		1			35170	09/22/22 11:04	SM	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	35098	09/21/22 15:28	DM	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	35005	09/21/22 23:20	SM	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	35062	09/21/22 13:38	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	35112	09/22/22 02:07	CH	EET MID

Client Sample ID: S-2 (2.5')

Lab Sample ID: 880-19485-7

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	35060	09/21/22 12:57	MR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	35073	09/21/22 19:21	MR	EET MID
Total/NA	Analysis	Total BTEX		1			35131	09/22/22 09:40	AJ	EET MID
Total/NA	Analysis	8015 NM		1			35170	09/22/22 11:04	SM	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	35098	09/21/22 15:28	DM	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	35005	09/21/22 23:41	SM	EET MID

Eurofins Midland

Lab Chronicle

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: S-2 (2.5')

Lab Sample ID: 880-19485-7

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.03 g	50 mL	35063	09/21/22 13:44	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	35114	09/22/22 00:46	CH	EET MID

Client Sample ID: S-3 (0-1')

Lab Sample ID: 880-19485-8

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	35060	09/21/22 12:57	MR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	35073	09/21/22 19:42	MR	EET MID
Total/NA	Analysis	Total BTEX		1			35131	09/22/22 09:40	AJ	EET MID
Total/NA	Analysis	8015 NM		1			35170	09/22/22 11:04	SM	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	35098	09/21/22 15:28	DM	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	35005	09/22/22 00:02	SM	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	35063	09/21/22 13:44	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	35114	09/22/22 01:01	CH	EET MID

Client Sample ID: S-3 (1.5')

Lab Sample ID: 880-19485-9

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	35060	09/21/22 12:57	MR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	35073	09/21/22 20:03	MR	EET MID
Total/NA	Analysis	Total BTEX		1			35131	09/22/22 09:40	AJ	EET MID
Total/NA	Analysis	8015 NM		1			35170	09/22/22 11:04	SM	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	35098	09/21/22 15:28	DM	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	35005	09/22/22 00:23	SM	EET MID
Soluble	Leach	DI Leach			5 g	50 mL	35063	09/21/22 13:44	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	35114	09/22/22 01:06	CH	EET MID

Client Sample ID: S-3 (2')

Lab Sample ID: 880-19485-10

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	35060	09/21/22 12:57	MR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	35073	09/21/22 20:23	MR	EET MID
Total/NA	Analysis	Total BTEX		1			35131	09/22/22 09:40	AJ	EET MID
Total/NA	Analysis	8015 NM		1			35170	09/22/22 11:04	SM	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	35098	09/21/22 15:28	DM	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	35005	09/22/22 00:44	SM	EET MID
Soluble	Leach	DI Leach			5 g	50 mL	35063	09/21/22 13:44	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	35114	09/22/22 01:10	CH	EET MID

Eurofins Midland

Lab Chronicle

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: S-3 (2.5')

Lab Sample ID: 880-19485-11

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	35060	09/21/22 12:57	MR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	35073	09/21/22 21:48	MR	EET MID
Total/NA	Analysis	Total BTEX		1			35131	09/22/22 09:40	AJ	EET MID
Total/NA	Analysis	8015 NM		1			35170	09/22/22 11:04	SM	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	35098	09/21/22 15:28	DM	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	35005	09/22/22 01:26	SM	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	35063	09/21/22 13:45	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	35114	09/22/22 01:15	CH	EET MID

Client Sample ID: S-3 (3')

Lab Sample ID: 880-19485-12

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	35060	09/21/22 12:57	MR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	35073	09/21/22 22:08	MR	EET MID
Total/NA	Analysis	Total BTEX		1			35131	09/22/22 09:40	AJ	EET MID
Total/NA	Analysis	8015 NM		1			35170	09/22/22 11:04	SM	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	35098	09/21/22 15:28	DM	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	35005	09/22/22 01:47	SM	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	35063	09/21/22 13:45	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	35114	09/22/22 01:30	CH	EET MID

Client Sample ID: S-3 (3.5')

Lab Sample ID: 880-19485-13

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	35060	09/21/22 12:57	MR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	35073	09/21/22 22:29	MR	EET MID
Total/NA	Analysis	Total BTEX		1			35131	09/22/22 09:40	AJ	EET MID
Total/NA	Analysis	8015 NM		1			35170	09/22/22 11:04	SM	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	35098	09/21/22 15:28	DM	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	35005	09/22/22 02:08	SM	EET MID
Soluble	Leach	DI Leach			5.05 g	50 mL	35063	09/21/22 13:45	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	35114	09/22/22 01:35	CH	EET MID

Client Sample ID: S-3 (4')

Lab Sample ID: 880-19485-14

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	35060	09/21/22 12:57	MR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	35073	09/21/22 22:50	MR	EET MID
Total/NA	Analysis	Total BTEX		1			35131	09/22/22 09:40	AJ	EET MID

Eurofins Midland

Lab Chronicle

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: S-3 (4')

Lab Sample ID: 880-19485-14

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			35170	09/22/22 11:04	SM	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	35098	09/21/22 15:28	DM	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	35005	09/22/22 02:30	SM	EET MID
Soluble	Leach	DI Leach			5.05 g	50 mL	35063	09/21/22 13:45	SMC	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	35114	09/22/22 01:40	CH	EET MID

Client Sample ID: S-4 (0-1')

Lab Sample ID: 880-19485-15

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	35060	09/21/22 12:57	MR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	35073	09/21/22 23:11	MR	EET MID
Total/NA	Analysis	Total BTEX		1			35131	09/22/22 09:40	AJ	EET MID
Total/NA	Analysis	8015 NM		1			35170	09/22/22 11:04	SM	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	35098	09/21/22 15:28	DM	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	35005	09/22/22 02:51	SM	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	35063	09/21/22 13:45	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	35114	09/22/22 01:45	CH	EET MID

Client Sample ID: S-4 (1.5')

Lab Sample ID: 880-19485-16

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	35060	09/21/22 12:57	MR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	35073	09/21/22 23:31	MR	EET MID
Total/NA	Analysis	Total BTEX		1			35131	09/22/22 09:40	AJ	EET MID
Total/NA	Analysis	8015 NM		1			35170	09/22/22 11:04	SM	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	35098	09/21/22 15:28	DM	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	35005	09/22/22 03:11	SM	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	35063	09/21/22 13:45	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	35114	09/22/22 01:50	CH	EET MID

Client Sample ID: S-4 (2')

Lab Sample ID: 880-19485-17

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	35060	09/21/22 12:57	MR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	35073	09/21/22 23:52	MR	EET MID
Total/NA	Analysis	Total BTEX		1			35131	09/22/22 09:40	AJ	EET MID
Total/NA	Analysis	8015 NM		1			35170	09/22/22 11:04	SM	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	35098	09/21/22 15:28	DM	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	35005	09/22/22 03:32	SM	EET MID

Eurofins Midland

Lab Chronicle

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: S-4 (2')

Date Collected: 09/20/22 00:00

Date Received: 09/21/22 10:34

Lab Sample ID: 880-19485-17

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.97 g	50 mL	35063	09/21/22 13:45	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	35114	09/22/22 01:55	CH	EET MID

Client Sample ID: S-5 (0-1')

Date Collected: 09/20/22 00:00

Date Received: 09/21/22 10:34

Lab Sample ID: 880-19485-18

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.02 g	5 mL	35060	09/21/22 12:57	MR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	35073	09/22/22 00:13	MR	EET MID
Total/NA	Analysis	Total BTEX		1			35131	09/22/22 09:40	AJ	EET MID
Total/NA	Analysis	8015 NM		1			35170	09/22/22 11:04	SM	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	35098	09/21/22 15:28	DM	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	35005	09/22/22 03:53	SM	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	35063	09/21/22 13:45	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	35114	09/22/22 02:10	CH	EET MID

Client Sample ID: S-5 (1.5')

Date Collected: 09/20/22 00:00

Date Received: 09/21/22 10:34

Lab Sample ID: 880-19485-19

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	35060	09/21/22 12:57	MR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	35073	09/22/22 00:33	MR	EET MID
Total/NA	Analysis	Total BTEX		1			35131	09/22/22 09:40	AJ	EET MID
Total/NA	Analysis	8015 NM		1			35170	09/22/22 11:04	SM	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	35098	09/21/22 15:29	DM	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	35005	09/22/22 04:14	SM	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	35063	09/21/22 13:45	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	35114	09/22/22 02:15	CH	EET MID

Client Sample ID: S-5 (2')

Date Collected: 09/20/22 00:00

Date Received: 09/21/22 10:34

Lab Sample ID: 880-19485-20

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	35060	09/21/22 12:57	MR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	35073	09/22/22 00:54	MR	EET MID
Total/NA	Analysis	Total BTEX		1			35131	09/22/22 09:40	AJ	EET MID
Total/NA	Analysis	8015 NM		1			35170	09/22/22 11:04	SM	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	35098	09/21/22 15:29	DM	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	35005	09/22/22 04:35	SM	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	35063	09/21/22 13:45	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	35114	09/22/22 02:30	CH	EET MID

Eurofins Midland

Lab Chronicle

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: S-6 (0-1')

Lab Sample ID: 880-19485-21

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	35061	09/21/22 13:04	MR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	35073	09/22/22 03:58	MR	EET MID
Total/NA	Analysis	Total BTEX		1			35131	09/22/22 09:40	AJ	EET MID
Total/NA	Analysis	8015 NM		1			35170	09/22/22 12:50	SM	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	35103	09/21/22 15:33	DM	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	35007	09/21/22 20:49	SM	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	35063	09/21/22 13:45	SMC	EET MID
Soluble	Analysis	300.0		10	50 mL	50 mL	35114	09/22/22 02:35	CH	EET MID

Client Sample ID: S-6 (1.5')

Lab Sample ID: 880-19485-22

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	35061	09/21/22 13:04	MR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	35073	09/22/22 04:19	MR	EET MID
Total/NA	Analysis	Total BTEX		1			35131	09/22/22 09:40	AJ	EET MID
Total/NA	Analysis	8015 NM		1			35170	09/22/22 12:50	SM	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	35103	09/21/22 15:33	DM	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	35007	09/21/22 21:53	SM	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	35063	09/21/22 13:45	SMC	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	35114	09/22/22 02:40	CH	EET MID

Client Sample ID: S-6 (2')

Lab Sample ID: 880-19485-23

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	35061	09/21/22 13:04	MR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	35073	09/22/22 04:40	MR	EET MID
Total/NA	Analysis	Total BTEX		1			35131	09/22/22 09:40	AJ	EET MID
Total/NA	Analysis	8015 NM		1			35170	09/22/22 12:50	SM	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	35103	09/21/22 15:33	DM	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	35007	09/21/22 22:15	SM	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	35063	09/21/22 13:45	SMC	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	35114	09/22/22 02:45	CH	EET MID

Client Sample ID: S-6 (2.5')

Lab Sample ID: 880-19485-24

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	35061	09/21/22 13:04	MR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	35073	09/22/22 05:00	MR	EET MID
Total/NA	Analysis	Total BTEX		1			35131	09/22/22 09:40	AJ	EET MID

Eurofins Midland

Lab Chronicle

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: S-6 (2.5')

Lab Sample ID: 880-19485-24

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			35170	09/22/22 12:50	SM	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	35103	09/21/22 15:33	DM	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	35007	09/21/22 22:37	SM	EET MID
Soluble	Leach	DI Leach			5 g	50 mL	35063	09/21/22 13:45	SMC	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	35114	09/22/22 02:50	CH	EET MID

Client Sample ID: S-6 (3')

Lab Sample ID: 880-19485-25

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	35061	09/21/22 13:04	MR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	35073	09/22/22 05:21	MR	EET MID
Total/NA	Analysis	Total BTEX		1			35131	09/22/22 09:40	AJ	EET MID
Total/NA	Analysis	8015 NM		1			35170	09/22/22 12:50	SM	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	35103	09/21/22 15:33	DM	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	35007	09/21/22 22:58	SM	EET MID
Soluble	Leach	DI Leach			5 g	50 mL	35063	09/21/22 13:45	SMC	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	35114	09/22/22 02:55	CH	EET MID

Client Sample ID: S-6 (3.5')

Lab Sample ID: 880-19485-26

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	35061	09/21/22 13:04	MR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	35073	09/22/22 05:41	MR	EET MID
Total/NA	Analysis	Total BTEX		1			35131	09/22/22 09:40	AJ	EET MID
Total/NA	Analysis	8015 NM		1			35170	09/22/22 12:50	SM	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	35103	09/21/22 15:33	DM	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	35007	09/21/22 23:20	SM	EET MID
Soluble	Leach	DI Leach			5 g	50 mL	35063	09/21/22 13:45	SMC	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	35114	09/22/22 03:00	CH	EET MID

Client Sample ID: S-6 (4')

Lab Sample ID: 880-19485-27

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	35061	09/21/22 13:04	MR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	35073	09/22/22 06:02	MR	EET MID
Total/NA	Analysis	Total BTEX		1			35131	09/22/22 09:40	AJ	EET MID
Total/NA	Analysis	8015 NM		1			35170	09/22/22 12:50	SM	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	35103	09/21/22 15:33	DM	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	35007	09/21/22 23:41	SM	EET MID

Eurofins Midland

Lab Chronicle

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: S-6 (4')

Lab Sample ID: 880-19485-27

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.99 g	50 mL	35064	09/21/22 13:49	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	35115	09/21/22 20:13	CH	EET MID

Client Sample ID: S-6 (4.5')

Lab Sample ID: 880-19485-28

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	35061	09/21/22 13:04	MR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	35073	09/22/22 06:23	MR	EET MID
Total/NA	Analysis	Total BTEX		1			35131	09/22/22 09:40	AJ	EET MID
Total/NA	Analysis	8015 NM		1			35170	09/22/22 12:50	SM	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	35103	09/21/22 15:33	DM	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	35007	09/22/22 00:02	SM	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	35064	09/21/22 13:49	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	35115	09/21/22 20:28	CH	EET MID

Client Sample ID: H-1 (0-0.5')

Lab Sample ID: 880-19485-29

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.96 g	5 mL	35061	09/21/22 13:04	MR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	35073	09/22/22 06:43	MR	EET MID
Total/NA	Analysis	Total BTEX		1			35131	09/22/22 09:40	AJ	EET MID
Total/NA	Analysis	8015 NM		1			35170	09/22/22 12:50	SM	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	35103	09/21/22 15:33	DM	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	35007	09/22/22 00:23	SM	EET MID
Soluble	Leach	DI Leach			5 g	50 mL	35064	09/21/22 13:50	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	35115	09/21/22 20:33	CH	EET MID

Client Sample ID: H-2 (0-0.5')

Lab Sample ID: 880-19485-30

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	35061	09/21/22 13:04	MR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	35073	09/22/22 07:04	MR	EET MID
Total/NA	Analysis	Total BTEX		1			35131	09/22/22 09:40	AJ	EET MID
Total/NA	Analysis	8015 NM		1			35170	09/22/22 12:50	SM	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	35103	09/21/22 15:33	DM	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	35007	09/22/22 00:44	SM	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	35064	09/21/22 13:50	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	35115	09/21/22 20:38	CH	EET MID

Eurofins Midland

Lab Chronicle

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: H-3 (0-0.5')

Lab Sample ID: 880-19485-31

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	35061	09/21/22 13:04	MR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	35073	09/22/22 09:13	MR	EET MID
Total/NA	Analysis	Total BTEX		1			35131	09/22/22 09:40	AJ	EET MID
Total/NA	Analysis	8015 NM		1			35170	09/22/22 12:50	SM	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	35103	09/21/22 15:33	DM	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	35007	09/22/22 01:26	SM	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	35064	09/21/22 13:50	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	35115	09/21/22 20:43	CH	EET MID

Client Sample ID: H-4 (0-0.5')

Lab Sample ID: 880-19485-32

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	35061	09/21/22 13:04	MR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	35073	09/22/22 09:34	MR	EET MID
Total/NA	Analysis	Total BTEX		1			35131	09/22/22 09:40	AJ	EET MID
Total/NA	Analysis	8015 NM		1			35170	09/22/22 12:50	SM	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	35103	09/21/22 15:33	DM	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	35007	09/22/22 01:47	SM	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	35064	09/21/22 13:50	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	35115	09/21/22 20:58	CH	EET MID

Client Sample ID: H-5 (0-0.5')

Lab Sample ID: 880-19485-33

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	35061	09/21/22 13:04	MR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	35073	09/22/22 09:54	MR	EET MID
Total/NA	Analysis	Total BTEX		1			35131	09/22/22 09:40	AJ	EET MID
Total/NA	Analysis	8015 NM		1			35170	09/22/22 12:50	SM	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	35103	09/21/22 15:33	DM	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	35007	09/22/22 02:08	SM	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	35064	09/21/22 13:50	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	35115	09/21/22 21:03	CH	EET MID

Client Sample ID: H-6 (0-0.5')

Lab Sample ID: 880-19485-34

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	35061	09/21/22 13:04	MR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	35073	09/22/22 10:15	MR	EET MID
Total/NA	Analysis	Total BTEX		1			35131	09/22/22 09:40	AJ	EET MID

Eurofins Midland

Lab Chronicle

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Client Sample ID: H-6 (0-0.5')

Lab Sample ID: 880-19485-34

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			35170	09/22/22 12:50	SM	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	35103	09/21/22 15:33	DM	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	35007	09/22/22 02:30	SM	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	35064	09/21/22 13:50	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	35115	09/21/22 21:08	CH	EET MID

Client Sample ID: H-7 (0-0.5')

Lab Sample ID: 880-19485-35

Date Collected: 09/20/22 00:00

Matrix: Solid

Date Received: 09/21/22 10:34

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	35061	09/21/22 13:04	MR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	35073	09/22/22 10:36	MR	EET MID
Total/NA	Analysis	Total BTEX		1			35131	09/22/22 09:40	AJ	EET MID
Total/NA	Analysis	8015 NM		1			35170	09/22/22 12:50	SM	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	35103	09/21/22 15:33	DM	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	35007	09/22/22 02:51	SM	EET MID
Soluble	Leach	DI Leach			5.05 g	50 mL	35064	09/21/22 13:50	SMC	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	35115	09/21/22 21:13	CH	EET MID

Laboratory References:

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Accreditation/Certification Summary

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400-22-24	06-30-23

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
300.0		Solid	Chloride
8015 NM		Solid	Total TPH
8015B NM	8015NM Prep	Solid	Diesel Range Organics (Over C10-C28)
8015B NM	8015NM Prep	Solid	Gasoline Range Organics (GRO)-C6-C10
8015B NM	8015NM Prep	Solid	Oil Range Organics (Over C28-C36)
8021B	5035	Solid	Benzene
8021B	5035	Solid	Ethylbenzene
8021B	5035	Solid	m-Xylene & p-Xylene
8021B	5035	Solid	o-Xylene
8021B	5035	Solid	Toluene
8021B	5035	Solid	Xylenes, Total
Total BTEX		Solid	Total BTEX

Method Summary

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	MCAWW	EET MID
5035	Closed System Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

Protocol References:

ASTM = ASTM International

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Eurofins Midland

Sample Summary

Client: Carmona Resources
Project/Site: Federal 29 Z #2

Job ID: 880-19485-1
SDG: Eddy County, New Mexico

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
880-19485-1	S-1 (0-1')	Solid	09/20/22 00:00	09/21/22 10:34
880-19485-2	S-1 (1.5')	Solid	09/20/22 00:00	09/21/22 10:34
880-19485-3	S-1 (2')	Solid	09/20/22 00:00	09/21/22 10:34
880-19485-4	S-2 (0-1')	Solid	09/20/22 00:00	09/21/22 10:34
880-19485-5	S-2 (1.5')	Solid	09/20/22 00:00	09/21/22 10:34
880-19485-6	S-2 (2')	Solid	09/20/22 00:00	09/21/22 10:34
880-19485-7	S-2 (2.5')	Solid	09/20/22 00:00	09/21/22 10:34
880-19485-8	S-3 (0-1')	Solid	09/20/22 00:00	09/21/22 10:34
880-19485-9	S-3 (1.5')	Solid	09/20/22 00:00	09/21/22 10:34
880-19485-10	S-3 (2')	Solid	09/20/22 00:00	09/21/22 10:34
880-19485-11	S-3 (2.5')	Solid	09/20/22 00:00	09/21/22 10:34
880-19485-12	S-3 (3')	Solid	09/20/22 00:00	09/21/22 10:34
880-19485-13	S-3 (3.5')	Solid	09/20/22 00:00	09/21/22 10:34
880-19485-14	S-3 (4')	Solid	09/20/22 00:00	09/21/22 10:34
880-19485-15	S-4 (0-1')	Solid	09/20/22 00:00	09/21/22 10:34
880-19485-16	S-4 (1.5')	Solid	09/20/22 00:00	09/21/22 10:34
880-19485-17	S-4 (2')	Solid	09/20/22 00:00	09/21/22 10:34
880-19485-18	S-5 (0-1')	Solid	09/20/22 00:00	09/21/22 10:34
880-19485-19	S-5 (1.5')	Solid	09/20/22 00:00	09/21/22 10:34
880-19485-20	S-5 (2')	Solid	09/20/22 00:00	09/21/22 10:34
880-19485-21	S-6 (0-1')	Solid	09/20/22 00:00	09/21/22 10:34
880-19485-22	S-6 (1.5')	Solid	09/20/22 00:00	09/21/22 10:34
880-19485-23	S-6 (2')	Solid	09/20/22 00:00	09/21/22 10:34
880-19485-24	S-6 (2.5')	Solid	09/20/22 00:00	09/21/22 10:34
880-19485-25	S-6 (3')	Solid	09/20/22 00:00	09/21/22 10:34
880-19485-26	S-6 (3.5')	Solid	09/20/22 00:00	09/21/22 10:34
880-19485-27	S-6 (4')	Solid	09/20/22 00:00	09/21/22 10:34
880-19485-28	S-6 (4.5')	Solid	09/20/22 00:00	09/21/22 10:34
880-19485-29	H-1 (0-0.5')	Solid	09/20/22 00:00	09/21/22 10:34
880-19485-30	H-2 (0-0.5')	Solid	09/20/22 00:00	09/21/22 10:34
880-19485-31	H-3 (0-0.5')	Solid	09/20/22 00:00	09/21/22 10:34
880-19485-32	H-4 (0-0.5')	Solid	09/20/22 00:00	09/21/22 10:34
880-19485-33	H-5 (0-0.5')	Solid	09/20/22 00:00	09/21/22 10:34
880-19485-34	H-6 (0-0.5')	Solid	09/20/22 00:00	09/21/22 10:34
880-19485-35	H-7 (0-0.5')	Solid	09/20/22 00:00	09/21/22 10:34

Work Order No: 19485Page 1 of 4

Project Manager: Conner Moehring		Bill to (if different)		Jacqui Harris	
Company Name: Carmona Resources		Company Name		COG	
Address: 310 W Wall St Ste 415		Address		15 W London Rd	
City, State ZIP: Midland, TX 79701		City, State ZIP		Loving, NM 88256	
Phone: (432) 813-8823		Email: jacqui.harris@conocophillips.com			

Project Name: Federal 29 Z #2		Turn Around		Pres. Code	
Project Number: 1103		☐ Routine ☒ Rush			
Project Location: Eddy County, New Mexico		Due Date			
Sampler's Name: GP/MM		48+ hours			
PO #:					

SAMPLE RECEIPT		Tamp Blank.		Yes No		Wet Ice:		Yes No	
Received Intact:		Yes No		Thermometer ID		Yes No		178	
Cooler Custody Seals:		Yes No		Correction Factor		Yes No		.20	
Sample Custody Seals:		Yes No		Temperature Reading		Yes No		.4	
Total Containers:		Yes No		Corrected Temperature		Yes No		.4	

Sample Identification	Date	Time	Soil	Water	Grab/Comp	# of Cont	Parameters	Pres. Code	ANALYSIS REQUEST										Preservative Codes	Sample Comments
S-1 (0-1')	9/20/2022		X		G	1	BTX 8021B TPH 8015M (GRO + DRO + MRO) Chloride 300.0										None NO	DI Water H ₂ O		
S-1 (1.5')	9/20/2022		X		G	1												Cool Cool	MeOH Me	
S-1 (2')	9/20/2022		X		G	1												HCL HC	HNO ₃ HN	
S-2 (0-1')	9/20/2022		X		G	1												H ₂ SO ₄ H ₂	NaOH Na	
S-2 (1.5')	9/20/2022		X		G	1												H ₃ PO ₄ HP		
S-2 (2')	9/20/2022		X		G	1												NaHSO ₄ NABIS		
S-2 (2.5')	9/20/2022		X		G	1												Na ₂ S ₂ O ₃ NaSO ₃		
S-3 (0-1')	9/20/2022		X		G	1												Zn Acetate+NaOH Zn		
S-3 (1.5')	9/20/2022		X		G	1										NaOH+Ascorbic Acid	SAPC			
S-3 (2')	9/20/2022		X		G	1														



880-19485 Chain of Custody

Comments:

Relinquished by (Signature) Conner Moehring

Date/Time 9/21/22 10:34

Received by (Signature) Jacqui Harris

Date/Time

Work Order No: 19485

Page 2 of 4

Project Manager: Conner Moehring		Bill to (if different)		Jacqui Harris	
Company Name: Carmona Resources		Company Name		COG	
Address: 310 W Wall St Ste 415		Address		15 W London Rd	
City, State ZIP: Midland, TX 79701		City, State ZIP		Loving NM 88256	
Phone: (432) 813-8823		Email: jacqui.harris@conocophillips.com			

Project Name: Federal 29 Z #2		Turn Around		Pres. Code	
Project Number: 1103		☐ Routine ☒ Rush			
Project Location: Eddy County, New Mexico		Due Date			
Sampler's Name: GP/MM		4/8/2022			
PO #:					

ANALYSIS REQUEST										Preservative Codes		
Sample Identification		Date	Time	Soil	Water	Grab/Comp	# of Cont	Parameters	BTX 8021B	TPH 8015M (GRO + DRO + MRO)	Chloride 300.0	Sample Comments
S-3 (2.5')		9/20/2022		X		G	1		X	X	X	None NO Cool Cool HCL, HC H ₂ SO ₄ , H ₂ H ₃ PO ₄ , HP NaHSO ₄ , NABIS Na ₂ S ₂ O ₃ , NaSO ₃ Zn Acetate+NaOH Zn NaOH+Ascorbic Acid SAPC
S-3 (3')		9/20/2022		X		G	1		X	X	X	
S-3 (3.5')		9/20/2022		X		G	1		X	X	X	
S-3 (4')		9/20/2022		X		G	1		X	X	X	
S-4 (0-1')		9/20/2022		X		G	1		X	X	X	
S-4 (1.5')		9/20/2022		X		G	1		X	X	X	
S-4 (2')		9/20/2022		X		G	1		X	X	X	
S-5 (0-1')		9/20/2022		X		G	1		X	X	X	
S-5 (1.5')		9/20/2022		X		G	1		X	X	X	
S-5 (2')		9/20/2022		X		G	1		X	X	X	

Comments:

Relinquished by (Signature)		Date/Time		Received by (Signature)		Date/Time	
Conner Moehring		9/21/22 10:30		Jacqui Harris			

Work Order No: 19485

Page 3 of 4

Project Manager Conner Moehring		Bill to (if different) Jacqui Harris		Work Order Comments	
Company Name Carmona Resources		Company Name COG		Program: ☐ PRP ☐ Ironfields ☐ IRC ☐ perfund	
Address 310 W Wall St Ste 415		Address 15 W London Rd		State of Project:	
City, State ZIP Midland, TX 79701		City, State ZIP Loving, NM 88256		Reporting Level II ☐ Level III ☐ ST/UST ☐ RRP ☐ Level IV ☐	
Phone (432) 813-6823		Email jacqui.harris@conocophillips.com		Deliverables EDD ☐ ADaPT ☐ Other	

Project Name Federal 29 Z #2		Turn Around ☐ Routine ☒ Rush		ANALYSIS REQUEST		Preservative Codes	
Project Number 1103		Due Date 4/8 hours				None NO DI Water H ₂ O	
Project Location Eddy County, New Mexico						Cool Cool MeOH Me	
Sampler's Name GPMM						HCL HC HNO ₃ HN	
PO #:						H ₂ SO ₄ H ₂ NaOH Na	
SAMPLE RECEIPT						H ₃ PO ₄ HP	
Received Intact:		Temp Blank.		Yes No		NaHSO ₄ NABIS	
Cooler Custody Seals		Yes No		Thermometer ID		Na ₂ S ₂ O ₃ NaSO ₃	
Sample Custody Seals		Yes No		Temperature Reading		Zn Acetate+NaOH Zn	
Total Containers		Yes No		Corrected Temperature		NaOH+Ascorbic Acid SAPC	

Sample Identification	Date	Time	Soil	Water	Grab/Comp	# of Cont	Parameters	Pres. Code	ANALYSIS REQUEST	Preservative Codes	Sample Comments
S-6 (0-1')	9/20/2022		X		G	1	BTEX 8021B				
S-6 (1-5')	9/20/2022		X		G	1	TPH 8015M (GRO + DRO + MRO)				
S-6 (2')	9/20/2022		X		G	1	Chloride 300.0				
S-6 (2-5')	9/20/2022		X		G	1					
S-6 (3')	9/20/2022		X		G	1					
S-6 (3-5')	9/20/2022		X		G	1					
S-6 (4')	9/20/2022		X		G	1					
S-6 (4-5')	9/20/2022		X		G	1					
H-1 (0-0.5')	9/20/2022		X		G	1					
H-2 (0-0.5')	9/20/2022		X		G	1					

Relinquished by (Signature) <i>Conner Moehring</i>		Date/Time 9/21/22		Received by (Signature) <i>Jacqui Harris</i>		Date/Time 1034	
---	--	----------------------	--	---	--	-------------------	--

Comments:

Work Order No: 19485

Page 4 of 4

Project Manager: Conner Moehring		Bill to (if different)		Jacqui Harris	
Company Name: Carmona Resources		Company Name		COG	
Address: 310 W Wall St Ste 415		Address		15 W London Rd	
City, State ZIP: Midland, TX 79701		City, State ZIP		Loving, NM 88256	
Phone: (432) 813-8823		Email: jacqui.harris@conocophillips.com			

Project Name: Federal 29 Z #2		Turn Around		Pres. Code	
Project Number: 1103		☐ Routine ☒ Rush			
Project Location: Eddy County, New Mexico		Due Date			
Sampler's Name: GP/MM		48 Hours			
PO #:					

SAMPLE RECEIPT		Temp Blank.		Yes No		Wet Ice		Yes No	
Received Intact:		Yes No		Thermometer ID					
Cooler Custody Seals		Yes No N/A		Correction Factor					
Sample Custody Seals.		Yes No N/A		Temperature Reading					
Total Containers				Corrected Temperature					

Sample Identification	Date	Time	Soil	Water	Grab/Comp	# of Cont	Parameters	BTX 8021B	TPH 8015M (GRO + DRO + MRO)	Chloride 300.0	ANALYSIS REQUEST	Preservative Codes	Sample Comments
H-3 (0-0.5')	9/20/2022		X		G	1		X	X	X		None NO	DI Water H ₂ O
H-4 (0-0.5')	9/20/2022		X		G	1		X	X	X		Cool Cool	MeOH Me
H-5 (0-0.5')	9/20/2022		X		G	1		X	X	X		HCL HC	HNO ₃ HN
H-6 (0-0.5')	9/20/2022		X		G	1		X	X	X		H ₂ SO ₄ H ₂	NaOH Na
H-7 (0-0.5')	9/20/2022		X		G	1		X	X	X		H ₃ PO ₄ HP	
												NaHSO ₄ NABIS	
												Na ₂ S ₂ O ₃ NaSO ₃	
												Zn Acetate+NaOH Zn	
												NaOH+Ascorbic Acid SAPC	
													Loc: 880
													19485

Comments:	
-----------	--

Relinquished by: (Signature)		Date/Time		Received by: (Signature)		Date/Time	
Conner Moehring		9/21/22		Jacqui Harris			
		1034					

Login Sample Receipt Checklist

Client: Carmona Resources

Job Number: 880-19485-1

SDG Number: Eddy County, New Mexico

Login Number: 19485

List Number: 1

List Source: Eurofins Midland

Creator: Rodriguez, Leticia

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

Incident ID	
District RP	
Facility ID	
Application ID	

Remediation Plan

Remediation Plan Checklist: *Each of the following items must be included in the plan.*

- ☐ Detailed description of proposed remediation technique
- ☐ Scaled sitemap with GPS coordinates showing delineation points
- ☐ Estimated volume of material to be remediated
- ☐ Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC
- ☐ Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)

Deferral Requests Only: *Each of the following items must be confirmed as part of any request for deferral of remediation.*

- ☐ Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.
- ☐ Extents of contamination must be fully delineated.
- ☐ Contamination does not cause an imminent risk to human health, the environment, or groundwater.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: _____ Title: _____
Signature: Jaqui Harimon Date: 12/15/2022
email: _____ Telephone: _____

OCD Only

Received by: Jocelyn Harimon Date: 12/15/2022

☐ Approved ☒ Approved with Attached Conditions of Approval ☐ Denied ☐ Deferral Approved

Signature: Robert Hamlet Date: 3/17/2023

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 167342

CONDITIONS

Operator: COG OPERATING LLC 600 W Illinois Ave Midland, TX 79701	OGRID: 229137
	Action Number: 167342
	Action Type: [C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
rhamlet	The Remediation Plan is Conditionally Approved. This release is in a high karst area and will need to be remediated to the strictest closure criteria of <50' depth to groundwater from Table 1 of the spill rule. Samples must be analyzed for all constituents listed in Table I of 19.15.29.12 NMAC. The variance for 400 ft2 confirmation samples is approved. Sidewall samples should be delineated/excavated to 600 mg/kg for chlorides and 100 mg/kg for TPH to define the edge of the release. All off pad areas must contain a minimum of 4 feet non-waste containing uncontaminated, earthen material with chloride concentrations less than 600 mg/kg and less than 100 mg/kg for TPH. Any contaminants left in place will need to be fully delineated and require a facility deconstruction to qualify for a deferral. Please remove contaminants with alternative methods around oil/gas equipment. The work will need to occur in 90 days after the work plan has been approved.	3/17/2023