

Incident ID	nOY1720257038
District RP	1RP-4760
Facility ID	
Application ID	

Remediation Plan

Remediation Plan Checklist: Each of the following items must be included in the plan.

- Detailed description of proposed remediation technique
- Scaled sitemap with GPS coordinates showing delineation points
- Estimated volume of material to be remediated
- Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC
- Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)

Deferral Requests Only: Each of the following items must be confirmed as part of any request for deferral of remediation.

- Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.
- Extents of contamination must be fully delineated.
- Contamination does not cause an imminent risk to human health, the environment, or groundwater.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Melodie Sanjari Title: Environmental Professional


Signature: Melodie Sanjari Date: 5/9/2023

email: msanjari@marathonoil.com Telephone: 575-988-8753

OCD Only

Received by: Jocelyn Harimon Date: 05/22/2023

- Approved Approved with Attached Conditions of Approval Denied Deferral Approved

Signature:  Date: 05/22/2023

SITE INFORMATION

Report Type: Revised Closure Report 1RP-4760

General Site Information:

Site:	Battle Federal #4H				
Company:	Marathon Oil Company				
Section, Township and Range	Unit M	Sec. 27	T 21S	R 33E	
Lease Number:	API No. 30-025-42636				
County:	Lea County				
GPS:	32.4430715° N			103.565825° W	
Surface Owner:	Merchant Livestock				
Mineral Owner:	State				
Directions:	From the major intersection of HWY 8 and HWY 176, go west for 13.4 miles, turn left onto lease road. In 1.5 miles, turn right onto lease roa. In 3 miles, turn right. Travel for 3 miles and destination will be on your left.				

Release Data:

Date Released:	7/4/2017 - 7/5/2017
Type Release:	Produced Water
Source of Contamination:	Faulty discharge valve and manifold valve
Fluid Released:	23 bbls
Fluids Recovered:	23 bbls

Official Communication:

Name:	Callie Karrigan	Clair Gonzales
Company:	Marathon Oil	Tetra Tech
Address:		901 West Wall St.
Ste		Ste 100
City:	Carlsbad, NM	Midland, Texas
Phone number:	575-297-0956	(432) 687-8110
Fax:		
Email:	cnkarrigan@marathonoil.com	Clair.Gonzales@tetrattech.com

Ranking Criteria

Depth to Groundwater:	Ranking Score	Site Data
<50 ft	20	
50-99 ft	10	
>100 ft.	0	175'-200'
WellHead Protection:	Ranking Score	Site Data
Water Source <1,000 ft., Private <200 ft.	20	
Water Source >1,000 ft., Private >200 ft.	0	0
Surface Body of Water:	Ranking Score	Site Data
<200 ft.	20	
200 ft - 1,000 ft.	10	
>1,000 ft.	0	0
Total Ranking Score:		0

Acceptable Soil RRAL (mg/kg)		
Benzene	Total BTEX	TPH
10	50	5,000



April 29, 2019

Environmental Engineer Specialist
Oil Conservation Division, District 1
1625 North French Drive
Hobbs, New Mexico 88240

Amended Deferral Request as per NM OCD - 5/9/2023

Re: Revised Closure Report for the Marathon Oil, Battle Federal #4H, Unit M, Section 27, Township 21 South, Range 33 East, Lea County, New Mexico. 1RP-4760.

Tetra Tech, Inc. (Tetra Tech) was contacted by Marathon Oil (Marathon) to remediate a spill from Battle Federal #4H, Unit M, Section 27, Township 21 South, Range 33 East, Lea County, New Mexico (site). The spill site coordinates are N 32.44307 °, W 103.56582 °. The site location is shown on Figures 1 and 2.

Background

According to the State of New Mexico C-141 Initial Report, the leak was discovered on July 5, 2017, and released approximately twenty-three (23) barrels of produced water due to faulty discharge and manifold valves. All of the fluids were recovered. Eleven (11) barrels were released to the well pad and twelve (12) barrels inside the containment, measuring approximately 20' x 75' and 10' x 40'. As a part of an emergency response, Marathon used a vacuum truck to remove the produced water and loose soil from the pad area, and then removed the standing fluid from the containment. The initial C-141 form is included in Appendix A.

Groundwater

The New Mexico Office of the State Engineer's database listed three wells in Section 27 with an average depth to groundwater of 577 feet below surface. The nearest well listed on the USGS Nation Water Information System is located in Section 28 with a reported depth to groundwater of 179 feet below surface. According to the Chevron Texaco Groundwater Trend map, the average depth to groundwater in this area is between 175' and 200' below surface. The groundwater data is shown in Appendix B.



Regulatory

A risk-based evaluation was performed for the Site in accordance with the New Mexico Oil Conservation Division (NMOCD) Guidelines for Remediation of Leaks, Spills and Releases, dated August 13, 1993. The guidelines require a risk-based evaluation of the site to determine recommended remedial action levels (RRAL) for benzene, toluene, ethylbenzene and xylene (collectively referred to as BTEX) and total petroleum hydrocarbons (TPH) in soil. The proposed RRAL for benzene was determined to be 10 parts per million (ppm) or milligrams per kilogram (mg/kg) and 50 ppm for total BTEX (sum of benzene, toluene, ethylbenzene, and xylene). Based upon the depth to groundwater, the proposed RRAL for TPH is 5,000 mg/kg.

Soil Assessment and Analytical Results

On September 7, 2017, Terracon Consultants, Inc. (Terracon) personnel were onsite to evaluate and sample the release area. A total of fourteen (14) samples were collected from the release area and analyzed for TPH analysis by EPA method 8015, BTEX by EPA Method 8021B and chloride by EPA method 300.0. Based on the results, none of the samples collected exceeded the RRAL for total TPH or BTEX, but there were indications of chloride concentrations not defined in some of the samples. The complete site assessment and findings was submitted on October 20, 2017 in the Proposed Work Plan – Battle Federal #4H report by Terracon.

Remediation Activities

Tetra Tech was contacted to review the submitted work plan and implement the plan. On January 10-11, 2018, Tetra Tech personnel were onsite to supervise the excavation of the impacted areas. All of the areas were excavated to a total depth of 1.0' below surface. All of the excavated material was hauled for proper disposal. The excavation areas and depths are shown on Figure 3.

In order to ensure all of the impacted material was properly removed, bottom hole samples (AH-1, AH-2, AH-3, AH-4, AH-5, and AH-6) were collected as well as appropriate sidewall samples in each area. The samples were analyzed for chloride by EPA method 300.0. Copies of laboratory analysis and chain-of-custody documentation are included in Appendix C. The sampling results are summarized in Table 1. The sampling locations are shown on Figure 3.

Referring to Table 1, all of the bottom hole and sidewall samples showed chloride concentrations below the 600 mg/kg threshold, with the exception of sidewall samples (NSW-2 and SSW-2). Due to safety concerns, any additional excavation in these areas were not performed due to the proximity of an active gas meter and underground electrical line in the area. The impacted soils were excavated to the maximum extent practicable. In addition, sidewall samples (NSW-5 and ESW-5) reported chloride concentrations above the 600 mg/kg limit. As a result, excavation was extended 1.0' to remove the soil above 600 mg/kg. Once the excavation was completed, the areas were backfilled with clean material to surface grade.



Additional Sampling – Vertical Delineation

As requested by the NMOCD, Tetra Tech returned to the location on April 24, 2019, to collect samples below the excavation depth in the areas of HA-5 (AH-3), HA-6 (AH-4), HA-7 (AH-5), and HA-8 (AH-8). The samples were collected at 12"-16" below surface and were submitted to the laboratory for chloride analysis. The sample locations are shown on Figure 4 and summarized on Table 1.

Referring to Table 1, all samples collected showed minimal chloride concentrations ranging from 8.46 mg/kg to 128 mg/kg.

Conclusions and Recommendations

Based on the soil assessment and remediation work performed at the site, Marathon requests acknowledgment of the overall remediation and the deferral of sample locations SSW-2 and NSW-2. The updated C-141 is enclosed in Appendix A. If you have any questions or comments concerning the assessment or the remediation activities for this site, please call me at (432) 682-4559.


Respectfully submitted,
TETRA TECH

A handwritten signature in blue ink that reads 'Clair Gonzales'.

Clair Gonzales
Project Manager


cc: Callie Karrigan - Marathon


Figures



**BATTLE
FEDERAL #4**

 Marathon Oil Figure 1	
Battle Federal #4 (32.443715, -103.565825)	
Overview Map Lea County, New Mexico	
Project : 212C-MD-01073	
Date : 02/01/2018	
File : H:\GIS\212C-MD-01073	







Marathon Oil
 Figure 2

Battle Federal #4
 (32.443715, -103.565825)

Topo Map 1:24,000


Lea County, New Mexico

Project : 212C-MD-01073	
Date : 02/01/2017	
File : H:\GIS\212C-MD-01073	



LEGEND

- SAMPLED 4-24-19
- ⊙ SAMPLE LOCATIONS
- ▨ EXCAVATED AREA



Marathon Oil

Figure 3

Battle Federal #4
(32.443715, -103.565825)

Excavation Areas & Depths Map

Lea County, New Mexico

Project : 212C-MD-01073	
Date : 04/29/2019	
File : H:\GIS\212C-MD-01073	

Tables

Table 1
Marathon
Battle Federal #4
Lea County, New Mexico

Sample ID	Sample Date	Sample Depth (ft)	Excavation Depth (ft)	Soil Status		Chloride (mg/kg)
				In-Situ	Removed	
AH#1	1/19/2018	0-1	1	X		353
NSW -1 (1.0')	1/19/2018	-	-	X		553
SSW-1	1/19/2018	-	-	X		383
ESW-1	1/19/2018	-	-	X		297
WSW-1	1/19/2018	-	-	X		365
AH-2	1/19/2018	0-1	1	X		23.2
NSW-2	1/22/2018	-	-	X		1540
SSW-2	1/22/2018	-	-	X		635
ESW-2	1/19/2018	-	-	X		342
WSW-2	1/19/2018	-	-	X		193
AH-3	1/22/2018	0-1	1	X		361
AH-4	1/22/2018	0-1	1	X		<4.96
NSW-3	1/22/2018	-	-	X		34.2
SSW-3	1/22/2018	-	-	X		166
WSW-3	1/22/2018	-	-	X		<4.93
AH-5	1/22/2018	0-1	1	X		<4.93
NSW-4	1/22/2018	-	-	X		30.6
SSW-4	1/22/2018	-	-	X		209
ESW-4	1/22/2018	-	-	X		13.6
AH-6	1/22/2018	0-1	1	X		71.9
NSW-5	1/22/2018	-	-		X	1030
NSW-5 (1.0')	1/22/2018	-	-	X		288
SSW-5	1/22/2018	-	-	X		399
SSW-5 (1.0')	1/22/2018	-	-	X		253
ESW-5	1/22/2018	-	1		X	2190
ESW-5 (1.0')	1/22/2018	-	-	X		354
AH-3 (HA-5)	4/24/2019	12"-16"	1	X		15.8
AH-4 (HA-6)	4/24/2019	12"-16"	1	X		128
AH-5 (HA-7)	4/24/2019	12"-16"	1	X		8.46
AH-6 (HA-8)	4/24/2019	12"-16"	1	X		13.9



Not Excavated Due to Active Lines in Areas
 Areas Excavated and Removed

Photos

Marathon Oil Company
Battle Federal #4H
Lea County, New Mexico



TETRA TECH



View of area containing sample locations AH-1, NWS-1, ESW-1, SSW-1, and WSW-1



View of area containing sample locations AH-2, ESW-2, WSW-2.

Marathon Oil Company
Battle Federal #4H
Lea County, New Mexico



TETRA TECH



View of area containing samples AH-3, NSW-2, and SSW-2.



View of area containing samples AH-4, NSW-3, WSW-3, and SSW-3.

Marathon Oil Company
Battle Federal #4H
Lea County, New Mexico



TETRA TECH



View of area containing samples AH-5, NSW-4, ESW-4, SSW-4, and WSW-4.



View of area containing samples AH-6, NSW-5, ESW-5, and SSW-5.

Appendix A

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised April 3, 2017

Submit 1 Copy to appropriate District Office in accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

OPERATOR Initial Report Final Report

Name of Company Marathon Oil Company	Contact Wendy Gram
Address 5555 San Felipe Street, Houston, Texas 77056	Telephone No. 701-690-6519 (cell) 713-296-2862 (office)
Facility Name Battle Federal #4H	Facility Type Oil well
Surface Owner Merchant Livestock	Mineral Owner State API No.30-025-42636

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Lin	Feet from the	East/West Line	County
M	27	21S	33E	191	South	960	West	Lea

Latitude 32.44307153692 Longitude -103.565825723177 NAD83

NATURE OF RELEASE

Type of Release Produced water	Volume of Release 23 barrels	Volume Recovered 23 barrels
Source of Release Well completions equipment	Date and Hour of Occurrence 7/4/2017 - 7/5/2017	Date and Hour of Discovery 7/5/2017 12:45 AM
Was Immediate Notice Given? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Required	If YES, To Whom?	
By Whom?	Date and Hour	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse.	

RECEIVED
By Olivia Yu at 3:53 pm, Jul 21, 2017

If a Watercourse was Impacted, Describe Fully.*
Not applicable.

Describe Cause of Problem and Remedial Action Taken.*
As part of a routine site inspection during hydraulic fracturing activities at the location, fluid was noticed between the secondary blender and a frac pump. Further investigation revealed that the 4" discharge valves were faulty or not closed. The 4" valves located at the manifold were found to be faulty as well. The release resulted in approximately 23 barrels of produced water (20'x75'x.50") 11 barrels to the pad and (10'x40'x2") 12 barrels to containment.

Describe Area Affected and Cleanup Action Taken.*
A vacuum truck was utilized to cleanup and dispose of both spill locations. All the fluids that could be removed as well as the loose soil on the affected area of location were cleaned up first and then the containment was vacuumed out.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Wendy Gram Signature:	OIL CONSERVATION DIVISION	
Printed Name: Wendy Gram	Approved by Environmental Specialist: <i>WJ</i>	
Title: Sr. HES Professional	Approval Date: 7/21/2017	Expiration Date:
E-mail Address: wwgram@marathonoil.com	Conditions of Approval: see attached directive	Attached <input checked="" type="checkbox"/>
Date: July 18, 2017 Phone: 701-690-6519 (cell) 713-296-2862 (office)	Please inspect liner in question. Provide NMOCD with a concise report of the inspection with affirmation the liner has and will continue to contain liquids.	

1RP-4760

nOY1720257038

pOY1720258053

* Attach Additional Sheets If Necessary

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

OPERATOR Initial Report Final Report

Name of Company Marathon Oil Permian, LLC.	Contact Wendy Gram
Address 5555 San Felipe Street, Houston, Texas 77056	Telephone No. 701-690-6519 (cell) 713-296-2862 (office)
Facility Name Battle Federal #4H	Facility Type Oil Well
Surface Owner: Merchant Livestock	Mineral Owner: State
API No. 30-025-42636	

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
M	27	21S	33E	191	South	960	West	Lea

Latitude 32.44307153692 Longitude -103.56825723177 NAD83

NATURE OF RELEASE

Type of Release: Produced Water	Volume of Release 23 bbls	Volume Recovered: 23 bbls
Source of Release: Well completions equipment	Date and Hour of Occurrence 7/4/2017 - 7/5/2017	Date and Hour of Discovery 7/5/2017 12:45 AM
Was Immediate Notice Given? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Required	If YES, To Whom?	
By Whom? Jennifer Van Curen	Date and Hour 11/02/17 1:00 p.m.	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse. N/A	

If a Watercourse was Impacted, Describe Fully.*
N/A

Describe Cause of Problem and Remedial Action Taken.*
As part of a routine site inspection during hydraulic fracturing activities at the location, fluid was noticed between the secondary blender and a frac pump. Further investigation revealed that the 4" discharge valves were faulty or not closed. The 4" valves located at the manifold were found to be faulty as well. The release resulted in approximately 23 barrels of produced water (20'x75'x50") 11 barrels to the pad and (10'x40'x2") 12 barrels to containment. A subsurface assessment in the release area revealed TPH and BTEX concentrations below target levels, but elevated chloride concentrations. NMOCD approved work plan included removal of soil with chloride levels >600 mg/kg within the top 1 foot below surface grade. NMOCD required the collection of excavation confirmation wall samples.

Describe Area Affected and Cleanup Action Taken.*
Tetra Tech supervised the remediation of the impacted soils. Soils that exceeded the 600 mg/kg chloride threshold were removed and hauled for proper disposal. The site was then brought up to surface grade with clean backfill material. Tetra Tech prepared a closure report and submitted to the NMOCD for review.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 	OIL CONSERVATION DIVISION	
Printed Name: Ike Tavarez (agent for Marathon)	Approved by District Supervisor:	
Title: Project Manager	Approval Date:	Expiration Date:
E-mail Address: Ike.Tavarez@TetraTech.com	Conditions of Approval:	Attached <input type="checkbox"/>
Date: 2/20/18	Phone: (432) 682-4559	

* Attach Additional Sheets If Necessary

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Incident ID	
District RP	
Facility ID	
Application ID	

Release Notification

Responsible Party

Responsible Party	OGRID
Contact Name	Contact Telephone
Contact email	Incident # (assigned by OCD)
Contact mailing address	

Location of Release Source

Latitude _____ Longitude _____
(NAD 83 in decimal degrees to 5 decimal places)

Site Name	Site Type
Date Release Discovered	API# (if applicable)

Unit Letter	Section	Township	Range	County

Surface Owner: State Federal Tribal Private (Name: _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input type="checkbox"/> Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Produced Water	Volume Released (bbls)	Volume Recovered (bbls)
	Is the concentration of total dissolved solids (TDS) in the produced water >10,000 mg/l?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release

State of New Mexico
Oil Conservation Division

Page 2

Incident ID	
District RP	
Facility ID	
Application ID	

Was this a major release as defined by 19.15.29.7(A) NMAC? <input type="checkbox"/> Yes <input type="checkbox"/> No	If YES, for what reason(s) does the responsible party consider this a major release?
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

<input type="checkbox"/> The source of the release has been stopped. <input type="checkbox"/> The impacted area has been secured to protect human health and the environment. <input type="checkbox"/> Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices. <input type="checkbox"/> All free liquids and recoverable materials have been removed and managed appropriately.
If all the actions described above have <u>not</u> been undertaken, explain why:
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.
Printed Name: _____ Title: _____ Signature: <i>Callie Karrigan</i> _____ Date: _____ email: _____ Telephone: _____
<u>OCD Only</u> Received by: _____ Date: _____

Incident ID	
District RP	
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	_____ (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Did the release impact areas not on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: *Each of the following items must be included in the report.*

- Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- Field data
- Data table of soil contaminant concentration data
- Depth to water determination
- Determination of water sources and significant watercourses within 1/2-mile of the lateral extents of the release
- Boring or excavation logs
- Photographs including date and GIS information
- Topographic/Aerial maps
- Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

State of New Mexico
Oil Conservation Division

Page 4

Incident ID	
District RP	
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: _____ Title: _____

Signature: *Callie Kerrigan* _____ Date: _____

email: _____ Telephone: _____

OCD Only

Received by: _____ Date: _____

Incident ID	nOY1720257038
District RP	1RP-4760
Facility ID	
Application ID	

Remediation Plan

Remediation Plan Checklist: Each of the following items must be included in the plan.

- Detailed description of proposed remediation technique
- Scaled sitemap with GPS coordinates showing delineation points
- Estimated volume of material to be remediated
- Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC
- Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)

Deferral Requests Only: Each of the following items must be confirmed as part of any request for deferral of remediation.

- Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.
- Extents of contamination must be fully delineated.
- Contamination does not cause an imminent risk to human health, the environment, or groundwater.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Melodie Sanjari Title: Environmental Professional


Signature: Melodie Sanjari Date: 5/9/2023

email: msanjari@marathonoil.com Telephone: 575-988-8753

OCD Only

Received by: Jocelyn Harimon Date: 05/09/2023

- Approved Approved with Attached Conditions of Approval Denied Deferral Approved

Signature:  Date: 05/22/2023

Appendix B

Water Well Data Average Depth to Groundwater (ft) Marathon - Battle Federal #4H Lea County, New Mexico

20 South			33 East		
6	5 325	4	3	2	1
7	278	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36
					+300

20 South			34 East		
6	5	4 125	3	2	1
7	8	9	10	11	12
18	17 128	16	15	14	13
19	140	21	22	23 150	24
30	29	28	27	26	25
31	32	33	34 82	35	36
					270

20 South			35 East		
6	56	5 64	4	3	2
7	64	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	65	32	33 89	34	35
					49

21 South			32 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

21 South			33 East		
6	5	4	3	2 79	1
7	8	9	10	11 150	12
18	17	16	15	14	13
143	20	21	22	23	24
30	29	28	27	26	25
31	32	33 179	34 572	35	36
					180

21 South			34 East		
6	5	4 95	3	2	1
7	8 120	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28 140	27	26	25
31	32	33	34	35	36

22 South			32 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14 382	13
19 (S)	20	21	22	23 350	24
280	29	28	27	26	25
31	32	33	34	35	36

22 South			33 East		
6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36
					391

22 South			34 East		
6	5	4	3	2	1
7	8	9	10	11 30	12 50
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

- 88** New Mexico State Engineers Well Reports
- 105** USGS Well Reports
- 90** Geology and Groundwater Conditions in Southern Lea, County, NM (Report 6)
Geology and Groundwater Resources of Eddy County, NM (Report 3)
- 34** NMOCD - Groundwater Data
- 123** Tetra Tech installed temporary wells and field water level
- 143** NMOCD Groundwater map well location



New Mexico Office of the State Engineer Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced,
O=orphaned,
C=the file is closed) (quarters are 1=NW 2=NE 3=SW 4=SE)
(quarters are smallest to largest) (NAD83 UTM in meters) (In feet)

POD Number	POD Sub-Code	basin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	Depth Well	Depth Water	Water Column
CP 01349 POD1	CP	LE	2	3	1	27	21S	33E	635304	3591576		1188	572	616
CP 01355 POD1	CP	LE	2	1	3	27	21S	33E	634773	3591061		1192	582	610
CP 01357 POD1	CP	LE	4	3	1	27	21S	33E	634782	3591347		1286	578	708

Average Depth to Water: **577 feet**
Minimum Depth: **572 feet**
Maximum Depth: **582 feet**

Record Count: 3

PLSS Search:

Section(s): 27 Township: 21S Range: 33E

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

Appendix C

Analytical Report 574604

for
Tetra Tech- Midland

Project Manager: Ike Tavarez

Marathon Oil-Battle Fed #4

212C-MD-01073

01-FEB-18

Collected By: Client



1211 W. Florida Ave, Midland TX 79701

Xenco-Houston (EPA Lab code: TX00122):
Texas (T104704215-17-23), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab code: TX01468):
Texas (T104704295-17-15), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab code: TX00127): Texas (T104704221-17-12)
Xenco-Lubbock (EPA Lab code: TX00139): Texas (T104704219-17-16)
Xenco-Odessa (EPA Lab code: TX00158): Texas (T104704400-17-13)
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-17-3)
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)
Xenco-Phoenix Mobile (EPA Lab code: AZ00901): Arizona (AZM757)



01-FEB-18

Project Manager: **Ike Tavaréz**

Tetra Tech- Midland

4000 N. Big Spring Suite 401

Midland, TX 79705

Reference: XENCO Report No(s): **574604**

Marathon Oil-Battle Fed #4

Project Address: Lea Co, NM

Ike Tavaréz:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 574604. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 574604 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Kelsey Brooks

Project Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



Sample Cross Reference 574604

Tetra Tech- Midland, Midland, TX

Marathon Oil-Battle Fed #4

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
ESW-1	S	01-19-18 09:00		574604-001
WSW-1	S	01-19-18 09:05		574604-002
SSW-1	S	01-19-18 09:10		574604-003
AH-1 (0-1')	S	01-19-18 09:30		574604-004
NSW-1 (1')	S	01-19-18 10:00		574604-005
ESW- 2	S	01-19-18 11:00		574604-006
WSW- 2	S	01-19-18 11:05		574604-007
AH-2 (0-1')	S	01-19-18 11:15		574604-008



CASE NARRATIVE

Client Name: Tetra Tech- Midland

Project Name: Marathon Oil-Battle Fed #4

Project ID: 212C-MD-01073
Work Order Number(s): 574604

Report Date: 01-FEB-18
Date Received: 01/25/2018

Sample receipt non conformances and comments:

Sample receipt non conformances and comments per sample:

None



Certificate of Analysis Summary 574604

Tetra Tech- Midland, Midland, TX

Project Name: Marathon Oil-Battle Fed #4



Project Id: 212C-MD-01073
Contact: Ike Tavarez
Project Location: Lea Co, NM

Date Received in Lab: Thu Jan-25-18 04:00 pm
Report Date: 01-FEB-18
Project Manager: Kelsey Brooks

<i>Analysis Requested</i>	<i>Lab Id:</i>	574604-001	574604-002	574604-003	574604-004	574604-005	574604-006
	<i>Field Id:</i>	ESW-1	WSW-1	SSW-1	AH-1 (0-1')	NSW-1 (1')	ESW- 2
	<i>Depth:</i>						
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
<i>Sampled:</i>	Jan-19-18 09:00	Jan-19-18 09:05	Jan-19-18 09:10	Jan-19-18 09:30	Jan-19-18 10:00	Jan-19-18 11:00	
Inorganic Anions by EPA 300/300.1	<i>Extracted:</i>	Jan-30-18 09:00					
	<i>Analyzed:</i>	Jan-30-18 12:43	Jan-30-18 12:50	Jan-30-18 13:11	Jan-30-18 13:18	Jan-30-18 13:39	Jan-30-18 13:46
	<i>Units/RL:</i>	mg/kg RL					
Chloride		297 4.96	365 5.00	383 4.96	353 4.97	553 4.95	342 5.00

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Kelsey Brooks
Project Manager



Certificate of Analysis Summary 574604



Tetra Tech- Midland, Midland, TX

Project Name: Marathon Oil-Battle Fed #4

Project Id: 212C-MD-01073
Contact: Ike Tavarez
Project Location: Lea Co, NM

Date Received in Lab: Thu Jan-25-18 04:00 pm
Report Date: 01-FEB-18
Project Manager: Kelsey Brooks

Analysis Requested	Lab Id:	574604-007	574604-008				
	Field Id:	WSW- 2	AH-2 (0-1')				
	Depth:						
	Matrix:	SOIL	SOIL				
	Sampled:	Jan-19-18 11:05	Jan-19-18 11:15				
Inorganic Anions by EPA 300/300.1	Extracted:	Jan-30-18 09:00	Jan-30-18 09:00				
	Analyzed:	Jan-30-18 13:53	Jan-30-18 14:00				
	Units/RL:	mg/kg RL	mg/kg RL				
Chloride		193 4.93	23.2 4.97				

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Kelsey Brooks
Project Manager



Flagging Criteria



- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Atlanta - Midland/Odessa - Tampa/Lakeland - Phoenix - Latin America

4147 Greenbriar Dr, Stafford, TX 77477
 9701 Harry Hines Blvd , Dallas, TX 75220
 5332 Blackberry Drive, San Antonio TX 78238
 1211 W Florida Ave, Midland, TX 79701
 2525 W. Huntington Dr. - Suite 102, Tempe AZ 85282

Phone	Fax
(281) 240-4200	(281) 240-4280
(214) 902 0300	(214) 351-9139
(210) 509-3334	(210) 509-3335
(432) 563-1800	(432) 563-1713
(602) 437-0330	



BS / BSD Recoveries



Project Name: Marathon Oil-Battle Fed #4

Work Order #: 574604

Project ID: 212C-MD-01073

Analyst: OJS

Date Prepared: 01/30/2018

Date Analyzed: 01/30/2018

Lab Batch ID: 3039647

Sample: 7638275-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
Chloride	<5.00	250	273	109	250	274	110	0	90-110	20	

Relative Percent Difference RPD = $200 * |(C-F)/(C+F)|$

Blank Spike Recovery [D] = $100 * (C)/[B]$

Blank Spike Duplicate Recovery [G] = $100 * (F)/[E]$

All results are based on MDL and Validated for QC Purposes



Form 3 - MS / MSD Recoveries



Project Name: Marathon Oil-Battle Fed #4

Work Order # : 574604

Project ID: 212C-MD-01073

Lab Batch ID: 3039647

QC- Sample ID: 573785-001 S

Batch #: 1 **Matrix:** Sludge

Date Analyzed: 01/30/2018

Date Prepared: 01/30/2018

Analyst: OJS

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	822	248	1020	80	248	1050	92	3	90-110	20	X

Lab Batch ID: 3039647

QC- Sample ID: 574604-002 S

Batch #: 1 **Matrix:** Soil

Date Analyzed: 01/30/2018

Date Prepared: 01/30/2018

Analyst: OJS

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	365	250	619	102	250	634	108	2	90-110	20	

Matrix Spike Percent Recovery [D] = 100*(C-A)/B
Relative Percent Difference RPD = 200*(C-F)/(C+F)

Matrix Spike Duplicate Percent Recovery [G] = 100*(F-A)/E

ND = Not Detected, J = Present Below Reporting Limit, B = Present in Blank, NR = Not Requested, I = Interference, NA = Not Applicable
N = See Narrative, EQL = Estimated Quantitation Limit, NC = Non Calculable - Sample amount is > 4 times the amount spiked.

Analysis Request of Chain of Custody Record



Tetra Tech, Inc.

4000 N. Big Spring Street, Suite 401
Midland, Texas 79705
Tel (432) 682-4559
Fax (432) 682-3946

Client Name: Marathon Oil

Site Manager: Ike Tavaréz

Project Name: Battle Fed #4

Project Location: (county, state) Lea Co, New Mexico

Project #:

212C-MD-01073

Invoice to:

Receiving Laboratory:

Sampler Signature:

Clint Merritt

Comments:

LAB # (LAB USE ONLY)

SAMPLE IDENTIFICATION

LAB #	DATE	TIME	SAMPLING		MATRIX	PRESERVATIVE METHOD			# CONTAINERS	FILTERED (Y/N)
			YEAR	DATE		TIME	WATER	SOIL		
ESW-1	1/19/2018	9:00			X			X		
WSW-1	1/19/2018	9:05			X			X		
SSW-1	1/19/2018	9:10			X			X		
AH-1 (0-1)	1/19/2018	9:30			X			X		
NSW-1 (1)	1/19/2018	10:00			X			X		
ESW-2	1/19/2018	11:00			X			X		
WSW-2	1/19/2018	11:05			X			X		
AH-2 (0-1)	1/19/2018	11:15			X			X		

Received by OCD: 5/2/2023 6:39:11 AM

Temp: 1.9
CF: (0-6: -0.2°C)
(6-23: +0.2°C)
Corrected Temp: 1.7

IR ID: R-8

ORIGINAL COPY

LAB USE ONLY

REMARKS:

RUSH: Same Day 24 hr 48 hr 72 hr

Rush Charges Authorized

Special Report Limits or TRRP Report

(Circle) HAND DELIVERED FEDEX UPS Tracking #:

ANALYSIS REQUEST (Circle or Specify Method No.)

- BTEX 8021B BTEX 8260B
- TPH TX1005 (Ext to C35)
- TPH 8015M (GRO - DRO - ORO - MRO)
- PAH 8270C
- Total Metals Ag As Ba Cd Cr Pb Se Hg
- TCLP Metals Ag As Ba Cd Cr Pb Se Hg
- TCLP Volatiles
- TCLP Semi Volatiles
- RCI
- GC/MS Vol. 8260B / 624
- GC/MS Semi. Vol. 8270C/625
- PCB's 8082 / 608
- NORM
- PLM (Asbestos)
- Chloride
- Chloride Sulfate TDS
- General Water Chemistry (see attached list)
- Anion/Cation Balance
- Hold

574-6004



XENCO Laboratories Prelogin/Nonconformance Report- Sample Log-In

Client: Tetra Tech- Midland

Date/ Time Received: 01/25/2018 04:00:00 PM

Work Order #: 574604

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : R8

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	1.7
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6*Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	N/A
#18 Water VOC samples have zero headspace?	N/A

* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

Analyst:

PH Device/Lot#:

Checklist completed by: Jessica Kramer
Jessica Kramer

Date: 01/26/2018

Checklist reviewed by: Kelsey Brooks
Kelsey Brooks

Date: 01/26/2018

Analytical Report 574606

for
Tetra Tech- Midland

Project Manager: Ike Tavarez

Marathon Oil-Battle Fed #4

212C-MD-01073

01-FEB-18

Collected By: Client



1211 W. Florida Ave, Midland TX 79701

Xenco-Houston (EPA Lab code: TX00122):
Texas (T104704215-17-23), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab code: TX01468):
Texas (T104704295-17-15), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab code: TX00127): Texas (T104704221-17-12)
Xenco-Lubbock (EPA Lab code: TX00139): Texas (T104704219-17-16)
Xenco-Odessa (EPA Lab code: TX00158): Texas (T104704400-17-13)
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-17-3)
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona(AZ0757)
Xenco-Phoenix Mobile (EPA Lab code: AZ00901): Arizona (AZM757)



01-FEB-18

Project Manager: **Ike Tavaréz**

Tetra Tech- Midland

4000 N. Big Spring Suite 401

Midland, TX 79705

Reference: XENCO Report No(s): **574606**

Marathon Oil-Battle Fed #4

Project Address: Lea Co, NM

Ike Tavaréz:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 574606. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 574606 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Kelsey Brooks

Project Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



Sample Cross Reference 574606

Tetra Tech- Midland, Midland, TX

Marathon Oil-Battle Fed #4

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
SSW-2	S	01-22-18 10:30		574606-001
NSW-2	S	01-22-18 10:35		574606-002
AH-3(0-1')	S	01-22-18 10:45		574606-003
NSW-3	S	01-22-18 13:50		574606-004
WSW-3	S	01-22-18 15:00		574606-005
SSW-3	S	01-22-18 14:15		574606-006
AH-4(0-1')	S	01-22-18 14:30		574606-007
NSW-4	S	01-23-18 10:05		574606-008
SSW-4	S	01-23-18 10:15		574606-010
ESW-4	S	01-23-18 10:20		574606-011
AH-5 (0-1')	S	01-23-18 11:00		574606-012
NSW-5	S	01-24-18 14:15		574606-013
SSW-5	S	01-24-18 14:20		574606-014
ESW-5	S	01-24-18 14:25		574606-015
AH-6 (0-1')	S	01-24-18 14:30		574606-016
NSW-5 (1')	S	01-24-18 15:00		574606-017
SSW-5 (1')	S	01-24-18 15:05		574606-018
ESW-5 (1')	S	01-24-18 15:10		574606-019
WSW-4	S	01-23-18 10:10		Not Analyzed



CASE NARRATIVE

Client Name: Tetra Tech- Midland

Project Name: Marathon Oil-Battle Fed #4

Project ID: 212C-MD-01073
Work Order Number(s): 574606

Report Date: 01-FEB-18
Date Received: 01/25/2018

Sample receipt non conformances and comments:

Sample receipt non conformances and comments per sample:

None



Certificate of Analysis Summary 574606

Tetra Tech- Midland, Midland, TX

Project Name: Marathon Oil-Battle Fed #4



Project Id: 212C-MD-01073
Contact: Ike Tavarez
Project Location: Lea Co, NM

Date Received in Lab: Thu Jan-25-18 04:00 pm
Report Date: 01-FEB-18
Project Manager: Kelsey Brooks

<i>Analysis Requested</i>	<i>Lab Id:</i>	574606-001	574606-002	574606-003	574606-004	574606-005	574606-006
	<i>Field Id:</i>	SSW-2	NSW-2	AH-3(0-1')	NSW-3	WSW-3	SSW-3
	<i>Depth:</i>						
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
<i>Sampled:</i>	Jan-22-18 10:30	Jan-22-18 10:35	Jan-22-18 10:45	Jan-22-18 13:50	Jan-22-18 15:00	Jan-22-18 14:15	
Inorganic Anions by EPA 300/300.1	<i>Extracted:</i>	Jan-30-18 09:00	Jan-30-18 09:00	Jan-30-18 09:00	Jan-30-18 16:15	Jan-30-18 16:15	Jan-30-18 16:15
	<i>Analyzed:</i>	Jan-30-18 14:07	Jan-30-18 14:14	Jan-30-18 14:21	Jan-30-18 16:27	Jan-30-18 17:50	Jan-30-18 17:57
	<i>Units/RL:</i>	mg/kg RL					
Chloride		635 5.00	1540 25.0	361 4.99	34.2 4.95	<4.93 4.93	166 4.98

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Kelsey Brooks
Project Manager



Certificate of Analysis Summary 574606

Tetra Tech- Midland, Midland, TX

Project Name: Marathon Oil-Battle Fed #4

Project Id: 212C-MD-01073

Contact: Ike Tavarez

Project Location: Lea Co, NM

Date Received in Lab: Thu Jan-25-18 04:00 pm

Report Date: 01-FEB-18

Project Manager: Kelsey Brooks

<i>Analysis Requested</i>	<i>Lab Id:</i>	574606-007	574606-008	574606-010	574606-011	574606-012	574606-013
	<i>Field Id:</i>	AH-4(0-1')	NSW-4	SSW-4	ESW-4	AH-5 (0-1')	NSW-5
	<i>Depth:</i>						
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Jan-22-18 14:30	Jan-23-18 10:05	Jan-23-18 10:15	Jan-23-18 10:20	Jan-23-18 11:00	Jan-24-18 14:15
Inorganic Anions by EPA 300/300.1	<i>Extracted:</i>	Jan-30-18 16:15					
	<i>Analyzed:</i>	Jan-30-18 18:04	Jan-30-18 18:25	Jan-30-18 18:32	Jan-30-18 18:53	Jan-30-18 19:00	Jan-30-18 19:07
	<i>Units/RL:</i>	mg/kg RL					
Chloride		<4.96 4.96	30.6 4.93	209 5.00	13.6 4.96	<4.93 4.93	1030 5.00

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Kelsey Brooks
Project Manager



Certificate of Analysis Summary 574606

Tetra Tech- Midland, Midland, TX

Project Name: Marathon Oil-Battle Fed #4

Project Id: 212C-MD-01073

Contact: Ike Tavarez

Project Location: Lea Co, NM

Date Received in Lab: Thu Jan-25-18 04:00 pm

Report Date: 01-FEB-18

Project Manager: Kelsey Brooks

<i>Analysis Requested</i>	<i>Lab Id:</i>	574606-014	574606-015	574606-016	574606-017	574606-018	574606-019
	<i>Field Id:</i>	SSW-5	ESW-5	AH-6 (0-1')	NSW-5 (1')	SSW-5 (1')	ESW-5 (1')
	<i>Depth:</i>						
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
<i>Sampled:</i>	Jan-24-18 14:20	Jan-24-18 14:25	Jan-24-18 14:30	Jan-24-18 15:00	Jan-24-18 15:05	Jan-24-18 15:10	
Inorganic Anions by EPA 300/300.1	<i>Extracted:</i>	Jan-30-18 16:15	Jan-30-18 16:15	Jan-30-18 16:15	Jan-30-18 16:15	Jan-31-18 09:00	Jan-31-18 09:00
	<i>Analyzed:</i>	Jan-30-18 19:14	Jan-30-18 19:21	Jan-30-18 19:28	Jan-30-18 19:35	Jan-31-18 11:29	Jan-31-18 11:36
	<i>Units/RL:</i>	mg/kg RL					
Chloride		399 4.93	2190 24.9	71.9 4.94	288 5.00	253 4.93	354 4.91

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - San Antonio - Atlanta - Tampa - Boca Raton - Latin America - Odessa - Corpus Christi

Kelsey Brooks
Project Manager



Flagging Criteria



- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - San Antonio - Atlanta - Midland/Odessa - Tampa/Lakeland - Phoenix - Latin America

4147 Greenbriar Dr, Stafford, TX 77477	Phone	Fax
9701 Harry Hines Blvd , Dallas, TX 75220	(281) 240-4200	(281) 240-4280
5332 Blackberry Drive, San Antonio TX 78238	(214) 902 0300	(214) 351-9139
1211 W Florida Ave, Midland, TX 79701	(210) 509-3334	(210) 509-3335
2525 W. Huntington Dr. - Suite 102, Tempe AZ 85282	(432) 563-1800	(432) 563-1713
	(602) 437-0330	



BS / BSD Recoveries



Project Name: Marathon Oil-Battle Fed #4

Work Order #: 574606

Project ID: 212C-MD-01073

Analyst: OJS

Date Prepared: 01/30/2018

Date Analyzed: 01/30/2018

Lab Batch ID: 3039647

Sample: 7638275-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	<5.00	250	273	109	250	274	110	0	90-110	20	

Analyst: OJS

Date Prepared: 01/30/2018

Date Analyzed: 01/30/2018

Lab Batch ID: 3039852

Sample: 7638303-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	<5.00	250	269	108	250	260	104	3	90-110	20	

Analyst: OJS

Date Prepared: 01/31/2018

Date Analyzed: 01/31/2018

Lab Batch ID: 3039755

Sample: 7638306-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	<5.00	250	240	96	250	246	98	2	90-110	20	

Relative Percent Difference RPD = 200*(C-F)/(C+F)

Blank Spike Recovery [D] = 100*(C)/[B]

Blank Spike Duplicate Recovery [G] = 100*(F)/[E]

All results are based on MDL and Validated for QC Purposes



Form 3 - MS / MSD Recoveries



Project Name: Marathon Oil-Battle Fed #4

Work Order # : 574606
Lab Batch ID: 3039647
Date Analyzed: 01/30/2018
Reporting Units: mg/kg

Project ID: 212C-MD-01073

QC- Sample ID: 573785-001 S **Batch #:** 1 **Matrix:** Sludge
Date Prepared: 01/30/2018 **Analyst:** OJS

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	822	248	1020	80	248	1050	92	3	90-110	20	X

Lab Batch ID: 3039647
Date Analyzed: 01/30/2018
Reporting Units: mg/kg

QC- Sample ID: 574604-002 S **Batch #:** 1 **Matrix:** Soil
Date Prepared: 01/30/2018 **Analyst:** OJS

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	365	250	619	102	250	634	108	2	90-110	20	

Lab Batch ID: 3039755
Date Analyzed: 01/31/2018
Reporting Units: mg/kg

QC- Sample ID: 574947-002 S **Batch #:** 1 **Matrix:** Soil
Date Prepared: 01/31/2018 **Analyst:** OJS

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	453	247	666	86	247	678	91	2	90-110	20	X

Matrix Spike Percent Recovery [D] = 100*(C-A)/B
 Relative Percent Difference RPD = 200*|(C-F)/(C+F)|

Matrix Spike Duplicate Percent Recovery [G] = 100*(F-A)/E

ND = Not Detected, J = Present Below Reporting Limit, B = Present in Blank, NR = Not Requested, I = Interference, NA = Not Applicable
 N = See Narrative, EQL = Estimated Quantitation Limit, NC = Non Calculable - Sample amount is > 4 times the amount spiked.



Form 3 - MS / MSD Recoveries



Project Name: Marathon Oil-Battle Fed #4

Work Order # : 574606
Lab Batch ID: 3039755
Date Analyzed: 01/31/2018
Reporting Units: mg/kg

Project ID: 212C-MD-01073

QC- Sample ID: 574947-011 S **Batch #:** 1 **Matrix:** Soil
Date Prepared: 01/31/2018 **Analyst:** OJS

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	521	248	800	113	248	777	103	3	90-110	20	X

Lab Batch ID: 3039852
Date Analyzed: 01/30/2018
Reporting Units: mg/kg

QC- Sample ID: 574606-004 S **Batch #:** 1 **Matrix:** Soil
Date Prepared: 01/30/2018 **Analyst:** OJS

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	34.2	248	291	104	248	295	105	1	90-110	20	

Lab Batch ID: 3039852
Date Analyzed: 01/30/2018
Reporting Units: mg/kg

QC- Sample ID: 574606-007 S **Batch #:** 1 **Matrix:** Soil
Date Prepared: 01/30/2018 **Analyst:** OJS

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	<4.96	248	252	102	248	257	104	2	90-110	20	

Matrix Spike Percent Recovery [D] = 100*(C-A)/B
 Relative Percent Difference RPD = 200*|(C-F)/(C+F)|

Matrix Spike Duplicate Percent Recovery [G] = 100*(F-A)/E

ND = Not Detected, J = Present Below Reporting Limit, B = Present in Blank, NR = Not Requested, I = Interference, NA = Not Applicable
 N = See Narrative, EQL = Estimated Quantitation Limit, NC = Non Calculable - Sample amount is > 4 times the amount spiked.

Analysis Request of Custody Record



Tetra Tech, Inc.

4000 N. Big Spring Street, Ste 401
Midland, Texas 79705
Tel (432) 682-4559
Fax (432) 682-3946

5746006

Client Name: Marathon Oil Site Manager: Ike Tavaraz

Project Name: Battle Fed #4

Project Location: (county, state) Lea Co, New Mexico Project #: 212C-MD-01073

Invoice to: Receiving Laboratory: Sampler Signature: Clint Merritt

Comments:

LAB # (LAB USE ONLY)	SAMPLE IDENTIFICATION		SAMPLING		MATRIX				PRESERVATIVE METHOD				# CONTAINERS	FILTERED (Y/N)
	YEAR:	DATE	TIME	DATE	TIME	WATER	SOIL	HCL	HNO ₃	ICE				
SSW-2	1/22/2018	10:30				X				X			1	
NSW-2	1/22/2018	10:35				X				X			1	
AH-3 (0-1')	1/22/2018	10:45				X				X			1	
NSW-3	1/22/2018	13:50				X				X			1	
WSW-3	1/22/2018	15:00				X				X			1	
SSW-3	1/22/2018	14:15				X				X			1	
AH-4 (0-1')	1/22/2018	14:30				X				X			1	
NSW-4	1/23/2018	10:05				X				X			1	
WSW-4	1/23/2018	10:10				X				X			1	
SSW-4	1/23/2018	10:15				X				X			1	

Field Inquired by: *[Signature]* Date: 1/25 16:00 Received by: *[Signature]* Date: *[Blank]*
 Inquired by: *[Blank]* Date: *[Blank]* Received by: *[Blank]* Date: *[Blank]*

Temp: 1.9 IR ID: R-8
 CF: (0-6: -0.2°C) (6-23: +0.2°C)
 Corrected Temp: 1.7

ORIGINAL COPY

ANALYSIS REQUEST (Circle or Specify Method No.)

BTEX 8021B BTEX 8260B
 TPH TX1005 (Ext to C35)
 TPH 8015M (GRO - DRO - ORO - MRO)
 PAH 8270C
 Total Metals Ag As Ba Cd Cr Pb Se Hg
 TCLP Metals Ag As Ba Cd Cr Pb Se Hg
 TCLP Volatiles
 TCLP Semi Volatiles
 RCI
 GC/MS Vol. 8260B / 624
 GC/MS Semi. Vol. 8270C/625
 PCB's 8082 / 608
 NORM
 PLM (Asbestos)
 Chloride
 Chloride Sulfate TDS
 General Water Chemistry (see attached list)
 Anion/Cation Balance

REMARKS:
 RUSH: Same Day 24 hr 48 hr 72 hr
 Push Charges Authorized
 Special Report Limits or TRRP Report

(Circle) HAND DELIVERED FEDEX UPS Tracking #:



Tetra Tech, Inc.

4000 N. Big Spring Street, Ste
401 Midland, Texas 79705
Tel (432) 682-4559
Fax (432) 682-3946

Analysis Request of Chain of Custody Record

5746005

Client Name: Marathon Oil
Site Manager: Ike Tavarez

Project Name: Battle Fed #4

Project Location: (county, state) Lea Co, New Mexico

Project #: 212C-MD-01073

Invoice to:

Receiving Laboratory:

Sampler Signature: Clint Merritt

Comments:

LAB # (LAB USE ONLY)	SAMPLE IDENTIFICATION	SAMPLING		MATRIX	PRESERVATIVE METHOD			# CONTAINERS	FILTERED (Y/N)		
		DATE	TIME		WATER	SOIL	HCL			HNO ₃	ICE
ESW-4		1/23/2018	10:20	X				X		1	
AH-5 (0-1')		1/23/2018	11:00	X				X		1	
NSW-5		1/24/2018	14:15	X				X		1	
SSW-5		1/24/2018	14:20	X				X		1	
ESW-5		1/24/2018	14:25	X				X		1	
AH-6 (0-1')		1/24/2018	14:30	X				X		1	
NSW-5(1')		1/24/2018	15:00	X				X		1	
SSW-5(1')		1/24/2018	15:05	X				X		1	
ESW-5(1')		1/24/2018	15:10	X				X		1	

Field Inquired by: <i>[Signature]</i>	Date: 1/25	Time: 6:00	Received by: <i>[Signature]</i>	Date:	Time:
Field Inquired by:	Date:	Time:	Received by:	Date:	Time:

LAB USE ONLY

REMARKS:

RUSH: Same Day 24 hr
 Rush Charges Authorized
 Special Report Limits or TRRP Report

Sample Temperature

(Circle) HAND DELIVERED FEDEX UPS Tracking #:

ANALYSIS REQUEST
(Circle or Specify Method No.)

BTEX 8021B BTEX 8260B
 TPH TX1005 (Ext to C35)
 TPH 8015M (GRO - DRO - ORO - MRO)
 PAH 8270C
 Total Metals Ag As Ba Cd Cr Pb Se Hg
 TCLP Metals Ag As Ba Cd Cr Pb Se Hg
 TCLP Volatiles
 TCLP Semi Volatiles
 RCI
 GC/MS Vol. 8260B / 624
 GC/MS Semi. Vol. 8270C/625
 PCB's 8082 / 608
 NORM
 PLM (Asbestos)
 Chloride
 Chloride Sulfate TDS
 General Water Chemistry (see attached list)
 Anion/Cation Balance

ORIGINAL COPY

Temp: 1.9
 CF: (0.6: -0.2°C)
 (6-23: +0.2°C)
 IR ID: R-8
 Corrected Temp: 1.7

Analytical Report 622369

for
Tetra Tech- Midland

Project Manager: Clair Gonzales

Marathon- Battle Federal 4

29-APR-19

Collected By: Client



**1211 W. Florida Ave
Midland TX 79701**

Xenco-Houston (EPA Lab Code: TX00122):
Texas (T104704215-18-28), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab Code: TX01468):
Texas (T104704295-18-17), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-18-14)
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-18-18)
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-18-18)
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-18-4)
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)
Xenco-Phoenix Mobile (EPA Lab Code: AZ00901): Arizona (AZM757)
Xenco-Atlanta (LELAP Lab ID #04176)
Xenco-Tampa: Florida (E87429), North Carolina (483)
Xenco-Lakeland: Florida (E84098)



29-APR-19

Project Manager: **Clair Gonzales**
Tetra Tech- Midland
901 West Wall ST
Midland, TX 79701

Reference: XENCO Report No(s): **622369**
Marathon- Battle Federal 4
Project Address:

Clair Gonzales:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 622369. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 622369 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Jessica Kramer
Project Assistant

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



Sample Cross Reference 622369



Tetra Tech- Midland, Midland, TX

Marathon- Battle Federal 4

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
AH#3 (12-16")	S	04-24-19 00:00	12 - 16 In	622369-001
AH#4 (12-16")	S	04-24-19 00:00	12 - 16 In	622369-002
AH#5 (12-16")	S	04-24-19 00:00	12 - 16 In	622369-003
AH#6 (12-16")	S	04-24-19 00:00	12 - 16 In	622369-004



CASE NARRATIVE

Client Name: Tetra Tech- Midland

Project Name: Marathon- Battle Federal 4

Project ID:
Work Order Number(s): 622369

Report Date: 29-APR-19
Date Received: 04/26/2019

Sample receipt non conformances and comments:

None

Sample receipt non conformances and comments per sample:

None



Certificate of Analysis Summary 622369



Tetra Tech- Midland, Midland, TX

Project Name: Marathon- Battle Federal 4

Project Id:
Contact: Clair Gonzales
Project Location:

Date Received in Lab: Fri Apr-26-19 11:30 am
Report Date: 29-APR-19
Project Manager: Jessica Kramer

<i>Analysis Requested</i>	<i>Lab Id:</i>	622369-001	622369-002	622369-003	622369-004		
	<i>Field Id:</i>	AH#3 (12-16")	AH#4 (12-16")	AH#5 (12-16")	AH#6 (12-16")		
	<i>Depth:</i>	12-16 In	12-16 In	12-16 In	12-16 In		
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL		
	<i>Sampled:</i>	Apr-24-19 00:00	Apr-24-19 00:00	Apr-24-19 00:00	Apr-24-19 00:00		
Inorganic Anions by EPA 300/300.1	<i>Extracted:</i>	Apr-26-19 14:38	Apr-26-19 14:38	Apr-26-19 14:38	Apr-26-19 14:38		
	<i>Analyzed:</i>	Apr-27-19 14:35	Apr-27-19 14:56	Apr-27-19 15:04	Apr-27-19 15:11		
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL		
Chloride		15.8 5.00	128 4.98	8.46 5.02	13.9 5.03		

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Jessica Kramer
 Project Assistant



BS / BSD Recoveries



Project Name: Marathon- Battle Federal 4

Work Order #: 622369

Project ID:

Analyst: SPC

Date Prepared: 04/26/2019

Date Analyzed: 04/27/2019

Lab Batch ID: 3087108

Sample: 7676639-1-BKS

Batch #: 1

Matrix: Solid

Units: mg/kg

BLANK /BLANK SPIKE / BLANK SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1	Blank Sample Result [A]	Spike Added [B]	Blank Spike Result [C]	Blank Spike %R [D]	Spike Added [E]	Blank Spike Duplicate Result [F]	Blk. Spk Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Analytes											
Chloride	<0.858	250	258	103	250	260	104	1	90-110	20	

Relative Percent Difference RPD = $200 * |(C-F)/(C+F)|$

Blank Spike Recovery [D] = $100 * (C)/[B]$

Blank Spike Duplicate Recovery [G] = $100 * (F)/[E]$

All results are based on MDL and Validated for QC Purposes



Form 3 - MS / MSD Recoveries



Project Name: Marathon- Battle Federal 4

Work Order # : 622369

Project ID:

Lab Batch ID: 3087108

QC- Sample ID: 622369-001 S

Batch #: 1 **Matrix:** Soil

Date Analyzed: 04/27/2019

Date Prepared: 04/26/2019

Analyst: SPC

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	15.8	250	264	99	250	265	100	0	90-110	20	

Lab Batch ID: 3087108

QC- Sample ID: 622372-007 S

Batch #: 1 **Matrix:** Soil

Date Analyzed: 04/27/2019

Date Prepared: 04/26/2019

Analyst: SPC

Reporting Units: mg/kg

MATRIX SPIKE / MATRIX SPIKE DUPLICATE RECOVERY STUDY

Inorganic Anions by EPA 300/300.1 Analytes	Parent Sample Result [A]	Spike Added [B]	Spiked Sample Result [C]	Spiked Sample %R [D]	Spike Added [E]	Duplicate Spiked Sample Result [F]	Spiked Dup. %R [G]	RPD %	Control Limits %R	Control Limits %RPD	Flag
Chloride	108	248	353	99	248	355	100	1	90-110	20	

Matrix Spike Percent Recovery [D] = 100*(C-A)/B
Relative Percent Difference RPD = 200*(C-F)/(C+F)

Matrix Spike Duplicate Percent Recovery [G] = 100*(F-A)/E

ND = Not Detected, J = Present Below Reporting Limit, B = Present in Blank, NR = Not Requested, I = Interference, NA = Not Applicable
N = See Narrative, EQL = Estimated Quantitation Limit, NC = Non Calculable - Sample amount is > 4 times the amount spiked.



Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334
 Midland, TX (432-704-5440) El Paso, TX (915)585-3443 Lubbock, TX (806)794-1296
 Hobbs, NM (575-392-7550) Phoenix, AZ (480-355-0900) Atlanta, GA (770-449-8800) Tampa, FL (813-620-2000)

Chain of Custody

Work Order No: 622369

Project Manager: Clair Gonzalez Bill to: (if different) MAR Cellie Karris
 Company Name: TERZA TECH Company Name: MARATHON
 Address: 901 W. Wall St. Address: _____
 City, State ZIP: MIDLAND, TX 79701 City, State ZIP: _____
 Phone: _____ Email: _____

Program: UST/PST PRP Brownfields RRC Superfund
 State of Project: _____
 Reporting Level: Level II Level III PST/UST TRRP Level IV
 Deliverables: EDD ADAPT Other: _____

Project Name: MARATHON - Bath Federal 4 Turn Around _____
 Project Number: PENDING Routine
 P.O. Number: _____ Rush: YNS
 Sampler's Name: COURT WOODRUFF Due Date: _____

SAMPLE RECEIPT Temp Blank: Yes No Wet Ice: Yes No
 Temperature (°C): 313.0 Thermometer ID _____
 Received Intact: Yes No Correction Factor: 28
 Cooler Custody Seals: Yes No Total Containers: 101
 Sample Custody Seals: Yes No

Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Number of Containers	ANALYSIS REQUEST	Work Order Notes
AH# 3 (12-16")	Soil	4/24/19		(12-16")	1		
AH# 4 (12-16")		4/24/19		(12-16")	1		
AH# 5 (12-16")		4/24/19		(12-16")	1		
AH# 6 (12-16")		4/24/19		(12-16")	1		

Total 200.7 / 6010 200.8 / 6020: 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO2 Na Sr Ti Sn U V Zn
 Circle Method(s) and Metal(s) to be analyzed TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U 1631 / 245.1 / 7470 / 7471 : Hg

Relinquished by: (Signature) _____ Received by: (Signature) _____ Date/Time _____
 1 Clair Gonzalez Clair Gonzalez 4-24-19 16:25
 3 Clair Gonzalez Clair Gonzalez 4-26-19 11:30
 5 _____ _____ _____

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS
 Action 214892

CONDITIONS

Operator: MARATHON OIL PERMIAN LLC 990 Town & Country Blvd. Houston, TX 77024	OGRID: 372098
	Action Number: 214892
	Action Type: [C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
jharimon	Please make sure that a liner inspection is submitted per the the OCD request 7/21/2017.	5/22/2023