



811 Louisiana, Suite 2100
Houston, TX 77002
713.584.1000
www.targaresources.com

April 22, 2022

Mr. Brad Billings
State of New Mexico Energy Minerals and Natural Resources Department
Oil Conservation Division (OCD) - District IV
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

REVIEWED

By Mike Buchanan at 10:04 am, Oct 27, 2023

**SUBJECT: Transmittal of 2021 Annual Groundwater Monitoring Report
Targa Midstream Services LLC
Eunice Gas Plant, Eunice, Lea County, New Mexico**

Dear Mr. Billings:

Targa Midstream Services LLC (Targa) is submitting the enclosed 2021 Annual Groundwater Monitoring Report for the Eunice Gas Plant in Lea County, New Mexico.

Please do not hesitate to contact me at (713) 584-1396 or chigginbotham@targaresources.com if you have any questions regarding this submittal.

Sincerely,

A handwritten signature in blue ink, appearing to read 'Chr. Higginbotham'.

Christina M. Higginbotham, P.G. (Texas)
Senior Environmental Specialist

Enclosures

Review of the 2021 Annual Groundwater Monitoring Report for Targa Midstream Eunice Gas Plant Site:

Content Satisfactory

1. Continue to conduct groundwater monitoring as prescribed by NMOCD.
2. Considerations for high chloride impact to monitoring wells may need to be analyzed for a remediation technology treatment such as ion exchange or reverse osmosis.
3. Please continue to submit annual groundwater monitoring reports for 2022, and 2023 by April 1, 2024.
4. Continue investigation of LNAPL source as necessary.



2021 Annual Groundwater Monitoring Report

*Targa Midstream Services LLC
Eunice Gas Plant
25 Middle Plant Lane
Eunice, New Mexico*

Submitted to:

Targa Resources

811 Louisiana Street
Suite 2100
Houston, TX 77002

Submitted by:

Golder Associates USA Inc.

2201 Double Creek Dr, Suite 4004, Round Rock, Texas, USA 78664

+1 512 671-3434

April 22, 2022

April 22, 2022

Distribution List

Mr. Bradford Billings, NMOCD

Ms. Cindy Klein, Targa

Ms. Christina Higginbotham, Targa

April 22, 2022

EXECUTIVE SUMMARY

Golder Associates USA Inc. (Golder), a member of WSP, was retained by Targa Midstream Services LLC (Targa) to conduct annual groundwater monitoring in October 2021 at the Targa Eunice Gas Plant (Facility) located in Eunice, New Mexico. The Eunice Gas Plant is located in Section 3, Township 22 South, Range 37 East, Lea County, New Mexico at geographic coordinates 32° 25' 29.3" N, 103° 08' 50.1" W (Site).

On October 25, 2021, Golder conducted a synoptic gauging event that included measurement of static fluid levels and total depths of the 53 Site monitoring wells. Prior to this event, Golder repaired and redeveloped monitoring well MW-5; a well that was not sampled in August 2020 due to damaged casing. During the October 2021 sampling event, Golder discovered a deflection in the well casing of MW-28 that precluded sampling of the well with equipment available at the time. On October 25-26, 2021, groundwater samples were collected using low-flow techniques from monitoring wells MW-1, MW-5, MW-6, MW-8, MW-13, MW-14, MW-15, MW-18, MW-19, MW-20, MW-23, MW-30 and MW-31. All samples were analyzed for chloride and samples from MW-6, MW-14, MW-18, MW-19 and MW-23 were additionally analyzed for benzene, toluene, ethylbenzene and total xylenes (BTEX) as agreed to in the February 2018 meeting between Targa and New Mexico Oil Conservation Division (OCD).

Light non-aqueous phase liquid (LNAPL) was recorded at a measurable thickness in 19 wells (MW-2A, MW-3, MW-22, MW-27, MW-32 through MW-35, MW-37, MW-38, RW-1, VW-1 through VW-4, HVR-1 and HV-1, HV-2 and HV-4) this reporting period. Although average apparent LNAPL thickness measured in wells decreased from 3.97 feet in August 2020 to 3.80 feet in October 2021, thicknesses generally decreased in the area extending from MW-37 to VW-4 (western portion of the product plume) but increased in the vicinity of MW-3. The changes in LNAPL thickness reflect either rising (reduced LNAPL thickness) or falling groundwater levels (increased LNAPL thickness) under unconfined conditions. However, a notable increase in LNAPL thickness was recorded at VW-1 in October 2021 in response to rising groundwater levels. The LNAPL plume receded in the east with no measurable product present in HV-3, HV-5 through HV-9 and MW-29 (near the eastern lateral extent of the groundwater bearing unit).

Groundwater data collected in October 2021 were generally consistent (within seasonal variability) with results from August 2020. Benzene was detected at a solitary location (MW-18) at a concentration exceeding the applicable New Mexico Water Quality Control Commission (WQCC) human health standard of 0.010 milligrams per liter (mg/L). Although benzene was reported at 0.0638 mg/L in MW-18, which is located distal/downgradient of the LNAPL plume, benzene was not detected in the sample collected from MW-23 located approximately 130 feet southeast and hydraulically downgradient of the leading edge of the product plume. Total xylenes were detected at a maximum concentration of an estimated 0.000411 mg/L (MW-14) which is below the WQCC standard of 0.62 mg/L. Toluene and ethylbenzene were not detected above the method quantitation limit of 0.001 mg/L.

Chloride was detected at concentrations exceeding the WQCC domestic water supply standard of 250 mg/L in samples collected from all wells sampled in October 2021, except for MW-5. Chloride was detected at 374 mg/L, slightly exceeding the standard in MW-23, located immediately downgradient of the LNAPL plume. Elevated chloride concentrations were reported in MW-13 (5,730 mg/L), MW-14 (13,900 mg/L), MW-18 (17,200 mg/L), MW-19 (7,060 mg/L) and MW-30 (10,000 mg/L) located distal and downgradient of the Facility. Monitoring wells MW-14 and MW-18 are in the vicinity of historic brine storage ponds associated with cavern storage operations.

April 22, 2022

Golder recommends that the next groundwater monitoring event be performed in the first quarter of 2022 to meet OCD's request of completing annual sampling on a progressively subsequent quarter schedule along with continued investigation of the LNAPL source. Further, we recommend sampling of MW-28 with a smaller diameter submersible pump (that is not obstructed by the well casing deflection) in future events.

April 22, 2022

Table of Contents

1.0 INTRODUCTION	1
1.1 Background	1
1.2 Physical Setting	5
1.2.1 Topography	5
1.2.2 Geology	6
1.2.3 Groundwater	6
2.0 GROUNDWATER MONITORING	7
2.1 Fluid Level Gauging and Potentiometric Surface Elevation	7
2.2 LNAPL Distribution and Condition	7
2.3 Groundwater Sampling	8
2.4 Groundwater Quality	8
2.5 Field Quality Assurance/Quality Control Sample Evaluation	9
3.0 LNAPL SOURCE INVESTIGATION	10
4.0 CONCLUSIONS AND RECOMMENDATIONS	11
5.0 REFERENCES	13

TABLES

Table 1 Summary of Monitoring Well Completion and Gauging Data
 Table 2 Summary of Apparent LNAPL Thickness in Wells
 Table 3 Summary of Groundwater Analytical Data (BTEX & Chloride)

FIGURES

Figure 1 Site Location Map
 Figure 2 Site Map
 Figure 3 Groundwater Gradient Map – October 25, 2021
 Figure 4 Apparent LNAPL Thickness Map – October 25, 2021
 Figure 5 Benzene in Groundwater Concentration Map – October 2021
 Figure 6 Chloride in Groundwater Concentration Map – October 2021

APPENDICES

APPENDIX A Laboratory Analytical Reports

April 22, 2022

1.0 INTRODUCTION

Golder Associates USA Inc. (Golder), a member of WSP, has prepared this report on behalf of Targa Midstream Services LLC (Targa) to document annual groundwater monitoring activities conducted in October 2021 at the Targa Eunice Gas Plant (Facility) located in Eunice, New Mexico.

The Eunice Gas Plant is in Section 3, Township 22 South, Range 37 East, Lea County, New Mexico at geographic coordinates 32° 25' 29.3" N, 103° 08' 50.1" W (Site) as shown in the Site Location Map included as **Figure 1**.

Targa has performed select subsurface investigations on and off Site to date that has included the installation of numerous soil borings and monitoring wells. The investigations along with light non-aqueous phase liquid (LNAPL) fingerprinting and daylighting/exposure of underground piping and appurtenances has not identified a specific source of the condensate plume located in the southeast portion of the Facility.

1.1 Background

The Facility historically operated under New Mexico Oil Conservation Division (OCD) Water Quality Control Commission (WQCC) Discharge Permit GW-005. However, this permit was rescinded upon Targa's affirmation that operations at the Facility did not intentionally result in discharge of contaminants to the ground surface, subsurface or to groundwater.

As part of an investigation of alleged discharge of chromium bearing wastewater east of the Facility in 2002, the former operator of the Facility, Dynegy Midstream Services, LP, (acquired by Targa in November 2005), installed twenty-one monitoring wells (MW-1 through MW-21 from April 2002 through November 2005). Further, Chevron USA (Chevron) installed two monitoring wells (MW-UN-1 and MW-UN-2) south of the Facility to assess a release from a drilling pit associated with the Mark #13 well (API 30-025-37385). OCD issued an abatement permit (AP-081) for the Chevron release.

In July 2008, Targa decommissioned a tank battery (Shell tanks) located in the southeast corner of the Facility. The Shell tanks included one 500-barrel (bbl) gun barrel tank, two 500-bbl condensate tanks and an oil/water separator. *Former Shell Tanks Excavation Report and Closure Approval Request* prepared by Larson & Associates, Inc. (Larson) dated June 7, 2010 documented excavation (125 feet long, 75 feet wide and 6-8 feet deep) and offsite disposal of approximately 2,028 cubic yards of petroleum impacted soil. Confirmation sampling indicated that total petroleum hydrocarbons (TPH), at concentrations up to 1,652 milligrams per kilogram (mg/kg) (sample East Wall-SS4), remained in place along the eastern extent of the excavation adjacent to monitoring well MW-3 exceeding the cleanup goal of 1,000 mg/kg. Further, TPH was reported at 3,704 mg/kg in a soil sample collected at 18-19.5 feet below ground surface (bgs) and 1,084 mg/kg in a sample collected at 23-24.5 feet bgs from a boring installed in the center of the excavation. Targa replaced the Shell tanks, relocating the tank battery approximately 200 feet north of the original location. The new (current) tank battery includes two 500-bbl condensate tanks and one 500-bbl gun barrel tank (oil/water separation).

On July 29, 2008, while the Shell tank excavation remained open, approximately 20 bbl of condensate was released from a dresser sleeve failure near the closed drain scrubber (adjacent to the current tank battery). The July 2008 Dresser Sleeve Release resulted from over pressurization of a dump line during pigging operations and liquid flowed into the Shell tank excavation. Targa reportedly recovered 20-bbl of the condensate released using a vacuum truck.

April 22, 2022

LNAPL, visually consistent with natural gas condensate, was initially discovered at the Site in monitoring well MW-3 (apparent thickness of 5.15 feet) adjacent to the former Shell tanks located in the southeast portion of the Facility on October 12, 2009. The discovery occurred while conducting routine groundwater monitoring associated with Facility discharge permit GW-005. Targa evaluated the source of the product in MW-3 by collecting a sample from this well and three potential Facility sources (XTO inlet scrubber, closed drain scrubber and condensate from the Shell tanks) in October and November 2009. Samples were analyzed for API gravity, sulfur, and extended hydrocarbons. As the sample collected from the XTO inlet scrubber only contained trace phase separated hydrocarbons (PSH), fingerprint analysis of this sample was not possible. Biomarkers pristane and phytane were reported in the closed drain scrubber sample but not in the samples collected from MW-3 or the Shell tanks. Biomarker farnesane was not detected in the Shell tanks sample but was reported in MW-3 and the closed drain scrubber sample. Based on the fingerprint analysis, it was concluded that the product samples were not from the same source and the closed drain scrubber was not considered the source of the hydrocarbon in MW-3. Short-term pressure testing of underground lines in the vicinity of MW-3 (including the closed drain scrubber, north and south vapor recovery unit (VRU) sales tanks, three-phase separator, west and east inlet scrubbers, new condensate and gun barrel tanks, sump, and lease automatic custody transfer (LACT) for sales lines) failed to identify a leak and the source of the product discovered in MW-3.

Targa installed a pneumatic product recovery system in MW-3 and recovered approximately 236 gallons of condensate between November 19, 2009 and July 12, 2010. At the request of OCD, Targa installed monitoring well MW-22 upgradient of MW-3 (and MW-23 downgradient of MW-3) on March 8-9, 2010. Upon discovery of LNAPL in MW-22, a pneumatic pump was installed in this well and product recovery initiated on June 6, 2010. Approximately 2,060 gallons of condensate was recovered from MW-22 from July 28, 2010 through November 1, 2010. Monitoring wells MW-24 through MW-26 were subsequently installed upgradient of MW-3 and MW-22 in May 2010 to further delineate the LNAPL plume. Petroleum hydrocarbon impact to the vadose zone was not reported in soil samples collected during drilling of borings in which these wells were installed and LNAPL was not present at a measurable thickness in contact with groundwater.

On October 13, 2010, Targa exposed underground flow lines, fittings, and valves approximately 40 feet west of the current condensate tank battery and 60 feet north of MW-22 and discovered soil saturated with hydrocarbon that was associated with a leaking union on a 2-inch dump line buried approximately 4 feet bgs.

Targa installed three monitoring wells (MW-27 through MW-29) downgradient and cross gradient of MW-3 and MW-22 along with recovery well (RW-1) and four vent wells (VW-1 through VW-4) near the suspected source of the LNAPL plume in February 2011. Monitoring well MW-29 was installed near the eastern lateral extent of the groundwater bearing unit where the groundwater level was close to the Ogallala and underlying shale confining unit contact. A pneumatic recovery pump installed in MW-27 recovered 1,311 gallons of product between March 2011 and March 2012. In July 2011, Larson recovered approximately 58 gallons of product from RW-1 during a pump test.

In 2012, Targa retained Southwest Geoscience to conduct LNAPL recovery using high vacuum extraction (HVE) techniques. Nine two-inch vacuum extraction wells (HV-1 through HV-9) and a 6-inch vacuum extraction well (HVR-1) were installed. Approximately 2,300 gallons of LNAPL (600 gallons liquid phase and 1,700 gallons vapor phase) was recovered by HVE techniques from wells HV-1, HV-2, HV-5, HV-7, HVR-1, MW-27, VW-1 and VW-4 from September 27, 2012 through November 7, 2012. In comparison, approximately 5,658 gallons of product were recovered by pneumatic skimmer from October 2009 to September 2012.

April 22, 2022

Monitoring well MW-30 was installed southeast of the Facility in April 2015 to delineate the extent of benzene in groundwater. The well is located on State of New Mexico land administered by the State Land Office. Monitoring well MW-31 was installed southeast of MW-30 to better delineate the downgradient extent of chloride and TDS in groundwater. Targa installed two soil borings on August 4-5, 2015 near the condensate tanks (SB-1) to further evaluate the LNAPL plume and west of MW-2A (SB-2) to assess LNAPL present in MW-2A. No elevated PID measurements were recorded in soil samples collected from SB-2 and no LNAPL was observed in contact with groundwater. Because elevated PID measurements were recorded at a depth of 25 feet bgs and 2.13 feet of LNAPL was measured in SB-1, the boring was completed as permanent monitoring well MW-32. Monitoring wells MW-33 through MW-38 were subsequently installed in November 2015 to better define and characterize the LNAPL plume in the southeast portion of the Facility.

As documented in *2016 Groundwater Monitoring Report* prepared by Larson, dated November 20, 2017, bail down tests were conducted on December 7-8, 2016 to measure LNAPL recovery in eight wells (MW-3, MW-22, MW-32, MW-34, MW-37, RW-1, VW-2 and HVR-1). Larson reported the fastest LNAPL recharge rates in MW-22 and RW-1 and suggested that these wells may be proximate to the LNAPL source. Other wells, such as MW-34, exhibited slow recharge despite having similar or greater initial LNAPL thickness. Samples of product collected from wells MW-3, MW-22, MW-34, MW-35, MW-37, VW-2, VW-4, HV-4, HVR-1 and RW-1 and from potential Facility sources (east inlet scrubber, condensate tanks and VRU) were analyzed for select metals (vanadium, nickel and iron) by ASTM Method D5708 and hydrocarbons by ASTM Method D6730. Analysis indicated that the samples from the VRU and condensate tanks lacked detectable concentrations of heavier range (C15+) hydrocarbons that were reported in the east inlet scrubber. Furthermore, the east inlet scrubber sample had an elevated iron concentration (217 parts per million (ppm)) compared to the condensate tanks (2.30 ppm) or VRU (1.24 ppm) samples. As the samples collected from the wells contained detectable quantities of heavier hydrocarbons and iron concentrations in VW-2 (12.1 ppm), MW-22 (19.5 ppm) and RW-1 (88.6 ppm) were significantly above background, Targa investigated conditions around underground lines at the east inlet scrubber. However, excavation failed to identify any leaking lines suggesting that the east inlet scrubber was not the source of the LNAPL plume.

As documented in *2017 Groundwater Monitoring Report* prepared by Larson, dated April 24, 2018, Targa conducted further exploratory investigation to identify leaking subsurface lines that may be contributing to the LNAPL plume. Hydrovac excavation completed to expose shallow underground pipelines near the three-phase separator and condensate tanks identified two leaking dresser sleeves on a 60-foot section of pipeline that was replaced immediately west of the condensate tanks. However, no significant source of the LNAPL plume was identified. The line from the water leg of the three-phase separator to the sump was replaced in mid-February 2018. The location of the hydro excavation trenches and potholes are shown on **Figure 4**.

The *2018 Groundwater Monitoring Report* prepared by Larson, dated March 11, 2019 documented the following conditions at the Site:

- Groundwater flow direction remained consistent with flow towards the southeast under a gradient of approximately 0.008 ft./ft.;
- LNAPL (condensate) was observed in 20 wells during 2018. Based on the LNAPL measurements in 2018, LNAPL thickness increased in fourteen wells including MW-22, MW-32, MW-33, MW-34, MW-35, MW-37, MW-38, RW-1, VW-2, VW-3, VW-4, HVR-1, HV-2, and HV-4 and decreased in MW-2A. LNAPL thickness in remaining wells, including HV-1, HV-3, HV-5, MW-3 and VW-1, remained steady;

April 22, 2022

- Benzene exceeded the WQCC human health standard of 0.010 milligrams per liter (mg/L) in groundwater samples from MW-6 (0.0253 mg/L), MW-14 (0.0453 mg/L) and MW-18 (0.238 mg/L) during the annual monitoring event;
- Chloride exceeded the WQCC domestic water quality standard of 250 mg/L in groundwater samples from 12 monitoring wells during the June 15, 2018 monitoring event, with the highest concentrations reported in monitoring wells MW-14 (29,000 mg/L) and MW-18 (23,900 mg/L) located southeast of the Facility where historic brine ponds operated in conjunction with cavern wells; and
- Ethylbenzene, toluene, and xylenes were reported below the WQCC human health standards of 0.75 mg/L, 0.75 mg/L, and 0.62 mg/L, respectively, and in all samples.

In a meeting between Targa and OCD on February 22, 2018, OCD agreed that Targa could reduce the groundwater monitoring frequency to annually and limit sampling to fourteen wells (MW-1, MW-5, MW-6, MW-8, MW-13, MW-14, MW-15, MW-18, MW-19, MW-20, MW-23, MW-28, MW-30 and MW-31). Further, OCD agreed to reducing groundwater sample analysis to chloride for all fourteen wells and benzene, toluene, ethylbenzene and xylenes (BTEX) for wells MW-6, MW-14, MW-18, MW-19, and MW-23. While OCD agreed to discontinuing analysis of groundwater samples for RCRA metals, cations, anions and total dissolved solids (TDS), OCD noted that resumption of TDS analysis may be requested in the future. OCD concurred that chloride had been sufficiently delineated to the southeast/downgradient of the Facility and agreed that remediation may be suspended until the source of the LNAPL plume was identified. It was also agreed that LNAPL gauging frequency be reduced.

In April 2019 Targa retained Golder to perform annual groundwater monitoring activities at the Facility. A synoptic gauging event performed on April 1, 2019 included measurement of static fluid levels and total depths of the 53 Site monitoring wells. On April 4-8, 2019, groundwater samples were collected using low-flow techniques from monitoring wells MW-1, MW-5, MW-6, MW-8, MW-13, MW-14, MW-15, MW-18, MW-19, MW-20, MW-23, MW-28, MW-30 and MW-31. All samples were analyzed for chloride and BTEX constituents to verify the groundwater quality previously reported by Larson, since sampling through 2018 had been performed using pump/bailer techniques.

On July 29, 2019, Golder performed a focused LNAPL gauging event that included those wells located in the southeastern portion of the Facility. LNAPL was recorded at a measurable thickness in 23 wells (MW-2A, MW-3, MW-22, MW-29, MW-32 through MW-35, MW-37 through MW-38, RW-1, VW-1 through VW-4, HVR-1, HV-1 through HV-5, HV-7 and HV-9) in gauging events completed in 2019. The average LNAPL thickness increased from 2.99 feet in April 2019 to 3.61 feet in July 2019. Diagnostic gauge plots demonstrated that LNAPL existed under unconfined conditions and, therefore, the increased LNAPL thickness reflected a response to falling groundwater levels. However, LNAPL thickness measured in July 2019 at MW-29, VW-1, HVR-1, HV-3, HV-4, HV-7 and HV-9, wells generally located east of the Facility and the eastern extent of the LNAPL plume, receded with no measurable product present in MW-29, HV-7 and HV-9 (near the eastern lateral extent of the groundwater bearing unit).

Groundwater data collected by Golder in 2019 was generally consistent (within seasonal variability) with results obtained by Larson in June 2018. Benzene in groundwater concentrations exceeded the applicable WQCC human health standard of 0.010 mg/L in samples collected from MW-6, MW-18 and MW-28 in April 2019. Benzene was detected at a maximum concentration of 1.3 mg/L in MW-28, a well located approximately 130 feet southeast and hydraulically downgradient of the core of the product plume where apparent LNAPL thickness

April 22, 2022

exceeded 5 feet. Toluene, ethylbenzene and total xylenes were detected at maximum concentrations of an estimated 0.0008 mg/L, 0.470 mg/L and 0.053 mg/L, respectively in MW-28; concentrations that do not exceed the applicable WQCC standards of 0.75 mg/L, 0.75 mg/L and 0.62 mg/L, respectively.

Chloride was detected at concentrations exceeding the domestic water supply standard of 250 mg/L in all wells sampled in April 2019 except for MW-5, MW-23 and MW-28. Since monitoring wells MW-23 and MW-28 were not impacted by chloride and are located immediately downgradient of the LNAPL plume, the chloride impact to groundwater did not appear to be associated with the LNAPL plume release. Elevated chloride concentrations were reported in MW-14 (13,100 mg/L), MW-18 (24,600 mg/L), MW-19 (8,260 mg/L) and MW-30 (4,480 mg/L) located distal and downgradient of the Facility. MW-14 and MW-18 are located in the vicinity of historic brine storage ponds associated with cavern storage operations.

Golder conducted the 2020 annual groundwater monitoring event in the third quarter of the year to meet OCD's request of annual sampling on a progressively subsequent quarter schedule. LNAPL was recorded at a measurable thickness in 21 wells (MW-2A, MW-3, MW-22, MW-27, MW-29, MW-32 through MW-35, MW-37, MW-38, RW-1, VW-1 through VW-4, HVR-1 and HV-1 through HV-4). The average LNAPL thickness increased from 3.61 feet in July 2019 to 3.97 feet in August 2020. The LNAPL plume receded in the east with no measurable product present in HV-5 through HV-9 and only a minimal thickness of 0.01 foot (ft.) measured in MW-29 (near the eastern lateral extent of the groundwater bearing unit).

Samples were collected August 18-19, 2020 from monitoring wells MW-1, MW-6, MW-8, MW-13, MW-14, MW-15, MW-18, MW-19, MW-20, MW-23, MW-28, MW-30 and MW-31. Monitoring well MW-5 was damaged and was not sampled. Groundwater data collected in August 2020 were generally consistent (within seasonal variability) with data collected by Golder in July 2019. Benzene concentrations exceeded the WQCC human health standard of 0.010 mg/L in samples collected from MW-18 and MW-28. Benzene was detected at a maximum concentration of 1.38 mg/L in MW-28, a well located approximately 130 feet southeast and hydraulically downgradient of the core of the free product plume where apparent LNAPL thickness exceeded 6 feet. Ethylbenzene and total xylenes were detected at low concentrations below the applicable WQCC standards while toluene was not detected above the method quantitation limit. The downgradient extent of the dissolved phase petroleum hydrocarbon plume was defined by MW-23, located approximately 250 feet downgradient of MW-28, where benzene was reported at 0.00663 mg/L. Chloride was detected at concentrations exceeding the WQCC domestic water supply standard of 250 mg/L in all wells sampled in August 2020 except for MW-23 and MW-28. Since monitoring wells MW-23 and MW-28 were not impacted by chloride and are located immediately downgradient of the LNAPL plume, chloride impact to groundwater did not appear to be associated with the LNAPL plume release. Elevated chloride concentrations were reported in MW-13 (6,120 mg/L), MW-14 (15,900 mg/L), MW-18 (14,600 mg/L), MW-19 (8,780 mg/L) and MW-30 (7,790 mg/L) located distal and downgradient of the Facility. MW-14 and MW-18 are reportedly located in the vicinity of historic brine storage ponds associated with cavern storage operations.

1.2 Physical Setting

1.2.1 Topography

The Facility topography grades toward the southeast with elevations ranging from approximately 3,430 feet above mean sea level (MSL) in the northwest to 3,380 feet MSL in the southeast. Surface runoff is routed to an area near the southeast corner of the Facility. No surface water bodies are located on the Facility. Monument Draw, the closest ephemeral body, is located about 1.5 miles east as shown on **Figure 1**.

April 22, 2022

1.2.2 Geology

According to *Geologic Atlas of Texas, Hobbs Sheet* (Barnes, V.E et al, University of Texas, Bureau of Economic Geology, 1976), the Facility is underlain by Holocene-age windblown sand (Qsu) that is characterized as sand and silt in sheets and is light brown to reddish in color. The Pliocene-aged Ogallala Formation (To) underlies the windblown sand. The Ogallala is a fluviatile sand, silt, clay and gravel capped by caliche. The sand is fine to medium-grained quartz, in part silty and calcareous with common clay balls. The upper part of the Ogallala Formation is clayey, indistinctly bedded to massive, cross-bedded, unconsolidated to weakly cohesive with local quartzite lenses and colored various shades of grey and red. Silt and clay components are characterized as containing caliche nodules, reddish brown and dusky red and pink in color. Gravel is not always present, but consists mostly of quartz, some quartzite, sandstone, limestone, chert, igneous and metamorphic rock and worn *Gryphaea* in intraformational channel deposits and basal conglomerate. The caliche is sandy, pisolitic at the top and hard. The maximum thickness of the Ogallala is 100 feet. The upper Triassic-aged Chinle Formation is up to 300 feet thick and underlies the Ogallala Formation. The Chinle Formation is characterized as micaceous claystone, greenish and red in color with reduction spots and is interbedded with thinly bedded, fine-grained sandstone.

Larson characterized the Site geology based on boring logs as unconsolidated eolian sand overlying an eight- to 20-foot-thick carbonate-indurated sand (caliche) which in turn overlies a fine-grained pink quartz sand that is locally represented by sandstone. Clayey sand or red-bed clay is encountered ranging from approximately 24 feet bgs to 50 feet bgs in the east and center of the Facility, respectively.

1.2.3 Groundwater

Groundwater at the Site occurs in the Ogallala Formation. The regional flow has historically been reported to be generally toward the southeast.

Records of the New Mexico State Engineer identify a fresh water well about 0.7 miles south (cross gradient) of the Facility. The well is in Unit O (SW/4, SE/4), Section 3, Township 22 South, Range 6, 37 East. A water level of 32.58 feet bgs was reported in this well on January 27, 1976.

April 22, 2022

2.0 GROUNDWATER MONITORING

2.1 Fluid Level Gauging and Potentiometric Surface Elevation

On October 25, 2021, Golder conducted a synoptic gauging event that included measurement of static fluid levels (depth to LNAPL and groundwater) and total depths of the 53 Site monitoring wells. Golder repaired the casing of monitoring well MW-5 (October 5, 2021) and redeveloped the well prior to this gauging event. Well caps were removed, and fluid levels allowed to equilibrate prior to gauging to the nearest one hundredth of one foot (0.01 ft.) from the top of well casing (TOC) with an oil/water interface probe. Cumulative fluid gauging data along with monitoring well completion data is summarized in **Table 1**. Groundwater elevations are corrected for the presence of LNAPL based on a specific gravity of 0.70, where appropriate.

Depth to groundwater ranged from 57.89 feet bgs at MW-8 located near the northwest corner of the Facility (topographically high) to 21.59 feet bgs at MW-4 located southeast of the Facility. Groundwater elevations ranged from 3,371.52 feet MSL at VW-1 to 3,316.12 feet MSL at MW-31. A Groundwater Gradient Map included as **Figure 3** was developed from the groundwater elevation data measured on October 25, 2021. Based on the potentiometric surface contours depicted on this map and groundwater elevations measured at MW-9 and MW-31, groundwater generally flows to the southeast under a mean hydraulic gradient of approximately 0.010 ft./ft. However, mounding, evident in the southeast portion of the Facility and centered near the condensate tank battery, results in a semi-radial flow configuration. Groundwater flow in this part of the Facility ranges from toward the east to southwest and appears to influence the LNAPL plume geometry.

2.2 LNAPL Distribution and Condition

Golder measured LNAPL thickness in monitoring wells on October 25, 2021 as part of the sitewide synoptic gauging event. LNAPL thicknesses are summarized in **Table 1** and **Table 2** and depicted on **Figure 4**.

LNAPL was gauged at a measurable thickness (minimum 0.01 ft.) in 19 wells (MW-2A, MW-3, MW-22, MW-27, MW-32 through MW-35, MW-37, MW-38, RW-1, VW-1 through VW-4, HVR-1 and HV-1, HV-2 and HV-4) this reporting period. Based on the October 2021 gauging data, three discrete areas of elevated product thickness are evident within the LNAPL plume: 1) vicinity of wells MW-34, MW-35, MW-37 and MW-38, 2) vicinity of VW-1 and 3) vicinity of MW-3, HV-1 and HVR-1. Although average LNAPL thickness measured in wells decreased from 3.97 feet in August 2020 to 3.80 feet in October 2021, thicknesses generally decreased in the area extending from MW-37 to VW-4 but increased in the vicinity of MW-3. Changes in LNAPL thickness across the Site reflect local rising or falling groundwater levels. Since August 2020, groundwater levels within the LNAPL plume west of the Facility security fence have fallen but have risen in wells located east of the fence. LNAPL thicknesses measured in monitoring wells MW-27 and VW-1 have increased notably since July 2019 from an unmeasurable thickness and 0.19 foot, respectively to 2.42 feet and 4.81 feet, respectively in October 2021. Further, as shown in **Figure 4**, the LNAPL plume has receded in the east with no measurable product present in HV-3, HV-5 through HV-9 and MW-29 (near the eastern lateral extent of the groundwater bearing unit).

Diagnostic gauge plots provided in the *2019 Annual Groundwater Monitoring Report* prepared by Golder, dated July 20, 2020, indicated that LNAPL in MW-3, MW-22, MW-32, MW-34, MW-35, MW-37, VW-2 through VW-4, HV-1, HV-2, HV-7 and HVR-1 existed under unconfined conditions. Under unconfined conditions, LNAPL thickness in a monitoring well may increase as the water table falls allowing LNAPL to flow into the well. As the water table rises, LNAPL may become entrapped in the saturated zone and the apparent LNAPL thickness in the well reduces. When unconfined conditions are at equilibrium, the apparent LNAPL thickness in the well may closely match the equilibrium thickness of the mobile LNAPL interval intercepted by the well.

April 22, 2022

2.3 Groundwater Sampling

Golder conducted an annual groundwater sampling event on October 25-27, 2021. Monitoring well MW-5, which was discovered damaged during the August 2020 sampling event, was repaired and redeveloped prior to the October 2021 sampling event. As agreed in the February 22, 2018 meeting with OCD, groundwater samples were collected from thirteen of the following fourteen monitoring wells: MW-1, MW-5, MW-6, MW-8, MW-13, MW-14, MW-15, MW-18, MW-19, MW-20, MW-23, MW-30 and MW-31. The casing of monitoring well MW-28 was found deflected approximately 6 feet bgs which precluded sampling of the well with the pump available at the time. All groundwater samples were analyzed for chloride with samples collected from MW-6, MW-14, MW-18, MW-19, and MW-23 additionally analyzed for BTEX as agreed to by OCD in February 2018.

Prior to purging, static fluid levels were gauged to the nearest 0.01 ft. from TOC using an interface probe. Samples were collected using low flow purging/sampling techniques with a pneumatically powered bladder pump (dedicated disposable bladders), an in-line flow through cell with a multi-parameter water quality meter and dedicated down well polyethylene tubing for air supply and purge water discharge/sample collection. The pump intake was placed approximately midway within the water column and within the screened interval. While purging, typically at a rate of approximately 0.1 liters per minute, the water level was periodically monitored to ensure minimal drawdown and field parameters were measured every five minutes until stable conditions had been achieved for three consecutive measurements. Stabilization limits were ± 0.1 for pH, $\pm 3\%$ for conductivity, $\pm 10\%$ for dissolved oxygen (DO) and ± 10 mv for oxidation reduction potential (ORP) in accordance with *EPA publication EPA/540/S-95/504 Low-Flow (Minimal drawdown) Ground-water Sampling Procedures* (April 1996). Groundwater samples were collected by disconnecting the flow cell and filling sample jars directly from the pump discharge.

Samples were analyzed for BTEX by SW-846 Method 8260C and chloride by EPA Method 300.

For quality assurance/quality control (QA/QC) purposes, trip blanks accompanied sample bottles from and back to the laboratory as a check on cross contamination during transport and storage. A blind field duplicate was collected from MW-23 (DUP) as a check on sampling reproducibility and analytical precision. An equipment blank was collected after sampling MW-6 to verify proper decontamination of equipment and to identify possible cross contamination. The trip blank samples were analyzed for BTEX only. The field duplicate and equipment blank samples were analyzed for BTEX and chloride. Additional sample volume was collected from MW-23 for matrix spike/matrix spike duplicate (MS/MSD) analysis.

Groundwater samples were placed on wet ice in an insulated cooler to reduce and maintain sample temperature at 4 ± 2 degrees Celsius. Coolers were shipped by courier for overnight delivery to the analytical laboratory under proper chain-of-custody procedures. Samples were submitted to the Pace Analytical National laboratory located in Mount Juliet, Tennessee.

The submersible bladder pump, interface probe and flow-through cell were decontaminated prior to each use using a distilled water and laboratory-grade, phosphate free detergent solution (brushing as necessary) followed by a distilled water rinse. Purged groundwater was contained in an onsite tank that was discharged to a sump at the condensate tanks for subsequent disposal in the Facility's OCD permitted disposal well.

2.4 Groundwater Quality

BTEX and chloride analytical data for the thirteen monitoring wells included in the October 2021 groundwater sampling event are summarized along with historic data for these constituents of concern (COC) in **Table 3**. Laboratory analytical reports are provided in **Appendix A**. Groundwater COC concentrations have been

April 22, 2022

compared to the New Mexico Water Quality Control Commission (WQCC) Standards for Groundwater of 10,000 mg/L TDS Concentration or Less listed at NMAC 20.6.2.3103 (Human Health Standards and Other Standards for Domestic Water Supply).

According to NMAC 20.6.2.10, new regulations that included revisions to WQCC standards for benzene and toluene do not apply to any activity or condition subject to the authority of the Oil Conservation Commission pursuant to the provisions of the Oil and Gas Act, NMSA 1978, Section 70-2-12 and other laws conferring power on the Oil Conservation Commission and the Oil Conservation Division of the Energy, Minerals and Natural Resources Department to prevent or abate water pollution. As such, the WQCC standards for benzene and toluene at the Site were not revised.

Table 2 and Benzene in Groundwater Concentration Map included as **Figure 5** shows that benzene was reported in a solitary well (MW-18) at a concentration exceeding the human health standard of 0.010 mg/L. Benzene was detected at 0.0638 mg/L in MW-18 this reporting period. However, benzene was not detected in the sample collected from MW-23 located approximately 130 feet southeast and hydraulically downgradient of the leading edge of the product plume. Total xylenes were detected at a maximum concentration of an estimated 0.000411 mg/L (MW-14) which is below the WQCC standard of 0.62 mg/L. Toluene and ethylbenzene were not detected above their method quantitation limits of 0.001 mg/L.

Chloride was detected at concentrations exceeding the domestic water supply standard of 250 mg/L in all wells sampled in October 2021 except MW-5. Chloride was detected at 374 mg/L, slightly exceeding the standard, in MW-23 located immediately downgradient of the LNAPL plume. Chloride in Groundwater Concentration Map included as **Figure 6** depicts chloride levels below the WQCC standard in groundwater samples collected from MW-5; a well located immediately downgradient of the LNAPL plume. Chloride concentrations of 318 mg/L and 1,480 mg/L in MW-1 and MW-8, respectively, located hydraulically upgradient of the Facility, exceeded the WQCC standard. Significantly elevated chloride concentrations were reported in MW-13 (5,730 mg/L), MW-14 (13,900 mg/L), MW-18 (17,200 mg/L), MW-19 (7,060 mg/L) and MW-30 (10,000 mg/L) located distal and downgradient of the Facility. Larson noted in the *2018 Groundwater Monitoring Report* that the highest chloride concentrations reported in MW-14 and MW-18 were in the vicinity of historic brine storage ponds associated with cavern storage operations.

2.5 Field Quality Assurance/Quality Control Sample Evaluation

BTEX constituents were not detected in the trip blank samples that accompanied sample jars from and back to the laboratory indicating no cross contamination during transport and storage. Golder calculated the relative percent difference (RPD) for the COCs analyzed in the parent sample/blind duplicate MW-23/DUP. The RPD of 2.6% calculated for chloride is regarded as acceptable for inorganic analytes. RPDs were not calculated for BTEX constituents as these analytes were not detected in either the parent or duplicate samples.

April 22, 2022

3.0 LNAPL SOURCE INVESTIGATION

Golder understands that the OCD has acknowledged that the existing site characterization, existing monitoring well network, and associated reporting have satisfied the required elements of a Stage 1 Abatement Plan, including design and performance of a site investigation to adequately define Site conditions and provide the data necessary to select and design an effective abatement option. However, as the source of the LNAPL plume has not been identified and characterization/definition is crucial in developing an effective Stage 2 Abatement Plan for this Site, further assessment is required.

Golder initiated additional investigation activities at the Facility during 2019 to locate the source of the LNAPL plume. Based on data collected, additional investigation activities are required and will be scheduled. The identification of the LNAPL source is critical in developing an effective remedy for the Site. The results of the investigation will be submitted to OCD in a separate report.

April 22, 2022

4.0 CONCLUSIONS AND RECOMMENDATIONS

Based on the results of the groundwater monitoring event, Golder has the following conclusions:

- Based on the sitewide synoptic gauging event completed October 25, 2021 and groundwater elevations measured in MW-9 and MW-31, groundwater generally flows to the southeast under a mean hydraulic gradient of approximately 0.010 ft./ft. However, localized mounding in the southeast portion of the Facility results in a localized semi-radial flow configuration. Groundwater flow in the southeast corner of the Facility ranges from toward the east to south and appears to influence the LNAPL plume geometry.
- LNAPL was gauged at a measurable thickness in 19 wells (MW-2A, MW-3, MW-22, MW-27, MW-32 through MW-35, MW-37 through MW-38, RW-1, VW-1 through VW-4, HVR-1 and HV-1, HV-2 and HV-4) generally located in the southeast corner of the Facility this reporting period. Current data depict three areas of elevated LNAPL thickness within the product plume 1) in the vicinity of wells MW-34, MW-35, MW-37 and MW-38, 2) vicinity of VW-1 and 3) vicinity of MW-3. The average LNAPL thickness measured in wells decreased from 3.97 feet in August 2020 to 3.80 feet in October 2021. LNAPL thicknesses generally decreased in the western portion of the product plume but increased in the vicinity of MW-3. The changes in LNAPL thickness reflected either rising (reduced LNAPL thickness) or falling groundwater levels (increased LNAPL thickness) under unconfined conditions. However, a notable increase in LNAPL thickness recorded at VW-1 in October 2021 is associated with a rise in the groundwater level. The LNAPL plume receded in the east with no measurable product present in HV-3, HV-5 through HV-9 and MW-29 (near the eastern lateral extent of the groundwater bearing unit).
- Groundwater samples were collected by Golder using low-flow techniques from the following thirteen monitoring wells and analyzed for BTEX and chloride: MW-1, MW-5, MW-6, MW-8, MW-13, MW-14, MW-15, MW-18, MW-19, MW-20, MW-23, MW-30 and MW-31. Data collected in October 2021 were generally consistent (considering seasonal variability) to data obtained by Golder in April 2019 and August 2020 and results reported by Larson in June 2018.
- Benzene was detected at a solitary location (MW-18) at a concentration exceeding the applicable WQCC human health standard of 0.010 mg/L. Although benzene was reported at 0.0638 mg/L in MW-18, which is located distal/downgradient of the LNAPL plume, benzene was not detected in the sample collected from MW-23 located approximately 130 feet southeast and hydraulically downgradient of the leading edge of the product plume. Total xylenes were detected at a maximum concentration of an estimated 0.000411 mg/L (MW-14) which is below the WQCC standard of 0.62 mg/L. Toluene and ethylbenzene were not detected above the method quantitation limit of 0.001 mg/L.
- Chloride was detected at concentrations exceeding the WQCC domestic water supply standard of 250 mg/L in all wells sampled in October 2021 except at MW-5. Chloride was detected at 374 mg/L, slightly exceeding the standard, in MW-23 located immediately downgradient of the LNAPL plume. Elevated chloride concentrations were reported in MW-13 (5,730 mg/L), MW-14 (13,900 mg/L), MW-18 (17,200 mg/L), MW-19 (7,060 mg/L) and MW-30 (10,000 mg/L); wells located distal and downgradient of the Facility. MW-14 and MW-18 are reportedly located in the vicinity of historic brine storage ponds associated with cavern storage operations

Based on the above conclusions, Golder developed the following recommendations:

April 22, 2022

- Conduct the 2022 annual groundwater monitoring event in the first quarter of the year (sampling on progressively subsequent season schedule as requested by NMOCD). Samples will be analyzed for BTEX and chloride as agreed in the February 2018 meeting with OCD.
- Sample MW-28 with a smaller diameter submersible pump (that is not obstructed by the well casing deflection) in future events.
- Continue to investigate the LNAPL plume source.

April 22, 2022

5.0 REFERENCES

- 1) Bureau of Economic Geology 2010. Geologic Atlas of Texas, Hobbs Sheet (Barnes, V.E et al, University of Texas, Bureau of Economic Geology 1976).
- 2) Golder, 2020. 2019 Groundwater Monitoring Report, Golder Associates Inc., July 20, 2020.
- 3) Golder, 2021. 2020 Groundwater Monitoring Report, Golder Associates Inc., April 22, 2021.
- 4) Larson, 2010. Former Shell Tanks Excavation Report and Closure Approval Request, Larson & Associates, Inc. dated June 7, 2010.
- 5) Larson, 2017. 2016 Groundwater Monitoring Report, Larson & Associates, Inc. November 20, 2017.
- 6) Larson, 2018. 2017 Groundwater Monitoring Report, Larson & Associates, Inc., April 24, 2018.
- 7) Larson, 2019. 2018 Groundwater Monitoring Report, Larson & Associates, Inc., March 11, 2019.
- 8) Puls, R.W. and Barcelona, M.J. April 1996. Low-Flow (Minimal drawdown) Ground-water Sampling Procedures EPA Publication EPA/540/S-95/504.
- 9) Southwest Geoscience, 2012. MDPE Evaluation, Southwest Geosciences, November 15, 2012.

April 22, 2022

Signature Page

Golder Associates USA Inc.



Steven S. Crowley, P.G.
Senior Consulting Geologist



Chris Kakolewski, P.G.
Senior Project Hydrogeologist

Golder and the G logo are trademarks of Golder Associates Corporation.

[https://golderassociates.sharepoint.com/sites/107056/project files/5 technical work/groundwater monitoring/2021 gwm report/draft 2021 annual groundwater monitoring report - targa eunice gas plant.docx](https://golderassociates.sharepoint.com/sites/107056/project%20files/5%20technical%20work/groundwater%20monitoring/2021%20gwm%20report/draft%202021%20annual%20groundwater%20monitoring%20report%20-%20targa%20eunice%20gas%20plant.docx)

Tables

Table 1
Summary of Monitoring Well Completion and Gauging Data
Targa Midstream Services LLC, Eunice Gas Plant
Lea County, New Mexico

Well Information		Groundwater Data					
Well ID		Date Gauged	Depth to Product (feet TOC)	LNAPL Thickness (feet)	Depth to Water (feet TOC)	Corrected Groundwater Elevation (feet AMSL)	Depth to Corrected Groundwater (feet BGS)
MW-01		11/5/2002	--	--	49.36	3,369.08	47.31
Date Drilled:	4/9/2002	6/12/2003	--	--	49.09	3,369.35	47.04
Drilled Depth BGS (feet):	60	11/11/2003	--	--	47.76	3,370.68	45.71
Well Depth from TOC (feet):	62.05	5/24/2004	--	--	48.83	3,369.61	46.78
Well Diameter (inches):	2	11/8/2004	--	--	48.64	3,369.80	46.59
Screen Interval BGS (feet):	40.17 - 59.79	5/24/2005	--	--	48.31	3,370.13	46.26
Casing Stickup (feet):	2.05	11/30/2005	--	--	48.01	3,370.43	45.96
Ground Elevation AMSL (feet)	3,416.39	1/19/2006	--	--	48.03	3,370.41	45.98
TOC Elevation AMSL (feet)	3,418.44	6/26/2006	--	--	48.18	3,370.26	46.13
Notes:		12/4/2006	--	--	47.85	3,370.59	45.80
		6/6/2007	--	--	47.86	3,370.58	45.81
		12/3/2007	--	--	47.91	3,370.53	45.86
		6/25/2008	--	--	47.71	3,370.73	45.66
		11/24/2008	--	--	47.73	3,370.71	45.68
		3/23/2009	--	--	47.62	3,370.82	45.57
		10/12/2009	--	--	47.74	3,370.70	45.69
		6/21/2010	--	--	47.87	3,370.57	45.82
		11/10/2010	--	--	47.89	3,370.55	45.84
		6/21/2011	--	--	47.66	3,370.78	45.61
		11/28/2011	--	--	47.62	3,370.82	45.57
		6/18/2012	--	--	47.70	3,370.74	45.65
		12/3/2012	--	--	49.87	3,368.57	47.82
		5/15/2013	--	--	49.95	3,368.49	47.90
		10/1/2013	--	--	50.11	3,368.33	48.06
		11/18/2013	--	--	50.21	3,368.23	48.16
		6/20/2014	--	--	14.25	3,404.19	12.20
		9/18/2014	--	--	50.30	3,368.14	48.25
		12/17/2014	--	--	50.11	3,368.33	48.06
		5/11/2015	--	--	50.09	3,368.35	48.04
		11/9/2015	--	--	49.95	3,368.49	47.90
		4/4/2016	--	--	49.91	3,368.53	47.86
		4/25/2016	--	--	49.77	3,368.67	47.72
		11/7/2016	--	--	49.82	3,368.62	47.77
		5/23/2017	--	--	49.75	3,368.69	47.70
		11/28/2017	--	--	49.68	3,368.76	47.63
		6/13/2018	--	--	49.52	3,368.92	47.47
		4/1/2019	--	--	49.33	3,369.11	47.28
		8/17/2020	--	--	49.41	3,369.03	47.36
		10/25/2021	--	--	49.22	3,369.22	47.17
**MW-02		11/5/2002	--	--	26.37	3,368.57	24.23
Date Drilled:	4/9/2002	6/12/2003	--	--	26.76	3,368.18	24.62
Drilled Depth BGS (feet):	40	11/11/2003	--	--	26.96	3,367.98	24.82
Well Depth from TOC (feet):	42.14	5/24/2004	--	--	--	--	--
Well Diameter (inches):	2	11/8/2004	--	--	24.51	3,370.43	22.37
Screen Interval BGS (feet):	19.17 - 38.79	5/24/2005	--	--	23.43	3,371.51	21.29
Casing Stickup (feet):	2.14	11/30/2005	--	--	24.19	3,370.75	22.05
Ground Elevation AMSL (feet)	3,392.80	1/19/2006	--	--	24.21	3,370.73	22.07
TOC Elevation AMSL (feet)	3,394.94	6/26/2006	--	--	21.13	3,373.81	18.99
Notes: Replaced by MW-2A		12/4/2006	--	--	--	--	--
		6/6/2007	--	--	24.57	3,370.37	22.43
		12/3/2007	--	--	25.21	3,369.73	23.07
		6/25/2008	--	--	--	--	--
		11/24/2008	--	--	--	--	--
		2/19/2009	--	--	--	--	--
		3/23/2009	Well plugged and replaced by MW-2A				

Table 1
Summary of Monitoring Well Completion and Gauging Data
Targa Midstream Services LLC, Eunice Gas Plant
Lea County, New Mexico

Well Information		Groundwater Data					
Well ID		Date Gauged	Depth to Product (feet TOC)	LNAPL Thickness (feet)	Depth to Water (feet TOC)	Corrected Groundwater Elevation (feet AMSL)	Depth to Corrected Groundwater (feet BGS)
MW-02A		3/23/2009	--	--	25.26	3,370.07	22.61
Date Drilled:	2/18/2009	10/12/2009	--	--	26.09	3,369.24	23.44
Drilled Depth BGS (feet):	40	6/21/2010	--	--	26.53	3,368.80	23.88
Well Depth from TOC (feet):	42.65	11/10/2010	--	--	25.93	3,369.40	23.28
Well Diameter (inches):	2	6/21/2011	--	--	26.73	3,368.60	24.08
Screen Interval BGS (feet):	18-38	11/28/2011	--	--	26.86	3,368.47	24.21
Casing Stickup (feet):	2.65	6/18/2012	--	--	27.10	3,368.23	24.45
Ground Elevation AMSL (feet)	3,392.68	12/3/2012	--	--	29.98	3,365.35	27.33
TOC Elevation AMSL (feet)	3,395.33	5/15/2013	--	--	30.02	3,365.31	27.37
Notes: Replaced MW-02		10/1/2013	--	--	30.33	3,365.00	27.68
		11/18/2013	--	--	30.34	3,364.99	27.69
		6/20/2014	--	--	30.21	3,365.12	27.56
		12/19/2014	28.49	0.01	28.50	3,366.84	25.84
		5/11/2015	28.2	2.54	30.74	3,366.37	26.31
		11/9/2015	27.94	2.56	30.50	3,366.62	26.06
		4/4/2016	--	--	28.29	3,367.04	25.64
		4/25/2016	--	--	27.37	3,367.96	24.72
		11/7/2016	--	--	27.00	3,368.33	24.35
		5/23/2017	--	--	27.25	3,368.08	24.60
		11/28/2017	26.83	1.50	28.33	3,368.05	24.63
		6/13/2018	27.37	2.45	29.82	3,367.23	25.45
		4/1/2019	26.15	2.13	28.28	3,368.54	24.14
		7/29/2019	27.43	2.90	30.33	3,367.03	25.65
		8/17/2020	28.11	2.67	30.78	3,366.42	26.26
		10/25/2021	28.85	2.62	31.47	3,365.69	26.99
MW-03		11/5/2002	--	--	23.69	3,374.77	21.20
Date Drilled:	4/9/2002	6/12/2003	--	--	23.34	3,375.12	20.85
Drilled Depth BGS (feet):	40	11/11/2003	--	--	24.33	3,374.13	21.84
Well Depth from TOC (feet):	42.49	5/24/2004	--	--	23.29	3,375.17	20.80
Well Diameter (inches):	2	11/8/2004	--	--	22.62	3,375.84	20.13
Screen Interval BGS (feet):	19.47-39.09	5/24/2005	--	--	21.94	3,376.52	19.45
Casing Stickup (feet):	2.49	11/30/2005	--	--	22.15	3,376.31	19.66
Ground Elevation AMSL (feet)	3,395.97	1/19/2006	--	--	22.48	3,375.98	19.99
TOC Elevation AMSL (feet)	3,398.46	6/26/2006	23.46	0.00	23.46	3,375.00	20.97
Notes:		12/4/2006	--	--	23.44	3,375.02	20.95
		6/6/2007	--	--	21.94	3,376.52	19.45
		12/3/2007	--	--	23.23	3,375.23	20.74
		6/25/2008	--	--	24.24	3,374.22	21.75
		11/24/2008	--	--	23.90	3,374.56	21.41
		3/23/2009	--	--	24.61	3,373.85	22.12
		10/12/2009	26.85	1.99	28.84	3,371.01	24.96
		6/21/2010	22.74	2.49	25.23	3,374.97	21.00
		11/10/2010	--	--	22.33	3,376.13	19.84
		6/21/2011	24.88	1.59	26.47	3,373.10	22.87
		11/28/2011	24.82	4.47	29.29	3,372.30	23.67
		6/25/2012	26.38	1.98	28.36	3,371.49	24.48
		12/3/2012	--	--	--	--	--
		5/15/2013	29.61	0.02	29.63	3,368.84	27.13
		10/1/2013	28.13	1.62	29.75	3,369.84	26.13
		11/18/2013	29.58	1.87	31.45	3,368.32	27.65
		02/11/2014	28.93	2.61	31.54	3,368.75	27.22
		6/20/2014	28.81	3.38	32.19	3,368.64	27.33
		8/27/2014	28.91	6.67	35.58	3,367.55	28.42
		9/18/2014	28.89	0.00	28.89	3,369.57	26.40
		12/22/2014	28.18	5.51	33.69	3,368.63	27.34
		5/11/2015	28.37	4.95	33.32	3,368.61	27.37
		11/9/2015	27.73	6.04	33.77	3,368.92	27.05
		4/4/2016	27.64	4.04	31.68	3,369.61	26.36
		4/25/2016	27.56	3.54	31.10	3,369.84	26.13
		11/7/2016	27.1	3.33	30.43	3,370.36	25.61
		5/23/2017	27.16	3.80	30.96	3,370.16	25.81
		11/28/2017	27.02	3.32	30.34	3,370.44	25.53
		6/13/2018	27.26	4.07	31.33	3,369.98	25.99
		4/1/2019	27.39	4.75	32.14	3,369.65	26.33
		7/29/2019	27.59	4.77	32.36	3,369.44	26.53
		8/17/2020	27.94	6.25	34.19	3,368.65	27.33
		10/25/2021	28.17	6.68	34.85	3,368.29	27.68

Table 1
Summary of Monitoring Well Completion and Gauging Data
Targa Midstream Services LLC, Eunice Gas Plant
Lea County, New Mexico

Well Information		Groundwater Data					
Well ID		Date Gauged	Depth to Product (feet TOC)	LNAPL Thickness (feet)	Depth to Water (feet TOC)	Corrected Groundwater Elevation (feet AMSL)	Depth to Corrected Groundwater (feet BGS)
MW-04		11/5/2002	--	--	22.80	3,365.41	20.32
Date Drilled:	8/6/2002	6/12/2003	--	--	22.29	3,365.92	19.81
Drilled Depth BGS (feet):	35	11/11/2003	--	--	22.18	3,366.03	19.70
Well Depth from TOC (feet):	37.48	5/24/2004	--	--	20.71	3,367.50	18.23
Well Diameter (inches):	2	11/8/2004	--	--	15.59	3,372.62	13.11
Screen Interval BGS (feet):	14.87-34.49	5/24/2005	--	--	15.74	3,372.47	13.26
Casing Stickup (feet):	2.48	11/30/2005	--	--	15.79	3,372.42	13.31
Ground Elevation AMSL (feet)	3,385.73	1/19/2006	--	--	16.14	3,372.07	13.66
TOC Elevation AMSL (feet)	3,388.21	6/26/2006	--	--	17.25	3,370.96	14.77
Notes:		12/4/2006	--	--	16.37	3,371.84	13.89
		6/6/2007	--	--	15.29	3,372.92	12.81
		12/3/2007	--	--	16.88	3,371.33	14.40
		6/25/2008	--	--	19.47	3,368.74	16.99
		11/24/2008	--	--	20.08	3,368.13	17.60
		3/23/2009	--	--	20.76	3,367.45	18.28
		10/12/2009	--	--	21.53	3,366.68	19.05
		6/21/2010	--	--	21.79	3,366.42	19.31
		11/10/2010	--	--	17.75	3,370.46	15.27
		6/21/2011	--	--	21.31	3,366.90	18.83
		11/28/2011	--	--	22.25	3,365.96	19.77
		6/18/2012	--	--	22.42	3,365.79	19.94
		12/3/2012	--	--	25.24	3,362.97	22.76
		5/15/2013	--	--	25.58	3,362.63	23.10
		10/1/2013	--	--	25.91	3,362.30	23.43
		11/18/2013	--	--	25.67	3,362.54	23.19
		6/20/2014	--	--	25.66	3,362.55	23.18
		12/17/2014	--	--	21.76	3,366.45	19.28
		5/11/2015	--	--	23.32	3,364.89	20.84
		11/9/2015	--	--	20.12	3,368.09	17.64
		4/4/2016	--	--	19.74	3,368.47	17.26
		4/25/2016	--	--	19.70	3,368.51	17.22
		11/7/2016	--	--	18.90	3,369.31	16.42
	5/23/2017	--	--	19.21	3,369.00	16.73	
	11/28/2017	--	--	19.17	3,369.04	16.69	
	6/13/2018	--	--	21.89	3,366.32	19.41	
	4/1/2019	--	--	19.63	3,368.58	17.15	
	8/17/2020	--	--	23.47	3,364.74	20.99	
	10/25/2021	--	--	24.07	3,364.14	21.59	

Table 1
Summary of Monitoring Well Completion and Gauging Data
Targa Midstream Services LLC, Eunice Gas Plant
Lea County, New Mexico

Well Information		Groundwater Data					
Well ID		Date Gauged	Depth to Product (feet TOC)	LNAPL Thickness (feet)	Depth to Water (feet TOC)	Corrected Groundwater Elevation (feet AMSL)	Depth to Corrected Groundwater (feet BGS)
MW-05		11/5/2002	--	--	28.29	3,368.55	25.74
Date Drilled:	8/6/2002	6/12/2003	--	--	25.67	3,371.17	23.12
Drilled Depth BGS (feet):	40	11/11/2003	--	--	25.47	3,371.37	22.92
Well Depth from TOC (feet):	42.55	5/24/2004	--	--	25.75	3,371.09	23.20
Well Diameter (inches):	2	11/8/2004	--	--	26.17	3,370.67	23.62
Screen Interval BGS (feet):	19.87-39.49	5/24/2005	--	--	25.70	3,371.14	23.15
Casing Stickup (feet):	2.55	11/30/2005	--	--	26.20	3,370.64	23.65
Ground Elevation AMSL (feet)	3,394.29	1/19/2006	--	--	26.26	3,370.58	23.71
TOC Elevation AMSL (feet)	3,396.84	6/26/2006	--	--	26.65	3,370.19	24.10
Notes:		12/4/2006	--	--	26.46	3,370.38	23.91
		6/7/2007 ¹	--	--	23.91	3,372.93	21.29
		12/3/2007	--	--	24.18	3,372.66	21.56
On 6/7/2007		6/25/2008	--	--	26.83	3,370.01	24.21
Well Depth from TOC (feet):	36.78	11/24/2008	--	--	27.23	3,369.61	24.61
Casing Stickup (feet):	2.62	3/23/2009	--	--	27.33	3,369.51	24.71
Ground Elevation AMSL (feet)	3,394.22	10/12/2009	--	--	27.78	3,369.06	25.16
TOC Elevation AMSL (feet)	3,396.77	6/21/2010	--	--	27.99	3,368.85	25.37
		11/10/2010	--	--	27.58	3,369.26	24.96
On 10/25/2021		6/21/2011	--	--	27.20	3,369.64	24.58
Casing Stickup (feet):	3.59	11/28/2011	--	--	27.81	3,369.03	25.19
Ground Elevation AMSL (feet)	3,394.22	6/18/2012	--	--	28.15	3,368.69	25.53
TOC Elevation AMSL (feet)	3,397.81	12/3/2012	--	--	30.95	3,365.89	28.33
		5/15/2013	--	--	31.16	3,365.68	28.54
		10/1/2013	--	--	31.38	3,365.46	28.76
		11/18/2013	--	--	31.42	3,365.42	28.80
		6/20/2014	--	--	31.51	3,365.33	28.89
		9/18/2014	--	--	31.57	3,365.27	28.95
		12/18/2014	31.12	0.01	31.13	3,365.72	28.50
		5/11/2015	--	--	30.92	3,365.92	28.30
		11/9/2015	--	--	31.09	3,365.75	28.47
		4/4/2016	--	--	30.78	3,366.06	28.16
		4/25/2016	--	--	30.73	3,366.11	28.11
		11/7/2016	--	--	30.65	3,366.19	28.03
		5/23/2017	--	--	30.50	3,366.34	27.88
		11/28/2017	--	--	30.41	3,366.43	27.79
		6/15/2018	--	--	30.54	3,366.30	27.92
		4/1/2019	--	--	30.39	3,366.45	27.77
		8/17/2020	NM	NM	NM	NM	NM
		10/25/2021 ¹	--	--	31.38	3,366.43	27.79

Table 1
Summary of Monitoring Well Completion and Gauging Data
Targa Midstream Services LLC, Eunice Gas Plant
Lea County, New Mexico

Well Information		Groundwater Data					
Well ID		Date Gauged	Depth to Product (feet TOC)	LNAPL Thickness (feet)	Depth to Water (feet TOC)	Corrected Groundwater Elevation (feet AMSL)	Depth to Corrected Groundwater (feet BGS)
MW-06		11/5/2002	--	--	37.81	3,365.93	35.22
Date Drilled:	8/6/2002	6/12/2003	--	--	37.38	3,366.36	34.79
Drilled Depth BGS (feet):	52	11/11/2003	--	--	36.53	3,367.21	33.94
Well Depth from TOC (feet):	54.59	5/24/2004	--	--	36.78	3,366.96	34.19
Well Diameter (inches):	2	11/8/2004	--	--	36.59	3,367.15	34.00
Screen Interval BGS (feet):	31.87-51.49	5/24/2005	--	--	36.10	3,367.64	33.51
Casing Stickup (feet):	2.59	11/30/2005	--	--	36.14	3,367.60	33.55
Ground Elevation AMSL (feet)	3,401.15	1/19/2006	--	--	36.12	3,367.62	33.53
TOC Elevation AMSL (feet)	3,403.74	6/26/2006	--	--	36.22	3,367.52	33.63
Notes:		12/4/2006	--	--	35.97	3,367.77	33.38
		6/6/2007	--	--	36.15	3,367.59	33.56
		12/3/2007	--	--	36.20	3,367.54	33.61
		6/25/2008	--	--	36.19	3,367.55	33.60
		11/24/2008	--	--	36.29	3,367.45	33.70
		3/23/2009	--	--	36.23	3,367.51	33.64
		10/12/2009	--	--	36.46	3,367.28	33.87
		6/21/2010	--	--	36.51	3,367.23	33.92
		11/1/2010	--	--	36.38	3,367.36	33.79
		6/21/2011	--	--	36.15	3,367.59	33.56
		11/28/2011	--	--	36.37	3,367.37	33.78
		6/18/2012	--	--	36.48	3,367.26	33.89
		12/3/2012	--	--	39.16	3,364.58	36.57
		5/15/2013	--	--	39.31	3,364.43	36.72
		10/1/2013	--	--	39.42	3,364.32	36.83
		11/18/2013	--	--	39.46	3,364.28	36.87
		6/20/2014	--	--	39.54	3,364.20	36.95
		9/18/2014	--	--	39.61	3,364.13	37.02
		12/18/2014	39.34	0.01	39.35	3,364.40	36.75
		5/11/2015	--	--	39.35	3,364.39	36.76
		11/9/2015	--	--	39.26	3,364.48	36.67
		4/4/2016	--	--	39.10	3,364.64	36.51
		4/25/2016	--	--	39.01	3,364.73	36.42
		11/7/2016	--	--	38.97	3,364.77	36.38
		5/23/2017	--	--	38.89	3,364.85	36.30
	11/28/2017	--	--	38.82	3,364.92	36.23	
	6/13/2018	--	--	38.76	3,364.98	36.17	
	4/1/2019	--	--	38.63	3,365.11	36.04	
	8/17/2020	--	--	38.71	3,365.03	36.12	
	10/25/2021	--	--	38.61	3,365.13	36.02	

Table 1
Summary of Monitoring Well Completion and Gauging Data
Targa Midstream Services LLC, Eunice Gas Plant
Lea County, New Mexico

Well Information		Groundwater Data					
Well ID		Date Gauged	Depth to Product (feet TOC)	LNAPL Thickness (feet)	Depth to Water (feet TOC)	Corrected Groundwater Elevation (feet AMSL)	Depth to Corrected Groundwater (feet BGS)
MW-07		11/5/2002	--	--	51.34	3,368.37	48.88
Date Drilled:	8/7/2002	6/12/2003	--	--	51.05	3,368.66	48.59
Drilled Depth BGS (feet):	60	11/11/2003	--	--	50.93	3,368.78	48.47
Well Depth from TOC (feet):	62.46	5/24/2004	--	--	50.76	3,368.95	48.30
Well Diameter (inches):	2	11/8/2004	--	--	50.70	3,369.01	48.24
Screen Interval BGS (feet):	39.87-59.49	5/24/2005	--	--	50.24	3,369.47	47.78
Casing Stickup (feet):	2.46	11/30/2005	--	--	50.10	3,369.61	47.64
Ground Elevation AMSL (feet)	3,417.25	1/19/2006	--	--	50.00	3,369.71	47.54
TOC Elevation AMSL (feet)	3,419.71	6/26/2006	--	--	49.97	3,369.74	47.51
Notes:		12/4/2006	--	--	49.75	3,369.96	47.29
		6/6/2007	--	--	49.65	3,370.06	47.19
		12/3/2007	--	--	49.67	3,370.04	47.21
		6/25/2008	--	--	49.43	3,370.28	46.97
		11/24/2008	--	--	49.48	3,370.23	47.02
		3/23/2009	--	--	49.31	3,370.40	46.85
		10/12/2009	--	--	49.47	3,370.24	47.01
		6/21/2010	--	--	49.47	3,370.24	47.01
		11/10/2010	--	--	49.45	3,370.26	46.99
		6/21/2011	--	--	49.32	3,370.39	46.86
		11/28/2011	--	--	49.30	3,370.41	46.84
		6/18/2012	--	--	49.31	3,370.40	46.85
		12/3/2012	--	--	51.83	3,367.88	49.37
		5/15/2013	--	--	51.86	3,367.85	49.40
		10/1/2013	--	--	51.97	3,367.74	49.51
		11/18/2013	--	--	52.10	3,367.61	49.64
		6/20/2014	--	--	52.14	3,367.57	49.68
		9/18/2014	52.11	0.02	52.13	3,367.59	49.66
		12/17/2014	--	--	52.00	3,367.71	49.54
		5/11/2015	--	--	52.06	3,367.65	49.60
		11/9/2015	--	--	51.92	3,367.79	49.46
		4/4/2016	--	--	51.82	3,367.89	49.36
		4/25/2016	--	--	51.71	3,368.00	49.25
		11/7/2016	--	--	51.74	3,367.97	49.28
		5/23/2017	--	--	51.66	3,368.05	49.20
		11/28/2017	--	--	51.51	3,368.20	49.05
		6/15/2018	--	--	51.37	3,368.34	48.91
	4/1/2019	--	--	51.52	3,368.19	49.06	
	8/17/2020	--	--	51.21	3,368.50	48.75	
	10/25/2021	--	--	51.08	3,368.63	48.62	

Table 1
Summary of Monitoring Well Completion and Gauging Data
Targa Midstream Services LLC, Eunice Gas Plant
Lea County, New Mexico

Well Information		Groundwater Data					
Well ID		Date Gauged	Depth to Product (feet TOC)	LNAPL Thickness (feet)	Depth to Water (feet TOC)	Corrected Groundwater Elevation (feet AMSL)	Depth to Corrected Groundwater (feet BGS)
MW-08		11/5/2002	--	--	63.98	3,367.03	61.63
Date Drilled:	8/7/2002	6/12/2003	--	--	60.74	3,370.27	58.39
Drilled Depth BGS (feet):	75	11/11/2003	--	--	60.70	3,370.31	58.35
Well Depth from TOC (feet):	77.35	5/24/2004	--	--	60.45	3,370.56	58.10
Well Diameter (inches):	2	11/8/2004	--	--	60.45	3,370.56	58.10
Screen Interval BGS (feet):	54.87-74.49	5/24/2005	--	--	60.06	3,370.95	57.71
Casing Stickup (feet):	2.35	11/30/2005	--	--	59.89	3,371.12	57.54
Ground Elevation AMSL (feet)	3,428.66	1/19/2006	--	--	59.80	3,371.21	57.45
TOC Elevation AMSL (feet)	3,431.01	6/26/2006	--	--	59.66	3,371.35	57.31
Notes:		12/4/2006	--	--	59.51	3,371.50	57.16
		6/6/2007	--	--	59.29	3,371.72	56.94
		12/3/2007	--	--	58.86	3,372.15	56.51
		6/25/2008	--	--	58.95	3,372.06	56.60
		11/24/2008	--	--	59.05	3,371.96	56.70
		3/23/2009	--	--	58.81	3,372.20	56.46
		10/12/2009	--	--	58.94	3,372.07	56.59
		6/21/2010	--	--	58.93	3,372.08	56.58
		11/10/2010	--	--	58.87	3,372.14	56.52
		6/21/2011	--	--	58.80	3,372.21	56.45
		11/28/2011	--	--	58.74	3,372.27	56.39
		6/18/2012	--	--	58.65	3,372.36	56.30
		12/3/2012	--	--	60.95	3,370.06	58.60
		5/15/2013	--	--	61.00	3,370.01	58.65
		10/1/2013	--	--	61.11	3,369.90	58.76
		11/18/2013	--	--	61.21	3,369.80	58.86
		6/20/2014	--	--	61.26	3,369.75	58.91
		12/17/2014	61.14	0.02	61.16	3,369.86	58.80
		5/11/2015	--	--	61.31	3,369.70	58.96
		11/9/2015	--	--	61.05	3,369.96	58.70
		4/4/2016	--	--	61.02	3,369.99	58.67
		4/25/2016	--	--	60.90	3,370.11	58.55
		11/7/2016	--	--	60.92	3,370.09	58.57
		5/23/2017	--	--	60.84	3,370.17	58.49
		11/28/2017	--	--	60.72	3,370.29	58.37
		6/13/2018	--	--	60.48	3,370.53	58.13
		4/1/2019	--	--	60.35	3,370.66	58.00
		8/17/2020	--	--	60.37	3,370.64	58.02
		10/25/2021	--	--	60.24	3,370.77	57.89

Table 1
Summary of Monitoring Well Completion and Gauging Data
Targa Midstream Services LLC, Eunice Gas Plant
Lea County, New Mexico

Well Information		Groundwater Data					
Well ID		Date Gauged	Depth to Product (feet TOC)	LNAPL Thickness (feet)	Depth to Water (feet TOC)	Corrected Groundwater Elevation (feet AMSL)	Depth to Corrected Groundwater (feet BGS)
MW-09		11/5/2002	--	--	50.24	3,370.35	47.79
Date Drilled:	8/7/2002	6/12/2003	--	--	49.97	3,370.62	47.52
Drilled Depth BGS (feet):	60	11/11/2003	--	--	49.92	3,370.67	47.47
Well Depth from TOC (feet):	62.45	5/24/2004	--	--	49.67	3,370.92	47.22
Well Diameter (inches):	2	11/8/2004	--	--	49.63	3,370.96	47.18
Screen Interval BGS (feet):	39.87-59.49	5/24/2005	--	--	49.22	3,371.37	46.77
Casing Stickup (feet):	2.45	11/30/2005	--	--	49.02	3,371.57	46.57
Ground Elevation AMSL (feet)	3,418.14	1/19/2006	--	--	49.23	3,371.36	46.78
TOC Elevation AMSL (feet)	3,420.59	6/26/2006	--	--	48.76	3,371.83	46.31
Notes:		12/4/2006	--	--	48.63	3,371.96	46.18
		6/6/2007	--	--	48.41	3,372.18	45.96
		12/3/2007	--	--	48.44	3,372.15	45.99
		6/25/2008	--	--	48.18	3,372.41	45.73
		11/24/2008	--	--	48.20	3,372.39	45.75
		3/23/2009	--	--	48.04	3,372.55	45.59
		10/12/2009	--	--	48.12	3,372.47	45.67
		6/21/2010	--	--	48.14	3,372.45	45.69
		11/10/2010	--	--	48.14	3,372.45	45.69
		6/21/2011	--	--	48.04	3,372.55	45.59
		11/28/2011	--	--	48.02	3,372.57	45.57
		6/18/2012	--	--	47.96	3,372.63	45.51
		12/3/2012	--	--	50.40	3,370.19	47.95
		5/15/2013	--	--	50.45	3,370.14	48.00
		10/1/2013	--	--	50.06	3,370.53	47.61
		11/18/2013	--	--	50.70	3,369.89	48.25
		6/20/2014	--	--	14.71	3,405.88	12.26
		12/17/2014	50.65	0.01	50.66	3,369.94	48.20
		5/11/2015	--	--	50.77	3,369.82	48.32
		11/9/2015	--	--	50.61	3,369.98	48.16
		4/4/2016	--	--	50.44	3,370.15	47.99
		4/25/2016	--	--	50.34	3,370.25	47.89
		11/7/2016	--	--	50.34	3,370.25	47.89
	5/23/2017	--	--	50.25	3,370.34	47.80	
	11/28/2017	--	--	50.16	3,370.43	47.71	
	6/15/2018	--	--	49.95	3,370.64	47.50	
	4/1/2019	--	--	49.93	3,370.66	47.48	
	8/17/2020	--	--	49.91	3,370.68	47.46	
	10/25/2021	--	--	49.89	3,370.70	47.44	

Table 1
Summary of Monitoring Well Completion and Gauging Data
Targa Midstream Services LLC, Eunice Gas Plant
Lea County, New Mexico

Well Information		Groundwater Data					
Well ID		Date Gauged	Depth to Product (feet TOC)	LNAPL Thickness (feet)	Depth to Water (feet TOC)	Corrected Groundwater Elevation (feet AMSL)	Depth to Corrected Groundwater (feet BGS)
MW-10		11/5/2002	--	--	35.68	3,370.05	33.26
Date Drilled:	8/9/2002	6/12/2003	--	--	35.45	3,370.28	33.03
Drilled Depth BGS (feet):	47	11/11/2003	--	--	35.29	3,370.44	32.87
Well Depth from TOC (feet):	49.42	5/24/2004	--	--	35.10	3,370.63	32.68
Well Diameter (inches):	2	11/8/2004	--	--	34.90	3,370.83	32.48
Screen Interval BGS (feet):	26.87-46.49	5/24/2005	--	--	34.46	3,371.27	32.04
Casing Stickup (feet):	2.42	11/30/2005	--	--	34.10	3,371.63	31.68
Ground Elevation AMSL (feet)	3,403.31	1/19/2006	--	--	34.05	3,371.68	31.63
TOC Elevation AMSL (feet)	3,405.73	6/26/2006	--	--	33.85	3,371.88	31.43
Notes:		12/4/2006	--	--	33.72	3,372.01	31.30
		6/6/2007	--	--	33.57	3,372.16	31.15
		12/3/2007	--	--	33.54	3,372.19	31.12
		6/25/2008	--	--	33.37	3,372.36	30.95
		11/24/2008	--	--	33.38	3,372.35	30.96
		3/23/2009	--	--	33.30	3,372.43	30.88
		10/12/2009	--	--	33.42	3,372.31	31.00
		6/21/2010	--	--	33.46	3,372.27	31.04
		11/10/2010	--	--	33.43	3,372.30	31.01
		6/21/2011	--	--	33.40	3,372.33	30.98
		11/28/2011	--	--	33.43	3,372.30	31.01
		6/18/2012	--	--	33.41	3,372.32	30.99
		12/3/2012	--	--	35.95	3,369.78	33.53
		5/15/2013	--	--	35.96	3,369.77	33.54
		10/1/2013	--	--	36.11	3,369.62	33.69
		11/18/2013	--	--	36.15	3,369.58	33.73
		6/20/2014	--	--	36.12	3,369.61	33.70
		12/17/2014	35.99	0.01	36.00	3,369.74	33.57
		5/11/2015	--	--	36.03	3,369.70	33.61
		11/9/2015	--	--	35.81	3,369.92	33.39
		4/4/2016	--	--	35.74	3,369.99	33.32
		4/25/2016	--	--	35.69	3,370.04	33.27
		11/7/2016	--	--	35.60	3,370.13	33.18
		5/23/2017	--	--	35.50	3,370.23	33.08
		11/28/2017	--	--	35.40	3,370.33	32.98
		6/15/2018	--	--	35.29	3,370.44	32.87
		4/1/2019	--	--	35.25	3,370.48	32.83
		8/17/2020	--	--	35.37	3,370.36	32.95
		10/25/2021	--	--	35.45	3,370.28	33.03

Table 1
Summary of Monitoring Well Completion and Gauging Data
Targa Midstream Services LLC, Eunice Gas Plant
Lea County, New Mexico

Well Information		Groundwater Data					
Well ID		Date Gauged	Depth to Product (feet TOC)	LNAPL Thickness (feet)	Depth to Water (feet TOC)	Corrected Groundwater Elevation (feet AMSL)	Depth to Corrected Groundwater (feet BGS)
MW-11		11/5/2002	--	--	30.51	3,367.51	28.00
Date Drilled:	8/8/2002	6/12/2003	--	--	30.25	3,367.77	27.74
Drilled Depth BGS (feet):	47	11/11/2003	--	--	31.27	3,366.75	28.76
Well Depth from TOC (feet):	49.51	5/24/2004	--	--	30.17	3,367.85	27.66
Well Diameter (inches):	2	11/8/2004	--	--	29.86	3,368.16	27.35
Screen Interval BGS (feet):	30.87-50.49	5/24/2005	--	--	29.00	3,369.02	26.49
Casing Stickup (feet):	2.51	11/30/2005	--	--	28.34	3,369.68	25.83
Ground Elevation AMSL (feet)	3,395.51	1/19/2006	--	--	28.27	3,369.75	25.76
TOC Elevation AMSL (feet)	3,398.02	6/26/2006	--	--	28.12	3,369.90	25.61
Notes:		12/4/2006	--	--	28.00	3,370.02	25.49
		6/6/2007	--	--	27.77	3,370.25	25.26
		12/3/2007	--	--	27.86	3,370.16	25.35
		6/25/2008	--	--	27.78	3,370.24	25.27
		11/24/2008	--	--	27.96	3,370.06	25.45
		3/23/2009	--	--	27.73	3,370.29	25.22
		10/12/2009	--	--	28.11	3,369.91	25.60
		6/21/2010	--	--	28.11	3,369.91	25.60
		11/10/2010	--	--	28.12	3,369.90	25.61
		6/21/2011	--	--	28.18	3,369.84	25.67
		11/28/2011	--	--	28.29	3,369.73	25.78
		6/18/2012	--	--	28.19	3,369.83	25.68
		12/3/2012	--	--	31.01	3,367.01	28.50
		5/15/2013	--	--	30.93	3,367.09	28.42
		10/1/2013	--	--	31.25	3,366.77	28.74
		11/18/2013	--	--	31.19	3,366.83	28.68
		6/20/2014	--	--	30.79	3,367.23	28.28
		9/18/2014	--	--	31.11	3,366.91	28.60
		12/17/2014	30.34	0.01	30.35	3,367.68	27.83
		5/11/2015	--	--	30.12	3,367.90	27.61
		11/9/2015	--	--	30.02	3,368.00	27.51
		4/4/2016	--	--	29.66	3,368.36	27.15
		4/25/2016	--	--	29.58	3,368.44	27.07
		11/7/2016	--	--	29.45	3,368.57	26.94
		5/23/2017	--	--	29.19	3,368.83	26.68
		11/28/2017	--	--	29.17	3,368.85	26.66
		6/15/2018	--	--	29.31	3,368.71	26.80
	4/1/2019	--	--	29.26	3,368.76	26.75	
	8/17/2020	--	--	29.96	3,368.06	27.45	
	10/25/2021	--	--	30.31	3,367.71	27.80	

Table 1
Summary of Monitoring Well Completion and Gauging Data
Targa Midstream Services LLC, Eunice Gas Plant
Lea County, New Mexico

Well Information		Groundwater Data					
Well ID		Date Gauged	Depth to Product (feet TOC)	LNAPL Thickness (feet)	Depth to Water (feet TOC)	Corrected Groundwater Elevation (feet AMSL)	Depth to Corrected Groundwater (feet BGS)
MW-12		6/12/2003	--	--	28.57	3,368.21	26.60
Date Drilled:	6/3/2003	11/11/2003	--	--	29.09	3,367.69	27.12
Drilled Depth BGS (feet):	45	5/24/2004	--	--	28.66	3,368.12	26.69
Well Depth from TOC (feet):	46.97	11/8/2004	--	--	28.25	3,368.53	26.28
Well Diameter (inches):	2	5/24/2005	--	--	26.31	3,370.47	24.34
Screen Interval BGS (feet):	25.0-44.49	11/30/2005	--	--	26.41	3,370.37	24.44
Casing Stickup (feet):	1.97	1/19/2006	--	--	26.38	3,370.40	24.41
Ground Elevation AMSL (feet)	3,394.81	6/26/2006	--	--	26.63	3,370.15	24.66
TOC Elevation AMSL (feet)	3,396.78	12/4/2006	--	--	26.50	3,370.28	24.53
Notes:		6/6/2007	--	--	26.28	3,370.50	24.31
		12/3/2007	--	--	26.49	3,370.29	24.52
		6/25/2008	--	--	26.67	3,370.11	24.70
		11/24/2008	--	--	26.75	3,370.03	24.78
		3/23/2009	--	--	26.52	3,370.26	24.55
		10/12/2009	--	--	27.12	3,369.66	25.15
		6/21/2010	--	--	26.99	3,369.79	25.02
		11/10/2010	--	--	27.00	3,369.78	25.03
		6/21/2011	--	--	27.23	3,369.55	25.26
		11/28/2011	--	--	27.35	3,369.43	25.38
		6/18/2012	--	--	27.18	3,369.60	25.21
		12/3/2012	--	--	29.55	3,367.23	27.58
		5/15/2013	--	--	29.30	3,367.48	27.33
		10/1/2013	--	--	29.95	3,366.83	27.98
		11/18/2013	--	--	29.69	3,367.09	27.72
		6/20/2014	--	--	29.26	3,367.52	27.29
		12/18/2014	--	--	28.62	3,368.16	26.65
		5/11/2015	--	--	28.60	3,368.18	26.63
		11/9/2015	--	--	28.89	3,367.89	26.92
		4/4/2016	--	--	28.24	3,368.54	26.27
		4/25/2016	--	--	28.19	3,368.59	26.22
		11/7/2016	--	--	28.24	3,368.54	26.27
		5/23/2017	--	--	27.94	3,368.84	25.97
		11/28/2017	--	--	27.92	3,368.86	25.95
		6/15/2018	--	--	28.07	3,368.71	26.10
		4/1/2019	--	--	27.89	3,368.89	25.92
		8/17/2020	--	--	28.83	3,367.95	26.86
		10/25/2021	--	--	29.14	3,367.64	27.17

Table 1
Summary of Monitoring Well Completion and Gauging Data
Targa Midstream Services LLC, Eunice Gas Plant
Lea County, New Mexico

Well Information		Groundwater Data					
Well ID		Date Gauged	Depth to Product (feet TOC)	LNAPL Thickness (feet)	Depth to Water (feet TOC)	Corrected Groundwater Elevation (feet AMSL)	Depth to Corrected Groundwater (feet BGS)
MW-13		6/12/2003	--	--	27.33	3,360.36	25.46
Date Drilled:	6/3/2003	11/11/2003	--	--	29.12	3,358.57	27.25
Drilled Depth BGS (feet):	35	5/24/2004	--	--	28.57	3,359.12	26.70
Well Depth from TOC (feet):	36.87	11/8/2004	--	--	22.12	3,365.57	20.25
Well Diameter (inches):	2	5/24/2005	--	--	22.30	3,365.39	20.43
Screen Interval BGS (feet):	25.0-34.49	11/30/2005	--	--	21.04	3,366.65	19.17
Casing Stickup (feet):	1.87	1/19/2006	--	--	21.34	3,366.35	19.47
Ground Elevation AMSL (feet)	3,385.82	6/26/2006	--	--	23.60	3,364.09	21.73
TOC Elevation AMSL (feet)	3,387.69	12/4/2006	--	--	22.56	3,365.13	20.69
Notes:		6/6/2007	--	--	21.18	3,366.51	19.31
		12/3/2007	--	--	22.64	3,365.05	20.77
		6/25/2008	--	--	25.16	3,362.53	23.29
		11/24/2008	--	--	25.78	3,361.91	23.91
		3/23/2009	--	--	25.91	3,361.78	24.04
		10/12/2009	--	--	26.93	3,360.76	25.06
		6/21/2010	--	--	28.46	3,359.23	26.59
		11/10/2010	--	--	25.29	3,362.40	23.42
		6/21/2011	--	--	26.85	3,360.84	24.98
		11/28/2011	--	--	28.37	3,359.32	26.50
		6/18/2012	--	--	29.54	3,358.15	27.67
		12/3/2012	--	--	31.77	3,355.92	29.90
		5/15/2013	--	--	32.22	3,355.47	30.35
		10/1/2013	--	--	32.53	3,355.16	30.66
		11/18/2013	--	--	32.50	3,355.19	30.63
		6/20/2014	--	--	32.68	3,355.01	30.81
		12/17/2014	--	--	27.75	3,359.94	25.88
		5/11/2015	--	--	28.93	3,358.76	27.06
		11/9/2015	--	--	28.10	3,359.59	26.23
		4/4/2016	--	--	25.82	3,361.87	23.95
		4/25/2016	--	--	25.63	3,362.06	23.76
		11/7/2016	--	--	24.48	3,363.21	22.61
		5/23/2017	--	--	24.70	3,362.99	22.83
	11/28/2017	--	--	24.97	3,362.72	23.10	
	6/13/2018	--	--	27.44	3,360.25	25.57	
	4/1/2019	--	--	26.68	3,361.01	24.81	
	8/17/2020	--	--	29.37	3,358.32	27.50	
	10/25/2021	--	--	32.58	3,355.11	30.71	

Table 1
Summary of Monitoring Well Completion and Gauging Data
Targa Midstream Services LLC, Eunice Gas Plant
Lea County, New Mexico

Well Information		Groundwater Data					
Well ID		Date Gauged	Depth to Product (feet TOC)	LNAPL Thickness (feet)	Depth to Water (feet TOC)	Corrected Groundwater Elevation (feet AMSL)	Depth to Corrected Groundwater (feet BGS)
MW-14		6/12/2003	--	--	29.90	3,352.09	27.57
Date Drilled:	6/3/2003	11/11/2003	--	--	30.01	3,351.98	27.68
Drilled Depth BGS (feet):	47	5/24/2004	--	--	29.76	3,352.23	27.43
Well Depth from TOC (feet):	49.33	11/8/2004	--	--	28.87	3,353.12	26.54
Well Diameter (inches):	2	5/24/2005	--	--	27.77	3,354.22	25.44
Screen Interval BGS (feet):	27.0-46.49	11/30/2005	--	--	27.74	3,354.25	25.41
Casing Stickup (feet):	2.33	1/19/2006	--	--	27.76	3,354.23	25.43
Ground Elevation AMSL (feet)	3,379.66	6/26/2006	--	--	28.15	3,353.84	25.82
TOC Elevation AMSL (feet)	3,381.99	12/4/2006	--	--	27.81	3,354.18	25.48
Notes:		6/6/2007	--	--	27.26	3,354.73	24.93
		12/3/2007	--	--	27.61	3,354.38	25.28
		6/25/2008	--	--	28.33	3,353.66	26.00
		11/24/2008	--	--	28.59	3,353.40	26.26
		3/23/2009	--	--	28.68	3,353.31	26.35
		10/12/2009	--	--	28.92	3,353.07	26.59
		6/21/2010	--	--	29.22	3,352.77	26.89
		11/10/2010	--	--	28.47	3,353.52	26.14
		6/21/2011	--	--	28.98	3,353.01	26.65
		11/28/2011	--	--	29.23	3,352.76	26.90
		6/18/2012	--	--	29.40	3,352.59	27.07
		12/3/2012	--	--	--	--	--
		5/15/2013	--	--	31.94	3,350.05	29.61
		10/1/2013	--	--	32.01	3,349.98	29.68
		11/18/2013	--	--	31.83	3,350.16	29.50
		6/20/2014	--	--	31.91	3,350.08	29.58
		9/18/2014	--	--	31.97	3,350.02	29.64
		12/17/2014	--	--	36.63	3,345.36	34.30
		5/11/2015	--	--	31.10	3,350.89	28.77
		11/9/2015	--	--	31.01	3,350.98	28.68
		4/4/2016	--	--	30.22	3,351.77	27.89
		4/25/2016	--	--	30.18	3,351.81	27.85
		11/7/2016	--	--	29.81	3,352.18	27.48
		5/23/2017	--	--	29.77	3,352.22	27.44
		11/28/2017	--	--	29.18	3,352.81	26.85
	6/13/2018	--	--	29.87	3,352.12	27.54	
	4/1/2019	--	--	29.91	3,352.08	27.58	
	8/17/2020	--	--	30.64	3,351.35	28.31	
	10/25/2021	--	--	31.12	3,350.87	28.79	

Table 1
Summary of Monitoring Well Completion and Gauging Data
Targa Midstream Services LLC, Eunice Gas Plant
Lea County, New Mexico

Well Information		Groundwater Data					
Well ID		Date Gauged	Depth to Product (feet TOC)	LNAPL Thickness (feet)	Depth to Water (feet TOC)	Corrected Groundwater Elevation (feet AMSL)	Depth to Corrected Groundwater (feet BGS)
MW-15		6/12/2003	--	--	38.73	3,357.88	36.79
Date Drilled:	6/4/2003	11/11/2003	--	--	37.05	3,359.56	35.11
Drilled Depth BGS (feet):	45	5/24/2004	--	--	36.81	3,359.80	34.87
Well Depth from TOC (feet):	46.94	11/8/2004	--	--	36.55	3,360.06	34.61
Well Diameter (inches):	2	5/24/2005	--	--	36.08	3,360.53	34.14
Screen Interval BGS (feet):	25.0-44.49	11/30/2005	--	--	36.01	3,360.60	34.07
Casing Stickup (feet):	1.94	1/19/2006	--	--	35.96	3,360.65	34.02
Ground Elevation AMSL (feet)	3,394.67	6/26/2006	--	--	35.93	3,360.68	33.99
TOC Elevation AMSL (feet)	3,396.61	12/4/2006	--	--	35.80	3,360.81	33.86
Notes:		6/6/2007	--	--	35.76	3,360.85	33.82
		12/3/2007	--	--	35.72	3,360.89	33.78
		6/25/2008	--	--	35.77	3,360.84	33.83
		11/24/2008	--	--	35.75	3,360.86	33.81
		3/23/2009	--	--	35.76	3,360.85	33.82
		10/12/2009	--	--	35.85	3,360.76	33.91
		6/21/2010	--	--	35.89	3,360.72	33.95
		11/10/2010	--	--	35.74	3,360.87	33.80
		6/22/2011	--	--	35.79	3,360.82	33.85
		11/28/2011	--	--	35.86	3,360.75	33.92
		6/18/2012	--	--	35.86	3,360.75	33.92
		12/3/2012	--	--	37.87	3,358.74	35.93
		5/15/2013	--	--	37.94	3,358.67	36.00
		10/1/2013	--	--	38.03	3,358.58	36.09
		11/18/2013	--	--	37.98	3,358.63	36.04
		6/20/2014	--	--	38.01	3,358.60	36.07
		12/18/2014	37.74	0.01	37.75	3,358.87	35.80
		5/11/2015	--	--	37.97	3,358.64	36.03
		11/9/2015	--	--	37.94	3,358.67	36.00
		4/4/2016	--	--	37.60	3,359.01	35.66
		4/25/2016	--	--	37.57	3,359.04	35.63
		11/7/2016	--	--	37.53	3,359.08	35.59
		5/23/2017	--	--	37.40	3,359.21	35.46
		11/28/2017	--	--	37.29	3,359.32	35.35
		6/13/2018	--	--	37.22	3,359.39	35.28
		4/1/2019	--	--	37.09	3,359.52	35.15
		8/17/2020	--	--	37.22	3,359.39	35.28
		10/25/2021	--	--	37.24	3,359.37	35.30

Table 1
Summary of Monitoring Well Completion and Gauging Data
Targa Midstream Services LLC, Eunice Gas Plant
Lea County, New Mexico

Well Information		Groundwater Data					
Well ID		Date Gauged	Depth to Product (feet TOC)	LNAPL Thickness (feet)	Depth to Water (feet TOC)	Corrected Groundwater Elevation (feet AMSL)	Depth to Corrected Groundwater (feet BGS)
MW-16		6/12/2003	--	--	41.25	3,363.26	39.22
Date Drilled:	6/4/2003	11/11/2003	--	--	39.81	3,364.70	37.78
Drilled Depth BGS (feet):	45	5/24/2004	--	--	39.45	3,365.06	37.42
Well Depth from TOC (feet):	47.03	11/8/2004	--	--	39.48	3,365.03	37.45
Well Diameter (inches):	2	5/24/2005	--	--	38.97	3,365.54	36.94
Screen Interval BGS (feet):	25.00-44.49	11/30/2005	--	--	38.93	3,365.58	36.90
Casing Stickup (feet):	2.03	1/19/2006	--	--	38.82	3,365.69	36.79
Ground Elevation AMSL (feet)	3,402.48	6/26/2006	--	--	38.86	3,365.65	36.83
TOC Elevation AMSL (feet)	3,404.51	12/4/2006	--	--	38.70	3,365.81	36.67
Notes:		6/6/2007	--	--	38.61	3,365.90	36.58
		12/3/2007	--	--	38.65	3,365.86	36.62
		6/25/2008	--	--	38.54	3,365.97	36.51
		11/24/2008	--	--	38.59	3,365.92	36.56
		3/23/2009	--	--	38.45	3,366.06	36.42
		10/12/2009	--	--	38.60	3,365.91	36.57
		6/21/2010	--	--	38.60	3,365.91	36.57
		11/10/2010	--	--	38.56	3,365.95	36.53
		6/21/2011	--	--	38.41	3,366.10	36.38
		11/28/2011	--	--	38.48	3,366.03	36.45
		6/18/2012	--	--	38.49	3,366.02	36.46
		12/3/2012	--	--	40.62	3,363.89	38.59
		5/15/2013	--	--	40.67	3,363.84	38.64
		10/1/2013	--	--	11.52	3,392.99	9.49
		11/18/2013	--	--	40.80	3,363.71	38.77
		6/20/2014	--	--	40.83	3,363.68	38.80
		12/17/2014	--	--	40.66	3,363.85	38.63
		5/11/2015	--	--	40.85	3,363.66	38.82
		11/9/2015	--	--	40.80	3,363.71	38.77
		4/4/2016	--	--	40.52	3,363.99	38.49
		4/25/2016	--	--	40.43	3,364.08	38.40
		11/7/2016	--	--	40.45	3,364.06	38.42
		5/23/2017	--	--	40.30	3,364.21	38.27
	11/28/2017	--	--	40.19	3,364.32	38.16	
	6/15/2018	--	--	40.13	3,364.38	38.10	
	1/4/2019	--	--	40.01	3,364.50	37.98	
	8/17/2020	--	--	39.99	3,364.52	37.96	
	10/25/2021	--	--	39.88	3,364.63	37.85	

Table 1
Summary of Monitoring Well Completion and Gauging Data
Targa Midstream Services LLC, Eunice Gas Plant
Lea County, New Mexico

Well Information		Groundwater Data					
Well ID		Date Gauged	Depth to Product (feet TOC)	LNAPL Thickness (feet)	Depth to Water (feet TOC)	Corrected Groundwater Elevation (feet AMSL)	Depth to Corrected Groundwater (feet BGS)
MW-17		1/19/2006	--	--	Dry	--	--
Date Drilled:	12/19/2005	4/15/2015		Well Plugged			
Drilled Depth BGS (feet):	35						
Well Depth from TOC (feet):	37.02						
Well Diameter (inches):	2						
Screen Interval BGS (feet):	19.49-34.49						
Casing Stickup (feet):	2.02						
Ground Elevation AMSL (feet)	3,372.62						
TOC Elevation AMSL (feet)	3,374.64						
Notes:							
MW-18		1/19/2006	--	--	26.06	3,349.11	23.91
Date Drilled:	12/19/2005	6/26/2006	--	--	26.54	3,348.63	24.39
Drilled Depth BGS (feet):	35	12/4/2006	--	--	26.44	3,348.73	24.29
Well Depth from TOC (feet):	37.15	6/7/2007	--	--	26.15	3,349.02	24.00
Well Diameter (inches):	2	12/3/2007	--	--	26.43	3,348.74	24.28
Screen Interval BGS (feet):	19.49-34.49	6/25/2008	--	--	26.87	3,348.30	24.72
Casing Stickup (feet):	2.15	11/24/2008	--	--	26.93	3,348.24	24.78
Ground Elevation AMSL (feet)	3,373.02	3/23/2009	--	--	27.03	3,348.14	24.88
TOC Elevation AMSL (feet)	3,375.17	10/12/2009	--	--	27.34	3,347.83	25.19
Notes:		6/21/2010	--	--	27.39	3,347.78	25.24
		11/10/2010	--	--	27.03	3,348.14	24.88
		6/22/2011	--	--	27.42	3,347.75	25.27
		11/28/2011	--	--	27.50	3,347.67	25.35
		6/18/2012	--	--	27.58	3,347.59	25.43
		12/3/2012	--	--	29.82	3,345.35	27.67
		5/15/2013	--	--	--	--	--
		10/2/2013	--	--	30.09	3,345.08	27.94
		11/18/2013	--	--	29.82	3,345.35	27.67
		6/20/2014	--	--	29.69	3,345.48	27.54
		12/19/2014	--	--	28.95	3,346.22	26.80
		5/11/2015	--	--	28.79	3,346.38	26.64
		11/9/2015	--	--	28.81	3,346.36	26.66
		4/4/2016	--	--	28.45	3,346.72	26.30
		4/25/2016	--	--	28.40	3,346.77	26.25
		11/7/2016	--	--	28.34	3,346.83	26.19
		5/23/2017	--	--	28.27	3,346.90	26.12
		11/28/2017	--	--	28.35	3,346.82	26.20
		6/13/2018	--	--	28.72	3,346.45	26.57
		4/1/2019	--	--	28.64	3,346.53	26.49
		8/17/2020	--	--	29.19	3,345.98	27.04
		10/25/2021	--	--	29.43	3,345.74	27.28

Table 1
Summary of Monitoring Well Completion and Gauging Data
Targa Midstream Services LLC, Eunice Gas Plant
Lea County, New Mexico

Well Information		Groundwater Data					
Well ID		Date Gauged	Depth to Product (feet TOC)	LNAPL Thickness (feet)	Depth to Water (feet TOC)	Corrected Groundwater Elevation (feet AMSL)	Depth to Corrected Groundwater (feet BGS)
MW-19		11/30/2005	--	--	29.36	3,351.65	26.90
Date Drilled:	10/31/2005	1/19/2006	--	--	29.27	3,351.74	26.81
Drilled Depth BGS (feet):	38	6/26/2006	--	--	29.08	3,351.93	26.62
Well Depth from TOC (feet):	40.46	12/4/2006	--	--	29.31	3,351.70	26.85
Well Diameter (inches):	2	6/6/2007	--	--	29.25	3,351.76	26.79
Screen Interval BGS (feet):	23.0-37.49	12/3/2007	--	--	29.19	3,351.82	26.73
Casing Stickup (feet):	2.46	6/25/2008	--	--	29.39	3,351.62	26.93
Ground Elevation AMSL (feet)	3,378.55	11/24/2008	--	--	29.55	3,351.46	27.09
TOC Elevation AMSL (feet)	3,381.01	3/23/2009	--	--	29.55	3,351.46	27.09
Notes:		10/12/2009	--	--	29.76	3,351.25	27.30
		6/21/2010	--	--	29.85	3,351.16	27.39
		11/10/2010	--	--	29.73	3,351.28	27.27
		6/22/2011	--	--	29.77	3,351.24	27.31
		11/28/2011	--	--	29.87	3,351.14	27.41
		6/18/2012	--	--	30.06	3,350.95	27.60
		12/3/2012	--	--	32.45	3,348.56	29.99
		5/15/2013	--	--	--	--	--
		10/2/2013	--	--	32.64	3,348.37	30.18
		11/18/2013	--	--	32.61	3,348.40	30.15
		6/20/2014	--	--	32.44	3,348.57	29.98
		9/18/2014	--	--	32.58	3,348.43	30.12
		12/22/2014	--	--	32.15	3,348.86	29.69
		5/11/2015	--	--	32.03	3,348.98	29.57
		11/9/2015	--	--	32.05	3,348.96	29.59
		4/4/2016	--	--	31.86	3,349.15	29.40
		4/25/2016	--	--	31.81	3,349.20	29.35
		11/7/2016	--	--	31.79	3,349.22	29.33
		5/23/2017	--	--	31.59	3,349.42	29.13
		11/28/2017	--	--	31.52	3,349.49	29.06
		6/13/2018	--	--	31.46	3,349.55	29.00
		4/1/2019	--	--	31.46	3,349.55	29.00
		8/17/2020	--	--	31.94	3,349.07	29.48
		10/25/2021	--	--	32.09	3,348.92	29.63
MW-20		11/30/2005	--	--	36.16	3,353.93	33.75
Date Drilled:	10/31/2005	1/19/2006	--	--	36.06	3,354.03	33.65
Drilled Depth BGS (feet):	48	6/26/2006	--	--	35.89	3,354.20	33.48
Well Depth from TOC (feet):	50.41	12/4/2006	--	--	35.87	3,354.22	33.46
Well Diameter (inches):	2	6/6/2007	--	--	35.79	3,354.30	33.38
Screen Interval BGS (feet):	33.0-47.41	12/3/2007	--	--	35.66	3,354.43	33.25
Casing Stickup (feet):	2.41	6/25/2008	--	--	35.80	3,354.29	33.39
Ground Elevation AMSL (feet)	3,387.68	11/24/2008	--	--	35.92	3,354.17	33.51
TOC Elevation AMSL (feet)	3,390.09	3/23/2009	--	--	35.92	3,354.17	33.51
Notes:		10/12/2009	--	--	36.09	3,354.00	33.68
		6/21/2010	--	--	36.23	3,353.86	33.82
		11/10/2010	--	--	36.02	3,354.07	33.61
		6/22/2011	--	--	36.13	3,353.96	33.72
		11/28/2011	--	--	36.26	3,353.83	33.85
		6/18/2012	--	--	36.30	3,353.79	33.89
		12/3/2012	--	--	38.83	3,351.26	36.42
		5/15/2013	--	--	--	--	--
		10/2/2013	--	--	39.02	3,351.07	36.61
		11/18/2013	--	--	38.91	3,351.18	36.50
		12/22/2014	--	--	39.39	3,350.70	36.98
		5/11/2015	--	--	38.34	3,351.75	35.93
		11/9/2015	--	--	38.38	3,351.71	35.97
		4/4/2016	--	--	38.13	3,351.96	35.72
		4/25/2016	--	--	38.06	3,352.03	35.65
		11/7/2016	--	--	37.96	3,352.13	35.55
		5/23/2017	--	--	37.77	3,352.32	35.36
		11/28/2017	--	--	37.59	3,352.50	35.18
		6/13/2018	--	--	37.51	3,352.58	35.10
		4/1/2019	--	--	NR	NR	NR
		8/17/2020	--	--	37.86	3,352.23	35.45
		10/25/2021	--	--	38.05	3,352.04	35.64

Table 1
Summary of Monitoring Well Completion and Gauging Data
Targa Midstream Services LLC, Eunice Gas Plant
Lea County, New Mexico

Well Information		Groundwater Data					
Well ID		Date Gauged	Depth to Product (feet TOC)	LNAPL Thickness (feet)	Depth to Water (feet TOC)	Corrected Groundwater Elevation (feet AMSL)	Depth to Corrected Groundwater (feet BGS)
MW-21		3/23/2009	--	--	31.75	3,356.25	29.57
Date Drilled:	2/19/2009	10/12/2009	--	--	31.96	3,356.04	29.78
Drilled Depth BGS (feet):	45	6/21/2010	--	--	32.43	3,355.57	30.25
Well Depth from TOC (feet):	47.18	11/10/2010	--	--	31.02	3,356.98	28.84
Well Diameter (inches):	2	6/21/2011	--	--	32.21	3,355.79	30.03
Screen Interval BGS (feet):	25-45	11/28/2011	--	--	32.56	3,355.44	30.38
Casing Stickup (feet):	2.18	6/18/2012	--	--	32.03	3,355.97	29.85
Ground Elevation AMSL (feet)	3,385.82	12/3/2012	--	--	35.14	3,352.86	32.96
TOC Elevation AMSL (feet)	3,388.00	5/15/2013	--	--	35.28	3,352.72	33.10
Notes:		10/2/2013	--	--	38.48	3,349.52	36.30
		11/18/213	--	--	34.14	3,353.86	31.96
		12/18/2014	--	--	33.25	3,354.75	31.07
		5/11/2015	--	--	34.32	3,353.68	32.14
		11/9/2015	--	--	31.92	3,356.08	29.74
		4/4/2016	--	--	33.04	3,354.96	30.86
		4/25/2016	--	--	33.12	3,354.88	30.94
		11/7/2016	--	--	31.20	3,356.80	29.02
		5/23/2017	--	--	31.73	3,356.27	29.55
		11/28/2017	--	--	31.46	3,356.54	29.28
		6/15/2018	--	--	31.97	3,356.03	29.79
		4/1/2019	--	--	32.51	3,355.49	30.33
		8/17/2020	--	--	32.66	3,355.34	30.48
	10/25/2021	--	--	34.18	3,353.82	32.00	
MW-22		3/19/2010	29.47	2.85	32.32	3,371.79	27.16
Date Drilled:	3/8/2010	6/21/2010	25.94	2.85	28.79	3,375.32	23.63
Drilled Depth BGS (feet):	32	11/10/2010	26.14	2.85	28.99	3,375.12	23.82
Well Depth from TOC (feet):	35.17	6/22/2011	29.91	0.53	30.44	3,372.04	26.90
Well Diameter (inches):	2	11/28/2011	29.92	1.48	31.40	3,371.75	27.19
Screen Interval BGS (feet):	21.5-31	6/25/2012	27.65	3.98	31.63	3,373.27	25.67
Casing Stickup (feet):	3.17	12/3/2012	--	--	--	--	--
Ground Elevation AMSL (feet)	3,398.94	5/15/2013	30.68	3.85	34.53	3,370.28	28.67
TOC Elevation AMSL (feet)	3,402.11	10/2/2013	30.85	4.32	35.17	3,369.96	28.98
Notes:		11/18/2013	30.81	4.04	34.85	3,370.09	28.85
		02/11/2014	30.83	3.75	34.58	3,370.16	28.78
		6/20/2014	30.91	3.70	34.61	3,370.09	28.85
		9/19/2014	30.65	3.87	34.52	3,370.30	28.64
		12/22/2014	29.71	0.88	30.59	3,372.14	26.80
		5/11/2015	30.51	3.38	33.89	3,370.59	28.35
		11/9/2015	30.37	3.38	33.75	3,370.73	28.21
		4/4/2016	29.63	1.02	30.65	3,372.17	26.77
		4/25/2016	29.55	1.08	30.63	3,372.24	26.70
		11/7/2016	29.6	1.06	30.66	3,372.19	26.75
		5/23/2017	29.73	1.67	31.40	3,371.88	27.06
		11/28/2017	--	--	29.13	3,372.98	25.96
		6/13/2018	29.51	2.64	32.15	3,371.81	27.13
		4/1/2019	29.81	3.96	33.77	3,371.11	27.83
		7/29/2019	29.98	4.26	34.24	3,370.85	28.09
	8/17/2020	30.27	4.40	34.67	3,370.52	28.42	
	10/25/2021	30.09	3.72	33.81	3,370.90	28.04	

Table 1
Summary of Monitoring Well Completion and Gauging Data
Targa Midstream Services LLC, Eunice Gas Plant
Lea County, New Mexico

Well Information		Groundwater Data					
Well ID		Date Gauged	Depth to Product (feet TOC)	LNAPL Thickness (feet)	Depth to Water (feet TOC)	Corrected Groundwater Elevation (feet AMSL)	Depth to Corrected Groundwater (feet BGS)
MW-23		3/19/2010	--	--	19.68	3,372.37	16.84
Date Drilled:	3/9/2010	6/21/2010	--	--	20.33	3,371.72	17.49
Drilled Depth BGS (feet):	31	11/10/2010	--	--	19.34	3,372.71	16.50
Well Depth from TOC (feet):	33.84	6/21/2011	--	--	20.54	3,371.51	17.70
Well Diameter (inches):	2	11/28/2011	--	--	20.57	3,371.48	17.73
Screen Interval BGS (feet):	20.5-30.5	6/18/2012	--	--	20.96	3,371.09	18.12
Casing Stickup (feet):	2.84	12/3/2012	--	--	24.07	3,367.98	21.23
Ground Elevation AMSL (feet)	3,389.21	5/15/2013	Sheen	--	24.46	3,367.59	21.62
TOC Elevation AMSL (feet)	3,392.05	10/2/2013	--	--	25.16	3,366.89	22.32
Notes:		11/18/2013	--	--	24.36	3,367.69	21.52
		6/20/2014	--	--	24.96	3,367.09	22.12
		12/17/2014	22.46	0.01	22.47	3,369.59	19.62
		5/11/2015	--	--	23.76	3,368.29	20.92
		11/9/2015	--	--	22.91	3,369.14	20.07
		4/4/2016	--	--	22.18	3,369.87	19.34
		4/25/2016	--	--	22.12	3,369.93	19.28
		11/7/2016	--	--	21.86	3,370.19	19.02
		5/23/2017	--	--	21.85	3,370.20	19.01
		11/28/2017	--	--	21.56	3,370.49	18.72
		6/13/2018	--	--	22.91	3,369.14	20.07
		4/1/2019	--	--	21.79	3,370.26	18.95
		7/29/2019	--	--	22.97	3,369.08	20.13
		8/17/2020	--	--	24.20	3,367.85	21.36
	10/25/2021	--	--	24.81	3,367.24	21.97	
MW-24		5/27/2010	--	--	30.06	3,373.46	27.52
Date Drilled:	5/21/2010	6/21/2010	--	--	30.09	3,373.43	27.55
Drilled Depth BGS (feet):	35	11/10/2010	--	--	29.56	3,373.96	27.02
Well Depth from TOC (feet):	37.54	6/22/2011	--	--	29.79	3,373.73	27.25
Well Diameter (inches):	2	11/28/2011	--	--	30.11	3,373.41	27.57
Screen Interval BGS (feet):	19.5-34.5	6/18/2012	--	--	30.34	3,373.18	27.80
Casing Stickup (feet):	2.54	12/3/2012	--	--	32.88	3,370.64	30.34
Ground Elevation AMSL (feet)	3,400.98	5/15/2013	--	--	33.02	3,370.50	30.48
TOC Elevation AMSL (feet)	3,403.52	10/2/2013	--	--	33.25	3,370.27	30.71
Notes:		11/18/2013	--	--	33.27	3,370.25	30.73
		6/20/2014	--	--	33.45	3,370.07	30.91
		9/18/2014	--	--	34.24	3,369.28	31.70
		12/22/2014	33.24	0.01	33.25	3,370.28	30.70
		5/11/2015	--	--	33.21	3,370.31	30.67
		11/9/2015	--	--	33.49	3,370.03	30.95
		4/4/2016	--	--	32.11	3,371.41	29.57
		4/25/2016	--	--	32.02	3,371.50	29.48
		11/7/2016	--	--	31.93	3,371.59	29.39
		5/23/2017	--	--	31.83	3,371.69	29.29
		11/28/2017	--	--	31.88	3,371.64	29.34
		6/13/2018	--	--	32.08	3,371.44	29.54
		4/1/2019	--	--	32.29	3,371.23	29.75
		7/29/2019	--	--	32.46	3,371.06	29.92
	8/17/2020	--	--	32.78	3,370.74	30.24	
	10/25/2021	--	--	32.58	3,370.94	30.04	

Table 1
Summary of Monitoring Well Completion and Gauging Data
Targa Midstream Services LLC, Eunice Gas Plant
Lea County, New Mexico

Well Information		Groundwater Data					
Well ID		Date Gauged	Depth to Product (feet TOC)	LNAPL Thickness (feet)	Depth to Water (feet TOC)	Corrected Groundwater Elevation (feet AMSL)	Depth to Corrected Groundwater (feet BGS)
MW-25		5/27/2010	--	--	33.02	3,372.40	30.88
Date Drilled:	5/21/2010	6/21/2010	--	--	33.05	3,372.37	30.91
Drilled Depth BGS (feet):	36	11/10/2010	--	--	32.83	3,372.59	30.69
Well Depth from TOC (feet):	38.14	6/22/2011	--	--	32.79	3,372.63	30.65
Well Diameter (inches):	2	11/28/2011	--	--	33.05	3,372.37	30.91
Screen Interval BGS (feet):	20.5-35.5	6/18/2012	--	--	33.30	3,372.12	31.16
Casing Stickup (feet):	2.14	12/3/2012	--	--	35.57	3,369.85	33.43
Ground Elevation AMSL (feet)	3,403.28	5/15/2013	--	--	35.59	3,369.83	33.45
TOC Elevation AMSL (feet)	3,405.42	10/2/2013	--	--	35.92	3,369.50	33.78
Notes:		11/18/2013	--	--	35.96	3,369.46	33.82
		6/20/2014	--	--	36.21	3,369.21	34.07
		12/19/2014	--	--	36.35	3,369.07	34.21
		5/11/2015	--	--	36.15	3,369.27	34.01
		11/9/2015	--	--	36.20	3,369.22	34.06
		4/4/2016	--	--	35.07	3,370.35	32.93
		4/25/2016	--	--	35.01	3,370.41	32.87
		11/7/2016	--	--	35.05	3,370.37	32.91
		5/23/2017	--	--	34.90	3,370.52	32.76
		11/28/2017	--	--	34.89	3,370.53	32.75
		6/13/2018	--	--	35.07	3,370.35	32.93
		4/1/2019	--	--	34.03	3,371.39	31.89
		7/29/2019	--	--	35.24	3,370.18	33.10
		8/17/2020	--	--	34.91	3,370.51	32.77
		10/25/2021	--	--	34.43	3,370.99	32.29
MW-26		5/27/2010	--	--	31.39	3,372.20	28.60
Date Drilled:	5/24/2010	6/21/2010	--	--	31.43	3,372.16	28.64
Drilled Depth BGS (feet):	34	11/10/2010	--	--	31.03	3,372.56	28.24
Well Depth from TOC (feet):	36.79	6/22/2011	--	--	31.21	3,372.38	28.42
Well Diameter (inches):	2	11/28/2011	--	--	31.49	3,372.10	28.70
Screen Interval BGS (feet):	18.5-33.5	6/18/2012	--	--	31.77	3,371.82	28.98
Casing Stickup (feet):	2.79	12/3/2012	--	--	34.32	3,369.27	31.53
Ground Elevation AMSL (feet)	3,400.80	5/15/2013	--	--	34.50	3,369.09	31.71
TOC Elevation AMSL (feet)	3,403.59	10/2/2013	--	--	34.77	3,368.82	31.98
Notes:		11/18/2013	--	--	34.08	3,369.51	31.29
		6/20/2014	--	--	35.04	3,368.55	32.25
		9/18/2014	--	--	32.14	3,371.45	29.35
		12/22/2014	34.33	0.01	34.34	3,369.26	31.54
		5/11/2015	--	--	34.44	3,369.15	31.65
		11/9/2015	--	--	34.55	3,369.04	31.76
		4/4/2016	--	--	33.93	3,369.66	31.14
		4/25/2016	--	--	33.85	3,369.74	31.06
		11/7/2016	--	--	33.72	3,369.87	30.93
		5/23/2017	--	--	33.61	3,369.98	30.82
		11/28/2017	--	--	33.49	3,370.10	30.70
		6/13/2018	--	--	33.76	3,369.83	30.97
		4/1/2019	--	--	33.71	3,369.88	30.92
		7/29/2019	--	--	33.93	3,369.66	31.14
		8/17/2020	--	--	33.57	3,370.02	30.78
	10/25/2021	--	--	32.30	3,371.29	29.51	

Table 1
Summary of Monitoring Well Completion and Gauging Data
Targa Midstream Services LLC, Eunice Gas Plant
Lea County, New Mexico

Well Information		Groundwater Data					
Well ID		Date Gauged	Depth to Product (feet TOC)	LNAPL Thickness (feet)	Depth to Water (feet TOC)	Corrected Groundwater Elevation (feet AMSL)	Depth to Corrected Groundwater (feet BGS)
MW-27		6/22/2011	28.55	1.09	29.64	3,371.24	26.86
Date Drilled:	2/4/2011	11/28/2011	26.31	3.47	29.78	3,372.77	25.33
Drilled Depth BGS (feet):	36.5	6/25/2012	26.74	3.24	29.98	3,372.41	25.69
Well Depth from TOC (feet):	38.49	12/3/2012	--	--	--	--	--
Well Diameter (inches):	2	5/15/2013	28.96	2.73	31.69	3,370.34	27.76
Screen Interval BGS (feet):	16.5-36.5	10/2/2013	29.20	2.60	31.80	3,370.14	27.96
Casing Stickup (feet):	1.99	11/18/2013	29.27	2.68	31.95	3,370.05	28.05
Ground Elevation AMSL (feet)	3,398.10	02/11/2014	29.35	2.60	31.95	3,369.99	28.11
TOC Elevation AMSL (feet)	3,400.12	6/20/2014	29.51	0.08	29.59	3,370.59	27.51
Notes:		8/27/2014	29.59	2.24	31.83	3,369.86	28.24
		9/18/2014	29.61	1.96	31.57	3,369.92	28.18
		12/19/2014	29.1	1.49	30.59	3,370.57	27.53
		5/11/2015	29.09	0.70	29.79	3,370.82	27.28
		11/9/2015	29.02	0.74	29.76	3,370.88	27.22
		4/4/2016	--	--	28.80	3,371.32	26.78
		4/25/2016	Sheen	--	28.75	3,371.37	26.73
		11/7/2016	--	--	29.53	3,370.59	27.51
		5/23/2017	--	--	28.54	3,371.58	26.52
		11/28/2017	--	--	28.36	3,371.76	26.34
		6/13/2018	--	--	28.51	3,371.61	26.49
		4/1/2019	--	--	28.74	3,371.38	26.72
		7/29/2019	--	--	28.89	3,371.23	26.87
		8/17/2020	28.81	2.37	31.18	3,370.60	27.50
		10/25/2021	29.07	2.42	31.49	3,370.32	27.78
	MW-28		6/22/2011	26.59	0.03	26.62	3,373.51
Date Drilled:	2/7/2011	11/28/2011	--	--	27.05	3,373.06	24.14
Drilled Depth BGS (feet):	33.5	6/18/2012	--	--	27.40	3,372.71	24.49
Well Depth from TOC (feet):	36.41	12/3/2012	--	--	30.53	3,369.58	27.62
Well Diameter (inches):	2	5/15/2013	--	--	30.78	3,369.33	27.87
Screen Interval BGS (feet):	18.5-33.5	10/2/2013	--	--	31.10	3,369.01	28.19
Casing Stickup (feet):	2.91	11/18/2013	--	--	31.06	3,369.05	28.15
Ground Elevation AMSL (feet)	3,397.20	6/20/2014	--	--	31.21	3,368.90	28.30
TOC Elevation AMSL (feet)	3,400.11	8/27/2014	31.31	0.01	31.32	3,368.80	28.40
Notes:		9/18/2014	31.34	0.01	31.35	3,368.77	28.43
		12/22/2014	28.56	0.01	28.57	3,371.55	25.65
		5/11/2015	--	--	30.16	3,369.95	27.25
		11/9/2015	--	--	30.37	3,369.74	27.46
		4/4/2016	--	--	29.16	3,370.95	26.25
		4/25/2016	--	--	29.10	3,371.01	26.19
		11/7/2016	--	--	28.72	3,371.39	25.81
		5/23/2017	--	--	30.24	3,369.87	27.33
		11/28/2017	--	--	29.75	3,370.36	26.84
		6/13/2018	--	--	30.73	3,369.38	27.82
		4/1/2019	--	--	31.09	3,369.02	28.18
		7/29/2019	--	--	31.33	3,368.78	28.42
		8/17/2020	--	--	31.74	3,368.37	28.83
	10/25/2021	--	--	31.59	3,368.52	28.68	

Table 1
Summary of Monitoring Well Completion and Gauging Data
Targa Midstream Services LLC, Eunice Gas Plant
Lea County, New Mexico

Well Information		Groundwater Data					
Well ID		Date Gauged	Depth to Product (feet TOC)	LNAPL Thickness (feet)	Depth to Water (feet TOC)	Corrected Groundwater Elevation (feet AMSL)	Depth to Corrected Groundwater (feet BGS)
MW-29		6/21/2011	23.84	1.03	24.87	3,368.03	21.27
Date Drilled:	3/9/2011	11/28/2011	24.25	1.08	25.33	3,367.61	21.69
Drilled Depth BGS (feet):	26	6/18/2012	24.37	0.97	25.34	3,367.52	21.78
Well Depth from TOC (feet):	28.88	12/3/2012	27.77	0.53	28.30	3,364.25	25.05
Well Diameter (inches):	2	5/15/2013	27.90	0.34	28.24	3,364.18	25.12
Screen Interval BGS (feet):	--	10/2/2013	28.13	0.10	28.23	3,364.02	25.28
Casing Stickup (feet):	2.88	11/18/2013	28.16	0.07	28.23	3,364.00	25.30
Ground Elevation AMSL (feet)	3,389.30	02/11/2014	28.23	0.03	28.26	3,363.94	25.36
TOC Elevation AMSL (feet)	3,392.18	6/20/2014	--	--	28.33	3,363.85	25.45
Notes:		8/27/2014	28.33	0.01	28.34	3,363.85	25.45
		9/18/2014	28.36	0.33	28.69	3,363.72	25.58
		12/19/2014	28.21	0.01	28.22	3,363.97	25.33
		5/11/2015	--	--	27.43	3,364.75	24.55
		11/9/2015	26.90	0.96	27.86	3,364.99	24.31
		4/4/2016	26.10	1.84	27.94	3,365.53	23.77
		4/25/2016	25.87	2.06	27.93	3,365.69	23.61
		11/7/2016	25.67	0.53	26.20	3,366.35	22.95
		5/23/2017	--	--	25.31	3,366.87	22.43
		11/28/2017	--	--	25.12	3,367.06	22.24
		6/13/2018	--	--	25.81	3,366.37	22.93
		4/1/2019	25.59	0.01	25.60	3,366.59	22.71
		7/29/2019	--	--	26.15	3,366.03	23.27
		8/17/2020	26.88	0.01	26.89	3,365.30	24.00
	10/25/2021	--	--	27.81	3,364.37	24.93	
MW-30		5/11/2015	--	--	41.04	3,331.04	38.26
Date Drilled:	4/15/2015	11/9/2015	--	--	40.83	3,331.25	38.05
Drilled Depth BGS (feet):	41	4/4/2016	--	--	40.14	3,331.94	37.36
Well Depth from TOC (feet):	43.78	4/25/2016	--	--	40.04	3,332.04	37.26
Well Diameter (inches):	2	11/7/2016	--	--	39.8	3,332.28	37.02
Screen Interval BGS (feet):	20.75-40.75	5/23/2017	--	--	39.40	3,332.68	36.62
Casing Stickup (feet):	2.78	11/28/2017	--	--	39.14	3,332.94	36.36
Ground Elevation AMSL (feet)	3,369.30	6/13/2018	--	--	38.78	3,333.30	36.00
TOC Elevation AMSL (feet)	3,372.08	4/1/2019	--	--	38.71	3,333.37	35.93
Notes:		8/17/2020	--	--	39.90	3,332.18	37.12
		10/25/2021	--	--	39.88	3,332.20	37.10
MW-31		4/13/2016	--	--	45.65	3,318.35	42.95
Date Drilled:	4/12/2016	4/25/2016	--	--	48.63	3,315.37	45.93
Drilled Depth BGS (feet):	51	11/7/2016	--	--	48.5	3,315.50	45.80
Well Depth from TOC (feet):	53.7	5/23/2017	--	--	48.35	3,315.65	45.65
Well Diameter (inches):	2	11/28/2017	--	--	48.17	3,315.83	45.47
Screen Interval BGS (feet):	30.45-50.18	6/13/2018	--	--	47.91	3,316.09	45.21
Casing Stickup (feet):	2.7	4/1/2019	--	--	47.58	3,316.42	44.88
Ground Elevation AMSL (feet)	3,361.30	8/17/2020	--	--	48.72	3,315.28	46.02
TOC Elevation AMSL (feet)	3,364.00	10/25/2021	--	--	47.88	3,316.12	45.18
Notes:							

Table 1
Summary of Monitoring Well Completion and Gauging Data
Targa Midstream Services LLC, Eunice Gas Plant
Lea County, New Mexico

Well Information		Groundwater Data					
Well ID		Date Gauged	Depth to Product (feet TOC)	LNAPL Thickness (feet)	Depth to Water (feet TOC)	Corrected Groundwater Elevation (feet AMSL)	Depth to Corrected Groundwater (feet BGS)
MW-32		4/4/2016	26.88	2.55	29.43	3,371.44	27.67
Date Drilled:	8/4/2015	4/25/2016	26.80	--	29.32	3,369.76	29.34
Drilled Depth BGS (feet):	42	11/7/2016	26.84	2.58	29.42	3,371.47	27.63
Well Depth from TOC (feet):	40.22	5/23/2017	27.00	2.78	29.78	3,371.25	27.85
Well Diameter (inches):	2	11/28/2017	26.50	2.07	28.57	3,371.96	27.14
Screen Interval BGS (feet):	19.99-39.72	6/13/2018	26.92	3.49	30.41	3,371.11	27.99
Casing Stickup (feet):	-0.02	4/1/2019	27.08	4.60	31.68	3,370.62	28.48
Ground Elevation AMSL (feet)	3,399.10	7/29/2019	27.25	4.86	32.11	3,370.37	28.73
TOC Elevation AMSL (feet)	3,399.08	8/17/2020	27.52	5.08	32.6	3,370.04	29.06
Notes:		10/25/2021	27.34	3.77	31.11	3,370.61	28.49
MW-33		4/4/2016	28.81	2.09	30.90	3,370.84	29.46
Date Drilled:	11/11/2015	4/25/2016	28.72	2.28	31.00	3,370.88	29.42
Drilled Depth BGS (feet):	43	11/7/2016	28.4	3.50	31.9	3,370.83	29.47
Well Depth from TOC (feet):	39.65	5/23/2017	28.45	3.45	31.90	3,370.80	29.51
Well Diameter (inches):	2	11/28/2017	28.18	3.40	31.58	3,371.08	29.22
Screen Interval BGS (feet):	19.42-39.15	6/13/2018	28.52	3.75	32.27	3,370.64	29.67
Casing Stickup (feet):	-0.02	4/1/2019	28.51	4.73	33.24	3,370.35	29.95
Ground Elevation AMSL (feet)	3,400.30	7/29/2019	28.65	4.91	33.56	3,370.16	30.14
TOC Elevation AMSL (feet)	3,400.28	8/17/2020	28.72	5.21	33.93	3,370.00	30.30
Notes:		10/25/2021	28.34	3.97	32.31	3,370.75	29.55
MW-34		4/4/2016	28.20	1.93	30.13	3,370.79	28.71
Date Drilled:	11/12/2015	4/25/2016	27.69	3.76	31.45	3,370.75	28.75
Drilled Depth BGS (feet):	41	11/7/2016	27.44	4.61	32.05	3,370.75	28.75
Well Depth from TOC (feet):	40.11	5/23/2017	27.56	4.52	32.08	3,370.65	28.85
Well Diameter (inches):	2	11/28/2017	27.15	4.31	31.46	3,371.13	28.37
Screen Interval BGS (feet):	19.84-39.57	6/13/2018	27.64	5.02	32.66	3,370.42	29.08
Casing Stickup (feet):	0.07	4/1/2019	27.72	5.69	33.41	3,370.14	29.36
Ground Elevation AMSL (feet)	3,399.50	7/29/2019	27.92	5.75	33.67	3,369.93	29.57
TOC Elevation AMSL (feet)	3,399.57	8/17/2020	28.04	6.04	34.08	3,369.72	29.78
Notes:		10/25/2021	27.70	4.51	32.21	3,370.52	28.98

Table 1
Summary of Monitoring Well Completion and Gauging Data
Targa Midstream Services LLC, Eunice Gas Plant
Lea County, New Mexico

Well Information		Groundwater Data					
Well ID		Date Gauged	Depth to Product (feet TOC)	LNAPL Thickness (feet)	Depth to Water (feet TOC)	Corrected Groundwater Elevation (feet AMSL)	Depth to Corrected Groundwater (feet BGS)
MW-35		4/4/2016	26.45	2.90	29.35	3,371.30	27.30
Date Drilled:	11/12/2015	4/25/2016	26.38	2.84	29.22	3,371.39	27.21
Drilled Depth BGS (feet):	42	11/7/2016	26.38	2.41	28.79	3,371.52	27.08
Well Depth from TOC (feet):	39.75	5/23/2017	26.55	3.19	29.74	3,371.11	27.49
Well Diameter (inches):	2	11/28/2017	26.13	1.99	28.12	3,371.89	26.71
Screen Interval BGS (feet):	19.48-39.21	6/13/2018	26.62	4.06	30.68	3,370.78	27.82
Casing Stickup (feet):	0.02	4/1/2019	26.69	5.46	32.15	3,370.29	28.31
Ground Elevation AMSL (feet)	3,398.60	7/29/2019	26.9	5.75	32.65	3,370.00	28.61
TOC Elevation AMSL (feet)	3,398.62	8/17/2020	27.08	6.15	33.23	3,369.70	28.91
Notes:		10/25/2021	26.84	4.54	31.38	3,370.42	28.18
MW-36		4/4/2016	--	--	26.95	3,371.30	26.90
Date Drilled:	11/17/2015	4/25/2016	--	--	26.86	3,371.39	26.81
Drilled Depth BGS (feet):	43	11/7/2016	--	--	26.65	3,371.60	26.60
Well Depth from TOC (feet):	39.48	5/23/2017	--	--	26.97	3,371.28	26.92
Well Diameter (inches):	2	11/28/2017	--	--	26.31	3,371.94	26.26
Screen Interval BGS (feet):	19.18-38.91	6/13/2018	--	--	27.42	3,370.83	27.37
Casing Stickup (feet):	0.05	4/1/2019	--	--	27.59	3,370.66	27.54
Ground Elevation AMSL (feet)	3,398.20	7/29/2019	--	--	28.03	3,370.22	27.98
TOC Elevation AMSL (feet)	3,398.25	8/17/2020	--	--	28.33	3,369.92	28.28
Notes:		10/25/2021	--	--	27.83	3,370.42	27.78
MW-37		4/4/2016	27.03	3.68	30.71	3,370.45	28.15
Date Drilled:	11/16/2015	4/25/2016	27.47	1.78	29.25	3,370.58	28.02
Drilled Depth BGS (feet):	42	11/7/2016	26.58	4.72	31.3	3,370.58	28.02
Well Depth from TOC (feet):	39.79	5/23/2017	26.65	4.93	31.58	3,370.45	28.15
Well Diameter (inches):	2	11/28/2017	26.34	4.11	30.45	3,371.01	27.59
Screen Interval BGS (feet):	19.63-39.36	6/13/2018	26.91	5.21	32.12	3,370.11	28.49
Casing Stickup (feet):	-0.02	4/1/2019	26.96	5.93	32.89	3,369.84	28.76
Ground Elevation AMSL (feet)	3,398.60	7/29/2019	27.16	6.08	33.24	3,369.60	29.00
TOC Elevation AMSL (feet)	3,398.58	8/17/2020	27.27	6.61	33.88	3,369.33	29.27
Notes:		10/25/2021	26.91	4.98	31.89	3,370.18	28.42
MW-38		4/4/2016	28.07	0.07	28.14	3,371.00	28.00
Date Drilled:	11/19/2015	4/25/2016	28.02	0.84	28.86	3,370.82	28.18
Drilled Depth BGS (feet):	43	11/7/2016	27.84	1.03	28.87	3,370.94	28.06
Well Depth from TOC (feet):	39.62	5/23/2017	27.88	1.43	29.31	3,370.78	28.22
Well Diameter (inches):	2	11/28/2017	COVER STUCK				
Screen Interval BGS (feet):	19.39-39.12	6/13/2018	27.64	3.44	31.08	3,370.42	28.58
Casing Stickup (feet):	0.09	4/1/2019	27.49	5.19	32.68	3,370.04	28.96
Ground Elevation AMSL (feet)	3,399.00	7/29/2019	27.57	5.81	33.38	3,369.78	29.22
TOC Elevation AMSL (feet)	3,399.09	8/17/2020	27.66	6.33	33.99	3,369.53	29.47
Notes:		10/25/2021	27.34	4.54	31.88	3,370.39	28.61
RW-1		6/22/2011	26.37	4.81	31.18	3,373.83	25.07
Date Drilled:	2/9/2011	12/2/2011	26.64	4.99	31.63	3,373.50	25.40
Drilled Depth BGS (feet):	37.5	6/18/2012	27.06	4.88	31.94	3,373.12	25.78
Well Depth from TOC (feet):	40.24	12/3/2012	--	--	--	--	--
Well Diameter (inches):	2	5/15/2013	--	--	--	--	--
Screen Interval BGS (feet):	22.5-37.5	10/2/2013	--	--	--	--	--
Casing Stickup (feet):	2.74	11/18/2013	--	--	--	--	--
Ground Elevation AMSL (feet)	3,398.90	02/11/2014	30.48	5.48	35.96	3,369.52	29.38
TOC Elevation AMSL (feet)	3,401.64	6/20/2014	30.58	5.40	35.98	3,369.44	29.46
Notes:		12/22/2014	29.26	1.04	30.30	3,372.07	26.83
		5/11/2015	29.90	2.99	32.89	3,370.84	28.06
		11/9/2015	29.73	3.88	33.61	3,370.75	28.15
		4/4/2016	29.19	2.41	31.60	3,371.73	27.17
		4/25/2016	29.17	2.35	31.52	3,371.77	27.14
		11/7/2016	29.22	2.40	31.62	3,371.70	27.20
		5/23/2017	29.30	2.74	32.04	3,371.52	27.38
		11/28/2017	28.90	2.13	31.03	3,372.10	26.80
		6/13/2018	29.07	4.00	33.07	3,371.37	27.53
		4/1/2019	29.42	4.28	33.70	3,370.94	27.96
		7/29/2019	29.56	4.60	34.16	3,370.70	28.20
		8/17/2020	29.87	4.78	34.65	3,370.34	28.56
		10/25/2021	29.75	3.47	33.22	3,370.85	28.05

Table 1
Summary of Monitoring Well Completion and Gauging Data
Targa Midstream Services LLC, Eunice Gas Plant
Lea County, New Mexico

Well Information		Groundwater Data					
Well ID		Date Gauged	Depth to Product (feet TOC)	LNAPL Thickness (feet)	Depth to Water (feet TOC)	Corrected Groundwater Elevation (feet AMSL)	Depth to Corrected Groundwater (feet BGS)
VW-1		6/22/2011	--	--	--	--	--
Date Drilled:	2/4/2011	12/2/2011	--	--	--	--	--
Drilled Depth BGS (feet):	38	6/18/2012	--	--	--	--	--
Well Depth from TOC (feet):	38	12/3/2012	--	--	--	--	--
Well Diameter (inches):	2	5/15/2013	29.96	0.08	30.04	3,370.32	29.98
Screen Interval BGS (feet):	17-37	10/2/2013	30.15	0.23	30.38	3,370.08	30.22
Casing Stickup (feet):	0	11/18/2013	30.16	0.24	30.40	3,370.07	30.23
Ground Elevation AMSL (feet)	3,400.30	02/11/2014	30.21	0.33	30.54	3,369.99	30.31
TOC Elevation AMSL (feet)	3,400.30	6/20/2014	29.25	1.04	30.29	3,370.74	29.56
Notes:		12/22/2014	28.58	0.40	28.98	3,371.60	28.70
		5/11/2015	29.3	0.36	29.66	3,370.89	29.41
		11/9/2015	29.55	0.15	29.70	3,370.71	29.59
		4/4/2016	28.74	0.11	28.85	3,371.53	28.77
		4/25/2016	28.71	0.09	28.80	3,371.56	28.74
		11/7/2016	28.72	--	28.78	3,371.52	28.78
		5/23/2017	28.74	0.12	28.86	3,371.52	28.78
		11/28/2017	28.49	0.03	28.52	3,371.80	28.50
		6/13/2018	28.89	0.14	29.03	3,371.37	28.93
		4/1/2019	28.31	1.00	29.31	3,371.69	28.61
		7/29/2019	29.38	0.19	29.57	3,370.86	29.44
		8/17/2020	28.79	3.86	32.65	3,370.35	29.95
		10/25/2021	27.34	4.81	32.15	3,371.52	28.78
VW-2		6/22/2011	--	--	--	--	--
Date Drilled:	2/8/2011	12/2/2011	--	--	--	--	--
Drilled Depth BGS (feet):	37.5	6/18/2012	--	--	--	--	--
Well Depth from TOC (feet):	37.5	12/3/2012	--	--	--	--	--
Well Diameter (inches):	2	5/15/2013	28.06	5.03	33.09	3,369.86	29.64
Screen Interval BGS (feet):	17-37	10/2/2013	28.25	5.33	33.58	3,369.58	29.92
Casing Stickup (feet):	-0.07	11/18/2013	28.26	5.37	33.63	3,369.56	29.94
Ground Elevation AMSL (feet)	3,399.50	02/11/2014	28.30	5.40	33.70	3,369.51	29.99
TOC Elevation AMSL (feet)	3,399.43	6/20/2014	--	--	28.38	3,371.05	28.45
Notes:		12/22/2014	26.99	3.13	30.12	3,371.50	28.00
		5/11/2015	27.73	3.95	31.68	3,370.52	28.99
		11/9/2015	27.73	4.48	32.21	3,370.36	29.14
		4/4/2016	27.15	2.99	30.14	3,371.38	28.12
		4/25/2016	27.12	2.95	30.07	3,371.43	28.08
		11/7/2016	27.15	3.05	30.20	3,371.37	28.13
		5/23/2017	27.27	3.16	30.43	3,371.21	28.29
		11/28/2017	26.86	2.98	29.84	3,371.68	27.82
		6/13/2018	27.15	4.04	31.19	3,371.07	28.43
		4/1/2019	27.38	4.68	32.06	3,370.65	28.85
		7/29/2019	27.54	4.90	32.44	3,370.42	29.08
		8/17/2020	27.81	4.99	32.80	3,370.12	29.38
		10/25/2021	27.69	3.52	31.21	3,370.68	28.82
VW-3		6/22/2011	--	--	--	--	--
Date Drilled:	2/8/2011	12/2/2011	--	--	--	--	--
Drilled Depth BGS (feet):	37.5	6/18/2012	--	--	--	--	--
Well Depth from TOC (feet):	37.5	12/3/2012	--	--	--	--	--
Well Diameter (inches):	2	5/15/2013	26.90	4.05	30.95	3,370.14	28.36
Screen Interval BGS (feet):	17-37	10/2/2013	27.06	4.75	31.81	3,369.77	28.74
Casing Stickup (feet):	-0.25	11/18/2013	27.00	4.73	31.73	3,369.83	28.67
Ground Elevation AMSL (feet)	3,398.50	02/11/2014	27.08	4.46	31.54	3,369.83	28.67
TOC Elevation AMSL (feet)	3,398.25	6/20/2014	--	--	27.22	3,371.03	27.47
Notes:		12/22/2014	29.78	0.01	29.79	3,368.47	30.03
		5/11/2015	26.61	1.93	28.54	3,371.06	27.44
		11/9/2015	26.38	1.87	28.25	3,371.31	27.19
		4/4/2016	25.98	0.88	26.86	3,372.01	26.49
		4/25/2016	25.95	0.92	26.87	3,372.02	26.48
		11/7/2016	25.98	1.00	26.98	3,371.97	26.53
		5/23/2017	26.06	1.88	27.94	3,371.63	26.87
		11/28/2017	25.55	0.91	26.46	3,372.43	26.07
		6/13/2018	25.73	2.98	28.71	3,371.63	26.87
		4/1/2019	26.19	3.36	29.55	3,371.05	27.45
		7/29/2019	26.33	3.84	30.17	3,370.77	27.73
		8/17/2020	26.64	4.09	30.73	3,370.38	28.12
		10/25/2021	26.55	3.16	29.71	3,370.75	27.75

Table 1
Summary of Monitoring Well Completion and Gauging Data
Targa Midstream Services LLC, Eunice Gas Plant
Lea County, New Mexico

Well Information		Groundwater Data					
Well ID		Date Gauged	Depth to Product (feet TOC)	LNAPL Thickness (feet)	Depth to Water (feet TOC)	Corrected Groundwater Elevation (feet AMSL)	Depth to Corrected Groundwater (feet BGS)
VW-4		6/22/2011	--	--	--	--	--
Date Drilled:	2/8/2011	12/2/2011	--	--	--	--	--
Drilled Depth BGS (feet):	37.5	6/18/2012	--	--	--	--	--
Well Depth from TOC (feet):	37.5	12/3/2012	--	--	--	--	--
Well Diameter (inches):	2	5/15/2013	27.09	3.96	31.05	3,370.20	28.40
Screen Interval BGS (feet):	17-37	10/2/2013	27.25	4.41	31.66	3,369.91	28.69
Casing Stickup (feet):	-0.12	11/18/2013	27.21	4.46	31.67	3,369.93	28.67
Ground Elevation AMSL (feet)	3,398.60	02/11/2014	27.25	4.45	31.70	3,369.90	28.70
TOC Elevation AMSL (feet)	3,398.48	6/20/2014	27.39	4.55	31.94	3,369.73	28.88
Notes:		9/18/2014	26.84	2.76	29.60	3,370.81	27.79
		12/22/2014	26.45	0.01	26.46	3,372.03	26.57
		5/11/2015	26.90	2.06	28.96	3,370.96	27.64
		11/9/2015	26.82	2.98	29.80	3,370.77	27.83
		4/4/2016	26.32	1.93	28.25	3,371.58	27.02
		4/25/2016	26.30	2.02	28.32	3,371.57	27.03
		11/7/2016	26.29	2.06	28.35	3,371.57	27.03
		5/23/2017	26.35	2.40	28.75	3,371.41	27.19
		11/28/2017	26.09	1.84	27.93	3,371.84	26.76
		6/13/2018	26.07	3.86	29.93	3,371.25	27.35
		4/1/2019	26.31	4.14	30.45	3,370.93	27.67
		7/29/2019	26.43	4.46	30.89	3,370.71	27.89
		8/17/2020	26.80	4.51	31.31	3,370.33	28.27
		10/25/2021	26.97	3.40	30.37	3,370.49	28.11
**HVR-1		02/11/2014	28.95	4.53	33.48	3,370.79	26.11
Date Drilled:	8/16/2012	9/19/2014	29.01	4.84	33.85	3,370.64	26.26
Drilled Depth BGS (feet):	35	12/22/2014	28.15	1.56	29.71	3,372.48	24.42
Well Depth from TOC (feet):	39.2	5/11/2015	28.56	2.03	30.59	3,371.93	24.97
Well Diameter (inches):	2	11/9/2015	28.60	2.06	30.66	3,371.88	25.02
Screen Interval BGS (feet):	25-35	4/4/2016	28.09	1.04	29.13	3,372.70	24.20
Casing Stickup (feet):	4.2	4/25/2016	28.08	1.01	29.09	3,372.72	24.18
Ground Elevation AMSL (feet)	3,396.90	11/7/2016	28.00	1.02	29.02	3,372.79	24.11
TOC Elevation AMSL (feet)	3,401.10	5/23/2017	28.31	0.44	28.75	3,372.66	24.24
Notes:		11/28/2017	28.13	0.44	28.57	3,372.84	24.06
		6/13/2018	28.11	1.51	29.62	3,372.54	24.36
		4/1/2019	28.28	2.61	30.89	3,372.04	24.86
		7/29/2019	28.41	2.82	31.23	3,371.84	25.06
		8/17/2020	28.67	3.57	32.24	3,371.36	25.54
		10/25/2021	28.73	4.09	32.82	3,371.14	25.76
**HV-1		02/11/2014	29.17	5.62	34.79	3,368.87	27.33
Date Drilled:	8/14/2012	9/19/2014	29.34	5.61	34.95	3,368.71	27.49
Drilled Depth BGS (feet):	39	12/22/2014	28.80	4.41	33.21	3,369.61	26.59
Well Depth from TOC (feet):	42.52	5/11/2015	28.79	9.43	38.22	3,368.11	28.09
Well Diameter (inches):	2	11/9/2015	28.79	4.27	33.06	3,369.66	26.54
Screen Interval BGS (feet):	24-39	4/4/2016	28.43	3.32	31.75	3,370.30	25.90
Casing Stickup (feet):	3.53	4/25/2016	28.38	2.91	31.29	3,370.48	25.72
Ground Elevation AMSL (feet)	3,396.20	11/7/2016	27.45	2.10	29.55	3,371.65	24.55
TOC Elevation AMSL (feet)	3,399.73	5/23/2017	27.49	2.15	29.64	3,371.60	24.60
Notes:		11/28/2017	27.47	1.73	29.20	3,371.74	24.46
		6/13/2018	27.52	2.38	29.90	3,371.50	24.70
		4/1/2019	27.82	3.09	30.91	3,370.98	25.22
		7/29/2019	27.89	3.15	31.04	3,370.90	25.30
		8/17/2020	28.15	4.23	32.38	3,370.31	25.89
		10/25/2021	28.34	4.77	33.11	3,369.96	26.24
**HV-2		02/11/2014	28.83	1.78	30.61	3,367.94	25.96
Date Drilled:	8/14/2012	8/27/2014	29.11	1.66	30.77	3,367.69	26.21
Drilled Depth BGS (feet):	39	9/19/2014	29.11	1.71	30.82	3,367.68	26.22
Well Depth from TOC (feet):	43.25	12/18/2014	28.75	1.64	30.39	3,368.06	25.84
Well Diameter (inches):	2	5/11/2015	28.48	1.61	30.09	3,368.34	25.56
Screen Interval BGS (feet):	24-39	11/9/2015	28.40	1.51	29.91	3,368.45	25.45
Casing Stickup (feet):	3.4	4/4/2016	28.13	1.38	29.51	3,368.76	25.14
Ground Elevation AMSL (feet)	3,393.90	4/25/2016	28.05	1.26	29.31	3,368.87	25.03
TOC Elevation AMSL (feet)	3,397.30	11/7/2016	27.94	0.91	28.85	3,369.09	24.81
Notes:		5/23/2017	27.82	0.43	28.25	3,369.35	24.55
		11/28/2017	27.81	0.40	28.21	3,369.37	24.53
		6/13/2018	27.85	0.42	28.27	3,369.32	24.58
		4/1/2019	27.82	0.87	28.69	3369.22	24.68
		7/29/2019	28.01	1.05	29.06	3368.98	24.92
		8/17/2020	28.49	1.48	29.97	3368.37	25.53
		10/25/2021	28.81	2.32	31.13	3367.79	26.11

Table 1
Summary of Monitoring Well Completion and Gauging Data
Targa Midstream Services LLC, Eunice Gas Plant
Lea County, New Mexico

Well Information		Groundwater Data					
Well ID		Date Gauged	Depth to Product (feet TOC)	LNAPL Thickness (feet)	Depth to Water (feet TOC)	Corrected Groundwater Elevation (feet AMSL)	Depth to Corrected Groundwater (feet BGS)
**HV-3		02/11/2014	--	--	28.81	3,367.34	25.16
Date Drilled:	8/15/2012	8/27/2014	29.54	0.01	29.55	3,366.61	25.89
Drilled Depth BGS (feet):	39	9/19/2014	--	--	29.54	3,366.61	25.89
Well Depth from TOC (feet):	42.94	12/18/2014	--	--	28.73	3,367.42	25.08
Well Diameter (inches):	2	5/11/2015	--	--	28.21	3,367.94	24.56
Screen Interval BGS (feet):	24-39	11/9/2015	--	--	28.37	3,367.78	24.72
Casing Stickup (feet):	3.65	4/4/2016	--	--	27.73	3,368.42	24.08
Ground Elevation AMSL (feet)	3,392.50	4/25/2016	27.56	0.17	27.73	3,368.54	23.96
TOC Elevation AMSL (feet)	3,396.15	11/7/2016	27.30	0.94	28.24	3,368.57	23.93
Notes:		5/23/2017	26.79	0.76	27.55	3,369.13	23.37
		11/28/2017	26.69	0.64	27.33	3,369.27	23.23
		6/13/2018	27.11	0.71	27.82	3,368.83	23.67
		4/1/2019	26.89	0.42	27.31	3,369.13	23.37
		7/29/2019	27.59	0.22	27.81	3,368.49	24.01
		8/17/2020	28.57	0.28	28.85	3,367.50	25.00
		10/25/2021	--	--	29.48	3,366.67	25.83
**HV-4		02/11/2014	--	--	29.56	3,366.66	26.34
Date Drilled:	8/15/2012	8/27/2014	30.22	0.01	30.23	3,366.00	27.00
Drilled Depth BGS (feet):	39	9/19/2014	--	--	30.08	3,366.14	26.86
Well Depth from TOC (feet):	43	12/19/2014	29.42	0.01	29.43	3,366.80	26.20
Well Diameter (inches):	2	5/11/2015	28.35	1.28	29.63	3,367.49	25.51
Screen Interval BGS (feet):	24-39	11/9/2015	28.06	1.92	29.98	3,367.58	25.42
Casing Stickup (feet):	3.22	4/4/2016	27.28	2.85	30.13	3,368.09	24.92
Ground Elevation AMSL (feet)	3,393.00	4/25/2016	27.08	2.84	29.92	3,368.29	24.71
TOC Elevation AMSL (feet)	3,396.22	11/7/2016	27.00	2.33	29.33	3,368.52	24.48
Notes:		5/23/2017	--	--	--	--	--
		11/28/2017	26.94	1.44	28.38	3,368.85	24.15
		6/13/2018	27.21	1.50	28.71	3,368.56	24.44
		4/1/2019	27.03	1.39	28.42	3,368.77	24.23
		7/29/2019	27.79	1.37	29.16	3,368.02	24.98
		8/17/2020	28.56	0.39	28.95	3,367.54	25.46
		10/25/2021	28.84	0.98	29.82	3,367.09	25.91
**HV-5		02/11/2014	--	--	29.70	3,365.22	26.18
Date Drilled:	8/15/2012	8/27/2014	30.33	0.02	30.35	3,364.58	26.82
Drilled Depth BGS (feet):	39	12/19/2014	29.74	1.67	31.41	3,364.68	26.72
Well Depth from TOC (feet):	42.29	5/11/2015	29.29	1.33	30.62	3,365.23	26.17
Well Diameter (inches):	2	11/9/2015	29.27	1.24	30.51	3,365.28	26.12
Screen Interval BGS (feet):	24-39	4/4/2016	28.24	0.38	28.62	3,366.57	24.83
Casing Stickup (feet):	3.52	4/25/2016	28.05	0.49	28.54	3,366.72	24.68
Ground Elevation AMSL (feet)	3,391.40	11/7/2016	27.65	0.63	28.28	3,367.08	24.32
TOC Elevation AMSL (feet)	3,394.92	5/23/2017	27.10	0.47	27.57	3,367.68	23.72
Notes:		11/28/2017	26.96	0.43	27.39	3,367.83	23.57
		6/13/2018	27.58	0.54	28.12	3,367.18	24.22
		4/1/2019	27.51	0.19	27.70	3,367.35	24.05
		7/29/2019	27.98	0.44	28.42	3,366.81	24.59
		8/17/2020	--	--	28.74	3,366.18	25.22
		10/25/2021	--	--	29.51	3,365.41	25.99
**HV-6		02/11/2014	--	--	27.61	3,366.80	24.40
Date Drilled:	8/15/2012	8/27/2014	29.19	0.10	29.29	3,365.19	26.01
Drilled Depth BGS (feet):	39	9/19/2014	29.05	0.00	29.05	3,365.36	25.84
Well Depth from TOC (feet):	42.61	12/18/2014	--	--	27.99	3,366.42	24.78
Well Diameter (inches):	2	5/11/2015	--	--	27.35	3,367.06	24.14
Screen Interval BGS (feet):	24-39	11/9/2015	--	--	27.55	3,366.86	24.34
Casing Stickup (feet):	3.21	4/4/2016	--	--	26.87	3,367.54	23.66
Ground Elevation AMSL (feet)	3,391.20	4/25/2016	--	--	26.67	3,367.74	23.46
TOC Elevation AMSL (feet)	3,394.41	11/7/2016	--	--	26.59	3,367.82	23.38
Notes:		5/23/2017	--	--	26.30	3,368.11	23.09
		11/28/2017	--	--	26.24	3,368.17	23.03
		6/13/2018	--	--	26.48	3,367.93	23.27
		4/1/2019	--	--	25.96	3,368.45	22.75
		7/29/2019	--	--	26.84	3,367.57	23.63
		8/17/2020	--	--	28.14	3,366.27	24.93
		10/25/2021	--	--	28.88	3,365.53	25.67

Table 1
Summary of Monitoring Well Completion and Gauging Data
Targa Midstream Services LLC, Eunice Gas Plant
Lea County, New Mexico

Well Information		Groundwater Data					
Well ID		Date Gauged	Depth to Product (feet TOC)	LNAPL Thickness (feet)	Depth to Water (feet TOC)	Corrected Groundwater Elevation (feet AMSL)	Depth to Corrected Groundwater (feet BGS)
**HV-7		02/11/2014	29.97	3.34	33.31	3,364.01	27.59
Date Drilled:	8/16/2012	9/19/2014	--	--	30.29	3,364.69	26.91
Drilled Depth BGS (feet):	39	8/27/2014	30.24	3.19	33.43	3,363.78	27.82
Well Depth from TOC (feet):	43.08	12/19/2014	29.63	3.59	33.22	3,364.27	27.33
Well Diameter (inches):	2	5/11/2015	29.20	3.02	32.22	3,364.87	26.73
Screen Interval BGS (feet):	24-39	11/9/2015	29.20	2.06	31.26	3,365.16	26.44
Casing Stickup (feet):	3.38	4/4/2016	28.67	0.67	29.34	3,366.11	25.49
Ground Elevation AMSL (feet)	3,391.60	4/25/2016	28.51	0.43	28.94	3,366.34	25.26
TOC Elevation AMSL (feet)	3,394.98	11/7/2016	28.18	0.17	28.35	3,366.75	24.85
Notes:		5/23/2017	--	--	27.83	3,367.15	24.45
		11/28/2017	--	--	27.65	3,367.33	24.27
		6/13/2018	--	--	28.29	3,366.69	24.91
		4/1/2019	27.99	0.01	28.00	3,366.99	24.61
		7/29/2019	--	--	28.58	3,366.40	25.20
		8/17/2020	--	--	29.37	3,365.61	25.99
		10/25/2021	--	--	30.13	3,364.85	26.75
	**HV-8		02/11/2014	--	--	30.13	3,364.50
Date Drilled:	8/16/2012	8/27/2014	30.45	0.01	30.46	3,364.18	26.92
Drilled Depth BGS (feet):	35	9/19/2014	--	--	30.46	3,364.17	26.93
Well Depth from TOC (feet):	38.53	12/18/2014	--	--	31.41	3,363.22	27.88
Well Diameter (inches):	2	5/11/2015	--	--	26.16	3,368.47	22.63
Screen Interval BGS (feet):	20-35	11/9/2015	--	--	28.97	3,365.66	25.44
Casing Stickup (feet):	3.53	4/4/2016	--	--	28.18	3,366.45	24.65
Ground Elevation AMSL (feet)	3,391.10	4/25/2016	--	--	27.93	3,366.70	24.40
TOC Elevation AMSL (feet)	3,394.63	11/7/2016	--	--	27.51	3,367.12	23.98
Notes:		5/23/2017	--	--	27.15	3,367.48	23.62
		11/28/2017	--	--	26.97	3,367.66	23.44
		6/13/2018	--	--	27.94	3,366.69	24.41
		4/1/2019	--	--	27.20	3,367.43	23.67
		7/29/2019	--	--	28.17	3,366.46	24.64
		8/17/2020	--	--	29.01	3,365.62	25.48
		10/25/2021	--	--	30.25	3,364.38	26.72
	**HV-9		02/11/2014	--	--	28.69	3,363.54
Date Drilled:	8/16/2012	8/22/2014	--	--	dry	--	--
Drilled Depth BGS (feet):	32	12/19/2014	--	--	28.38	3,363.85	24.95
Well Depth from TOC (feet):	28.78	5/11/2015	--	--	27.95	3,364.28	24.52
Well Diameter (inches):	2	11/9/2015	--	--	27.74	3,364.49	24.31
Screen Interval BGS (feet):	20-32	4/4/2016	--	--	26.50	3,365.73	23.07
Casing Stickup (feet):	3.43	4/25/2016	26.26	0.86	27.12	3,365.71	23.09
Ground Elevation AMSL (feet)	3,388.80	11/7/2016	25.97	0.11	26.08	3,366.23	22.57
TOC Elevation AMSL (feet)	3,392.23	5/23/2017	--	--	25.30	3,366.93	21.87
Notes:		11/28/2017	--	--	25.16	3,367.07	21.73
		6/13/2018	--	--	26.02	3,366.21	22.59
		4/1/2019	25.84	0.26	26.10	3,366.31	22.49
		7/29/2019	--	--	26.28	3,365.95	22.85
		8/17/2020	--	--	27.03	3,365.20	23.60
		10/25/2021	--	--	27.98	3,364.25	24.55

Notes:

Elevations are above mean sea level (MSL) referenced to 1984 Geodetic Datum.

Groundwater elevation corrected for LNAPL thickness assuming 0.7 specific gravity

All values are in feet, unless otherwise noted.

bgs - below ground surface

TOC - top of casing

NR - Not recorded

* Well completed at grade with no casing stickup

**HV- high vacuum extraction well location

¹ MW-5 damaged. TOC elevation resurveyed following repair (6/7/2007 & 10/25/2021).

Table 2
Summary of Apparent LNAPL Thickness In Wells
Targa Midstream Services LLC, Eunice Gas Plant
Lea County, New Mexico

Date	Well Designation																							
	MW-2A	MW-03	MW-22	MW-27	MW-29	MW-32 (SB-1)	MW-33 (SB-3)	MW-34 (SB-4)	MW-35 (SB-5)	MW-37 (SB-7)	MW-38 (SB-8)	RW-1	VW-1	VW-2	VW-3	VW-4	HVR-1	HV-1	HV-2	HV-3	HV-4	HV-5	HV-7	HV-9
6/21/2011	--	1.59	0.53	1.09	1.03	N/I	N/I	N/I	N/I	N/I	N/I	4.81	--	--	--	--	--	--	--	--	--	--	--	--
11/28/2011	--	4.47	1.48	3.47	1.08	N/I	N/I	N/I	N/I	N/I	N/I	4.99	--	--	--	--	--	--	--	--	--	--	--	--
6/25/2012	--	1.98	3.98	3.24	0.97	N/I	N/I	N/I	N/I	N/I	N/I	4.88	--	--	--	--	--	--	--	--	--	--	--	--
9/17/2012	--	0.74	1.16	5.49	N/G	N/I	N/I	N/I	N/I	N/I	N/I	5.06	--	--	--	--	--	--	--	--	--	--	--	--
12/3/2012	--				0.53	N/I	N/I	N/I	N/I	N/I	N/I		--	--	--	--	--	--	--	--	--	--	--	--
5/15/2013	--	0.02	3.85	2.73	0.34	N/I	N/I	N/I	N/I	N/I	N/I	--	0.08	5.03	4.05	3.96	--	--	--	--	--	--	--	--
10/1/2013	--	1.62	4.32	2.60	0.10	N/I	N/I	N/I	N/I	N/I	N/I	--	0.23	5.33	4.75	4.41	--	--	--	--	--	--	--	--
11/18/2013	--	1.87	4.04	2.68	0.07	N/I	N/I	N/I	N/I	N/I	N/I	--	0.24	5.37	4.73	4.46	--	--	--	--	--	--	--	--
2/11/2014	--	2.61	3.75	2.60	0.03	N/I	N/I	N/I	N/I	N/I	N/I	5.48	0.33	5.40	--	4.45	4.53	5.62	1.78	--	--	--	3.34	--
6/20/2014	--	3.38	3.65	0.08		N/I	N/I	N/I	N/I	N/I	N/I	5.40	--	--	--	4.55	--	--	--	--	--	--	--	--
7/22/2014	--	1.49	0.25	0.02		N/I	N/I	N/I	N/I	N/I	N/I	--	0.63	0.01	0.01	0.01	0.44	--	0.01	--	--	--	--	--
7/23/2014	--	1.49	3.55	1.73		N/I	N/I	N/I	N/I	N/I	N/I	5.73	1.10	6.40	1.40	5.35	1.24	1.24	0.82	--	--	--	--	--
8/27/2014	--				0.01	N/I	N/I	N/I	N/I	N/I	N/I	--	--	--	--	--	--	--	1.56	--	--	0.02	3.19	--
9/18/2014	--	6.51	3.89	1.99	0.33	N/I	N/I	N/I	N/I	N/I	N/I	1.13	0.48	3.55	0.76	2.77	4.84	5.61	1.71	--	--	--	--	--
10/23/2014	--	5.89	2.11	2.24		N/I	N/I	N/I	N/I	N/I	N/I	0.14	0.49	2.96	0.02	0.73	5.42	5.42	1.74	--	--	1.90	3.38	Dry
11/20/2014	--	6.29	0.84	1.99		N/I	N/I	N/I	N/I	N/I	N/I	0.28	0.49	2.27	0.01	0.43	4.79	4.79	1.60	--	--	1.89	3.59	--
12/22/2014	0.01	5.51		0.71	0.01	N/I	N/I	N/I	N/I	N/I	N/I	1.04	0.40	3.13		1.01	1.56	4.41	1.60	--	--	1.67	3.59	--
2/13/2015	0.31	5.37	2.00	0.85	--	N/I	N/I	N/I	N/I	N/I	N/I	1.36	0.41	3.54	0.09	1.60	1.70	4.39	1.48	--	1.25	1.49	5.26	Dry
3/19/2015	0.82	4.79	2.56	0.31		N/I	N/I	N/I	N/I	N/I	N/I	2.12	0.43	3.64	0.33	1.88	1.75	4.01	1.57	--	1.41	1.49	4.72	Dry
3/31/2015	1.07	5.04	2.39	0.52		N/I	N/I	N/I	N/I	N/I	N/I	2.19	0.46	3.66	0.93	1.91	4.40		1.57	--	1.21	1.34	1.91	Dry
4/9/2015	1.55	4.86	2.56	0.52	1.19	N/I	N/I	N/I	N/I	N/I	N/I	2.44	0.27	3.74	2.23	1.97	1.87	4.62	1.55	--	1.19	1.22	4.09	Dry
4/13/2015	1.82	4.90	3.01	0.61	N/G	N/I	N/I	N/I	N/I	N/I	N/I	2.60	--	3.76	1.01		1.67	4.26	1.27	--	1.20	1.21	2.03	Dry
4/29/2015	2.31	5.32	2.92	0.71	N/G	N/I	N/I	N/I	N/I	N/I	N/I	2.78	0.34	3.75	1.76	2.00	1.99	4.47	1.68	--	1.26	1.38	3.33	Dry
5/18/2015	2.57	5.23	3.10	0.69	N/G	N/I	N/I	N/I	N/I	N/I	N/I	2.56	0.37	3.87	2.15	2.45	1.98	4.39	1.69	--	1.23	1.29	2.79	Dry
6/9/2015	2.27	3.67	3.18	0.64	N/G	N/I	N/I	N/I	N/I	N/I	N/I	3.21	--	4.02	3.30	2.23	1.83	4.37	0.99	--	0.87	1.38	0.72	Dry
6/19/2015	2.54	5.03	3.29	0.65	N/G	N/I	N/I	N/I	N/I	N/I	N/I	3.37	--	4.07	2.42	2.77	2.07	4.35	1.29	--	0.74	1.49	2.21	Dry
6/29/2015	2.69	5.26	3.31	0.67	N/G	N/I	N/I	N/I	N/I	N/I	N/I	3.38	--	4.11	1.55	2.53	2.08	4.28	1.35	--	0.77	1.48	2.12	Dry
7/10/2015	2.68	5.17	3.33	0.73	N/G	N/I	N/I	N/I	N/I	N/I	N/I	3.40	--	2.38	2.43	2.35	2.05	4.35	1.32	--	0.85	1.38	2.07	Dry
7/30/2015	3.02	5.44	3.73	0.74	N/G	N/I	N/I	N/I	N/I	N/I	N/I	3.66	0.27	0.43	2.71	2.46	2.42	4.45	1.53	--	0.99	1.56	2.01	Dry
8/5/2015	N/G	5.44	3.51	0.73	N/G	2.13	N/I	N/I	N/I	N/I	N/I	3.09	--	4.17	2.62	2.76	2.35	4.35	1.45	--	0.88	1.69	4.18	Dry
8/19/2015	3.01	5.08	3.55	0.71	N/G	4.50	N/I	N/I	N/I	N/I	N/I	4.27	0.25	4.27	2.94	2.66	2.22	4.24	1.47	--	1.04	1.35	1.96	Dry
8/24/2015	3.04	5.56	3.60	0.80	N/G	4.43	N/I	N/I	N/I	N/I	N/I	3.83	0.26	4.26	3.23		2.33	4.50	1.56	--	2.71	1.55	1.92	Dry
9/8/2015	3.07	5.42	3.78	0.71	N/G	4.48	N/I	N/I	N/I	N/I	N/I	3.75	0.24	4.23	2.79	2.77	2.24	4.31	1.07	--	1.11	1.50	1.93	Dry
9/24/2015	3.43	5.75	3.63	0.84	N/G	4.51	N/I	N/I	N/I	N/I	N/I	3.88	0.25	4.46	3.10	2.94	2.52	3.49	1.66	--	1.29	0.54	1.95	Dry
10/2/2015	3.06	5.78	3.71	0.46	N/G	4.54	N/I	N/I	N/I	N/I	N/I	3.78	0.27	4.28	2.78	2.93	4.33	--	1.55	--	1.34	1.41	1.87	Dry
10/7/2015	3.21	5.81	3.84	0.75	N/G	4.69	N/I	N/I	N/I	N/I	N/I	4.08	0.26	4.95	2.93	3.03	2.34	4.45	1.61	--	1.39	1.42	1.94	Dry
10/21/2015	3.06	5.78	3.71	0.46	N/G	4.74	N/I	N/I	N/I	N/I	N/I	3.78	0.32	4.23	2.78	2.93	2.36	4.33	1.55	--	1.34	1.41	1.87	Dry
11/3/2015	2.64	5.74	4.42	0.72	N/G	4.71	N/I	N/I	N/I	N/I	N/I	3.99	0.17	4.49	1.82	2.92	2.15	4.26	1.54	--	1.66	1.38	2.04	Dry
11/9/2015	2.56	6.04	3.38	0.74	0.96	4.96	N/I	N/I	N/I	N/I	N/I	3.88	0.15	4.48	1.87	2.98	2.06	4.27	1.51	--	1.92	1.24	2.06	Dry
11/25/2015	1.89	5.45	3.04	0.48	1.08	4.51	0.21	--	4.97	0.06	0.21	3.76	0.15	4.42	1.83	2.76	1.79	4.12	1.44	--	1.73	0.74	1.87	--
12/18/2015	1.32	5.01	3.13	0.81	N/G	4.61	0.68	--	3.16	0.57	0.55	4.01	0.21	4.51	1.14	2.86	1.79	4.54	1.58	--	2.18	1.04	1.77	N/G
12/29/2015	0.71	5.41	3.11	0.46	N/G	**	0.99	--	5.03	0.73	0.62	3.60	**	**	**	**	1.72	4.16	1.43	--	2.21	1.01	2.12	N/G

Table 2
Summary of Apparent LNAPL Thickness In Wells
Targa Midstream Services LLC, Eunice Gas Plant
Lea County, New Mexico

Date	Well Designation																							
	MW-2A	MW-03	MW-22	MW-27	MW-29	MW-32 (SB-1)	MW-33 (SB-3)	MW-34 (SB-4)	MW-35 (SB-5)	MW-37 (SB-7)	MW-38 (SB-8)	RW-1	VW-1	VW-2	VW-3	VW-4	HVR-1	HV-1	HV-2	HV-3	HV-4	HV-5	HV-7	HV-9
1/6/2016	0.93	5.15	2.86	0.40	1.41	4.19	1.04	--	4.84	1.25	0.66	3.35	0.13	4.09	1.78	2.62	1.71	3.96	1.42	--	2.01	0.94	1.50	--
1/20/2016	0.93	4.28	1.01	0.47	N/G	--	1.37	--	3.30	2.29	0.68	2.24	0.18	3.17	0.84	2.07	1.56	4.15	1.45	--	2.39	1.12	1.48	--
2/2/2016	0.93	4.52	0.33	0.38	--	2.58	1.49	--	2.96	2.59	0.84	2.09	0.09	2.66	0.76	1.44	1.27	2.67	1.51	--	2.39	0.35	1.19	0.14
2/17/2016	0.81	4.46	0.26	0.30	1.70	2.22	1.53	--	2.59	2.64	0.70	2.11	0.93	2.63	0.61	1.42	1.04	3.66	1.32	--	2.56		1.02	0.55
3/1/2016	0.84	4.20	0.82	0.22	1.77	2.36	1.88	--	2.64	2.96	0.92	2.47	0.17	2.83	0.82	1.59	1.05	3.64	1.38	--	2.72	0.33	0.99	0.79
3/10/2016	0.92	4.11	0.84	0.22	1.83	2.41	1.95	--	2.83	3.10	1.01	2.47	0.11	2.93	0.84	1.63	1.16	3.54	1.41	--	2.75	0.52	1.01	0.91
3/21/2016	0.76	3.27	0.77	0.16	1.79	2.43	1.98	0.95	2.77	3.17	0.91	2.35	0.12	2.93	0.78	1.79	1.03	3.42	1.40	--	2.81	0.37	0.78	0.78
4/4/2016	Sheen	4.04	1.02	--	1.84	2.55	2.09	1.93	2.90	3.68	0.07	2.41	0.11	2.99	0.88	1.93	1.04	3.32	1.38	--	2.85	0.38	0.67	--
4/25/2016	Sheen	3.54	1.08	--	2.06	2.52	2.28	3.76	2.84	1.78	0.84	2.35	0.09	2.95	0.92	2.02	1.01	2.91	1.26	0.17	2.84	0.49	0.43	0.86
5/4/2016	Sheen	4.19	1.14	0.02	1.83	2.59	2.38	4.53	2.85	2.36	0.89	2.45	0.13	3.02	0.98	2.10	1.01	*	1.27	0.51	2.96	0.47	0.54	0.72
5/18/2016	Sheen	3.90	0.22	--	1.75	2.63	2.62	4.69	2.87	3.31	0.88	2.40	0.12	3.02	1.03	2.16	1.01	*	1.20	1.24	2.89	0.51	0.42	0.66
6/3/2016	--	3.99	1.42	--	1.53	2.69	2.96	4.74	3.00	4.24	0.96	N/G	0.14	3.04	1.14	2.20	1.01	*	1.16	0.82	2.87	0.54	0.35	0.58
6/16/2016	--	3.86	1.57	--	1.39	1.80	4.03	4.78	3.07	4.61	0.98	2.51	0.19	3.03	1.22	2.22	1.01	*	1.11	0.83	2.80	0.59	0.29	0.52
6/30/2016	--	3.88	1.58	--	1.42	1.81	4.02	4.81	3.12	5.06	1.01	2.43	0.19	3.07	1.19	2.26	1.02	*	1.16	0.82		0.55	0.49	0.55
7/20/2016	--	4.17	1.88	--	0.91	3.01	3.28	4.83	3.36	5.40	1.01	N/G	0.16	3.16	1.56	2.27	1.01	*	1.10	1.01	2.79	0.46	0.37	0.53
7/28/2016	--	4.02	1.97	--	0.88	3.05	2.80	4.82	3.44	5.13	1.03	2.69	0.15	3.19	1.62	1.36	1.01	*	1.04	1.03	2.71	0.46	0.35	0.51
8/22/2016	--	4.19	2.16	--	0.79	3.23	3.55	4.85	3.60	5.27	1.04	2.81	0.18	3.28	1.75	2.43	1.01	*	1.13	1.18	2.63	0.43	0.39	0.54
9/7/2016	--	4.33	1.79	--	0.77	3.15	3.50	4.86	3.51	5.38	1.02	2.75	0.15	3.36	1.54	2.37	1.03	*	1.08	1.22	2.53	0.43		0.48
9/19/2016	--	3.94	1.05	--	0.70	2.83	3.53	4.87	4.95	5.32	0.96	2.48	0.10	3.21	1.02	2.15	1.03	2.84	1.04	1.23	2.49	0.46		0.41
10/4/2016	--	3.10	0.80	--	0.71	2.60	3.55	4.67	2.41	5.05	0.96	2.34	0.05	3.05	0.89	2.06	1.03	2.68	0.98	1.09	2.48	0.59	0.25	0.33
10/14/2016	--	3.51	0.85	--	0.61	2.56	3.54	4.64	2.25	4.89	0.95	2.40	0.06	3.09	--	2.00	1.05	2.25	0.99	1.09	2.45	0.60	0.24	0.35
10/25/2016	--	3.47	0.89	--	0.55	2.55	3.52	4.59	2.25	4.80	0.93	2.40	0.08	5.22	0.92	2.06	1.04	4.35	N/G	1.05	2.42	0.62	0.21	0.05
11/7/2016	--	3.33	1.06	--	0.53	2.59	3.50	4.61	2.41	4.72	1.03	2.40	0.06	3.05	1.00	2.06	1.02	2.10	0.91	0.94	2.33	0.63	0.17	0.29
11/21/2016	--	3.16	1.11	--	0.48	2.54	3.46	4.49	2.50	4.69	1.05	2.31	0.04	2.96	1.00	2.03	1.00	1.91	N/G	0.85	2.30	0.65	0.17	0.28
11/30/2016	--	2.59	1.38	--	0.43	2.69	3.49	4.61	2.69	4.72	1.18	2.52	0.11	3.08	1.21	1.00	1.00	2.24	0.84	0.97	2.33	0.67	0.14	0.25
12/7/2016	--	3.44	1.37	--	0.32	2.68	3.47	4.57	2.39	4.46	1.21	2.45	0.08	3.03	1.24	2.00	1.02	2.01	0.77	0.89	1.57	0.60	0.07	0.25
12/19/2016	--	3.39	1.53	--	0.26	2.75	3.44	3.80	2.66	2.31	1.27	2.61	0.12	3.09	1.40	2.03	0.45	2.54	0.83	0.98	1.61	0.75	0.16	0.31
1/3/2017	--	3.52	1.49	--	0.11	2.93	3.47	4.60	2.89	2.78	1.30	2.49	0.10	2.94	1.41	2.05	0.46	2.11	0.70	0.89	1.56	0.55	0.04	0.25
1/16/2017	--	3.28	1.47	--	--	2.75	4.44	4.59	2.97	4.29	1.31	2.47	0.03	3.03	1.38	2.10	0.45	2.11	0.70	0.89	1.56	0.55	0.04	0.25
1/30/2017	--	3.65	1.49	--	--	2.78	3.40	4.50	3.05	4.55	1.35	2.50	0.11	3.06	1.40	2.11	0.49	2.44	0.64	0.77	1.54	0.69	0.06	0.43
2/13/2017	--	3.77	1.49	--	--	2.78	3.42	4.48	3.10	4.69	1.32	2.51	0.09	3.04	1.41	2.10	0.50	2.34	0.62	0.80	1.56	0.61	--	0.12
3/10/2017	--	3.69	1.51	--	--	2.86	3.43	4.56	3.22	5.01	1.41	2.53	0.10	3.08	1.60	2.11	0.49	2.41	0.48	0.76	1.51	0.63	--	0.07
3/20/2017	--	3.61	1.43	--	--	2.77	3.42	4.50	3.22	5.09	1.41	2.44	0.07	3.03	1.41	2.11	0.47	2.29	0.52	0.77	1.54	0.59	--	0.07
4/10/2017	--	3.60	1.49	--	--	2.87	3.46	4.60	3.34	4.87	1.46	2.59	0.10	3.10	1.63	2.14	0.46	2.38	0.43	0.77	1.52	0.61	--	0.03
4/24/2017	--	3.22	1.31	--	--	2.79	3.43	4.60	3.30	5.18	1.41	2.40	0.09	3.02	1.45	2.15	0.44	2.15	0.39	0.77	1.82	0.47	--	--
5/19/2017	--	3.63	1.98	--	--	2.87	3.48	4.53	3.25	4.91	1.43	2.25	0.07	3.10	1.80	2.23	0.46	2.33	0.37	0.83	1.49	0.41	--	--
5/23/2017	--	N/G	N/G	--	--	N/G	N/G	N/G	N/G	N/G	N/G	N/G	N/G	N/G	N/G	N/G	0.44	2.15	0.93	0.76	N/G	0.47	--	--
6/12/2017	--	3.66	1.87	--	--	3.14	3.55	4.51	2.19	5.09	1.32	2.74	0.11	3.19	1.95	2.40	0.43	2.15	0.43	0.95	1.78	0.50	--	--
6/23/2017	--	--	1.94	--	--	3.05	3.55	4.56	2.20	5.27	1.57	2.75	0.11	3.23	1.96	2.42	0.44	2.24	--	--	--	--	--	--
7/11/2017	1.11	3.63	1.99	--	--	3.00	3.53	4.70	3.18	4.88	1.48	2.80	0.07	3.23	1.97	2.46	0.39	2.40	0.47	0.73	1.52	0.49	--	--
8/3/2017	1.68	3.98	2.13	--	--	3.07	3.55	4.58	4.20	5.01	1.65	2.90	0.10	3.34	2.07	2.57	0.47	2.45	0.55	0.70	1.55	0.49	--	--
8/25/2017	1.67	3.98	2.15	--	--	3.02	3.60	4.57	4.19	4.98	1.65	2.91	0.12	3.35	2.05	2.54	0.50	2.47	0.52	0.70	1.52	0.60	--	--
9/5/2017	1.71	3.91	1.19	--	--	2.48	3.59	4.36	2.10	4.51	1.29	2.35	0.11	3.10	0.95	1.70	0.42	2.41	0.57	0.59	1.50	0.44	--	--
9/21/2017	1.21	3.80	0.70	--	--	2.22	3.47	4.27	1.42	4.32	N/R	2.15	0.02	2.85	0.73	1.82	0.43	2.23	0.56	0.58	1.43	0.36	--	--
10/11/2017	1.20	4.13	0.63	--	--	2.13	3.39	4.19	1.27	4.17	N/R	2.15	0.04	2.85	0.71	1.88	0.43	2.34	0.58	0.64	1.90	0.45	--	--
11/8/2017	0.16	3.77	0.17	--	--	2.03	3.44	4.15	1.66	4.20	N/R	2.15	0.10	2.82	0.71	1.91	0.49	2.12	0.48	0.63	1.49	0.45	--	--
11/28/2017	1.50	3.32	--	--	--	2.07	3.40	4.31	1.99	4.11	N/R	2.09	0.03	2.98	0.63	1.84	0.44	1.73	0.40	0.61	1.44	0.43	--	--
12/20/2017	1.47	3.43	--	--	--	2.17	3.40	4.32	2.36	4.15	2.94	2.44	0.03	2.95	1.05	1.97	0.44	1.87	0.33	0.63	1.44	0.42	--	--

Table 2
Summary of Apparent LNAPL Thickness In Wells
Targa Midstream Services LLC, Eunice Gas Plant
Lea County, New Mexico

Date	Well Designation																							
	MW-2A	MW-03	MW-22	MW-27	MW-29	MW-32 (SB-1)	MW-33 (SB-3)	MW-34 (SB-4)	MW-35 (SB-5)	MW-37 (SB-7)	MW-38 (SB-8)	RW-1	VW-1	VW-2	VW-3	VW-4	HVR-1	HV-1	HV-2	HV-3	HV-4	HV-5	HV-7	HV-9
1/10/2018	1.58	2.99	--	--	--	2.15	3.44	4.34	2.64	4.24	2.96	2.47	0.03	2.96	1.11	2.11	0.45	0.45	0.32	0.64	1.44	1.46	--	--
1/26/2018	1.71	3.34	--	--	--	2.35	3.44	4.41	2.87	4.33	3.04	2.65	0.03	3.15	1.16	2.51	0.45	1.98	0.31	0.72	1.44	0.51	--	--
2/9/2018	1.76	3.40	--	--	--	4.43	3.45	4.42	3.04	4.43	3.10	2.76	0.05	3.18	1.27	2.61	0.44	2.20	0.28	0.63	1.48	0.45	--	--
2/23/2018	1.79	3.61	--	--	--	3.43	3.52	4.39	4.22	4.54	3.16	2.87	0.04	3.28	1.34	2.75	0.43	1.96	0.29	0.62	1.45	0.48	--	--
3/12/2018	1.87	4.01	--	--	--	2.45	3.51	4.46	3.33	4.58	3.22	3.10	0.08	3.46	1.52	3.01	0.44	2.27	0.26	0.62	1.46	0.52	--	--
3/26/2018	1.94	3.52	0.13	--	--	2.55	3.60	4.63	3.50	4.72	3.28	3.10	0.07	3.49	1.60	3.14	0.44	1.92	0.28	0.62	1.40	0.46	--	--
4/30/2018	2.20	2.01	0.79	--	--	2.76	3.66	4.78	3.74	4.91	3.27	3.18	0.11	3.87	1.86	3.48	0.43	3.60	0.27	0.60	1.41	0.42	--	--
5/29/2018	2.35	3.75	1.95	--	--	3.21	--	4.94	3.98	5.11	3.38	3.46	0.12	3.77	2.38	3.71	1.36	2.12	0.31	0.63	1.41	0.47	--	--
6/13/2018	2.45	4.07	2.64	--	--	3.49	3.75	5.02	4.06	5.93	3.44	4.00	0.14	4.04	2.98	3.86	1.51	2.38	0.42	0.71	1.50	0.54	--	--
7/20/2018	2.62	2.32	3.21	--	--	4.03	3.92	5.21	4.37	5.48	3.71	4.26	0.16	4.49	3.25	4.22	1.82	4.05	0.61	0.54	1.44	0.52	--	--
8/24/2018	2.71	4.22	3.58	--	--	4.38	4.14	5.34	4.59	5.75	5.75	4.39	0.11	4.68	3.35	4.39	2.03	2.31	0.71	0.38	1.50	0.45	--	--
9/21/2018	2.79	2.88	3.77	--	--	4.57	4.35	5.50	4.86	5.87	4.11	4.37	0.17	4.87	3.37	4.33	2.00	2.54	0.82	0.47	1.97	0.50	--	--
10/18/2018	2.77	3.14	3.57	--	--	4.71	4.65	5.65	5.02	4.30	4.33	0.18	0.18	4.90	2.93	4.62	2.40	2.98	0.90	0.33	1.05	0.47	--	--
11/1/2018	--	--	--	--	--	--	--	5.64	--	--	--	4.20	--	--	--	--	--	--	--	--	--	--	--	--
12/18/2018	0.87	4.51	4.53	--	--	5.25	4.62	5.16	--	5.89	5.09	4.13	0.08	4.69	3.15	4.18	2.35	2.72	0.85	0.31	1.43	0.33	--	--
4/1/2019	2.13	4.75	3.96	--	0.01	4.60	4.73	5.69	5.46	5.93	5.19	4.28	1.00	4.68	3.36	4.14	2.61	3.09	0.87	0.42	1.39	0.19	0.01	0.26
7/29/2019	2.90	4.77	4.26	--	--	4.86	4.91	5.75	5.75	6.08	5.81	4.60	0.19	4.90	3.84	4.46	2.82	3.15	1.05	0.22	1.37	0.44	--	--
8/17/2020	2.67	6.25	4.40	2.37	0.01	5.08	5.21	6.04	6.15	6.61	6.33	4.78	3.86	4.99	4.09	4.51	3.57	4.23	1.48	0.28	0.39	--	--	--
10/25/2021	2.62	6.68	3.72	2.42	--	3.77	3.97	4.51	4.54	4.98	4.54	3.47	4.81	3.52	3.16	3.40	4.09	4.77	2.32	--	0.98	--	--	--

Data prior to April 2019 collected by others and transposed from 2018 Groundwater Monitoring Report prepared by Larson & Associates, Inc. (March 11, 2019).
N/R: No reading (unable to open well cover)
N/I: Well not installed
-- : Measurable LNAPL not observed

Table 3
Summary of Groundwater Analytical Data - BTEX and Chloride (mg/L)
Targa Midstream Services LLC - Eunice Gas Plant
Eunice, Lea County, New Mexico

Well Designation	Date Sampled	Benzene	Toluene	Ethylbenzene	Total Xylenes	Chloride
NM WQCC Standard (mg/L):		0.01	0.75	0.75	0.62	250
MW-1	04/23/02	<0.001	<0.001	<0.001	<0.001	724
	09/05/02	<0.001	<0.001	<0.001	<0.001	851
	11/06/02	--	--	--	--	957
Duplicate	06/13/03	<0.001	<0.001	<0.001	<0.001	939
	11/11/03	<0.001	<0.001	<0.001	<0.002	1,170
	11/11/03	<0.001	<0.001	<0.001	<0.002	--
Duplicate	05/24/04	<0.001	<0.001	<0.001	<0.002	956
	11/10/04	<0.001	<0.001	<0.001	<0.002	1,060
	11/10/04	<0.001	<0.001	<0.001	<0.002	--
Duplicate	05/25/05	<0.001	<0.001	<0.001	<0.002	1,170
	11/30/05	<0.001	<0.001	<0.001	<0.002	828
	06/27/06	<0.001	<0.001	<0.001	<0.002	808
Duplicate	12/05/06	<0.001	<0.001	<0.001	<0.002	662
	06/07/07	<0.0002	<0.0002	<0.0002	<0.0006	740
	12/03/07	<0.0002	<0.0002	<0.0002	<0.0006	810
Duplicate	06/25/08	<0.0008	<0.002	<0.002	<0.003	909
	11/24/08	<0.0008	<0.002	<0.002	<0.003	849
	03/23/09	<0.0008	<0.002	<0.002	<0.003	836
Duplicate	10/12/09	<0.0008	<0.002	<0.002	<0.003	692
	06/21/10	<0.0008	<0.002	<0.002	<0.003	570
	06/21/10	<0.0008	<0.002	<0.002	<0.003	--
Duplicate	11/10/10	<0.0008	<0.002	<0.002	<0.003	446
	06/22/11	<0.001	<0.001	<0.001	<0.001	562
	11/29/11	<0.0004	<0.0003	<0.0003	<0.003	360
Duplicate	06/19/12	<0.0008	<0.002	<0.002	<0.003	361
	12/03/12	<0.0008	<0.002	<0.002	<0.003	339
	05/16/13	<0.0008	<0.002	<0.002	<0.003	408
Duplicate	11/19/13	<0.0008	<0.002	<0.002	<0.003	747
	06/04/14	<0.0008	<0.002	<0.002	<0.003	721
	12/17/14	<0.0008	<0.002	<0.002	<0.003	885
Duplicate	06/02/15	<0.0008	<0.002	<0.002	<0.003	839
	11/10/15	<0.0008	<0.002	<0.002	<0.003	863
	04/05/16	<0.0008	<0.002	<0.002	<0.003	356
Duplicate	11/08/16	<0.00200	<0.00600	<0.00600	<0.00900	763
	05/24/17	<0.00200	<0.00600	<0.00600	<0.00600	831
	11/30/17	<0.0008	<0.002	<0.002	<0.002	728
Duplicate	06/15/18	--	--	--	--	523
	04/05/19	<0.0002	<0.0002	<0.0004	<0.001	350
	8/18/2020	<0.00100	<0.00100	<0.00100	<0.00300	301
Duplicate	10/25/2021	--	--	--	--	318
MW-5	09/05/02	<0.001	<0.001	<0.001	<0.001	514
	11/06/02	--	--	--	--	585
	06/13/03	<0.001	<0.001	<0.001	<0.001	425
Duplicate	11/12/03	<0.001	<0.001	<0.001	<0.002	549
	11/12/03	<0.001	<0.001	<0.001	<0.002	--
	05/24/04	<0.001	<0.001	<0.001	<0.002	898
Duplicate	11/10/04	<0.001	<0.001	<0.001	<0.002	727
	05/25/05	<0.001	<0.001	<0.001	<0.002	794
	12/02/05	0.00108	<0.001	0.000992	0.000936	568
Duplicate	06/27/06	<0.001	<0.001	<0.001	<0.002	682
	12/12/06	<0.001	<0.001	<0.001	<0.002	565
	12/12/06	<0.001	<0.001	<0.001	<0.002	--
Duplicate	06/06/07	0.0016	<0.0002	<0.0002	<0.0006	350
	12/04/07	0.0069	<0.0002	<0.0002	<0.0006	210
	06/26/06	0.00166	<0.002	<0.002	<0.003	196

Table 3
Summary of Groundwater Analytical Data - BTEX and Chloride (mg/L)
Targa Midstream Services LLC - Eunice Gas Plant
Eunice, Lea County, New Mexico

Well Designation	Date Sampled	Benzene	Toluene	Ethylbenzene	Total Xylenes	Chloride
NM WQCC Standard (mg/L):		0.01	0.75	0.75	0.62	250
MW-5 Duplicate	11/25/08	0.000839	<0.002	<0.002	<0.003	170
	03/23/09	0.000805	<0.002	<0.002	<0.003	150
	03/23/09	0.000875	<0.002	<0.002	<0.003	--
	10/13/09	0.00363	<0.002	<0.002	<0.003	149
	06/22/10	0.00145	<0.002	<0.002	<0.003	170
	11/10/10	0.0636	0.0979	0.0837	0.122	173
	06/23/11	<0.000743	<0.000671	<0.000923	<0.000838	348
	11/29/11	<0.0004	<0.0003	<0.0003	<0.0003	158
	06/19/12	0.00787	0.0793	0.0602	0.1020	228
	12/04/12	<0.0008	<0.002	<0.002	<0.003	205
	05/16/13	0.00305	<0.002	<0.002	<0.003	215
	11/20/13	<0.0008	<0.002	<0.002	<0.003	226
	06/11/14	0.00175	<0.002	0.0028	<0.003	145
	12/18/14	<0.0008	<0.002	<0.002	<0.003	153
	06/02/15	<0.0008	<0.002	<0.002	<0.003	187
	11/10/15	<0.0008	<0.002	<0.002	<0.003	212
	04/05/16	<0.0008	<0.002	<0.002	<0.003	176
	11/08/16	<0.00200	<0.00600	<0.00600	<0.00900	195
	05/24/17	0.00116	<0.00600	<0.00600	<0.00600	230
	11/29/17	0.00102	<0.002	<0.002	<0.002	229
	06/15/18	--	--	--	--	232
	04/08/19	0.001	<0.0002	<0.0004	<0.001	226
	08/18/20	Well Damaged - Not Sampled				
	10/27/21	--	--	--	--	240
MW-6	09/05/02	0.136	0.307	0.003	0.229	514
	11/06/02	0.102	<0.010	0.212	<0.219	567
	06/13/03	0.036	0.005	0.019	0.029	487
	11/12/03	0.007	0.004	0.084	<0.001	487
	05/24/04	0.186	<0.001	0.002	<0.001	418
	11/10/04	0.0385	0.00318	0.00435	0.01089	496
	05/25/05	0.787	0.00577	1.16	0.0514	404
	12/02/05	0.684	0.00279	0.109	<0.02	241
	06/27/06	0.0533	<0.001	<0.001	<0.002	279
	12/08/06	0.335	0.0025	0.060	0.00307	244
	06/07/07	1.0	<0.002	0.019	<0.006	240
	12/04/07	0.12	0.0035	0.013	<0.006	230
	06/26/08	0.403	<0.002	0.153	0.0922	306
	11/25/08	0.520	<0.01	0.130	0.235	316
	03/24/09	0.393	0.00210	0.0653	0.162	322
	10/13/09	1.18	0.00230	<0.002	0.0335	265
	06/21/10	1.64	0.06470	<0.01	0.0878	197
	11/10/10	2.50	<0.04	<0.04	<0.06	226
	06/23/11	3.02	<0.0336	<0.0462	<0.0419	265
	11/29/11	2.49	<0.0150	0.0937	<0.0166	231
	06/19/12	1.06	<0.04	0.08	<0.06	348
	12/04/12	0.81	<0.02	0.0981	<0.03	414
	05/16/13	0.62	0.123	<0.01	<0.015	434
	11/20/13	0.70	0.697	<0.02	<0.03	453
	06/04/14	1.49	<0.01	0.2920	<0.015	577
	12/18/14	1.44	<0.02	0.17100	<0.03	417
	06/02/15	0.80	<0.02	0.17300	<0.03	872
	11/10/15	0.50	<0.02	0.16900	0.0375	862
	04/05/16	0.389	<0.02	0.14400	0.0643	997
	11/09/16	0.167	<0.0600	<0.0600	<0.0900	894
	05/24/17	0.00161	<0.00600	<0.00600	0.0331	1,010
	11/29/17	0.00700	<0.002	<0.002	<0.002	2,210
	06/15/18	0.0253	<0.00600	0.183	0.0256	1,010
	04/08/19	0.091	<0.0002	0.070	0.004 J	1,250
	08/19/20	0.00174	0.000418 J	0.00159	0.000216 J	1,030
	10/26/21	0.00244	<0.001	<0.001	<0.003	913

Table 3

Well Designation	Date Sampled	Benzene	Toluene	Ethylbenzene	Total Xylenes	Chloride
NM WQCC Standard (mg/L):		0.01	0.75	0.75	0.62	250
MW-8 						

Table 3
Summary of Groundwater Analytical Data - BTEX and Chloride (mg/L)
Targa Midstream Services LLC - Eunice Gas Plant
Eunice, Lea County, New Mexico

Well Designation	Date Sampled	Benzene	Toluene	Ethylbenzene	Total Xylenes	Chloride
NM WQCC Standard (mg/L):		0.01	0.75	0.75	0.62	250
MW-13	11/10/10	<0.0008	<0.002	<0.002	<0.003	6,690
	06/22/11	<0.001	<0.001	<0.001	<0.001	7,180
	11/30/11	<0.001	<0.001	<0.001	<0.001	5,950
	06/19/12	0.05620	0.719	0.25	0.414	6,930
	12/04/12	<0.0008	<0.002	<0.002	<0.003	7,010
	05/16/13	0.00112	<0.002	0.0081	0.00922	8,100
	11/20/13	<0.0008	<0.002	<0.002	<0.003	8,370
	12/17/14	<0.0008	<0.002	<0.002	<0.003	6,280
	06/03/15	<0.0008	<0.002	<0.002	<0.003	6,520
	11/10/15	<0.0008	<0.002	<0.002	<0.003	6,810
	04/05/16	<0.0008	<0.002	<0.002	<0.003	6,180
	11/08/16	<0.00200	<0.00600	<0.00600	<0.00900	5,560
	05/25/17	0.00481	<0.00600	<0.00600	<0.00600	5,520
	11/29/17	<0.0008	<0.002	<0.002	<0.002	5,290
	06/15/18	--	--	--	--	5,580
	04/05/19	<0.0002	0.0002 J	<0.0004	<0.001	4,700
	08/19/20	<0.001	<0.001	<0.001	<0.003	6,120
	10/26/21	--	--	--	--	5,730
MW-14	06/16/03	0.012	<0.001	<0.001	<0.002	25,000
	11/12/03	0.002	<0.001	<0.001	<0.001	25,900
	05/24/04	0.510	<0.001	<0.001	<0.001	12,300
	11/10/04	0.817	0.000813	0.001820	0.006435	25,500
	05/25/05	0.95	<0.005	0.0302	0.0215	57,600
	12/07/05	0.334	<0.010	<0.010	<0.020	22,800
	Duplicate 12/07/05	0.334	<0.010	<0.010	<0.010	--
	06/27/06	0.639	<0.001	<0.001	<0.002	13,700
	12/06/06	0.0271	0.00707	0.0004	0.0258	8,770
	06/07/07	0.20	0.00054	0.00049	0.0025	31,000
	12/03/07	0.40	<0.0008	0.011	0.0077	43,000
	Duplicate 12/03/07	0.41	<0.0008	0.011	0.008	--
	06/26/08	0.574	<0.002	0.00461	0.00505	43,400
	Duplicate 06/26/08	0.575	<0.002	0.00515	0.00577	--
	11/25/08	0.657	<0.01	<0.01	<0.015	44,600
	03/24/09	0.555	<0.002	0.00474	0.00534	45,500
	10/13/09	0.700	<0.02	<0.02	<0.03	50,100
	06/22/10	0.520	<0.02	<0.02	<0.03	39,600
	11/10/10	0.589	<0.01	<0.01	<0.015	43,900
	06/23/11	0.470	<0.00336	<0.00462	<0.00419	39,600
	11/29/11	0.873	<0.00150	0.0104	0.01690	49,000
	06/19/12	0.277	<0.002	<0.002	<0.003	24,800
	12/04/12	0.582	<0.01	<0.01	<0.015	35,700
	05/16/13	0.551	<0.01	<0.01	<0.015	35,600
	11/19/13	0.301	<0.02	<0.02	<0.03	38,300
	06/11/14	0.634	<0.02	<0.02	<0.03	20,600
	12/17/14	0.189	<0.02	<0.02	<0.03	34,900
	06/02/15	0.639	<0.002	<0.002	<0.003	24,500
	11/10/15	0.559	<0.01	<0.01	<0.015	24,500
	04/05/16	0.299	<0.002	<0.002	<0.003	21,800
	11/09/16	0.00342	<0.00600	<0.00600	<0.00900	21,500
	05/25/17	0.104	<0.00600	<0.00600	<0.00600	23,400
	11/29/17	0.0652	<0.002	<0.002	<0.002	26,300
	06/15/18	0.0453	<0.00600	<0.00600	<0.00600	29,000
	04/05/19	0.009	<0.0002	<0.0004	<0.001	13,100
	Duplicate (MW-X) 04/05/19	0.013	<0.0002	<0.0004	<0.001	--
	08/19/20	0.00318	<0.001	<0.001	0.000391 J	15,900
	10/25/21	0.00399	<0.001	<0.001	0.000411 J	13,900

Table 3
Summary of Groundwater Analytical Data - BTEX and Chloride (mg/L)
Targa Midstream Services LLC - Eunice Gas Plant
Eunice, Lea County, New Mexico

Well Designation	Date Sampled	Benzene	Toluene	Ethylbenzene	Total Xylenes	Chloride
NM WQCC Standard (mg/L):		0.01	0.75	0.75	0.62	250
MW-15	06/16/03	<0.001	<0.001	<0.001	<0.001	1,600
	11/12/03	<0.001	<0.001	<0.001	<0.002	1,120
	05/24/04	<0.001	<0.001	<0.001	<0.002	924
	11/10/04	<0.001	<0.001	<0.001	<0.002	1,240
	05/25/05	<0.001	<0.001	0.000718	0.000665	782
	12/07/05	<0.001	<0.001	<0.001	<0.002	746
	12/08/06	<0.001	0.00121	0.000355	0.002667	834
	Duplicate 12/08/06	<0.001	<0.001	<0.001	<0.002	--
	06/07/07	<0.0002	<0.0002	<0.0002	<0.0006	1,100
	12/04/07	0.0028	<0.0002	<0.0002	<0.0006	940
	06/26/08	0.00330	<0.002	<0.002	<0.003	882
	11/25/08	0.00354	<0.002	0.00269	0.005680	1,090
	03/24/09	0.00333	<0.002	<0.002	<0.003	1,130
	10/13/09	0.00620	<0.002	<0.002	<0.003	862
	06/22/10	0.00102	<0.002	<0.002	<0.003	752
	11/11/10	0.00154	<0.002	<0.002	<0.003	835
	06/22/11	<0.001	<0.001	<0.001	<0.001	1,200
	11/29/11	<0.0004	<0.0003	<0.0003	<0.000333	709
	Duplicate 11/29/11	<0.0004	<0.0003	<0.0003	<0.000333	713
	06/19/12	<0.0008	<0.002	<0.002	<0.003	862
	12/04/12	<0.0008	<0.002	<0.002	<0.003	874
	05/16/13	0.00211	<0.002	<0.002	<0.003	656
	11/20/13	<0.0008	<0.002	<0.002	<0.003	611
	06/11/14	0.00439	<0.002	0.00452	0.00390	945
	12/18/14	<0.0008	<0.002	<0.002	<0.003	396
	06/02/15	<0.0008	<0.002	<0.002	<0.003	391
	11/10/15	<0.0008	<0.002	<0.002	<0.003	396
	04/05/16	<0.0008	<0.002	<0.002	<0.003	434
	11/09/16	<0.00200	<0.00600	<0.00600	<0.00900	407
	05/24/17	<0.00200	<0.00600	<0.00600	<0.00600	341
	11/29/17	<0.0008	<0.002	<0.002	<0.002	384
	06/15/18	--	--	--	--	383
	04/08/19	<0.0002	<0.0002	<0.0004	<0.001	267
	08/18/20	<0.001	<0.001	<0.001	<0.003	374
	10/25/21	--	--	--	--	386
MW-18	01/19/06	<0.001	<0.001	<0.001	<0.002	2,430
	06/28/06	<0.001	<0.001	<0.001	<0.002	3,100
	12/08/06	<0.001	<0.001	<0.001	<0.002	2,310
	06/07/07	<0.0002	<0.0002	<0.0002	<0.0006	3,700
	12/04/07	<0.0002	<0.0002	<0.0002	<0.0006	4,600
	06/25/08	<0.0008	<0.002	<0.002	<0.003	5,710
	11/25/08	<0.0008	<0.002	<0.002	<0.003	5,670
	03/24/09	<0.0008	<0.002	<0.002	<0.003	5,750
	10/13/09	<0.0008	<0.002	<0.002	<0.003	6,090
	06/21/10	<0.0008	<0.002	<0.002	<0.003	6,120
	11/11/10	0.00221	<0.002	<0.002	<0.003	5,820
	Duplicate 11/11/10	0.00217	<0.002	<0.002	<0.003	--
	06/23/11	<0.00372	<0.00336	<0.00462	<0.00419	6,370
	Duplicate 06/23/11	<0.000765	<0.000719	<0.000860	<0.000942	6,090
	11/29/11	<0.0004	<0.0003	<0.0003	<0.000333	6,500
	06/19/12	<0.0008	<0.002	<0.002	<0.003	6,840
	12/04/12	<0.0008	<0.002	<0.002	<0.003	7,980
	05/17/13	0.00172	<0.002	<0.002	<0.003	8,940
	11/19/13	<0.0008	<0.002	<0.002	<0.003	8,330
	06/11/14	0.00156	<0.002	<0.002	<0.003	7,200

Table 3
Summary of Groundwater Analytical Data - BTEX and Chloride (mg/L)
Targa Midstream Services LLC - Eunice Gas Plant
Eunice, Lea County, New Mexico

Well Designation	Date Sampled	Benzene	Toluene	Ethylbenzene	Total Xylenes	Chloride
NM WQCC Standard (mg/L):		0.01	0.75	0.75	0.62	250
MW-18	12/19/14	<0.0008	<0.002	<0.002	<0.003	10,700
	06/02/15	0.0111	<0.002	<0.002	<0.003	11,200
	11/11/15	0.0277	<0.002	<0.002	<0.003	11,600
	04/05/16	0.0357	<0.002	<0.002	<0.003	13,400
	11/09/16	0.372	0.211	0.0452	0.0735	19,700
	05/25/17	0.219	0.0264	0.00527	0.0116	20,400
	11/29/17	0.282	0.0346	0.00646	0.0139	21,400
	06/14/18	0.238	<0.00600	<0.00600	<0.00600	23,900
	04/08/19	0.130	<0.0002	<0.0004	<0.001	24,600
	08/19/20	0.139	<0.001	<0.001	<0.003	14,600
	10/26/21	0.0638	<0.001	<0.001	<0.003	17,200
MW-19	12/07/05	0.000812	<0.001	<0.001	<0.002	2,730
Duplicate	06/28/06	<0.001	<0.001	<0.001	<0.002	3,760
	06/28/06	<0.001	<0.001	<0.001	<0.002	--
	12/08/06	<0.001	<0.001	<0.001	<0.002	4,510
	06/06/07	<0.0002	<0.0002	<0.0002	<0.0006	4,900
	12/04/07	<0.0002	<0.0002	<0.0002	<0.0006	5,300
	06/25/08	<0.0008	<0.002	<0.002	<0.003	7,130
	11/25/08	0.00262	<0.002	<0.002	<0.003	7,930
	03/24/09	0.00400	<0.002	<0.002	<0.003	8,750
	10/13/09	0.0491	<0.002	<0.002	<0.003	10,200
	06/21/10	0.0751	<0.002	<0.002	<0.003	10,600
	11/11/10	0.0804	<0.002	<0.002	<0.003	12,100
	06/23/11	0.0916	<0.000671	<0.000923	<0.000838	13,100
	11/29/11	0.1030	<0.0003	<0.0003	<0.000333	12,700
	06/19/12	0.0726	<0.002	<0.002	<0.003	14,600
	12/04/12	0.0519	<0.002	<0.002	<0.003	14,200
	05/17/13	0.0518	<0.002	<0.002	<0.003	18,600
	11/19/13	0.0265	<0.002	<0.002	<0.003	16,600
	06/11/14	0.0308	0.0135	0.003	<0.003	11,600
	12/22/14	0.0234	<0.002	<0.002	<0.003	14,300
	06/02/15	0.0173	<0.002	<0.002	<0.003	13,300
	11/10/15	0.0291	<0.002	<0.002	<0.003	13,000
	04/05/16	0.0202	<0.002	<0.002	<0.003	11,500
	11/09/16	0.00904	<0.00600	<0.00600	<0.00900	12,200
	05/25/17	0.00573	<0.00600	<0.00600	<0.00600	10,700
	11/29/17	0.00382	<0.002	<0.002	<0.002	9,910
	06/15/18	0.00206	<0.00600	<0.00600	<0.00600	9,520
	04/04/19	0.0005 J	<0.0002	<0.0004	<0.001	8,260
	08/18/20	0.000288 J	0.000642 J	0.000251 J	0.000509 J	8,780
	10/26/21	<0.001	<0.001	<0.001	<0.003	7,060
MW-20	12/07/05	<0.001	<0.001	<0.001	<0.002	3,110
Duplicate	06/28/06	<0.001	<0.001	<0.001	<0.002	2,960
	12/08/06	<0.001	<0.001	<0.001	<0.002	2,110
	12/08/06	<0.001	<0.001	<0.001	<0.002	--
	06/06/07	<0.0002	<0.0002	<0.0002	<0.0006	2,100
	12/04/07	<0.0002	<0.0002	<0.0002	<0.0006	2,300
	06/25/08	<0.0008	<0.002	<0.002	<0.003	2,270
	11/25/08	0.000936	<0.002	<0.002	<0.003	2,380
	03/24/09	0.00105	<0.002	<0.002	<0.003	2,790
	10/13/09	<0.0008	<0.002	<0.002	<0.003	3,010
	06/21/10	<0.0008	<0.002	<0.002	<0.003	2,730
	11/11/10	0.00200	<0.002	<0.002	<0.003	2,760
	06/23/11	<0.000743	<0.000671	<0.000923	<0.000838	3,400
	11/29/11	<0.0004	<0.0003	<0.0003	<0.000333	3,460
	06/19/12	<0.0008	<0.002	<0.002	<0.003	3,160
	12/04/12	<0.0008	<0.002	<0.002	<0.003	3,240

Table 3
Summary of Groundwater Analytical Data - BTEX and Chloride (mg/L)
Targa Midstream Services LLC - Eunice Gas Plant
Eunice, Lea County, New Mexico

Well Designation	Date Sampled	Benzene	Toluene	Ethylbenzene	Total Xylenes	Chloride
NM WQCC Standard (mg/L):		0.01	0.75	0.75	0.62	250
MW-20	05/17/13	<0.0008	<0.002	<0.002	<0.003	3,270
	11/19/13	<0.0008	<0.002	<0.002	<0.003	3,400
	12/22/14	<0.0008	<0.002	<0.002	<0.003	3,270
	06/02/15	<0.0008	<0.002	<0.002	<0.003	3,180
	11/10/15	<0.0008	<0.002	<0.002	<0.003	3,090
	04/05/16	<0.0008	<0.002	<0.002	<0.003	3,010
	11/09/16	<0.00200	<0.00600	<0.00600	<0.00900	3,110
	05/25/17	<0.00200	<0.00600	<0.00600	<0.00600	2,800
	11/29/17	<0.0008	<0.002	<0.002	<0.002	2,560
	06/15/18	--	--	--	--	2,510
	04/08/19	<0.0002	<0.0002	<0.0004	<0.001	2,380
	08/18/20	<0.001	<0.001	<0.001	<0.003	2,190
	10/26/21	--	--	--	--	2,400
MW-23 Dup-1	03/19/10	0.00447	0.00380	<0.002	<0.003	578
	05/27/10	0.00701	<0.002	<0.002	<0.003	355
	06/22/10	0.00854	<0.002	<0.002	<0.003	313
	11/11/10	0.00929	0.00473	0.00706	0.00907	573
	03/29/11	0.0129	<0.001	<0.001	<0.001	--
	06/23/11	0.0081	<0.000719	<0.000860	<0.000942	1,140
	11/30/11	0.00660	<0.001	<0.001	<0.001	922
	06/19/12	0.00981	0.09540	0.06780	0.12000	1,400
	06/20/12	0.00511	0.00551	0.00304	0.00403	1,330
	12/04/12	0.00914	<0.002	<0.002	<0.003	1,170
	05/16/13	0.01040	<0.002	<0.002	<0.003	1,540
	11/20/13	0.00148	<0.002	<0.002	<0.003	1,360
	06/11/14	0.01030	<0.002	<0.002	<0.003	792
	12/19/14	0.00128	<0.002	<0.002	<0.003	399
	06/03/15	0.01070	<0.002	<0.002	<0.003	344
	11/11/15	0.00303	<0.002	<0.002	<0.003	555
	04/05/16	0.00778	<0.002	<0.002	<0.003	158
	11/08/16	0.00806	<0.00600	<0.00600	<0.00900	241
	05/25/17	0.00549	<0.00600	<0.00600	<0.00600	230
	11/29/17	0.00722	<0.002	<0.002	<0.002	153
	06/14/18	0.00577	<0.00600	<0.00600	<0.00600	170
	04/05/19	0.010	<0.0002	<0.0004	<0.001	127
	04/05/19	--	--	--	--	146
	08/19/20	0.00663	<0.001	<0.001	0.000217 J	98.5
	10/25/21	<0.001	<0.001	<0.001	<0.001	374
	10/25/21	<0.001	<0.001	<0.001	<0.001	384
Duplicate (MW-Y)						
DUP						
MW-28 Dup-2 Dup-01	03/29/11	--	--	--	--	757
	11/29/11	3.08	0.034	1.59	2.07	295
	06/19/12	2.43	0.094	1.61	2.04	419
	12/04/12	2.72	<0.04	1.90	2.83	357
	12/04/12	2.44	<0.04	1.63	2.29	--
	05/16/13	1.12	<0.04	0.38	0.33	625
	11/20/13	1.56	<0.02	1.13	1.34	769
	06/11/14	2.21	<0.02	1.57	1.80	659
	12/22/14	1.94	<0.04	1.870	1.62	143
	06/03/15	1.47	<0.04	1.240	0.609	178
	11/11/15	0.75	<0.04	0.534	0.28	506
	04/05/16	1.03	<0.002	0.781	0.304	433
	11/08/16	1.16	<0.0600	1.04	0.285	408
	05/25/17	0.945	<0.00600	0.656	0.115	290
	11/29/17	1.84	<0.002	1.34	0.036	86.1
	06/15/18	--	--	--	--	452
	04/05/19	1.300	0.0008 J	0.470	0.053	208
	08/19/20	1.380	<0.001	0.238 (J)	0.00268 J	135
	08/19/20	1.480	<0.001	0.377 (J)	0.00189 J	126
	10/25/21					
Well Casing Deflection - Not Sampled						

Table 3
Summary of Groundwater Analytical Data - BTEX and Chloride (mg/L)
Targa Midstream Services LLC - Eunice Gas Plant
Eunice, Lea County, New Mexico

Well Designation	Date Sampled	Benzene	Toluene	Ethylbenzene	Total Xylenes	Chloride
NM WQCC Standard (mg/L):		0.01	0.75	0.75	0.62	250
MW-30	06/02/15	<0.0008	<0.002	<0.002	<0.003	4,980
	11/11/15	<0.0008	<0.002	<0.002	<0.003	4,570
	04/05/16	<0.0008	<0.002	<0.002	<0.003	4,640
	11/09/16	<0.00200	<0.00600	<0.00600	<0.00900	4,570
	05/25/17	<0.00200	<0.00600	<0.00600	<0.00600	3,790
	11/29/17	<0.0008	<0.002	<0.002	<0.002	3,200
	06/15/18	--	--	--	--	3,160
	04/08/19	<0.0002	<0.0002	<0.0004	<0.001	4,480
	08/18/20	<0.001	<0.001	<0.001	<0.003	7,790
	10/26/21	--	--	--	--	10,000
MW-31	04/25/16	<0.0008	<0.002	<0.002	<0.003	1,830
	11/09/16	<0.00200	<0.00600	<0.00600	<0.00900	1,940
	05/25/17	<0.00200	<0.00600	<0.00600	<0.00600	1,850
	11/29/17	<0.0008	<0.002	<0.002	<0.002	2,050
	06/15/18	--	--	--	--	2,480
	04/08/19	<0.0002	<0.0002	<0.0004	<0.001	3,100
	08/18/20	<0.001	<0.001	<0.001	<0.003	3,050
	10/26/21	--	--	--	--	3,210

Notes:

Data reported in milligrams per liter (mg/L)

Data collected by others through June 14, 2018 and transposed from 2017 and 2018 Groundwater Monitoring Reports (Larson & Associates, Inc.)

< Denotes concentration below the method detection limit (MDL).

-- Denotes chemical not analyzed


J - Estimated value >= Method Detection Limit (MDL) and < Limit of Quantitation (LOQ)

(J) - Estimated value Assigned through Data Validation (Relative Percent Duplicate > 40%)

LNAPL: Light non-aqueous phase liquid

Highlighted value denotes concentration exceeds New Mexico Water Quality Control Commission (WQCC) Standard for Groundwater of 10,000 mg/L TDS

Figures

**REFERENCE(S)**

BASE MAP TAKEN FROM USGS.GOV, EUNICE AND EUNICE NE, NM 7.5 MIN. USGS QUADRANGLES, DATED 1969, REVISED 1979.

CLIENT

TARGA MIDSTREAM SERVICES LLC

PROJECT

EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

TITLE

SITE LOCATION MAP

CONSULTANT

GOLDER
MEMBER OF WSP

YYYY-MM-DD 2021-11-30

DESIGNED AJD

PREPARED AJD


REVIEWED SC

APPROVED SC

PROJECT NO.
18111105


REV.
0

FIGURE
1



QUADRANGLE LOCATION

Path: \\golder.gds\complexdata\office\Texarkana\Projects - Round Rock\2018\18111105 - Targa Eunice Gas Plant\2021-11\ | File Name: 18111105-001-02.dwg | Last Edited By: adiamond Date: 2021-11-30 Time:10:01:57 AM | Printed By: adiamond Date: 2021-11-30 Time:10:05:39 AM



LEGEND

X

SECURITY FENCE

MONITORING WELL LOCATION

HIGH VACUUM EXTRACTION WELL LOCATION

RECOVERY WELL LOCATION

MONITORING WELL LOCATION - PLUGGED

SALT WATER DISPOSAL WELL

NOTE(S)

1. LOCATION OF PLUGGED MONITORING WELL MW-17 AND MONITORING WELLS MW-25, MW-27 AND MW-29 ARE APPROXIMATE.

REFERENCE(S)

BASE MAP TAKEN FROM GOOGLE EARTH, IMAGERY DATED 2/20/19.

CLIENT

TARGA MIDSTREAM SERVICES LLC

PROJECT

EUNICE GAS PLANT
LEA COUNTY, NEW MEXICO

TITLE

SITE MAP


CONSULTANT	YYYY-MM-DD	2021-11-30
	DESIGNED	AJD
	PREPARED	AJD
	REVIEWED	SC
	APPROVED	SC



PROJECT NO.	REV.	FIGURE
18111105	0	2

IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM ANSI B

Path: \\golder.gds\complex\data\office\Texarkana\Projects - Round Rock\2018\18111105 - Targa Eunice Gas Plant\2021-11\1 | File Name: 18111105-001-03.dwg | Last Edited By: adiamond Date: 2021-12-06 Time:10:23:59 AM | Printed By: adiamond Date: 2021-12-06 Time:10:25:55 AM



LEGEND

- X SECURITY FENCE
- MONITORING WELL LOCATION
- HIGH VACUUM EXTRACTION WELL LOCATION
- RECOVERY WELL LOCATION
- MONITORING WELL LOCATION - PLUGGED
- (3352.08) GROUNDWATER POTENTIOMETRIC SURFACE (FT MSL)
- 3350 GROUNDWATER POTENTIOMETRIC SURFACE CONTOUR (CONTOUR INTERVAL = 2 FT)
- GROUNDWATER FLOW DIRECTION

- NOTE(S)**
- LOCATION OF PLUGGED MONITORING WELL MW-17 AND MONITORING WELLS MW-25, MW-27 AND MW-29 ARE APPROXIMATE.
 - * LNAPL PRESENT

CLIENT TARGA MIDSTREAM SERVICES LLC		
PROJECT EUNICE GAS PLANT LEA COUNTY, NEW MEXICO		
TITLE GROUNDWATER GRADIENT MAP OCTOBER 25, 2021		
CONSULTANT	YYYY-MM-DD	2021-11-30
	DESIGNED	AJD
	PREPARED	AJD
	REVIEWED	SC
	APPROVED	SC
PROJECT NO. 18111105	REV. 0	FIGURE 3



REFERENCE(S)
BASE MAP TAKEN FROM GOOGLE EARTH, IMAGERY DATED 2/20/19.



Path: \\golder.gds\complexdata\office\Texarkana\Projects - Round Rock\2018\18111105 - Targa Eunice Gas Plant\2021-11\ | File Name: 18111105-001-06.dwg | Last Edited By: adiamond Date: 2021-11-30 Time:11:44:58 AM | Printed By: adiamond Date: 2021-12-02 Time:5:53:36 PM



LEGEND	
X	SECURITY FENCE
⊕	MONITORING WELL LOCATION
⊕	HIGH VACUUM EXTRACTION WELL LOCATION
⊕	RECOVERY WELL LOCATION
⊕	MONITORING WELL LOCATION - PLUGGED
(0.130)	BENZENE CONCENTRATION IN GROUNDWATER (mg/L)

- NOTE(S)
1. LOCATION OF PLUGGED MONITORING WELL MW-17 AND MONITORING WELLS MW-25, MW-27 AND MW-29 ARE APPROXIMATE.
 2. RED NUMBER SIGNIFIES BENZENE CONCENTRATION EXCEEDS NMWQCC HUMAN HEALTH STANDARD (0.010 mg/L).
 3. ORANGE HIGHLIGHTING DENOTES A LOCATION WHERE MEASURABLE THICKNESS OF LNAPL WAS PRESENT.

CLIENT		
TARGA MIDSTREAM SERVICES LLC		
PROJECT		
EUNICE GAS PLANT		
LEA COUNTY, NEW MEXICO		
TITLE		
BENZENE IN GROUNDWATER CONCENTRATION MAP		
OCTOBER 2021		
CONSULTANT		
YYYY-MM-DD	2021-11-30	
DESIGNED	AJD	
PREPARED	AJD	
REVIEWED	SC	
APPROVED	SC	
PROJECT NO.	18111105	REV.
		0
FIGURE		5

REFERENCE(S)
BASE MAP TAKEN FROM GOOGLE EARTH, IMAGERY DATED 2/20/19.

Path: \\golder.gds\complex\data\office\Texarkana\Projects - Round Rock\2018\18111105 - Targa Eunice Gas Plant\2021-11\ | File Name: 18111105-001-07.dwg | Last Edited By: adiamond Date: 2021-11-30 Time:11:48:13 AM | Printed By: adiamond Date: 2021-11-30 Time:12:27:43 PM



REFERENCE(S)
BASE MAP TAKEN FROM GOOGLE EARTH, IMAGERY DATED 2/20/19.

APPENDIX A

Laboratory Analytical Reports



ANALYTICAL REPORT

November 18, 2021

Golder Associates, Inc.

Sample Delivery Group: L1422809
Samples Received: 10/27/2021
Project Number: 18111105
Description: Eunice Gas Plant Ann. GW

Report To: Chris Kakolewski
602 N. Baird, Suite 227
Midland, TX 79701

Entire Report Reviewed By:

Mark W. Beasley
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

**Pace Analytical National**

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

Cp: Cover Page	1	¹ Cp
Tc: Table of Contents	2	
Ss: Sample Summary	3	² Tc
Cn: Case Narrative	4	
Tr: TRRP Summary	5	³ Ss
TRRP form R	6	
TRRP form S	7	⁴ Cn
TRRP Exception Reports	8	⁵ Tr
Sr: Sample Results	9	
MW-1 L1422809-01	9	⁶ Sr
MW-15 L1422809-02	10	
MW-23 L1422809-03	11	⁷ Qc
DUP L1422809-04	12	⁸ Gl
MW-14 L1422809-05	13	
TB-01 L1422809-06	14	⁹ Al
Qc: Quality Control Summary	15	
Wet Chemistry by Method 9056A	15	¹⁰ Sc
Volatile Organic Compounds (GC/MS) by Method 8260B	16	
Gl: Glossary of Terms	17	
Al: Accreditations & Locations	18	
Sc: Sample Chain of Custody	19	

MW-1 L1422809-01 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 9056A	WG1774955	10	11/17/21 00:19	11/17/21 00:19	ELN	Mt. Juliet, TN

Collected by
Casey Smith

Collected date/time
10/25/21 16:08

Received date/time
10/27/21 08:00

¹Cp

²Tc

³Ss

MW-15 L1422809-02 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 9056A	WG1774955	10	11/17/21 00:31	11/17/21 00:31	ELN	Mt. Juliet, TN

Collected by
Casey Smith

Collected date/time
10/25/21 12:23

Received date/time
10/27/21 08:00

⁴Cn

⁵Tr

MW-23 L1422809-03 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 9056A	WG1774955	5	11/17/21 01:17	11/17/21 01:17	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1766358	1	10/31/21 04:58	10/31/21 04:58	BMB	Mt. Juliet, TN

Collected by
Casey Smith

Collected date/time
10/25/21 14:52

Received date/time
10/27/21 08:00

⁶Sr

⁷Qc

⁸Gl

DUP L1422809-04 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 9056A	WG1774955	10	11/17/21 01:29	11/17/21 01:29	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1766358	1	10/31/21 05:17	10/31/21 05:17	BMB	Mt. Juliet, TN

Collected by
Casey Smith

Collected date/time
10/25/21 14:52

Received date/time
10/27/21 08:00

⁹Al

¹⁰Sc

MW-14 L1422809-05 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 9056A	WG1774955	500	11/17/21 02:16	11/17/21 02:16	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1766358	1	10/31/21 05:36	10/31/21 05:36	BMB	Mt. Juliet, TN

Collected by
Casey Smith

Collected date/time
10/25/21 11:30

Received date/time
10/27/21 08:00

TB-01 L1422809-06 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1766358	1	10/31/21 02:07	10/31/21 02:07	BMB	Mt. Juliet, TN

Collected by
Casey Smith


Collected date/time
10/25/21 00:00

Received date/time
10/27/21 08:00

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Mark W. Beasley
Project Manager



Laboratory Data Package Cover Page

This data package consists of this signature page, the laboratory review checklist, and the following reportable data as applicable:

- R1 - Field chain-of-custody documentation;
- R2 - Sample identification cross-reference;
- R3 - Test reports (analytical data sheets) for each environmental sample that includes:
 - a. Items consistent with NELAC Chapter 5,
 - b. dilution factors,
 - c. preparation methods,
 - d. cleanup methods, and
 - e. if required for the project, tentatively identified compounds (TICs).
- R4 - Surrogate recovery data including:
 - a. Calculated recovery (%R), and
 - b. The laboratory's surrogate QC limits.
- R5 - Test reports/summary forms for blank samples;
- R6 - Test reports/summary forms for laboratory control samples (LCSs) including:
 - a. LCS spiking amounts,
 - b. Calculated %R for each analyte, and
 - c. The laboratory's LCS QC limits.
- R7 - Test reports for project matrix spike/matrix spike duplicates (MS/MSDs) including:
 - a. Samples associated with the MS/MSD clearly identified,
 - b. MS/MSD spiking amounts,
 - c. Concentration of each MS/MSD analyte measured in the parent and spiked samples,
 - d. Calculated %Rs and relative percent differences (RPDs), and
 - e. The laboratory's MS/MSD QC limits
- R8 - Laboratory analytical duplicate (if applicable) recovery and precision:
 - a. The amount of analyte measured in the duplicate,
 - b. The calculated RPD, and
 - c. The laboratory's QC limits for analytical duplicates.
- R9 - List of method quantitation limits (MQLs) and detectability check sample results for each analyte for each method and matrix.
- R10 - Other problems or anomalies.

Release Statement: I am responsible for the release of this laboratory data package. This laboratory is NELAC accredited under the Texas Laboratory Accreditation Program for all the methods, analytes, and matrices reported in this data package except as noted in the Exception Reports. The data have been reviewed and are technically compliant with the requirements of the methods used, except where noted by the laboratory in the Exception Reports. By my signature below, I affirm to the best of my knowledge all problems/anomalies observed by the laboratory have been identified in the Laboratory Review Checklist, and no information affecting the quality of the data has been knowingly withheld.



Mark W. Beasley
Project Manager

Laboratory Review Checklist: Reportable Data

Laboratory Name: Pace Analytical National			LRC Date: 11/18/2021 10:19				
Project Name: Eunice Gas Plant Ann. GW			Laboratory Job Number: L1422809-01, 02, 03, 04, 05 and 06				
Reviewer Name: Mark W. Beasley			Prep Batch Number(s): WG1766358 and WG1774955				
# ¹	A ²	Description	Yes	No	NA ³	NR ⁴	ER# ⁵
R1	OI	Chain-of-custody (C-O-C)					
		Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?	X				
		Were all departures from standard conditions described in an exception report?			X		
R2	OI	Sample and quality control (QC) identification					
		Are all field sample ID numbers cross-referenced to the laboratory ID numbers?	X				
		Are all laboratory ID numbers cross-referenced to the corresponding QC data?	X				
R3	OI	Test reports					
		Were all samples prepared and analyzed within holding times?	X				
		Other than those results < MQL, were all other raw values bracketed by calibration standards?		X			1
		Were calculations checked by a peer or supervisor?	X				
		Were all analyte identifications checked by a peer or supervisor?	X				
		Were sample detection limits reported for all analytes not detected?	X				
		Were all results for soil and sediment samples reported on a dry weight basis?	X				
		Were % moisture (or solids) reported for all soil and sediment samples?			X		
		Were bulk soils/solids samples for volatile analysis extracted with methanol per SW846 Method 5035?			X		
		If required for the project, are TICs reported?			X		
R4	O	Surrogate recovery data					
		Were surrogates added prior to extraction?	X				
		Were surrogate percent recoveries in all samples within the laboratory QC limits?		X			2
R5	OI	Test reports/summary forms for blank samples					
		Were appropriate type(s) of blanks analyzed?	X				
		Were blanks analyzed at the appropriate frequency?	X				
		Were method blanks taken through the entire analytical process, including preparation and, if applicable, cleanup procedures?	X				
		Were blank concentrations < MQL?	X				
R6	OI	Laboratory control samples (LCS):					
		Were all COCs included in the LCS?	X				
		Was each LCS taken through the entire analytical procedure, including prep and cleanup steps?	X				
		Were LCSs analyzed at the required frequency?	X				
		Were LCS (and LCSD, if applicable) %Rs within the laboratory QC limits?	X				
		Does the detectability check sample data document the laboratory's capability to detect the COCs at the MDL used to calculate the SDLs?	X				
		Was the LCSD RPD within QC limits?	X				
R7	OI	Matrix spike (MS) and matrix spike duplicate (MSD) data					
		Were the project/method specified analytes included in the MS and MSD?	X				
		Were MS/MSD analyzed at the appropriate frequency?	X				
		Were MS (and MSD, if applicable) %Rs within the laboratory QC limits?		X			3
		Were MS/MSD RPDs within laboratory QC limits?	X				
R8	OI	Analytical duplicate data					
		Were appropriate analytical duplicates analyzed for each matrix?	X				
		Were analytical duplicates analyzed at the appropriate frequency?	X				
		Were RPDs or relative standard deviations within the laboratory QC limits?	X				
R9	OI	Method quantitation limits (MQLs):					
		Are the MQLs for each method analyte included in the laboratory data package?	X				
		Do the MQLs correspond to the concentration of the lowest non-zero calibration standard?	X				
		Are unadjusted MQLs and DCSs included in the laboratory data package?	X				
R10	OI	Other problems/anomalies					
		Are all known problems/anomalies/special conditions noted in this LRC and ER?	X				
		Was applicable and available technology used to lower the SDL to minimize the matrix interference effects on the sample results?	X				
		Is the laboratory NELAC-accredited under the Texas Laboratory Accreditation Program for the analytes, matrices and methods associated with this laboratory data package?	X				

1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.
2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable);
3. NA = Not applicable;
4. NR = Not reviewed;
5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

Laboratory Review Checklist: Supporting Data

Laboratory Name: Pace Analytical National			LRC Date: 11/18/2021 10:19				
Project Name: Eunice Gas Plant Ann. GW			Laboratory Job Number: L1422809-01, 02, 03, 04, 05 and 06				
Reviewer Name: Mark W. Beasley			Prep Batch Number(s): WG1766358 and WG1774955				
# ¹	A ²	Description	Yes	No	NA ³	NR ⁴	ER# ⁵
S1	OI	Initial calibration (ICAL)					
		Were response factors and/or relative response factors for each analyte within QC limits?	X				
		Were percent RSDs or correlation coefficient criteria met?	X				
		Was the number of standards recommended in the method used for all analytes?	X				
		Were all points generated between the lowest and highest standard used to calculate the curve?	X				
		Are ICAL data available for all instruments used?	X				
		Has the initial calibration curve been verified using an appropriate second source standard?	X				
S2	OI	Initial and continuing calibration verification (ICCV and CCV) and continuing calibration blank (CCB):					
		Was the CCV analyzed at the method-required frequency?	X				
		Were percent differences for each analyte within the method-required QC limits?	X				
		Was the ICAL curve verified for each analyte?	X				
		Was the absolute value of the analyte concentration in the inorganic CCB < MDL?	X				
S3	O	Mass spectral tuning					
		Was the appropriate compound for the method used for tuning?	X				
		Were ion abundance data within the method-required QC limits?	X				
S4	O	Internal standards (IS)					
		Were IS area counts and retention times within the method-required QC limits?	X				
S5	OI	Raw data (NELAC Section 5.5.10)					
		Were the raw data (for example, chromatograms, spectral data) reviewed by an analyst?	X				
		Were data associated with manual integrations flagged on the raw data?	X				
S6	O	Dual column confirmation					
		Did dual column confirmation results meet the method-required QC?			X		
S7	O	Tentatively identified compounds (TICs)					
		If TICs were requested, were the mass spectra and TIC data subject to appropriate checks?			X		
S8	I	Interference Check Sample (ICS) results					
		Were percent recoveries within method QC limits?			X		
S9	I	Serial dilutions, post digestion spikes, and method of standard additions					
		Were percent differences, recoveries, and the linearity within the QC limits specified in the method?			X		
S10	OI	Method detection limit (MDL) studies					
		Was a MDL study performed for each reported analyte?	X				
		Is the MDL either adjusted or supported by the analysis of DCSs?	X				
S11	OI	Proficiency test reports					
		Was the laboratory's performance acceptable on the applicable proficiency tests or evaluation studies?	X				
S12	OI	Standards documentation					
		Are all standards used in the analyses NIST-traceable or obtained from other appropriate sources?	X				
S13	OI	Compound/analyte identification procedures					
		Are the procedures for compound/analyte identification documented?	X				
S14	OI	Demonstration of analyst competency (DOC)					
		Was DOC conducted consistent with NELAC Chapter 5?	X				
		Is documentation of the analyst's competency up-to-date and on file?	X				
S15	OI	Verification/validation documentation for methods (NELAC Chapter 5)					
		Are all the methods used to generate the data documented, verified, and validated, where applicable?	X				
S16	OI	Laboratory standard operating procedures (SOPs)					
		Are laboratory SOPs current and on file for each method performed	X				
<p>1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.</p> <p>2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable);</p> <p>3. NA = Not applicable;</p> <p>4. NR = Not reviewed;</p> <p>5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).</p>							

Laboratory Review Checklist: Exception Reports

Laboratory Name: Pace Analytical National		LRC Date: 11/18/2021 10:19	
Project Name: Eunice Gas Plant Ann. GW		Laboratory Job Number: L1422809-01, 02, 03, 04, 05 and 06	
Reviewer Name: Mark W. Beasley		Prep Batch Number(s): WG1766358 and WG1774955	
ER #¹	Description		
1	9056A WG1774955 R3730953-5 and 6: The analyte concentration exceeds the upper limit of the calibration range of the instrument established by the initial calibration (ICAL).		
2	8260B WG1766358 4-Bromofluorobenzene R3726579-5: Percent Recovery is outside of established control limits.		
3	9056A WG1774955 Chloride: Percent Recovery is outside of established control limits.		
1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period. 2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable); 3. NA = Not applicable; 4. NR = Not reviewed; 5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).			

Collected date/time: 10/25/21 16:08

L1422809

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	SDL	Unadj. MQL	MQL	Dilution	Analysis date / time	Batch
Chloride	318		3.79	1.00	10.0	10	11/17/2021 00:19	WG1774955

¹Cp²Tc³Ss⁴Cn⁵Tr⁶Sr⁷Qc⁸Gl⁹Al¹⁰Sc

Collected date/time: 10/25/21 12:23

L1422809

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	SDL	Unadj. MQL	MQL	Dilution	Analysis date / time	Batch
Chloride	386		3.79	1.00	10.0	10	11/17/2021 00:31	WG1774955

- 1Cp
- 2Tc
- 3Ss
- 4Cn
- 5Tr
- 6Sr
- 7Qc
- 8Gl
- 9Al
- 10Sc

Collected date/time: 10/25/21 14:52

L1422809

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	SDL	Unadj. MQL	MQL	Dilution	Analysis date / time	Batch
Chloride	374		1.90	1.00	5.00	5	11/17/2021 01:17	WG1774955

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	SDL	Unadj. MQL	MQL	Dilution	Analysis date / time	Batch
Benzene	U		0.0000941	0.00100	0.00100	1	10/31/2021 04:58	WG1766358
Toluene	U		0.000278	0.00100	0.00100	1	10/31/2021 04:58	WG1766358
Ethylbenzene	U		0.000137	0.00100	0.00100	1	10/31/2021 04:58	WG1766358
Total Xylenes	U		0.000174	0.00300	0.00300	1	10/31/2021 04:58	WG1766358
(S) Toluene-d8	98.1				80.0-120		10/31/2021 04:58	WG1766358
(S) 4-Bromofluorobenzene	105				77.0-126		10/31/2021 04:58	WG1766358
(S) 1,2-Dichloroethane-d4	109				70.0-130		10/31/2021 04:58	WG1766358

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gl

9 Al

10 Sc

Collected date/time: 10/25/21 14:52

L1422809

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	SDL	Unadj. MQL	MQL	Dilution	Analysis date / time	Batch
Chloride	384		3.79	1.00	10.0	10	11/17/2021 01:29	WG1774955

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	SDL	Unadj. MQL	MQL	Dilution	Analysis date / time	Batch
Benzene	U		0.0000941	0.00100	0.00100	1	10/31/2021 05:17	WG1766358
Toluene	U		0.000278	0.00100	0.00100	1	10/31/2021 05:17	WG1766358
Ethylbenzene	U		0.000137	0.00100	0.00100	1	10/31/2021 05:17	WG1766358
Total Xylenes	U		0.000174	0.00300	0.00300	1	10/31/2021 05:17	WG1766358
(S) Toluene-d8	94.9				80.0-120		10/31/2021 05:17	WG1766358
(S) 4-Bromofluorobenzene	123				77.0-126		10/31/2021 05:17	WG1766358
(S) 1,2-Dichloroethane-d4	95.1				70.0-130		10/31/2021 05:17	WG1766358

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gl

9 Al

10 Sc

Collected date/time: 10/25/21 11:30

L1422809

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	SDL	Unadj. MQL	MQL	Dilution	Analysis date / time	Batch
Chloride	13900		190	1.00	500	500	11/17/2021 02:16	WG1774955

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	SDL	Unadj. MQL	MQL	Dilution	Analysis date / time	Batch
Benzene	0.00399		0.0000941	0.00100	0.00100	1	10/31/2021 05:36	WG1766358
Toluene	U		0.000278	0.00100	0.00100	1	10/31/2021 05:36	WG1766358
Ethylbenzene	U		0.000137	0.00100	0.00100	1	10/31/2021 05:36	WG1766358
Total Xylenes	0.000411	J	0.000174	0.00300	0.00300	1	10/31/2021 05:36	WG1766358
(S) Toluene-d8	96.0				80.0-120		10/31/2021 05:36	WG1766358
(S) 4-Bromofluorobenzene	98.8				77.0-126		10/31/2021 05:36	WG1766358
(S) 1,2-Dichloroethane-d4	109				70.0-130		10/31/2021 05:36	WG1766358

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gl

9 Al

10 Sc

Collected date/time: 10/25/21 00:00

L1422809

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	SDL mg/l	Unadj. MQL mg/l	MQL mg/l	Dilution	Analysis date / time	Batch
Benzene	U		0.0000941	0.00100	0.00100	1	10/31/2021 02:07	WG1766358
Toluene	U		0.000278	0.00100	0.00100	1	10/31/2021 02:07	WG1766358
Ethylbenzene	U		0.000137	0.00100	0.00100	1	10/31/2021 02:07	WG1766358
Total Xylenes	U		0.000174	0.00300	0.00300	1	10/31/2021 02:07	WG1766358
(S) Toluene-d8	105				80.0-120		10/31/2021 02:07	WG1766358
(S) 4-Bromofluorobenzene	101				77.0-126		10/31/2021 02:07	WG1766358
(S) 1,2-Dichloroethane-d4	96.4				70.0-130		10/31/2021 02:07	WG1766358

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gl

9 Al

10 Sc

Wet Chemistry by Method 9056A

[L1422809-01,02,03,04,05](#)

Method Blank (MB)

(MB) R3730953-1 11/16/21 21:35

Analyte	MB Result mg/l	<u>MB Qualifier</u>	MB MDL mg/l	MB RDL mg/l
Chloride	U		0.379	1.00

L1422665-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1422665-01 11/16/21 22:22 • (DUP) R3730953-3 11/16/21 22:34

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	<u>DUP Qualifier</u>	DUP RPD Limits %
Chloride	6.89	6.85	1	0.577		15

L1422809-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1422809-04 11/17/21 01:29 • (DUP) R3730953-7 11/17/21 02:04

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	<u>DUP Qualifier</u>	DUP RPD Limits %
Chloride	384	381	10	0.773		15

Laboratory Control Sample (LCS)

(LCS) R3730953-2 11/16/21 21:47

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Chloride	40.0	40.3	101	80.0-120	

L1422665-01 Original Sample (OS) • Matrix Spike (MS)

(OS) L1422665-01 11/16/21 22:22 • (MS) R3730953-4 11/16/21 22:45

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>
Chloride	50.0	6.89	57.9	102	1	80.0-120	

L1422809-03 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1422809-03 11/17/21 00:42 • (MS) R3730953-5 11/17/21 00:54 • (MSD) R3730953-6 11/17/21 01:06

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	RPD Limits %
Chloride	50.0	363	394	395	63.5	64.0	1	80.0-120	<u>EV</u>	<u>EV</u>	0.0678	15

1Cp

2Tc

3Ss

4Cn

5Tr

6Sr

7Qc

8Gl

9Al

10Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

L1422809-03,04,05,06

Method Blank (MB)

(MB) R3726579-3 10/31/21 01:29

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Benzene	U		0.0000941	0.00100
Ethylbenzene	U		0.000137	0.00100
Toluene	U		0.000278	0.00100
Xylenes, Total	U		0.000174	0.00300
(S) Toluene-d8	100			80.0-120
(S) 4-Bromofluorobenzene	103			77.0-126
(S) 1,2-Dichloroethane-d4	108			70.0-130

¹Cp

²Tc

³Ss

⁴Cn

⁵Tr

⁶Sr

⁷Qc

⁸Gl

⁹Al

¹⁰Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3726579-1 10/31/21 00:31 • (LCSD) R3726579-2 10/31/21 00:50

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Benzene	0.00500	0.00487	0.00492	97.4	98.4	70.0-123			1.02	20
Ethylbenzene	0.00500	0.00490	0.00450	98.0	90.0	79.0-123			8.51	20
Toluene	0.00500	0.00486	0.00453	97.2	90.6	79.0-120			7.03	20
Xylenes, Total	0.0150	0.0149	0.0133	99.3	88.7	79.0-123			11.3	20
(S) Toluene-d8				105	99.9	80.0-120				
(S) 4-Bromofluorobenzene				105	102	77.0-126				
(S) 1,2-Dichloroethane-d4				99.9	108	70.0-130				

L1422809-03 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1422809-03 10/31/21 04:58 • (MS) R3726579-4 10/31/21 08:09 • (MSD) R3726579-5 10/31/21 08:28

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Benzene	0.00500	U	0.00541	0.00452	108	90.4	1	17.0-158			17.9	27
Ethylbenzene	0.00500	U	0.00467	0.00394	93.4	78.8	1	30.0-155			17.0	27
Toluene	0.00500	U	0.00513	0.00425	103	85.0	1	26.0-154			18.8	28
Xylenes, Total	0.0150	U	0.0141	0.0117	94.0	78.0	1	29.0-154			18.6	28
(S) Toluene-d8					101	104		80.0-120				
(S) 4-Bromofluorobenzene					97.2	73.9		77.0-126		J2		
(S) 1,2-Dichloroethane-d4					109	110		70.0-130				

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
MQL	Method Quantitation Limit.
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
SDL	Sample Detection Limit.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Sample Detection Limit.
Unadj. MQL	Unadjusted Method Quantitation Limit.
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier	Description
E	The analyte concentration exceeds the upper limit of the calibration range of the instrument established by the initial calibration (ICAL).
J	The identification of the analyte is acceptable; the reported value is an estimate.
J2	Surrogate recovery limits have been exceeded; values are outside lower control limits.
V	The sample concentration is too high to evaluate accurate spike recoveries.

1	Cp
2	Tc
3	Ss
4	Cn
5	Tr
6	Sr
7	Qc
8	Gl
9	Al
10	Sc

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122


Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey--NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio--VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1 6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1 4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA -- ISO 17025	1461.01	AIHA-LAP, LLC EMLAP	100789
A2LA -- ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA--Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.



Company Name/Address: Golder Associates, Inc. 602 N. Baird, Suite 227 Midland, TX 79701				Billing Information: Accounts Payable 602 N. Baird, Suite 227 Midland, TX 79701				Pres Chk				Analysis / Container / Preservative				Chain of Custody Page ____ of ____			
Report to: Chris Kakolewski				Email To: chris_kakolewski@golder.com; steven_crowley												 12065 Lebanon Rd Mount Juliet, TN 37122 Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: https://info.pacelabs.com/hubfs/pas-standard-terms.pdf			
Project Description: Eunice Gas Plant Ann. GW				City/State Collected: Eunice, NM		Please Circle: PT MD CT ET										SDG: <u>1422809</u> F107			
Phone: 432-662-0150		Client Project # 18111105		Lab Project # GOLDMTX-18111105															
Collected by (print): Casey Smith Zach Schenck		Site/Facility ID #		P.O. #															
Collected by (signature): [Signature]		Rush? (Lab MUST Be Notified) Same Day Five Day Next Day 5 Day (Rad Only) Two Day 10 Day (Rad Only) Three Day		Quote #															
Immediately Packed on Ice N <input type="checkbox"/> Y <input checked="" type="checkbox"/>				Date Results Needed															
Sample ID		Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs	CHLORIDE 125mLHDPE-NoPres	V8260BTEX 40mLAMB-HCl										
MW-8			GW																
MW-1			GW		10/25/21	1608	1	✓									11		
MW-15			GW		10/25/21	1223	1	✓									12		
MW-20 MW-23			GW		10/25/21	1452	4	✓	✓								13		
MW-30 MW-23 MS			GW		10/25/21	1452	4	✓	✓								14		
MW-31 MW-23 MSD			GW		10/25/21	1452	4	✓	✓								15		
MW-13 DWP			GW		10/25/21	1452	4	✓	✓								16		
MW-14			GW		10/25/21	1130	4	✓	✓								17		
MW-9 TBO1			GW		10/25/21												18		
MW-12			GW																
* Matrix: SS - Soil AIR - Air F - Filter GW - Groundwater B - Bioassay WW - Waste Water DW - Drinking Water OT - Other		Remarks:		Samples returned via: UPS FedEx Courier		Tracking #		pH Temp Flow Other		Sample Receipt Checklist COC Seal Present/Intact: NP Y N COC Signed/Accurate: Y N Bottles arrive intact: Y N Correct bottles used: Y N Sufficient volume sent: Y N If Applicable VOA Zero Headspace: Y N Preservation Correct/Checked: Y N RAD Screen <0.5 mR/hr: Y N									
Relinquished by: (Signature) [Signature]		Date: 10/25/21		Time: 1745		Received by: (Signature) [Signature]		Trip Blank Received: Yes No HCL MeOH TBR											
Relinquished by: (Signature) [Signature]		Date: 10/25/21		Time: 20:10		Received by: (Signature) [Signature]		Temp: 16.6 Bottles Received: 22								If preservation required by Login: Date/Time			
Relinquished by: (Signature) [Signature]		Date: 10-26-21		Time: 10:00 SWA		Received for lab by: (Signature) [Signature]		Date: 10/27/21		Time: 0800		Hold:		Condition: NCF / OK					



ANALYTICAL REPORT

November 22, 2021

Golder Associates, Inc.

Sample Delivery Group: L1423850
Samples Received: 10/28/2021
Project Number: 18111105
Description: Eunice Gas Plant Ann. GW

Report To: Chris Kakolewski
602 N. Baird, Suite 227
Midland, TX 79701

Entire Report Reviewed By:

A handwritten signature in blue ink, appearing to read "M. Beasley".

Mark W. Beasley
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

**Pace Analytical National**

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

Cp: Cover Page	1	¹ Cp
Tc: Table of Contents	2	
Ss: Sample Summary	3	² Tc
Cn: Case Narrative	5	
Tr: TRRP Summary	6	³ Ss
TRRP form R	7	
TRRP form S	8	⁴ Cn
TRRP Exception Reports	9	⁵ Tr
Sr: Sample Results	10	⁶ Sr
MW-8 L1423850-01	10	
MW-5 L1423850-02	11	⁷ Qc
MW-13 L1423850-03	12	
MW-20 L1423850-04	13	⁸ Gl
MW-19 L1423850-05	14	
MW-6 L1423850-06	15	⁹ Al
MW-18 L1423850-07	16	
MW-30 L1423850-08	17	¹⁰ Sc
EB-01 L1423850-09	18	
MW-31 L1423850-10	19	
TB-02 L1423850-11	20	
Qc: Quality Control Summary	21	
Wet Chemistry by Method 9056A	21	
Volatile Organic Compounds (GC/MS) by Method 8260B	22	
Gl: Glossary of Terms	23	
Al: Accreditations & Locations	24	
Sc: Sample Chain of Custody	25	

MW-8 L1423850-01 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 9056A	WG1776590	20	11/18/21 20:59	11/18/21 20:59	ELN	Mt. Juliet, TN

Collected by
Zachary Schuehle

Collected date/time
10/27/21 09:50

Received date/time
10/28/21 08:30

¹Cp

²Tc

³Ss

⁴Cn

⁵Tr

⁶Sr

⁷Qc

⁸Gl

⁹Al

¹⁰Sc

MW-5 L1423850-02 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 9056A	WG1776590	5	11/18/21 21:15	11/18/21 21:15	ELN	Mt. Juliet, TN

Collected by
Zachary Schuehle

Collected date/time
10/27/21 11:25

Received date/time
10/28/21 08:30

MW-13 L1423850-03 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 9056A	WG1776590	100	11/18/21 21:32	11/18/21 21:32	ELN	Mt. Juliet, TN

Collected by
Zachary Schuehle

Collected date/time
10/26/21 10:30

Received date/time
10/28/21 08:30

MW-20 L1423850-04 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 9056A	WG1776590	100	11/22/21 10:18	11/22/21 10:18	ELN	Mt. Juliet, TN

Collected by
Zachary Schuehle

Collected date/time
10/26/21 12:20

Received date/time
10/28/21 08:30

MW-19 L1423850-05 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 9056A	WG1776590	100	11/18/21 22:05	11/18/21 22:05	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1767276	1	11/02/21 12:11	11/02/21 12:11	JCP	Mt. Juliet, TN

Collected by
Zachary Schuehle

Collected date/time
10/26/21 13:20

Received date/time
10/28/21 08:30

MW-6 L1423850-06 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 9056A	WG1776590	10	11/18/21 22:54	11/18/21 22:54	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1767276	1	11/02/21 12:32	11/02/21 12:32	JCP	Mt. Juliet, TN

Collected by
Zachary Schuehle

Collected date/time
10/26/21 09:00

Received date/time
10/28/21 08:30

MW-18 L1423850-07 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 9056A	WG1776590	200	11/18/21 23:10	11/18/21 23:10	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1767276	1	11/02/21 12:53	11/02/21 12:53	JCP	Mt. Juliet, TN

Collected by
Zachary Schuehle

Collected date/time
10/26/21 15:00

Received date/time
10/28/21 08:30

MW-30 L1423850-08 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 9056A	WG1776590	500	11/22/21 10:31	11/22/21 10:31	ELN	Mt. Juliet, TN

Collected by
Zachary Schuehle

Collected date/time
10/26/21 16:15

Received date/time
10/28/21 08:30

EB-01 L1423850-09 GW

Collected by Zachary Schuehle
Collected date/time 10/26/21 09:15
Received date/time 10/28/21 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 9056A	WG1776590	1	11/18/21 23:43	11/18/21 23:43	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1767276	1	11/02/21 09:44	11/02/21 09:44	ACG	Mt. Juliet, TN

MW-31 L1423850-10 GW

Collected by Zachary Schuehle
Collected date/time 10/26/21 17:25
Received date/time 10/28/21 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Wet Chemistry by Method 9056A	WG1776590	100	11/19/21 00:32	11/19/21 00:32	ELN	Mt. Juliet, TN

TB-02 L1423850-11 GW

Collected by Zachary Schuehle
Collected date/time 10/26/21 00:00
Received date/time 10/28/21 08:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1767276	1	11/02/21 10:05	11/02/21 10:05	ACG	Mt. Juliet, TN

1Cp

2Tc

3Ss

4Cn

5Tr

6Sr

7Qc

8Gl

9Al

10Sc

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Mark W. Beasley
Project Manager



Laboratory Data Package Cover Page

This data package consists of this signature page, the laboratory review checklist, and the following reportable data as applicable:

- R1 - Field chain-of-custody documentation;
- R2 - Sample identification cross-reference;
- R3 - Test reports (analytical data sheets) for each environmental sample that includes:
 - a. Items consistent with NELAC Chapter 5,
 - b. dilution factors,
 - c. preparation methods,
 - d. cleanup methods, and
 - e. if required for the project, tentatively identified compounds (TICs).
- R4 - Surrogate recovery data including:
 - a. Calculated recovery (%R), and
 - b. The laboratory's surrogate QC limits.
- R5 - Test reports/summary forms for blank samples;
- R6 - Test reports/summary forms for laboratory control samples (LCSs) including:
 - a. LCS spiking amounts,
 - b. Calculated %R for each analyte, and
 - c. The laboratory's LCS QC limits.
- R7 - Test reports for project matrix spike/matrix spike duplicates (MS/MSDs) including:
 - a. Samples associated with the MS/MSD clearly identified,
 - b. MS/MSD spiking amounts,
 - c. Concentration of each MS/MSD analyte measured in the parent and spiked samples,
 - d. Calculated %Rs and relative percent differences (RPDs), and
 - e. The laboratory's MS/MSD QC limits
- R8 - Laboratory analytical duplicate (if applicable) recovery and precision:
 - a. The amount of analyte measured in the duplicate,
 - b. The calculated RPD, and
 - c. The laboratory's QC limits for analytical duplicates.
- R9 - List of method quantitation limits (MQLs) and detectability check sample results for each analyte for each method and matrix.
- R10 - Other problems or anomalies.

Release Statement: I am responsible for the release of this laboratory data package. This laboratory is NELAC accredited under the Texas Laboratory Accreditation Program for all the methods, analytes, and matrices reported in this data package except as noted in the Exception Reports. The data have been reviewed and are technically compliant with the requirements of the methods used, except where noted by the laboratory in the Exception Reports. By my signature below, I affirm to the best of my knowledge all problems/anomalies observed by the laboratory have been identified in the Laboratory Review Checklist, and no information affecting the quality of the data has been knowingly withheld.



Mark W. Beasley
Project Manager

Laboratory Review Checklist: Reportable Data

Laboratory Name: Pace Analytical National			LRC Date: 11/22/2021 15:39				
Project Name: Eunice Gas Plant Ann. GW			Laboratory Job Number: L1423850-01, 02, 03, 04, 05, 06, 07, 08, 09, 10 and 11				
Reviewer Name: Mark W. Beasley			Prep Batch Number(s): WG1767276 and WG1776590				
#1	A2	Description	Yes	No	NA ³	NR ⁴	ER# ⁵
R1	OI	Chain-of-custody (C-O-C)					
		Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?	X				
		Were all departures from standard conditions described in an exception report?			X		
R2	OI	Sample and quality control (QC) identification					
		Are all field sample ID numbers cross-referenced to the laboratory ID numbers?	X				
		Are all laboratory ID numbers cross-referenced to the corresponding QC data?	X				
R3	OI	Test reports					
		Were all samples prepared and analyzed within holding times?	X				
		Other than those results < MQL, were all other raw values bracketed by calibration standards?	X				
		Were calculations checked by a peer or supervisor?	X				
		Were all analyte identifications checked by a peer or supervisor?	X				
		Were sample detection limits reported for all analytes not detected?	X				
		Were all results for soil and sediment samples reported on a dry weight basis?	X				
		Were % moisture (or solids) reported for all soil and sediment samples?			X		
		Were bulk soils/solids samples for volatile analysis extracted with methanol per SW846 Method 5035?			X		
		If required for the project, are TICs reported?			X		
R4	O	Surrogate recovery data					
		Were surrogates added prior to extraction?	X				
		Were surrogate percent recoveries in all samples within the laboratory QC limits?	X				
R5	OI	Test reports/summary forms for blank samples					
		Were appropriate type(s) of blanks analyzed?	X				
		Were blanks analyzed at the appropriate frequency?	X				
		Were method blanks taken through the entire analytical process, including preparation and, if applicable, cleanup procedures?	X				
		Were blank concentrations < MQL?	X				
R6	OI	Laboratory control samples (LCS):					
		Were all COCs included in the LCS?	X				
		Was each LCS taken through the entire analytical procedure, including prep and cleanup steps?	X				
		Were LCSs analyzed at the required frequency?	X				
		Were LCS (and LCSD, if applicable) %Rs within the laboratory QC limits?	X				
		Does the detectability check sample data document the laboratory's capability to detect the COCs at the MDL used to calculate the SDLs?	X				
		Was the LCSD RPD within QC limits?	X				
R7	OI	Matrix spike (MS) and matrix spike duplicate (MSD) data					
		Were the project/method specified analytes included in the MS and MSD?	X				
		Were MS/MSD analyzed at the appropriate frequency?	X				
		Were MS (and MSD, if applicable) %Rs within the laboratory QC limits?	X				
		Were MS/MSD RPDs within laboratory QC limits?	X				
R8	OI	Analytical duplicate data					
		Were appropriate analytical duplicates analyzed for each matrix?	X				
		Were analytical duplicates analyzed at the appropriate frequency?	X				
		Were RPDs or relative standard deviations within the laboratory QC limits?	X				
R9	OI	Method quantitation limits (MQLs):					
		Are the MQLs for each method analyte included in the laboratory data package?	X				
		Do the MQLs correspond to the concentration of the lowest non-zero calibration standard?	X				
		Are unadjusted MQLs and DCSs included in the laboratory data package?	X				
R10	OI	Other problems/anomalies					
		Are all known problems/anomalies/special conditions noted in this LRC and ER?	X				
		Was applicable and available technology used to lower the SDL to minimize the matrix interference effects on the sample results?	X				
		Is the laboratory NELAC-accredited under the Texas Laboratory Accreditation Program for the analytes, matrices and methods associated with this laboratory data package?	X				

1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.
2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable);
3. NA = Not applicable;
4. NR = Not reviewed;
5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

Laboratory Review Checklist: Supporting Data

Laboratory Name: Pace Analytical National			LRC Date: 11/22/2021 15:39				
Project Name: Eunice Gas Plant Ann. GW			Laboratory Job Number: L1423850-01, 02, 03, 04, 05, 06, 07, 08, 09, 10 and 11				
Reviewer Name: Mark W. Beasley			Prep Batch Number(s): WG1767276 and WG1776590				
# ¹	A ²	Description	Yes	No	NA ³	NR ⁴	ER# ⁵
S1	OI	Initial calibration (ICAL)					
		Were response factors and/or relative response factors for each analyte within QC limits?	X				
		Were percent RSDs or correlation coefficient criteria met?	X				
		Was the number of standards recommended in the method used for all analytes?	X				
		Were all points generated between the lowest and highest standard used to calculate the curve?	X				
		Are ICAL data available for all instruments used?	X				
		Has the initial calibration curve been verified using an appropriate second source standard?	X				
S2	OI	Initial and continuing calibration verification (ICCV and CCV) and continuing calibration blank (CCB):					
		Was the CCV analyzed at the method-required frequency?	X				
		Were percent differences for each analyte within the method-required QC limits?	X				
		Was the ICAL curve verified for each analyte?	X				
		Was the absolute value of the analyte concentration in the inorganic CCB < MDL?	X				
S3	O	Mass spectral tuning					
		Was the appropriate compound for the method used for tuning?	X				
		Were ion abundance data within the method-required QC limits?	X				
S4	O	Internal standards (IS)					
		Were IS area counts and retention times within the method-required QC limits?	X				
S5	OI	Raw data (NELAC Section 5.5.10)					
		Were the raw data (for example, chromatograms, spectral data) reviewed by an analyst?	X				
		Were data associated with manual integrations flagged on the raw data?	X				
S6	O	Dual column confirmation					
		Did dual column confirmation results meet the method-required QC?			X		
S7	O	Tentatively identified compounds (TICs)					
		If TICs were requested, were the mass spectra and TIC data subject to appropriate checks?			X		
S8	I	Interference Check Sample (ICS) results					
		Were percent recoveries within method QC limits?			X		
S9	I	Serial dilutions, post digestion spikes, and method of standard additions					
		Were percent differences, recoveries, and the linearity within the QC limits specified in the method?			X		
S10	OI	Method detection limit (MDL) studies					
		Was a MDL study performed for each reported analyte?	X				
		Is the MDL either adjusted or supported by the analysis of DCSs?	X				
S11	OI	Proficiency test reports					
		Was the laboratory's performance acceptable on the applicable proficiency tests or evaluation studies?	X				
S12	OI	Standards documentation					
		Are all standards used in the analyses NIST-traceable or obtained from other appropriate sources?	X				
S13	OI	Compound/analyte identification procedures					
		Are the procedures for compound/analyte identification documented?	X				
S14	OI	Demonstration of analyst competency (DOC)					
		Was DOC conducted consistent with NELAC Chapter 5?	X				
		Is documentation of the analyst's competency up-to-date and on file?	X				
S15	OI	Verification/validation documentation for methods (NELAC Chapter 5)					
		Are all the methods used to generate the data documented, verified, and validated, where applicable?	X				
S16	OI	Laboratory standard operating procedures (SOPs)					
		Are laboratory SOPs current and on file for each method performed	X				
<p>1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.</p> <p>2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable);</p> <p>3. NA = Not applicable;</p> <p>4. NR = Not reviewed;</p> <p>5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).</p>							

Laboratory Review Checklist: Exception Reports

Laboratory Name: Pace Analytical National		LRC Date: 11/22/2021 15:39	
Project Name: Eunice Gas Plant Ann. GW		Laboratory Job Number: L1423850-01, 02, 03, 04, 05, 06, 07, 08, 09, 10 and 11	
Reviewer Name: Mark W. Beasley		Prep Batch Number(s): WG1767276 and WG1776590	
ER #¹	Description		
The Exception Report intentionally left blank, there are no exceptions applied to this SDG.			
<p>1. Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.</p> <p>2. O = organic analyses; I = inorganic analyses (and general chemistry, when applicable);</p> <p>3. NA = Not applicable;</p> <p>4. NR = Not reviewed;</p> <p>5. ER# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).</p>			

Collected date/time: 10/27/21 09:50

L1423850

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	SDL	Unadj. MQL	MQL	Dilution	Analysis date / time	Batch
Chloride	1480		7.58	1.00	20.0	20	11/18/2021 20:59	WG1776590

¹Cp²Tc³Ss⁴Cn⁵Tr⁶Sr⁷Qc⁸Gl⁹Al¹⁰Sc

Collected date/time: 10/27/21 11:25

L1423850

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	SDL	Unadj. MQL	MQL	Dilution	Analysis date / time	Batch
Chloride	240		1.90	1.00	5.00	5	11/18/2021 21:15	WG1776590

¹Cp

²Tc

³Ss

⁴Cn

⁵Tr

⁶Sr

⁷Qc

⁸Gl

⁹Al

¹⁰Sc

Collected date/time: 10/26/21 10:30

L1423850

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	SDL	Unadj. MQL	MQL	Dilution	Analysis date / time	Batch
Chloride	5730		37.9	1.00	100	100	11/18/2021 21:32	WG1776590

- 1Cp
- 2Tc
- 3Ss
- 4Cn
- 5Tr
- 6Sr
- 7Qc
- 8Gl
- 9Al
- 10Sc

Collected date/time: 10/26/21 12:20

L1423850

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	SDL	Unadj. MQL	MQL	Dilution	Analysis date / time	Batch
Chloride	2400		37.9	1.00	100	100	11/22/2021 10:18	WG1776590

- 1Cp
- 2Tc
- 3Ss
- 4Cn
- 5Tr
- 6Sr
- 7Qc
- 8Gl
- 9Al
- 10Sc

Collected date/time: 10/26/21 13:20

L1423850

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	SDL	Unadj. MQL	MQL	Dilution	Analysis date / time	Batch
Chloride	7060		37.9	1.00	100	100	11/18/2021 22:05	WG1776590

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	SDL	Unadj. MQL	MQL	Dilution	Analysis date / time	Batch
Benzene	U		0.0000941	0.00100	0.00100	1	11/02/2021 12:11	WG1767276
Toluene	U		0.000278	0.00100	0.00100	1	11/02/2021 12:11	WG1767276
Ethylbenzene	U		0.000137	0.00100	0.00100	1	11/02/2021 12:11	WG1767276
Total Xylenes	U		0.000174	0.00300	0.00300	1	11/02/2021 12:11	WG1767276
(S) Toluene-d8	111				80.0-120		11/02/2021 12:11	WG1767276
(S) 4-Bromofluorobenzene	97.6				77.0-126		11/02/2021 12:11	WG1767276
(S) 1,2-Dichloroethane-d4	109				70.0-130		11/02/2021 12:11	WG1767276

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gl

9 Al

10 Sc

Collected date/time: 10/26/21 09:00

L1423850

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	SDL	Unadj. MQL	MQL	Dilution	Analysis date / time	Batch
Chloride	913		3.79	1.00	10.0	10	11/18/2021 22:54	WG1776590

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	SDL	Unadj. MQL	MQL	Dilution	Analysis date / time	Batch
Benzene	0.00244		0.0000941	0.00100	0.00100	1	11/02/2021 12:32	WG1767276
Toluene	U		0.000278	0.00100	0.00100	1	11/02/2021 12:32	WG1767276
Ethylbenzene	U		0.000137	0.00100	0.00100	1	11/02/2021 12:32	WG1767276
Total Xylenes	U		0.000174	0.00300	0.00300	1	11/02/2021 12:32	WG1767276
(S) Toluene-d8	110				80.0-120		11/02/2021 12:32	WG1767276
(S) 4-Bromofluorobenzene	97.4				77.0-126		11/02/2021 12:32	WG1767276
(S) 1,2-Dichloroethane-d4	109				70.0-130		11/02/2021 12:32	WG1767276

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gl

9 Al

10 Sc

Collected date/time: 10/26/21 15:00

L1423850

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	SDL	Unadj. MQL	MQL	Dilution	Analysis date / time	Batch
Chloride	17200		75.8	1.00	200	200	11/18/2021 23:10	WG1776590

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	SDL	Unadj. MQL	MQL	Dilution	Analysis date / time	Batch
Benzene	0.0638		0.0000941	0.00100	0.00100	1	11/02/2021 12:53	WG1767276
Toluene	U		0.000278	0.00100	0.00100	1	11/02/2021 12:53	WG1767276
Ethylbenzene	U		0.000137	0.00100	0.00100	1	11/02/2021 12:53	WG1767276
Total Xylenes	U		0.000174	0.00300	0.00300	1	11/02/2021 12:53	WG1767276
(S) Toluene-d8	113				80.0-120		11/02/2021 12:53	WG1767276
(S) 4-Bromofluorobenzene	98.6				77.0-126		11/02/2021 12:53	WG1767276
(S) 1,2-Dichloroethane-d4	100				70.0-130		11/02/2021 12:53	WG1767276

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gl

9 Al

10 Sc

Collected date/time: 10/26/21 16:15

L1423850

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	SDL	Unadj. MQL	MQL	Dilution	Analysis date / time	Batch
Chloride	10000		190	1.00	500	500	11/22/2021 10:31	WG1776590

- 1Cp
- 2Tc
- 3Ss
- 4Cn
- 5Tr
- 6Sr
- 7Qc
- 8Gl
- 9Al
- 10Sc

Collected date/time: 10/26/21 09:15

L1423850

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	SDL	Unadj. MQL	MQL	Dilution	Analysis date / time	Batch
Chloride	14.2		0.379	1.00	1.00	1	11/18/2021 23:43	WG1776590

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	SDL	Unadj. MQL	MQL	Dilution	Analysis date / time	Batch
Benzene	U		0.0000941	0.00100	0.00100	1	11/02/2021 09:44	WG1767276
Toluene	U		0.000278	0.00100	0.00100	1	11/02/2021 09:44	WG1767276
Ethylbenzene	U		0.000137	0.00100	0.00100	1	11/02/2021 09:44	WG1767276
Total Xylenes	U		0.000174	0.00300	0.00300	1	11/02/2021 09:44	WG1767276
(S) Toluene-d8	114				80.0-120		11/02/2021 09:44	WG1767276
(S) 4-Bromofluorobenzene	101				77.0-126		11/02/2021 09:44	WG1767276
(S) 1,2-Dichloroethane-d4	107				70.0-130		11/02/2021 09:44	WG1767276

¹Cp²Tc³Ss⁴Cn⁵Tr⁶Sr⁷Qc⁸Gl⁹Al¹⁰Sc

Collected date/time: 10/26/21 17:25

L1423850

Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	SDL	Unadj. MQL	MQL	Dilution	Analysis date / time	Batch
Chloride	3210		37.9	1.00	100	100	11/19/2021 00:32	WG1776590

¹Cp²Tc³Ss⁴Cn⁵Tr⁶Sr⁷Qc⁸Gl⁹Al¹⁰Sc

Collected date/time: 10/26/21 00:00

L1423850

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	SDL mg/l	Unadj. MQL mg/l	MQL mg/l	Dilution	Analysis date / time	Batch
Benzene	U		0.0000941	0.00100	0.00100	1	11/02/2021 10:05	WG1767276
Toluene	U		0.000278	0.00100	0.00100	1	11/02/2021 10:05	WG1767276
Ethylbenzene	U		0.000137	0.00100	0.00100	1	11/02/2021 10:05	WG1767276
Total Xylenes	U		0.000174	0.00300	0.00300	1	11/02/2021 10:05	WG1767276
(S) Toluene-d8	112				80.0-120		11/02/2021 10:05	WG1767276
(S) 4-Bromofluorobenzene	94.8				77.0-126		11/02/2021 10:05	WG1767276
(S) 1,2-Dichloroethane-d4	107				70.0-130		11/02/2021 10:05	WG1767276

1 Cp

2 Tc

3 Ss

4 Cn

5 Tr

6 Sr

7 Qc

8 Gl

9 Al

10 Sc

Wet Chemistry by Method 9056A

[L1423850-01,02,03,04,05,06,07,08,09,10](#)

Method Blank (MB)

(MB) R3732422-1 11/18/21 13:21

Analyte	MB Result mg/l	<u>MB Qualifier</u>	MB MDL mg/l	MB RDL mg/l
Chloride	U		0.379	1.00

L1423846-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1423846-04 11/18/21 17:42 • (DUP) R3732422-3 11/18/21 17:58

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	<u>DUP Qualifier</u>	DUP RPD Limits %
Chloride	1.37	1.47	1	7.34		15

L1423850-09 Original Sample (OS) • Duplicate (DUP)

(OS) L1423850-09 11/18/21 23:43 • (DUP) R3732422-6 11/19/21 00:00

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	<u>DUP Qualifier</u>	DUP RPD Limits %
Chloride	14.2	14.4	1	0.887		15

Laboratory Control Sample (LCS)

(LCS) R3732422-2 11/18/21 13:37

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Chloride	40.0	41.0	103	80.0-120	

L1423846-04 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1423846-04 11/18/21 17:42 • (MS) R3732422-4 11/18/21 18:15 • (MSD) R3732422-5 11/18/21 18:31

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	RPD Limits %
Chloride	50.0	1.37	46.6	46.6	90.5	90.4	1	80.0-120			0.0343	15

L1423850-09 Original Sample (OS) • Matrix Spike (MS)

(OS) L1423850-09 11/18/21 23:43 • (MS) R3732422-7 11/19/21 00:16

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>
Chloride	50.0	14.2	65.8	103	1	80.0-120	

¹Cp²Tc³Ss⁴Cn⁵Tr⁶Sr⁷Qc⁸Gl⁹Al¹⁰Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

L1423850-05.06.07.09.11

Method Blank (MB)

(MB) R3724427-2 11/02/21 08:41

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Benzene	U		0.0000941	0.00100
Ethylbenzene	U		0.000137	0.00100
Toluene	U		0.000278	0.00100
Xylenes, Total	U		0.000174	0.00300
(S) Toluene-d8	110			80.0-120
(S) 4-Bromofluorobenzene	95.9			77.0-126
(S) 1,2-Dichloroethane-d4	105			70.0-130

1
Cp

2
Tc

3
Ss

4
Cn

5
Tr

6
Sr

7
Qc

8
Gl

9
Al

10
Sc

Laboratory Control Sample (LCS)

(LCS) R3724427-1 11/02/21 07:59

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Benzene	0.00500	0.00482	96.4	70.0-123	
Ethylbenzene	0.00500	0.00431	86.2	79.0-123	
Toluene	0.00500	0.00474	94.8	79.0-120	
Xylenes, Total	0.0150	0.0130	86.7	79.0-123	
(S) Toluene-d8			111	80.0-120	
(S) 4-Bromofluorobenzene			98.3	77.0-126	
(S) 1,2-Dichloroethane-d4			106	70.0-130	

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
MQL	Method Quantitation Limit.
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
SDL	Sample Detection Limit.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Sample Detection Limit.
Unadj. MQL	Unadjusted Method Quantitation Limit.
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.



Qualifier Description

The remainder of this page intentionally left blank, there are no qualifiers applied to this SDG.

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey--NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio--VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1 6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1 4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA -- ISO 17025	1461.01	AIHA-LAP, LLC EMLAP	100789
A2LA -- ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA--Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.




Golder Associates, Inc.602 N. Baird, Suite 227
Midland, TX 79701

Billing Information:

Accounts Payable
602 N. Baird, Suite 227
Midland, TX 79701Pres
Chk

Analysis / Container / Preservative



12065 Lebanon Rd Mount Juliet, TN 37122
Submitting a sample via this chain of custody
constitutes acknowledgment and acceptance of the
Pace Terms and Conditions found at:
<https://info.pacelabs.com/hubfs/pas-standard-terms.pdf>

SDG #

1245

Acctnum: **GOLDMTX**Template: **T197802**Prelogin: **P881816**PM: **134 - Mark W. Beasley**

PB:

Shipped Via:

Remarks

Sample # (lab only)

Report to:
Chris KakolewskiEmail To:
chris_kakolewski@golder.com; steven_crowleyProject Description:
Eunice Gas Plant Ann. GWCity/State
Collected:Please Circle:
PT MT CT ETPhone: **432-662-0150**Client Project #
18111105Lab Project #
GOLDMTX-18111105Collected by (print):
Zachary Schuehle

Site/Facility ID #

P.O. #

Collected by (signature):
Zach Schuehle**Rush?** (Lab MUST Be Notified)

___ Same Day ___ Five Day
___ Next Day ___ 5 Day (Rad Only)
___ Two Day ___ 10 Day (Rad Only)
___ Three Day

Quote #

Date Results Needed

No.
of
CntrsImmediately
Packed on Ice N ☒ Y ___

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	Cntrs
MW-8		GW		10-27-21	950	1 ✓
MW-1		GW				
MW-15		GW				
MW-20		GW				
MW-30		GW				
MW-31		GW				
MW-19		GW				
MW-14		GW				
MW-5		GW		10-27-21	1125	1 ✓
MW-13		GW				

* Matrix:
SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
WW - WasteWater
DW - Drinking Water
OT - Other

Remarks:

pH _____ Temp _____

Flow _____ Other _____

Samples returned via:

___ UPS ___ FedEx ___ Courier

Tracking #

Relinquished by: (Signature)

Date:

Time:

Received by: (Signature)

Trip Blank Received: Yes / No

HCL / MeoH
TBR

Relinquished by: (Signature)

Date:

Time:

Received by: (Signature)

Temp: _____ °C

Bottles Received:

If preservation required by Login: Date/Time

Relinquished by: (Signature)

Date:

Time:

Received for lab by: (Signature)

Date:

Time:

Hold:

Condition:
NCF / OK

CHLORIDE 125mlHDPE-NoPres

V8260BTEX 40mlAmb-HCl

Sample Receipt Checklist

COC Seal Present/Intact: ___ NP ___ Y ___ N
COC Signed/Accurate: ___ Y ___ N
Bottles arrive intact: ___ Y ___ N
Correct bottles used: ___ Y ___ N
Sufficient volume sent: ___ Y ___ N
If Applicable
VOA Zero Headspace: ___ Y ___ N
Preservation Correct/Checked: ___ Y ___ N
RAD Screen <0.5 mR/hr: ___ Y ___ N



1250

71.7

21

10/28/21



0830



Company Name/Address: Golder Associates, Inc.				Billing Information: Accounts Payable 602 N. Baird, Suite 227 Midland, TX 79701				Pres Chk		Analysis / Container / Preservative										Chain of Custody Page ___ of ___	
Report to: Chris Kakolewski				Email To: chris_kakolewski@golder.com; steven_crowley																 12065 Lebanon Rd Mount Juliet, TN 37122 Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: https://info.pacelabs.com/hubfs/pas-standard-terms.pdf	
Project Description: Eunice Gas Plant Ann. GW				City/State Collected:				Please Circle: PT MT CT ET													
Phone: 432-662-0150		Client Project # 18111105		Lab Project # GOLDMTX-18111105																	
Collected by (print): Zachary Schuehle		Site/Facility ID #		P.O. #														SDG # 1423850			
Collected by (signature): 		Rush? (Lab MUST Be Notified) <input type="checkbox"/> Same Day <input type="checkbox"/> Five Day <input type="checkbox"/> Next Day <input type="checkbox"/> 5 Day (Rad Only) <input type="checkbox"/> Two Day <input type="checkbox"/> 10 Day (Rad Only) <input type="checkbox"/> Three Day		Quote #														Table #			
Immediately Packed on Ice <input type="checkbox"/> N <input checked="" type="checkbox"/> Y				Date Results Needed		No. of Cntrs												Acctnum: GOLDMTX			
																		Template: T197802			
																		Prelogin: P881816			
																		PM: 134 - Mark W. Beasley			
																		PB:			
																		Shipped Via:			
Sample ID		Comp/Grab	Matrix *	Depth	Date	Time												Remarks			
MW-13			GW		10-26-21	1030	1	✓											-03		
MW-20			GW		10-26-21	1220	1	✓											-04		
MW-19			GW		10-26-21	1320	4	✓	✓											-05	
MW-6			GW		10-26-21	900	4	✓	✓											-06	
MW-18			GW		10-26-21	1500	4	✓	✓											-07	
MW-28			GW																		
MW-30			GW		10-26-21	1615	1	✓												-08	
MW-31			GW		10-26-21	1725	1	✓	✓											-09	
TB-02			GW		10-26-21		3													-10	
																				-11	



* Matrix: SS - Soil AIR - Air F - Filter
 GW - Groundwater B - Bioassay
 WW - WasteWater
 DW - Drinking Water
 OT - Other

Remarks:

Samples returned via: ☐ UPS ☐ FedEx ☐ Courier Tracking #

Relinquished by: (Signature)  Date: 10-26-21 Time: 2037 Received by: (Signature)  Trip Blank Received: ☒ Yes ☐ No
 Temp: 70.0 °C Bottles Received: 21
 TBR

Relinquished by: (Signature)  Date: 10-27-21 Time: 1700 Received by: (Signature)  Date: 10/28/21 Time: 0830

Relinquished by: (Signature)  Date: Time: Received for lab by: (Signature)  Date: 10/28/21 Time: 0830

Flow _____ Other _____

Sample Receipt Checklist

COC Seal Present/Intact:	<input checked="" type="checkbox"/> NP	N
COC Signed/Accurate:	<input checked="" type="checkbox"/>	N
Bottles arrive intact:	<input checked="" type="checkbox"/>	N
Correct bottles used:	<input checked="" type="checkbox"/>	N
Sufficient volume sent:	<input checked="" type="checkbox"/>	N
VOA Zero Headspace:	<input checked="" type="checkbox"/>	N
Preservation Correct/Checked:	<input checked="" type="checkbox"/> Y	N
RAD Screen <0.5 mR/hr:	<input checked="" type="checkbox"/>	N

If preservation required by Login: Date/Time

Hold: Condition: NCF / OK



golder.com

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 101551

CONDITIONS

Operator: TARGA MIDSTREAM SERVICES LLC 811 Louisiana Street Houston, TX 77002	OGRID: 24650
	Action Number: 101551
	Action Type: [UF-GWA] Ground Water Abatement (GROUND WATER ABATEMENT)

CONDITIONS

Created By	Condition	Condition Date
michael.buchanan	Review of the 2021 Annual Groundwater Monitoring Report for Targa Midstream Eunice Gas Plant Site: Content Satisfactory 1. Continue to conduct groundwater monitoring as prescribed by NMOCD. 2. Considerations for high chloride impact to monitoring wells may need to be analyzed for a remediation technology treatment such as ion exchange or reverse osmosis. 3. Please continue to submit annual groundwater monitoring reports for 2022, and 2023 by April 1, 2024. 4. Continue investigation of LNAPL source as necessary.	10/27/2023