

	OSE POD NO. (WELL NO.) WELL TAG ID NO.					OSE FILE NO(S).							
ON	WELL#2						L14872						
AT	WELL OWNER NAME(S)							PHONE (OPTIONAL)					
00	OXY PERMIAN							432-254-2336					
AND WELL LOCATION	WELL OWNER MAILING ADDRESS							CITY STATE ZIP					
	6001 DEAUVILLE BLVD							MIDLAND		TX	79706		
é			DE	GREES	MINUTES	SECONI	DS						
	WELL LOCATION LAT (FROMGPS)						5 _N	* ACCURACY	Y REQUIRED: ONE TENTH OF A SECOND				
RAI			TITUDE					* DATUM REQUIRED: WGS 84					
Z	LONGITUDE		103 10 21.01 W										
I. GENERAL	DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS – PLSS (SECTION, TOWNSHIIP, RANGE) WHERE AVAILABLE 3101 MIDWEST SE 1/4 OF THE NW 1/4, SEC 5 T19S, R38E												
	LICENSE NO.		NAME OF LICENSED	DDILLED					NAME OF WELL DR	II I DIC CO	NATIONAL NIV		
	LICENSE NO. NAME OF LICENSED I		RONNY KEITH			NAME OF WELL DRILLING COMPANY WEST TEXAS WATER WELL SERVIC				RVICE			
	DRILLING STARTED DRILLING ENDED					LE DEPTH (FT) DEPTH WATER FIRST ENCOUNTERED (FT)							
	5/20/2		5/20/2020	DET III OF CO	120')	BORE HOLE DEPTH (FT) 130'		58'				
									STATIC WATER LEVEL IN COMPLETED WELL (FT)				
Z	COMPLETED WELL IS: ARTESIAN			DRY HOLE SHALLOW (UNCONFINED)			omme will account	22 2. 00		,22 (11)			
ATIC	DRILLING FLUID: AIR			MUD ADDITIVES – SPECIFY:									
CASING INFORMATION	DRILLING METHOD: ROTARY HAMMER CABLE TOOL OTHER - SPECIFY:												
NF	DEPTH (feet bgl)		BORE HOLE	CASING MATERIAL AND/OR		C	ASING	CASING	CASI	CASING WALL THICKNESS	SLOT		
G	FROM TO		DIAM	GRADE (include each casing string, and		1	CONNECTION		INSIDE DIAM.			SIZE	
ASI			(inches)	,	sections of scree	o.		YPE ling diameter)	(inches)	(i	nches)	(inches)	
	0	50	6 1/2	2"	FLUSH JOINT		THR	READED					
2. DRILLING &	50	120	6 1/2		2" SCREEN		THR	READED				.020	
77							_			-			
)KII													
2. I													
	DEPTH (feet bgl) BORE HOLE			LIST ANNULAR SEAL MATERIAL AND			AMOUNT METHOD						
IAI	FROM	TO	DIAM. (inches)	GRAVEL PACK SIZE-RANGE BY INTERVAL		(111111111)			LACEMENT				
LER	45'	130'	6 1/2	8/16 GRAVEL				TRIM	MIE				
MA	45'	5'			3/8 HOLE PLUG			16-50 BAGS					
ANNULAR MATERIAL	0,	0' 5' 6 1/2		2 PORTLAND									
Į,													
AN													
ь.													
FOR	OSEINTER	NAL USE						WR-2	0 WELL RECORD	& LOG (Version 04/3	0/19)	

FILE NO. POD NO. TRN NO.

LOCATION WELL TAG ID NO. PAGE 1 OF 2

						ESTIMATED			
	DEPTH (feet	TO	THICKNESS (feet)	COLOR AND TYPE OF MATERIAL ENCOUNTERED - INCLUDE WATER-BEARING CAVITIES OR FRACTURE ZONE: (attach supplemental sheets to fully describe all units)	WATER BEARING? (YES / NO)	YIELD FOR WATER- BEARING ZONES (gpm)			
	0	2	2	BROWN TOPSOIL	Y N				
	2	10	8	WHITE CALICHE	Y N				
	10	15	5	TAN SAND & CALICHE	Y N				
	15	50	35	TAN SANDSTONE	Y N				
	50	130	80	TAN SAND & SANDSTONE	Y N				
اد					Y N				
4. HYDROGEOLOGIC LOG OF WELL					Y N				
OF V					Y N				
50					Y N				
ICL					Y N				
200					Y N				
EO					Y N				
ROC					Y N				
EXD					Y N				
4					Y N				
					Y N				
					Y N				
					Y N				
					Y N				
					Y N				
					Y N				
	METHOD USE	ED TO ES	STIMATE YIELD	OF WATER-BEARING STRATA:	TOTAL ESTIMATED				
	WELL YIELD (gpm):	0.00							
TEST; RIG SUPERVISION	WELL TEST TEST RESULTS - ATTACH A COPY OF DATA COLLECTED DURING WELL TESTING, INCLUDING DISCHARGE METHOD, START TIME, END TIME, AND A TABLE SHOWING DISCHARGE AND DRAWDOWN OVER THE TESTING PERIOD. MISCELLANEOUS INFORMATION:								
TEST; RIC	PRINT NAME(S) OF DRILL RIG SUPERVISOR(S) THAT PROVIDED ONSITE SUPERVISION OF WELL CONSTRUCTION OTHER THAN LICENSEE:								
'n									
SIGNATURE	RECORD OF T	THE ABO	OVE DESCRIBED	AT TO THE BEST OF MY KNOWLEDGE AND BELIEF, THE FOR WELL. I ALSO CERTIFY THAT THE WELL TAG, IF REQUIRED, HAWITH THE PERMIT HOLDER WITHIN 30 DAYS AFTER THE COMP	S BEEN INSTALLED A	ND THAT THIS			
6. SIGN	Konny !	SIGNAT	TIDE OF DOUG		S-28-20 DATE				
	/	SIGNAT	OKE OF DKILLE	R / PRINT SIGNEE NAME	DATE				
EOR OSE INTERNALUSE WR-20 WELL RECORD & LOG (Version 04/30/2019)									

FILE NO.	POD NO.		TRN NO.	
LOCATION		WELL	L TAG ID NO.	PAGE 2 OF 2

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 284113

CONDITIONS

Operator:	OGRID:
OCCIDENTAL PERMIAN LTD	157984
P.O. Box 4294	Action Number:
Houston, TX 772104294	284113
	Action Type:
	[UF-GWA] Ground Water Abatement (GROUND WATER ABATEMENT)

CONDITIONS

Created By	Condition	Condition Date
michael.buchanan	None	12/27/2023