



# WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

[www.ose.state.nm.us](http://www.ose.state.nm.us)

1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) <b>WELL # 1</b>		WELL TAG ID NO.		OSE FILE NO(S). <b>L14872</b>			
	WELL OWNER NAME(S) <b>OXY PERMIAN</b>				PHONE (OPTIONAL) <b>432-254-2336</b>			
	WELL OWNER MAILING ADDRESS <b>6001 DEAUVILLE BLVD</b>				CITY <b>MIDLAND</b>	STATE <b>TX</b>	ZIP <b>79706</b>	
	WELL LOCATION (FROM GPS)	DEGREES <b>32</b>	MINUTES <b>41</b>	SECONDS <b>26.18</b>	N	* ACCURACY REQUIRED: ONE TENTH OF A SECOND		
		LONGITUDE <b>-103</b>	<b>10</b>	<b>23.25</b>	W	* DATUM REQUIRED: WGS 84		
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE <b>3101 MIDWEST SE 1/4 OF THE NW 1/4, SEC 5 T19S, R38E</b>								
2. DRILLING & CASING INFORMATION	LICENSE NO. <b>1184</b>		NAME OF LICENSED DRILLER <b>RONNY KEITH</b>			NAME OF WELL DRILLING COMPANY <b>WEST TEXAS WATER WELL SERVICE</b>		
	DRILLING STARTED <b>5/19/2020</b>	DRILLING ENDED <b>5/20/2020</b>	DEPTH OF COMPLETED WELL (FT) <b>100'</b>		BORE HOLE DEPTH (FT) <b>100'</b>	DEPTH WATER FIRST ENCOUNTERED (FT) <b>58'</b>		
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN <input type="checkbox"/> DRY HOLE <input checked="" type="checkbox"/> SHALLOW (UNCONFINED)					STATIC WATER LEVEL IN COMPLETED WELL (FT)		
	DRILLING FLUID: <input type="checkbox"/> AIR <input checked="" type="checkbox"/> MUD ADDITIVES - SPECIFY:							
	DRILLING METHOD: <input checked="" type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:							
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
	0	50	6 1/2	2" FLUSH JOINT	THREADED			
	50	100	6 1/2	2" SCREEN	THREADED			.020
3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL	AMOUNT (cubic feet)	METHOD OF PLACEMENT		
	FROM	TO						
	45'	100'	6 1/2	8/16 GRAVEL	32-50 BAGS	TRIMMIE		
	5'	45'	6 1/2	3/8 HOLE PLUG	10-50 BAGS			
	0'	5'	6 1/2	2 PORTLAND CEMENT				

FOR OSE INTERNAL USE

WR-20 WELL RECORD & LOG (Version 04/30/19)

FILE NO.

POD NO.

TRN NO.

LOCATION

WELL TAG ID NO.

PAGE 1 OF 2

#### 4. HYDROGEOLOGIC LOG OF WELL

FOR OSE INTERNAL USE

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 284112

CONDITIONS

Operator: OCCIDENTAL PERMIAN LTD P.O. Box 4294 Houston, TX 772104294	OGRID: 157984
	Action Number: 284112
	Action Type: [UF-GWA] Ground Water Abatement (GROUND WATER ABATEMENT)

CONDITIONS

Created By	Condition	Condition Date
michael.buchanan	None	12/27/2023