



August 29, 2023

New Mexico Oil Conservation Division

New Mexico Energy, Minerals, and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

**Re: Remediation Work Plan
Buck Federal CTB
Incident Number NAPP2315731307
Lea County, New Mexico**

To Whom It May Concern:

Ensolum, LLC (Ensolum), on behalf of ConocoPhillips Company (COP), has prepared this *Remediation Work Plan (Work Plan)* to document assessment and soil sampling activities completed to date and propose additional remedial actions to address impacted soil identified at the Buck Federal CTB (Site), following a crude oil release. The following *Work Plan* proposes lateral and vertical delineation of the release and excavation of impacted soil.

SITE DESCRIPTION AND RELEASE SUMMARY

The Site is located in Unit O, Section 17, Township 26 South, Range 32 East, in Lea County, New Mexico (32.0375°, -103.6966°) and is associated with oil and gas exploration and production operations on Federal Land managed by the Bureau of Land Management (BLM).

On June 1, 2023, a storage tank was overfilled, resulting in the release of approximately 7.0179 barrels (bbls) of crude oil within the lined storage tank containment berm and onto the surface of the well pad north of the containment. A vacuum truck was immediately dispatched to the Site to recover free-standing fluids; approximately 5 bbls of crude oil were recovered. COP reported the release to the New Mexico Oil Conservation Division (NMOCD) immediately via email and subsequently submitted a *Release Notification Form C-141* (Form C-141) on June 6, 2023. The release was assigned Incident Number NAPP2315731307.

SITE CHARACTERIZATION AND CLOSURE CRITERIA

The Site was characterized for applicability of Table I, Closure Criteria for Soils Impacted by a Release, of Title 19, Chapter 15, Part 29 (19.15.29) of the New Mexico Administrative Code (NMAC). Results from the characterization desktop review are presented on the Form C-141, Site Assessment/Characterization. Potential site receptors are identified on Figure 1.

Depth to groundwater at the Site is estimated to be greater than 51 feet below ground surface (bgs) based on a recent soil boring drilled for determination of regional groundwater depth. The soil boring is located approximately 0.4 miles northeast of the Site and is depicted on Figure 1. The soil boring was drilled during September 2022 to a depth of 55 feet bgs and no groundwater was encountered. The soil

boring was properly abandoned using hydrated bentonite chips. All wells used for depth to groundwater determination are presented on Figure 1. The referenced well records are included in Appendix A.

The closest continuously flowing or significant watercourse to the Site is a riverine, located approximately 8,110 feet east of the Site. The Site is greater than 200 feet from a lakebed, sinkhole, or playa lake and greater than 300 feet from an occupied residence, school, hospital, institution, church, or wetland. The Site is not within a 100-year floodplain or overlying a subsurface mine. The Site is greater than 1,000 feet to a freshwater well or spring. The Site is not underlain by unstable geology (medium potential karst designation area). Site receptors are identified on Figure 1.

Based on the results of the Site Characterization, the following NMOCD Table I Closure Criteria (Closure Criteria) apply:

- Benzene: 10 milligrams per kilogram (mg/kg)
- Benzene, toluene, ethylbenzene, and total xylenes (BTEX): 50 mg/kg
- Total petroleum hydrocarbons (TPH)-gasoline range organics (GRO) and TPH-diesel range organics (DRO): 1,000 mg/kg
- TPH: 2,500 mg/kg
- Chloride: 10,000 mg/kg

SITE ASSESSMENT ACTIVITIES AND LABORATORY ANALYTICAL RESULTS

On June 7, 2023, Site assessment activities were conducted to evaluate the release extent based on information provided on the Form C-141 and visual observations. Four assessment soil samples (SS01 through SS04) were collected around the release extent at a depth of 0.5 feet bgs to assess the lateral extent of the release. Three assessment soil samples (SS05 through SS07) were collected within the release extent at a depth of 0.5 feet bgs, to assess surficial soil within the release extent. The assessment soil samples were field screened for volatile organic compounds (VOCs) utilizing a calibrated photoionization detector (PID) and chloride using Hach® chloride QuanTab® test strips. The visible release extent and assessment soil sample locations were mapped utilizing a handheld Global Positioning System (GPS) unit and are depicted on Figure 2. A photographic log is included in Appendix B.

The soil samples were placed directly into pre-cleaned glass jars, labeled with the location, date, time, sampler name, method of analysis, and immediately placed on ice. The soil samples were transported under strict chain-of-custody procedures to Eurofins Laboratories (Eurofins) in Carlsbad, New Mexico, for analysis of the following chemicals of concern (COC): BTEX following United States Environmental Protection Agency (EPA) Method 8021B; TPH-gasoline range organics (GRO), TPH-diesel range organics (DRO), and TPH-oil range organics (ORO) following EPA Method 8015M/D; and chloride following EPA Method 300.0.

Laboratory analytical results for assessment soil samples SS01 through SS04 indicated all COC concentrations were compliant with the most stringent Table I Closure Criteria and successfully defined the lateral extent of the release. Laboratory analytical results for assessment soil samples SS05 through SS07 indicated TPH-GRO/TPH-DRO and TPH concentrations exceeded the Site Closure Criteria. The laboratory analytical results are summarized on the attached Table 1. Based on the laboratory analytical results, additional delineation activities were warranted.

DELINEATION ACTIVITIES AND LABORATORY ANALYTICAL RESULTS

On July 17, 2023, delineation activities were conducted at the Site to assess the vertical extent of impacted soil in the release areas outside of the lined containment. Boreholes BH01 through BH04 were advanced via hand auger in the release areas to the north, east, and west of the lined containment. The boreholes were advanced to depths ranging from 3 feet to 4 feet bgs. Soil from the boreholes was field screened for VOCs and chloride. Field screening results and observations for the boreholes were documented on lithologic/soil sampling logs, which are included in Appendix C. Discrete delineation soil samples were collected from each borehole at depths ranging from 1-foot to 4 feet bgs. The delineation soil samples were collected, handled, and analyzed following the same procedures as described above. The delineation soil sample locations were mapped utilizing a handheld GPS unit and are depicted on Figure 2.

Laboratory analytical results for the delineation soil samples collected from boreholes BH02 and BH04 indicated all COC concentrations were compliant with the Site Closure Criteria. Laboratory analytical results for the delineation soil samples collected from boreholes BH01 and BH03 indicated TPH-GRO/TPH-DRO and TPH concentrations exceeded the Site Closure Criteria at depths ranging from 1-foot to 3 feet. The laboratory analytical results are summarized on the attached Table 1 and the complete laboratory analytical reports are included in Appendix D. Based on the laboratory analytical results for assessment samples SS05 through SS07 and delineation samples collected from boreholes BH01 and BH03, additional delineation and excavation activities are warranted.

PROPOSED REMEDIAL ACTIONS

Analytical results for the assessment and delineation soil samples indicate TPH impacted soil is present in the vicinity of surface assessment samples SS05 through SS07 and boreholes BH01 and BH03. As such, COP requests approval to complete the following remediation activities:

Release Area Within Lined Containment:

- The lined tank battery containment will be inspected to determine if there are any deficiencies, specifically, tears or holes in the liner that could have allowed released fluids to migrate to the subsurface. Photographic documentation will be completed to confirm the integrity of the liner.
 - If the liner is intact with no tears or holes, no further action will be required within the lined containment area.
 - If the integrity of the liner is compromised, additional delineation activities will be completed to assess for the presence or absence of impacts to soil beneath the liner.
 - If impacts are identified beneath the lined containment, COP will delineate the lateral and vertical extent of impacted soil beneath the lined containment and request deferral of final remediation due to the presence of active production equipment in the lined containment, where remediation would require a major facility deconstruction.

Release Area Outside of Lined Containment:


- TPH impacted soil will be excavated in the accessible areas of the release extent in the vicinity of surface assessment samples SS05 and SS06 and borehole BH01. Excavation will proceed laterally and vertically until sidewall and floor samples are compliant with the Site Closure Criteria. The proposed excavation extent is shown on Figure 3.

- Following removal of the impacted soil, 5-point composite confirmation samples will be collected at least every 200 square feet from the sidewalls and floor of the excavation. The 5-point composite samples will be collected by placing five equivalent aliquots of soil into a 1-gallon, resealable plastic bag and homogenizing the samples by thoroughly mixing.
- Impacted soil will be excavated to the extent possible in the area around surface assessment sample SS07 and borehole BH03, located immediately adjacent to the lined containment. Due to the proximity of the lined containment, any impacted soil that cannot be safely excavated will be deferred to reduce the likelihood of compromising the integrity of the containment and active storage tanks. The proposed excavation extent is shown on Figure 3.
 - Any impacted soil left in place immediately adjacent to the storage tank containment will be laterally and vertically delineated to below the Site Closure Criteria.
 - To address hydrocarbon impacts left in place, a 5 percent solution of Micro-Blaze® and freshwater will be applied to the impacted area to promote degradation of the hydrocarbons.
- The excavation and delineation samples will be submitted for laboratory analysis of BTEX, TPH, and chloride as described above.

COP will complete the delineation and excavation activities within 90 days of the date of approval of this *Work Plan* by the NMOCD. A *Deferral Request* detailing the liner inspection results, delineation and excavation activities, and volume of impacted soil left in-place will be submitted within 30 days of receipt of the final laboratory analytical results. COP does not believe deferment will result in imminent risk to human health, the environment, or groundwater. Depth to groundwater was determined to be greater than 55 feet bgs and impacted left in-place immediately adjacent to or beneath the liner will be laterally and vertically delineated to below the Site Closure Criteria. As such, COP respectfully requests approval of this *Work Plan* for Incident Number NAPP2315731307. NMOCD notifications are included in Appendix E and the Form C-141 is included in Appendix F.

If you have any questions or comments, please contact Ms. Hadlie Green at (432) 557-8895 or hgreen@ensolum.com.

Sincerely,
Ensolum, LLC



Hadlie Green
Project Geologist



Daniel R. Moir, PG
Senior Managing Geologist


cc: Jacob Laird, ConocoPhillips Company
Bureau of Land Management

Appendices:

Figure 1	Site Receptor Map
Figure 2	Assessment and Delineation Soil Sample Locations
Figure 3	Proposed Excavation Extent
Table 1	Soil Sample Analytical Results
Appendix A	Referenced Well Records
Appendix B	Photographic Log
Appendix C	Lithologic Soil Sampling Logs
Appendix D	Laboratory Analytical Reports & Chain-of-Custody Documentation
Appendix E	NMOCD Notifications
Appendix F	Final C-141



FIGURES




ENSOLUM
Environmental, Engineering and
Hydrogeologic Consultants

Site Receptor Map
ConocoPhillips Company
Buck Federal CTB
Incident Number: NAPP2315731307
Unit O, Sec 17, T26S, R32E
Lea County, New Mexico

FIGURE
1

Legend

- Delineation Soil Sample in Compliance with Closure Criteria
- Delineation Soil Sample with Concentrations Previously Exceeding Closure Criteria
- Delineation Soil Sample with Concentrations Exceeding Closure Criteria
- Earthen Containment Berm
- Containment Liner
- Release Extent



0 25 50 100
Feet


Assessment and Delineation Soil Sample Locations

ConocoPhillips Company
Buck Federal CTB
Incident Number: NAPP2315731307
Unit O, Sec 17, T26S, R32E
Lea County, New Mexico

FIGURE
2

Legend

- Delineation Soil Sample in Compliance with Closure Criteria
- Delineation Soil Sample with Concentrations Previously Exceeding Closure Criteria
- Delineation Soil Sample with Concentrations Exceeding Closure Criteria
- Earthen Containment Berm
- Containment Liner
- Release Extent
- Proposed Excavation Extent



0 25 50 100
Feet



Proposed Excavation Extent

ConocoPhillips Company
Buck Federal CTB
Incident Number: NAPP2315731307
Unit O, Sec 17, T26S, R32E
Lea County, New Mexico

FIGURE
3



TABLES



TABLE 1
SOIL SAMPLE ANALYTICAL RESULTS
 Buck Federal CTB
 ConocoPhillips Company
 Lea County, New Mexico

Sample Designation	Date	Depth (feet bgs)	Benzene (mg/kg)	Total BTEX (mg/kg)	TPH GRO (mg/kg)	TPH DRO (mg/kg)	TPH ORO (mg/kg)	GRO+DRO (mg/kg)	Total TPH (mg/kg)	Chloride (mg/kg)
NMOCD Table I Closure Criteria (NMAC 19.15.29)			10	50	NE	NE	NE	1,000	2,500	10,000
Assessment Soil Samples										
SS01	06/07/2023	0.5	<0.00199	<0.00398	<49.8	<49.8	<49.8	<49.8	<49.8	52.4
SS02	06/07/2023	0.5	<0.00202	0.0153	<49.9	<49.9	<49.9	<49.9	<49.9	63.3
SS03	06/07/2023	0.5	<0.00202	<0.00404	<49.8	<49.8	<49.8	<49.8	<49.8	73.8
SS04	06/07/2023	0.5	<0.00201	<0.00402	<49.8	<49.8	<49.8	<49.8	<49.8	52.6
SS05	06/07/2023	0.5	<0.00201	0.0440	3,900	3,490	<49.9	7,390	7,390	59.0
SS06	06/07/2023	0.5	<0.0400	13.0	1,450	1,930	<50.0	3,380	3,380	63.9
SS07	06/07/2023	0.5	0.00258	0.158	6,170	5,220	<49.8	11,400	11,400	2,620
Delineation Soil Samples										
BH01A	07/17/2023	1	<0.202	49.4	1,210	1,790	<49.8	3,000	3,000	59.3
BH01D	07/17/2023	4	<0.00200	0.0429	<49.6	80.2	<49.6	80.2	80.2	115
BH02A	07/17/2023	1	<0.00198	0.0106	<50.5	59.2	<50.5	59.2	59.2	150
BH02C	07/17/2023	3	<0.00202	0.00961	<49.7	<49.7	<49.7	<49.7	<49.7	634
BH03A	07/17/2023	1	<0.499	12.7	1,600	3,210	<49.6	4,810	4,810	4,030
BH03C	07/17/2023	3	0.662	38.0	14,200	9,840	<50.1	24,040	24,100	5,670
BH04A	07/17/2023	1	<0.00200	0.0541	150	209	<50.0	359	359	3,600
BH04B	07/17/2023	2	<0.00200	0.00918	<50.5	<50.5	<50.5	<50.5	<50.5	4,750
BH04D	07/17/2023	4	<0.00198	<0.00396	<49.6	<49.6	<49.6	<49.6	<49.6	4,190

Notes:

bgs: below ground surface

mg/kg: milligrams per kilogram

NMOCD: New Mexico Oil Conservation Division

NMAC: New Mexico Administrative Code

BTEX: Benzene, Toluene, Ethylbenzene, and Xylenes

GRO: Gasoline Range Organics

DRO: Diesel Range Organics

ORO: Oil Range Organics

TPH: Total Petroleum Hydrocarbon

Concentrations in **bold** exceed the NMOCD Table I Closure Criteria or reclamation standard where applicable.



APPENDIX A

Referenced Well Records

212C-MD-02589		TETRA TECH		LOG OF BORING DTW				Page 1 of 1		
Project Name: Buck Federal CTB Release										
Borehole Location: GPS Coordinates: 32.037733°, -103.695950°						Surface Elevation: 3171 ft				
Borehole Number: DTW					Borehole Diameter (in.): 8		Date Started: 9/27/2022		Date Finished: 9/27/2022	

DEPTH (ft)	OPERATION TYPE	SAMPLE	CHLORIDE FIELD SCREENING (ppm)	VOC FIELD SCREENING (ppm)	SAMPLE RECOVERY (%)	MOISTURE CONTENT (%)	DRY DENSITY (pcf)	LIQUID LIMIT	PLASTICITY INDEX	MINUS NO. 200 (%)	GRAPHIC LOG	WATER LEVEL OBSERVATIONS			
												While Drilling <input checked="" type="checkbox"/> DRY ft Upon Completion of Drilling <input checked="" type="checkbox"/> DRY ft			
												Remarks:			
MATERIAL DESCRIPTION												DEPTH (ft)	REMARKS		
5												<div style="border: 1px solid black; padding: 2px;">-SM- SILTY SAND: Light brown, coarse-grained, loose, with occasional caliche, dry.</div> <div style="border: 1px solid black; padding: 2px;">-SM- SILTY SAND: Tan, coarse to fine-grained, dense, with abundant caliche, dry.</div> <div style="border: 1px solid black; padding: 2px;">-SP- SAND: Tan, fine-grained, dense, with moderate caliche, dry.</div> <div style="border: 1px solid black; padding: 2px;">-SP- SAND: Tan, fine to very fine-grained, dense, with trace caliche, dry.</div>	1.5 3 4		
10												14			
15															
20															
25															
30															
35															
40															
45															
50															
55															

Bottom of borehole at 55.0 feet.

Sampler Types: <div style="display: flex; flex-wrap: wrap;"> <div style="width: 50%;"> <input checked="" type="checkbox"/> Split Spoon <input checked="" type="checkbox"/> Shelby <input checked="" type="checkbox"/> Bulk Sample <input checked="" type="checkbox"/> Grab Sample </div> <div style="width: 50%;"> <input checked="" type="checkbox"/> Acetate Liner <input checked="" type="checkbox"/> Vane Shear <input checked="" type="checkbox"/> Discrete Sample <input checked="" type="checkbox"/> Test Pit </div> </div>	Operation Types: <div style="display: flex; flex-wrap: wrap;"> <div style="width: 50%;"> <input checked="" type="checkbox"/> Mud Rotary <input checked="" type="checkbox"/> Continuous Flight Auger <input checked="" type="checkbox"/> Wash Rotary </div> <div style="width: 50%;"> <input checked="" type="checkbox"/> Hand Auger <input checked="" type="checkbox"/> Air Rotary <input checked="" type="checkbox"/> Direct Push <input checked="" type="checkbox"/> Core Barrel </div> </div>	Notes: Surface elevation is an estimated value based on Google Earth data.
--	---	---

Logger: Colton Bickerstaff	Drilling Equipment: Air Rotary	Driller: Scarborough Drilling
----------------------------	--------------------------------	-------------------------------



[USGS Home](#)
[Contact USGS](#)
[Search USGS](#)

National Water Information System: Web Interface

USGS Water Resources

Data Category:

Groundwater




Geographic Area:

New Mexico



GO

Click to hide News Bulletins

- Explore the *NEW* [USGS National Water Dashboard](#) interactive map to access real-time water data from over 13,500 stations nationwide.
- [Full News](#) 

Groundwater levels for New Mexico

Click to hide state-specific text



Important: [Next Generation Monitoring Location Page](#)

Search Results -- 1 sites found

Agency code = usgs

site_no list =

- 320134103384101

Minimum number of levels = 1

[Save file of selected sites](#) to local disk for future upload

USGS 320134103384101 26S.32E.21.32311

Lea County, New Mexico

Latitude 32°01'35.2", Longitude 103°41'01.8" NAD83

Land-surface elevation 3,130 feet above NAVD88

The depth of the well is 405 feet below land surface.

The depth of the hole is 405 feet below land surface.

This well is completed in the Pecos River Basin alluvial aquifer (N100PCSRVR) national aquifer.

This well is completed in the Dockum Group (231DCKM) local aquifer.

Output formats

Table of data
Tab-separated data
Graph of data
Reselect period

Date	Time	? Water-level date-time accuracy	? Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum
1993-06-16			D	62610	2723.41
1993-06-16			D	62611	2725.00
1993-06-16			D	72019	405.00
2013-01-16	19:10 UTC		m	62610	2906.47
2013-01-16	19:10 UTC		m	62611	2908.06
2013-01-16	19:10 UTC		m	72019	221.94

Explanation

Section	Code	Description
Water-level date-time accuracy	D	Date is accurate to the Day
Water-level date-time accuracy	m	Date is accurate to the Minute

Section	Code	Description
Parameter code	62610	Groundwater level above NGVD 1929, feet
Parameter code	62611	Groundwater level above NAVD 1988, feet
Parameter code	72019	Depth to water level, feet below land surface
Referenced vertical datum	NAVD88	North American Vertical Datum of 1988
Referenced vertical datum	NGVD29	National Geodetic Vertical Datum of 1929
Status	1	Static
Status	P	Pumping
Method of measurement	L	Interpreted from geophysical logs.
Method of measurement	S	Steel-tape measurement.
Measuring agency		Not determined
Measuring agency	USGS	U.S. Geological Survey
Source of measurement		Not determined
Source of measurement	S	Measured by personnel of reporting agency.
Water-level approval status	A	Approved for publication -- Processing and review completed.

[Questions or Comments](#)

[Automated retrievals](#)

[Help](#)

[Data Tips](#)

[Explanation of terms](#)

[Subscribe for system changes](#)

[News](#)

[Accessibility](#)

[FOIA](#)

[Privacy](#)

[Policies and Notices](#)

[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)

Title: Groundwater for New Mexico: Water Levels

URL: <https://nwis.waterdata.usgs.gov/nm/nwis/gwlevels?>



Page Contact Information: [New Mexico Water Data Maintainer](#)




New Mexico Office of the State Engineer

Point of Diversion Summary

		(quarters are 1=NW 2=NE 3=SW 4=SE) (quarters are smallest to largest)						(NAD83 UTM in meters)	
Well Tag	POD Number	Q64	Q16	Q4	Sec	Tws	Rng	X	Y
C	03595 POD1	4	2	3	21	26S	32E	624423	3544045
Driller License: 1654		Driller Company:		NOT WORKING FOR HIRE--SIRMAN DRILLING AND CONSTRUCT					
Driller Name: SIRMAN, JOHN (LD)									
Drill Start Date: 09/30/2013		Drill Finish Date:		09/30/2013		Plug Date:			
Log File Date: 10/29/2013		PCW Rcv Date:				Source:		Shallow	
Pump Type:		Pipe Discharge Size:				Estimated Yield:			
Casing Size: 6.00		Depth Well:		280 feet		Depth Water:		180 feet	
Water Bearing Stratifications:				Top	Bottom	Description			
				160	200	Sandstone/Gravel/Conglomerate			
Casing Perforations:				Top	Bottom				
				200	240				


The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

BORING RECORD																		
GEOLOGIC UNIT	DEPTH	Start: 12:39 Finish: 14:32 DESCRIPTION LITHOLOGIC	DESCRIPTION USCS	GRAPHIC LOG	PID READING								SAMPLE			REMARKS		
					PPM X _____								NUMBER	PID READING	RECOVERY	DEPTH	BACKGROUND PID READING SOIL: _____ PPM SOIL: _____ PPM	
					2	4	6	8	10	12	14	16						18
	0	Caliche, 5YR 8/1, White, Fill	Caliche															
	5	Silty Sand, 5YR 5/6, Yellowish Red, Very Fine Grained Quartz, Poorly Sorted, Grain Imbedded with Caliche below 5', White, 5YR 8/1, Quartz Sand, Medium to Coarse Grade	SM															
	10																	
	15																	
	20	Sand, 7.5YR 5/6, Strong Brown, Very Fine Grained Quartz Sand, Rounded, Poorly Sorted Reddish Brown, 5YR 5/4, Yellowish Red, 5YR 5/6, below 20', Dry	SW											2		20	12:47	
	25																	
	30	Thin Caliche Beds Below 25', Indurated, 5YR 7/0, Pink, Moderately Hard																
	35	Sandstone Harder Below 30', Hard at 35'-40', Fine to Very Fine Grained Quartz Sand, Very Well Cemented	Sand Stone															
	40	Shale (Red Bed), 2.5YR 4/6, Red, Very Fine Grained, Poorly Sorted, Weakly Cemented, Dry												3		40	13:19	
	45																	
	50																	
	55	Below 50' Interbedded with Thin Sandstone Beds, Moderately Hard, Dry	Shale											4		60	13:39	
	60																	
	65																	

<input type="checkbox"/> ONE CONTINUOUS AUGER SAMPLER	<input type="checkbox"/> WATER TABLE (TIME OF BORING)	JOB NUMBER : <u>Chevron/ 20-0107-23</u>
<input type="checkbox"/> STANDARD PENETRATION TEST	<input type="checkbox"/> LABORATORY TEST LOCATION	HOLE DIAMETER : <u>5"</u>
<input type="checkbox"/> UNDISTURBED SAMPLE	<input type="checkbox"/> PENETROMETER (TONS/ SQ. FT)	LOCATION : <u>Malestorm 15-1 SWD 103°39'35.87"N, 32°2'28.43"E</u>
<input type="checkbox"/> WATER TABLE (24 HRS)	<input type="checkbox"/> NO RECOVERY	LAI GEOLOGIST : <u>M. Larson</u>
		DRILLING CONTRACTOR : <u>Scarborough Drilling</u>
DRILL DATE : <u>10/12/2022</u>		DRILLING METHOD : <u>Air Rotary</u>
BORING NUMBER : <u>BH-1</u>		

BORING RECORD

GEOLOGIC UNIT	DEPTH	Start: 12:39 Finish: 14:32 DESCRIPTION LITHOLOGIC	DESCRIPTION USCS	GRAPHIC LOG	PID READING										SAMPLE		REMARKS		
					PPM X _____										NUMBER	PID READING	RECOVERY	DEPTH	BACKGROUND PID READING SOIL : _____ PPM SOIL : _____ PPM
					2	4	6	8	10	12	14	16	18						
	70	Sandstone, 2.5YR 5/9, Reddish Brown, Very Fine Grained Quartz Sand, Poorly Sorted, Soft to Moderate, Well Cemented	Sand Stone																
	75																		
	80	Shale (Red Bed), 2.5YR 4/6 to 5/6, Red to Reddish Brown, Silty, Very Fine Grained Quartz Sand, Dry	Shale												5		80	13:56	
	85																		
	90																		
	95																		
	100																		
	105		Shale																
	110																		
	115	TD: 115'																	
	120																		
	125																		
	130																		

<input type="checkbox"/> ONE CONTINUOUS AUGER SAMPLER	<input type="checkbox"/> WATER TABLE (TIME OF BORING)	JOB NUMBER : <u>Chevron/ 20-0107-23</u>
<input type="checkbox"/> STANDARD PENETRATION TEST	<input type="checkbox"/> LABORATORY TEST LOCATION	HOLE DIAMETER : <u>5"</u>
<input type="checkbox"/> UNDISTURBED SAMPLE	<input type="checkbox"/> PENETROMETER (TONS/ SQ. FT)	LOCATION : <u>Malestorm 15-1 SWD 103°39'35.87"N, 32°2'28.43"E</u>
<input type="checkbox"/> WATER TABLE (24 HRS)	<input type="checkbox"/> NR NO RECOVERY	LAI GEOLOGIST : <u>M. Larson</u>
		DRILLING CONTRACTOR : <u>Scarborough Drilling</u>
DRILL DATE : <u>10/12/2022</u>		DRILLING METHOD : <u>Air Rotary</u>
BORING NUMBER : <u>BH-1</u>		

Page Last Modified: 2023-08-09 15:36:47 EDT

0.28 0.24 nadww02



APPENDIX B

Photographic Log



Photographic Log

ConocoPhillips Company

Buck Federal CTB

Incident Number NAPP2315731307



Photograph: 1 Date: 6/1/2023
Description: Soil staining in release footprint
View: Southwest



Photograph: 2 Date: 6/1/2023
Description: Exposed liner in release footprint
View: West



Photograph: 3 Date: 6/7/2023
Description: Initial assessment activities
View: South





Photograph: 4 Date: 7/17/2023
Description: Delineation activities, BH03
View: East





APPENDIX C

Lithologic Soil Sampling Logs

								Sample Name: BH01		Date: 7/17/2023					
								Site Name: Buck Federal CTB							
								Incident Number: NAPP2315731307							
								Job Number: 03D2024199							
LITHOLOGIC / SOIL SAMPLING LOG								Logged By: Peter Van Patten		Method: Hand Auger					
Coordinates: 32.037605,-103.696696								Hole Diameter:		Total Depth: 4'					
Comments: Field screening conducted with HACH Chloride Test Strips and PID for chloride and vapor, respectively. Chloride test performed with 1:4 dilution factor of soil to distilled water. No correction factors included. ND: Non Detect															
Moisture Content	Chloride (ppm)	Vapor (ppm)	Staining	Sample ID	Sample Depth (ft bgs)	Depth (ft bgs)	USCS/Rock Symbol	Lithologic Descriptions							
						0									
Damp	ND	2764	N	BH01A	1	1	CHHE	Caliche: gray, tan, some gravel, hydrocarbon odor							
Damp	ND	2619	N			2	CHHE	SAA (same as above)							
Damp	ND	946	N			3	SP-SM	Sand: orange - brown, fine grain, poorly graded, few subround gravel, some caliche, hydrocarbon odor							
Damp	ND	510	N	BH01D	4	4	SP-SM	SAA							
TD (refusal) at 4 feet bgs															

 ENSOLUM								Sample Name: BH02		Date: 7/17/2023	
								Site Name: Buck Federal CTB			
								Incident Number: NAPP2315731307			
								Job Number: 03D2024199			
LITHOLOGIC / SOIL SAMPLING LOG								Logged By: Peter Van Patten		Method: Hand Auger	
Coordinates: 32.037601,-103.696768								Hole Diameter:		Total Depth: 3'	
Comments: Field screening conducted with HACH Chloride Test Strips and PID for chloride and vapor, respectively. Chloride test performed with 1:4 dilution factor of soil to distilled water. No correction factors included. ND: Non Detect											
Moisture Content	Chloride (ppm)	Vapor (ppm)	Staining	Sample ID	Sample Depth (ft bgs)	Depth (ft bgs)	USCS/Rock Symbol	Lithologic Descriptions			
						0					
Damp	ND	0	N	BH02A	1	1	CHHE	Caliche: tan, dark tan, some gravel, no odor			
Damp	ND	0	N			2	SP-SM	Sand: orange - brown, medium to fine grain, poorly graded, few subround gravel, some caliche, no odor			
Damp	ND	0	N	BH02C	3	3	SP-SM	SAA (same as above)			
								TD at 3 feet bgs			
						7					
						8					
						9					
						10					
						11					
						12					

 ENSOLUM								Sample Name: BH03		Date: 7/17/2023	
								Site Name: Buck Federal CTB			
								Incident Number: NAPP2315731307			
								Job Number: 03D2024199			
LITHOLOGIC / SOIL SAMPLING LOG								Logged By: Peter Van Patten		Method: Hand Auger	
Coordinates: 32.037497,-103.696814								Hole Diameter:		Total Depth: 3'	
Comments: Field screening conducted with HACH Chloride Test Strips and PID for chloride and vapor, respectively. Chloride test performed with 1:4 dilution factor of soil to distilled water. No correction factors included. ND: Non Detect											
Moisture Content	Chloride (ppm)	Vapor (ppm)	Staining	Sample ID	Sample Depth (ft bgs)	Depth (ft bgs)	USCS/Rock Symbol	Lithologic Descriptions			
						0					
Damp	ND	2805	N	BH03A	1	1	CHHE	Caliche: gray, tan, some gravel, hydrocarbon odor			
Damp	ND	2593	N			2	CHHE	Caliche: tan, yellowish tan, hydrocarbon odor			
Damp	ND	2485	N	BH03C	3	3	CHHE	SAA (same as above)			
								TD (refusal) at 3 feet bgs			
						7					
						8					
						9					
						10					
						11					
						12					

 ENSOLUM								Sample Name: BH04		Date: 7/17/2023	
								Site Name: Buck Federal CTB			
								Incident Number: NAPP2315731307			
								Job Number: 03D2024199			
LITHOLOGIC / SOIL SAMPLING LOG								Logged By: Peter Van Patten		Method: Hand Auger	
Coordinates: 32.037505,-103.696655								Hole Diameter:		Total Depth: 4'	
Comments: Field screening conducted with HACH Chloride Test Strips and PID for chloride and vapor, respectively. Chloride test performed with 1:4 dilution factor of soil to distilled water. No correction factors included. ND: Non Detect											
Moisture Content	Chloride (ppm)	Vapor (ppm)	Staining	Sample ID	Sample Depth (ft bgs)	Depth (ft bgs)	USCS/Rock Symbol	Lithologic Descriptions			
						0					
Damp	ND	39.8	N	BH04A	1	1	CHHE	Caliche: gray, tan, some gravel, hydrocarbon odor			
Damp	ND	1.9	N	BH04B	2	2	SP-SM	Sand: orange - redish brown, medium to fine grain, poorly graded, few subround gravel, some caliche, slight hydrocarbon odor			
Damp	ND	3.1	N			3	CHHE	Caliche: tan, yellowish tan, slight hydrocarbon odor			
Damp	ND	1.2	N	BH04D	4	4	CHHE	SAA (same as above) TD (refusal) at 4 feet bgs			
						7					
						8					
						9					
						10					
						11					
						12					



APPENDIX D

Laboratory Analytical Reports & Chain of Custody Documentation



Environment Testing

1

2

3

4

5

6

7

8

9

10

11

12

13

14

ANALYTICAL REPORT

PREPARED FOR

Attn: Hadlie Green

Ensolum

601 N. Marienfeld St.

Suite 400

Midland, Texas 79701

Generated 6/20/2023 3:10:09 PM

JOB DESCRIPTION

Buck Federal CTB

SDG NUMBER 03D2024199

JOB NUMBER

890-4795-1

Eurofins Carlsbad
1089 N Canal St.
Carlsbad NM 88220

Eurofins Carlsbad

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Generated
6/20/2023 3:10:09 PM

Authorized for release by
Jessica Kramer, Project Manager
Jessica.Kramer@et.eurofinsus.com
(432)704-5440

Client: Ensolum
Project/Site: Buck Federal CTB

Laboratory Job ID: 890-4795-1
SDG: 03D2024199

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
Surrogate Summary	12
QC Sample Results	13
QC Association Summary	19
Lab Chronicle	22
Certification Summary	25
Method Summary	26
Sample Summary	27
Chain of Custody	28
Receipt Checklists	29

1
2
3
4
5
6
7
8
9
10
11
12
13
14

Definitions/Glossary

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4795-1
SDG: 03D2024199

Qualifiers

GC VOA

Qualifier	Qualifier Description
*+	LCS and/or LCSD is outside acceptance limits, high biased.
F1	MS and/or MSD recovery exceeds control limits.
S1-	Surrogate recovery exceeds control limits, low biased.
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
S1-	Surrogate recovery exceeds control limits, low biased.
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4795-1
SDG: 03D2024199

Job ID: 890-4795-1**Laboratory: Eurofins Carlsbad****Narrative****Job Narrative
890-4795-1****Receipt**

The samples were received on 6/8/2023 8:29 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.4°C

Receipt Exceptions

The following samples were received and analyzed from an unpreserved bulk soil jar: SS01 (890-4795-1), SS02 (890-4795-2), SS03 (890-4795-3), SS04 (890-4795-4), SS05 (890-4795-5), SS06 (890-4795-6) and SS07 (890-4795-7).

GC VOA

Method 8021B: The laboratory control sample duplicate (LCSD) for preparation batch 880-55146 and analytical batch 880-55553 recovered outside control limits for the following analytes: Benzene and Toluene. These analytes were acceptable in the LCS, therefore, the data was qualified and reported.

Method 8021B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries and precision for preparation batch 880-55146 and analytical batch 880-55553 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample / laboratory sample control duplicate (LCS) precision was within acceptance limits.

Method 8021B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-55739 and analytical batch 880-55778 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

Method 8021B: Surrogate recovery for the following sample was outside control limits: (MB 880-55739/5-A). Evidence of matrix interferences is not obvious.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC Semi VOA

Method 8015MOD_NM: Surrogate recovery for the following sample was outside control limits: (MB 880-55159/1-A). Evidence of matrix interferences is not obvious.

Method 8015MOD_NM: Surrogate recovery for the following samples were outside control limits: SS01 (890-4795-1), SS02 (890-4795-2), SS04 (890-4795-4), SS05 (890-4795-5), SS06 (890-4795-6), SS07 (890-4795-7), (890-4794-A-5-C), (890-4794-A-5-D MS) and (890-4794-A-5-E MSD). Evidence of matrix interferences is not obvious.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Client Sample Results

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4795-1
SDG: 03D2024199

Client Sample ID: SS01

Lab Sample ID: 890-4795-1

Date Collected: 06/07/23 13:25

Matrix: Solid

Date Received: 06/08/23 08:29

Sample Depth: 0.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U **	0.00199	mg/Kg		06/09/23 13:04	06/15/23 16:58	1
Toluene	<0.00199	U **	0.00199	mg/Kg		06/09/23 13:04	06/15/23 16:58	1
Ethylbenzene	<0.00199	U	0.00199	mg/Kg		06/09/23 13:04	06/15/23 16:58	1
m-Xylene & p-Xylene	<0.00398	U	0.00398	mg/Kg		06/09/23 13:04	06/15/23 16:58	1
o-Xylene	<0.00199	U	0.00199	mg/Kg		06/09/23 13:04	06/15/23 16:58	1
Xylenes, Total	<0.00398	U	0.00398	mg/Kg		06/09/23 13:04	06/15/23 16:58	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	94		70 - 130	06/09/23 13:04	06/15/23 16:58	1
1,4-Difluorobenzene (Surr)	96		70 - 130	06/09/23 13:04	06/15/23 16:58	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398	mg/Kg			06/16/23 12:59	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8	mg/Kg			06/12/23 14:35	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8	mg/Kg		06/09/23 14:05	06/11/23 00:27	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8	mg/Kg		06/09/23 14:05	06/11/23 00:27	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8	mg/Kg		06/09/23 14:05	06/11/23 00:27	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	142	S1+	70 - 130	06/09/23 14:05	06/11/23 00:27	1
o-Terphenyl	111		70 - 130	06/09/23 14:05	06/11/23 00:27	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	52.4		4.98	mg/Kg			06/09/23 15:41	1

Client Sample ID: SS02

Lab Sample ID: 890-4795-2

Date Collected: 06/07/23 13:30

Matrix: Solid

Date Received: 06/08/23 08:29

Sample Depth: 0.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U **	0.00202	mg/Kg		06/09/23 13:04	06/15/23 18:49	1
Toluene	<0.00202	U **	0.00202	mg/Kg		06/09/23 13:04	06/15/23 18:49	1
Ethylbenzene	<0.00202	U	0.00202	mg/Kg		06/09/23 13:04	06/15/23 18:49	1
m-Xylene & p-Xylene	0.0107		0.00403	mg/Kg		06/09/23 13:04	06/15/23 18:49	1
o-Xylene	0.00462		0.00202	mg/Kg		06/09/23 13:04	06/15/23 18:49	1
Xylenes, Total	0.0153		0.00403	mg/Kg		06/09/23 13:04	06/15/23 18:49	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	82		70 - 130	06/09/23 13:04	06/15/23 18:49	1

Eurofins Carlsbad

Client Sample Results

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4795-1
SDG: 03D2024199

Client Sample ID: SS02

Lab Sample ID: 890-4795-2

Date Collected: 06/07/23 13:30

Matrix: Solid

Date Received: 06/08/23 08:29

Sample Depth: 0.5

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	102		70 - 130	06/09/23 13:04	06/15/23 18:49	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.0153		0.00403	mg/Kg			06/16/23 12:59	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9	mg/Kg			06/12/23 14:35	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9	mg/Kg		06/09/23 14:05	06/11/23 00:48	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9	mg/Kg		06/09/23 14:05	06/11/23 00:48	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9	mg/Kg		06/09/23 14:05	06/11/23 00:48	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
1-Chlorooctane	131	S1+	70 - 130			06/09/23 14:05	06/11/23 00:48	1
o-Terphenyl	99		70 - 130			06/09/23 14:05	06/11/23 00:48	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	63.3		5.03	mg/Kg			06/09/23 15:47	1

Client Sample ID: SS03

Lab Sample ID: 890-4795-3

Date Collected: 06/07/23 13:35

Matrix: Solid

Date Received: 06/08/23 08:29

Sample Depth: 0.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U *	0.00202	mg/Kg		06/09/23 13:04	06/15/23 19:10	1
Toluene	<0.00202	U *	0.00202	mg/Kg		06/09/23 13:04	06/15/23 19:10	1
Ethylbenzene	<0.00202	U	0.00202	mg/Kg		06/09/23 13:04	06/15/23 19:10	1
m-Xylene & p-Xylene	<0.00404	U	0.00404	mg/Kg		06/09/23 13:04	06/15/23 19:10	1
o-Xylene	<0.00202	U	0.00202	mg/Kg		06/09/23 13:04	06/15/23 19:10	1
Xylenes, Total	<0.00404	U	0.00404	mg/Kg		06/09/23 13:04	06/15/23 19:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	84		70 - 130	06/09/23 13:04	06/15/23 19:10	1
1,4-Difluorobenzene (Surr)	96		70 - 130	06/09/23 13:04	06/15/23 19:10	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404	mg/Kg			06/16/23 12:59	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8	mg/Kg			06/12/23 14:35	1

Eurofins Carlsbad

Client Sample Results

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4795-1
SDG: 03D2024199

Client Sample ID: SS03

Lab Sample ID: 890-4795-3

Date Collected: 06/07/23 13:35

Matrix: Solid

Date Received: 06/08/23 08:29

Sample Depth: 0.5

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8	mg/Kg		06/09/23 14:05	06/11/23 01:09	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8	mg/Kg		06/09/23 14:05	06/11/23 01:09	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8	mg/Kg		06/09/23 14:05	06/11/23 01:09	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
1-Chlorooctane	129		70 - 130			06/09/23 14:05	06/11/23 01:09	1
o-Terphenyl	97		70 - 130			06/09/23 14:05	06/11/23 01:09	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	73.8		5.01	mg/Kg			06/09/23 16:03	1

Client Sample ID: SS04

Lab Sample ID: 890-4795-4

Date Collected: 06/07/23 13:40

Matrix: Solid

Date Received: 06/08/23 08:29

Sample Depth: 0.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U **	0.00201	mg/Kg		06/09/23 13:04	06/15/23 19:30	1
Toluene	<0.00201	U **	0.00201	mg/Kg		06/09/23 13:04	06/15/23 19:30	1
Ethylbenzene	<0.00201	U	0.00201	mg/Kg		06/09/23 13:04	06/15/23 19:30	1
m-Xylene & p-Xylene	<0.00402	U	0.00402	mg/Kg		06/09/23 13:04	06/15/23 19:30	1
o-Xylene	<0.00201	U	0.00201	mg/Kg		06/09/23 13:04	06/15/23 19:30	1
Xylenes, Total	<0.00402	U	0.00402	mg/Kg		06/09/23 13:04	06/15/23 19:30	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	95		70 - 130			06/09/23 13:04	06/15/23 19:30	1
1,4-Difluorobenzene (Surr)	103		70 - 130			06/09/23 13:04	06/15/23 19:30	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402	mg/Kg			06/16/23 12:59	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8	mg/Kg			06/12/23 14:35	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8	mg/Kg		06/09/23 14:05	06/11/23 01:31	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8	mg/Kg		06/09/23 14:05	06/11/23 01:31	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8	mg/Kg		06/09/23 14:05	06/11/23 01:31	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
1-Chlorooctane	136	S1+	70 - 130			06/09/23 14:05	06/11/23 01:31	1
o-Terphenyl	105		70 - 130			06/09/23 14:05	06/11/23 01:31	1

Eurofins Carlsbad

Client Sample Results

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4795-1
SDG: 03D2024199

Client Sample ID: SS04

Lab Sample ID: 890-4795-4

Date Collected: 06/07/23 13:40

Matrix: Solid

Date Received: 06/08/23 08:29

Sample Depth: 0.5

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	52.6		4.97	mg/Kg			06/09/23 16:08	1

Client Sample ID: SS05

Lab Sample ID: 890-4795-5

Date Collected: 06/07/23 13:10

Matrix: Solid

Date Received: 06/08/23 08:29

Sample Depth: 0.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201	mg/Kg		06/16/23 17:19	06/19/23 21:12	1
Toluene	0.00925		0.00201	mg/Kg		06/16/23 17:19	06/19/23 21:12	1
Ethylbenzene	0.0105		0.00201	mg/Kg		06/16/23 17:19	06/19/23 21:12	1
m-Xylene & p-Xylene	0.0199		0.00402	mg/Kg		06/16/23 17:19	06/19/23 21:12	1
o-Xylene	0.00432		0.00201	mg/Kg		06/16/23 17:19	06/19/23 21:12	1
Xylenes, Total	0.0242		0.00402	mg/Kg		06/16/23 17:19	06/19/23 21:12	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	109		70 - 130			06/16/23 17:19	06/19/23 21:12	1
1,4-Difluorobenzene (Surr)	105		70 - 130			06/16/23 17:19	06/19/23 21:12	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.0440		0.00402	mg/Kg			06/20/23 12:15	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	7390		49.9	mg/Kg			06/12/23 14:35	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	3900		49.9	mg/Kg		06/09/23 14:05	06/11/23 01:52	1
Diesel Range Organics (Over C10-C28)	3490		49.9	mg/Kg		06/09/23 14:05	06/11/23 01:52	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9	mg/Kg		06/09/23 14:05	06/11/23 01:52	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
1-Chlorooctane	174	S1+	70 - 130			06/09/23 14:05	06/11/23 01:52	1
o-Terphenyl	84		70 - 130			06/09/23 14:05	06/11/23 01:52	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	59.0		4.96	mg/Kg			06/09/23 16:24	1

Eurofins Carlsbad

Client Sample Results

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4795-1
SDG: 03D2024199

Client Sample ID: SS06

Lab Sample ID: 890-4795-6

Date Collected: 06/07/23 13:15

Matrix: Solid

Date Received: 06/08/23 08:29

Sample Depth: 0.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.0400	U **	0.0400	mg/Kg		06/09/23 13:04	06/15/23 21:34	20
Toluene	1.42	**	0.0400	mg/Kg		06/09/23 13:04	06/15/23 21:34	20
Ethylbenzene	0.993		0.0400	mg/Kg		06/09/23 13:04	06/15/23 21:34	20
m-Xylene & p-Xylene	6.63		0.0800	mg/Kg		06/09/23 13:04	06/15/23 21:34	20
o-Xylene	3.99		0.0400	mg/Kg		06/09/23 13:04	06/15/23 21:34	20
Xylenes, Total	10.6		0.0800	mg/Kg		06/09/23 13:04	06/15/23 21:34	20

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103		70 - 130	06/09/23 13:04	06/15/23 21:34	20
1,4-Difluorobenzene (Surr)	70		70 - 130	06/09/23 13:04	06/15/23 21:34	20

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	13.0		0.0800	mg/Kg			06/16/23 12:59	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	3380		50.0	mg/Kg			06/12/23 14:35	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	1450		50.0	mg/Kg		06/09/23 14:05	06/11/23 02:35	1
Diesel Range Organics (Over C10-C28)	1930		50.0	mg/Kg		06/09/23 14:05	06/11/23 02:35	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0	mg/Kg		06/09/23 14:05	06/11/23 02:35	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	153	S1+	70 - 130	06/09/23 14:05	06/11/23 02:35	1
o-Terphenyl	90		70 - 130	06/09/23 14:05	06/11/23 02:35	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	63.9		5.03	mg/Kg			06/09/23 16:30	1

Client Sample ID: SS07

Lab Sample ID: 890-4795-7

Date Collected: 06/07/23 13:20

Matrix: Solid

Date Received: 06/08/23 08:29

Sample Depth: 0.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.00258		0.00200	mg/Kg		06/16/23 17:19	06/19/23 21:33	1
Toluene	0.0269		0.00200	mg/Kg		06/16/23 17:19	06/19/23 21:33	1
Ethylbenzene	0.0184		0.00200	mg/Kg		06/16/23 17:19	06/19/23 21:33	1
m-Xylene & p-Xylene	0.0899		0.00399	mg/Kg		06/16/23 17:19	06/19/23 21:33	1
o-Xylene	0.0201		0.00200	mg/Kg		06/16/23 17:19	06/19/23 21:33	1
Xylenes, Total	0.110		0.00399	mg/Kg		06/16/23 17:19	06/19/23 21:33	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	108		70 - 130	06/16/23 17:19	06/19/23 21:33	1

Eurofins Carlsbad

Client Sample Results

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4795-1
SDG: 03D2024199

Client Sample ID: SS07

Lab Sample ID: 890-4795-7

Date Collected: 06/07/23 13:20

Matrix: Solid

Date Received: 06/08/23 08:29

Sample Depth: 0.5

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	124		70 - 130	06/16/23 17:19	06/19/23 21:33	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.158		0.00399	mg/Kg			06/20/23 12:15	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	11400		49.8	mg/Kg			06/12/23 14:35	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	6170		49.8	mg/Kg		06/09/23 14:05	06/11/23 02:56	1
Diesel Range Organics (Over C10-C28)	5220		49.8	mg/Kg		06/09/23 14:05	06/11/23 02:56	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8	mg/Kg		06/09/23 14:05	06/11/23 02:56	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	249	S1+	70 - 130	06/09/23 14:05	06/11/23 02:56	1
o-Terphenyl	74		70 - 130	06/09/23 14:05	06/11/23 02:56	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2620		25.1	mg/Kg			06/09/23 16:35	5

Surrogate Summary

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4795-1
SDG: 03D2024199

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	BFB1 (70-130)	DFBZ1 (70-130)
880-29648-A-21-G MS	Matrix Spike	98	105
880-29648-A-21-H MSD	Matrix Spike Duplicate	102	110
890-4794-A-1-D MS	Matrix Spike	113	92
890-4794-A-1-E MSD	Matrix Spike Duplicate	112	101
890-4795-1	SS01	94	96
890-4795-2	SS02	82	102
890-4795-3	SS03	84	96
890-4795-4	SS04	95	103
890-4795-5	SS05	109	105
890-4795-6	SS06	103	70
890-4795-7	SS07	108	124
LCS 880-55146/1-A	Lab Control Sample	98	104
LCS 880-55739/1-A	Lab Control Sample	92	107
LCSD 880-55146/2-A	Lab Control Sample Dup	114	99
LCSD 880-55739/2-A	Lab Control Sample Dup	86	110
MB 880-55146/5-A	Method Blank	94	111
MB 880-55739/5-A	Method Blank	65 S1-	101
Surrogate Legend			
BFB = 4-Bromofluorobenzene (Surr)			
DFBZ = 1,4-Difluorobenzene (Surr)			

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO1 (70-130)	OTPH1 (70-130)
890-4794-A-5-D MS	Matrix Spike	139 S1+	100
890-4794-A-5-E MSD	Matrix Spike Duplicate	132 S1+	92
890-4795-1	SS01	142 S1+	111
890-4795-2	SS02	131 S1+	99
890-4795-3	SS03	129	97
890-4795-4	SS04	136 S1+	105
890-4795-5	SS05	174 S1+	84
890-4795-6	SS06	153 S1+	90
890-4795-7	SS07	249 S1+	74
LCS 880-55159/2-A	Lab Control Sample	126	98
LCSD 880-55159/3-A	Lab Control Sample Dup	119	91
MB 880-55159/1-A	Method Blank	0.02 S1-	0.009 S1-
Surrogate Legend			
1CO = 1-Chlorooctane			
OTPH = o-Terphenyl			

Eurofins Carlsbad

QC Sample Results

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4795-1
SDG: 03D2024199

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-55146/5-A

Matrix: Solid

Analysis Batch: 55553

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 55146

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200	mg/Kg		06/09/23 13:04	06/15/23 13:24	1
Toluene	<0.00200	U	0.00200	mg/Kg		06/09/23 13:04	06/15/23 13:24	1
Ethylbenzene	<0.00200	U	0.00200	mg/Kg		06/09/23 13:04	06/15/23 13:24	1
m-Xylene & p-Xylene	<0.00400	U	0.00400	mg/Kg		06/09/23 13:04	06/15/23 13:24	1
o-Xylene	<0.00200	U	0.00200	mg/Kg		06/09/23 13:04	06/15/23 13:24	1
Xylenes, Total	<0.00400	U	0.00400	mg/Kg		06/09/23 13:04	06/15/23 13:24	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	94		70 - 130	06/09/23 13:04	06/15/23 13:24	1
1,4-Difluorobenzene (Surr)	111		70 - 130	06/09/23 13:04	06/15/23 13:24	1

Lab Sample ID: LCS 880-55146/1-A

Matrix: Solid

Analysis Batch: 55553

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 55146

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.1292		mg/Kg		129	70 - 130
Toluene	0.100	0.1280		mg/Kg		128	70 - 130
Ethylbenzene	0.100	0.1102		mg/Kg		110	70 - 130
m-Xylene & p-Xylene	0.200	0.1975		mg/Kg		99	70 - 130
o-Xylene	0.100	0.08973		mg/Kg		90	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	98		70 - 130
1,4-Difluorobenzene (Surr)	104		70 - 130

Lab Sample ID: LCSD 880-55146/2-A

Matrix: Solid

Analysis Batch: 55553

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 55146

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.1364	*+	mg/Kg		136	70 - 130	5	35
Toluene	0.100	0.1345	*+	mg/Kg		134	70 - 130	5	35
Ethylbenzene	0.100	0.1238		mg/Kg		124	70 - 130	12	35
m-Xylene & p-Xylene	0.200	0.2274		mg/Kg		114	70 - 130	14	35
o-Xylene	0.100	0.1049		mg/Kg		105	70 - 130	16	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	114		70 - 130
1,4-Difluorobenzene (Surr)	99		70 - 130

Lab Sample ID: 890-4794-A-1-D MS

Matrix: Solid

Analysis Batch: 55553

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 55146

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	<0.00202	U ** F1	0.0994	0.1241		mg/Kg		125	70 - 130
Toluene	<0.00202	U ** F1	0.0994	0.1210		mg/Kg		122	70 - 130

Eurofins Carlsbad

QC Sample Results

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4795-1
SDG: 03D2024199

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 890-4794-A-1-D MS

Matrix: Solid

Analysis Batch: 55553

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 55146

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Ethylbenzene	<0.00202	U	0.0994	0.1127		mg/Kg		113	70 - 130
m-Xylene & p-Xylene	<0.00404	U	0.199	0.2099		mg/Kg		106	70 - 130
o-Xylene	<0.00202	U	0.0994	0.09963		mg/Kg		100	70 - 130

Surrogate	MS %Recovery	MS Qualifier	MS Limits
4-Bromofluorobenzene (Surr)	113		70 - 130
1,4-Difluorobenzene (Surr)	92		70 - 130

Lab Sample ID: 890-4794-A-1-E MSD

Matrix: Solid

Analysis Batch: 55553

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 55146

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	<0.00202	U *+ F1	0.0996	0.1514	F1	mg/Kg		152	70 - 130	20	35
Toluene	<0.00202	U *+ F1	0.0996	0.1439	F1	mg/Kg		145	70 - 130	17	35
Ethylbenzene	<0.00202	U	0.0996	0.1176		mg/Kg		118	70 - 130	4	35
m-Xylene & p-Xylene	<0.00404	U	0.199	0.2115		mg/Kg		106	70 - 130	1	35
o-Xylene	<0.00202	U	0.0996	0.1117		mg/Kg		112	70 - 130	11	35

Surrogate	MSD %Recovery	MSD Qualifier	MSD Limits
4-Bromofluorobenzene (Surr)	112		70 - 130
1,4-Difluorobenzene (Surr)	101		70 - 130

Lab Sample ID: MB 880-55739/5-A

Matrix: Solid

Analysis Batch: 55778

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 55739

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200	mg/Kg		06/16/23 17:19	06/19/23 13:33	1
Toluene	<0.00200	U	0.00200	mg/Kg		06/16/23 17:19	06/19/23 13:33	1
Ethylbenzene	<0.00200	U	0.00200	mg/Kg		06/16/23 17:19	06/19/23 13:33	1
m-Xylene & p-Xylene	<0.00400	U	0.00400	mg/Kg		06/16/23 17:19	06/19/23 13:33	1
o-Xylene	<0.00200	U	0.00200	mg/Kg		06/16/23 17:19	06/19/23 13:33	1
Xylenes, Total	<0.00400	U	0.00400	mg/Kg		06/16/23 17:19	06/19/23 13:33	1

Surrogate	MB %Recovery	MB Qualifier	MB Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	65	S1-	70 - 130	06/16/23 17:19	06/19/23 13:33	1
1,4-Difluorobenzene (Surr)	101		70 - 130	06/16/23 17:19	06/19/23 13:33	1

Lab Sample ID: LCS 880-55739/1-A

Matrix: Solid

Analysis Batch: 55778

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 55739

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.1200		mg/Kg		120	70 - 130
Toluene	0.100	0.1042		mg/Kg		104	70 - 130
Ethylbenzene	0.100	0.1046		mg/Kg		105	70 - 130
m-Xylene & p-Xylene	0.200	0.2139		mg/Kg		107	70 - 130

Eurofins Carlsbad

QC Sample Results

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4795-1
SDG: 03D2024199

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCS 880-55739/1-A

Matrix: Solid

Analysis Batch: 55778

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 55739

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
o-Xylene	0.100	0.1030		mg/Kg		103	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	92		70 - 130
1,4-Difluorobenzene (Surr)	107		70 - 130

Lab Sample ID: LCSD 880-55739/2-A

Matrix: Solid

Analysis Batch: 55778

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 55739

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.1109		mg/Kg		111	70 - 130	8	35
Toluene	0.100	0.09082		mg/Kg		91	70 - 130	14	35
Ethylbenzene	0.100	0.08914		mg/Kg		89	70 - 130	16	35
m-Xylene & p-Xylene	0.200	0.1761		mg/Kg		88	70 - 130	19	35
o-Xylene	0.100	0.08438		mg/Kg		84	70 - 130	20	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	86		70 - 130
1,4-Difluorobenzene (Surr)	110		70 - 130

Lab Sample ID: 880-29648-A-21-G MS

Matrix: Solid

Analysis Batch: 55778

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 55739

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	<0.00202	U	0.0994	0.07259		mg/Kg		73	70 - 130
Toluene	<0.00202	U F1	0.0994	0.05404	F1	mg/Kg		53	70 - 130
Ethylbenzene	<0.00202	U F1	0.0994	0.04604	F1	mg/Kg		46	70 - 130
m-Xylene & p-Xylene	<0.00404	U F1	0.199	0.08962	F1	mg/Kg		45	70 - 130
o-Xylene	<0.00202	U F1	0.0994	0.04582	F1	mg/Kg		46	70 - 130

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene (Surr)	98		70 - 130
1,4-Difluorobenzene (Surr)	105		70 - 130

Lab Sample ID: 880-29648-A-21-H MSD

Matrix: Solid

Analysis Batch: 55778

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 55739

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	<0.00202	U	0.0996	0.07523		mg/Kg		76	70 - 130	4	35
Toluene	<0.00202	U F1	0.0996	0.05349	F1	mg/Kg		53	70 - 130	1	35
Ethylbenzene	<0.00202	U F1	0.0996	0.04804	F1	mg/Kg		48	70 - 130	4	35
m-Xylene & p-Xylene	<0.00404	U F1	0.199	0.09580	F1	mg/Kg		48	70 - 130	7	35
o-Xylene	<0.00202	U F1	0.0996	0.04898	F1	mg/Kg		49	70 - 130	7	35

Eurofins Carlsbad

QC Sample Results

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4795-1
SDG: 03D2024199

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 880-29648-A-21-H MSD

Matrix: Solid

Analysis Batch: 55778

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 55739

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	102		70 - 130
1,4-Difluorobenzene (Surr)	110		70 - 130

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-55159/1-A

Matrix: Solid

Analysis Batch: 55207

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 55159

	MB	MB							
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil	Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0	mg/Kg		06/09/23 14:05	06/10/23 20:02	1	
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0	mg/Kg		06/09/23 14:05	06/10/23 20:02	1	
Oil Range Organics (Over C28-C36)	<50.0	U	50.0	mg/Kg		06/09/23 14:05	06/10/23 20:02	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil	Fac
1-Chlorooctane	0.02	S1-	70 - 130			06/09/23 14:05	06/10/23 20:02	1	
o-Terphenyl	0.009	S1-	70 - 130			06/09/23 14:05	06/10/23 20:02	1	

Lab Sample ID: LCS 880-55159/2-A

Matrix: Solid

Analysis Batch: 55207

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 55159

	Spike	LCS	LCS					%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits		
Gasoline Range Organics (GRO)-C6-C10	1000	928.0		mg/Kg		93	70 - 130		
Diesel Range Organics (Over C10-C28)	1000	877.0		mg/Kg		88	70 - 130		
Surrogate	%Recovery	Qualifier	Limits						
1-Chlorooctane	126		70 - 130						
o-Terphenyl	98		70 - 130						

Lab Sample ID: LCSD 880-55159/3-A

Matrix: Solid

Analysis Batch: 55207

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 55159

	Spike	LCSD	LCSD				%Rec		RPD
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Gasoline Range Organics (GRO)-C6-C10	1000	915.1		mg/Kg		92	70 - 130	1	20
Diesel Range Organics (Over C10-C28)	1000	906.0		mg/Kg		91	70 - 130	3	20
Surrogate	%Recovery	Qualifier	Limits						
1-Chlorooctane	119		70 - 130						
o-Terphenyl	91		70 - 130						

Eurofins Carlsbad

QC Sample Results

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4795-1
SDG: 03D2024199

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: 890-4794-A-5-D MS

Matrix: Solid

Analysis Batch: 55207

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 55159

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	998	1241		mg/Kg		121	70 - 130
Diesel Range Organics (Over C10-C28)	55.5		998	957.0		mg/Kg		90	70 - 130
Surrogate	MS %Recovery	MS Qualifier	Limits						
1-Chlorooctane	139	S1+	70 - 130						
o-Terphenyl	100		70 - 130						

Lab Sample ID: 890-4794-A-5-E MSD

Matrix: Solid

Analysis Batch: 55207

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 55159

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	999	1148		mg/Kg		112	70 - 130	8	20
Diesel Range Organics (Over C10-C28)	55.5		999	900.3		mg/Kg		85	70 - 130	6	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1-Chlorooctane	132	S1+	70 - 130								
o-Terphenyl	92		70 - 130								

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-55047/1-A

Matrix: Solid

Analysis Batch: 55167

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<5.00	U	5.00	mg/Kg			06/09/23 14:16	1

Lab Sample ID: LCS 880-55047/2-A

Matrix: Solid

Analysis Batch: 55167

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	255.1		mg/Kg		102	90 - 110

Lab Sample ID: LCSD 880-55047/3-A

Matrix: Solid

Analysis Batch: 55167

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	260.5		mg/Kg		104	90 - 110	2	20

Eurofins Carlsbad

QC Sample Results

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4795-1
SDG: 03D2024199

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: 890-4795-2 MS											Client Sample ID: SS02		
Matrix: Solid											Prep Type: Soluble		
Analysis Batch: 55167													
Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits				
Chloride	63.3		252	323.6		mg/Kg		104	90 - 110				

Lab Sample ID: 890-4795-2 MSD											Client Sample ID: SS02		
Matrix: Solid											Prep Type: Soluble		
Analysis Batch: 55167													
Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit		
Chloride	63.3		252	332.7		mg/Kg		107	90 - 110	3	20		

QC Association Summary

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4795-1
SDG: 03D2024199

GC VOA

Prep Batch: 55146

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-4795-1	SS01	Total/NA	Solid	5035	
890-4795-2	SS02	Total/NA	Solid	5035	
890-4795-3	SS03	Total/NA	Solid	5035	
890-4795-4	SS04	Total/NA	Solid	5035	
890-4795-6	SS06	Total/NA	Solid	5035	
MB 880-55146/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-55146/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-55146/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
890-4794-A-1-D MS	Matrix Spike	Total/NA	Solid	5035	
890-4794-A-1-E MSD	Matrix Spike Duplicate	Total/NA	Solid	5035	

Analysis Batch: 55553

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-4795-1	SS01	Total/NA	Solid	8021B	55146
890-4795-2	SS02	Total/NA	Solid	8021B	55146
890-4795-3	SS03	Total/NA	Solid	8021B	55146
890-4795-4	SS04	Total/NA	Solid	8021B	55146
890-4795-6	SS06	Total/NA	Solid	8021B	55146
MB 880-55146/5-A	Method Blank	Total/NA	Solid	8021B	55146
LCS 880-55146/1-A	Lab Control Sample	Total/NA	Solid	8021B	55146
LCSD 880-55146/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	55146
890-4794-A-1-D MS	Matrix Spike	Total/NA	Solid	8021B	55146
890-4794-A-1-E MSD	Matrix Spike Duplicate	Total/NA	Solid	8021B	55146

Analysis Batch: 55689

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-4795-1	SS01	Total/NA	Solid	Total BTEX	
890-4795-2	SS02	Total/NA	Solid	Total BTEX	
890-4795-3	SS03	Total/NA	Solid	Total BTEX	
890-4795-4	SS04	Total/NA	Solid	Total BTEX	
890-4795-5	SS05	Total/NA	Solid	Total BTEX	
890-4795-6	SS06	Total/NA	Solid	Total BTEX	
890-4795-7	SS07	Total/NA	Solid	Total BTEX	

Prep Batch: 55739

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-4795-5	SS05	Total/NA	Solid	5035	
890-4795-7	SS07	Total/NA	Solid	5035	
MB 880-55739/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-55739/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-55739/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-29648-A-21-G MS	Matrix Spike	Total/NA	Solid	5035	
880-29648-A-21-H MSD	Matrix Spike Duplicate	Total/NA	Solid	5035	

Analysis Batch: 55778

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-4795-5	SS05	Total/NA	Solid	8021B	55739
890-4795-7	SS07	Total/NA	Solid	8021B	55739
MB 880-55739/5-A	Method Blank	Total/NA	Solid	8021B	55739
LCS 880-55739/1-A	Lab Control Sample	Total/NA	Solid	8021B	55739
LCSD 880-55739/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	55739

Eurofins Carlsbad

QC Association Summary

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4795-1
SDG: 03D2024199

GC VOA (Continued)

Analysis Batch: 55778 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-29648-A-21-G MS	Matrix Spike	Total/NA	Solid	8021B	55739
880-29648-A-21-H MSD	Matrix Spike Duplicate	Total/NA	Solid	8021B	55739

GC Semi VOA

Prep Batch: 55159

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-4795-1	SS01	Total/NA	Solid	8015NM Prep	
890-4795-2	SS02	Total/NA	Solid	8015NM Prep	
890-4795-3	SS03	Total/NA	Solid	8015NM Prep	
890-4795-4	SS04	Total/NA	Solid	8015NM Prep	
890-4795-5	SS05	Total/NA	Solid	8015NM Prep	
890-4795-6	SS06	Total/NA	Solid	8015NM Prep	
890-4795-7	SS07	Total/NA	Solid	8015NM Prep	
MB 880-55159/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-55159/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-55159/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
890-4794-A-5-D MS	Matrix Spike	Total/NA	Solid	8015NM Prep	
890-4794-A-5-E MSD	Matrix Spike Duplicate	Total/NA	Solid	8015NM Prep	

Analysis Batch: 55207

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-4795-1	SS01	Total/NA	Solid	8015B NM	55159
890-4795-2	SS02	Total/NA	Solid	8015B NM	55159
890-4795-3	SS03	Total/NA	Solid	8015B NM	55159
890-4795-4	SS04	Total/NA	Solid	8015B NM	55159
890-4795-5	SS05	Total/NA	Solid	8015B NM	55159
890-4795-6	SS06	Total/NA	Solid	8015B NM	55159
890-4795-7	SS07	Total/NA	Solid	8015B NM	55159
MB 880-55159/1-A	Method Blank	Total/NA	Solid	8015B NM	55159
LCS 880-55159/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	55159
LCSD 880-55159/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	55159
890-4794-A-5-D MS	Matrix Spike	Total/NA	Solid	8015B NM	55159
890-4794-A-5-E MSD	Matrix Spike Duplicate	Total/NA	Solid	8015B NM	55159

Analysis Batch: 55335

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-4795-1	SS01	Total/NA	Solid	8015 NM	
890-4795-2	SS02	Total/NA	Solid	8015 NM	
890-4795-3	SS03	Total/NA	Solid	8015 NM	
890-4795-4	SS04	Total/NA	Solid	8015 NM	
890-4795-5	SS05	Total/NA	Solid	8015 NM	
890-4795-6	SS06	Total/NA	Solid	8015 NM	
890-4795-7	SS07	Total/NA	Solid	8015 NM	

HPLC/IC

Leach Batch: 55047

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-4795-1	SS01	Soluble	Solid	DI Leach	
890-4795-2	SS02	Soluble	Solid	DI Leach	
890-4795-3	SS03	Soluble	Solid	DI Leach	

Eurofins Carlsbad

QC Association Summary

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4795-1
SDG: 03D2024199

HPLC/IC (Continued)

Leach Batch: 55047 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-4795-4	SS04	Soluble	Solid	DI Leach	
890-4795-5	SS05	Soluble	Solid	DI Leach	
890-4795-6	SS06	Soluble	Solid	DI Leach	
890-4795-7	SS07	Soluble	Solid	DI Leach	
MB 880-55047/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-55047/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-55047/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
890-4795-2 MS	SS02	Soluble	Solid	DI Leach	
890-4795-2 MSD	SS02	Soluble	Solid	DI Leach	

Analysis Batch: 55167

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-4795-1	SS01	Soluble	Solid	300.0	55047
890-4795-2	SS02	Soluble	Solid	300.0	55047
890-4795-3	SS03	Soluble	Solid	300.0	55047
890-4795-4	SS04	Soluble	Solid	300.0	55047
890-4795-5	SS05	Soluble	Solid	300.0	55047
890-4795-6	SS06	Soluble	Solid	300.0	55047
890-4795-7	SS07	Soluble	Solid	300.0	55047
MB 880-55047/1-A	Method Blank	Soluble	Solid	300.0	55047
LCS 880-55047/2-A	Lab Control Sample	Soluble	Solid	300.0	55047
LCSD 880-55047/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	55047
890-4795-2 MS	SS02	Soluble	Solid	300.0	55047
890-4795-2 MSD	SS02	Soluble	Solid	300.0	55047

Lab Chronicle

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4795-1
SDG: 03D2024199

Client Sample ID: SS01
Date Collected: 06/07/23 13:25
Date Received: 06/08/23 08:29

Lab Sample ID: 890-4795-1
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	55146	06/09/23 13:04	EL	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	55553	06/15/23 16:58	AJ	EET MID
Total/NA	Analysis	Total BTEX		1			55689	06/16/23 12:59	AJ	EET MID
Total/NA	Analysis	8015 NM		1			55335	06/12/23 14:35	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	55159	06/09/23 14:05	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	55207	06/11/23 00:27	AJ	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	55047	06/08/23 14:20	KS	EET MID
Soluble	Analysis	300.0		1			55167	06/09/23 15:41	CH	EET MID

Client Sample ID: SS02
Date Collected: 06/07/23 13:30
Date Received: 06/08/23 08:29

Lab Sample ID: 890-4795-2
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.96 g	5 mL	55146	06/09/23 13:04	EL	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	55553	06/15/23 18:49	AJ	EET MID
Total/NA	Analysis	Total BTEX		1			55689	06/16/23 12:59	AJ	EET MID
Total/NA	Analysis	8015 NM		1			55335	06/12/23 14:35	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	55159	06/09/23 14:05	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	55207	06/11/23 00:48	AJ	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	55047	06/08/23 14:20	KS	EET MID
Soluble	Analysis	300.0		1			55167	06/09/23 15:47	CH	EET MID

Client Sample ID: SS03
Date Collected: 06/07/23 13:35
Date Received: 06/08/23 08:29

Lab Sample ID: 890-4795-3
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	55146	06/09/23 13:04	EL	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	55553	06/15/23 19:10	AJ	EET MID
Total/NA	Analysis	Total BTEX		1			55689	06/16/23 12:59	AJ	EET MID
Total/NA	Analysis	8015 NM		1			55335	06/12/23 14:35	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10 mL	55159	06/09/23 14:05	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	55207	06/11/23 01:09	AJ	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	55047	06/08/23 14:20	KS	EET MID
Soluble	Analysis	300.0		1			55167	06/09/23 16:03	CH	EET MID

Client Sample ID: SS04
Date Collected: 06/07/23 13:40
Date Received: 06/08/23 08:29

Lab Sample ID: 890-4795-4
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	55146	06/09/23 13:04	EL	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	55553	06/15/23 19:30	AJ	EET MID
Total/NA	Analysis	Total BTEX		1			55689	06/16/23 12:59	AJ	EET MID

Eurofins Carlsbad

Lab Chronicle

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4795-1
SDG: 03D2024199

Client Sample ID: SS04

Lab Sample ID: 890-4795-4

Date Collected: 06/07/23 13:40

Matrix: Solid

Date Received: 06/08/23 08:29

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			55335	06/12/23 14:35	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	55159	06/09/23 14:05	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	55207	06/11/23 01:31	AJ	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	55047	06/08/23 14:20	KS	EET MID
Soluble	Analysis	300.0		1			55167	06/09/23 16:08	CH	EET MID

Client Sample ID: SS05

Lab Sample ID: 890-4795-5

Date Collected: 06/07/23 13:10

Matrix: Solid

Date Received: 06/08/23 08:29

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	55739	06/16/23 17:19	EL	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	55778	06/19/23 21:12	AJ	EET MID
Total/NA	Analysis	Total BTEX		1			55689	06/20/23 12:15	AJ	EET MID
Total/NA	Analysis	8015 NM		1			55335	06/12/23 14:35	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	55159	06/09/23 14:05	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	55207	06/11/23 01:52	AJ	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	55047	06/08/23 14:20	KS	EET MID
Soluble	Analysis	300.0		1			55167	06/09/23 16:24	CH	EET MID

Client Sample ID: SS06

Lab Sample ID: 890-4795-6

Date Collected: 06/07/23 13:15

Matrix: Solid

Date Received: 06/08/23 08:29

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	55146	06/09/23 13:04	EL	EET MID
Total/NA	Analysis	8021B		20	5 mL	5 mL	55553	06/15/23 21:34	AJ	EET MID
Total/NA	Analysis	Total BTEX		1			55689	06/16/23 12:59	AJ	EET MID
Total/NA	Analysis	8015 NM		1			55335	06/12/23 14:35	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	55159	06/09/23 14:05	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	55207	06/11/23 02:35	AJ	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	55047	06/08/23 14:20	KS	EET MID
Soluble	Analysis	300.0		1			55167	06/09/23 16:30	CH	EET MID

Client Sample ID: SS07

Lab Sample ID: 890-4795-7

Date Collected: 06/07/23 13:20

Matrix: Solid

Date Received: 06/08/23 08:29

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	55739	06/16/23 17:19	EL	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	55778	06/19/23 21:33	AJ	EET MID
Total/NA	Analysis	Total BTEX		1			55689	06/20/23 12:15	AJ	EET MID
Total/NA	Analysis	8015 NM		1			55335	06/12/23 14:35	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10 mL	55159	06/09/23 14:05	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	55207	06/11/23 02:56	AJ	EET MID

Eurofins Carlsbad

Lab Chronicle

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4795-1
SDG: 03D2024199

Client Sample ID: SS07
Date Collected: 06/07/23 13:20
Date Received: 06/08/23 08:29

Lab Sample ID: 890-4795-7
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.98 g	50 mL	55047	06/08/23 14:20	KS	EET MID
Soluble	Analysis	300.0		5			55167	06/09/23 16:35	CH	EET MID

Laboratory References:
EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Accreditation/Certification Summary

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4795-1
SDG: 03D2024199

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400-22-25	06-30-23

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH
Total BTEX		Solid	Total BTEX

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4795-1
SDG: 03D2024199

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5035	Closed System Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

Protocol References:

ASTM = ASTM International

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Sample Summary

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4795-1
SDG: 03D2024199

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Depth
890-4795-1	SS01	Solid	06/07/23 13:25	06/08/23 08:29	0.5
890-4795-2	SS02	Solid	06/07/23 13:30	06/08/23 08:29	0.5
890-4795-3	SS03	Solid	06/07/23 13:35	06/08/23 08:29	0.5
890-4795-4	SS04	Solid	06/07/23 13:40	06/08/23 08:29	0.5
890-4795-5	SS05	Solid	06/07/23 13:10	06/08/23 08:29	0.5
890-4795-6	SS06	Solid	06/07/23 13:15	06/08/23 08:29	0.5
890-4795-7	SS07	Solid	06/07/23 13:20	06/08/23 08:29	0.5

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Environment Testing
Xenco

Chain of Custody


Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300
Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334
EL Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296
Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199

Work Order No: _____

www.xenco.com Page of



Project Manager:	Hadlie Green	Bill to: (if different)	Kalei Jennings
Company Name:	Ensolum LLC	Company Name:	Ensolum LLC
Address:	3122 National Parks Hwy	Address:	
City, State ZIP:	Carlsbad, NM 88220	City, State ZIP:	
Phone:	432-557-8895	Email:	hgreen@ensolum.com, kjennings@ensolum.com

Work Order Comments	
Program:	UST/PST <input type="checkbox"/> PRP <input type="checkbox"/> Brownfields <input type="checkbox"/> RRC <input type="checkbox"/> Superfund <input type="checkbox"/>
State of Project:	
Reporting:	Level II <input type="checkbox"/> Level III <input type="checkbox"/> PST/UST <input type="checkbox"/> TRRP <input type="checkbox"/> Level IV <input type="checkbox"/>
Deliverables:	EDD <input type="checkbox"/> ADaPT <input type="checkbox"/> Other: _____

Project Name:		Turn Around		ANALYSIS REQUEST												Preservative Codes				
Project Number:	03D2024199	<input checked="" type="checkbox"/> Routine <input type="checkbox"/> Rush		Pres. Code													None: NO	DI Water: H ₂ O		
Project Location:	32.0377, -103.6965	Due Date:	5 Day	Parameters	CHLORIDES (EPA: 300.0)	TPH	BTX		890-4795 Chain of Custody								Cool: Cool	MeOH: Me		
Sampler's Name:	Ronni Hayes	TAT starts the day received by the lab, if received by 4:30pm															HCL: HC	HNO ₃ : HN		
Cost Center #:																	H ₂ SO ₄ : H ₂	NaOH: Na		
SAMPLE RECEIPT		Temp Blank:	Yes No														Wet Ice:	Yes No	H ₃ PO ₄ : HP	
Samples Received Intact:	Yes No	Thermometer ID:															NaHSO ₄ : NABIS			
Cooler Custody Seals:	Yes No N/A	Correction Factor:			Na ₂ S ₂ O ₃ : NaSO ₃															
Sample Custody Seals:	Yes No N/A	Temperature Reading:			Zn Acetate+NaOH: Zn															
Total Containers:		Corrected Temperature:			NaOH+Ascorbic Acid: SAPC															
Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Grab/Comp	# of Cont													Sample Comments	
SS01	S	6/7/2023	1325	0.5	Grab	1	X	X	X											
SS02	S	6/7/2023	1330	0.5	Grab	1	X	X	X											
SS03	S	6/7/2023	1335	0.5	Grab	1	X	X	X											
SS04	S	6/7/2023	1340	0.5	Grab	1	X	X	X											
SS05	S	6/7/2023	1310	0.5	Grab	1	X	X	X											
SS06	S	6/7/2023	1315	0.5	Grab	1	X	X	X											
SS07	S	6/7/2023	1320	0.5	Grab	1	X	X	X											

Total 200.7 / 6010	200.8 / 6020:	8RCRA 13PPM Texas 11	Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO ₂ Na Sr Ti Sn U V Zn
Circle Method(s) and Metal(s) to be analyzed		TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U	Hg: 1631 / 245.1 / 7470 / 7471

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Eurofins Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Eurofins Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Eurofins Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Eurofins Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 		6/8/23 0829			
3					
5					

Revised Date: 08/25/2020 Rev. 2020 2

Login Sample Receipt Checklist

Client: Ensolum

Job Number: 890-4795-1

SDG Number: 03D2024199

Login Number: 4795

List Number: 1

Creator: Stutzman, Amanda

List Source: Eurofins Carlsbad

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	N/A	Refer to Job Narrative for details.
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

Login Sample Receipt Checklist

Client: Ensolum

Job Number: 890-4795-1

SDG Number: 03D2024199

Login Number: 4795

List Number: 2

Creator: Rodriguez, Leticia

List Source: Eurofins Midland

List Creation: 06/09/23 10:21 AM

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	



Environment Testing

1

2

3

4

5

6

7

8

9

10

11

12

13

14

ANALYTICAL REPORT

PREPARED FOR

Attn: Hadlie Green

Ensolum

601 N. Marienfeld St.

Suite 400

Midland, Texas 79701

Generated 7/31/2023 3:24:44 PM

JOB DESCRIPTION

Buck Federal CTB

SDG NUMBER 03D2024199

JOB NUMBER

890-4955-1

Eurofins Carlsbad
1089 N Canal St.
Carlsbad NM 88220

Eurofins Carlsbad

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Generated
7/31/2023 3:24:44 PM

Authorized for release by
Jessica Kramer, Project Manager
Jessica.Kramer@et.eurofinsus.com
(432)704-5440

Client: Ensolum
Project/Site: Buck Federal CTB

Laboratory Job ID: 890-4955-1
SDG: 03D2024199

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
Surrogate Summary	15
QC Sample Results	17
QC Association Summary	23
Lab Chronicle	27
Certification Summary	31
Method Summary	32
Sample Summary	33
Chain of Custody	34
Receipt Checklists	37

1
2
3
4
5
6
7
8
9
10
11
12
13
14

Definitions/Glossary

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4955-1
SDG: 03D2024199

Qualifiers

GC VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
S1-	Surrogate recovery exceeds control limits, low biased.
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4955-1
SDG: 03D2024199

Job ID: 890-4955-1

Laboratory: Eurofins Carlsbad

Narrative**Job Narrative
890-4955-1****Receipt**

The samples were received on 7/17/2023 4:04 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 3.0°C

Receipt Exceptions

The following samples were received and analyzed from an unpreserved bulk soil jar: BH01A (890-4955-1), BH01D (890-4955-2), BH01F (890-4955-3), BH02A (890-4955-4), BH02C (890-4955-5), BH03A (890-4955-6), BH03C (890-4955-7), BH04A (890-4955-8), BH04B (890-4955-9) and BH04D (890-4955-10).

The following samples were received and analyzed from an unpreserved bulk soil jar: BH01A (890-4955-1), BH01D (890-4955-2), BH01F (890-4955-3), BH02A (890-4955-4), BH02C (890-4955-5), BH03A (890-4955-6), BH03C (890-4955-7), BH04A (890-4955-8), BH04B (890-4955-9) and BH04D (890-4955-10).

GC VOA

Method 8021B: Surrogate recovery for the following samples were outside control limits: BH01A (890-4955-1) and BH03A (890-4955-6). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8021B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-58407 and analytical batch 880-58347 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

Method 8021B: Surrogate recovery for the following sample was outside control limits: BH03C (890-4955-7). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC Semi VOA

Method 8015MOD_NM: The CCV was biased high for gasoline range hydrocarbons. Another CCV was analyzed and acceptable within 12 hours; therefore, the data was qualified and reported.(CCV 880-58792/58)

Method 8015MOD_NM: Surrogate recovery for the following samples were outside control limits: BH01A (890-4955-1), BH01D (890-4955-2), BH02C (890-4955-5), BH03A (890-4955-6), BH03C (890-4955-7) and (MB 880-58406/1-A). Evidence of matrix interferences is not obvious.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Client Sample Results

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4955-1
SDG: 03D2024199

Client Sample ID: BH01A

Lab Sample ID: 890-4955-1

Date Collected: 07/17/23 09:00

Matrix: Solid

Date Received: 07/17/23 16:04

Sample Depth: 1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.202	U	0.202	mg/Kg		07/24/23 17:46	07/25/23 04:28	100
Toluene	3.89		0.202	mg/Kg		07/24/23 17:46	07/25/23 04:28	100
Ethylbenzene	2.19		0.202	mg/Kg		07/24/23 17:46	07/25/23 04:28	100
m-Xylene & p-Xylene	33.5		0.403	mg/Kg		07/24/23 17:46	07/25/23 04:28	100
o-Xylene	9.77		0.202	mg/Kg		07/24/23 17:46	07/25/23 04:28	100
Xylenes, Total	43.3		0.403	mg/Kg		07/24/23 17:46	07/25/23 04:28	100

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	93		70 - 130	07/24/23 17:46	07/25/23 04:28	100
1,4-Difluorobenzene (Surr)	69	S1-	70 - 130	07/24/23 17:46	07/25/23 04:28	100

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	49.4		0.403	mg/Kg			07/25/23 14:35	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	3000		49.8	mg/Kg			07/31/23 16:01	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	1210		49.8	mg/Kg		07/25/23 13:16	07/30/23 23:51	1
Diesel Range Organics (Over C10-C28)	1790		49.8	mg/Kg		07/25/23 13:16	07/30/23 23:51	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8	mg/Kg		07/25/23 13:16	07/30/23 23:51	1
Total TPH	3000		49.8	mg/Kg		07/25/23 13:16	07/30/23 23:51	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	149	S1+	70 - 130	07/25/23 13:16	07/30/23 23:51	1
o-Terphenyl	122		70 - 130	07/25/23 13:16	07/30/23 23:51	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	59.3		5.01	mg/Kg			07/20/23 08:49	1

Client Sample ID: BH01D

Lab Sample ID: 890-4955-2

Date Collected: 07/17/23 09:15

Matrix: Solid

Date Received: 07/17/23 16:04

Sample Depth: 4

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200	mg/Kg		07/19/23 15:10	07/24/23 07:24	1
Toluene	0.00841		0.00200	mg/Kg		07/19/23 15:10	07/24/23 07:24	1
Ethylbenzene	0.00349		0.00200	mg/Kg		07/19/23 15:10	07/24/23 07:24	1
m-Xylene & p-Xylene	0.0236		0.00399	mg/Kg		07/19/23 15:10	07/24/23 07:24	1
o-Xylene	0.00736		0.00200	mg/Kg		07/19/23 15:10	07/24/23 07:24	1
Xylenes, Total	0.0310		0.00399	mg/Kg		07/19/23 15:10	07/24/23 07:24	1

Eurofins Carlsbad

Client Sample Results

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4955-1
SDG: 03D2024199

Client Sample ID: BH01D

Lab Sample ID: 890-4955-2

Date Collected: 07/17/23 09:15

Matrix: Solid

Date Received: 07/17/23 16:04

Sample Depth: 4

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		70 - 130	07/19/23 15:10	07/24/23 07:24	1
1,4-Difluorobenzene (Surr)	72		70 - 130	07/19/23 15:10	07/24/23 07:24	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.0429		0.00399	mg/Kg			07/24/23 17:01	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	80.2		49.6	mg/Kg			07/31/23 16:01	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.6	U	49.6	mg/Kg		07/25/23 13:16	07/31/23 00:13	1
Diesel Range Organics (Over C10-C28)	80.2		49.6	mg/Kg		07/25/23 13:16	07/31/23 00:13	1
Oil Range Organics (Over C28-C36)	<49.6	U	49.6	mg/Kg		07/25/23 13:16	07/31/23 00:13	1
Total TPH	80.2		49.6	mg/Kg		07/25/23 13:16	07/31/23 00:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	131	S1+	70 - 130	07/25/23 13:16	07/31/23 00:13	1
o-Terphenyl	121		70 - 130	07/25/23 13:16	07/31/23 00:13	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	115		4.98	mg/Kg			07/20/23 09:05	1

Client Sample ID: BH01F

Lab Sample ID: 890-4955-3

Date Collected: 07/17/23 09:30

Matrix: Solid

Date Received: 07/17/23 16:04

Sample Depth: 6

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.200	U	0.200	mg/Kg		07/24/23 17:46	07/25/23 04:48	100
Toluene	2.78		0.200	mg/Kg		07/24/23 17:46	07/25/23 04:48	100
Ethylbenzene	0.474		0.200	mg/Kg		07/24/23 17:46	07/25/23 04:48	100
m-Xylene & p-Xylene	7.23		0.401	mg/Kg		07/24/23 17:46	07/25/23 04:48	100
o-Xylene	1.15		0.200	mg/Kg		07/24/23 17:46	07/25/23 04:48	100
Xylenes, Total	8.38		0.401	mg/Kg		07/24/23 17:46	07/25/23 04:48	100

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		70 - 130	07/24/23 17:46	07/25/23 04:48	100
1,4-Difluorobenzene (Surr)	86		70 - 130	07/24/23 17:46	07/25/23 04:48	100

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	11.6		0.401	mg/Kg			07/25/23 14:35	1

Eurofins Carlsbad

Client Sample Results

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4955-1
SDG: 03D2024199

Client Sample ID: BH01F

Lab Sample ID: 890-4955-3

Date Collected: 07/17/23 09:30

Matrix: Solid

Date Received: 07/17/23 16:04

Sample Depth: 6

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	1930		50.4	mg/Kg			07/31/23 16:01	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	175		50.4	mg/Kg		07/25/23 13:16	07/31/23 00:34	1
Diesel Range Organics (Over C10-C28)	1750		50.4	mg/Kg		07/25/23 13:16	07/31/23 00:34	1
Oil Range Organics (Over C28-C36)	<50.4	U	50.4	mg/Kg		07/25/23 13:16	07/31/23 00:34	1
Total TPH	1930		50.4	mg/Kg		07/25/23 13:16	07/31/23 00:34	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
1-Chlorooctane	116		70 - 130			07/25/23 13:16	07/31/23 00:34	1
o-Terphenyl	104		70 - 130			07/25/23 13:16	07/31/23 00:34	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	71.5		4.97	mg/Kg			07/20/23 09:10	1

Client Sample ID: BH02A

Lab Sample ID: 890-4955-4

Date Collected: 07/17/23 10:50

Matrix: Solid

Date Received: 07/17/23 16:04

Sample Depth: 1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198	mg/Kg		07/19/23 15:10	07/24/23 08:05	1
Toluene	0.00224		0.00198	mg/Kg		07/19/23 15:10	07/24/23 08:05	1
Ethylbenzene	<0.00198	U	0.00198	mg/Kg		07/19/23 15:10	07/24/23 08:05	1
m-Xylene & p-Xylene	0.00436		0.00396	mg/Kg		07/19/23 15:10	07/24/23 08:05	1
o-Xylene	0.00397		0.00198	mg/Kg		07/19/23 15:10	07/24/23 08:05	1
Xylenes, Total	0.00833		0.00396	mg/Kg		07/19/23 15:10	07/24/23 08:05	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		70 - 130			07/19/23 15:10	07/24/23 08:05	1
1,4-Difluorobenzene (Surr)	92		70 - 130			07/19/23 15:10	07/24/23 08:05	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.0106		0.00396	mg/Kg			07/24/23 17:01	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	59.2		50.5	mg/Kg			07/31/23 16:01	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.5	U	50.5	mg/Kg		07/25/23 13:16	07/31/23 00:55	1
Diesel Range Organics (Over C10-C28)	59.2		50.5	mg/Kg		07/25/23 13:16	07/31/23 00:55	1
Oil Range Organics (Over C28-C36)	<50.5	U	50.5	mg/Kg		07/25/23 13:16	07/31/23 00:55	1

Eurofins Carlsbad

Client Sample Results

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4955-1
SDG: 03D2024199

Client Sample ID: BH02A

Lab Sample ID: 890-4955-4

Date Collected: 07/17/23 10:50

Matrix: Solid

Date Received: 07/17/23 16:04

Sample Depth: 1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	59.2		50.5	mg/Kg		07/25/23 13:16	07/31/23 00:55	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
1-Chlorooctane	120		70 - 130			07/25/23 13:16	07/31/23 00:55	1
o-Terphenyl	109		70 - 130			07/25/23 13:16	07/31/23 00:55	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	150		5.02	mg/Kg			07/20/23 09:15	1

Client Sample ID: BH02C

Lab Sample ID: 890-4955-5

Date Collected: 07/17/23 11:00

Matrix: Solid

Date Received: 07/17/23 16:04

Sample Depth: 3

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202	mg/Kg		07/19/23 15:10	07/24/23 08:26	1
Toluene	<0.00202	U	0.00202	mg/Kg		07/19/23 15:10	07/24/23 08:26	1
Ethylbenzene	<0.00202	U	0.00202	mg/Kg		07/19/23 15:10	07/24/23 08:26	1
m-Xylene & p-Xylene	0.00655		0.00404	mg/Kg		07/19/23 15:10	07/24/23 08:26	1
o-Xylene	0.00306		0.00202	mg/Kg		07/19/23 15:10	07/24/23 08:26	1
Xylenes, Total	0.00961		0.00404	mg/Kg		07/19/23 15:10	07/24/23 08:26	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		70 - 130			07/19/23 15:10	07/24/23 08:26	1
1,4-Difluorobenzene (Surr)	94		70 - 130			07/19/23 15:10	07/24/23 08:26	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.00961		0.00404	mg/Kg			07/24/23 17:01	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.7	U	49.7	mg/Kg			07/31/23 16:01	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.7	U	49.7	mg/Kg		07/25/23 13:16	07/31/23 01:37	1
Diesel Range Organics (Over C10-C28)	<49.7	U	49.7	mg/Kg		07/25/23 13:16	07/31/23 01:37	1
Oil Range Organics (Over C28-C36)	<49.7	U	49.7	mg/Kg		07/25/23 13:16	07/31/23 01:37	1
Total TPH	<49.7	U	49.7	mg/Kg		07/25/23 13:16	07/31/23 01:37	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
1-Chlorooctane	144	S1+	70 - 130			07/25/23 13:16	07/31/23 01:37	1
o-Terphenyl	132	S1+	70 - 130			07/25/23 13:16	07/31/23 01:37	1

Eurofins Carlsbad

Client Sample Results

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4955-1
SDG: 03D2024199

Client Sample ID: BH02C

Lab Sample ID: 890-4955-5

Date Collected: 07/17/23 11:00

Matrix: Solid

Date Received: 07/17/23 16:04

Sample Depth: 3

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	634		4.95	mg/Kg			07/20/23 09:20	1

Client Sample ID: BH03A

Lab Sample ID: 890-4955-6

Date Collected: 07/17/23 12:10

Matrix: Solid

Date Received: 07/17/23 16:04

Sample Depth: 1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.499	U	0.499	mg/Kg		07/24/23 17:46	07/25/23 09:34	250
Toluene	1.33		0.499	mg/Kg		07/24/23 17:46	07/25/23 09:34	250
Ethylbenzene	2.10		0.499	mg/Kg		07/24/23 17:46	07/25/23 09:34	250
m-Xylene & p-Xylene	5.91		0.998	mg/Kg		07/24/23 17:46	07/25/23 09:34	250
o-Xylene	3.32		0.499	mg/Kg		07/24/23 17:46	07/25/23 09:34	250
Xylenes, Total	9.23		0.998	mg/Kg		07/24/23 17:46	07/25/23 09:34	250
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	113		70 - 130			07/24/23 17:46	07/25/23 09:34	250
1,4-Difluorobenzene (Surr)	95		70 - 130			07/24/23 17:46	07/25/23 09:34	250

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	12.7		0.998	mg/Kg			07/25/23 14:35	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	4810		49.6	mg/Kg			07/31/23 16:01	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	1600		49.6	mg/Kg		07/25/23 13:16	07/31/23 01:59	1
Diesel Range Organics (Over C10-C28)	3210		49.6	mg/Kg		07/25/23 13:16	07/31/23 01:59	1
Oil Range Organics (Over C28-C36)	<49.6	U	49.6	mg/Kg		07/25/23 13:16	07/31/23 01:59	1
Total TPH	4810		49.6	mg/Kg		07/25/23 13:16	07/31/23 01:59	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
1-Chlorooctane	156	S1+	70 - 130			07/25/23 13:16	07/31/23 01:59	1
o-Terphenyl	115		70 - 130			07/25/23 13:16	07/31/23 01:59	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4030		25.2	mg/Kg			07/20/23 09:35	5

Eurofins Carlsbad

Client Sample Results

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4955-1
SDG: 03D2024199

Client Sample ID: BH03C

Lab Sample ID: 890-4955-7

Date Collected: 07/17/23 12:20

Matrix: Solid

Date Received: 07/17/23 16:04

Sample Depth: 3

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.662		0.495	mg/Kg		07/24/23 17:46	07/25/23 09:54	250
Toluene	13.3		0.495	mg/Kg		07/24/23 17:46	07/25/23 09:54	250
Ethylbenzene	1.90		0.495	mg/Kg		07/24/23 17:46	07/25/23 09:54	250
m-Xylene & p-Xylene	16.5		0.990	mg/Kg		07/24/23 17:46	07/25/23 09:54	250
o-Xylene	5.63		0.495	mg/Kg		07/24/23 17:46	07/25/23 09:54	250
Xylenes, Total	22.1		0.990	mg/Kg		07/24/23 17:46	07/25/23 09:54	250

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	7	S1-	70 - 130	07/24/23 17:46	07/25/23 09:54	250
1,4-Difluorobenzene (Surr)	6	S1-	70 - 130	07/24/23 17:46	07/25/23 09:54	250

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	38.0		0.990	mg/Kg			07/26/23 16:39	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	24000		250	mg/Kg			07/31/23 16:01	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	14200		250	mg/Kg		07/25/23 13:16	07/31/23 07:30	5
Diesel Range Organics (Over C10-C28)	9840		250	mg/Kg		07/25/23 13:16	07/31/23 07:30	5
Oil Range Organics (Over C28-C36)	<50.1	U	50.1	mg/Kg		07/25/23 13:16	07/31/23 02:20	1
Total TPH	24100		50.1	mg/Kg		07/25/23 13:16	07/31/23 02:20	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	415	S1+	70 - 130	07/25/23 13:16	07/31/23 02:20	1
1-Chlorooctane	415	S1+	70 - 130	07/25/23 13:16	07/31/23 07:30	5
o-Terphenyl	117		70 - 130	07/25/23 13:16	07/31/23 02:20	1
o-Terphenyl	124		70 - 130	07/25/23 13:16	07/31/23 07:30	5

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	5670		49.9	mg/Kg			07/20/23 09:40	10

Client Sample ID: BH04A

Lab Sample ID: 890-4955-8

Date Collected: 07/17/23 12:40

Matrix: Solid

Date Received: 07/17/23 16:04

Sample Depth: 1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200	mg/Kg		07/19/23 15:10	07/24/23 09:27	1
Toluene	0.0102		0.00200	mg/Kg		07/19/23 15:10	07/24/23 09:27	1
Ethylbenzene	0.00299		0.00200	mg/Kg		07/19/23 15:10	07/24/23 09:27	1
m-Xylene & p-Xylene	0.0326		0.00399	mg/Kg		07/19/23 15:10	07/24/23 09:27	1
o-Xylene	0.00828		0.00200	mg/Kg		07/19/23 15:10	07/24/23 09:27	1
Xylenes, Total	0.0409		0.00399	mg/Kg		07/19/23 15:10	07/24/23 09:27	1

Eurofins Carlsbad

Client Sample Results

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4955-1
SDG: 03D2024199

Client Sample ID: BH04A

Lab Sample ID: 890-4955-8

Date Collected: 07/17/23 12:40

Matrix: Solid

Date Received: 07/17/23 16:04

Sample Depth: 1

Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	111		70 - 130			07/19/23 15:10	07/24/23 09:27	1
1,4-Difluorobenzene (Surr)	92		70 - 130			07/19/23 15:10	07/24/23 09:27	1
Method: TAL SOP Total BTEX - Total BTEX Calculation								
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.0541		0.00399	mg/Kg			07/24/23 17:01	1
Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)								
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	359		50.0	mg/Kg			07/31/23 16:01	1
Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)								
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	150		50.0	mg/Kg		07/25/23 13:16	07/31/23 02:48	1
Diesel Range Organics (Over C10-C28)	209		50.0	mg/Kg		07/25/23 13:16	07/31/23 02:48	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0	mg/Kg		07/25/23 13:16	07/31/23 02:48	1
Total TPH	359		50.0	mg/Kg		07/25/23 13:16	07/31/23 02:48	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
1-Chlorooctane	127		70 - 130			07/25/23 13:16	07/31/23 02:48	1
o-Terphenyl	119		70 - 130			07/25/23 13:16	07/31/23 02:48	1
Method: EPA 300.0 - Anions, Ion Chromatography - Soluble								
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	3600		24.9	mg/Kg			07/20/23 09:46	5

Client Sample ID: BH04B

Lab Sample ID: 890-4955-9

Date Collected: 07/17/23 12:45

Matrix: Solid

Date Received: 07/17/23 16:04

Sample Depth: 2

Method: SW846 8021B - Volatile Organic Compounds (GC)								
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200	mg/Kg		07/19/23 15:10	07/24/23 09:47	1
Toluene	0.00319		0.00200	mg/Kg		07/19/23 15:10	07/24/23 09:47	1
Ethylbenzene	<0.00200	U	0.00200	mg/Kg		07/19/23 15:10	07/24/23 09:47	1
m-Xylene & p-Xylene	0.00599		0.00400	mg/Kg		07/19/23 15:10	07/24/23 09:47	1
o-Xylene	<0.00200	U	0.00200	mg/Kg		07/19/23 15:10	07/24/23 09:47	1
Xylenes, Total	0.00599		0.00400	mg/Kg		07/19/23 15:10	07/24/23 09:47	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	110		70 - 130			07/19/23 15:10	07/24/23 09:47	1
1,4-Difluorobenzene (Surr)	93		70 - 130			07/19/23 15:10	07/24/23 09:47	1
Method: TAL SOP Total BTEX - Total BTEX Calculation								
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.00918		0.00400	mg/Kg			07/24/23 17:01	1

Eurofins Carlsbad

Client Sample Results

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4955-1
SDG: 03D2024199

Client Sample ID: BH04B

Lab Sample ID: 890-4955-9

Date Collected: 07/17/23 12:45

Matrix: Solid

Date Received: 07/17/23 16:04

Sample Depth: 2

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.5	U	50.5	mg/Kg			07/31/23 16:01	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.5	U	50.5	mg/Kg		07/25/23 13:16	07/31/23 03:10	1
Diesel Range Organics (Over C10-C28)	<50.5	U	50.5	mg/Kg		07/25/23 13:16	07/31/23 03:10	1
Oil Range Organics (Over C28-C36)	<50.5	U	50.5	mg/Kg		07/25/23 13:16	07/31/23 03:10	1
Total TPH	<50.5	U	50.5	mg/Kg		07/25/23 13:16	07/31/23 03:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	127		70 - 130	07/25/23 13:16	07/31/23 03:10	1
o-Terphenyl	118		70 - 130	07/25/23 13:16	07/31/23 03:10	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4750		49.6	mg/Kg			07/20/23 09:51	10

Client Sample ID: BH04D

Lab Sample ID: 890-4955-10

Date Collected: 07/17/23 12:55

Matrix: Solid

Date Received: 07/17/23 16:04

Sample Depth: 4

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198	mg/Kg		07/19/23 15:10	07/24/23 10:08	1
Toluene	<0.00198	U	0.00198	mg/Kg		07/19/23 15:10	07/24/23 10:08	1
Ethylbenzene	<0.00198	U	0.00198	mg/Kg		07/19/23 15:10	07/24/23 10:08	1
m-Xylene & p-Xylene	<0.00396	U	0.00396	mg/Kg		07/19/23 15:10	07/24/23 10:08	1
o-Xylene	<0.00198	U	0.00198	mg/Kg		07/19/23 15:10	07/24/23 10:08	1
Xylenes, Total	<0.00396	U	0.00396	mg/Kg		07/19/23 15:10	07/24/23 10:08	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	96		70 - 130	07/19/23 15:10	07/24/23 10:08	1
1,4-Difluorobenzene (Surr)	92		70 - 130	07/19/23 15:10	07/24/23 10:08	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396	mg/Kg			07/24/23 17:01	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.6	U	49.6	mg/Kg			07/31/23 16:01	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.6	U	49.6	mg/Kg		07/25/23 13:16	07/31/23 03:31	1
Diesel Range Organics (Over C10-C28)	<49.6	U	49.6	mg/Kg		07/25/23 13:16	07/31/23 03:31	1
Oil Range Organics (Over C28-C36)	<49.6	U	49.6	mg/Kg		07/25/23 13:16	07/31/23 03:31	1

Eurofins Carlsbad

Client Sample Results

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4955-1
SDG: 03D2024199

Client Sample ID: BH04D
Date Collected: 07/17/23 12:55
Date Received: 07/17/23 16:04
Sample Depth: 4

Lab Sample ID: 890-4955-10
Matrix: Solid

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Total TPH	<49.6	U	49.6	mg/Kg		07/25/23 13:16	07/31/23 03:31	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
1-Chlorooctane	120		70 - 130			07/25/23 13:16	07/31/23 03:31	1	
o-Terphenyl	115		70 - 130			07/25/23 13:16	07/31/23 03:31	1	
Method: EPA 300.0 - Anions, Ion Chromatography - Soluble									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	4190		50.2	mg/Kg			07/20/23 09:56	10	

Surrogate Summary

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4955-1
SDG: 03D2024199

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	BFB1 (70-130)	DFBZ1 (70-130)
880-30749-A-1-C MS	Matrix Spike	90	97
880-30749-A-1-D MSD	Matrix Spike Duplicate	86	124
890-4951-A-1-B MS	Matrix Spike	54 S1-	94
890-4951-A-1-C MSD	Matrix Spike Duplicate	41 S1-	78
890-4955-1	BH01A	93	69 S1-
890-4955-2	BH01D	100	72
890-4955-3	BH01F	105	86
890-4955-4	BH02A	100	92
890-4955-5	BH02C	106	94
890-4955-6	BH03A	113	95
890-4955-7	BH03C	7 S1-	6 S1-
890-4955-8	BH04A	111	92
890-4955-9	BH04B	110	93
890-4955-10	BH04D	96	92
LCS 880-58056/1-A	Lab Control Sample	89	98
LCS 880-58407/1-A	Lab Control Sample	104	98
LCSD 880-58056/2-A	Lab Control Sample Dup	91	96
LCSD 880-58407/2-A	Lab Control Sample Dup	96	99
MB 880-57974/5-A	Method Blank	104	130
MB 880-58056/5-A	Method Blank	102	121
MB 880-58305/5-A	Method Blank	93	105
MB 880-58407/5-A	Method Blank	93	117
Surrogate Legend			
BFB = 4-Bromofluorobenzene (Surr)			
DFBZ = 1,4-Difluorobenzene (Surr)			

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO1 (70-130)	OTPH1 (70-130)
890-4951-A-12-F MS	Matrix Spike	113	93
890-4951-A-12-G MSD	Matrix Spike Duplicate	115	95
890-4955-1	BH01A	149 S1+	122
890-4955-2	BH01D	131 S1+	121
890-4955-3	BH01F	116	104
890-4955-4	BH02A	120	109
890-4955-5	BH02C	144 S1+	132 S1+
890-4955-6	BH03A	156 S1+	115
890-4955-7	BH03C	415 S1+	117
890-4955-7	BH03C	415 S1+	124
890-4955-8	BH04A	127	119
890-4955-9	BH04B	127	118
890-4955-10	BH04D	120	115
LCS 880-58406/2-A	Lab Control Sample	100	109
LCSD 880-58406/3-A	Lab Control Sample Dup	100	107
MB 880-58406/1-A	Method Blank	162 S1+	155 S1+
Surrogate Legend			

Eurofins Carlsbad

Surrogate Summary

Client: Ensolum
Project/Site: Buck Federal CTB
1CO = 1-Chlorooctane
OTPH = o-Terphenyl

Job ID: 890-4955-1
SDG: 03D2024199

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

QC Sample Results

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4955-1
SDG: 03D2024199

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-57974/5-A

Matrix: Solid

Analysis Batch: 58285

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 57974

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200	mg/Kg		07/18/23 16:31	07/23/23 14:04	1
Toluene	<0.00200	U	0.00200	mg/Kg		07/18/23 16:31	07/23/23 14:04	1
Ethylbenzene	<0.00200	U	0.00200	mg/Kg		07/18/23 16:31	07/23/23 14:04	1
m-Xylene & p-Xylene	<0.00400	U	0.00400	mg/Kg		07/18/23 16:31	07/23/23 14:04	1
o-Xylene	<0.00200	U	0.00200	mg/Kg		07/18/23 16:31	07/23/23 14:04	1
Xylenes, Total	<0.00400	U	0.00400	mg/Kg		07/18/23 16:31	07/23/23 14:04	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		70 - 130	07/18/23 16:31	07/23/23 14:04	1
1,4-Difluorobenzene (Surr)	130		70 - 130	07/18/23 16:31	07/23/23 14:04	1

Lab Sample ID: MB 880-58056/5-A

Matrix: Solid

Analysis Batch: 58285

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 58056

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200	mg/Kg		07/19/23 15:10	07/24/23 01:42	1
Toluene	<0.00200	U	0.00200	mg/Kg		07/19/23 15:10	07/24/23 01:42	1
Ethylbenzene	<0.00200	U	0.00200	mg/Kg		07/19/23 15:10	07/24/23 01:42	1
m-Xylene & p-Xylene	<0.00400	U	0.00400	mg/Kg		07/19/23 15:10	07/24/23 01:42	1
o-Xylene	<0.00200	U	0.00200	mg/Kg		07/19/23 15:10	07/24/23 01:42	1
Xylenes, Total	<0.00400	U	0.00400	mg/Kg		07/19/23 15:10	07/24/23 01:42	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		70 - 130	07/19/23 15:10	07/24/23 01:42	1
1,4-Difluorobenzene (Surr)	121		70 - 130	07/19/23 15:10	07/24/23 01:42	1

Lab Sample ID: LCS 880-58056/1-A

Matrix: Solid

Analysis Batch: 58285

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 58056

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.1000		mg/Kg		100	70 - 130
Toluene	0.100	0.09678		mg/Kg		97	70 - 130
Ethylbenzene	0.100	0.08983		mg/Kg		90	70 - 130
m-Xylene & p-Xylene	0.200	0.1925		mg/Kg		96	70 - 130
o-Xylene	0.100	0.09408		mg/Kg		94	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	89		70 - 130
1,4-Difluorobenzene (Surr)	98		70 - 130

Lab Sample ID: LCSD 880-58056/2-A

Matrix: Solid

Analysis Batch: 58285

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 58056

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.1004		mg/Kg		100	70 - 130	0	35

Eurofins Carlsbad

QC Sample Results

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4955-1
SDG: 03D2024199

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCSD 880-58056/2-A

Matrix: Solid

Analysis Batch: 58285

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 58056

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Toluene	0.100	0.09518		mg/Kg		95	70 - 130	2	35
Ethylbenzene	0.100	0.09049		mg/Kg		90	70 - 130	1	35
m-Xylene & p-Xylene	0.200	0.1982		mg/Kg		99	70 - 130	3	35
o-Xylene	0.100	0.09666		mg/Kg		97	70 - 130	3	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	91		70 - 130
1,4-Difluorobenzene (Surr)	96		70 - 130

Lab Sample ID: 890-4951-A-1-B MS

Matrix: Solid

Analysis Batch: 58285

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 58056

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	<0.00202	U F1	0.0994	0.06481	F1	mg/Kg		65	70 - 130
Toluene	<0.00202	U F1	0.0994	0.06718	F1	mg/Kg		67	70 - 130
Ethylbenzene	<0.00202	U	0.0994	0.07629		mg/Kg		77	70 - 130
m-Xylene & p-Xylene	<0.00404	U	0.199	0.1584		mg/Kg		80	70 - 130
o-Xylene	<0.00202	U	0.0994	0.07646		mg/Kg		77	70 - 130

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene (Surr)	54	S1-	70 - 130
1,4-Difluorobenzene (Surr)	94		70 - 130

Lab Sample ID: 890-4951-A-1-C MSD

Matrix: Solid

Analysis Batch: 58285

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 58056

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	<0.00202	U F1	0.0990	0.07502		mg/Kg		76	70 - 130	15	35
Toluene	<0.00202	U F1	0.0990	0.07520		mg/Kg		75	70 - 130	11	35
Ethylbenzene	<0.00202	U	0.0990	0.07566		mg/Kg		76	70 - 130	1	35
m-Xylene & p-Xylene	<0.00404	U	0.198	0.1456		mg/Kg		74	70 - 130	8	35
o-Xylene	<0.00202	U	0.0990	0.07642		mg/Kg		77	70 - 130	0	35

Surrogate	MSD %Recovery	MSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	41	S1-	70 - 130
1,4-Difluorobenzene (Surr)	78		70 - 130

Lab Sample ID: MB 880-58305/5-A

Matrix: Solid

Analysis Batch: 58347

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 58305

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200	mg/Kg		07/24/23 08:56	07/24/23 13:58	1
Toluene	<0.00200	U	0.00200	mg/Kg		07/24/23 08:56	07/24/23 13:58	1
Ethylbenzene	<0.00200	U	0.00200	mg/Kg		07/24/23 08:56	07/24/23 13:58	1
m-Xylene & p-Xylene	<0.00400	U	0.00400	mg/Kg		07/24/23 08:56	07/24/23 13:58	1

Eurofins Carlsbad

QC Sample Results

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4955-1
SDG: 03D2024199

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: MB 880-58305/5-A

Matrix: Solid

Analysis Batch: 58347

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 58305

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
o-Xylene	<0.00200	U	0.00200	mg/Kg		07/24/23 08:56	07/24/23 13:58	1
Xylenes, Total	<0.00400	U	0.00400	mg/Kg		07/24/23 08:56	07/24/23 13:58	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	93		70 - 130			07/24/23 08:56	07/24/23 13:58	1
1,4-Difluorobenzene (Surr)	105		70 - 130			07/24/23 08:56	07/24/23 13:58	1

Lab Sample ID: MB 880-58407/5-A

Matrix: Solid

Analysis Batch: 58347

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200	mg/Kg			07/25/23 01:36	1
Toluene	<0.00200	U	0.00200	mg/Kg			07/25/23 01:36	1
Ethylbenzene	<0.00200	U	0.00200	mg/Kg			07/25/23 01:36	1
m-Xylene & p-Xylene	<0.00400	U	0.00400	mg/Kg			07/25/23 01:36	1
o-Xylene	<0.00200	U	0.00200	mg/Kg			07/25/23 01:36	1
Xylenes, Total	<0.00400	U	0.00400	mg/Kg			07/25/23 01:36	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	93		70 - 130				07/25/23 01:36	1
1,4-Difluorobenzene (Surr)	117		70 - 130				07/25/23 01:36	1

Lab Sample ID: LCS 880-58407/1-A

Matrix: Solid

Analysis Batch: 58347

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 58407

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.1110		mg/Kg		111	70 - 130
Toluene	0.100	0.1041		mg/Kg		104	70 - 130
Ethylbenzene	0.100	0.1018		mg/Kg		102	70 - 130
m-Xylene & p-Xylene	0.200	0.2248		mg/Kg		112	70 - 130
o-Xylene	0.100	0.1083		mg/Kg		108	70 - 130
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene (Surr)	104		70 - 130				
1,4-Difluorobenzene (Surr)	98		70 - 130				

Lab Sample ID: LCSD 880-58407/2-A

Matrix: Solid

Analysis Batch: 58347

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 58407

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.1104		mg/Kg		110	70 - 130	0	35
Toluene	0.100	0.1015		mg/Kg		101	70 - 130	3	35
Ethylbenzene	0.100	0.1005		mg/Kg		101	70 - 130	1	35
m-Xylene & p-Xylene	0.200	0.2131		mg/Kg		107	70 - 130	5	35
o-Xylene	0.100	0.1014		mg/Kg		101	70 - 130	7	35

Eurofins Carlsbad

QC Sample Results

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4955-1
SDG: 03D2024199

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	96		70 - 130
1,4-Difluorobenzene (Surr)	99		70 - 130

Lab Sample ID: 880-30749-A-1-C MS

Matrix: Solid

Analysis Batch: 58347

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 58407

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	<0.00198	U	0.0994	0.08101		mg/Kg		81	70 - 130
Toluene	<0.00198	U F1	0.0994	0.07726		mg/Kg		78	70 - 130
Ethylbenzene	<0.00198	U F1	0.0994	0.06019	F1	mg/Kg		61	70 - 130
m-Xylene & p-Xylene	<0.00396	U F1	0.199	0.1293	F1	mg/Kg		65	70 - 130
o-Xylene	<0.00198	U F1	0.0994	0.07050		mg/Kg		71	70 - 130

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	90		70 - 130
1,4-Difluorobenzene (Surr)	97		70 - 130

Lab Sample ID: 880-30749-A-1-D MSD

Matrix: Solid

Analysis Batch: 58347

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 58407

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Benzene	<0.00198	U	0.0992	0.08268		mg/Kg		83	70 - 130	2	35
Toluene	<0.00198	U F1	0.0992	0.05680	F1	mg/Kg		57	70 - 130	31	35
Ethylbenzene	<0.00198	U F1	0.0992	0.04895	F1	mg/Kg		49	70 - 130	21	35
m-Xylene & p-Xylene	<0.00396	U F1	0.198	0.1317	F1	mg/Kg		66	70 - 130	2	35
o-Xylene	<0.00198	U F1	0.0992	0.06187	F1	mg/Kg		62	70 - 130	13	35

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	86		70 - 130
1,4-Difluorobenzene (Surr)	124		70 - 130

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-58406/1-A

Matrix: Solid

Analysis Batch: 58792

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 58406

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0	mg/Kg		07/24/23 17:42	07/30/23 19:47	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0	mg/Kg		07/24/23 17:42	07/30/23 19:47	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0	mg/Kg		07/24/23 17:42	07/30/23 19:47	1
Total TPH	<50.0	U	50.0	mg/Kg		07/24/23 17:42	07/30/23 19:47	1

	MB	MB						
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac		
1-Chlorooctane	162	S1+	70 - 130	07/24/23 17:42	07/30/23 19:47	1		
o-Terphenyl	155	S1+	70 - 130	07/24/23 17:42	07/30/23 19:47	1		

Eurofins Carlsbad

QC Sample Results

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4955-1
SDG: 03D2024199

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 880-58406/2-A

Matrix: Solid

Analysis Batch: 58792

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 58406

Analyte			Spike	LCS	LCS	Unit	D	%Rec	%Rec		
			Added	Result	Qualifier			Limits			
Gasoline Range Organics (GRO)-C6-C10			1000	869.2		mg/Kg		87	70 - 130		
Diesel Range Organics (Over C10-C28)			1000	938.4		mg/Kg		94	70 - 130		

Lab Sample ID: LCSD 880-58406/3-A

Matrix: Solid

Analysis Batch: 58792

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 58406

			Spike	LCSD	LCSD				%Rec			RPD
Analyte			Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit	
Gasoline Range Organics (GRO)-C6-C10			1000	864.3		mg/Kg		86	70 - 130	1	20	
Diesel Range Organics (Over C10-C28)			1000	921.7		mg/Kg		92	70 - 130	2	20	
			LCSD	LCSD								
Surrogate	%Recovery	Qualifier	Limits									
1-Chlorooctane	100		70 - 130									
o-Terphenyl	107		70 - 130									

Lab Sample ID: 890-4951-A-12-F MS

Matrix: Solid

Analysis Batch: 58792

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 58406

	Sample	Sample	Spike	MS	MS				%Rec		
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits		
Gasoline Range Organics (GRO)-C6-C10	<50.3	U	1010	748.0		mg/Kg		74	70 - 130		
Diesel Range Organics (Over C10-C28)	255		1010	1047		mg/Kg		79	70 - 130		

Lab Sample ID: 890-4951-A-12-G MSD

Matrix: Solid

Analysis Batch: 58792

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 58406

	Sample	Sample	Spike	MSD	MSD				%Rec		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Gasoline Range Organics (GRO)-C6-C10	<50.3	U	1010	755.1		mg/Kg		75	70 - 130	1	20
Diesel Range Organics (Over C10-C28)	255		1010	1061		mg/Kg		80	70 - 130	1	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1-Chlorooctane	115		70 - 130								

Eurofins Carlsbad

QC Sample Results

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4955-1
SDG: 03D2024199

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: 890-4951-A-12-G MSD

Matrix: Solid

Analysis Batch: 58792

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 58406

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
<i>o</i> -Terphenyl	95		70 - 130

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-58012/1-A

Matrix: Solid

Analysis Batch: 58102

Client Sample ID: Method Blank

Prep Type: Soluble

	MB	MB							
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil	Fac
Chloride	<5.00	U	5.00	mg/Kg			07/20/23 08:34		1

Lab Sample ID: LCS 880-58012/2-A

Matrix: Solid

Analysis Batch: 58102

Client Sample ID: Lab Control Sample

Prep Type: Soluble

			Spike	LCS	LCS				%Rec	
Analyte			Added	Result	Qualifier	Unit	D	%Rec	Limits	
Chloride			250	232.9		mg/Kg		93	90 - 110	

Lab Sample ID: LCSD 880-58012/3-A

Matrix: Solid

Analysis Batch: 58102

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

			Spike	LCSD	LCSD				%Rec		RPD
Analyte			Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Chloride			250	232.9		mg/Kg		93	90 - 110	0	20

Lab Sample ID: 890-4955-1 MS

Matrix: Solid

Analysis Batch: 58102

Client Sample ID: BH01A

Prep Type: Soluble

	Sample	Sample	Spike	MS	MS				%Rec		
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits		
Chloride	59.3		251	286.1		mg/Kg		91	90 - 110		

Lab Sample ID: 890-4955-1 MSD

Matrix: Solid

Analysis Batch: 58102

Client Sample ID: BH01A

Prep Type: Soluble

	Sample	Sample	Spike	MSD	MSD				%Rec		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Chloride	59.3		251	287.2		mg/Kg		91	90 - 110	0	20

Eurofins Carlsbad

QC Association Summary

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4955-1
SDG: 03D2024199

GC VOA

Prep Batch: 57974

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-57974/5-A	Method Blank	Total/NA	Solid	5035	

Prep Batch: 58056

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-4955-2	BH01D	Total/NA	Solid	5035	
890-4955-4	BH02A	Total/NA	Solid	5035	
890-4955-5	BH02C	Total/NA	Solid	5035	
890-4955-8	BH04A	Total/NA	Solid	5035	
890-4955-9	BH04B	Total/NA	Solid	5035	
890-4955-10	BH04D	Total/NA	Solid	5035	
MB 880-58056/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-58056/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-58056/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
890-4951-A-1-B MS	Matrix Spike	Total/NA	Solid	5035	
890-4951-A-1-C MSD	Matrix Spike Duplicate	Total/NA	Solid	5035	

Analysis Batch: 58285

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-4955-2	BH01D	Total/NA	Solid	8021B	58056
890-4955-4	BH02A	Total/NA	Solid	8021B	58056
890-4955-5	BH02C	Total/NA	Solid	8021B	58056
890-4955-8	BH04A	Total/NA	Solid	8021B	58056
890-4955-9	BH04B	Total/NA	Solid	8021B	58056
890-4955-10	BH04D	Total/NA	Solid	8021B	58056
MB 880-57974/5-A	Method Blank	Total/NA	Solid	8021B	57974
MB 880-58056/5-A	Method Blank	Total/NA	Solid	8021B	58056
LCS 880-58056/1-A	Lab Control Sample	Total/NA	Solid	8021B	58056
LCSD 880-58056/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	58056
890-4951-A-1-B MS	Matrix Spike	Total/NA	Solid	8021B	58056
890-4951-A-1-C MSD	Matrix Spike Duplicate	Total/NA	Solid	8021B	58056

Prep Batch: 58305

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-58305/5-A	Method Blank	Total/NA	Solid	5035	

Analysis Batch: 58347

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-4955-1	BH01A	Total/NA	Solid	8021B	58407
890-4955-3	BH01F	Total/NA	Solid	8021B	58407
890-4955-6	BH03A	Total/NA	Solid	8021B	58407
890-4955-7	BH03C	Total/NA	Solid	8021B	58407
MB 880-58305/5-A	Method Blank	Total/NA	Solid	8021B	58305
MB 880-58407/5-A	Method Blank	Total/NA	Solid	8021B	
LCS 880-58407/1-A	Lab Control Sample	Total/NA	Solid	8021B	58407
LCSD 880-58407/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	58407
880-30749-A-1-C MS	Matrix Spike	Total/NA	Solid	8021B	58407
880-30749-A-1-D MSD	Matrix Spike Duplicate	Total/NA	Solid	8021B	58407

Analysis Batch: 58402

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-4955-1	BH01A	Total/NA	Solid	Total BTEX	

Eurofins Carlsbad

QC Association Summary

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4955-1
SDG: 03D2024199

GC VOA (Continued)

Analysis Batch: 58402 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-4955-2	BH01D	Total/NA	Solid	Total BTEX	
890-4955-3	BH01F	Total/NA	Solid	Total BTEX	
890-4955-4	BH02A	Total/NA	Solid	Total BTEX	
890-4955-5	BH02C	Total/NA	Solid	Total BTEX	
890-4955-6	BH03A	Total/NA	Solid	Total BTEX	
890-4955-7	BH03C	Total/NA	Solid	Total BTEX	
890-4955-8	BH04A	Total/NA	Solid	Total BTEX	
890-4955-9	BH04B	Total/NA	Solid	Total BTEX	
890-4955-10	BH04D	Total/NA	Solid	Total BTEX	

Prep Batch: 58407

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-4955-1	BH01A	Total/NA	Solid	5035	
890-4955-3	BH01F	Total/NA	Solid	5035	
890-4955-6	BH03A	Total/NA	Solid	5035	
890-4955-7	BH03C	Total/NA	Solid	5035	
LCS 880-58407/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-58407/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-30749-A-1-C MS	Matrix Spike	Total/NA	Solid	5035	
880-30749-A-1-D MSD	Matrix Spike Duplicate	Total/NA	Solid	5035	

GC Semi VOA

Prep Batch: 58406

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-4955-1	BH01A	Total/NA	Solid	8015NM Prep	
890-4955-2	BH01D	Total/NA	Solid	8015NM Prep	
890-4955-3	BH01F	Total/NA	Solid	8015NM Prep	
890-4955-4	BH02A	Total/NA	Solid	8015NM Prep	
890-4955-5	BH02C	Total/NA	Solid	8015NM Prep	
890-4955-6	BH03A	Total/NA	Solid	8015NM Prep	
890-4955-7	BH03C	Total/NA	Solid	8015NM Prep	
890-4955-8	BH04A	Total/NA	Solid	8015NM Prep	
890-4955-9	BH04B	Total/NA	Solid	8015NM Prep	
890-4955-10	BH04D	Total/NA	Solid	8015NM Prep	
MB 880-58406/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-58406/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-58406/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
890-4951-A-12-F MS	Matrix Spike	Total/NA	Solid	8015NM Prep	
890-4951-A-12-G MSD	Matrix Spike Duplicate	Total/NA	Solid	8015NM Prep	

Analysis Batch: 58792

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-4955-1	BH01A	Total/NA	Solid	8015B NM	58406
890-4955-2	BH01D	Total/NA	Solid	8015B NM	58406
890-4955-3	BH01F	Total/NA	Solid	8015B NM	58406
890-4955-4	BH02A	Total/NA	Solid	8015B NM	58406
890-4955-5	BH02C	Total/NA	Solid	8015B NM	58406
890-4955-6	BH03A	Total/NA	Solid	8015B NM	58406
890-4955-7	BH03C	Total/NA	Solid	8015B NM	58406
890-4955-7	BH03C	Total/NA	Solid	8015B NM	58406

Eurofins Carlsbad

QC Association Summary

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4955-1
SDG: 03D2024199

GC Semi VOA (Continued)

Analysis Batch: 58792 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-4955-8	BH04A	Total/NA	Solid	8015B NM	58406
890-4955-9	BH04B	Total/NA	Solid	8015B NM	58406
890-4955-10	BH04D	Total/NA	Solid	8015B NM	58406
MB 880-58406/1-A	Method Blank	Total/NA	Solid	8015B NM	58406
LCS 880-58406/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	58406
LCSD 880-58406/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	58406
890-4951-A-12-F MS	Matrix Spike	Total/NA	Solid	8015B NM	58406
890-4951-A-12-G MSD	Matrix Spike Duplicate	Total/NA	Solid	8015B NM	58406

Analysis Batch: 58920

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-4955-1	BH01A	Total/NA	Solid	8015 NM	
890-4955-2	BH01D	Total/NA	Solid	8015 NM	
890-4955-3	BH01F	Total/NA	Solid	8015 NM	
890-4955-4	BH02A	Total/NA	Solid	8015 NM	
890-4955-5	BH02C	Total/NA	Solid	8015 NM	
890-4955-6	BH03A	Total/NA	Solid	8015 NM	
890-4955-7	BH03C	Total/NA	Solid	8015 NM	
890-4955-8	BH04A	Total/NA	Solid	8015 NM	
890-4955-9	BH04B	Total/NA	Solid	8015 NM	
890-4955-10	BH04D	Total/NA	Solid	8015 NM	

HPLC/IC

Leach Batch: 58012

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-4955-1	BH01A	Soluble	Solid	DI Leach	
890-4955-2	BH01D	Soluble	Solid	DI Leach	
890-4955-3	BH01F	Soluble	Solid	DI Leach	
890-4955-4	BH02A	Soluble	Solid	DI Leach	
890-4955-5	BH02C	Soluble	Solid	DI Leach	
890-4955-6	BH03A	Soluble	Solid	DI Leach	
890-4955-7	BH03C	Soluble	Solid	DI Leach	
890-4955-8	BH04A	Soluble	Solid	DI Leach	
890-4955-9	BH04B	Soluble	Solid	DI Leach	
890-4955-10	BH04D	Soluble	Solid	DI Leach	
MB 880-58012/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-58012/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-58012/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
890-4955-1 MS	BH01A	Soluble	Solid	DI Leach	
890-4955-1 MSD	BH01A	Soluble	Solid	DI Leach	

Analysis Batch: 58102

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-4955-1	BH01A	Soluble	Solid	300.0	58012
890-4955-2	BH01D	Soluble	Solid	300.0	58012
890-4955-3	BH01F	Soluble	Solid	300.0	58012
890-4955-4	BH02A	Soluble	Solid	300.0	58012
890-4955-5	BH02C	Soluble	Solid	300.0	58012
890-4955-6	BH03A	Soluble	Solid	300.0	58012
890-4955-7	BH03C	Soluble	Solid	300.0	58012

Eurofins Carlsbad

QC Association Summary

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4955-1
SDG: 03D2024199

HPLC/IC (Continued)

Analysis Batch: 58102 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-4955-8	BH04A	Soluble	Solid	300.0	58012
890-4955-9	BH04B	Soluble	Solid	300.0	58012
890-4955-10	BH04D	Soluble	Solid	300.0	58012
MB 880-58012/1-A	Method Blank	Soluble	Solid	300.0	58012
LCS 880-58012/2-A	Lab Control Sample	Soluble	Solid	300.0	58012
LCSD 880-58012/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	58012
890-4955-1 MS	BH01A	Soluble	Solid	300.0	58012
890-4955-1 MSD	BH01A	Soluble	Solid	300.0	58012

Lab Chronicle

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4955-1
SDG: 03D2024199

Client Sample ID: BH01A
Date Collected: 07/17/23 09:00
Date Received: 07/17/23 16:04

Lab Sample ID: 890-4955-1
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.96 g	5 mL	58407	07/24/23 17:46	AJ	EET MID
Total/NA	Analysis	8021B		100	5 mL	5 mL	58347	07/25/23 04:28	SM	EET MID
Total/NA	Analysis	Total BTEX		1			58402	07/25/23 14:35	AJ	EET MID
Total/NA	Analysis	8015 NM		1			58920	07/31/23 16:01	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10 mL	58406	07/25/23 13:16	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	58792	07/30/23 23:51	AJ	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	58012	07/19/23 10:11	KS	EET MID
Soluble	Analysis	300.0		1			58102	07/20/23 08:49	CH	EET MID

Client Sample ID: BH01D
Date Collected: 07/17/23 09:15
Date Received: 07/17/23 16:04

Lab Sample ID: 890-4955-2
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	58056	07/19/23 15:10	EL	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	58285	07/24/23 07:24	SM	EET MID
Total/NA	Analysis	Total BTEX		1			58402	07/24/23 17:01	AJ	EET MID
Total/NA	Analysis	8015 NM		1			58920	07/31/23 16:01	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.08 g	10 mL	58406	07/25/23 13:16	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	58792	07/31/23 00:13	AJ	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	58012	07/19/23 10:11	KS	EET MID
Soluble	Analysis	300.0		1			58102	07/20/23 09:05	CH	EET MID

Client Sample ID: BH01F
Date Collected: 07/17/23 09:30
Date Received: 07/17/23 16:04

Lab Sample ID: 890-4955-3
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	58407	07/24/23 17:46	AJ	EET MID
Total/NA	Analysis	8021B		100	5 mL	5 mL	58347	07/25/23 04:48	SM	EET MID
Total/NA	Analysis	Total BTEX		1			58402	07/25/23 14:35	AJ	EET MID
Total/NA	Analysis	8015 NM		1			58920	07/31/23 16:01	AJ	EET MID
Total/NA	Prep	8015NM Prep			9.92 g	10 mL	58406	07/25/23 13:16	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	58792	07/31/23 00:34	AJ	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	58012	07/19/23 10:11	KS	EET MID
Soluble	Analysis	300.0		1			58102	07/20/23 09:10	CH	EET MID

Client Sample ID: BH02A
Date Collected: 07/17/23 10:50
Date Received: 07/17/23 16:04

Lab Sample ID: 890-4955-4
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	58056	07/19/23 15:10	EL	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	58285	07/24/23 08:05	SM	EET MID
Total/NA	Analysis	Total BTEX		1			58402	07/24/23 17:01	AJ	EET MID

Eurofins Carlsbad

Lab Chronicle

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4955-1
SDG: 03D2024199

Client Sample ID: BH02A

Lab Sample ID: 890-4955-4

Date Collected: 07/17/23 10:50

Matrix: Solid

Date Received: 07/17/23 16:04

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			58920	07/31/23 16:01	AJ	EET MID
Total/NA	Prep	8015NM Prep			9.91 g	10 mL	58406	07/25/23 13:16	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	58792	07/31/23 00:55	AJ	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	58012	07/19/23 10:11	KS	EET MID
Soluble	Analysis	300.0		1			58102	07/20/23 09:15	CH	EET MID

Client Sample ID: BH02C

Lab Sample ID: 890-4955-5

Date Collected: 07/17/23 11:00

Matrix: Solid

Date Received: 07/17/23 16:04

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	58056	07/19/23 15:10	EL	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	58285	07/24/23 08:26	SM	EET MID
Total/NA	Analysis	Total BTEX		1			58402	07/24/23 17:01	AJ	EET MID
Total/NA	Analysis	8015 NM		1			58920	07/31/23 16:01	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.07 g	10 mL	58406	07/25/23 13:16	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	58792	07/31/23 01:37	AJ	EET MID
Soluble	Leach	DI Leach			5.05 g	50 mL	58012	07/19/23 10:11	KS	EET MID
Soluble	Analysis	300.0		1			58102	07/20/23 09:20	CH	EET MID

Client Sample ID: BH03A

Lab Sample ID: 890-4955-6

Date Collected: 07/17/23 12:10

Matrix: Solid

Date Received: 07/17/23 16:04

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	58407	07/24/23 17:46	AJ	EET MID
Total/NA	Analysis	8021B		250	5 mL	5 mL	58347	07/25/23 09:34	SM	EET MID
Total/NA	Analysis	Total BTEX		1			58402	07/25/23 14:35	AJ	EET MID
Total/NA	Analysis	8015 NM		1			58920	07/31/23 16:01	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.09 g	10 mL	58406	07/25/23 13:16	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	58792	07/31/23 01:59	AJ	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	58012	07/19/23 10:11	KS	EET MID
Soluble	Analysis	300.0		5			58102	07/20/23 09:35	CH	EET MID

Client Sample ID: BH03C

Lab Sample ID: 890-4955-7

Date Collected: 07/17/23 12:20

Matrix: Solid

Date Received: 07/17/23 16:04

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	58407	07/24/23 17:46	AJ	EET MID
Total/NA	Analysis	8021B		250	5 mL	5 mL	58347	07/25/23 09:54	SM	EET MID
Total/NA	Analysis	Total BTEX		1			58402	07/26/23 16:39	AJ	EET MID
Total/NA	Analysis	8015 NM		1			58920	07/31/23 16:01	AJ	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10 mL	58406	07/25/23 13:16	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	58792	07/31/23 02:20	AJ	EET MID

Eurofins Carlsbad

Lab Chronicle

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4955-1
SDG: 03D2024199

Client Sample ID: BH03C

Lab Sample ID: 890-4955-7

Date Collected: 07/17/23 12:20

Matrix: Solid

Date Received: 07/17/23 16:04

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	8015NM Prep			9.99 g	10 mL	58406	07/25/23 13:16	TKC	EET MID
Total/NA	Analysis	8015B NM		5	1 uL	1 uL	58792	07/31/23 07:30	AJ	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	58012	07/19/23 10:11	KS	EET MID
Soluble	Analysis	300.0		10			58102	07/20/23 09:40	CH	EET MID

Client Sample ID: BH04A

Lab Sample ID: 890-4955-8

Date Collected: 07/17/23 12:40

Matrix: Solid

Date Received: 07/17/23 16:04

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	58056	07/19/23 15:10	EL	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	58285	07/24/23 09:27	SM	EET MID
Total/NA	Analysis	Total BTEX		1			58402	07/24/23 17:01	AJ	EET MID
Total/NA	Analysis	8015 NM		1			58920	07/31/23 16:01	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	58406	07/25/23 13:16	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	58792	07/31/23 02:48	AJ	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	58012	07/19/23 10:11	KS	EET MID
Soluble	Analysis	300.0		5			58102	07/20/23 09:46	CH	EET MID

Client Sample ID: BH04B

Lab Sample ID: 890-4955-9

Date Collected: 07/17/23 12:45

Matrix: Solid

Date Received: 07/17/23 16:04

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	58056	07/19/23 15:10	EL	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	58285	07/24/23 09:47	SM	EET MID
Total/NA	Analysis	Total BTEX		1			58402	07/24/23 17:01	AJ	EET MID
Total/NA	Analysis	8015 NM		1			58920	07/31/23 16:01	AJ	EET MID
Total/NA	Prep	8015NM Prep			9.90 g	10 mL	58406	07/25/23 13:16	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	58792	07/31/23 03:10	AJ	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	58012	07/19/23 10:11	KS	EET MID
Soluble	Analysis	300.0		10			58102	07/20/23 09:51	CH	EET MID

Client Sample ID: BH04D

Lab Sample ID: 890-4955-10

Date Collected: 07/17/23 12:55

Matrix: Solid

Date Received: 07/17/23 16:04

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	58056	07/19/23 15:10	EL	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	58285	07/24/23 10:08	SM	EET MID
Total/NA	Analysis	Total BTEX		1			58402	07/24/23 17:01	AJ	EET MID
Total/NA	Analysis	8015 NM		1			58920	07/31/23 16:01	AJ	EET MID
Total/NA	Prep	8015NM Prep			10.09 g	10 mL	58406	07/25/23 13:16	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	58792	07/31/23 03:31	AJ	EET MID

Eurofins Carlsbad

Lab Chronicle

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4955-1
SDG: 03D2024199

Client Sample ID: BH04D
Date Collected: 07/17/23 12:55
Date Received: 07/17/23 16:04

Lab Sample ID: 890-4955-10
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.98 g	50 mL	58012	07/19/23 10:11	KS	EET MID
Soluble	Analysis	300.0		10			58102	07/20/23 09:56	CH	EET MID

Laboratory References:
EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Accreditation/Certification Summary

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4955-1
SDG: 03D2024199

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400-23-26	06-30-24

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH
8015B NM	8015NM Prep	Solid	Total TPH
Total BTEX		Solid	Total BTEX

Method Summary

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4955-1
SDG: 03D2024199

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5035	Closed System Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

Protocol References:

ASTM = ASTM International

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Sample Summary

Client: Ensolum
Project/Site: Buck Federal CTB

Job ID: 890-4955-1
SDG: 03D2024199

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Depth
890-4955-1	BH01A	Solid	07/17/23 09:00	07/17/23 16:04	1
890-4955-2	BH01D	Solid	07/17/23 09:15	07/17/23 16:04	4
890-4955-3	BH01F	Solid	07/17/23 09:30	07/17/23 16:04	6
890-4955-4	BH02A	Solid	07/17/23 10:50	07/17/23 16:04	1
890-4955-5	BH02C	Solid	07/17/23 11:00	07/17/23 16:04	3
890-4955-6	BH03A	Solid	07/17/23 12:10	07/17/23 16:04	1
890-4955-7	BH03C	Solid	07/17/23 12:20	07/17/23 16:04	3
890-4955-8	BH04A	Solid	07/17/23 12:40	07/17/23 16:04	1
890-4955-9	BH04B	Solid	07/17/23 12:45	07/17/23 16:04	2
890-4955-10	BH04D	Solid	07/17/23 12:55	07/17/23 16:04	4



Environment Testing
Xenco

Chain of Custody


Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300
Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334
EL Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296
Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199

Work Order No: _____

www.xenco.com Page 1 of 1



Project Manager:	Hadlie Green	Bill to: (if different)	Kalei Jennings
Company Name:	Ensolum, LLC	Company Name:	Ensolum, LLC
Address:	601 N Marienfeld St Suite 400	Address:	601 N Marienfeld St Suite 400
City, State ZIP:	Midland, TX 79701	City, State ZIP:	Midland, TX 79701
Phone:	432-557-8895	Email:	hgreen@ensolum.com, kjennings@ensolum.com

Work Order Comments	
Program:	UST/PST <input type="checkbox"/> PRP <input type="checkbox"/> Brownfields <input type="checkbox"/> RRC <input type="checkbox"/> Superfund <input type="checkbox"/>
State of Project:	
Reporting:	Level II <input type="checkbox"/> Level III <input type="checkbox"/> PST/UST <input type="checkbox"/> TRRP <input type="checkbox"/> Level IV <input type="checkbox"/>
Deliverables:	EDD <input type="checkbox"/> ADaPT <input type="checkbox"/> Other: _____

Project Name:		Turn Around		ANALYSIS REQUEST												Preservative Codes							
Project Number:	03D2024199	<input checked="" type="checkbox"/> Routine <input type="checkbox"/> Rush	Pres. Code														None: NO	DI Water: H ₂ O					
Project Location:	32.0375,-103.6966	Due Date:															Cool: Cool	MeOH: Me					
Sampler's Name:	Peter Van Patten	TAT starts the day received by the lab, if received by 4:30pm															HCL: HC	HNO ₃ : HN					
PO #:																	H ₂ SO ₄ : H ₂	NaOH: Na					
SAMPLE RECEIPT		Temp Blank:	Yes No	Wet Ice:	Yes No	 890-4955 Chain of Custody												H ₃ PO ₄ : HP					
Samples Received Intact:	Yes No	Thermometer ID:	111007																				
Cooler Custody Seals:	Yes No N/A	Correction Factor:	-0.2																				
Sample Custody Seals:	Yes No N/A	Temperature Reading:	8.2																				
Total Containers:		Corrected Temperature:	3.0																				
Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Grab/Comp	# of Cont	CHLORIDES (EPA: 300.0)	TPH (8015)	BTEX (8021)													Sample Comments	
BH01A	Soil	7/17/2023	900	1	Comp	1	x	x	x														
BH01D	Soil	7/17/2023	915	4	Comp	1	x	x	x														
BH01F	Soil	7/17/2023	930	6	Comp	1	x	x	x														
BH02A	Soil	7/17/2023	1050	1	Comp	1	x	x	x														
BH02C	Soil	7/17/2023	1100	3	Comp	1	x	x	x														
BH03A	Soil	7/17/2023	1210	1	Comp	1	x	x	x														
BH03C	Soil	7/17/2023	1220	3	Comp	1	x	x	x														
BH04A	Soil	7/17/2023	1240	1	Comp	1	x	x	x														
BH04B	Soil	7/17/2023	1245	2	Comp	1	x	x	x														
BH04D	Soil	7/17/2023	1255	4	Comp	1	x	x	x														

Total 200.7 / 6010	200.8 / 6020:	8RCRA 13PPM Texas 11	Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO ₂ Na Sr Ti Sn U V Zn
Circle Method(s) and Metal(s) to be analyzed		TCLP / SPLP 6010: 8RCRA	Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U Hg: 1631 / 245.1 / 7470 / 7471

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Eurofins Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Eurofins Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Eurofins Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Eurofins Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 		7-17-23 1604	2		
3			4		
5			6		

Revised Date: 08/25/2020 Rev. 2020.2

Chain of Custody Record



Environment Testing

7/31/2023

[illegible]

Login Sample Receipt Checklist

Client: Ensolum

Job Number: 890-4955-1

SDG Number: 03D2024199

Login Number: 4955

List Number: 1

Creator: Clifton, Cloe

List Source: Eurofins Carlsbad

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	N/A	Refer to Job Narrative for details.
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

Login Sample Receipt Checklist

Client: Ensolum

Job Number: 890-4955-1

SDG Number: 03D2024199

Login Number: 4955

List Number: 2

Creator: Teel, Brianna

List Source: Eurofins Midland

List Creation: 07/19/23 12:08 PM

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	



APPENDIX E

NMOCD Notifications

From: [Enviro, OCD, EMNRD](#)
To: [Hadlie Green](#)
Cc: [Bratcher, Michael, EMNRD](#); [Velez, Nelson, EMNRD](#)
Subject: RE: [EXTERNAL] COP - Sampling Notification (Week of 6/26/2023)
Date: Wednesday, June 21, 2023 3:44:17 PM
Attachments: [image005.jpg](#)
[image006.png](#)
[image007.png](#)
[image008.png](#)
[image009.png](#)

[**EXTERNAL EMAIL**]

Hadlie,

Thank you for the notification. Please include a copy of this and all notifications in the remedial and/or closure reports to ensure the notifications are documented in the project file.

JH

Jocelyn Harimon • Environmental Specialist
Environmental Bureau
EMNRD - Oil Conservation Division
1220 South St. Francis Drive | Santa Fe, NM 87505
(505)469-2821 | Jocelyn.Harimon@emnrd.nm.gov
<http://www.emnrd.nm.gov>



From: Hadlie Green <hgreen@ensolum.com>
Sent: Wednesday, June 21, 2023 7:38 AM
To: Enviro, OCD, EMNRD <OCD.Enviro@emnrd.nm.gov>
Cc: Kalei Jennings <kjennings@ensolum.com>; Peter Van Patten <pvanpatten@ensolum.com>
Subject: [EXTERNAL] COP - Sampling Notification (Week of 6/26/2023)

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

All,

ConocoPhillips Company (COP) plans to complete sampling activities at the following site the week of June 26, 2023.

- Stratojet 31 State Com 8H / NAPP2314235805
 - Sampling Date: 6/26/2023 @ 10:00 AM MST
- Buck Federal CTB / NAPP2315731307

- Sampling Date: 6/29/2023 @ 10:00 AM MST

Thank you,



Hadlie Green

Project Geologist

432-557-8895

hgreen@ensolum.com

Ensolum, LLC



From: [Enviro, OCD, EMNRD](#)
To: [Hadlie Green](#)
Cc: [Bratcher, Michael, EMNRD](#); [Velez, Nelson, EMNRD](#)
Subject: RE: [EXTERNAL] COP - Sampling Notification (Week of 7/17/2023)
Date: Thursday, July 13, 2023 2:20:01 PM
Attachments: [image005.jpg](#)
[image006.png](#)
[image007.png](#)
[image008.png](#)
[image009.png](#)

[**EXTERNAL EMAIL**]

Hadlie,

Notification requirements are **two business days**, per rule. You may proceed on your schedule. This, and all correspondence, should be included in the closure report to ensure inclusion in the project file.

JH

Jocelyn Harimon • Environmental Specialist
Environmental Bureau
EMNRD - Oil Conservation Division
1220 South St. Francis Drive | Santa Fe, NM 87505
(505)469-2821 | Jocelyn.Harimon@emnrd.nm.gov
<http://www.emnrd.nm.gov>



From: Hadlie Green <hgreen@ensolum.com>
Sent: Thursday, July 13, 2023 9:18 AM
To: Enviro, OCD, EMNRD <OCD.Enviro@emnrd.nm.gov>
Cc: Kalei Jennings <kjennings@ensolum.com>; Peter Van Patten <pvanpatten@ensolum.com>; Laird, Jacob <Jacob.Laird@conocophillips.com>; brittany.esparza@conocophillips.com
Subject: [EXTERNAL] COP - Sampling Notification (Week of 7/17/2023)

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

All,

ConocoPhillips Company (COP) plans to complete sampling activities at the following sites the week of July 17, 2023.

- Buck Federal CTB / NAPP2315731307

- Sampling Date: 7/17/2023 @ 0900 MST
- Red Bull 35 Federal 1 Poly Line / NAPP2317142248
 - Sampling Date: 7/20/2023 @ 0900 MST

Thank you,



Hadlie Green

Project Geologist

432-557-8895

hgreen@ensolum.com

Ensolum, LLC





APPENDIX F

Final C-141

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate OCD District office

Incident ID	NAPP2315731307
District RP	
Facility ID	fAPP2212245796
Application ID	

Release Notification

Responsible Party

Responsible Party	ConocoPhillips Company	OGRID	217817
Contact Name	Jacob Laird	Contact Telephone	(575) 703-5482
Contact email	Jacob.Laird@ConocoPhillips.com	Incident # (assigned by OCD)	NAPP2315731307
Contact mailing address	600 West Illinois Avenue, Midland, Texas 79701		

Location of Release Source

Latitude 32.0375 Longitude -103.6966
(NAD 83 in decimal degrees to 5 decimal places)

Site Name	Buck Federal CTB	Site Type	Tank Battery
Date Release Discovered	June 1, 2023	API# (if applicable)	

Unit Letter	Section	Township	Range	County
O	17	26S	32E	Lea

Surface Owner: ☐ State ☒ Federal ☐ Tribal ☐ Private (Name: _____)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

<input checked="" type="checkbox"/> Crude Oil	Volume Released (bbls) 7.0179	Volume Recovered (bbls) 5
<input type="checkbox"/> Produced Water	Volume Released (bbls)	Volume Recovered (bbls)
	Is the concentration of dissolved chloride in the produced water >10,000 mg/l?	<input type="checkbox"/> Yes <input type="checkbox"/> No
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input type="checkbox"/> Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release


The release was caused by human error due to driver not checking tank levels.
The release was within a lined facility and leaked onto the pad.
Evaluation will be made of the site to determine if we may commence remediation immediately or delineate any possible impact from the release and we will present a remediation work plan to the NMOCD for approval prior to any significant remediation activities.

Incident ID	NAPP2315731307
District RP	
Facility ID	fAPP2212245796
Application ID	

<p>Was this a major release as defined by 19.15.29.7(A) NMAC?</p> <p><input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p>	<p>If YES, for what reason(s) does the responsible party consider this a major release?</p>
<p>If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)?</p>	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

<div style="display: flex; flex-direction: column; gap: 10px;"><div><input type="checkbox"/> The source of the release has been stopped.</div><div><input type="checkbox"/> The impacted area has been secured to protect human health and the environment.</div><div><input type="checkbox"/> Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.</div><div><input type="checkbox"/> All free liquids and recoverable materials have been removed and managed appropriately.</div></div>	
<p>If all the actions described above have <u>not</u> been undertaken, explain why:</p>	
<p>Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.</p>	
<p>I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.</p>	
<div style="display: flex; flex-direction: column; gap: 10px;"><div>Printed Name Brittany N. Esparza</div><div>Signature: </div><div>email: Brittany.Esparza@ConocoPhillips.com</div></div>	<div style="display: flex; flex-direction: column; gap: 10px;"><div>Title: Environmental Technician</div><div>Date: 6/6/2023</div><div>Telephone: (432) 221-0398</div></div>
<p><u>OCD Only</u></p>	
<p>Received by: Jocelyn Harimon</p>	<p>Date: 06/06/2023</p>

Spill Calculation - Subsurface Spill - Rectangle										Remediation Recommendation	
										Total Estimated Contaminated Soil, uncompacted, 25% (yd³.)	Current Rule of Thumb - RMR Handover Volume, (yd³.)
Convert Irregular shape to a series of rectangles	Rectangle A	42.0	10.0	6.0	On-Pad ✓	8.00%	37.38	2.99	9.72	750	
	Rectangle B	20.0	18.0	4.0	On-Pad ✓	8.00%	21.36	1.71	5.56		
	Rectangle C	12.0	16.0	3.0	On-Pad ✓	8.00%	8.54	0.68	2.22		
	Rectangle D	12.0	8.0	3.0	On-Pad ✓	8.00%	4.27	0.34	1.11		
	Rectangle E	10.0	16.0	4.0	On-Pad ✓	8.00%	9.49	0.76	2.47		
	Rectangle F	13.0	8.0	3.0	On-Pad ✓	8.00%	4.63	0.37	1.20		
	Rectangle G	3.0	2.0	3.0	On-Pad ✓	8.00%	0.27	0.02	0.07		
	Rectangle H	8.0	5.0	3.0	On-Pad ✓	8.00%	1.78	0.14	0.46		
	Rectangle I				✓		0.00		0.00		
	Rectangle J				✓		0.00		0.00		
Total Subsurface Volume Released:								7.0179	22.82	BU	

NAPP2315731307

Received by: 6/6/2023 8:51:20 AM

Released to: 6/6/2023 11:08:12 AM

Released to Imaging: 6/6/2023 11:03:12 AM

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 224307

CONDITIONS

Operator: CONOCOPHILLIPS COMPANY 600 W. Illinois Avenue Midland, TX 79701	OGRID: 217817
	Action Number: 224307
	Action Type: [C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
jharimon	None	6/6/2023

Incident ID	NAPP2315731307
District RP	
Facility ID	fAPP2212245796
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	<u>>51</u> (ft bgs)
Did this release impact groundwater or surface water?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within 300 feet of a wetland?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying a subsurface mine?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release overlying an unstable area such as karst geology?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Are the lateral extents of the release within a 100-year floodplain?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Did the release impact areas not on an exploration, development, production, or storage site?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: *Each of the following items must be included in the report.*

- ☒ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells.
- ☒ Field data
- ☒ Data table of soil contaminant concentration data
- ☒ Depth to water determination
- ☒ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release
- ☒ Boring or excavation logs
- ☒ Photographs including date and GIS information
- ☒ Topographic/Aerial maps
- ☒ Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Oil Conservation Division

Incident ID	NAPP2315731307
District RP	
Facility ID	fAPP2212245796
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: __Jacob Laird__

Title: __Environmental Engineer__

Signature: Jacob Laird

Date: __8/29/2023__

email: __Jacob.Laird@conocophillips.com__

Telephone: __575-703-5482__

OCD OnlyReceived by: Shelly WellsDate: 8/30/2023

Incident ID	NAPP2315731307
District RP	
Facility ID	fAPP2212245796
Application ID	

Remediation Plan

Remediation Plan Checklist: *Each of the following items must be included in the plan.*

- ☒ Detailed description of proposed remediation technique
- ☒ Scaled sitemap with GPS coordinates showing delineation points
- ☒ Estimated volume of material to be remediated
- ☒ Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC
- ☒ Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)

Deferral Requests Only: *Each of the following items must be confirmed as part of any request for deferral of remediation.*

- ☒ Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.
- ☒ Extents of contamination must be fully delineated.
- ☒ Contamination does not cause an imminent risk to human health, the environment, or groundwater.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: __Jacob Laird__Title: __Environmental Engineer__Signature: *Jacob Laird*Date: __8/29/2023__email: __Jacob.Laird@conocophillips.com__Telephone: __575-703-5482__**OCD Only**Received by: __Shelly Wells__ Date: 8/30/2023☐ Approved ☐ Approved with Attached Conditions of Approval ☐ Denied ☐ Deferral ApprovedSignature: *Nelson Velez*Date: 12/28/2023

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 259505

CONDITIONS

Operator: CONOCOPHILLIPS COMPANY 600 W. Illinois Avenue Midland, TX 79701	OGRID: 217817
	Action Number: 259505
	Action Type: [C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
nvelez	Remediation plan approved as written. Remediation Due date updated to March 27, 2024.	12/28/2023