

REVIEWED

By Mike Buchanan at 11:39 am, May 23, 2024

**ENSOLUM**

March 15, 2023

New Mexico Oil Conservation Division

New Mexico Energy, Minerals, and Natural Resources Department
 1220 South St. Francis Drive
 Santa Fe, New Mexico 87505

Re: 2022 Annual Groundwater Monitoring Report

San Juan 29-7 Unit 37
 San Juan County, New Mexico
 Hilcorp Energy Company
 NMOCD Incident Number: NCS1904241144
 NMOCD Administrative Order: 3R-425

To Whom it May Concern:

Ensolum, LLC (Ensolum), on behalf of Hilcorp Energy Company (Hilcorp), presents this 2023 *Annual Groundwater Monitoring Report* to the New Mexico Oil Conservation Division (NMOCD) to document groundwater monitoring activities conducted at the San Juan 29-7 gas production well (Site) during 2022. The Site is located on private land within Section 12 within Township 29 North and Range 7 West, in Rio Arriba County, New Mexico (Figure 1).

Review of the 2022 Annual Groundwater Monitoring Report for the San Juan 29-7 Unit 37 release site, Hilcorp Energy: Content Satisfactory

1. Proceed with conducting groundwater monitoring for MW-1, MW-3, MW-8R on an annual basis until dissolved manganese concentration are at allowable concentrations in Title 20 of the NMAC.
2. Sample wells MW-2, MW-4, MW-5, MW-6 and MW-7 on a quarterly basis until eight (8) consecutive lab analyses are achieved below allowable concentrations for Mn.

3. Submit the 2023 Annual (NMOCD) Report if it hasn't already been submitted, and submit the 2024 report by April 1, 2025.

SITE BACKGROUND

A leaking inspection plate gasket on the aboveground condensate tank was discovered by ConocoPhillips (previous well owner) on August 26, 2010. Approximately 23 barrels of condensate was released and fully contained within the berm; however, no liquids were recovered. The release was reported by ConocoPhillips on September 16, 2010 to the NMOCD on a Form C-141 *Release Notification and Corrective Action* form.

After the discovery, delineation activities were conducted at the Site in 2010 and 2011 to characterize soil and groundwater impacted by the release. Site characterization indicated petroleum hydrocarbon impacts from the release exceeded NMOCD Table I Closure Criteria for soils (Title 19, Chapter 15, Part 29, Section 12 [19.15.29.12] of the New Mexico Administrative Code [NMAC]) and New Mexico Water Quality Control Commission (NMWQCC) standards for groundwater. Based on the nature of the release, the original contaminants of concern (COCs) at the Site included benzene, toluene, ethylbenzene, and xylenes (BTEX) and total petroleum hydrocarbons (TPH) in vadose zone soil and benzene, toluene, total xylenes, dissolved manganese, selenium, sulfate, and total dissolved solids (TDS) in groundwater.

Approximately 3,000 cubic yards of impacted soils were excavated from the release area and transported off-Site for disposal. Impacted groundwater was present in the immediate area of the release and extended approximately 60 feet downgradient. Eight groundwater monitoring wells (MW-1 through MW-8) were installed to monitor groundwater conditions at the Site. Residual soil

and groundwater impacts were additionally treated in 2012 and 2013 with the injection of the chemical oxidant CoolOx® in attempts to remediate residual impacts by chemical oxidation and enhanced bioremediation.

Hilcorp acquired the Site from ConocoPhillips in April 2017 and has continued to monitor groundwater conditions at the Site. GHD Services Inc. (GHD) prepared the *2018 Annual Groundwater Monitoring Report* (dated January 2019) on behalf of Hilcorp. Based on that report, the NMOCD concurred with the conclusions that sulfate and TDS were attributed to naturally-occurring background concentrations at the Site and these constituents could be removed as COCs. In addition, NMOCD agreed that BTEX constituents could be removed as COCs for all onsite wells with at least eight consecutive quarters with concentrations below NMWQCC standards (which included all wells except replacement well MW-8R). At that time, well MW-8R had achieved seven quarters with results below NMWQCC standards.

During sampling events in 2019, BTEX concentrations remained below NMWQCC standards in groundwater collected from MW-8R, therefore BTEX as COCs for groundwater in all wells at the Site was removed. Based on WSP's *2020 Annual Groundwater Monitoring Report*, dated March 8, 2021, the NMOCD approved the elimination of selenium as a COC from all wells at the Site. Additionally, based on historical sampling data, dissolved manganese had been below NMWQCC standards for eight or more consecutive quarters in wells MW-2, MW-4, MW-5, MW-6, and MW-7; therefore, the NMOCD approved the termination of monitoring these wells for all future sampling (NMOCD approval email dated December 28, 2021).

Based on historical sampling results and prior agreements with NMOCD, dissolved manganese is considered the only COC for groundwater in wells MW-1, MW-3, and MW-8R at the Site (as presented below). Well locations and Site features are shown on Figure 2.

SITE GROUNDWATER CLEANUP STANDARDS

The NMOCD requires groundwater-quality standards be met as presented by the NMWQCC and listed in Title 20, Chapter 6, Part 2, Section 3103 (20.6.2.3103) of NMAC. The following NMWQCC standard is presented for the COC at the Site in milligrams per liter (mg/L).

- Dissolved Manganese: 0.2 mg/L

GROUNDWATER SAMPLING ACTIVITIES AND RESULTS

Semi-annual groundwater sampling events were conducted at the Site in March and September 2022. Prior to collection of groundwater samples in selected monitoring wells, depth to groundwater was measured using a Keck oil/water interface probe. The interface probe was decontaminated with Alconox™ soap and rinsed with distilled water prior to each measurement to prevent cross-contamination. Groundwater elevations measured in monitoring wells during the 2022 sampling events are presented in Table 1 and were used to develop groundwater potentiometric surface maps (Figures 3 and 4). The inferred groundwater flow direction is to the south.

GROUNDWATER SAMPLING

Groundwater from each monitoring well was purged and sampled using a disposable bailer. Purging was accomplished by removing stagnant groundwater from the monitoring well prior to collecting a sample. Field measurements of groundwater quality parameters, including temperature, pH, TDS, and electrical conductivity, were collected during the purging process, and are presented in Table 2.

Following well purging, groundwater samples were collected and placed directly into laboratory-provided bottles and labeled with the date and time of collection, well designation, project name, sample collector's name, and parameters to be analyzed. Sample bottles were immediately sealed, packed on ice, and submitted to Hall Environmental Analysis Laboratory for analysis of dissolved manganese by United States Environmental Protection Agency (EPA) Method 200.7. Proper chain-of-custody procedures were followed documenting the date and time sampled, sample number, type of sample, sample collector's name, preservative used, analyses required, and sample collector's signature.

GROUNDWATER ANALYTICAL RESULTS

During the 2022 groundwater sampling events, dissolved manganese concentrations exceeded the NMWQCC standard during all sampling events collected from wells MW-1, MW-3 and MW-8R. Dissolved manganese concentrations ranged from 0.60 mg/L in well MW-8R to 2.0 mg/L in well MW-1. A summary of analytical results is presented in Table 3 and depicted on Figure 5, with complete laboratory reports attached as Appendix A.

CONCLUSIONS AND RECOMMENDATIONS

Groundwater samples collected from wells MW-1, MW-3, MW-8R continue to contain dissolved manganese concentrations exceeding the NMWQCC groundwater quality standard. Elevated dissolved manganese concentrations appear to be a result of low-oxygen and reducing groundwater conditions in these wells. Average oxygen concentrations in wells MW-1, MW-3, and MW-8R (from data collected between 2015 and 2021) range from 1.68 mg/L to 2.02 mg/L, whereas average oxygen concentrations in all other on-Site wells range from 2.97 mg/L to 6.06 mg/L. Additionally, the oxidation-reduction potential (ORP) in wells MW-1, MW-3, and MW-8R range from -17.3 millivolts (mV) to -84.3 mV, suggesting continued reducing groundwater conditions in these wells leading to the dissolution of manganese and increased dissolved manganese concentrations. Conversely, the remaining wells at the Site have ORP values ranging from 18.0 mV to 35.8 mV, suggesting oxidizing conditions conducive to the precipitation of manganese, resulting in lower dissolved manganese concentrations.

As groundwater conditions at the Site continue to equilibrate and dissolved oxygen increases, groundwater conditions will become increasingly aerobic. As this happens, dissolved manganese has the ability to precipitate out of solution leading to decreased concentrations in groundwater. This trend has already been documented in wells MW-2, MW-4, MW-5, MW-6, and MW-7. Because there are no potential receptors downgradient of the Site (closest water well SJ-03390, is located 1,900 feet southeast and cross gradient from the Site and is screened in a hydrogeologically separate water-bearing zone), Ensolum and Hilcorp recommend conducting annual sampling of wells MW-1, MW-3, MW-8R until dissolved manganese concentrations achieve the NMWQCC standard. At that time, Hilcorp will begin quarterly sampling until eight consecutive quarters indicate that manganese concentrations are below NMWQCC standards.


Ensolum appreciates the opportunity to provide these environmental services to Hilcorp. Please contact either of the undersigned with any questions.

Sincerely,

Ensolum, LLC



Stuart Hyde, LG
Senior Geologist
(970) 903-1607
shyde@ensolum.com




Daniel R. Moir, PG
Senior Managing Geologist
(303) 887-2946
dmoir@ensolum.com

Attachments:

Figure 1	Site Location Map
Figure 2	Site Map
Figure 3	Q1 Groundwater Elevation Map
Figure 4	Q3 Groundwater Elevation Map
Figure 5	Groundwater Analytical Results
Table 1	Groundwater Elevations
Table 2	Groundwater Quality Measurements
Table 3	Groundwater Analytical Results
Appendix A	Laboratory Analytical Reports




FIGURES



Site Location Map

San Juan 29-7 #37
 Hilcorp Energy Company
 36.73580, -107.52562
 Rio Arriba County, New Mexico


FIGURE
1



Site Map

San Juan 29-7 #37
Hilcorp Energy Company
36.73580, -107.52562
Rio Arriba County, New Mexico


FIGURE
2



Q1 Groundwater Elevation Map

San Juan 29-7 #37
 Hilcorp Energy Company
 36.73580, -107.52562
 Rio Arriba County, New Mexico


FIGURE
3



Q3 Groundwater Elevation Map

San Juan 29-7 #37
Hilcorp Energy Company
36.73580, -107.52562
Rio Arriba County, New Mexico

FIGURE
4



2022 Groundwater Analytical Results

San Juan 29-7 #37
Hilcorp Energy Company
36.73580, -107.52562
Rio Arriba County, New Mexico

FIGURE
5



TABLES



TABLE 1 GROUNDWATER ELEVATIONS San Juan 29-7 Unit 37 Hilcorp Energy Company Rio Arriba County, New Mexico				
Well Identification	Top of Casing Elevation (feet**)	Date	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet**)
MW-1	189.24	3/17/2011	108.91	80.33
		8/17/2011	108.81	80.43
		10/18/2011	108.87	80.37
		2/23/2012	108.74	80.50
		6/5/2012	108.75	80.49
		9/18/2012	108.68	80.56
		1/8/2013	108.62	80.62
		3/26/2013	108.69	80.55
		6/11/2013	108.81	80.43
		9/10/2013	109.04	80.20
		1/7/2014	109.26	79.98
		3/18/2014	109.10	80.14
		6/16/2014	109.31	79.93
		9/25/2014	109.54	79.70
		12/16/2014	109.59	79.65
		3/17/2015	109.61	79.63
		6/16/2015	109.68	79.56
		9/15/2015	109.62	79.62
		12/1/2015	109.78	79.46
		3/29/2016	109.61	79.63
		6/21/2016	109.89	79.35
		9/7/2016	109.87	79.37
		11/30/2016	109.89	79.35
		3/7/2017	109.92	79.32
		6/13/2017	110.06	79.18
		9/26/2017	110.00	79.24
		12/19/2017	109.99	79.25
		3/14/2018	109.93	79.31
		6/26/2018	110.02	79.22
		9/5/2018	110.06	79.18
		12/14/2018	110.04	79.20
		3/29/2019	109.95	79.29
		6/24/2019	110.44	78.80
		9/13/2019	110.12	79.12
		11/6/2019	110.05	79.19
		3/5/2020	110.16	79.08
		5/6/2020	110.13	79.11
		8/20/2020	110.04	79.20
		10/21/2020	110.01	79.23
		3/2/2021	110.16	79.08
		9/24/2021	110.50	78.74
		3/3/2022	110.16	79.08
		9/20/2022	110.19	79.05



TABLE 1 GROUNDWATER ELEVATIONS San Juan 29-7 Unit 37 Hilcorp Energy Company Rio Arriba County, New Mexico				
Well Identification	Top of Casing Elevation (feet**)	Date	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet**)
MW-2	189.60	3/17/2011	109.20	80.40
		8/17/2011	109.10	80.50
		10/18/2011	109.13	80.47
		2/23/2012	109.05	80.55
		6/5/2012	109.10	80.50
		9/18/2012	109.28	80.32
		1/8/2013	109.07	80.53
		3/26/2013	109.12	80.48
		6/11/2013	109.32	80.28
		9/10/2013	109.32	80.28
		1/7/2014	109.71	79.89
		3/18/2014	109.71	79.89
		6/16/2014	109.83	79.77
		9/16/2014	109.94	79.66
		12/16/2014	110.04	79.56
		3/17/2015	110.09	79.51
		6/16/2015	110.17	79.43
		9/15/2015	110.14	79.46
		12/1/2015	110.23	79.37
		3/29/2016	110.26	79.34
		6/21/2016	110.31	79.29
		9/7/2016	110.33	79.27
		11/30/2016	110.39	79.21
		3/7/2017	110.37	79.23
		6/13/2017	110.35	79.25
		9/26/2017	110.54	79.06
		12/19/2017	110.50	79.10
		3/14/2018	110.54	79.06
		6/26/2018	110.55	79.05
		9/5/2018	110.60	79.00
		12/14/2018	110.51	79.09
		3/27/2019	110.57	79.03
		6/18/2019	110.55	79.05
		9/11/2019	110.57	79.03
		11/5/2019	110.56	79.04
		3/4/2020	110.61	78.99
		5/6/2020	110.63	78.97
		8/21/2020	110.60	79.00
		10/22/2020	110.62	78.98
		3/1/2021	110.63	78.97
		9/24/2021	111.10	78.50
		3/3/2022	110.71	78.89



TABLE 1 GROUNDWATER ELEVATIONS San Juan 29-7 Unit 37 Hilcorp Energy Company Rio Arriba County, New Mexico				
Well Identification	Top of Casing Elevation (feet**)	Date	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet**)
MW-3	189.13	3/17/2011	109.42	79.71
		8/17/2011	109.35	79.78
		10/18/2011	109.37	79.76
		2/23/2012	109.26	79.87
		6/5/2012	109.28	79.85
		9/18/2012	109.30	79.83
		1/8/2013	109.28	79.85
		3/26/2013	109.33	79.80
		6/11/2013	109.41	79.72
		9/10/2013	109.58	79.55
		1/7/2014	109.70	79.43
		3/18/2014	109.68	79.45
		6/16/2014	109.84	79.29
		9/16/2014	109.97	79.16
		12/16/2014	110.08	79.05
		3/17/2015	110.03	79.10
		6/16/2015	110.08	79.05
		9/15/2015	110.08	79.05
		12/1/2015	110.24	78.89
		3/29/2016	110.04	79.09
		6/21/2016	110.15	78.98
		9/7/2016	110.27	78.86
		11/30/2016	110.26	78.87
		3/7/2017	110.25	78.88
		6/13/2017	110.36	78.77
		9/26/2017	110.48	78.65
		12/19/2017	110.39	78.74
		3/14/2018	110.35	78.78
		6/26/2018	110.40	78.73
		9/5/2018	110.55	78.58
		12/14/2018	110.30	78.83
		3/26/2019	110.35	78.78
		6/17/2019	110.31	78.82
		9/10/2019	110.37	78.76
		11/4/2019	110.38	78.75
		3/3/2020	110.32	78.81
		5/4/2020	110.43	78.70
		8/19/2020	110.41	78.72
		10/21/2020	110.46	78.67
		3/1/2021	110.59	78.54
		9/24/2021	110.70	78.43
		3/3/2022	110.53	78.60
		9/20/2022	110.54	78.59



TABLE 1 GROUNDWATER ELEVATIONS San Juan 29-7 Unit 37 Hilcorp Energy Company Rio Arriba County, New Mexico				
Well Identification	Top of Casing Elevation (feet**)	Date	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet**)
MW-4	197.60	3/17/2011	111.11	86.49
		8/17/2011	111.10	86.50
		10/18/2011	111.16	86.44
		2/23/2012	111.14	86.46
		6/5/2012	111.20	86.40
		9/18/2012	111.12	86.48
		1/8/2013	111.14	86.46
		3/26/2013	111.23	86.37
		6/11/2013	111.41	86.19
		9/10/2013	111.47	86.13
		1/7/2014	111.66	85.94
		3/18/2014	111.60	86.00
		6/16/2014	111.68	85.92
		9/25/2014	111.77	85.83
		12/16/2014	111.80	85.80
		3/17/2015	111.77	85.83
		6/16/2015	111.78	85.82
		9/15/2015	111.76	85.84
		12/1/2015	111.89	85.71
		3/29/2016	111.92	85.68
		6/21/2016	111.95	85.65
		9/7/2016	111.33	86.27
		11/30/2016	112.03	85.57
		3/7/2017	111.90	85.70
		6/13/2017	111.92	85.68
		9/26/2017	112.01	85.59
		12/19/2017	112.05	85.55
		3/15/2018	112.02	85.58
		6/26/2018	112.02	85.58
		9/5/2018	112.05	85.55
		12/14/2018	112.02	85.58
		3/25/2019	112.04	85.56
		6/14/2019	112.03	85.57
		9/9/2019	110.57	87.03
		11/1/2019	112.07	85.53
		3/2/2020	112.05	85.55
		5/1/2020	112.05	85.55
		8/18/2020	112.01	85.59
		10/19/2020	112.02	85.58
		3/1/2021	112.08	85.52
		9/24/2021	112.70	84.90
		3/3/2022	112.06	85.54



TABLE 1 GROUNDWATER ELEVATIONS San Juan 29-7 Unit 37 Hilcorp Energy Company Rio Arriba County, New Mexico				
Well Identification	Top of Casing Elevation (feet**)	Date	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet**)
MW-5	188.70	10/18/2011	108.05	80.65
		2/23/2012	108.44	80.26
		6/5/2012	108.38	80.32
		9/18/2012	108.11	80.59
		1/8/2013	108.36	80.34
		3/26/2013	108.72	79.98
		6/11/2013	108.56	80.14
		9/10/2013	108.77	79.93
		1/7/2014	108.91	79.79
		3/18/2014	108.91	79.79
		6/16/2014	109.01	79.69
		9/16/2014	109.20	79.50
		12/16/2014	109.22	79.48
		3/17/2015	109.25	79.45
		6/16/2015	109.33	79.37
		9/15/2015	109.37	79.33
		12/1/2015	109.37	79.33
		3/29/2016	109.38	79.32
		6/21/2016	109.63	79.07
		9/7/2016	109.58	79.12
		11/30/2016	109.54	79.16
		3/7/2017	109.63	79.07
		6/13/2017	109.65	79.05
		9/26/2017	109.72	78.98
		12/19/2017	110.64	78.06
		3/14/2018	109.72	78.98
		6/26/2018	109.73	78.97
		9/5/2018	109.74	78.96
		12/14/2018	109.72	78.98
		3/26/2019	109.65	79.05
		6/14/2019	109.80	78.90
		9/10/2019	109.75	78.95
		11/4/2019	109.88	78.82
		3/3/2020	109.73	78.97
		5/4/2020	109.82	78.88
		8/19/2020	109.93	78.77
		10/20/2020	109.84	78.86
		3/1/2021	109.89	78.81
		9/24/2021	109.40	79.30
		3/3/2022	109.93	78.77



TABLE 1 GROUNDWATER ELEVATIONS San Juan 29-7 Unit 37 Hilcorp Energy Company Rio Arriba County, New Mexico				
Well Identification	Top of Casing Elevation (feet**)	Date	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet**)
MW-6	188.03	10/18/2011	109.55	78.48
		2/23/2012	108.01	80.02
		6/5/2012	108.05	79.98
		9/18/2012	108.06	79.97
		1/8/2013	108.07	79.96
		3/26/2013	108.09	79.94
		6/11/2013	108.25	79.78
		9/10/2013	108.43	79.60
		1/7/2014	108.70	79.33
		3/18/2014	108.70	79.33
		6/16/2014	108.85	79.18
		9/16/2014	108.99	79.04
		12/16/2014	109.10	78.93
		3/17/2015	109.14	78.89
		6/16/2015	109.23	78.80
		9/15/2015	109.20	78.83
		12/1/2015	109.30	78.73
		3/29/2016	109.34	78.69
		6/21/2016	108.58	79.45
		9/7/2016	109.47	78.56
		11/30/2016	109.51	78.52
		3/7/2017	109.47	78.56
		6/13/2017	109.48	78.55
		9/26/2017	109.64	78.39
		12/19/2017	109.64	78.39
		3/15/2018	109.66	78.37
		6/26/2018	109.99	78.04
		9/5/2018	109.75	78.28
		12/14/2018	109.64	78.39
		3/26/2019	109.65	78.38
		6/18/2019	109.73	78.30
		9/11/2019	109.75	78.28
		11/5/2019	109.76	78.27
		3/4/2020	109.81	78.22
		5/6/2020	109.53	78.50
		8/20/2020	109.82	78.21
		10/20/2020	109.83	78.20
		3/1/2021	109.87	78.16
		9/27/2021	110.40	77.63
		3/3/2022	109.94	78.09



TABLE 1 GROUNDWATER ELEVATIONS San Juan 29-7 Unit 37 Hilcorp Energy Company Rio Arriba County, New Mexico				
Well Identification	Top of Casing Elevation (feet**)	Date	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet**)
MW-7	189.93	10/18/2011	109.70	80.23
		2/23/2012	106.58	83.35
		6/5/2012	107.95	81.98
		9/18/2012	108.10	81.83
		1/8/2013	108.13	81.80
		3/26/2013	108.24	81.69
		6/11/2013	108.45	81.48
		9/10/2013	108.64	81.29
		1/7/2014	108.80	81.13
		3/18/2014	108.83	81.10
		6/16/2014	108.96	80.97
		9/25/2014	109.10	80.83
		12/16/2014	109.13	80.80
		3/17/2015	109.12	80.81
		6/16/2015	109.14	80.79
		9/15/2015	109.07	80.86
		12/1/2015	109.15	80.78
		3/29/2016	109.23	80.70
		6/21/2016	109.39	80.54
		9/7/2016	109.42	80.51
		11/30/2016	109.51	80.42
		3/7/2017	109.44	80.49
		6/13/2017	109.38	80.55
		9/26/2017	109.52	80.41
		12/19/2017	109.52	80.41
		3/14/2018	109.49	80.44
		6/26/2018	109.57	80.36
		9/5/2018	109.55	80.38
		12/14/2018	109.50	80.43
		3/25/2019	109.48	80.45
		6/14/2019	109.50	80.43
		9/9/2019	109.48	80.45
		11/1/2019	109.53	80.40
		3/2/2020	109.53	80.40
		5/1/2020	109.53	80.40
		8/18/2020	109.52	80.41
		10/19/2020	109.51	80.42
		3/1/2021	109.60	80.33
		9/24/2021	109.90	80.03
		3/3/2022	109.63	80.30



TABLE 1 GROUNDWATER ELEVATIONS San Juan 29-7 Unit 37 Hilcorp Energy Company Rio Arriba County, New Mexico				
Well Identification	Top of Casing Elevation (feet**)	Date	Depth to Groundwater (feet BTOC)	Groundwater Elevation (feet**)
MW-8	189.86	10/19/2011	--	--
		2/23/2012	108.71	81.15
		6/5/2012	108.65	81.21
		9/20/2012	108.64	81.22
		1/8/2013	108.56	81.30
		3/26/2013	108.63	81.23
		6/11/2013	108.85	81.01
		7/13/2013	Plugged and Abandoned	
MW-8R	Replacement Well Not Surveyed for Elevation	9/10/2013	108.39	--
		1/7/2014	108.65	--
		3/18/2014	108.62	--
		6/16/2014	108.77	--
		9/25/2014	108.91	--
		12/16/2014	108.95	--
		3/17/2015	109.00	--
		6/16/2015	109.12	--
		9/15/2015	109.01	--
		12/1/2015	109.18	--
		3/29/2016	109.12	--
		6/21/2016	109.32	--
		9/7/2016	109.31	--
		11/30/2016	109.26	--
		3/7/2017	109.31	--
		6/13/2017	109.27	--
		9/26/2017	109.40	--
		12/19/2017	109.39	--
		3/14/2018	109.34	--
		6/26/2018	109.42	--
		9/5/2018	109.48	--
		12/14/2018	109.37	--
		3/28/2019	109.38	--
		6/24/2019	109.38	--
		9/13/2019	109.91	--
		11/6/2019	109.86	--
		3/5/2020	109.52	--
		5/7/2020	109.62	--
		8/21/2020	109.63	--
		10/22/2020	109.43	--
		3/2/2021	109.63	--
		9/24/2021	110.00	--
		3/3/2022	109.71	--
		9/20/2022	109.59	--

Notes:

** - elevations based on an arbitrary datum of 200 feet

BTOC: below top of casing

--: indicates no GWEL measured



TABLE 2
GROUNDWATER QUALITY MEASUREMENTS
 San Juan 29-7 Unit 37
 Hilcorp Energy Company
 Rio Arriba County, New Mexico

Well Identification	Date	Temperature (°C)	pH	TDS (mg/L)	Conductivity (µS/cm)	DO (mg/L)	ORP (mV)
MW-1	3/17/2015	18.10	7.28	2,200	3,380	--	53.0
	6/16/2015	17.70	7.30	1,970	3,030	1.39	-12.4
	9/15/2015	16.12	7.13	2,212	3,403	1.09	50.2
	12/1/2015	16.63	7.72	2,361	3,632	1.08	-100.5
	3/29/2016	16.64	7.22	3,100	3,350	4.20	126.0
	6/21/2016	17.10	7.44	--	3,320	0.46	6.5
	9/7/2016	16.31	7.34	2,139	3,290	0.56	-66.0
	12/1/2016	12.71	7.55	--	2,989	5.29	23.5
	3/7/2017	15.36	7.55	2,377	3,657	1.25	-108.8
	6/13/2017	18.42	7.38	2,109	3,245	1.67	-103.7
	9/26/2017	21.00	7.05	--	2,844	--	--
	12/19/2017	13.89	7.37	--	3,232	--	--
	3/14/2018	17.90	7.41	--	3,141	0.28	3.5
	6/26/2018	21.15	7.37	--	3,101	0.29	23.1
	9/5/2018	20.93	7.64	--	2,913	0.03	44.9
	3/29/2019	12.10	7.75	1,520	3,040	--	-34.7
	6/24/2019	20.40	7.28	1,580	3,130	26.60*	-38.0
	9/13/2019	17.80	6.28	1,550	3,100	25.30*	-45.5
	11/6/2019	15.50	6.90	1,540	3,090	100.60*	-45.6
	3/5/2020	14.90	6.73	1,530	3,060	5.99	-37.5
	5/6/2020	19.80	6.63	1,560	3,130	2.33	-30.4
	8/20/2020	21.30	6.95	1,520	3,030	1.21	-31.6
	10/21/2020	17.90	6.75	1,380	2,770	2.59	-30.3
MW-2	3/2/2021	16.60	6.94	1,400	2,810	0.58	-27.4
	9/24/2021	19.40	7.06	--	7,480*	--	--
	3/3/2022	16.90	6.96	--	2,590	--	--
	9/20/2022	18.00	7.06	1,230	2,460	--	--
	3/17/2015	14.80	7.30	2,200	3,430	--	165.0
	6/16/2015	14.90	6.91	1,925	2,961	6.23	25.2
	9/15/2015	14.62	6.99	2,162	3,327	6.27	75.5
	12/1/2015	13.50	7.61	2,277	3,504	5.27	80.8
	3/29/2016	--	--	--	--	--	--
	6/21/2016	15.40	7.38	--	2,850	0.56	-121.6
	9/7/2016	13.96	6.98	2,064	3,175	6.37	60.7
	12/1/2016	13.33	7.92	--	2,932	7.31	29.7
	3/7/2017	12.71	7.30	2,320	3,570	3.81	-84.5
	6/13/2017	15.03	7.24	2,075	3,191	5.55	-12.2
	9/26/2017	15.67	6.83	--	2,795	--	--
	12/19/2017	11.60	7.05	--	3,176	--	--
	3/14/2018	14.81	7.14	--	3,135	4.53	70.3
	6/26/2018	17.31	7.08	--	3,010	3.47	54.9
	9/5/2018	17.39	7.39	--	2,890	3.86	67.4
	3/27/2019	16.60	7.02	1,550	3,010	--	7.5
	6/18/2019	18.00	7.02	1,560	3,130	26.60*	55.4
	9/11/2019	17.60	6.21	1,550	3,100	42.80*	-23.2
	11/5/2019	15.20	6.39	1,560	3,120	46.00*	-19.0
	3/4/2020	15.60	6.41	1,580	3,140	6.95	-17.4
	5/7/2020	16.10	6.46	1,550	3,080	3.28	-19.9
	8/21/2020	18.10	6.87	1,540	3,090	2.50	-18.0
	10/22/2020	15.50	6.47	1,370	2,750	4.05	-17.2



TABLE 2
GROUNDWATER QUALITY MEASUREMENTS

San Juan 29-7 Unit 37
Hilcorp Energy Company
Rio Arriba County, New Mexico

Well Identification	Date	Temperature (°C)	pH	TDS (mg/L)	Conductivity (µS/cm)	DO (mg/L)	ORP (mV)
MW-3	3/17/2015	15.10	7.45	1,900	3,040	--	-94.0
	6/16/2015	15.09	7.31	1,717	2,641	1.23	-123.5
	9/15/2015	15.03	7.30	1,912	2,941	1.39	-125.0
	12/1/2015	13.73	7.78	2,044	3,144	1.48	-164.2
	3/29/2016	15.82	7.34	1,900	2,940	5.66	-103.0
	6/21/2016	14.70	7.00	--	3,230	4.62	56.2
	9/7/2016	14.55	7.10	1,816	2,794	1.50	-102.7
	12/1/2016	14.91	7.74	--	2,556	1.97	-116.2
	3/7/2017	12.81	7.63	2,044	3,144	0.39	-192.6
	6/13/2017	14.77	7.58	1,819	2,801	0.42	-123.9
	9/26/2017	15.05	7.25	--	2,425	--	--
	12/19/2017	12.36	7.48	--	2,776	--	--
	3/14/2018	15.72	7.63	--	2,208	0.00	-139.6
	6/26/2018	18.48	7.63	--	2,589	0.22	-146.3
	9/5/2018	17.28	7.87	--	2,500	-0.07*	-124.3
	3/26/2019	15.80	7.35	1,320	2,640	0.00	-32.6
	6/17/2019	18.70	7.35	1,350	2,740	17.00*	-48.3
	9/10/2019	19.50	6.31	1,350	2,700	15.20*	-57.6
	11/4/2019	15.90	6.70	1,340	2,660	54.20*	-44.6
	3/3/2020	16.30	6.61	1,360	2,710	6.66	-33.6
	5/4/2020	18.30	6.72	1,330	2,620	1.92	-38.6
	8/19/2020	20.30	6.82	1,330	2,700	0.88	-34.4
	10/21/2020	15.80	6.73	1,170	2,340	3.47	-31.8
	3/1/2021	15.00	6.95	1,190	2,390	0.56	-33.6
MW-4	9/24/2021	19.30	6.85	--	6,570	--	--
	3/3/2022	17.10	6.70	--	2,250	--	--
	9/20/2022	18.20	6.59	1,050	2,290	--	--
	3/17/2015	16.30	7.43	2,000	3,120	--	125.0
	6/16/2015	14.68	7.38	1,760	2,707	6.38	13.6
	9/15/2015	14.75	6.99	1,980	3,047	7.23	48.3
	12/1/2015	14.57	7.89	1,451	2,231	5.92	-12.2
	3/29/2016	16.94	7.33	1,900	3,030	7.71	110.0
	6/21/2016	15.30	7.62	--	2,980	4.10	58.9
	9/7/2016	14.52	7.50	1,919	2,953	6.36	65.1
	12/2/2016	12.48	7.81	--	2,688	9.18	76.9
	3/7/2017	--	--	--	--	--	--
	9/26/2017	12.75	7.25	--	2,537	--	--
	12/19/2017	12.22	7.49	--	2,914	--	--
	3/14/2018	14.13	7.57	--	28	5.95	55.1
	6/26/2018	15.95	7.64	--	2,682	4.63	33.8
	9/5/2018	14.99	7.84	--	2,625	6.35	51.2
	3/25/2019	15.60	7.77	1,400	2,570	--	-33.4
	6/14/2019	15.70	7.35	1,410	2,790	60.10*	61.6
	9/9/2019	18.40	7.30	1,420	2,830	51.10*	-56.7
	11/1/2019	12.50	7.03	1,380	2,770	49.10*	-51.8
	3/2/2020	13.90	6.78	1,430	2,940	9.11	-42.6
	5/1/2020	18.40	6.47	1,410	2,790	5.62	-39.9
	8/18/2020	19.80	6.63	1,450	2,990	2.52	-40.0
	10/19/2020	16.40	6.46	1,220	2,430	2.97	-32.2



TABLE 2
GROUNDWATER QUALITY MEASUREMENTS
 San Juan 29-7 Unit 37
 Hilcorp Energy Company
 Rio Arriba County, New Mexico

Well Identification	Date	Temperature (°C)	pH	TDS (mg/L)	Conductivity (µS/cm)	DO (mg/L)	ORP (mV)
MW-5	3/17/2015	18.00	6.80	2,400	3,790	--	87.0
	6/16/2015	17.17	6.49	2,174	3,345	2.36	63.2
	9/15/2015	16.10	6.64	2,468	3,796	1.97	64.7
	12/1/2015	15.73	7.10	2,603	4,004	2.66	168.2
	3/29/2016	19.44	6.87	2,400	3,750	3.01	66.0
	6/21/2016	18.00	6.68	--	3,660	0.92	91.1
	9/7/2016	15.71	6.89	2,331	3,586	3.99	55.4
	12/1/2016	16.15	7.40	--	3,266	3.55	22.4
	3/7/2017	13.27	7.64	2,617	4,026	3.10	-64.7
	9/26/2017	14.09	6.85	--	3,030	--	--
	12/19/2017	12.49	6.85	--	3,513	--	--
	3/14/2018	15.02	6.92	--	3,476	1.37	70.5
	6/26/2018	16.65	7.05	--	3,124	1.64	47.6
	9/5/2018	16.10	7.47	--	3,186	3.88	63.6
	3/26/2019	12.80	7.29	1,490	2,780	--	-3.3
	6/17/2019	17.20	7.25	1,740	3,460	31.60*	-26.0
	9/10/2019	17.90	6.27	1,710	3,430	30.80*	-27.7
	11/4/2019	15.10	6.77	1,710	3,370	26.40*	103.1
	3/3/2020	16.20	6.36	1,690	3,360	9.83	-16.7
	5/4/2020	16.20	6.69	1,670	3,340	2.66	-23.2
	8/19/2020	19.20	6.58	1,660	3,370	1.86	-13.4
	10/20/2020	17.10	6.51	1,480	3,030	1.78	-11.8
MW-6	3/17/2015	17.30	6.90	1,800	2,800	--	103.0
	6/16/2015	17.77	6.73	1,584	2,437	2.12	1.9
	9/15/2015	15.96	6.57	1,784	2,745	2.87	84.3
	12/1/2015	16.18	7.32	1,867	2,873	2.93	82.9
	3/29/2016	16.64	6.77	1,700	2,630	4.89	103.0
	6/21/2016	17.00	7.11	--	27	3.86	59.8
	9/7/2016	16.48	7.00	1,676	2,578	1.87	8.7
	12/2/2016	12.07	7.29	--	2,409	4.10	50.8
	3/7/2017	14.16	7.10	1,936	2,979	2.01	-63.8
	6/13/2017	16.86	7.00	1,716	2,640	2.29	-36.8
	9/26/2017	16.61	6.51	--	2,287	--	--
	12/19/2017	13.49	6.85	--	2,640	--	--
	3/14/2018	16.20	6.94	--	2,581	2.36	68.9
	6/26/2018	22.89	6.91	--	2,494	2.20	52.8
	9/5/2018	20.66	7.18	--	2,381	2.13	65.0
	3/26/2019	16.40	6.95	1,270	2,540	--	-0.6
	6/18/2020	17.20	7.19	1,280	2,570	38.70*	-16.1
	9/11/2019	18.50	6.20	1,280	2,560	38.80*	-13.4
	11/5/2019	16.90	6.31	1,300	2,620	94.90*	-14.5
	3/4/2020	15.10	6.54	1,290	2,580	5.92	-8.7
	5/6/2020	17.40	6.39	1,280	2,570	3.26	-5.6
	8/20/2020	18.50	6.67	1,240	2,600	2.35	-11.6
	10/20/2020	18.10	6.39	1,150	2,270	3.52	-6.3



TABLE 2
GROUNDWATER QUALITY MEASUREMENTS

San Juan 29-7 Unit 37
Hilcorp Energy Company
Rio Arriba County, New Mexico

Well Identification	Date	Temperature (°C)	pH	TDS (mg/L)	Conductivity (µS/cm)	DO (mg/L)	ORP (mV)
MW-7	3/17/2015	17.40	7.64	2,600	4,100	--	118.0
	6/16/2015	17.05	8.28	2,366	3,639	3.73	-48.2
	9/15/2015	16.47	7.66	2,663	4,096	6.44	85.4
	12/1/2015	16.03	7.90	2,853	4,389	2.00	-65.0
	3/29/2016	18.42	7.45	2,600	4,050	7.12	108.0
	6/21/2016	16.40	7.50	--	3,990	5.73	58.1
	9/7/2016	16.04	7.54	2,571	3,970	6.15	59.2
	12/2/2016	14.19	7.57	--	3,604	5.91	47.7
	3/7/2017	13.80	7.59	2,853	4,390	8.58	-29.4
	6/13/2017	17.73	7.47	2,510	3,863	9.30	-2.2
	9/26/2017	16.71	7.07	--	3,337	--	--
	12/19/2017	13.35	7.33	--	3,799	--	--
	3/14/2018	16.21	7.26	--	3,674	8.57	71.9
	6/26/2018	18.13	7.20	--	3,596	8.44	56.5
	9/5/2018	21.46	7.59	--	3,438	6.08	65.5
	3/25/2019	16.20	7.37	1,770	3,560	--	-30.6
	6/14/2019	18.20	7.03	1,820	3,650	46.20*	-22.5
	9/9/2019	18.10	7.23	1,810	3,620	35.60*	-50.5
	11/1/2019	13.50	6.61	1,750	3,410	139.50*	-32.2
	3/2/2020	14.50	6.61	1,760	3,500	8.71	-32.1
	5/1/2020	18.80	6.60	1,780	3,580	3.88	-25.3
	8/18/2020	20.30	6.99	1,800	3,510	2.35	-27.8
	10/19/2020	16.70	6.42	1,580	3,130	3.98	-22.5
MW-8R	3/17/2015	19.30	6.96	2,100	3,310	--	30.0
	6/16/2015	17.82	7.07	1,970	3,033	0.48	-50.3
	9/15/2015	18.30	6.91	2,222	3,431	1.20	-10.7
	12/1/2015	16.75	7.41	2,341	3,595	1.08	-91.3
	3/29/2016	15.86	7.24	2,100	3,340	4.49	-56.0
	6/21/2016	18.20	7.15	--	3,230	0.18	-104.8
	9/7/2016	17.21	7.07	2,128	3,274	0.53	-81.1
	12/1/2016	13.01	7.10	--	2,930	2.36	39.6
	3/7/2017	14.89	7.40	2,368	3,644	2.40	-144.1
	6/13/2017	17.30	7.13	2,061	3,171	0.49	-103.0
	9/26/2017	19.77	6.97	--	2,860	--	--
	12/19/2017	14.97	7.11	--	3,176	--	--
	3/14/2018	19.03	7.09	--	3,127	0.04	-3.6
	6/26/2018	21.51	7.04	--	3,015	0.26	-13.9
	9/5/2018	21.78	7.32	--	2,872	0.05	8.3
	3/28/2019	17.00	7.32	1,560	3,070	--	-11.4
	6/24/2019	17.60	7.25	1,580	3,160	23.60*	-22.5
	9/13/2019	20.10	6.09	1,570	3,140	30.10*	-27.2
	11/6/2019	15.90	6.37	1,540	3,120	118.20*	-9.8
	3/5/2020	16.00	6.76	1,530	3,060	6.71	-32.1
	5/7/2020	20.04	6.51	1,610	3,240	--	-24.1
	8/21/2020	24.20	6.76	1,500	2,970	1.78	-14.3
	10/22/2020	15.90	6.76	1,430	2,840	4.04	-19.0



TABLE 2 GROUNDWATER QUALITY MEASUREMENTS San Juan 29-7 Unit 37 Hilcorp Energy Company Rio Arriba County, New Mexico							
Well Identification	Date	Temperature (°C)	pH	TDS (mg/L)	Conductivity (µS/cm)	DO (mg/L)	ORP (mV)
MW-8R	3/2/2021	15.80	6.96	1,420	2,840	0.72	-13.3
	9/24/2021	18.40	7.12	--	7,760*	--	--
	3/2/2022	17.30	6.85	--	2,690	--	--
	9/20/2022	23.50	6.80	1,200	2,400	--	--

Notes:

°C: degrees Celcius

DO: dissolved oxygen

uS/cm: microsiemens per centimeter

mg/L: milligrams per liter

mV: millivolts

ORP: oxidation-reduction potential

TDS: total dissolved solids

--: data not collected

*: anomalous data



TABLE 3 GROUNDWATER ANALYTICAL RESULTS Hilcorp Energy Company - San Juan 29-7 Unit 37 Rio Arriba County, New Mexico Ensolum Project No. 07A1988028		
--	--	--

Well Identification	Sample Date	Dissolved Manganese (mg/L)
NMWQCC Standards		0.2
MW-1	3/17/2011	2.77
	8/17/2011	0.318
	10/18/2011	--
	2/23/2012	6.40
	6/5/2012	5.15
	9/18/2012	2.60
	1/8/2013	1.10
	3/26/2013	0.486
	6/11/2013	0.520
	9/10/2013	0.164
	1/7/2014	0.132
	3/18/2014	0.643
	6/16/2014	1.20
	9/25/2014	1.57
	12/16/2014	1.49
	3/17/2015	1.60
	6/16/2015	1.36
	9/15/2015	1.52
	12/1/2015	1.76
	3/29/2016	1.86
	6/21/2016	1.72
	9/7/2016	1.38
	12/2/2016	--
	3/7/2017	1.90
	6/13/2017	1.76
	9/26/2017	2.04
	12/19/2017	1.75
	3/14/2018	1.94
	6/26/2018	1.83
	9/5/2018	1.83
	12/14/2018	1.8
	3/29/2019	0.056
	6/24/2019	2.00
	9/13/2019	1.800
	11/6/2019	0.608
	3/5/2020	1.28
	5/6/2020	1.11
	8/20/2020	1.57
	10/21/2020	0.625
	3/2/2021	1.02
	9/24/2021	1.5
	3/3/2022	1.8
	9/20/2022	2.0



TABLE 3 GROUNDWATER ANALYTICAL RESULTS Hilcorp Energy Company - San Juan 29-7 Unit 37 Rio Arriba County, New Mexico Ensolum Project No. 07A1988028		
--	--	--

Well Identification	Sample Date	Dissolved Manganese (mg/L)
NMWQCC Standards		0.2
MW-2	3/17/2011	0.334
	8/17/2011	0.179
	10/18/2011	--
	2/23/2012	0.0360
	6/5/2012	0.0078
	9/18/2012	0.0194
	1/8/2013	0.0057
	3/26/2013	0.0188
	6/11/2013	0.0086
	9/10/2013	< 0.0050
	1/7/2014	0.0069
	3/18/2014	0.281
	6/16/2014	0.09
	9/16/2014	0.783
	12/16/2014	0.746
	3/17/2015	0.0195
	6/16/2015	0.0703
	9/15/2015	< 0.005
	12/1/2015	0.0144
	3/29/2016	< 0.005
	6/21/2016	0.0099
	9/7/2016	0.0104
	12/2/2016	< 0.005
	3/7/2017	< 0.005
	6/13/2017	< 0.005
	9/26/2017	< 0.005
	12/19/2017	< 0.005
	3/14/2018	< 0.005
	6/26/2018	--
	9/5/2018	< 0.005
	12/14/2016	< 0.01
	3/29/2019	< 0.01
	6/18/2019	< 0.01
	9/11/2019	< 0.01
	11/5/2019	< 0.01
	3/4/2020	<0.005
	5/7/2020	<0.005
	8/21/2020	<0.005
	10/22/2020	<0.005



TABLE 3 GROUNDWATER ANALYTICAL RESULTS Hilcorp Energy Company - San Juan 29-7 Unit 37 Rio Arriba County, New Mexico Ensolum Project No. 07A1988028
--

Well Identification	Sample Date	Dissolved Manganese (mg/L)
NMWQCC Standards		0.2
MW-3	3/17/2011	1.79
	8/17/2011	1.42
	10/18/2011	--
	2/23/2012	1.60
	6/5/2012	1.43
	9/18/2012	1.24
	1/8/2013	1.62
	3/26/2013	1.83
	6/11/2013	1.75
	9/10/2013	1.7
	1/7/2014	1.77
	3/18/2014	1.81
	6/16/2014	2
	9/16/2014	2.29
	12/16/2014	2.06
	3/17/2015	2.06
	6/16/2015	1.88
	9/15/2015	2.1
	12/1/2015	2.17
	3/29/2016	2.14
	6/21/2016	1.92
	9/7/2016	1.88
	12/2/2016	1.98
	3/7/2017	2.22
	6/13/2017	1.87
	9/26/2017	1.82
	12/19/2017	1.82
	3/14/2018	1.97
	6/26/2018	1.94
	9/5/2018	1.88
	12/14/2018	1.76
	3/29/2019	1.75
	6/17/2019	1.74
	9/10/2019	1.74
	11/4/2019	1.74
	3/3/2020	1.84
	5/4/2020	1.64
	8/19/2020	1.72
	10/21/2020	1.69
	3/1/2021	1.64
	9/24/2021	1.9
	3/2/2022	1.7
	9/20/2022	1.6



TABLE 3 GROUNDWATER ANALYTICAL RESULTS Hilcorp Energy Company - San Juan 29-7 Unit 37 Rio Arriba County, New Mexico Ensolum Project No. 07A1988028
--

Well Identification	Sample Date	Dissolved Manganese (mg/L)
NMWQCC Standards		0.2
MW-4	3/17/2011	0.022
	8/17/2011	0.0062
	10/18/2011	--
	2/23/2012	0.0170
	6/5/2012	0.0814
	9/18/2012	0.1030
	1/8/2013	0.0289
	3/26/2013	0.0605
	6/11/2013	0.0484
	9/10/2013	0.0303
	1/7/2014	0.0265
	3/18/2014	0.0227
	6/16/2014	0.0080
	9/25/2014	0.0160
	12/16/2014	0.0155
	3/17/2015	0.0156
	6/16/2015	0.0226
	9/15/2015	0.0088
	12/1/2015	0.0118
	3/29/2016	0.0134
	6/21/2016	0.0713
	9/7/2016	0.0138
	12/2/2016	--
	3/7/2017	--
	6/13/2017	--
	9/26/2017	0.0538
	12/19/2017	0.1280
	3/14/2018	<0.005
	6/26/2018	--
	9/5/2018	0.0217
	12/14/2018	<0.010
	3/29/2019	<0.010
	6/14/2019	<0.010
	9/9/2019	<0.010
	11/4/2019	<0.010
	3/2/2020	<0.005
	5/1/2020	<0.005
	8/18/2020	<0.005
	10/19/2020	<0.005



TABLE 3 GROUNDWATER ANALYTICAL RESULTS Hilcorp Energy Company - San Juan 29-7 Unit 37 Rio Arriba County, New Mexico Ensolum Project No. 07A1988028		
--	--	--

Well Identification	Sample Date	Dissolved Manganese (mg/L)
NMWQCC Standards		0.2
MW-5	10/18/2011	--
	2/23/2012	1.10
	6/5/2012	0.868
	9/18/2012	0.791
	1/8/2013	0.58
	3/26/2013	0.356
	6/11/2013	0.609
	9/10/2013	0.368
	1/7/2014	0.396
	3/18/2014	0.606
	6/16/2014	0.93
	9/16/2014	0.433
	12/16/2014	0.0706
	3/17/2015	0.0433
	6/16/2015	0.0331
	9/15/2015	0.0215
	12/1/2015	0.0163
	3/29/2016	0.128
	6/21/2016	0.0109
	9/7/2016	0.235
	12/2/2016	0.214
	3/7/2017	0.0405
	6/13/2017	--
	9/26/2017	1.54
	12/19/2017	0.182
	3/14/2018	0.192
	6/26/2018	0.0054
	9/5/2018	0.02
	12/14/2018	<0.010
	3/29/2019	<0.010
	6/17/2019	<0.010
	9/10/2019	<0.010
	11/4/2019	<0.010
	3/3/2020	<0.005
	5/4/2020	<0.005
	8/19/2020	0.00942
	10/20/2020	0.0866



TABLE 3 GROUNDWATER ANALYTICAL RESULTS Hilcorp Energy Company - San Juan 29-7 Unit 37 Rio Arriba County, New Mexico Ensolum Project No. 07A1988028
--

Well Identification	Sample Date	Dissolved Manganese (mg/L)
NMWQCC Standards		0.2
MW-6	10/18/2011	--
	2/23/2012	<0.005
	6/5/2012	1.600
	9/18/2012	1.110
	1/8/2013	0.158
	3/26/2013	0.282
	6/11/2013	0.328
	9/10/2013	0.299
	1/7/2014	0.268
	3/18/2014	0.246
	6/16/2014	0.140
	9/16/2014	0.115
	12/16/2014	0.147
	3/17/2015	0.114
	6/16/2015	0.0917
	9/15/2015	0.0456
	12/1/2015	0.0396
	3/29/2016	0.0338
	6/21/2016	0.0819
	9/7/2016	0.1070
	12/2/2016	--
	3/7/2017	0.1290
	6/13/2017	0.0734
	9/26/2017	0.0787
	12/19/2017	0.0481
	3/14/2018	0.0459
	6/26/2018	--
	9/5/2018	0.024
	12/14/2018	<0.010
	3/29/2019	<0.010
	6/18/2019	<0.010
	9/11/2019	<0.010
	11/5/2019	<0.010
	3/4/2020	<0.005
	5/6/2020	<0.005
	8/20/2020	<0.005
	10/20/2020	<0.005



TABLE 3
GROUNDWATER ANALYTICAL RESULTS
Hilcorp Energy Company - San Juan 29-7 Unit 37
Rio Arriba County, New Mexico
Ensolum Project No. 07A1988028

Well Identification	Sample Date	Dissolved Manganese (mg/L)
NMWQCC Standards		0.2
MW-7	10/18/2011	--
	2/23/2012	< 0.005
	6/5/2012	0.019
	9/18/2012	0.012
	1/8/2013	0.0093
	3/26/2013	<0.005
	6/11/2013	0.0082
	9/10/2013	0.168
	1/7/2014	0.452
	3/18/2014	0.438
	6/16/2014	0.49
	9/25/2014	0.231
	12/16/2014	0.435
	3/17/2015	0.321
	6/16/2015	0.256
	9/15/2015	0.227
	12/1/2015	0.108
	3/29/2016	0.102
	6/21/2016	0.0552
	9/7/2016	0.0387
	12/2/2016	--
	3/7/2017	0.0077
	6/13/2017	<0.005
	9/26/2017	0.2620
	12/19/2017	<0 .0050
	3/14/2018	0.0056
	6/26/2018	<0 .0050
	9/5/2018	<0 .0050
	12/14/2018	<0 .010
	3/29/2019	<0 .010
	6/14/2019	<0 .010
	9/9/2019	<0 .010
	11/1/2019	<0 .010
	3/2/2020	<0.005
	5/1/2020	<0.005
	8/18/2020	<0.005
	10/19/2020	<0.005



TABLE 3 GROUNDWATER ANALYTICAL RESULTS Hilcorp Energy Company - San Juan 29-7 Unit 37 Rio Arriba County, New Mexico Ensolum Project No. 07A1988028		
--	--	--

Well Identification	Sample Date	Dissolved Manganese (mg/L)
NMWQCC Standards		0.2
MW-8	10/19/2011	--
	2/23/2012	<0.005
	6/5/2012	0.022
	9/20/2012	--
	1/8/2013	--
	3/26/2013	
	6/11/2013	
	7/13/2013	
MW-8R	9/10/2013	0.395
	1/7/2014	0.255
	3/18/2014	0.106
	6/16/2014	1.5
	9/25/2014	1.38
	12/16/2014	1.01
	3/17/2015	0.323
	6/16/2015	0.707
	9/15/2015	0.7
	12/1/2015	0.84
	3/29/2016	1.16
	6/21/2016	0.431
	9/7/2016	0.758
	12/2/2016	0.488
	3/7/2017	0.437
	6/13/2017	0.396
	9/26/2017	0.0218
	12/19/2017	0.432
	3/14/2018	0.364
	6/26/2018	0.434
	9/5/2018	0.442
	12/14/2018	0.238
	3/29/2019	0.172
	6/24/2019	0.427
	9/13/2019	0.357
	11/6/2019	0.0153
	3/5/2020	1.98
	5/7/2020	0.775
	8/21/2020	0.0524
	10/22/2020	0.710
	3/2/2021	0.622



TABLE 3
GROUNDWATER ANALYTICAL RESULTS
Hilcorp Energy Company - San Juan 29-7 Unit 37
Rio Arriba County, New Mexico

Ensolum Project No. 07A1988028

Well Identification	Sample Date	Dissolved Manganese (mg/L)
NMWQCC Standards		0.2
MW-8R	9/24/2021	0.89
	3/2/2022	0.31
	9/20/2022	0.60

Notes:

mg/L: milligrams per liter

NMWQCC: New Mexico Water Quality Control Commission

--: not analyzed

<0.037: indicates result less than the stated laboratory reporting limit (RL)

Cells shaded in gray indicate groundwater samples collected prior to CoolOx™ treatment

Concentrations in **bold** and shaded exceed the New Mexico Water Quality Control Commission Standards, 20.6.2 of the New Mexico Administrative Code



APPENDIX A

Laboratory Analytical Reports



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: clients.hallenvironmental.com

March 22, 2022

Mitch Killough
HILCORP ENERGY
PO Box 4700
Farmington, NM 87499
TEL: (505) 564-0733
FAX

RE: San Juan 29 7 Unit 37

OrderNo.: 2203309

Dear Mitch Killough:

Hall Environmental Analysis Laboratory received 3 sample(s) on 3/4/2022 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

A handwritten signature in black ink, appearing to read "Andy Freeman".

Andy Freeman
Laboratory Manager
4901 Hawkins NE
Albuquerque, NM 87109

Hall Environmental Analysis Laboratory, Inc.

Analytical Report
Lab Order 2203309
Date Reported: 3/22/2022

CLIENT: HILCORP ENERGY Client Sample ID: MW-1
Project: San Juan 29 7 Unit 37 Collection Date: 3/3/2022 2:45:00 PM
Lab ID: 2203309-001 Matrix: AQUEOUS Received Date: 3/4/2022 8:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 200.7: DISSOLVED METALS						Analyst: ELS
Manganese	1.8	0.010	*	mg/L	5	3/11/2022 10:30:49 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Estimated value
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix interference		

CLIENT: HILCORP ENERGY
Project: San Juan 29 7 Unit 37
Lab ID: 2203309-002

Client Sample ID: MW-3
Collection Date: 3/2/2022 12:00:00 PM
Received Date: 3/4/2022 8:00:00 AM

Matrix: AQUEOUS

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 200.7: DISSOLVED METALS						Analyst: ELS
Manganese	1.7	0.010	*	mg/L	5	3/11/2022 10:35:20 AM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Estimated value
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix interference		

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2203309

22-Mar-22

Client: HILCORP ENERGY**Project:** San Juan 29 7 Unit 37

Sample ID: MB	SampType: MBLK	TestCode: EPA Method 200.7: Dissolved Metals								
Client ID: PBW	Batch ID: B86413	RunNo: 86413								
Prep Date:	Analysis Date: 3/11/2022	SeqNo: 3048350 Units: mg/L								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Manganese	ND	0.0020								

Sample ID: LLCS	SampType: LCSLL	TestCode: EPA Method 200.7: Dissolved Metals								
Client ID: BatchQC	Batch ID: B86413	RunNo: 86413								
Prep Date:	Analysis Date: 3/11/2022	SeqNo: 3048351 Units: mg/L								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Manganese	0.0022	0.0020	0.002000	0	111	50	150			

Sample ID: LCS	SampType: LCS	TestCode: EPA Method 200.7: Dissolved Metals								
Client ID: LCSW	Batch ID: B86413	RunNo: 86413								
Prep Date:	Analysis Date: 3/11/2022	SeqNo: 3048352 Units: mg/L								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Manganese	0.49	0.0020	0.5000	0	98.4	85	115			

Sample ID: 2203309-001AMS	SampType: MS	TestCode: EPA Method 200.7: Dissolved Metals								
Client ID: MW-1	Batch ID: B86413	RunNo: 86413								
Prep Date:	Analysis Date: 3/11/2022	SeqNo: 3048423 Units: mg/L								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Manganese	4.3	0.010	2.500	1.781	99.6	70	130			

Sample ID: 2203309-001AMSD	SampType: MSD	TestCode: EPA Method 200.7: Dissolved Metals								
Client ID: MW-1	Batch ID: B86413	RunNo: 86413								
Prep Date:	Analysis Date: 3/11/2022	SeqNo: 3048424 Units: mg/L								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Manganese	4.3	0.010	2.500	1.781	99.0	70	130	0.362	20	

Sample ID: 2203309-002AMS	SampType: MS	TestCode: EPA Method 200.7: Dissolved Metals								
Client ID: MW-3	Batch ID: B86413	RunNo: 86413								
Prep Date:	Analysis Date: 3/11/2022	SeqNo: 3048426 Units: mg/L								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Manganese	4.3	0.010	2.500	1.699	105	70	130			

Qualifiers:

*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
D	Sample Diluted Due to Matrix	E	Estimated value
H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
PQL	Practical Quantitative Limit	RL	Reporting Limit
S	% Recovery outside of range due to dilution or matrix interference		

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 2203309

22-Mar-22

Client: HILCORP ENERGY

Project: San Juan 29 7 Unit 37

Sample ID: 2203309-002AMSD		SampType: MSD		TestCode: EPA Method 200.7: Dissolved Metals						
Client ID: MW-3		Batch ID: B86413		RunNo: 86413						
Prep Date:		Analysis Date: 3/11/2022		SeqNo: 3048427		Units: mg/L				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Manganese	4.2	0.010	2.500	1.699	99.2	70	130	3.17	20	

- Qualifiers:
- * Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quantitative Limit

S % Recovery outside of range due to dilution or matrix interference


B Analyte detected in the associated Method Blank

E Estimated value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: clients.hallenvironmental.com

Sample Log-In Check List

Client Name: HILCORP ENERGY

Work Order Number: 2203309

RcptNo: 1

Received By: Cheyenne Cason

3/4/2022 8:00:00 AM

Handwritten signature

Completed By: Tracy Casarrubias

3/4/2022 9:52:55 AM

Reviewed By: *Handwritten signature*

3/4/22

Chain of Custody1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐2. How was the sample delivered? CourierLog In3. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐4. Were all samples received at a temperature of $>0^{\circ}\text{C}$ to 6.0°C ? Yes ☒ No ☐ NA ☐5. Sample(s) in proper container(s)? Yes ☒ No ☐6. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐7. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐8. Was preservative added to bottles? Yes ☒ No ☐ NA ☐9. Received at least 1 vial with headspace $<1/4"$ for AQ VOA? Yes ☐ No ☐ HNO₃ NA ☒10. Were any sample containers received broken? Yes ☐ No ☒11. Does paperwork match bottle labels? Yes ☒ No ☐

(Note discrepancies on chain of custody)

12. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐13. Is it clear what analyses were requested? Yes ☒ No ☐14. Were all holding times able to be met? Yes ☒ No ☐

(If no, notify customer for authorization.)

of preserved bottles checked for pH: 3
(<2 or >12 unless noted)

Adjusted? yesChecked by: sc 3/4/22Special Handling (if applicable)15. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified: _____

Date: _____

By Whom: _____

Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person

Regarding: _____

Client Instructions: _____

16. Additional remarks:

Filtered off ~100mL from sample bottles provided for 001-003A, adding ~0.4mL HNO₃ to all samples for dissolved metals analysis, checked for proper pH <2 - sc LOT # FG5424 x 3
3/4/22

17. Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	3.8	Good	Yes			
2	1.9	Good	Yes			



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

October 03, 2022

Kate Kaufman
HILCORP ENERGY
PO Box 4700
Farmington, NM 87499
TEL: (505) 564-0733
FAX

RE: San Juan 29 7 Unit 37

OrderNo.: 2209B14

Dear Kate Kaufman:

Hall Environmental Analysis Laboratory received 4 sample(s) on 9/21/2022 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

A handwritten signature in black ink, appearing to read "Andy Freeman", is written over a light blue horizontal line.

Andy Freeman
Laboratory Manager
4901 Hawkins NE
Albuquerque, NM 87109

CLIENT: HILCORP ENERGY

Client Sample ID: MW-1

Project: San Juan 29 7 Unit 37

Collection Date: 9/20/2022 1:50:00 PM

Lab ID: 2209B14-001

Matrix:

Received Date: 9/21/2022 7:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 200.7: DISSOLVED METALS						Analyst: JRR
Manganese	2.0	0.010	*	mg/L	5	9/28/2022 2:24:04 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Estimated value
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix interference		

Hall Environmental Analysis Laboratory, Inc.

Analytical Report
Lab Order 2209B14
Date Reported: 10/3/2022

CLIENT: HILCORP ENERGY Client Sample ID: MW-3
Project: San Juan 29 7 Unit 37 Collection Date: 9/20/2022 12:40:00 PM
Lab ID: 2209B14-002 Matrix: Received Date: 9/21/2022 7:00:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 200.7: DISSOLVED METALS						Analyst: JRR
Manganese	1.6	0.010	*	mg/L	5	9/27/2022 5:40:50 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Estimated value
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of range due to dilution or matrix interference		

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2209B14

03-Oct-22

Client: HILCORP ENERGY**Project:** San Juan 29 7 Unit 37

Sample ID: MB-C	SampType: MBLK	TestCode: EPA Method 200.7: Dissolved Metals								
Client ID: PBW	Batch ID: C91347	RunNo: 91347								
Prep Date:	Analysis Date: 9/27/2022	SeqNo: 3269825 Units: mg/L								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Manganese	ND	0.0020								

Sample ID: LLCS-C	SampType: LCSLL	TestCode: EPA Method 200.7: Dissolved Metals								
Client ID: BatchQC	Batch ID: C91347	RunNo: 91347								
Prep Date:	Analysis Date: 9/27/2022	SeqNo: 3269826 Units: mg/L								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Manganese	ND	0.0020	0.002000	0	93.3	50	150			

Sample ID: LCS-C	SampType: LCS	TestCode: EPA Method 200.7: Dissolved Metals								
Client ID: LCSW	Batch ID: C91347	RunNo: 91347								
Prep Date:	Analysis Date: 9/27/2022	SeqNo: 3269827 Units: mg/L								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Manganese	0.49	0.0020	0.5000	0	97.8	85	115			

Sample ID: MB-B	SampType: MBLK	TestCode: EPA Method 200.7: Dissolved Metals								
Client ID: PBW	Batch ID: B91392	RunNo: 91392								
Prep Date:	Analysis Date: 9/28/2022	SeqNo: 3271802 Units: mg/L								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Manganese	ND	0.0020								

Sample ID: LLCS-B	SampType: LCSLL	TestCode: EPA Method 200.7: Dissolved Metals								
Client ID: BatchQC	Batch ID: B91392	RunNo: 91392								
Prep Date:	Analysis Date: 9/28/2022	SeqNo: 3271803 Units: mg/L								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Manganese	0.0021	0.0020	0.002000	0	103	50	150			

Sample ID: LCS-B	SampType: LCS	TestCode: EPA Method 200.7: Dissolved Metals								
Client ID: LCSW	Batch ID: B91392	RunNo: 91392								
Prep Date:	Analysis Date: 9/28/2022	SeqNo: 3271810 Units: mg/L								
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Manganese	0.49	0.0020	0.5000	0	97.6	85	115			

Qualifiers:

*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
D	Sample Diluted Due to Matrix	E	Estimated value
H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
PQL	Practical Quantitative Limit	RL	Reporting Limit
S	% Recovery outside of range due to dilution or matrix interference		

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 2209B14

03-Oct-22

Client: HILCORP ENERGY

Project: San Juan 29 7 Unit 37


Sample ID: 2209B14-001AMS	SampType: MS	TestCode: EPA Method 200.7: Dissolved Metals
Client ID: MW-1	Batch ID: B91392	RunNo: 91392
Prep Date:	Analysis Date: 9/28/2022	SeqNo: 3271845 Units: mg/L
Analyte	Result	PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual
Manganese	4.5	0.010 2.500 2.004 100 70 130

Sample ID: 2209B14-001AMSD	SampType: MSD	TestCode: EPA Method 200.7: Dissolved Metals
Client ID: MW-1	Batch ID: B91392	RunNo: 91392
Prep Date:	Analysis Date: 9/28/2022	SeqNo: 3271849 Units: mg/L
Analyte	Result	PQL SPK value SPK Ref Val %REC LowLimit HighLimit %RPD RPDLimit Qual
Manganese	4.5	0.010 2.500 2.004 101 70 130 0.494 20

Qualifiers:

*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
D	Sample Diluted Due to Matrix	E	Estimated value
H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
PQL	Practical Quantitative Limit	RL	Reporting Limit
S	% Recovery outside of range due to dilution or matrix interference		

Page 6 of 6



4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: HILCORP ENERGY

Work Order Number: 2209B14

RcptNo: 1

Received By: Juan Rojas

9/21/2022 7:00:00 AM

Juan Rojas

Completed By: Cheyenne Cason

9/21/2022 2:01:10 PM

Cason

Reviewed By:

*9.21.22***Chain of Custody**

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? Courier

Log In

3. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
4. Were all samples received at a temperature of $>0^{\circ}\text{C}$ to 6.0°C ? Yes ☒ No ☐ NA ☐
5. Sample(s) in proper container(s)? Yes ☒ No ☐
6. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
7. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
8. Was preservative added to bottles? Yes ☒ No ☐ NA ☐
9. Received at least 1 vial with headspace $<1/4"$ for AQ VOA? Yes ☐ No ☐ HNO₃ NA ☒
10. Were any sample containers received broken? Yes ☐ No ☒
11. Does paperwork match bottle labels?
(Note discrepancies on chain of custody) Yes ☒ No ☐
12. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
13. Is it clear what analyses were requested? Yes ☒ No ☐
14. Were all holding times able to be met?
(If no, notify customer for authorization.) Yes ☒ No ☐

of preserved bottles checked for pH: 4
(<2 or >12 unless noted)

Adjusted? yesChecked by: KPA 9.21.22**Special Handling (if applicable)**

15. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified: _____

Date: _____

By Whom: _____

Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person

Regarding: _____

Client Instructions: _____

16. Additional remarks:

Filtered off ~100mL from sample bottle provided for 001-004B, adding ~0.4mL HNO₃ for dissolved metals analysis, checked for proper pH <2 - KPA 9.21.22

17. Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	0.9	Good	Not Present			

Filter # FJ4820 x4

HALL ENVIRONMENTAL ANALYSIS LABORATORY

www.hallenvironmental.com

4901 Hawkins NE - Albuquerque, NM 87109

Tel. 505-345-3975 Fax 505-345-4107

Analysis Request

Chain-of-Custody Record			
Client: Hilcorp Farmington NM			
Mailing Address: 382 Road 3100 Aztec, NM 87410			
Billing Address: PO Box 61529 Houston, TX 77208			
Phone #: 505-486-9543			
email or Fax#: Brandon.Sinclair@hilcorp.com			
QA/QC Package:			
<input type="checkbox"/> Standard <input type="checkbox"/> Level 4 (Full Validation)			
Accreditation: <input type="checkbox"/> Az Compliance			
<input type="checkbox"/> NELAC <input type="checkbox"/> Other			
<input type="checkbox"/> EDD (Type)			
Project Manager: Kate Kaufman			
Sampler: Brandon Sinclair			
On Ice: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No			
# of Coolers: 1			
Cooler Temp (including CF): 0.9-0.9			
Date	Time	Matrix	Sample Name
9-20	1350	Water	MW-1
	1240	Water	MW-3
	1325	Water	MW-8R
	1200	Water	MW-3 non-purged
Container Type and # Preservative Type HEAL No. (1) 500ml Plastic Cool 001 (1) 500ml Plastic Cool 002 (1) 500ml Plastic Cool 003 (1) 500ml Plastic Cool 004			
Received by: [Signature] Date: 9/20/22 Time: 1707			
Received by: [Signature] Date: 9/20/22 Time: 1802			

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 201669

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID:
	372171
	Action Number: 201669
	Action Type: [UF-GWA] Ground Water Abatement (GROUND WATER ABATEMENT)

CONDITIONS

Created By	Condition	Condition Date
michael.buchanan	Review of the 2022 Annual Groundwater Monitoring Report for the San Juan 29-7 Unit 37 release site, Hilcorp Energy: Content Satisfactory 1. Proceed with conducting groundwater monitoring for MW-1, MW-3, MW-8R on an annual basis until dissolved manganese concentration are at allowable concentrations in Title 20 of the NMAC. 2. Sample wells MW-2, MW-4, MW-5, MW-6 and MW-7 on a quarterly basis until eight (8) consecutive lab analyses are achieved below allowable concentrations for Mn. 3. Submit the 2023 Annual Monitoring Report, if it hasn't already been submitted, and submit the 2024 report by April 1, 2025.	5/23/2024