

**SEVENTH ANNUAL GROUNDWATER
MONITORING REPORT
CHESAPEAKE ENERGY CORPORATION
STATE M LEASE (AP-72)
LEA COUNTY, NEW MEXICO**

Prepared for:

Chesapeake Energy Corporation
6100 North Western Avenue
Oklahoma City, Oklahoma 73118
(405) 935-3938

Prepared by:

Equus Environmental, LLC
1323 East 71st Street, Suite 200
Tulsa, Oklahoma 74136
(918) 921-5331

May 26, 2021



TABLE OF CONTENTS

LIST OF TABLES	ii
LIST OF FIGURES	ii
LIST OF APPENDICES	ii
1.0 INTRODUCTION	1
2.0 REMEDIATION	3
2.1 SVE SYSTEM	3
2.2 MW-1R LNAPL RECOVERY	5
3.0 QUARTERLY GROUNDWATER MONITORING.....	6
3.1 GROUNDWATER MONITORING METHODOLOGY	6
3.2 TWENTY-FIFTH QUARTERLY GROUNDWATER SAMPLING RESULTS.....	7
3.3 TWENTY-SIXTH QUARTERLY GROUNDWATER SAMPLING RESULTS	7
3.4 TWENTY-SEVENTH QUARTERLY GROUNDWATER SAMPLING RESULTS	8
3.5 TWENTY-EIGHTH QUARTERLY GROUNDWATER SAMPLING RESULTS	8
4.0 CONCLUSIONS.....	10
5.0 RECOMMENDATIONS	11

LIST OF TABLES

- 1 Summary of SVE System Field Readings
- 2 Summary of Laboratory Analytical Results for Discharge Air Samples
- 3 Summary of Liquid Level Measurements
- 4 Summary of Laboratory Analytical Results for Groundwater Samples

LIST OF FIGURES

- 1 Site Location and Topographic Features
- 2 Site Base Map
- 3 SVE System VOC Discharge Concentrations Versus Time
- 4 Groundwater Potentiometric Surface, June 6, 2020
- 5 Groundwater Potentiometric Surface, September 24, 2020
- 6 Groundwater Potentiometric Surface, December 10, 2020
- 7 Groundwater Potentiometric Surface, March 2, 2021
- 8 Isopleth of Chloride Concentrations in Groundwater, March 2, 2021
- 9 Chloride Concentration Trend Graphs

LIST OF APPENDICES

(All Appendices on CD in bound copy)

- A Stage 2 Abatement Plan
- B NMOCD Approval of Stage 2 Abatement Plan
- C Laboratory Analytical Reports and Chain-of-Custody Documentation



**SEVENTH ANNUAL GROUNDWATER MONITORING REPORT
CHESAPEAKE ENERGY CORPORATION
STATE M LEASE (AP-72)
LEA COUNTY, NEW MEXICO
MAY 26, 2021**

1.0 INTRODUCTION

Chesapeake Energy Corporation (Chesapeake) has retained Equus Environmental, LLC (Equus), to perform impacted groundwater monitoring and light non-aqueous phase liquid (LNAPL) hydrocarbon remediation at Chesapeake's former State M Lease site (Site) located in Lea County, New Mexico. The Site is located approximately 8 miles south-southwest of Lovington, New Mexico in the SE-SW-SE of Section 18, Township 17 South, Range 36 East, Lea County, New Mexico (coordinates 32.828061° latitude, -103.391012° longitude). The Site location and topographic features are shown on **Figure 1**. An oil and gas production tank battery was formerly located at the Site. Chesapeake purchased the Site in 2004, but never operated the tank battery. Chesapeake began abandonment and environmental investigation activities at the Site in 2007.

Initial Site investigation activities were conducted in May 2007. These investigation activities consisted of conducting EM-31 and EM-34 ground conductivity surveys, the collection of soil samples from nine boreholes, and the installation and sampling of seven groundwater monitoring wells. Following the investigation in August 2007, Chesapeake submitted to the New Mexico Oil Conservation Division (NMOCD) a Stage 1 Abatement Plan for the Site. In May 2010, the NMOCD responded to Chesapeake that the agency was not adequately staffed to review the abatement plan in a timely manner and advised Chesapeake that they could proceed with abatement operations at risk. In July 2010, Chesapeake notified the NMOCD of their intent to proceed with the Stage 1 Abatement activities. On March 20, 2012, following implementation of these activities, Chesapeake submitted the Stage 1 Abatement Report for the Site.

On March 27, 2012, Chesapeake submitted to the NMOCD the **Stage 2 Abatement Plan** (Plan) for the Site. A copy of the Plan is provided in **Appendix A**. In this Plan, Chesapeake proposed the following abatement activities at the Site:

- Excavate and remove the near-surface soils at the Site containing concentrations of chloride exceeding 1,000 milligrams per kilogram (mg/kg),
- Excavate and remove the near-surface soils at the Site containing concentrations of TPH exceeding 1,000 mg/kg,
- Install clay liners in areas where chloride and/or TPH concentrations exceed 1,000 mg/kg at depths greater than five feet below ground level (bgl),
- Install one additional groundwater monitoring well downgradient of the Site,
- Monitor the groundwater at the Site until the concentrations of chloride and benzene are below the New Mexico Water Quality Control Commission standards.

On March 7, 2013, NMOCD notified Chesapeake that the Plan was administratively complete and that Chesapeake should proceed with public notice of the Plan. On March 30, 2013, Chesapeake published a notice of the proposed activities in the Albuquerque Journal, the Hobbs-Daily News Sun and the Lovington Leader. In addition, written notification of the Plan submittal was sent to all surface owners of record within a 1-mile radius of the Site. On June 27, 2013 upon completion of the notification activities, the NMOCD approved the Plan for the Site. A copy of the NMOCD correspondence approving the Plan is included in **Appendix B**.

The soil remediation activities outlined in the Plan were conducted at the Site during the period January 15, 2014 through March 27, 2014. The soil remediation activities were summarized in the document titled **Soil Remediation Summary Report**, submitted to the NMOCD on August 6, 2014.

This **Seventh Annual Groundwater Monitoring Report** (Report) summarizes the groundwater monitoring activities conducted at the Site during the following quarterly sampling events:

- Twenty-Fifth Event - June 6, 2020,
- Twenty-Sixth Event - September 24, 2020,
- Twenty-Seventh Event - December 10-11, 2020,
- Twenty-Eighth Event - March 2, 2021.

2.0 REMEDIATION

2.1 SVE SYSTEM

As documented in the **First Annual Groundwater Monitoring Report**, dated May 19, 2015, during the period May 12-14, 2014, a soil vapor extraction (SVE) remediation system (System) was installed and made operational at the Site. The System is comprised of 8 SVE wells connected through a manifold system constructed of two- and three-inch Schedule 80 PVC piping and plumbed to a 10-horsepower 3-phase SVE Regenerative Blower housed within the System Building. The location of the System Building is shown on attached **Figure 2**. Within the System, soil vapor from the SVE wells is drawn through a moisture knock out/separator and a particulate filter prior to reaching the blower. An air-flow meter is installed downstream of the blower in the air-exhaust line and an air sample port is located on the air-exhaust line at a location upstream of its exit from the System Building.

System start-up was conducted on June 6, 2014. Routine checks of the System are conducted to record the blower run times, discharge rate/ACFM and VOC concentration of the discharge-air stream. These field readings are used to calculate the approximate weight of VOCs extracted from the subsurface and discharged from the System. The field PID data are entered into a spreadsheet to calculate the VOC discharge rate and approximate total pounds removed by the System. The approximate total VOC discharges for each quarter are then summed to provide a cumulative VOC discharge total. These data are summarized in **Table 1**. Through March 2, 2021, the field PID data suggest that approximately 8,310 pounds of VOCs have been removed from the subsurface and discharged from the System.

During the reporting period, discharge-air samples were collected quarterly in laboratory-provided Summa canisters, shipped under chain-of-custody control to Eurofins TestAmerica, Pittsburgh, Pennsylvania and analyzed for VOC compounds and total VOCs as hexane by Method TO-15.

During the twenty-fifth quarter, discharge-air sample 20200606-M-SVE was collected on June 6, 2020. On this date, the System had been running for a total of 51,616 hours, was operating at 340 ACFM and had a field reading of 47 PPM from the discharge air stream. Laboratory analytical results for this discharge-air sample indicated a total VOC as Hexane concentration of 50,000 PPB V/V (50.0 PPM V/V).

During the twenty-sixth quarter, discharge-air sample 20200924-M-SVE was collected on September 24, 2020. On this date, the System had been running for a total of 53,703 hours, was operating at 410 ACFM and had a field reading of 47 PPM from the discharge air stream. Laboratory analytical results for this discharge-air sample indicated a total VOC as Hexane concentration of 24,000 PPB V/V (24.0 PPM V/V).

During the twenty-seventh quarter, discharge-air sample 20201211-M1-SVE was collected on December 20, 2020. On this date, the System had been running for approximately 55,250 hours, was operating at 380 ACFM and had a field reading of 67 PPM from the discharge air stream. Laboratory analytical results for this discharge-air sample indicated a total VOC as Hexane concentration of 91,000 PPB V/V (91.0 PPM V/V).

During the twenty-eighth quarter, discharge-air sample 20210302-M-SVE was collected on March 2, 2021. On this date, the System had been running for a total of 56,926 hours, was operating at 355 ACFM and had a field reading of 6.4 PPM from the discharge air stream. Laboratory analytical results for this discharge-air sample indicated a total VOC as Hexane concentration of 2,300 PPB V/V (2.3 PPM V/V).

A summary of the laboratory analytical results for the discharge-air samples is presented in **Table 2**, and complete copies of the laboratory analytical reports and chain-of-custody documentation are provided in **Appendix C**. The discharge-air analytical data are used to compute a correlation factor for the field PID readings to more accurately calculate the total VOC discharged.

Field PID instrument readings are typically lower than laboratory analysis for total VOCs. To compensate for the low field PID readings, a correlation factor is calculated based upon the ratio of the laboratory analytical value versus the field PID value. The correlation factor is then used to multiply the field PID readings and calculate the total VOC discharge. To accurately reflect the total VOC discharge from the System during a given period, **Table 1** includes the calculated unique correlation factor for each quarterly air-discharge sampling event. This unique correlation factor is then utilized to calculate the total VOC discharge from the System for the period in which that particular air-discharge sample was collected. Utilizing the noted correlation factors, approximately 14,015 pounds of VOCs have been removed from the subsurface at the Site.

Figure 3 presents a graph of the VOC concentrations observed in the discharge air stream versus time. As can be seen on this figure, the levels of VOC observed in the air discharge stream have decreased dramatically since startup. These data indicate that the System is effective at removing the hydrocarbon vapors from the subsurface. Removal of hydrocarbon vapors coupled with the influx of oxygen drawn into the impacted area by the System enhances biodegradation of the hydrocarbon impacts observed in this area.

2.2 MW-1R LNAPL RECOVERY

As documented in the **First Annual Groundwater Monitoring Report**, dated May 19, 2015, to enhance LNAPL recovery in the MW-1R area, 2-inch diameter monitoring well MW-1 was plugged and replaced with 4-inch diameter monitoring well MW-1R. On June 5, 2014, a QED Environmental Genie LNAPL recovery pump was placed and made operational in monitoring well MW-1R. The Genie LNAPL recovery pump is an air-actuated bladder pump with a floating intake (skimmer), set at a depth that produces the maximum amount of LNAPL recovery per cycle. Air is provided to the Genie LNAPL recovery pump from a compressor located within the System Building.

During the reporting period, LNAPL was not recovered from monitoring well MW-1R. This lack of recovery can be attributed to the decreasing LNAPL thicknesses observed in MW-1R during the reporting period (0.24-feet to 0.10-feet). LNAPL thicknesses this small are outside of the operating capabilities of the pump. During each quarterly monitoring event, the recovery pump and controller was inspected, cleaned and adjusted in an attempt to recover LNAPL, but was not successful.

Since start-up of the Genie LNAPL recovery pump, a total of approximately 15 drums (822.5 gallons) of LNAPL have been recovered from the Site. Chesapeake is considering a different approach to recover LNAPL from monitoring well MW-1R.

3.0 QUARTERLY GROUNDWATER MONITORING

This Report describes the findings from four quarterly groundwater sampling events conducted at the Site from June 6, 2020 through March 2, 2021.

3.1 GROUNDWATER MONITORING METHODOLOGY

Prior to collecting groundwater samples during each quarterly event, EQUUS gauged all 8 monitoring wells (MW-1R through MW-8) at the Site using an electronic interface probe to determine the depth-to-water (DTW) and LNAPL thickness within each well. The locations of these monitoring wells are shown on **Figure 2**. DTWs were measured from the surveyed top-of-casing (TOC) of each well and converted to elevations relative to mean sea level. These data are presented in **Table 3**. Potentiometric surface maps were constructed utilizing these data to illustrate the groundwater flow direction within the shallow groundwater system beneath the Site. These potentiometric surface maps are presented on **Figures 4** through **7**. It should be noted that DTW measurements collected from monitoring well MW-1R are not honored for generating potentiometric surfaces due to the influence of LNAPL present in the monitoring well and the potential influence of the SVE system on groundwater levels. As can be seen on the figures, groundwater flow at the Site is, in general, from the northwest to the southeast. The June 2020 potentiometric surface did exhibit a change in groundwater flow direction generally observed at the Site. As can be seen on **Figure 4**, groundwater in the northwest portion of the Site appears to flow in the opposite direction as historically documented, towards monitoring well MW-2. This change in groundwater flow direction may be attributed to either a measurement recording error, or an unknown condition causing a groundwater drawdown effect on monitoring well MW-2.

Upon completion of DTW measurement activities, Equus field personnel collected groundwater samples per the Plan. As specified in the Plan, chloride is the primary constituent of concern (COC) at the Site until the LNAPL has been adequately eliminated from monitoring well MW-1R. When the LNAPL has been adequately eliminated from monitoring well MW-1R, the groundwater within this well will be monitored for benzene, toluene, ethylbenzene and total xylenes (BTEX) until the levels of BTEX fall below the Limits of 0.01 mg/L, 0.75 mg/L, 0.75 mg/L and 0.62 mg/L, respectively.

The laboratory analytical results for chloride from these sampling events are screened against **the New Mexico Administrative Code 20.6.2, Standards for Groundwater of 10,000 mg/L TDS Concentration or Less** for chloride of 250 mg/L (Limit). According to the remediation

goals set in the Plan, each monitoring well is required to exhibit eight consecutive monitoring events where chloride is below the Limit of 250 mg/L. When these remediation goals are met, Chesapeake will cease groundwater sampling activities for chloride.

As recommended in the **Fifth Annual Groundwater Monitoring Report**, dated May 20, 2019, during this reporting period groundwater samples were only collected from monitoring wells MW-4 and MW-8 for chloride analysis due to the remaining monitoring wells having already achieved the abatement goal of eight consecutive quarters of chloride concentrations below 250 mg/L.

The groundwater samples from monitoring wells MW-4 and MW-8 were collected utilizing EPA approved low-flow purging/sampling methodologies. Field parameters consisting of pH, specific conductivity, temperature, and dissolved oxygen (DO) were measured during field activities utilizing a multi-parameter meter and air-tight flow-through cell. Upon stabilization of the field parameters, groundwater samples were collected into laboratory prepared containers, labeled as to source and contents, placed on ice for preservation, placed under chain-of-custody control and shipped via overnight courier to the analytical laboratory (Eurofins TestAmerica, Edison, new Jersey). As per the Plan, groundwater samples collected from these monitoring wells were analyzed for chloride by EPA Method 300.0. A summary of the laboratory analytical results for chloride analyses is presented in **Table 4**, and complete copies of the laboratory analytical reports and chain-of-custody documentation is provided in **Appendix C**.

3.2 TWENTY-FIFTH QUARTERLY GROUNDWATER SAMPLING RESULTS

The twenty-fifth groundwater sampling event was conducted at the Site on June 6, 2020. As can be seen in **Table 4**, the groundwater sample collected from monitoring well MW-4 (429 mg/L) exhibited a concentration of chloride that exceeds the Limit of 250 mg/L. The chloride concentration reported in monitoring well MW-8 (97.4 mg/L) exhibited a chloride concentration that was less than the Limit of 250 mg/L.

During the twenty-fifth quarterly groundwater sampling event, LNAPL was observed in monitoring well MW-1R at a thickness of 0.24 feet.

3.3 TWENTY-SIXTH QUARTERLY GROUNDWATER SAMPLING RESULTS

The twenty-sixth quarterly groundwater sampling event was conducted at the Site on September 24, 2020. As can be seen in **Table 4**, the groundwater sample collected from monitoring well MW-4 (430 mg/L) exhibited a concentration of chloride that exceeds the Limit of

250 mg/L. The chloride concentration reported in monitoring well MW-8 (88.8 mg/L) exhibited a chloride concentration that was less than the Limit of 250 mg/L

During the twenty-sixth quarterly groundwater sampling event, LNAPL was observed in monitoring well MW-1R at a thickness of 0.26 feet.

3.4 TWENTY-SEVENTH QUARTERLY GROUNDWATER SAMPLING RESULTS

The twenty-seventh quarterly groundwater sampling event was conducted at the Site on December 10-11, 2020. As can be seen in **Table 4**, the groundwater sample collected from monitoring well MW-4 (475 mg/L) exhibited a concentration of chloride that exceeds the Limit of 250 mg/L. The chloride concentration reported in monitoring well MW-8 (73.5 mg/L) exhibited a chloride concentration that was less than the Limit of 250 mg/L

During the twenty-seventh quarterly groundwater sampling event, LNAPL was observed in monitoring well MW-1R at a thickness of 0.18 feet.

3.5 TWENTY-EIGHTH QUARTERLY GROUNDWATER SAMPLING RESULTS

The twenty-eighth quarterly groundwater sampling event was conducted at the Site on March 2, 2021. As can be seen in **Table 4**, the groundwater sample collected from monitoring well MW-4 (437 mg/L) exhibited a chloride concentration that exceeds the Limit of 250 mg/L. The groundwater sample collected from monitoring well MW-8 (63.9 mg/L) exhibited a chloride concentration that was less than the Limit of 250 mg/L. **Figure 8** presents an isopleth of the chloride concentrations observed in the groundwater samples collected during this sampling event. As can be seen on this figure, the highest levels of chloride observed in Site groundwater are observed in monitoring wells MW-4 and MW-8, in the southeast portion of the Site. To complete the chloride isopleth, Equus used chloride concentrations detected in monitoring wells MW-1 through MW-3 and MW-5 through MW-7 during the March 2018 sampling event. It should be noted that concentrations of chloride in monitoring well MW-8 have been less than the Limit during the last seven groundwater monitoring events.

Figure 9 presents chloride concentration trend graphs for each of the monitoring wells sampled at the Site. A review of this figure indicates that the chloride concentration trends observed in the groundwater samples are, in general, decreasing in monitoring wells MW-4 and MW-8. The soil remediation activities conducted in the first quarter of 2014 have removed the continuing source of chloride impacts to the groundwater at the Site. Source removal has facilitated the

physical natural attenuation mechanisms of dispersion and dilution on remnant chloride concentrations present in Site groundwater.

During the twenty-eighth quarterly groundwater sampling event, LNAPL was observed in monitoring well MW-1R at a thickness of 0.10 feet.

4.0 CONCLUSIONS

Based upon the data presented herein, the following conclusions are presented:

- Groundwater beneath the Site is encountered at depths ranging from approximately 46 to 49 feet from the surveyed top-of-casing of the Site monitoring wells.
- The direction of groundwater flow at the Site is, in general, from the northwest to the southeast. A change in groundwater flow direction was observed during the June 2020 monitoring event, which may be attributed to either a measurement recording error, or an unknown condition causing a groundwater drawdown effect on monitoring well MW-2.
- During the reporting period, concentrations of chloride greater than the Limit of 250 mg/L were observed in the groundwater samples collected from monitoring wells MW-4, ranging from 429 mg/L to 437 mg/L. Concentrations of chloride less than the Limit of 250 mg/L were observed in MW-8 during all events, ranging from 63.9 mg/L to 97.4 mg/L. Concentrations of chloride less than the Limit have been observed in monitoring well MW-8 during the last seven monitoring events.
- The SVE System is operating as designed and has removed approximately 14,015 pounds of VOCs since start-up on June 6, 2014.
- During the reporting period, a measurable quantity of LNAPL was not recovered from monitoring well MW-1R. The lack of recovery is attributed to the decreasing LNAPL thicknesses observed within MW-1R (0.24-feet to 0.10-feet) during the reporting period. LNAPL thicknesses this thin are outside the effective operating capabilities of the skimmer-pump technology deployed within monitoring well MW-1R.

5.0 RECOMMENDATIONS

Based upon a review of the data presented within this report, the following recommendations have been developed:

- Operation of the LNAPL skimmer-pump within monitoring well MW-1R should cease as the LNAPL thickness observed within this well is too thin to be recovered utilizing this technology. Different approaches to LNAPL recovery (sorbent socks, surfactant flush, etc.) within this well are being evaluated.
- As specified in the Plan, LNAPL recovery within monitoring well MW-1R should be continued until the LNAPL observed within this well has been adequately eliminated.
- As specified in the Plan, when the LNAPL has been adequately eliminated from monitoring well MW-1R, the groundwater within this well should be monitored for BTEX until the levels of these constituents fall below the Limits of 0.01 mg/L, 0.75 mg/L, 0.75 mg/L and 0.62 mg/L, respectively, for eight consecutive quarters.
- The groundwater within monitoring wells MW-4 and MW-8 should continue to be monitored on a quarterly basis for chloride until eight consecutive quarterly sampling events result in chloride levels less than the New Mexico Water Quality Control Commission standards. The next groundwater monitoring event at the Site is scheduled to be conducted in June 2021.

TABLES

Table 1 : Summary of SVE System Field Readings
Chesapeake Energy Corporation, State M Lease (AP-72)
Lea County, New Mexico

Date	Time	Run Time Reading	Operating Hours		Discharge Readings		VOC Discharge				Calculated Correlation Factor
			since last reading	Total	PPM	CFM	lbs/Hr	lbs since last Reading	Total lbs	Tons	
06/07/14	8:00	4131.73	19.73	20	596	519	2.281	44.99	44.99	0.02	0.98
06/08/14	7:10	4154.69	22.96	43	398	483	1.416	32.50	77.50	0.04	
06/08/14	9:15	4156.94	2.25	45	5000	489	18.021	40.55	118.05	0.06	
06/12/14	12:40	4256.45	99.51	144	1817	120	1.607	159.92	277.96	0.14	
06/12/14	12:43	4259.65	3.20	148	1561	117	1.346	4.31	282.27	0.14	
06/13/14	7:15	4274.90	18.45	163	1804	122	1.622	29.93	307.89	0.15	
06/13/14	7:17	4276.27	1.37	164	3390	121	3.023	4.14	312.03	0.16	
06/13/14	7:18	4277.08	0.81	165	2301	120	2.035	1.65	313.68	0.16	
06/19/14	12:05	4422.02	144.94	310	1153	120	1.020	147.81	461.49	0.23	
06/19/14	13:30	4423.74	1.72	312	1117	107	0.881	1.52	463.00	0.23	
06/19/14	16:00	4426.00	2.26	314	1448	121	1.291	2.92	465.92	0.23	
06/24/14	12:05	4543.27	117.27	431	1440	120	1.274	149.36	615.28	0.31	
06/26/14	12:40	4591.01	165.01	479	1970	127	1.844	304.28	919.56	0.46	
06/26/14	12:42	4593.20	2.19	481	1968	120	1.741	3.81	923.37	0.46	
07/03/14	9:35	4755.92	162.72	644	1650	126	1.532	249.34	1172.71	0.59	
07/03/14	9:37	4757.95	2.03	646	1318	126	1.224	2.48	1175.20	0.59	
07/09/14	11:40	4901.77	143.82	790	875	126	0.812	116.80	1292.00	0.65	
07/09/14	11:42	4903.69	1.92	792	795	124	0.727	1.40	1293.39	0.65	
07/17/14	12:33	5094.48	190.79	982	790	124	0.722	137.75	1431.15	0.72	
07/17/14	12:34	5095.13	0.65	983	790	127	0.739	0.48	1431.63	0.72	
07/17/14	12:36	5097.75	2.62	986	790	127	0.739	1.94	1433.56	0.72	
08/01/14	11:00	5452.10	354.35	1,340	1078	139	1.104	391.35	1824.91	0.91	1.86
08/01/14	11:42	5454.03	1.93	1,342	938	150	1.037	2.00	1826.91	0.91	
08/01/14	11:44	5456.32	2.29	1,344	2314	14	0.239	0.55	1827.46	0.91	
10/10/14	13:00	7118.38	1662.06	3,006	130	51	0.049	81.70	1909.16	0.95	
10/10/14	13:02	7120.15	1.77	3,008	216	58	0.093	0.16	1909.32	0.95	
10/31/14	13:00	7622.85	502.70	3,511	161	48	0.057	28.63	1937.95	0.97	
10/31/14	13:04	7624.49	1.64	3,512	78	54	0.031	0.05	1938.00	0.97	
12/11/14	13:50	8607.53	983.04	4,496	352	131	0.340	334.10	2272.11	1.14	0.21
01/15/15	10:11	9441.32	833.79	5,329	47	131	0.045	37.60	2309.70	1.15	
01/15/15	10:12	9442.31	0.99	5,330	173	152	0.194	0.19	2309.89	1.15	
01/15/15	10:15	9445.26	2.95	5,333	388	136	0.389	1.15	2311.04	1.16	
01/29/15	11:50	9778.04	332.78	5,666	240	54	0.095	31.49	2342.53	1.17	
01/29/15	11:52	9780.13	2.09	5,668	239	50	0.088	0.18	2342.72	1.17	
02/26/15	11:00	10448.98	668.85	6,337	72	137	0.073	48.63	2391.35	1.20	
02/26/15	11:02	10450.10	1.12	6,338	178	155	0.204	0.23	2391.57	1.20	1.10
03/12/15	10:15	10780.66	330.56	6,669	483	155	0.552	182.40	2573.97	1.29	
04/28/15	8:30	11901.34	1120.68	7,789	126	114	0.106	118.86	2692.84	1.35	
04/28/15	8:36	11907.42	6.08	7,795	132	126	0.123	0.75	2693.58	1.35	
05/14/15	9:05	12285.12	377.70	8,173	96	55	0.039	14.68	2708.26	1.35	
05/14/15	9:10	12290.05	4.93	8,178	105	58	0.045	0.22	2708.48	1.35	
05/28/15	11:30	12623.70	333.65	8,512	6	150	0.006	2.07	2710.55	1.36	0.76
06/11/15	10:39	12650.70	27.00	8,539	318	172	0.403	10.88	2721.43	1.36	
07/02/15	11:00	13154.04	503.34	9,042	85	112	0.070	35.32	2756.75	1.38	
09/03/15	8:00	14662.17	1508.13	10,550	249	104	0.191	287.85	3044.60	1.52	0.86
12/10/15	13:00	17015.28	2353.11	12,903	162	95	0.113	266.92	3311.52	1.66	

Table 1 : Summary of SVE System Field Readings
Chesapeake Energy Corporation, State M Lease (AP-72)
Lea County, New Mexico

Date	Time	Run Time Reading	Operating Hours		Discharge Readings		VOC Discharge				Calculated Correlation Factor
			since last reading	Total	PPM	CFM	lbs/Hr	lbs since last Reading	Total lbs	Tons	
03/10/16	12:00	17899.58	884.30	13,788	209	105	0.162	143.03	3454.55	1.73	1.78
06/29/16	8:00	20558.59	2659.01	16,447	156	101	0.116	309.58	3764.13	1.88	3.77
07/27/16	12:30	21232.43	673.84	17,120	126	103	0.095	64.20	3828.33	1.91	1.55
08/25/16	11:00	21927.96	695.53	17,816	115	270	0.229	159.45	3987.78	1.99	
09/22/16	10:20	22596.81	668.85	18,485	169	220	0.274	183.07	4170.85	2.09	
12/08/16	9:30	24443.73	1846.92	20,332	109	220	0.177	327.03	4497.88	2.25	6.59
01/10/17	12:23	24758.20	314.47	20,646	173	233	0.297	93.37	4591.25	2.30	3.06
01/25/17	10:56	25115.43	357.23	21,003	206	179	0.271	96.95	4688.20	2.34	
02/22/17	10:35	25786.27	670.84	21,674	248	214	0.391	262.30	4950.50	2.48	
03/09/17	11:04	26146.82	360.55	22,035	321	209	0.495	178.51	5129.01	2.56	
04/05/17	11:55	26792.33	645.51	22,680	454	113	0.378	244.08	5373.09	2.69	5.78
05/16/17	7:00	26967.77	175.44	22,856	61	198	0.089	15.69	5388.79	2.69	
06/07/17	13:00	27495.83	528.06	23,384	54	221	0.087	46.02	5434.80	2.72	
09/07/17	11:36	29698.50	2202.67	25,587	62	200	0.091	201.31	5636.11	2.82	0.81
09/22/17	11:30	30057.43	358.93	25,945	56	211	0.087	31.26	5667.37	2.83	
10/04/17	10:15	30344.40	286.97	26,232	57	198	0.083	23.87	5691.24	2.85	
11/02/17	13:00	31042.78	698.38	26,931	58	185	0.079	55.23	5746.48	2.87	
12/01/17	12:30	31739.31	696.53	27,627	59	192	0.083	58.16	5804.63	2.90	
12/06/17	12:40	31859.62	120.31	27,748	6	270	0.011	1.36	5806.00	2.90	
12/18/17	15:00	32149.36	289.74	28,037	60	208	0.092	26.65	5832.65	2.92	0.19
01/09/18	10:00	32672.25	522.89	28,560	52	189	0.072	37.88	5870.52	2.94	
01/26/18	10:15	33080.48	408.23	28,968	48	172	0.061	24.84	5895.36	2.95	
02/09/18	13:10	33416.85	336.37	29,305	32	220	0.052	17.45	5912.82	2.96	
02/23/18	11:15	33753.60	336.75	29,642	34	186	0.047	15.70	5928.51	2.96	
03/07/18	10:55	34040.75	287.15	29,929	52	227	0.087	24.98	5953.50	2.98	
03/16/18	13:03	34251.67	210.92	30,140	48	195	0.069	14.55	5968.05	2.98	0.65
04/13/18	9:15	34970.90	719.23	30,859	46	200	0.068	48.77	6016.82	3.01	
04/30/18	13:16	35332.87	361.97	31,221	46	200	0.068	24.54	6041.36	3.02	
05/15/18	13:34	35692.17	359.30	31,580	48	200	0.071	25.42	6066.78	3.03	
05/29/18	14:20	36028.04	335.87	31,916	48	200	0.071	23.77	6090.55	3.05	
06/04/18	16:30	36169.50	141.46	32,058	71	200	0.105	14.81	6105.35	3.05	
06/20/18	14:30	36556.30	386.80	32,444	48	200	0.071	27.37	6132.72	3.07	2.13
07/03/18	10:30	36865.13	308.83	32,753	56	520	0.215	66.28	6199.01	3.10	
07/19/18	10:40	37249.27	384.14	33,137	46	486	0.165	63.30	6262.30	3.13	
08/09/18	12:30	37754.97	505.70	33,643	58	386	0.165	83.45	6345.75	3.17	
09/06/18					36						1.19
09/19/18	12:00	38730.31	975.34	34,618	46	405	0.137	133.93	6479.67	3.24	
10/04/18	15:30	39093.45	363.14	34,981	73	425	0.227	82.47	6562.14	3.28	
10/18/18	13:00	39428.14	334.69	35,316	42	261	0.081	27.04	6589.19	3.29	
10/31/18	13:40	39716.90	288.76	35,605	52	317	0.121	35.08	6624.27	3.31	
11/16/18	8:00	39983.80	266.90	35,872	68	156	0.078	20.87	6645.14	3.32	
11/16/18	9:54	39985.70	1.90	35,874	77	264	0.149	0.28	6645.42	3.32	
12/11/18	14:20	40585.95	600.25	36,474	90	150	0.099	59.53	6704.95	3.35	
12/27/18	13:40	40965.57	379.62	36,854	72	310	0.165	62.45	6767.40	3.38	

Table 1 : Summary of SVE System Field Readings
Chesapeake Energy Corporation, State M Lease (AP-72)
Lea County, New Mexico

Date	Time	Run Time Reading	Operating Hours		Discharge Readings		VOC Discharge				Calculated Correlation Factor
			since last reading	Total	PPM	CFM	lbs/Hr	lbs since last Reading	Total lbs	Tons	
01/24/19	14:58	41636.05	670.48	37,524	63	275	0.128	85.62	6853.01	3.43	0.97
02/05/19	12:02	41919.95	283.90	37,808	48	251	0.088	25.08	6878.09	3.44	
02/21/19	12:00	42303.95	384.00	38,192	26	218	0.042	16.10	6894.20	3.45	
03/07/19	7:00	42632.85	328.90	38,521	80	208	0.122	40.29	6934.48	3.47	
03/22/19	11:09	42986.51	353.66	38,875	47	177	0.062	21.78	6956.26	3.48	
04/03/19	15:00	43277.65	291.14	39,166	58	440	0.186	54.29	7010.55	3.51	
04/18/19	12:00	43634.32	356.67	39,522	105	450	0.348	124.21	7134.76	3.57	0.87
05/17/19	13:30	44330.99	696.67	40,219	39	365	0.104	72.34	7207.11	3.60	
06/12/19	17:00	44952.75	621.76	40,841	6	170	0.008	4.67	7211.78	3.61	
06/25/19	11:00	45283.69	330.94	41,172	23	445	0.075	24.97	7236.75	3.62	
07/09/19	13:30	45573.87	290.18	41,462	27	360	0.072	20.79	7257.53	3.63	
07/22/19	14:00	45906.56	332.69	41,795	27	425	0.083	27.62	7285.15	3.64	
08/05/19	11:30	46239.45	332.89	42,127	37	462	0.126	41.94	7327.09	3.66	
08/19/19	11:00	46575.01	335.56	42,463	23	533	0.090	30.32	7357.41	3.68	
09/03/19	15:15	46937.77	362.76	42,826	31	455	0.104	37.71	7395.12	3.70	
09/05/19	7:30	46980.41	42.64	42,868	79	227	0.133	5.65	7400.77	3.70	
09/16/19	11:30	47242.95	262.54	43,131	21	372	0.058	15.12	7415.89	3.71	0.88
09/30/19	11:00	47576.43	333.48	43,464	24	355	0.063	20.94	7436.83	3.72	
10/16/19	12:00	47958.94	382.51	43,847	22	280	0.045	17.37	7454.20	3.73	
10/28/19	11:45	48246.61	287.67	44,135	16	326	0.038	11.06	7465.26	3.73	
11/11/19	11:00	48581.38	334.77	44,469	35	488	0.127	42.56	7507.82	3.75	
11/11/19	12:10	48582.46	1.08	44,470	27	188	0.037	0.04	7507.86	3.75	
11/26/19	11:20	48916.78	334.32	44,805	16	284	0.033	10.95	7518.82	3.76	
11/26/19	11:50	48917.34	0.56	44,805	26	472	0.089	0.05	7518.87	3.76	
12/11/19	10:30	49294.17	376.83	45,182	30	214	0.047	17.79	7536.65	3.77	
12/22/19	11:00	49558.50	264.33	45,447	16	462	0.054	14.40	7551.05	3.78	
12/30/19	14:00	49631.20	72.70	45,519	30	462	0.102	7.43	7558.48	3.78	0.69
01/12/20	13:00	49682.50	51.30	45,571	19	282	0.039	2.01	7560.49	3.78	
02/10/20	11:00	49806.20	123.70	45,694	19	145	0.021	2.55	7563.04	3.78	
03/05/20	12:40	50000.00	193.80	45,888	38	197	0.055	10.66	7573.71	3.79	
03/09/20	12:10	50070.44	70.44	45,958	23	250	0.041	2.92	7576.62	3.79	
03/23/20	11:45	50083.25	12.81	45,971	25	323	0.060	0.76	7577.39	3.79	1.06
04/06/20	10:30	50139.34	56.09	46,027	26	316	0.060	3.34	7580.73	3.79	
04/20/20	10:30	50225.20	85.86	46,113	19	408	0.056	4.84	7585.57	3.79	
05/05/20	11:00	50540.55	315.35	46,429	61	311	0.140	44.17	7629.74	3.81	
05/18/20	12:30	50840.55	300.00	46,729	36	506	0.132	39.72	7669.46	3.83	
06/06/20	10:10	51279.56	439.01	47,168	47	340	0.118	51.71	7721.16	3.86	0.51
06/20/20	13:20	51616.41	336.85	47,504	34	322	0.081	27.18	7748.35	3.87	
07/06/20	10:44	51998.22	381.81	47,886	0.5	425	0.002	0.60	7748.94	3.87	
07/19/20	11:10	52309.12	310.90	48,197	29	470	0.099	30.80	7779.75	3.89	
08/09/20	17:30	52819.74	510.62	48,708	28	428	0.087	44.46	7824.20	3.91	
09/14/20	18:30	53480.00	660.26	49,368	25	421	0.076	50.19	7874.40	3.94	
09/24/20	13:20	53703.31	223.31	49,591	47	410	0.143	31.85	7906.25	3.95	1.36
11/15/20	13:00	54664.23	960.92	50,552	38	418	0.116	111.61	8017.86	4.01	
12/11/20	8:27	55250.13	585.90	51,138	67	380	0.187	109.62	8127.48	4.06	0.36
02/28/21	10:00	56876.10	1625.97	52,764	37	410	0.112	181.80	8309.28	4.15	
03/02/21	14:05	56926.31	50.21	52,814	6.4	355	0.017	0.84	8310.12	4.16	
Corrected Total:									14,015.46	7.10	

Notes:

1. Color shading indicates air sampling period with a unique correlation factor.
2. During the June 24 & July 17, 2014 site visit the field readings were not recorded. The italicized values presented above for these dates are conservative estimated values based upon last known readings.

Table 2 : Summary of Laboratory Analytical Results for Discharge Air Samples
Chesapeake Energy Corporation, State M Lease (AP-72)
Lea County, New Mexico

		SVE	Canister #34000823 Serial C8528 2014-12-11	CANISTER #C8522	Canister #8408 2015-06-11 Air Sample	Canister #5451 Batch #320- 14155 9-3-15	CANISTER #34000512 BATCH ID #320- 15930	STATE M-1 LEASE	20160629 M SVE	20160922 M SVE	20161208 M SVE	20170309 M SVE
Parameters	Sample ID: Sample Date:	1-Aug-14	11-Dec-14	12-Mar-15	11-Jun-15	3-Sep-15	10-Dec-15	10-Mar-16	29-Jun-16	22-Sep-16	8-Dec-16	9-Mar-17
Volatile Organic Compounds by TO-15												
Acetone	ppb v/v	<2000	<615	<965	<860	<615	<370	<915	<280	<175	<106	<203
Benzene	ppb v/v	8,820	2,960	533	3,630	312	194	1,070	2,600	853	373	550
Benzyl chloride	ppb v/v	<320	<98.4	<154	<138	<98.4	<59.2	<146	<44.8	<27.9	<16.9	<32.4
Bromodichloromethane	ppb v/v	<120	<36.9	<57.9	<51.6	<36.9	<22.2	<54.9	<16.8	103.5	<6.33	<12.2
Bromoform	ppb v/v	<160	<49.2	<77.2	<68.8	<49.2	<29.6	<73.2	<22.4	<14.0	<8.44	<16.2
Bromomethane	ppb v/v	<320	<98.4	<154	<138	<98.4	<59.2	<146	<44.8	<27.9	<16.9	<32.4
2-Butanone (MEK)	ppb v/v	<320	<98.4	<154	<138	<98.4	<59.2	<146	<44.8	<27.9	<16.9	<32.4
Carbon disulfide	ppb v/v	1,800	272	<154	<138	<98.4	<59.2	<146	177	<27.9	<16.9	<32.4
Carbon tetrachloride	ppb v/v	<320	<98.4	<154	<138	<98.4	<59.2	<146	<44.8	<27.9	<16.9	<32.4
Chlorobenzene	ppb v/v	<120	<36.9	<57.9	<51.6	<36.9	<22.2	<54.9	<16.8	<10.5	<6.33	<12.2
Dibromochloromethane	ppb v/v	<160	<49.2	<77.2	<68.8	<49.2	<29.6	<73.2	<22.4	<14.0	<8.44	<16.2
Chloroethane	ppb v/v	<320	<98.4	<154	<138	<98.4	<59.2	<146	<44.8	<27.9	<16.9	<32.4
Chloroform	ppb v/v	<120	<36.9	<57.9	<51.6	<36.9	<22.2	<54.9	<16.8	<10.5	<6.33	<12.2
Chloromethane	ppb v/v	<320	<98.4	<154	<138	<98.4	<59.2	<146	<44.8	<27.9	<16.9	<32.4
1,2-Dibromoethane	ppb v/v	<320	<98.4	<154	<138	<98.4	<59.2	<146	<44.8	<27.9	<16.9	<32.4
1,2-Dichlorobenzene	ppb v/v	<160	<49.2	<77.2	<68.8	<49.2	<29.6	<73.2	<22.4	<14.0	<8.44	<16.2
1,3-Dichlorobenzene	ppb v/v	<160	<49.2	<77.2	<68.8	<49.2	<29.6	<73.2	<22.4	<14.0	<8.44	<16.2
1,4-Dichlorobenzene	ppb v/v	<160	<49.2	<77.2	<68.8	<49.2	<29.6	<73.2	<22.4	<14.0	<8.44	<16.2
Dichlorodifluoromethane	ppb v/v	1,980	<49.2	<77.2	<68.8	<49.2	<29.6	<73.2	<22.4	<14.0	<8.44	<16.2
1,1-Dichloroethane	ppb v/v	<120	<36.9	<57.9	<51.6	<36.9	<22.2	<54.9	<16.8	<10.5	<6.33	<12.2
1,2-Dichloroethane	ppb v/v	<320	<98.4	<154	<138	<98.4	<59.2	<146	<44.8	<27.9	<16.9	<32.4
1,1-Dichloroethene	ppb v/v	<320	<98.4	<154	<138	<98.4	<59.2	<146	<44.8	<27.9	<16.9	<32.4
cis-1,2-Dichloroethene	ppb v/v	<160	<49.2	84.5	<68.8	<49.2	<29.6	<73.2	<22.4	<14.0	<8.44	<16.2
trans-1,2-Dichloroethene	ppb v/v	<160	<49.2	<77.2	<68.8	<49.2	<29.6	<73.2	<22.4	<14.0	<8.44	<16.2
1,2-Dichloropropane	ppb v/v	<160	<49.2	<77.2	<68.8	<49.2	<29.6	<73.2	<22.4	<14.0	<8.44	<16.2
cis-1,3-Dichloropropene	ppb v/v	<160	<49.2	<77.2	<68.8	<49.2	<29.6	<73.2	<22.4	<14.0	<8.44	<16.2
trans-1,3-Dichloropropene	ppb v/v	<160	<49.2	<77.2	<68.8	<49.2	<29.6	<73.2	<22.4	<14.0	<8.44	<16.2
1,2-Dichloro-1,1,2,2-tetrafluoroethane	ppb v/v	<160	<49.2	<77.2	<68.8	<49.2	<29.6	<73.2	<22.4	<14.0	<8.44	<16.2
Ethylbenzene	ppb v/v	13,500	3,830	799	2,890	731	723	446	2,530	1,390	531	908
4-Ethyltoluene	ppb v/v	974	533	164	299	256	186	<73.2	660	497	135	263
Hexachlorobutadiene	ppb v/v	<800	<246	<386	<344	<246	<148	<366	<112	<69.8	<42.2	<81.0
2-Hexanone	ppb v/v	<160	<49.2	<77.2	<68.8	<49.2	<29.6	<73.2	<22.4	<14.0	<8.44	<16.2
Methylene Chloride	ppb v/v	<160	<49.2	<77.2	<68.8	<49.2	<29.6	<73.2	<22.4	<14.0	<8.44	<16.2
4-Methyl-2-pentanone	ppb v/v	<160	<49.2	<77.2	<68.8	<49.2	<29.6	<73.2	<22.4	<14.0	<8.44	<16.2
Styrene	ppb v/v	<160	<49.2	<77.2	<68.8	<49.2	<29.6	<73.2	<22.4	<14.0	<8.44	<16.2
1,1,2,2-Tetrachloroethane	ppb v/v	<160	<49.2	<77.2	<68.8	<49.2	<29.6	<73.2	41.1	<14.0	<8.44	20.0
Tetrachloroethene	ppb v/v	<160	71.9	<77.2	<68.8	<49.2	<29.6	92.9	<22.4	<14.0	<8.44	<16.2
Toluene	ppb v/v	4,020	1,040	228	1,480	<49.2	<29.6	120	975	380	164	193

Table 2 : Summary of Laboratory Analytical Results for Discharge Air Samples
Chesapeake Energy Corporation, State M Lease (AP-72)
Lea County, New Mexico

		SVE	Canister #34000823 Serial C8528 2014-12-11	CANISTER #C8522	Canister #8408 2015-06-11 Air Sample	Canister #5451 Batch #320- 14155 9-3-15	CANISTER #34000512 BATCH ID #320- 15930	STATE M-1 LEASE	20160629 M SVE	20160922 M SVE	20161208 M SVE	20170309 M SVE
Parameters	Sample ID: Sample Date:	1-Aug-14	11-Dec-14	12-Mar-15	11-Jun-15	3-Sep-15	10-Dec-15	10-Mar-16	29-Jun-16	22-Sep-16	8-Dec-16	9-Mar-17
1,2,4-Trichlorobenzene	ppb v/v	<800	<246	<386	<344	<246	<148	<366	<112	<69.8	<42.2	<81.0
1,1,1-Trichloroethane	ppb v/v	<120	<36.9	<57.9	<51.6	<36.9	<22.2	<54.9	<16.8	<10.5	<6.33	<12.2
1,1,2-Trichloroethane	ppb v/v	<160	<49.2	<77.2	<68.8	<49.2	<29.6	<73.2	<22.4	<14.0	<8.44	<16.2
Trichloroethene	ppb v/v	<160	<49.2	<77.2	<68.8	<49.2	<29.6	<73.2	<22.4	<14.0	<8.44	<16.2
Trichlorofluoromethane	ppb v/v	<160	<49.2	<77.2	<68.8	<49.2	<29.6	<73.2	<22.4	<14.0	<8.44	<16.2
1,1,2-Trichloro-1,2,2-trifluoroethane	ppb v/v	<160	<49.2	<77.2	<68.8	<49.2	<29.6	<73.2	<22.4	<14.0	<8.44	<16.2
1,2,4-Trimethylbenzene	ppb v/v	2,020	648	299	774	<98.4	355	<146	968	740	228	411
1,3,5-Trimethylbenzene	ppb v/v	821	385	172	353	73.0	247	<73.2	727	541	192	397
Vinyl acetate	ppb v/v	<320	<98.4	<154	<138	<98.4	<59.2	<146	<44.8	<27.9	<16.9	<32.4
Vinyl chloride	ppb v/v	<160	<49.2	<77.2	<68.8	<49.2	<29.6	<73.2	<22.8	<14.0	<8.44	<16.2
m,p-Xylene	ppb v/v	12,700	4,680	1,110	3,920	1,140	1,380	609	5,050	2,550	870	1,510
o-Xylene	ppb v/v	4,520	1,190	286	1,120	164	194	107	720	419	177	337
Total VOC as Hexane (C6-C12)	ppb v/v	1,060,000	655,000	99,400	351,000	190,000	140,000	371,000	590,000	262,000	117,000	167,000

Table 2 : Summary of Laboratory Analytical Results for Discharge Air Samples
Chesapeake Energy Corporation, State M Lease (AP-72)
Lea County, New Mexico

Parameters	Sample ID:	20170607M SVE	20170907 M SVE	20171206 -M- SVE	20180307-M- SVE	20180604-M- SVE	20180906-M- SVE	2018121-M- SVE	20190307 M SVE	20190905 M SVE	20200122 M1- SVE	20200305 M SVE	20200606-M- SVE	20200924M1S VE	20201211 M-1	20210302 M-1
	Sample Date:	7-Jun-17	7-Sep-17	6-Dec-17	7-Mar-18	4-Jun-18	6-Sep-18	11-Dec-18	7-Mar-19	5-Sep-19	22-Jan-20	5-Mar-20	6-Jun-20	24-Sep-20	11-Dec-20	2-Mar-21
Volatile Organic Compounds by TO-15																
Acetone	ppb v/v	<76.0	<116	<20.0	5.67	<78.0	<124	<178	<22.3	<84	<17	<78	<34	<29	<110	<7.8
Benzene	ppb v/v	180	143	1.77	24.5	87.9	112	137	40.1	140	3.7	42	48	18	80	<0.78
Benzyl chloride	ppb v/v	<12.2	<18.5	<3.20	<0.800	<12.5	<19.8	<28.4	<3.56	<8.4	<1.7	<7.8	<8.4	<2.9	<11	<0.78
Bromodichloromethane	ppb v/v	<4.56	<6.93	<1.20	<0.300	<4.68	<7.43	<10.7	<1.34	<8.4	<1.7	<7.8	<8.4	<2.9	<11	<0.78
Bromoform	ppb v/v	<6.08	<9.24	<1.60	<0.400	<6.24	<9.91	<14.2	<1.78	<8.4	<1.7	<7.8	<8.4	<2.9	<11	<0.78
Bromomethane	ppb v/v	<12.2	<18.5	<3.20	<0.800	<12.5	<19.8	<28.4	<3.56	<84	<17	<78	<34	<29	<110	<7.8
2-Butanone (MEK)	ppb v/v	<12.2	178	<3.20	<0.800	<12.5	<19.8	<28.4	5.97	<34	<6.7	<31	<34	<11	<43	<3.1
Carbon disulfide	ppb v/v	<12.2	<18.5	<3.20	<0.800	<12.5	<19.8	<28.4	<3.56	<34	<6.7	<31	<34	<11	<43	<3.1
Carbon tetrachloride	ppb v/v	<12.2	<18.5	<3.20	<0.800	<12.5	<19.8	<28.4	<3.56	<8.4	<1.7	<7.8	<8.4	<2.9	<11	<0.78
Chlorobenzene	ppb v/v	<4.56	<6.93	<1.20	<0.300	<4.68	<7.43	<10.7	<1.34	<8.4	<1.7	<7.8	<8.4	<2.9	<11	<0.78
Dibromochloromethane	ppb v/v	<6.08	<9.24	<1.60	<0.400	<6.24	<9.91	<14.2	<1.78	<8.4	<1.7	<7.8	<8.4	<2.9	<11	<0.78
Chloroethane	ppb v/v	<12.2	<18.5	<3.20	<0.800	<12.5	<19.8	<28.4	<3.56	<34	<6.7	<31	<34	<11	<43	<3.1
Chloroform	ppb v/v	<4.56	<6.93	<1.20	<0.300	<4.68	<7.43	<10.7	<1.34	<8.4	<1.7	<7.8	<8.4	<2.9	<11	<0.78
Chloromethane	ppb v/v	<12.2	<18.5	<3.20	<0.800	<12.5	<19.8	<28.4	<3.56	<84	<17	<78	<34	<29	<110	<7.8
1,2-Dibromoethane	ppb v/v	<12.2	<18.5	<3.20	<0.800	<12.5	<19.8	<28.4	<3.56	<8.4	<1.7	<7.8	<8.4	<2.9	<11	<0.78
1,2-Dichlorobenzene	ppb v/v	<6.08	<9.24	<1.60	<0.400	<6.24	<9.91	<14.2	<1.78	<8.4	<1.7	<7.8	<8.4	<2.9	<11	<0.78
1,3-Dichlorobenzene	ppb v/v	<6.08	<9.24	<1.60	<0.400	<6.24	<9.91	<14.2	<1.78	<8.4	<1.7	<7.8	<8.4	<2.9	<11	<0.78
1,4-Dichlorobenzene	ppb v/v	<6.08	<9.24	<1.60	<0.400	<6.24	<9.91	<14.2	<1.78	<8.4	<1.7	<7.8	<8.4	<2.9	<11	<0.78
Dichlorodifluoromethane	ppb v/v	<6.08	<9.24	<1.60	<0.400	<6.24	<9.91	<14.2	<1.78	<8.4	<1.7	<7.8	<8.4	<2.9	<11	<0.78
1,1-Dichloroethane	ppb v/v	<4.56	<6.93	<1.20	<0.300	<4.68	<7.43	<10.7	<1.34	<8.4	<1.7	<7.8	<8.4	<2.9	<11	<0.78
1,2-Dichloroethane	ppb v/v	<12.2	<18.5	<3.20	0.881	<12.5	<19.8	<28.4	<3.56	<8.4	<1.7	<7.8	<8.4	<2.9	<11	<0.78
1,1-Dichloroethene	ppb v/v	<12.2	<18.5	<3.20	<0.800	<12.5	<19.8	<28.4	<3.56	<8.4	<1.7	<7.8	<8.4	<2.9	<11	<0.78
cis-1,2-Dichloroethene	ppb v/v	<6.08	<9.24	<1.60	<0.400	<6.24	<9.91	<14.2	<1.78	<8.4	<1.7	<7.8	<8.4	<2.9	<11	<0.78
trans-1,2-Dichloroethene	ppb v/v	<6.08	<9.24	<1.60	<0.400	<6.24	<9.91	<14.2	<1.78	<8.4	<1.7	<7.8	<8.4	<2.9	<11	<0.78
1,2-Dichloropropane	ppb v/v	<6.08	<9.24	<1.60	<0.400	<6.24	<9.91	<14.2	<1.78	<8.4	<1.7	<7.8	<8.4	<2.9	<11	<0.78
cis-1,3-Dichloropropene	ppb v/v	<6.08	<9.24	<1.60	<0.400	<6.24	<9.91	<14.2	<1.78	<8.4	<1.7	<7.8	<8.4	<2.9	<11	<0.78
trans-1,3-Dichloropropene	ppb v/v	<6.08	<9.24	<1.60	<0.400	<6.24	<9.91	<14.2	<1.78	<8.4	<1.7	<7.8	<8.4	<2.9	<11	<0.78
1,2-Dichloro-1,1,2,2-tetrafluoroethane	ppb v/v	<6.08	<9.24	<1.60	<0.400	<6.24	<9.91	<14.2	<1.78	<8.4	<1.7	<7.8	<8.4	<2.9	<11	<0.78
Ethylbenzene	ppb v/v	229	219	4.75	25.4	250	334	363	284	270	33	120	150	56	180	<0.78
4-Ethyltoluene	ppb v/v	58.5	45.1	2.38	3.74	42.7	89.2	76.7	167	180	25	100	130	64	170	0.82
Hexachlorobutadiene	ppb v/v	<30.4	<46.2	<8.00	<2.00	<31.2	<49.5	<71.0	<8.90	<34	<6.7	<31	<34	<11	<43	<3.1
2-Hexanone	ppb v/v	<6.08	<9.24	<1.60	<0.400	<4.68	<9.91	<14.2	<1.78	<34	<6.7	<31	<34	<11	<43	<3.1
Methylene Chloride	ppb v/v	<6.08	<9.24	<1.60	0.540	<6.24	<9.91	<14.2	<1.78	<84	<17	<78	<34	<29	<110	<7.8
4-Methyl-2-pentanone	ppb v/v	<6.08	<9.24	<1.60	<0.400	<6.24	<9.91	<14.2	<1.78	<8.4	<1.7	<7.8	<8.4	<2.9	<11	<0.78
Styrene	ppb v/v	<6.08	<9.24	<1.60	<0.400	<6.24	<9.91	<14.2	<1.78	<8.4	<1.7	<7.8	<8.4	<2.9	<11	<0.78
1,1,2,2-Tetrachloroethane	ppb v/v	<6.08	<9.24	<1.60	<0.400	<6.24	<9.91	<14.2	<1.78	<8.4	<1.7	<7.8	<8.4	<2.9	<11	<0.78
Tetrachloroethene	ppb v/v	<6.08	<9.24	<1.60	<0.400	<6.24	<9.91	<14.2	<1.78	<8.4	<1.7	<7.8	<8.4	<2.9	<11	<0.78
Toluene	ppb v/v	68.4	49.2	<1.60	6.92	34.4	44.3	41.0	38.8	30	3.1	<7.8	11	3.1	<11	<0.78

Table 2 : Summary of Laboratory Analytical Results for Discharge Air Samples
Chesapeake Energy Corporation, State M Lease (AP-72)
Lea County, New Mexico

		20170607M	20170907 M	20171206 -M-	20180307-M-	20180604-M-	20180906-M-	2018121-M-	20190307 M	20190905 M	20200122 M1-	20200305 M	20200606-M-	20200924M1S		
	Sample ID:	SVE	SVE	SVE	SVE	SVE	SVE	SVE	SVE	SVE	SVE	SVE	SVE	VE	20201211 M-1	20210302 M-1
Parameters	Sample Date:	7-Jun-17	7-Sep-17	6-Dec-17	7-Mar-18	4-Jun-18	6-Sep-18	11-Dec-18	7-Mar-19	5-Sep-19	22-Jan-20	5-Mar-20	6-Jun-20	24-Sep-20	11-Dec-20	2-Mar-21
1,2,4-Trichlorobenzene	ppb v/v	<30.4	<46.2	<8.00	<2.00	<31.2	<49.5	<71.0	<8.90	<34	<6.7	<31	<34	<11	<43	<3.1
1,1,1-Trichloroethane	ppb v/v	<4.56	<6.93	<1.20	<0.300	<4.68	<7.43	<10.7	<1.34	<8.4	<1.7	<7.8	<8.4	<2.9	<11	<0.78
1,1,2-Trichloroethane	ppb v/v	<6.08	<9.24	<1.60	<0.400	<6.24	<9.91	<14.2	<1.78	<8.4	<1.7	<7.8	<8.4	<2.9	<11	<0.78
Trichloroethene	ppb v/v	<6.08	<9.24	<1.60	<0.400	<6.24	<9.91	<14.2	<1.78	<8.4	<1.7	20	<8.4	<2.9	<11	<0.78
Trichlorofluoromethane	ppb v/v	<6.08	<9.24	<1.60	<0.400	<6.24	<9.91	<14.2	<1.78	<8.4	<1.7	<7.8	<8.4	<2.9	<11	<0.78
1,1,2-Trichloro-1,2,2-trifluoroethane	ppb v/v	<6.08	<9.24	<1.60	<0.400	<6.24	<9.91	<14.2	<1.78	<8.4	<1.7	<7.8	<8.4	<2.9	<11	<0.78
1,2,4-Trimethylbenzene	ppb v/v	85.9	50.3	7.35	9.05	71.3	134	124	83.0	75	10	59	60	38	79	<0.78
1,3,5-Trimethylbenzene	ppb v/v	53.6	45.5	6.18	5.81	46.2	88.6	102	67.0	69	9.1	43	50	31	77	1.0
Vinyl acetate	ppb v/v	<12.2	<18.5	<3.20	<0.800	<12.5	<19.8	<28.4	<3.56	<8.4	<6.7	<31	<34	<11	<43	<3.1
Vinyl chloride	ppb v/v	<6.08	<9.24	<1.60	<0.400	<6.24	<9.91	<14.2	<1.78	<8.4	<1.7	<7.8	<8.4	<2.9	<11	<0.78
m,p-Xylene	ppb v/v	322	330	10.3	48.7	376	501	544	442	440	66	210	280	110	380	<0.78
o-Xylene	ppb v/v	98.4	96.4	2.54	15.6	107	133	158	137	120	55	50	63	25	83	<0.78
Total VOC as Hexane (C6-C12)	ppb v/v	54,500	40,900	4,630	9,930	46,500	76,600	107,000	77,900	69,000	14,000	26,000	50,000	24,000	91,000	2,300

Table 3 : Summary of Liquid Level Measurements
Chesapeake Energy Corporation, State M Lease (AP-72)
Lea County, New Mexico

Monitoring Well	Top of Casing Elevation (AMSL-Feet)	Depth to Liquid Measurement Date	Depth to LNAPL (Feet-TOC)	Depth to Groundwater (Feet-TOC)	LNAPL Thickness (Feet)	Groundwater Elevation (AMSL-Feet)
MW-1R	3888.97	06/03/14	44.57	49.89	5.32	3839.08
	3888.97	09/22/14	44.87	48.91	4.04	3840.06
	3888.97	12/10/14	45.80	46.30	0.50	3842.67
	3888.97	03/11/15	45.12	46.83	1.71	3842.14
	3888.97	06/10/15	45.54	46.31	0.77	3842.66
	3888.97	09/02/15	45.81	47.37	1.56	3841.60
	3888.97	12/09/15	45.22	49.07	3.85	3839.90
	3888.97	03/09/16	45.30	47.18	1.88	3841.79
	3888.97	06/28/16	45.75	47.02	1.27	3841.95
	3888.97	09/21/16	46.10	46.38	0.28	3842.59
	3888.97	12/07/16	46.13	46.88	0.75	3842.09
	3888.97	03/08/17	46.14	46.57	0.43	3842.40
	3888.97	06/06/17	45.82	48.86	3.04	3840.11
	3888.97	09/08/17	46.30	46.63	0.33	3842.34
	3888.97	12/04/17	46.36	46.77	0.41	3842.20
	3888.97	03/05/18	46.47	46.81	0.34	3842.16
	3888.97	06/05/18	46.56	46.93	0.37	3842.04
	3888.97	09/05/18	46.31	48.81	2.50	3840.16
	3888.97	12/11/18	46.34	49.11	2.77	3839.86
	3888.97	03/06/19	46.48	49.20	2.72	3839.77
	3888.97	06/04/19	46.58	48.84	2.26	3840.13
	3888.97	09/04/19	47.88	48.67	0.79	3840.30
	3888.97	12/06/19	47.13	47.43	0.30	3841.54
	3888.97	03/05/20	47.11	47.68	0.57	3841.29
	3888.97	06/06/20	47.21	47.45	0.24	3841.52
	3888.97	09/24/20	47.44	47.60	0.16	3841.37
	3888.97	12/10/20	47.51	47.69	0.18	3841.28
	3888.97	03/02/21	47.48	47.58	0.10	3841.39
MW-2	3890.51	06/03/14	--	47.23	--	3843.28
	3890.51	09/22/14	--	46.37	--	3844.14
	3890.51	12/10/14	--	45.91	--	3844.60
	3890.51	03/11/15	--	46.03	--	3844.48
	3890.51	06/10/15	--	46.38	--	3844.13
	3890.51	09/02/15	--	46.44	--	3844.07
	3890.51	12/09/15	--	46.51	--	3844.00
	3890.51	03/09/16	--	46.61	--	3843.90
	3890.51	06/28/16	--	46.70	--	3843.81
	3890.51	09/21/16	--	46.80	--	3843.71
	3890.51	12/07/16	--	46.82	--	3843.69
	3890.51	03/08/17	--	46.88	--	3843.63
	3890.51	06/06/17	--	46.98	--	3843.53
	3890.51	09/08/17	--	47.06	--	3843.45
	3890.51	12/04/17	--	47.11	--	3843.40
	3890.51	03/05/18	--	47.22	--	3843.29

**Table 3 : Summary of Liquid Level Measurements
Chesapeake Energy Corporation, State M Lease (AP-72)
Lea County, New Mexico**

Monitoring Well	Top of Casing Elevation (AMSL-Feet)	Depth to Liquid Measurement Date	Depth to LNAPL (Feet-TOC)	Depth to Groundwater (Feet-TOC)	LNAPL Thickness (Feet)	Groundwater Elevation (AMSL-Feet)
MW-2 (con't)	3890.51	06/05/18	--	47.31	--	3843.20
	3890.51	09/05/18	--	47.36	--	3843.15
	3890.51	12/11/18	--	47.46	--	3843.05
	3890.51	03/06/19	--	47.51	--	3843.00
	3890.51	06/04/19	--	47.61	--	3842.90
	3890.51	09/04/19	--	47.76	--	3842.75
	3890.51	12/06/19	--	47.81	--	3842.70
	3890.51	03/05/20	--	47.91	--	3842.60
	3890.51	06/06/20	--	49.98	--	3840.53
	3890.51	09/24/20	--	48.14	--	3842.37
	3890.51	12/10/20	--	48.21	--	3842.30
	3890.51	03/02/21	--	48.25	--	3842.26
MW-3	3889.34	06/03/14	--	46.35	--	3842.99
	3889.34	09/22/14	--	46.49	--	3842.85
	3889.34	12/10/14	--	46.08	--	3843.26
	3889.34	03/11/15	--	46.28	--	3843.06
	3889.34	06/10/15	--	46.51	--	3842.83
	3889.34	09/02/15	--	46.60	--	3842.74
	3889.34	12/09/15	--	46.68	--	3842.66
	3889.34	03/09/16	--	46.72	--	3842.62
	3889.34	06/28/16	--	46.85	--	3842.49
	3889.34	09/21/16	--	46.96	--	3842.38
	3889.34	12/07/16	--	47.02	--	3842.32
	3889.34	03/08/17	--	47.11	--	3842.23
	3889.34	06/06/17	--	47.13	--	3842.21
	3889.34	09/08/17	--	47.23	--	3842.11
	3889.34	12/04/17	--	47.28	--	3842.06
	3889.34	03/05/18	--	47.44	--	3841.90
	3889.34	06/05/18	--	47.48	--	3841.86
	3889.34	09/05/18	--	47.55	--	3841.79
	3889.34	12/11/18	--	47.60	--	3841.74
	3889.34	03/06/19	--	47.68	--	3841.66
	3889.34	06/04/19	--	47.80	--	3841.54
	3889.34	09/04/19	--	47.95	--	3841.39
	3889.34	12/06/19	--	48.00	--	3841.34
	3889.34	03/05/20	--	48.03	--	3841.31
	3889.34	06/06/20	--	48.16	--	3841.18
	3889.34	09/24/20	--	48.34	--	3841.00
	3889.34	12/10/20	--	48.42	--	3840.92
	3889.34	03/02/21	--	48.42	--	3840.92

**Table 3 : Summary of Liquid Level Measurements
Chesapeake Energy Corporation, State M Lease (AP-72)
Lea County, New Mexico**

Monitoring Well	Top of Casing Elevation (AMSL-Feet)	Depth to Liquid Measurement Date	Depth to LNAPL (Feet-TOC)	Depth to Groundwater (Feet-TOC)	LNAPL Thickness (Feet)	Groundwater Elevation (AMSL-Feet)
MW-4	3888.90	06/03/14	--	46.38	--	3842.52
	3888.90	09/22/14	--	46.50	--	3842.40
	3888.90	12/10/14	--	46.14	--	3842.76
	3888.90	03/11/15	--	46.35	--	3842.55
	3888.90	06/10/15	--	46.49	--	3842.41
	3888.90	09/02/15	--	46.57	--	3842.33
	3888.90	12/09/15	--	46.68	--	3842.22
	3888.90	03/09/16	--	46.75	--	3842.15
	3888.90	06/28/16	--	46.87	--	3842.03
	3888.90	09/21/16	--	46.94	--	3841.96
	3888.90	12/07/16	--	47.03	--	3841.87
	3888.90	03/08/17	--	47.08	--	3841.82
	3888.90	06/06/17	--	47.15	--	3841.75
	3888.90	09/08/17	--	47.24	--	3841.66
	3888.90	12/04/17	--	47.29	--	3841.61
	3888.90	03/05/18	--	47.38	--	3841.52
	3888.90	06/05/18	--	47.50	--	3841.40
	3888.90	09/05/18	--	47.53	--	3841.37
	3888.90	12/11/18	--	47.62	--	3841.28
	3888.90	03/06/19	--	47.72	--	3841.18
	3888.90	06/04/19	--	47.80	--	3841.10
	3888.90	09/04/19	--	47.98	--	3840.92
	3888.90	12/06/19	--	48.00	--	3840.90
	3888.90	03/05/20	--	48.07	--	3840.83
	3888.90	06/06/20	--	48.20	--	3840.70
	3888.90	09/24/20	--	48.32	--	3840.58
	3888.90	12/10/20	--	48.39	--	3840.51
	3888.90	03/02/21	--	48.44	--	3840.46
MW-5	3890.41	06/03/14	--	46.56	--	3843.85
	3890.41	09/22/14	--	46.70	--	3843.71
	3890.41	12/10/14	--	46.29	--	3844.12
	3890.41	03/11/15	--	46.44	--	3843.97
	3890.41	06/10/15	--	46.69	--	3843.72
	3890.41	09/02/15	--	46.79	--	3843.62
	3890.41	12/09/15	--	46.85	--	3843.56
	3890.41	03/09/16	--	46.90	--	3843.51
	3890.41	06/28/16	--	47.08	--	3843.33
	3890.41	09/21/16	--	47.13	--	3843.28
	3890.41	12/07/16	--	47.14	--	3843.27
	3890.41	03/08/17	--	47.23	--	3843.18
	3890.41	06/06/17	--	47.32	--	3843.09
	3890.41	09/08/17	--	47.40	--	3843.01
	3890.41	12/04/17	--	47.27	--	3843.14
	3890.41	03/05/18	--	47.54	--	3842.87

**Table 3 : Summary of Liquid Level Measurements
Chesapeake Energy Corporation, State M Lease (AP-72)
Lea County, New Mexico**

Monitoring Well	Top of Casing Elevation (AMSL-Feet)	Depth to Liquid Measurement Date	Depth to LNAPL (Feet-TOC)	Depth to Groundwater (Feet-TOC)	LNAPL Thickness (Feet)	Groundwater Elevation (AMSL-Feet)
MW-5 (con't)	3890.41	06/05/18	--	47.66	--	3842.75
	3890.41	09/05/18	--	47.72	--	3842.69
	3890.41	12/11/18	--	47.80	--	3842.61
	3890.41	03/06/19	--	47.85	--	3842.56
	3890.41	06/04/19	--	47.98	--	3842.43
	3890.41	09/04/19	--	48.15	--	3842.26
	3890.41	12/06/19	--	48.17	--	3842.24
	3890.41	03/05/20	--	48.23	--	3842.18
	3890.41	06/06/20	--	48.33	--	3842.08
	3890.41	09/24/20	--	48.51	--	3841.90
	3890.41	12/10/20	--	48.60	--	3841.81
	3890.41	03/02/21	--	48.60	--	3841.81
MW-6	3888.25	06/03/14	--	46.25	--	3842.00
	3888.25	09/22/14	--	46.39	--	3841.86
	3888.25	12/10/14	--	46.09	--	3842.16
	3888.25	03/11/15	--	46.23	--	3842.02
	3888.25	06/10/15	--	46.32	--	3841.93
	3888.25	09/02/15	--	46.48	--	3841.77
	3888.25	12/09/15	--	46.57	--	3841.68
	3888.25	03/09/16	--	46.62	--	3841.63
	3888.25	06/28/16	--	46.74	--	3841.51
	3888.25	09/21/16	--	46.81	--	3841.44
	3888.25	12/07/16	--	46.90	--	3841.35
	3888.25	03/08/17	--	46.93	--	3841.32
	3888.25	06/06/17	--	47.08	--	3841.17
	3888.25	09/08/17	--	47.12	--	3841.13
	3888.25	12/04/17	--	47.21	--	3841.04
	3888.25	03/05/18	--	47.30	--	3840.95
	3888.25	06/05/18	--	47.36	--	3840.89
	3888.25	09/05/18	--	47.43	--	3840.82
	3888.25	12/11/18	--	47.52	--	3840.73
	3888.25	03/06/19	--	47.60	--	3840.65
	3888.25	06/04/19	--	47.71	--	3840.54
	3888.25	09/04/19	--	47.81	--	3840.44
	3888.25	12/06/19	--	47.90	--	3840.35
	3888.25	03/05/20	--	47.98	--	3840.27
	3888.25	06/06/20	--	48.08	--	3840.17
	3888.25	09/24/20	--	48.23	--	3840.02
	3888.25	12/10/20	--	48.28	--	3839.97
	3888.25	03/02/21	--	48.33	--	3839.92

**Table 3 : Summary of Liquid Level Measurements
Chesapeake Energy Corporation, State M Lease (AP-72)
Lea County, New Mexico**

Monitoring Well	Top of Casing Elevation (AMSL-Feet)	Depth to Liquid Measurement Date	Depth to LNAPL (Feet-TOC)	Depth to Groundwater (Feet-TOC)	LNAPL Thickness (Feet)	Groundwater Elevation (AMSL-Feet)
MW-7	3889.23	06/03/14	--	45.94	--	3843.29
	3889.23	09/22/14	--	46.08	--	3843.15
	3889.23	12/10/14	--	45.70	--	3843.53
	3889.23	03/11/15	--	45.36	--	3843.87
	3889.23	06/10/15	--	46.08	--	3843.15
	3889.23	09/02/15	--	46.14	--	3843.09
	3889.23	12/09/15	--	46.24	--	3842.99
	3889.23	03/09/16	--	46.30	--	3842.93
	3889.23	06/28/16	--	46.42	--	3842.81
	3889.23	09/21/16	--	46.52	--	3842.71
	3889.23	12/07/16	--	46.59	--	3842.64
	3889.23	03/08/17	--	46.65	--	3842.58
	3889.23	06/06/17	--	46.73	--	3842.50
	3889.23	09/08/17	--	46.80	--	3842.43
	3889.23	12/04/17	--	46.88	--	3842.35
	3889.23	03/05/18	--	46.96	--	3842.27
	3889.23	06/05/18	--	47.04	--	3842.19
	3889.23	09/05/18	--	47.11	--	3842.12
	3889.23	12/11/18	--	47.20	--	3842.03
	3889.23	03/06/19	--	47.27	--	3841.96
	3889.23	06/04/19	--	47.37	--	3841.86
	3889.23	09/04/19	--	47.50	--	3841.73
	3889.23	12/06/19	--	47.58	--	3841.65
	3889.23	03/05/20	--	47.66	--	3841.57
	3889.23	06/06/20	--	47.72	--	3841.51
	3889.23	09/24/20	--	47.90	--	3841.33
	3889.23	12/10/20	--	47.96	--	3841.27
	3889.23	03/02/21	--	48.02	--	3841.21
MW-8	3887.06	06/03/14	--	44.94	--	3842.12
	3887.06	09/22/14	--	45.11	--	3841.95
	3887.06	12/10/14	--	44.79	--	3842.27
	3887.06	03/11/15	--	44.94	--	3842.12
	3887.06	06/10/15	--	45.22	--	3841.84
	3887.06	09/02/15	--	45.21	--	3841.85
	3887.06	12/09/15	--	45.29	--	3841.77
	3887.06	03/09/16	--	45.35	--	3841.71
	3887.06	06/28/16	--	45.56	--	3841.50
	3887.06	09/21/16	--	45.67	--	3841.39
	3887.06	12/07/16	--	45.64	--	3841.42
	3887.06	03/08/17	--	45.68	--	3841.38
	3887.06	06/06/17	--	45.78	--	3841.28
	3887.06	09/08/17	--	45.82	--	3841.24
	3887.06	12/04/17	--	45.91	--	3841.15
	3887.06	03/05/18	--	46.03	--	3841.03

**Table 3 : Summary of Liquid Level Measurements
Chesapeake Energy Corporation, State M Lease (AP-72)
Lea County, New Mexico**

Monitoring Well	Top of Casing Elevation (AMSL-Feet)	Depth to Liquid Measurement Date	Depth to LNAPL (Feet-TOC)	Depth to Groundwater (Feet-TOC)	LNAPL Thickness (Feet)	Groundwater Elevation (AMSL-Feet)
MW-8 (con't)	3887.06	06/05/18	--	46.12	--	3840.94
	3887.06	09/05/18	--	46.16	--	3840.90
	3887.06	12/11/18	--	46.26	--	3840.80
	3887.06	03/06/19	--	46.33	--	3840.73
	3887.06	06/04/19	--	46.42	--	3840.64
	3887.06	09/04/19	--	46.53	--	3840.53
	3887.06	12/06/19	--	46.62	--	3840.44
	3887.06	03/05/20	--	46.71	--	3840.35
	3887.06	06/06/20	--	46.79	--	3840.27
	3887.06	09/24/20	--	46.95	--	3840.11
	3887.06	12/10/20	--	47.02	--	3840.04
	3887.06	03/02/21	--	47.06	--	3840.00

Notes:

1. TOC : Measured from top of casing.
2. LNAPL : Light non aqueous phase liquid.
3. -- : Denotes Not Measured.
4. AMSL : Denotes above mean sea level (AMSL)

Table 4 : Summary of Laboratory Analytical Results for Groundwater Samples
Chesapeake Energy Corporation, State M Lease (AP-72)
Lea County, New Mexico

	Chloride (mg/L)															
	June 2014	Sept. 2014	Dec. 2014	March 2015	June 2015	Sept. 2015	Dec. 2015	March 2016	June 2016	Sept. 2016	Dec. 2016	March 2017	June 2017	Sept. 2017	Dec. 2017	March 2018
MW-1R	---	51.4	116	39.0	24.6	21.6	23.5	34.8	24.9	28.5	44.8	32.0	28.6	29.3	29.0	33.7
MW-2	17.7	17.4	18.3	16.6	16.8	16.6	15.4 *	13.5	18.9	17.6	18.2	15.0	15.9	15.2	16.2	16.6
MW-3	59.7	59.7	58.9	57.0	57.1	56.3	50.5 *	49.3	51.5	52.0	55.1	50.0	53.7	49.5	58.1	64.3
MW-4	586	534	535	543	556	567	546 *	525	527	569	605	500	493	465	492	484
MW-5	28.6	27.3	27.9	26.1	26.2	25.8	22.4 *	22.4	26.1	26.2	27.8	23.1	24.7	20.4	25.4	25.9
MW-6	282	263	268	261	253	277	197 *	150	128	128	125	94.4	86.3	79.3	71.8	64.7
MW-7	42.7	29.6	36.0	39.7	36.2	35.2	28.8 *	27.7	36.0	38.2	39.6	24.2	23.8	24.0	27.7	31.6
MW-8	409	442	463	485	558	327	499	504	539	490	768	489	531	573	570	587

- Notes:
- 1. mg/L : milligrams per liter.
 - 2. < : Analyte not detected at the laboratory reporting limit.
 - 3. All analyses performed by TestAmerica Laboratories in Nashville, Tennessee.
 - 4. Cells shaded in blue indicate results that are above the laboratory reporting limit.
 - 5. Cells with text **bolded** indicate results that exceed the New Mexico Administrative Code 20.6.2.3103, Standards for Groundwater: chloride (250.0 mg/L).
 - 6. --- : Analysis not performed.
 - 7. * : Analysis performed outside of holding time.
 - 8. December 2016 results for MW-1R and MW-8 were confirmed by laboratory. reanalysis.
 - 9. Sample MW-1R was collected in December 2017 under sample ID MW-R1 as shown on the COC and in the field book.
 - 10. Beginning with the September 2019 sampling event, Eurofins TestAmerica (Edison, NJ) became the Project Laboratory.

Table 4 : Summary of Laboratory Analytical Results for Groundwater Samples
Chesapeake Energy Corporation, State M Lease (AP-72)
Lea County, New Mexico


	Chloride (mg/L)											
	June 2018	Sept. 2018	Dec. 2018	March 2019	June 2019	Sept. 2019	Dec. 2019	March 2020	June 2020	Sept. 2020	Dec. 2020	March 2021
MW-1R	---	---	---	---	---	---	---	---	---	---	---	---
MW-2	---	---	---	---	---	---	---	---	---	---	---	---
MW-3	---	---	---	---	---	---	---	---	---	---	---	---
MW-4	413	387	373	617	392	404	421	443	429	430	475	437
MW-5	---	---	---	---	---	---	---	---	---	---	---	---
MW-6	---	---	---	---	---	---	---	---	---	---	---	---
MW-7	---	---	---	---	---	---	---	---	---	---	---	---
MW-8	539	398	474	308	283	223	198	118	97.4	88.8	73.5	63.9

Notes:

- 1. mg/L : milligrams per liter.
- 2. < : Analyte not detected at the laboratory reporting limit.
- 3. All analyses performed by TestAmerica Laboratories in Nashville, Tennessee.
- 4. Cells shaded in blue indicate results that are above the laboratory reporting limit.
- 5. Cells with text **bolded** indicate results that exceed the New Mexico Administrative Code 20.6.2.3103, Standards for Groundwater: chloride (250.0 mg/L).
- 6. --- : Analysis not performed.
- 7. * : Analysis performed outside of holding time.
- 8. December 2016 results for MW-1R and MW-8 were confirmed by laboratory. reanalysis.
- 9. Sample MW-1R was collected in December 2017 under sample ID MW-R1 as shown on the COC and in the field book.
- 10. Beginning with the September 2019 sampling event, Eurofins TestAmerica (Edison, NJ) became the Project Laboratory.


FIGURES

H:\PROJECTS\Chesapeake Energy\CHKSTATM\H20001\04_CAD\FIG01_TOPO.dwg on May 25, 2021-1:17pm




SOURCE: U.S.G.S. 7.5 MINUTE TOPOGRAPHIC QUADRANGLES
LOVINGTON SW, NEW MEXICO - PROVISIONAL EDITION 1985 AND
LOVINGTON SE, NEW MEXICO - PROVISIONAL EDITION 1985




NEW MEXICO




CLIENT CHESAPEAKE ENERGY CORPORATION, LLC OKLAHOMA CITY, OKLAHOMA	FIGURE TITLE SITE LOCATION AND TOPOGRAPHIC FEATURES														
LOCATION STATE M LEASE (AP-72) SEC. 18, T17S, R36E, LEA COUNTY, NEW MEXICO	DOCUMENT TITLE SEVENTH ANNUAL GROUNDWATER MONITORING REPORT														
<div style="display: flex; align-items: center; justify-content: space-between;"> <div data-bbox="240 1875 540 2001"> </div> <div data-bbox="683 1875 1008 2009"> <p>Equus Environmental, LLC 1323 East 71st Street, Suite 200 Tulsa, Oklahoma 74136-5065 918.921.5331 www.EQUUSENV.com</p> </div> </div>															
<table border="1"> <tr> <td>DATE</td><td>5/26/2021</td></tr> <tr> <td>SCALE</td><td>AS SHOWN</td></tr> <tr> <td>PROJECT NUMBER</td><td>CHKSTATM:H20001</td></tr> </table>	DATE	5/26/2021	SCALE	AS SHOWN	PROJECT NUMBER	CHKSTATM:H20001	<table border="1"> <tr> <td>DESIGNED BY</td><td>MNM</td></tr> <tr> <td>APPROVED BY</td><td>MNM</td></tr> <tr> <td>DRAWN BY</td><td>SKG</td></tr> <tr> <td>FIGURE NUMBER</td><td>1</td></tr> </table>	DESIGNED BY	MNM	APPROVED BY	MNM	DRAWN BY	SKG	FIGURE NUMBER	1
DATE	5/26/2021														
SCALE	AS SHOWN														
PROJECT NUMBER	CHKSTATM:H20001														
DESIGNED BY	MNM														
APPROVED BY	MNM														
DRAWN BY	SKG														
FIGURE NUMBER	1														



LEGEND

-  **MW-5** LOCATION OF MONITORING WELL
-  **MW-1** LOCATION OF PLUGGED AND ABANDONED MONITORING WELL
-  **SVE-1** LOCATION OF SVE SYSTEM WELL



SOURCE: AERIAL PHOTOGRAPH DATED FEBRUARY 1, 2017,
GOOGLE EARTH PRO SCREEN CAPTURE



1323 East 71st Street, Suite 200
Tulsa, Oklahoma 74136-5065
918.921.5331
www.EQUUSENV.com

DOCUMENT TITLE
SEVENTH ANNUAL GROUNDWATER
MONITORING REPORT


FIGURE TITLE
SITE BASE MAP

CLIENT CHESAPEAKE ENERGY CORPORATION
OKLAHOMA CITY, OKLAHOMA

LOCATION STATE M LEASE (AP-72)
SEC. 18, T17S, R36E, LEA COUNTY, NEW MEXICO

DESIGNED BY	MNM		
APPROVED BY	MNM	SCALE	1"= 60'
DRAWN BY	SKG	DATE	5/26/2021

PROJECT NUMBER	FIGURE NUMBER
CHKSTATM:H20001	2



1323 East 71st Street, Suite 200
Tulsa, Oklahoma 74136-5065
918.921.5331
www.EQUUSENV.com

DOCUMENT TITLE
SEVENTH ANNUAL GROUNDWATER
MONITORING REPORT

CLIENT
CHESAPEAKE ENERGY CORPORATION
OKLAHOMA CITY, OKLAHOMA

LOCATION
STATE M LEASE (AP-72)
SEC. 18, T17S, R36E, LEA COUNTY, NEW MEXICO


FIGURE TITLE
***SVE SYSTEM VOC DISCHARGE
CONCENTRATIONS VERSUS TIME***

DESIGNED BY	JEC		
APPROVED BY	MNM	SCALE	NTS
DRAWN BY	SKG	DATE	4/9/2021

PROJECT NUMBER
CHKSTATM:H20001

FIGURE NUMBER
3

H:\PROJECTS\Chesapeake Energy\CHKSTATM\H20001\04_CAD\20190101_7thAnnGMRpt_StateM.dwg on May 25, 2021 1:12pm



1323 East 71st Street, Suite 200
Tulsa, Oklahoma 74136-5065
918.921.5331
www.EQUUSENV.com

DOCUMENT TITLE
SEVENTH ANNUAL GROUNDWATER
MONITORING REPORT

CLIENT CHESAPEAKE ENERGY CORPORATION
OKLAHOMA CITY, OKLAHOMA

LOCATION STATE M LEASE (AP-72)
SEC. 18, T17S, R36E, LEA COUNTY, NEW MEXICO

FIGURE TITLE
**GROUNDWATER POTENTIOMETRIC
SURFACE, JUNE 6, 2020**

				PROJECT NUMBER	FIGURE NUMBER
DESIGNED BY	MNM			CHKSTATM:H20001	4
APPROVED BY	MNM	SCALE	1"= 60'		
DRAWN BY	SKG	DATE	5/26/2021		

H:\PROJECTS\Chesapeake Energy\CHKSTATM\H20001\04_CAD\20190101_7HhAmGMRpt_StateM.dwg on May 25, 2021 1:12pm



1323 East 71st Street, Suite 200
Tulsa, Oklahoma 74136-5065
918.921.5331
www.EQUUSENV.com

DOCUMENT TITLE
SEVENTH ANNUAL GROUNDWATER
MONITORING REPORT

CLIENT
CHESAPEAKE ENERGY CORPORATION
OKLAHOMA CITY, OKLAHOMA

LOCATION
STATE M LEASE (AP-72)
SEC. 18, T17S, R36E, LEA COUNTY, NEW MEXICO


FIGURE TITLE
**GROUNDWATER POTENTIOMETRIC
SURFACE, SEPTEMBER 24, 2020**

DESIGNED BY	MNM		
APPROVED BY	MNM	SCALE	1"= 60'
DRAWN BY	SKG	DATE	5/26/2021

PROJECT NUMBER
CHKSTATM:H20001

FIGURE NUMBER
5

H:\PROJECTS\Chesapeake Energy\CHKSTATM\H20001\04_CAD\20190101_7thAnnGMRpt_StateM.dwg on May 25, 2021 1:12pm



1323 East 71st Street, Suite 200
Tulsa, Oklahoma 74136-5065
918.921.5331
www.EQUUSENV.com

DOCUMENT TITLE
SEVENTH ANNUAL GROUNDWATER
MONITORING REPORT

CLIENT CHESAPEAKE ENERGY CORPORATION
OKLAHOMA CITY, OKLAHOMA

LOCATION STATE M LEASE (AP-72)
SEC. 18, T17S, R36E, LEA COUNTY, NEW MEXICO


FIGURE TITLE
**GROUNDWATER POTENTIOMETRIC
SURFACE, DECEMBER 10, 2020**

DESIGNED BY	MNM		
APPROVED BY	MNM	SCALE	1"= 60'
DRAWN BY	SKG	DATE	5/26/2021

PROJECT NUMBER
CHKSTATM:H20001

FIGURE NUMBER
6

H:\PROJECTS\Chesapeake Energy\CHKSTATM\H20001\04_CAD\20190101_7thAnnGMRpt_StateM.dwg on May 25, 2021 1:12pm



1323 East 71st Street, Suite 200
Tulsa, Oklahoma 74136-5065
918.921.5331
www.EQUUSENV.com

DOCUMENT TITLE
SEVENTH ANNUAL GROUNDWATER
MONITORING REPORT

CLIENT CHESAPEAKE ENERGY CORPORATION
OKLAHOMA CITY, OKLAHOMA


LOCATION STATE M LEASE (AP-72)
SEC. 18, T17S, R36E, LEA COUNTY, NEW MEXICO

FIGURE TITLE
**GROUNDWATER POTENTIOMETRIC
SURFACE, MARCH 2, 2021**

DESIGNED BY	MNM		
APPROVED BY	MNM	SCALE	1"= 60'
DRAWN BY	SKG	DATE	5/26/2021

PROJECT NUMBER
CHKSTATM:H20001


FIGURE NUMBER
7



LEGEND

- MW-4** LOCATION OF MONITORING WELL AND CONCENTRATION OF CHLORIDE IN GROUNDWATER 3/2/2021, mg/L
- MW-1** LOCATION OF PLUGGED AND ABANDONED MONITORING WELL

250 CONTOUR LINE SHOWING EQUAL CONCENTRATIONS OF CHLORIDE IN GROUNDWATER, mg/L. (DASHED WHERE INFERRED)



1323 East 71st Street, Suite 200
Tulsa, Oklahoma 74136-5065
918.921.5331
www.EQUUSENV.com

DOCUMENT TITLE
SEVENTH ANNUAL GROUNDWATER
MONITORING REPORT

CLIENT
CHESAPEAKE ENERGY CORPORATION
OKLAHOMA CITY, OKLAHOMA


LOCATION
STATE M LEASE (AP-72)
SEC. 18, T17S, R36E, LEA COUNTY, NEW MEXICO

FIGURE TITLE
**ISOPLETH OF CHLORIDE CONCENTRATIONS
IN GROUNDWATER, MARCH 2, 2021**

DESIGNED BY	MNM		
APPROVED BY	MNM	SCALE	1"= 60'
DRAWN BY	SKG	DATE	5/26/2021

PROJECT NUMBER
CHKSTATM:H20001

FIGURE NUMBER
8



1323 East 71st Street, Suite 200
Tulsa, Oklahoma 74136-5065
918.921.5331
www.EQUUSENV.com

DOCUMENT TITLE
SEVENTH ANNUAL GROUNDWATER
MONITORING REPORT

CLIENT CHESAPEAKE ENERGY CORPORATION
OKLAHOMA CITY, OKLAHOMA

LOCATION STATE M LEASE (AP-72)
SEC. 18, T17S, R36E, LEA COUNTY, NEW MEXICO

FIGURE TITLE
**CHLORIDE CONCENTRATION
TREND GRAPHS**

DESIGNED BY	CNA		
APPROVED BY	MNM	SCALE	NTS
DRAWN BY	SKG	DATE	5/26/2021

PROJECT NUMBER
CHKSTATM:H20001

FIGURE NUMBER
9

APPENDICES

- A Stage 2 Abatement Plan
- B NMOCD Approval of Stage 2 Abatement Plan
- C Laboratory Analytical Reports and Chain-of-Custody Documentation

APPENDIX A
STAGE 2 ABATEMENT PLAN



Mr. Glenn Von Gonten
New Mexico Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

Subject:
State M-1 AP-072
Stage 2 Abatement Plan

Dear Mr. Von Gonten:

On behalf of Chesapeake Energy Corporation, ARCCADIS U.S. Inc. respectfully submits the enclosed Stage 2 Abatement plan for the State M-1 site (AP-072). A Stage 1 Abatement Plan Report was submitted on March 20, 2012. Your review and approval of this Abatement Plan will be appreciated. The landowner, Darr Angell, is anxious for us to complete soil remediation at this site.

If you have any questions please do not hesitate to contact Bradley Blevins at (575) 391-1462 or via e-mail at bblevins@chkenergy or me at (432) 687-5400, e-mail address shall@aracdis-us.com.

Sincerely,

ARCADIS U.S., Inc.

A handwritten signature in blue ink that reads "Sharon E. Hall".

Sharon E. Hall
Associate Vice President

Copies:

Bradley Blevins- Chesapeake, Hobbs

ARCADIS U.S., Inc.
1004 North Big Spring Street
Suite 300
Midland
Texas 79701
Tel 432 687 5400
Fax 432 687 5401
www.arcadis-us.com

ENVIRONMENT

Date:
March 27, 2012

Contact:
Sharon Hall

Phone:
432 687-5400

Email:
shall@aracdis-us.com

Our ref:
MT001088

ARCADIS U.S., Inc.
TX Engineering License # F-533

Imagine the result

g:\aproject\chesapeake\m-1 stage 2 plan\transmitall letter.doc



Imagine the result

Chesapeake Energy Corporation

**State M-1 AP-072
Stage 2 Abatement
Plan Proposal**

Hobbs, New Mexico

March 27, 2012



Sharon Hall
Associate Vice President

State M-1 AP-072

**Stage 2 Abatement
Plan Proposal**

Prepared for:
Chesapeake Energy
Corporation
Hobbs, New Mexico

Prepared by:
ARCADIS U.S., Inc.
1004 North Big Spring Street
Suite 300
Midland
Texas 79701
Tel 432 687 5400
Fax 432 687 5401

Our Ref.:
MT001088.0001.00001

Date:
March 27, 2012

This document is intended only for the use of the individual or entity for which it was prepared and may contain information that is privileged, confidential and exempt from disclosure under applicable law. Any dissemination, distribution or copying of this document is strictly prohibited.

Table of Contents

1. INTRODUCTION 1

2. SUMMARY OF STAGE 1 ABATEMENT ACTIVITIES 1

3. STAGE 2 ABATEMENT PLAN PROPOSAL 2

 3.1 Soil Remediation 2

 3.2 Groundwater Remediation and Monitoring 3

 3.2.1 Chlorides 4

 3.2.2 Hydrocarbons 4

4. PUBLIC NOTIFICATION 4

5. REMEDIATION WORK SCHEDULE 4

6. REFERENCES 5

Figures

Figure 1 Soil and Groundwater Analyte Concentrations

Figure 2 Proposed Excavation

Appendices

Appendix A Multi-Med Model Inputs and Outputs



State M-1 AP-072

**Stage 2 Abatement
Plan Proposal**Chesapeake Energy
Corporation
Hobbs, New Mexico**1. INTRODUCTION**

The subject site is a former tank battery site located east of Buckeye, New Mexico. The site was purchased by Chesapeake Energy Corporation (Chesapeake) in April 2004. Chesapeake did not operate the tank battery or the associated well field and began the process of facility abandonment in 2007.

Seven monitor wells and nine soil borings have been drilled at the site. Elevated chloride concentrations and limited hydrocarbon compounds were detected in soil samples collected from soil borings and monitoring wells. Elevated chlorides were detected in the down gradient monitor wells and light non-aqueous phase liquid (LNAPL) occurs in monitoring well MW-1. LNAPL recovery activities have been piloted at the site and will commence again upon completion of surface reclamation activities.

2. SUMMARY OF STAGE 1 ABATEMENT ACTIVITIES

Initial site investigation activities were conducted in May of 2007 following abandonment of the tank battery. Stage 1 Abatement activities were conducted during the period of May 2007 through September 2011. Stage 1 Abatement activities included drilling and soil sampling of nine boreholes, drilling and sampling of seven monitor wells, EM 31 and EM 34 surveys, conversion of one monitoring well into a recovery well and recovery of phase-separated hydrocarbons from the recovery well.

New Mexico Oil Conservation Division (NMOCD) was notified of impacts to groundwater at the site via e-mail on May 30, 2007. NMOCD notified Chesapeake in a letter dated June 19, 2007 that a Stage 1 Abatement Plan was required for the site in accordance with Rule 19.

The Stage 1 Abatement Plan was submitted to NMOCD on August 22, 2007. The plan summarized site activities taken to date. The plan proposed the drilling and sampling of a minimum of three additional soil borings and installation and sampling of nine groundwater monitoring wells.

BBC contacted NMOCD via email on April 24, 2010 to inquire about the status of the Stage 1 Abatement Plan approval and Chesapeake's desire to conduct the proposed Stage 1 Abatement Plan activities. On May 27, 2010, NMOCD responded via email that the State was not staffed to review the Abatement Plans (APs) in a timely manner. On June 23, 2010, BBC contacted NMOCD via email to request a waiver of the Public Notice requirement and inform NMOCD that Chesapeake and the landowner were

**State M-1 AP-072****Stage 2 Abatement
Plan Proposal**

Chesapeake Energy
Corporation
Hobbs, New Mexico

anxious to move forward with the proposed AP activities. NMOCD replied via email on June 23, 2010 stating they were still understaffed to review the AP and could not waive the Public Notice requirement. They advised BBC that Chesapeake could proceed "at risk." On July 12, 2010 BBC informed NMOCD by registered letter that Chesapeake was planning to start the Stage 1 Assessment on or about August 23, 2010. They further informed NMOCD they would be submitting the required Public Notices, a copy of which was attached to the letter. NMOCD did not respond to the registered letter.

The public notices were published in the Hobbs News-Sun and Lovington Leader on July 22, 2010 and the Albuquerque Journal on July 24, 2010. No comments were received from the public or NMOCD during the 30-day comment period and Chesapeake proceeded with the proposed Stage 1 Abatement Plan activities on August 26, 2010. Copies of correspondence and Public Notice are included in Appendix A.

A detailed description of site activities and results can be found in the report submitted to NMOCD dated March 20, 2012 entitled State M-1 AP-072, Stage 1 Abatement Report (Site Assessment Investigation). Analytical results for soil and groundwater sampling are summarized on Figure 1.

3. STAGE 2 ABATEMENT PLAN PROPOSAL

After review of various remedial options, we propose the following Stage 2 Abatement Plan. The plan addresses soil and groundwater remediation.

3.1 Soil Remediation

The selected remedial option will be the excavation of near-surface soils and installation of clay liners. The anticipated extent and depth of excavation is based on assessment activities (laboratory analysis and visual observation) and is shown in Figure 2. Near surface soils (to a depth of 5 feet below ground surface) with chloride concentrations in excess of 1,000 milligrams per kilogram (mg/kg) and a Total Petroleum Hydrocarbons (TPH) concentration in excess of 1,000 mg/kg will be excavated and disposed. Excavated soils will be disposed at Lea Land Landfill.

Areas where chloride or TPH concentrations are expected to exceed 1,000 mg/kg at depths greater than 5 feet below ground surface soils will be excavated to a depth of 5

**State M-1 AP-072****Stage 2 Abatement
Plan Proposal**

Chesapeake Energy
Corporation
Hobbs, New Mexico

feet below ground surface. Soils will be screened in the field for chlorides using chloride field test kits and for TPH using a photoionization. Critical samples (samples used to delineate the excavations) will be submitted for laboratory analysis of chlorides and/or TPH. Following excavation, a 12-inch compacted clay layer that meets or exceeds a permeability of equal to or less than 1×10^{-8} centimeters per second will be installed in the excavations. The lined excavations will be backfilled with four feet of locally obtained native soil. All of the excavated areas will be re-seeded with native vegetation. Areas that are supporting vegetation will not be disturbed.

Use of the USEPA Multi-Med model demonstrates that the clay liners will mitigate the leaching of chlorides to groundwater. The model predicts that after 7000 years of infiltration through the liner the maximum concentration of chlorides in groundwater will be 221.8 milligrams per liter (mg/L). The Multi-Med inputs and outputs are included in Appendix A.

3.2 Groundwater Remediation and Monitoring

One additional groundwater monitoring well will be installed downgradient of the site. The monitoring well will be designated MW-8.

Groundwater samples will be collected from all of the monitoring wells and analyzed for chlorides using USEPA method 9056 for each of four quarters. Based on sample results for one year (four quarters), sampling frequency will be reviewed and may be revised.

Sampling will be discontinued when eight quarters of sample results indicate chloride concentrations are below New Mexico Water Quality Control Commission, Title 20, Chapter 6, Part 2 standards. Sample results will be submitted to the NMOCD annually on June 15.

Following removal of LNAPL from MW-1, groundwater samples will be collected from MW-1 and analyzed for benzene, toluene ethylbenzene and xylenes (BTEX) using USEPA method 8260B for each of four quarters. Based on sample results for one year (four quarters), sampling frequency will be reviewed and may be revised.

Sampling of MW-1 for BTEX will be discontinued when eight quarters of sample results indicate BTEX concentrations are below New Mexico Water Quality Control Commission, Title 20, Chapter 6, Part 2 standards. Sample results will be submitted to



State M-1 AP-072

**Stage 2 Abatement
Plan Proposal**Chesapeake Energy
Corporation
Hobbs, New Mexico

the NMOCD annually on June 15. Proposed groundwater remediation is presented in Sections 3.2.1 and 3.2.2.

3.2.1 Chlorides

Chloride concentrations in groundwater exceed New Mexico Water Quality Control Commission standards in two wells (MW-1 411mg/L and MW-4 472mg/L).

Removal of near-surface soils that are a potential source of chlorides and BTEX in groundwater and lining of excavations with chloride and TPH concentrations in excess of 1,000 mg/kg will mitigate leaching of chlorides to groundwater. Considering the relatively low concentrations of chlorides in groundwater and the fact that soil removal and clay liner infiltration barrier installation will be conducted at this site, we propose monitoring the site for a period of two years before considering pumping of groundwater at this site. With the proposed source removal and mitigation and the severe drought conditions being experienced in this area, we believe it prudent to evaluate if chloride mass removal by pumping is warranted at this site.

3.2.2 Hydrocarbons

A pilot LNAPL recovery test will take place over a three week period and will be used to develop long-term recovery procedures. LNAPL will be recovered from MW-1 and disposed in a NMOCD approved facility. Additionally, two soil vent borings equipped with wind turbines will be installed in the area near MW-1.

4. PUBLIC NOTIFICATION

Written notification of submittal of the Stage 2 Abatement Plan Proposal and site activities will be sent to all surface owners of record within a one-mile radius of the site. NMOCD will be supplied with a list of parties to be notified. Publication of notice of activities will be published in a state-wide circulated newspaper, the Albuquerque Journal, and two county newspapers, the Hobbs-Daily News Sun and the Lovington Leader.

5. REMEDIATION WORK SCHEDULE

Soil remediation activities are expected to be completed in 15 working days (Monday through Friday). Groundwater remediation activities will be ongoing. An estimated completion date for groundwater remediation is not available.



State M-1 AP-072

**Stage 2 Abatement
Plan Proposal**

Chesapeake Energy
Corporation
Hobbs, New Mexico

6. REFERENCES


Groundwater Handbook; United States Environmental Protection Agency, Office of Research and Development, Center for Environmental Research Information; 1992

New Mexico Water Quality Control Commission, Title 20 Chapter 6, Part 2, Subpart I

State M-1 AP-072 Stage 1 Abatement Report (Site Assessment Investigation);
ARCADIS; March 2012

State M-1 Salt Water Disposal Tank Battery, Stage 1 Abatement Plan (Ap-072), BBC International; August 2007

New Mexico Water Quality Control Commission, Title 20 Chapter 6, Part 2, Subpart I







Appendix A

Multi-Med Model Inputs and Outputs

Chesapeake State M-1
Chesapeake Energy Corporation
Buckeye, Lea County, New Mexico
Multimed Model Input and Output (With Liner)

MODEL INPUT AND OUTPUT						MODEL RANGE	
INPUT PARAMETERS						Minimum	Maximum
Unsaturated Zone Flow Parameters							
Depth of Unsaturated Zone	m	45	feet	13.7	m	0.000000001	None
Hydraulic Conductivity	cm/hr	2	ft/day	2.54	cm/hr	0.00000000001	10,000
Unsaturated Zone Porosity	fraction	0.05	fraction	0.05	fraction	0.000000001	0.99
Residual Water Content	fraction	0.01	fraction	0.010	fraction	0.000000001	1
Unsaturated Zone Transport Parameters							
Thickness of Layer	m	45	feet	13.7	m	0.000000001	None
Percent of Organic Matter	%	2.6	%	2.6	%	0	100
Bulk Density	g/cm ³	1.35	g/cm ³	1.35	g/cm ³	0.01	5
Biological Decay Coefficient	1/yr	0	1/yr	0	1/yr	0	None
Aquifer Parameters							
Aquifer Porosity	fraction	0.25	fraction	0.25	fraction	0.000000001	0.99
Bulk Density	g/cm ³	1.35	g/cm ³	1.35	g/cm ³	0.01	5
Aquifer Thickness	m	50	ft	15.24	m	0.000000001	100,000
Hydraulic Conductivity	m/yr	2	ft/day	223	m/yr	0.0000001	100,000,000
Hydraulic Gradient	m/m	0.007	m/m	0.007	m/m	0.00000001	None
Organic Carbon Content	fraction	0.00315	fraction	0.00315	fraction	0.000001	1
Temperature of Aquifer	°C	14.4	°C	14.4	°C	0.00000001	None
pH		6.2		6.2		0.3	14
x-distance Radial Distance from Site to Receptor	m	1	m	1	m	1	None
Source Parameters							
Infiltration Rate from the Facility	m/yr	0.124	in/yr	0.00315	m/yr	0.0000000001	10,000,000,000
Area of Waste Disposal Unit	m ²	46,800	ft ²	4348	m ²	0.01	None
Length Scale of Facility	m	240	feet	73.2	m	0.000000001	10,000,000,000
Width Scale of Facility	m	195	feet	59.4	m	0.000000001	10,000,000,000
Recharge Rate into the Plume	m/yr	16.71	in/yr	0.4244	m/yr	0	10,000,000,000
Duration of Pulse	yr	8,000	yr	8000	yr	0.000000001	None
Initial Concentration at Landfill	mg/L	6,000	mg/L	6,000	mg/L	0	None
Additional Parameters							
Method	Gaussian			Gaussian		Gaussian	Patch
Name of Chemical Specified	Chloride						

MODEL OUTPUT		
Final Concentration at Landfill	mg/L	221.8 mg/L

MODEL OUTPUT			
Concentration at Landfill	0.0	mg/L	Time
	0.0	mg/L	1 yr
	0.0	mg/L	10 yr
	0.0	mg/L	20 yr
	18.9	mg/L	50 yr
	36.6	mg/L	70 yr
	45.4	mg/L	80 yr
	61.8	mg/L	100 yr
	123.4	mg/L	200 yr
	154.1	mg/L	300 yr
	166.3	mg/L	400 yr
	178.5	mg/L	500 yr
	190.7	mg/L	600 yr
	204.8	mg/L	800 yr
	211.1	mg/L	1,000 yr
	220.4	mg/L	2,000 yr
	221.6	mg/L	3,000 yr
	221.8	mg/L	4,000 yr
	221.8	mg/L	5,000 yr
	221.8	mg/L	6,000 yr
	221.8	mg/L	7,000 yr

Chesapeake State M-1
Chesapeake Energy Corporation
Buckeye, Lea County, New Mexico




TABLE 6-3. TOTAL POROSITY OF VARIOUS MATERIALS

Material	No. of Analyses	Range	Arithmetic Mean
Igneous Rocks			
Weathered granite	8	0.34-0.57	0.45
Weathered gabbro	4	0.42-0.45	0.43
Basalt	94	0.03-0.35	0.17
Sedimentary Materials			
Sandstone	65	0.14-0.49	0.34
Siltstone	7	0.21-0.41	0.35
Sand (fine)	243	0.26-0.53	0.43
Sand (coarse)	26	0.31-0.46	0.39
Gravel (fine)	38	0.25-0.38	0.34
Gravel (coarse)	15	0.24-0.36	0.28
Silt	281	0.34-0.61	0.46
Clay	74	0.34-0.57	0.42
Limestone	74	0.07-0.56	0.3
Metamorphic Rocks			
Schist	18	0.04-0.49	0.38

Sources: From Mercer et al. (1982),
 McWhorter and Sunada (1977),
 Original reference Morris and Johnson, (1967).

Texture	Bulk Density g/cm ³	Average Wilting Point	Plant Available Water Inches/Ft
Sandy loam	1.6	0.057	1.66
Silt Loam	1.45	0.119	2
Loam	1.5	0.097	2.4
Sandy clay loam	1.45	0.137	1.66
Clay loam	1.45	0.157	1.9

TABLE 6-8. MEAN BULK DENSITY (g/cm³) FOR FIVE SOIL TEXTURAL CLASSIFICATIONS^{a,b}

Soil Texture	Mean Value	Range Reported
Silt Loams	1.32	0.86 - 1.67
Clay and Clay Loams	1.3	0.94 - 1.54
Sandy Loams	1.49	1.25 - 1.76
Gravelly Silt Loams	1.22	1.02 - 1.58
Loams	1.42	1.16 - 1.58
All Soils	1.35	0.86 - 1.76

^a Baes, C.F., III and R.D. Sharp. 1983. A Proposal for Estimation of Soil Leaching Constants for Use in Assessment Models. J. Environ. Qual. 12(1):17-28 (Original reference).

^b From Dean et al. (1989)

TABLE 6-2. DESCRIPTIVE STATISTICS FOR SATURATED HYDRAULIC CONDUCTIVITY
(cm hr⁻¹)

Soil Type	Hydraulic Conductivity (Ks)*			n		
	x	s	CV			
Clay**	0.2	0.42	210.3	114	cm/hr	17.52
Clay Loam	0.26	0.7	267.2	345	cm/hr	22.776
Loam	1.04	1.82	174.6	735	cm/hr	91.104
Loamy Sand	14.59	11.36	77.9	315	cm/hr	1278.084
Silt	0.25	0.33	129.9	88	cm/hr	21.9
Silt Loam	0.45	1.23	275.1	1093	cm/hr	39.42
Silty Clay	0.02	0.11	453.3	126	cm/hr	1.752
Silty Clay Loam	0.07	0.19	288.7	592	cm/hr	6.132
Sand	29.7	15.6	52.4	246	cm/hr	2601.72
Sandy Clay	0.12	0.28	234.1	46	cm/hr	10.512
Sandy Clay Loam	1.31	2.74	208.6	214	cm/hr	114.756
Sandy Loam	4.42	5.63	127	1183	cm/hr	387.192

* n = Sample size, \bar{x} = Mean, s = Standard deviation, CV = Coefficient of variation (percent)

** Agricultural soil, less than 60 percent clay

Sources: From Dean et al. (1989),
Original reference Carsel and Parrish (1988).

Saturated water content is the maximum volumetric amount of water in the soil when all pores are filled with water. Very often it is assumed that saturated water content equals the porosity n . However, in many cases q_s is smaller than n due to the fact that small amounts of air will be trapped in very small pores. Residual water content can be defined as the asymptote of the pF-curve when h gets very high negative values. Usually q_R is very small - on the order of 0.001--0.02 for coarse soils but gets as high values as 0.15..0.25 for heavy clay soils. Air entry point h_a is

Soil texture. Fine-textured soils can hold much more organic matter than sandy soils for two reasons. First, clay particles form electrochemical bonds that hold organic compounds. Second, decomposition occurs faster in well-aerated sandy soils. A sandy loam rarely holds more than 2% organic matter.

The recharge rate in this model is the net amount of water that percolates directly into the aquifer system outside of the land disposal facility. The recharge is assumed to have no contamination and hence dilutes the groundwater contaminant plume. The recharge rate into the plume can be calculated in a variety of ways. One possibility is to use a model, such as HELP (Hydrologic Evaluation of Landfill Performance) (Schroeder et al., 1984), without any engineering controls (leachate collection system or a liner) to simulate the water balance for natural conditions.

The infiltration rate is the net amount of leachate that percolates into the aquifer system from a land disposal facility. Because of the use of engineering controls and the presence of non-native porous materials in the landfill facility, the infiltration rate will typically be different than the recharge rate. However, it can be estimated by similar

Most soils contain 2-10 percent organic matter. *The Importance of Soil Organic Matter: Key to Drought-Resistant Soil and Sustained Food Production.* <http://www.fao.org>

APPENDIX B

NMOCD APPROVAL OF STAGE 2 ABATEMENT PLAN

From: [Chase Acker](#)
To: [Bruce McKenzie](#)
Subject: FW: Stage 2 Abatement Plan Approval: AP-72 Former State M-1 Tank Battery located in Unit Letter O of Section 18 in Township 17 South, Range 36 East, NMPM in Lea County, NM
Date: Monday, April 14, 2014 1:56:01 PM

From: Griswold, Jim, EMNRD [mailto:Jim.Griswold@state.nm.us]
Sent: Thursday, June 27, 2013 5:14 PM
To: Larry Wooten
Cc: Hall, Sharon; Chase Acker
Subject: Stage 2 Abatement Plan Approval: AP-72 Former State M-1 Tank Battery located in Unit Letter O of Section 18 in Township 17 South, Range 36 East, NMPM in Lea County, NM

Mr. Wooten,

The Oil Conservation Division (OCD) has reviewed the Stage 2 Abatement Plan for the above-referenced site submitted on your behalf by Arcadis and dated 3/27/12. That plan has substantially met the requirements of 19.15.30 NMAC and is hereby approved. Please proceed with field activities.

Be advised this approval does not relieve Chesapeake of responsibility should the situation continue to pose a threat to groundwater, surface water, human health, or the environment. Furthermore, this approval does not relieve your responsibility for compliance with any federal, state, or local laws and/or regulations. Please retain a copy of this email for your files, as no hardcopy will be sent. If you have any questions, please feel free to contact me at any time.

Jim Griswold

Senior Hydrologist

EMNRD/Oil Conservation Division

1220 South St. Francis Drive

Santa Fe, New Mexico 87505

505.476.3465

email: jim.griswold@state.nm.us

This email (and attachments if any) is intended only for the use of the individual or entity to which it is addressed, and may contain information that is confidential or privileged and exempt from disclosure under applicable law. If the reader of this email is not the intended recipient, or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately by return email and destroy all copies of the email (and attachments if any).

APPENDIX C

LABORATORY ANALYTICAL REPORTS AND CHAIN-OF-CUSTODY DOCUMENTATION



Environment Testing America

ANALYTICAL REPORT

Eurofins TestAmerica, Pittsburgh
301 Alpha Drive
RIDC Park
Pittsburgh, PA 15238
Tel: (412)963-7058

Laboratory Job ID: 180-106939-1

Laboratory Sample Delivery Group: Property ID: 891077
Client Project/Site: State M-1

For:

Chesapeake Energy Corporation
PO BOX 548806
Oklahoma City, Oklahoma 73154

Attn: Chase Acker

A handwritten signature in black ink that reads "Cathy Gartner".

Authorized for release by:
6/24/2020 1:25:41 PM

Cathy Gartner, Project Manager II
(615)301-5041
cathy.gartner@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

PA Lab ID: 02-00416

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Laboratory Job ID: 180-106939-1
SDG: Property ID: 891077

- 1
- 2
- 3
- 4
- 5
- 6
- 7

Table of Contents

Cover Page 1

Table of Contents 2

Case Narrative 3

Definitions/Glossary 4

Sample Summary 5

Subcontract Data 6

Receipt Checklists 20

Case Narrative

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 180-106939-1
SDG: Property ID: 891077

Job ID: 180-106939-1

Laboratory: Eurofins TestAmerica, Pittsburgh

Narrative

Job Narrative
180-106939-1

Subcontract Work

Method TO 15: This method was subcontracted to Eurofins Air Toxics. The subcontract laboratory certification is different from that of the facility issuing the final report.

- 1
- 2
- 3
- 4
- 5
- 6
- 7

Definitions/Glossary

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 180-106939-1
SDG: Property ID: 891077

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Sample Summary

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 180-106939-1
SDG: Property ID: 891077

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
180-106939-1	20200606-M-SVE	Air	06/06/20 10:26	06/10/20 08:19	

- 1
- 2
- 3
- 4
- 5
- 6
- 7



Air Toxics

6/23/2020

Ms. Cathy Gartner

Eurofins Test America

2960 Foster Creighton Dr.

Nashville TN 37204

Project Name: CHK STATE M

Project #: CHKSTATM:H20001

Workorder #: 2006280

Dear Ms. Cathy Gartner

The following report includes the data for the above referenced project for sample(s) received on 6/10/2020 at Air Toxics Ltd.

The data and associated QC analyzed by TO-15 are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics Inc. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Brian Whittaker at 916-985-1000 if you have any questions regarding the data in this report.

Regards,

A handwritten signature in black ink that reads "Brian Whittaker". The signature is fluid and cursive.

Brian Whittaker

Project Manager



Air Toxics

WORK ORDER #: 2006280

Work Order Summary

CLIENT: Ms. Cathy Gartner
Eurofins Test America
2960 Foster Creighton Dr.
Nashville, TN 37204

BILL TO: Accounts Payable
Eurofins Test America
4104 Shuffel St NW
North Canton, OH 44720

PHONE: 800-765-0980

P.O. # CHKSTATM:H20001

FAX: 615-726-3404

PROJECT # CHKSTATM:H20001 CHK STATE M

DATE RECEIVED: 06/10/2020

CONTACT: Brian Whittaker

DATE COMPLETED: 06/23/2020

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>	<u>RECEIPT VAC./PRES.</u>	<u>FINAL PRESSURE</u>
01A	20200606-M-SVE	TO-15	6.5 "Hg	4.7 psi
02A	Lab Blank	TO-15	NA	NA
03A	CCV	TO-15	NA	NA
04A	LCS	TO-15	NA	NA
04AA	LCSD	TO-15	NA	NA

CERTIFIED BY:

Technical Director

DATE: 06/23/20

Certification numbers: AZ Licensure AZ0775, FL NELAP – E87680, LA NELAP – 02089, NH NELAP - 209218, NJ NELAP - CA016, NY NELAP - 11291, TX NELAP - T104704434-18-13, UT NELAP – CA009332019-11, VA NELAP - 460197, WA NELAP - C935

Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program)

Accreditation number: CA300005-011, Effective date: 10/18/2019, Expiration date: 10/17/2020.

Eurofins Air Toxics, LLC certifies that the test results contained in this report meet all requirements of the NELAC standards

This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, LLC.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630

(916) 985-1000 . (800) 985-5955 . FAX (916) 351-8279



Air Toxics

LABORATORY NARRATIVE**EPA Method TO-15****Eurofins Test America****Workorder# 2006280**

One 6 Liter Summa Canister sample was received on June 10, 2020. The laboratory performed analysis via EPA Method TO-15 using GC/MS in the full scan mode.

Receiving Notes

There were no receiving discrepancies.

Analytical Notes

TVOC (Total Volatile Organic Compounds) referenced to Hexane includes area counts for peaks that elute from Hexane minus 0.08 minutes to Naphthalene plus 0.08 minutes and quantitating the area based on the response factor of Hexane.

Dilution was performed on sample 20200606-M-SVE due to the presence of high level non-target species.

Definition of Data Qualifying Flags

Ten qualifiers may have been used on the data analysis sheets and indicates as follows:

B - Compound present in laboratory blank greater than reporting limit (background subtraction not performed).

J - Estimated value.

E - Exceeds instrument calibration range.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the reporting limit, LOD, or MDL value. See data page for project specific U-flag definition.

UJ- Non-detected compound associated with low bias in the CCV

N - The identification is based on presumptive evidence.

M - Reported value may be biased due to apparent matrix interferences.

CN - See Case Narrative.

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue



Air Toxics

Summary of Detected Compounds
EPA METHOD TO-15 GC/MS

Client Sample ID: 20200606-M-SVE

Lab ID#: 2006280-01A

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	8.4	48	27	150
Ethyl Benzene	8.4	150	36	650
4-Ethyltoluene	8.4	130	41	630
Toluene	8.4	11	32	40
1,2,4-Trimethylbenzene	8.4	60	41	290
1,3,5-Trimethylbenzene	8.4	50	41	240
m,p-Xylene	8.4	280	36	1200
o-Xylene	8.4	63	36	270
TVOC Ref. to Hexane	170	50000	590	180000



Air Toxics

Client Sample ID: 20200606-M-SVE

Lab ID#: 2006280-01A

EPA METHOD TO-15 GC/MS

File Name:	14062207	Date of Collection:	6/6/20 10:26:00 AM
Dil. Factor:	1.68	Date of Analysis:	6/22/20 03:13 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Acetone	34	Not Detected	80	Not Detected
Benzene	8.4	48	27	150
alpha-Chlorotoluene	8.4	Not Detected	43	Not Detected
Bromodichloromethane	8.4	Not Detected	56	Not Detected
Bromoform	8.4	Not Detected	87	Not Detected
Bromomethane	34	Not Detected	130	Not Detected
2-Butanone (Methyl Ethyl Ketone)	34	Not Detected	99	Not Detected
Carbon Disulfide	34	Not Detected	100	Not Detected
Carbon Tetrachloride	8.4	Not Detected	53	Not Detected
Chlorobenzene	8.4	Not Detected	39	Not Detected
Dibromochloromethane	8.4	Not Detected	72	Not Detected
Chloroethane	34	Not Detected	89	Not Detected
Chloroform	8.4	Not Detected	41	Not Detected
Chloromethane	34	Not Detected	69	Not Detected
1,2-Dibromoethane (EDB)	8.4	Not Detected	64	Not Detected
1,2-Dichlorobenzene	8.4	Not Detected	50	Not Detected
1,3-Dichlorobenzene	8.4	Not Detected	50	Not Detected
1,4-Dichlorobenzene	8.4	Not Detected	50	Not Detected
1,1-Dichloroethane	8.4	Not Detected	34	Not Detected
Freon 12	8.4	Not Detected	42	Not Detected
1,2-Dichloroethane	8.4	Not Detected	34	Not Detected
1,1-Dichloroethene	8.4	Not Detected	33	Not Detected
cis-1,2-Dichloroethene	8.4	Not Detected	33	Not Detected
trans-1,2-Dichloroethene	8.4	Not Detected	33	Not Detected
1,2-Dichloropropane	8.4	Not Detected	39	Not Detected
cis-1,3-Dichloropropene	8.4	Not Detected	38	Not Detected
trans-1,3-Dichloropropene	8.4	Not Detected	38	Not Detected
Freon 114	8.4	Not Detected	59	Not Detected
Ethyl Benzene	8.4	150	36	650
4-Ethyltoluene	8.4	130	41	630
Hexachlorobutadiene	34	Not Detected	360	Not Detected
2-Hexanone	34	Not Detected	140	Not Detected
Methylene Chloride	34	Not Detected	120	Not Detected
4-Methyl-2-pentanone	8.4	Not Detected	34	Not Detected
Styrene	8.4	Not Detected	36	Not Detected
1,1,2,2-Tetrachloroethane	8.4	Not Detected	58	Not Detected
Tetrachloroethene	8.4	Not Detected	57	Not Detected
Toluene	8.4	11	32	40
1,2,4-Trichlorobenzene	34	Not Detected	250	Not Detected
1,1,1-Trichloroethane	8.4	Not Detected	46	Not Detected
1,1,2-Trichloroethane	8.4	Not Detected	46	Not Detected
Trichloroethene	8.4	Not Detected	45	Not Detected



Air Toxics

Client Sample ID: 20200606-M-SVE

Lab ID#: 2006280-01A

EPA METHOD TO-15 GC/MS

File Name:	14062207	Date of Collection:	6/6/20 10:26:00 AM
Dil. Factor:	1.68	Date of Analysis:	6/22/20 03:13 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Freon 11	8.4	Not Detected	47	Not Detected
Freon 113	8.4	Not Detected	64	Not Detected
1,2,4-Trimethylbenzene	8.4	60	41	290
1,3,5-Trimethylbenzene	8.4	50	41	240
Vinyl Acetate	34	Not Detected	120	Not Detected
Vinyl Chloride	8.4	Not Detected	21	Not Detected
m,p-Xylene	8.4	280	36	1200
o-Xylene	8.4	63	36	270
TVOC Ref. to Hexane	170	50000	590	180000

Container Type: 6 Liter Summa Canister

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	106	70-130
Toluene-d8	105	70-130
4-Bromofluorobenzene	96	70-130



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 2006280-02A

EPA METHOD TO-15 GC/MS

File Name:	14062206a	Date of Collection:	NA
Dil. Factor:	1.00	Date of Analysis:	6/22/20 10:57 AM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Acetone	20	Not Detected	48	Not Detected
Benzene	5.0	Not Detected	16	Not Detected
alpha-Chlorotoluene	5.0	Not Detected	26	Not Detected
Bromodichloromethane	5.0	Not Detected	34	Not Detected
Bromoform	5.0	Not Detected	52	Not Detected
Bromomethane	20	Not Detected	78	Not Detected
2-Butanone (Methyl Ethyl Ketone)	20	Not Detected	59	Not Detected
Carbon Disulfide	20	Not Detected	62	Not Detected
Carbon Tetrachloride	5.0	Not Detected	31	Not Detected
Chlorobenzene	5.0	Not Detected	23	Not Detected
Dibromochloromethane	5.0	Not Detected	42	Not Detected
Chloroethane	20	Not Detected	53	Not Detected
Chloroform	5.0	Not Detected	24	Not Detected
Chloromethane	20	Not Detected	41	Not Detected
1,2-Dibromoethane (EDB)	5.0	Not Detected	38	Not Detected
1,2-Dichlorobenzene	5.0	Not Detected	30	Not Detected
1,3-Dichlorobenzene	5.0	Not Detected	30	Not Detected
1,4-Dichlorobenzene	5.0	Not Detected	30	Not Detected
1,1-Dichloroethane	5.0	Not Detected	20	Not Detected
Freon 12	5.0	Not Detected	25	Not Detected
1,2-Dichloroethane	5.0	Not Detected	20	Not Detected
1,1-Dichloroethene	5.0	Not Detected	20	Not Detected
cis-1,2-Dichloroethene	5.0	Not Detected	20	Not Detected
trans-1,2-Dichloroethene	5.0	Not Detected	20	Not Detected
1,2-Dichloropropane	5.0	Not Detected	23	Not Detected
cis-1,3-Dichloropropene	5.0	Not Detected	23	Not Detected
trans-1,3-Dichloropropene	5.0	Not Detected	23	Not Detected
Freon 114	5.0	Not Detected	35	Not Detected
Ethyl Benzene	5.0	Not Detected	22	Not Detected
4-Ethyltoluene	5.0	Not Detected	24	Not Detected
Hexachlorobutadiene	20	Not Detected	210	Not Detected
2-Hexanone	20	Not Detected	82	Not Detected
Methylene Chloride	20	Not Detected	69	Not Detected
4-Methyl-2-pentanone	5.0	Not Detected	20	Not Detected
Styrene	5.0	Not Detected	21	Not Detected
1,1,2,2-Tetrachloroethane	5.0	Not Detected	34	Not Detected
Tetrachloroethene	5.0	Not Detected	34	Not Detected
Toluene	5.0	Not Detected	19	Not Detected
1,2,4-Trichlorobenzene	20	Not Detected	150	Not Detected
1,1,1-Trichloroethane	5.0	Not Detected	27	Not Detected
1,1,2-Trichloroethane	5.0	Not Detected	27	Not Detected
Trichloroethene	5.0	Not Detected	27	Not Detected



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 2006280-02A

EPA METHOD TO-15 GC/MS

File Name:	14062206a	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 6/22/20 10:57 AM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Freon 11	5.0	Not Detected	28	Not Detected
Freon 113	5.0	Not Detected	38	Not Detected
1,2,4-Trimethylbenzene	5.0	Not Detected	24	Not Detected
1,3,5-Trimethylbenzene	5.0	Not Detected	24	Not Detected
Vinyl Acetate	20	Not Detected	70	Not Detected
Vinyl Chloride	5.0	Not Detected	13	Not Detected
m,p-Xylene	5.0	Not Detected	22	Not Detected
o-Xylene	5.0	Not Detected	22	Not Detected
TVOC Ref. to Hexane	100	Not Detected	350	Not Detected

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	98	70-130
Toluene-d8	100	70-130
4-Bromofluorobenzene	96	70-130



Air Toxics

Client Sample ID: CCV

Lab ID#: 2006280-03A

EPA METHOD TO-15 GC/MS

File Name:	14062202	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 6/22/20 08:53 AM

Compound	%Recovery
Acetone	94
Benzene	90
alpha-Chlorotoluene	124
Bromodichloromethane	91
Bromoform	95
Bromomethane	97
2-Butanone (Methyl Ethyl Ketone)	98
Carbon Disulfide	93
Carbon Tetrachloride	93
Chlorobenzene	94
Dibromochloromethane	96
Chloroethane	101
Chloroform	92
Chloromethane	89
1,2-Dibromoethane (EDB)	97
1,2-Dichlorobenzene	103
1,3-Dichlorobenzene	98
1,4-Dichlorobenzene	105
1,1-Dichloroethane	96
Freon 12	97
1,2-Dichloroethane	91
1,1-Dichloroethene	93
cis-1,2-Dichloroethene	98
trans-1,2-Dichloroethene	95
1,2-Dichloropropane	93
cis-1,3-Dichloropropene	99
trans-1,3-Dichloropropene	102
Freon 114	92
Ethyl Benzene	87
4-Ethyltoluene	106
Hexachlorobutadiene	96
2-Hexanone	103
Methylene Chloride	93
4-Methyl-2-pentanone	105
Styrene	98
1,1,2,2-Tetrachloroethane	91
Tetrachloroethene	91
Toluene	89
1,2,4-Trichlorobenzene	102
1,1,1-Trichloroethane	94
1,1,2-Trichloroethane	89
Trichloroethene	90

- 1
- 2
- 3
- 4
- 5
- 6
- 7



Air Toxics

Client Sample ID: CCV

Lab ID#: 2006280-03A

EPA METHOD TO-15 GC/MS

File Name:	14062202	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 6/22/20 08:53 AM

Compound	%Recovery
Freon 11	95
Freon 113	97
1,2,4-Trimethylbenzene	99
1,3,5-Trimethylbenzene	96
Vinyl Acetate	106
Vinyl Chloride	90
m,p-Xylene	93
o-Xylene	89
TVOC Ref. to Hexane	100

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	98	70-130
Toluene-d8	101	70-130
4-Bromofluorobenzene	101	70-130



Air Toxics

Client Sample ID: LCS

Lab ID#: 2006280-04A

EPA METHOD TO-15 GC/MS

File Name:	14062203	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 6/22/20 09:16 AM

Compound	%Recovery	Method Limits
Acetone	107	70-130
Benzene	97	70-130
alpha-Chlorotoluene	123	70-130
Bromodichloromethane	98	70-130
Bromoform	100	70-130
Bromomethane	104	70-130
2-Butanone (Methyl Ethyl Ketone)	102	70-130
Carbon Disulfide	102	70-130
Carbon Tetrachloride	96	70-130
Chlorobenzene	98	70-130
Dibromochloromethane	102	70-130
Chloroethane	106	70-130
Chloroform	97	70-130
Chloromethane	98	70-130
1,2-Dibromoethane (EDB)	99	70-130
1,2-Dichlorobenzene	99	70-130
1,3-Dichlorobenzene	99	70-130
1,4-Dichlorobenzene	102	70-130
1,1-Dichloroethane	96	70-130
Freon 12	96	70-130
1,2-Dichloroethane	93	70-130
1,1-Dichloroethene	97	70-130
cis-1,2-Dichloroethene	94	70-130
trans-1,2-Dichloroethene	107	70-130
1,2-Dichloropropane	98	70-130
cis-1,3-Dichloropropene	111	70-130
trans-1,3-Dichloropropene	106	70-130
Freon 114	100	70-130
Ethyl Benzene	95	70-130
4-Ethyltoluene	107	70-130
Hexachlorobutadiene	84	70-130
2-Hexanone	98	70-130
Methylene Chloride	98	70-130
4-Methyl-2-pentanone	101	70-130
Styrene	98	70-130
1,1,2,2-Tetrachloroethane	98	70-130
Tetrachloroethene	94	70-130
Toluene	91	70-130
1,2,4-Trichlorobenzene	91	70-130
1,1,1-Trichloroethane	98	70-130
1,1,2-Trichloroethane	93	70-130
Trichloroethene	95	70-130

- 1
- 2
- 3
- 4
- 5
- 6
- 7



Air Toxics

Client Sample ID: LCS

Lab ID#: 2006280-04A

EPA METHOD TO-15 GC/MS

File Name:	14062203	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 6/22/20 09:16 AM

Compound	%Recovery	Method Limits
Freon 11	100	70-130
Freon 113	98	70-130
1,2,4-Trimethylbenzene	96	70-130
1,3,5-Trimethylbenzene	94	70-130
Vinyl Acetate	100	60-140
Vinyl Chloride	97	70-130
m,p-Xylene	96	70-130
o-Xylene	92	70-130
TVOC Ref. to Hexane	Not Spiked	

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	96	70-130
Toluene-d8	100	70-130
4-Bromofluorobenzene	100	70-130



Air Toxics

Client Sample ID: LCSD

Lab ID#: 2006280-04AA

EPA METHOD TO-15 GC/MS

File Name:	14062204	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 6/22/20 09:48 AM

Compound	%Recovery	Method Limits
Acetone	109	70-130
Benzene	97	70-130
alpha-Chlorotoluene	129	70-130
Bromodichloromethane	100	70-130
Bromoform	104	70-130
Bromomethane	101	70-130
2-Butanone (Methyl Ethyl Ketone)	102	70-130
Carbon Disulfide	102	70-130
Carbon Tetrachloride	97	70-130
Chlorobenzene	101	70-130
Dibromochloromethane	103	70-130
Chloroethane	100	70-130
Chloroform	96	70-130
Chloromethane	98	70-130
1,2-Dibromoethane (EDB)	103	70-130
1,2-Dichlorobenzene	104	70-130
1,3-Dichlorobenzene	102	70-130
1,4-Dichlorobenzene	106	70-130
1,1-Dichloroethane	98	70-130
Freon 12	101	70-130
1,2-Dichloroethane	95	70-130
1,1-Dichloroethene	99	70-130
cis-1,2-Dichloroethene	93	70-130
trans-1,2-Dichloroethene	109	70-130
1,2-Dichloropropane	100	70-130
cis-1,3-Dichloropropene	108	70-130
trans-1,3-Dichloropropene	108	70-130
Freon 114	98	70-130
Ethyl Benzene	96	70-130
4-Ethyltoluene	110	70-130
Hexachlorobutadiene	90	70-130
2-Hexanone	100	70-130
Methylene Chloride	98	70-130
4-Methyl-2-pentanone	104	70-130
Styrene	99	70-130
1,1,2,2-Tetrachloroethane	97	70-130
Tetrachloroethene	97	70-130
Toluene	95	70-130
1,2,4-Trichlorobenzene	97	70-130
1,1,1-Trichloroethane	99	70-130
1,1,2-Trichloroethane	96	70-130
Trichloroethene	96	70-130

- 1
- 2
- 3
- 4
- 5
- 6
- 7



Air Toxics

Client Sample ID: LCSD

Lab ID#: 2006280-04AA

EPA METHOD TO-15 GC/MS

File Name:	14062204	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 6/22/20 09:48 AM

Compound	%Recovery	Method Limits
Freon 11	101	70-130
Freon 113	99	70-130
1,2,4-Trimethylbenzene	100	70-130
1,3,5-Trimethylbenzene	99	70-130
Vinyl Acetate	103	60-140
Vinyl Chloride	98	70-130
m,p-Xylene	97	70-130
o-Xylene	96	70-130
TVOC Ref. to Hexane	Not Spiked	

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
1,2-Dichloroethane-d4	92	70-130
Toluene-d8	101	70-130
4-Bromofluorobenzene	102	70-130

Login Sample Receipt Checklist

Client: Chesapeake Energy Corporation

Job Number: 180-106939-1

SDG Number: Property ID: 891077

Login Number: 106939

List Number: 1

Creator: Gartner, Cathy

List Source: Eurofins TestAmerica, Pittsburgh

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.		
The cooler's custody seal, if present, is intact.		
Sample custody seals, if present, are intact.		
The cooler or samples do not appear to have been compromised or tampered with.		
Samples were received on ice.		
Cooler Temperature is acceptable.		
Cooler Temperature is recorded.		
COC is present.		
COC is filled out in ink and legible.		
COC is filled out with all pertinent information.		
Is the Field Sampler's name present on COC?		
There are no discrepancies between the containers received and the COC.		
Samples are received within Holding Time (excluding tests with immediate HTs)		
Sample containers have legible labels.		
Containers are not broken or leaking.		
Sample collection date/times are provided.		
Appropriate sample containers are used.		
Sample bottles are completely filled.		
Sample Preservation Verified.		
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs		
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").		
Multiphasic samples are not present.		
Samples do not require splitting or compositing.		
Residual Chlorine Checked.		

No.

POINT OF ORIGIN:



Environment Testing America

ANALYTICAL REPORT

Eurofins TestAmerica, Pittsburgh
301 Alpha Drive
RIDC Park
Pittsburgh, PA 15238
Tel: (412)963-7058

Laboratory Job ID: 180-111865-1

Laboratory Sample Delivery Group: Property ID: 891077
Client Project/Site: State M-1

For:

Chesapeake Energy Corporation
PO BOX 548806
Oklahoma City, Oklahoma 73154

Attn: Chase Acker

Authorized for release by:
10/9/2020 12:03:02 PM

Cathy Gartner, Project Manager II
(615)301-5041
Cathy.Gartner@Eurofinset.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

PA Lab ID: 02-00416

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Laboratory Job ID: 180-111865-1
SDG: Property ID: 891077



Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Definitions/Glossary	4
Sample Summary	5
Subcontract Data	6
Chain of Custody	20
Receipt Checklists	21

Case Narrative

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 180-111865-1
SDG: Property ID: 891077

Job ID: 180-111865-1

Laboratory: Eurofins TestAmerica, Pittsburgh

Narrative

Job Narrative
180-111865-1

Subcontract Work

Method TO 15: This method was subcontracted to Eurofins Air Toxics. The subcontract laboratory certification is different from that of the facility issuing the final report.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8

Definitions/Glossary

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 180-111865-1
SDG: Property ID: 891077

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Sample Summary

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 180-111865-1
SDG: Property ID: 891077

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
180-111865-1	20200924M1 SVE	Air	09/24/20 13:20	09/25/20 10:02	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8



Air Toxics

10/9/2020

Ms. Cathy Gartner

Eurofins Test America

500 Wilson Pike Circle Suite 100

Brentwood TN 37027

Project Name: CHK STATE M

Project #: CHKSTATM:H20001

Workorder #: 2009766

Dear Ms. Cathy Gartner

The following report includes the data for the above referenced project for sample(s) received on 9/28/2020 at Air Toxics Ltd.

The data and associated QC analyzed by TO-15 are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics Inc. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Brian Whittaker at 916-985-1000 if you have any questions regarding the data in this report.

Regards,

A handwritten signature in black ink that reads "Brian Whittaker".

Brian Whittaker

Project Manager



Air Toxics

WORK ORDER #: 2009766

Work Order Summary

CLIENT:	Ms. Cathy Gartner Eurofins Test America 500 Wilson Pike Circle Suite 100 Brentwood, TN 37027	BILL TO:	Accounts Payable Eurofins Test America 4104 Shuffel St NW North Canton, OH 44720
PHONE:	800-765-0980	P.O. #	180-111865
FAX:	615-726-3404	PROJECT #	CHKSTATM:H20001 CHK STATE M
DATE RECEIVED:	09/28/2020	CONTACT:	Brian Whittaker
DATE COMPLETED:	10/09/2020		

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>	<u>RECEIPT VAC./PRES.</u>	<u>FINAL PRESSURE</u>
01A	20200924M1SVE	TO-15	6.7 "Hg	4.9 psi
02A	Lab Blank	TO-15	NA	NA
03A	CCV	TO-15	NA	NA
04A	LCS	TO-15	NA	NA
04AA	LCSD	TO-15	NA	NA

CERTIFIED BY:

Technical Director

DATE: 10/09/20

Certification numbers: AZ Licensure AZ0775, FL NELAP – E87680, LA NELAP – 02089, NH NELAP - 209219, NJ NELAP - CA016, NY NELAP - 11291, TX NELAP - T104704434-19-14, UT NELAP – CA009332020-12, VA NELAP - 10615, WA NELAP - C935

Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program)

Accreditation number: CA300005-013, Effective date: 10/18/2019, Expiration date: 10/17/2020.

Eurofins Air Toxics, LLC certifies that the test results contained in this report meet all requirements of the NELAC standards

This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, LLC.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630

(916) 985-1000 . (800) 985-5955 . FAX (916) 351-8279



Air Toxics

LABORATORY NARRATIVE
EPA Method TO-15
Eurofins Test America
Workorder# 2009766

One 6 Liter Summa Canister sample was received on September 28, 2020. The laboratory performed analysis via EPA Method TO-15 using GC/MS in the full scan mode.

Receiving Notes

There were no receiving discrepancies.

Analytical Notes

TVOC (Total Volatile Organic Compounds) referenced to Hexane includes area counts for peaks that elute from Hexane minus 0.08 minutes to Naphthalene plus 0.08 minutes and quantitating the area based on the response factor of Hexane.

Dilution was performed on sample 20200924M1SVE due to the presence of high level target species.

All Quality Control Limit exceedances and affected sample results are noted by flags. Each flag is defined at the bottom of this Case Narrative and on each Sample Result Summary page.

Definition of Data Qualifying Flags

Ten qualifiers may have been used on the data analysis sheets and indicates as follows:

B - Compound present in laboratory blank greater than reporting limit (background subtraction not performed).

J - Estimated value.

E - Exceeds instrument calibration range.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the reporting limit, LOD, or MDL value. See data page for project specific U-flag definition.

UJ- Non-detected compound associated with low bias in the CCV

N - The identification is based on presumptive evidence.

M - Reported value may be biased due to apparent matrix interferences.

CN - See Case Narrative.

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue



Air Toxics

Summary of Detected Compounds
EPA METHOD TO-15 GC/MS FULL SCAN

Client Sample ID: 20200924M1SVE

Lab ID#: 2009766-01A

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	2.9	18	9.1	58
Ethyl Benzene	2.9	56	12	240
4-Ethyltoluene	2.9	64	14	320
Toluene	2.9	3.1	11	12
1,2,4-Trimethylbenzene	2.9	38	14	180
1,3,5-Trimethylbenzene	2.9	31	14	150
m,p-Xylene	2.9	110	12	480
o-Xylene	2.9	25	12	110
TVOC Ref. to Hexane	57	24000	200	84000



Air Toxics

Client Sample ID: 20200924M1SVE

Lab ID#: 2009766-01A

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	a100717	Date of Collection:	9/24/20 1:20:00 PM
Dil. Factor:	5.72	Date of Analysis:	10/7/20 07:23 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Acetone	29	Not Detected	68	Not Detected
Benzene	2.9	18	9.1	58
alpha-Chlorotoluene	2.9	Not Detected	15	Not Detected
Bromodichloromethane	2.9	Not Detected	19	Not Detected
Bromoform	2.9	Not Detected	30	Not Detected
Bromomethane	29	Not Detected	110	Not Detected
2-Butanone (Methyl Ethyl Ketone)	11	Not Detected	34	Not Detected
Carbon Disulfide	11	Not Detected	36	Not Detected
Carbon Tetrachloride	2.9	Not Detected	18	Not Detected
Chlorobenzene	2.9	Not Detected	13	Not Detected
Dibromochloromethane	2.9	Not Detected	24	Not Detected
Chloroethane	11	Not Detected	30	Not Detected
Chloroform	2.9	Not Detected	14	Not Detected
Chloromethane	29	Not Detected	59	Not Detected
1,2-Dibromoethane (EDB)	2.9	Not Detected	22	Not Detected
1,2-Dichlorobenzene	2.9	Not Detected	17	Not Detected
1,3-Dichlorobenzene	2.9	Not Detected	17	Not Detected
1,4-Dichlorobenzene	2.9	Not Detected	17	Not Detected
1,1-Dichloroethane	2.9	Not Detected	12	Not Detected
Freon 12	2.9	Not Detected	14	Not Detected
1,2-Dichloroethane	2.9	Not Detected	12	Not Detected
1,1-Dichloroethene	2.9	Not Detected	11	Not Detected
cis-1,2-Dichloroethene	2.9	Not Detected	11	Not Detected
trans-1,2-Dichloroethene	2.9	Not Detected	11	Not Detected
1,2-Dichloropropane	2.9	Not Detected	13	Not Detected
cis-1,3-Dichloropropene	2.9	Not Detected	13	Not Detected
trans-1,3-Dichloropropene	2.9	Not Detected	13	Not Detected
Freon 114	2.9	Not Detected	20	Not Detected
Ethyl Benzene	2.9	56	12	240
4-Ethyltoluene	2.9	64	14	320
Hexachlorobutadiene	11	Not Detected	120	Not Detected
2-Hexanone	11	Not Detected	47	Not Detected
Methylene Chloride	29	Not Detected	99	Not Detected
4-Methyl-2-pentanone	2.9	Not Detected	12	Not Detected
Styrene	2.9	Not Detected	12	Not Detected
1,1,2,2-Tetrachloroethane	2.9	Not Detected	20	Not Detected
Tetrachloroethene	2.9	Not Detected	19	Not Detected
Toluene	2.9	3.1	11	12
1,2,4-Trichlorobenzene	11	Not Detected	85	Not Detected
1,1,1-Trichloroethane	2.9	Not Detected	16	Not Detected
1,1,2-Trichloroethane	2.9	Not Detected	16	Not Detected
Trichloroethene	2.9	Not Detected	15	Not Detected



Air Toxics

Client Sample ID: 20200924M1SVE

Lab ID#: 2009766-01A

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	a100717	Date of Collection:	9/24/20 1:20:00 PM
Dil. Factor:	5.72	Date of Analysis:	10/7/20 07:23 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Freon 11	2.9	Not Detected	16	Not Detected
Freon 113	2.9	Not Detected	22	Not Detected
1,2,4-Trimethylbenzene	2.9	38	14	180
1,3,5-Trimethylbenzene	2.9	31	14	150
Vinyl Acetate	11	Not Detected	40	Not Detected
Vinyl Chloride	2.9	Not Detected	7.3	Not Detected
m,p-Xylene	2.9	110	12	480
o-Xylene	2.9	25	12	110
TVOC Ref. to Hexane	57	24000	200	84000

Container Type: 6 Liter Summa Canister

Surrogates	%Recovery	Method Limits
Toluene-d8	108	70-130
1,2-Dichloroethane-d4	106	70-130
4-Bromofluorobenzene	105	70-130



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 2009766-02A

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	a100706c	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 10/7/20 12:15 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Acetone	5.0	Not Detected	12	Not Detected
Benzene	0.50	Not Detected	1.6	Not Detected
alpha-Chlorotoluene	0.50	Not Detected	2.6	Not Detected
Bromodichloromethane	0.50	Not Detected	3.4	Not Detected
Bromoform	0.50	Not Detected	5.2	Not Detected
Bromomethane	5.0	Not Detected	19	Not Detected
2-Butanone (Methyl Ethyl Ketone)	2.0	Not Detected	5.9	Not Detected
Carbon Disulfide	2.0	Not Detected	6.2	Not Detected
Carbon Tetrachloride	0.50	Not Detected	3.1	Not Detected
Chlorobenzene	0.50	Not Detected	2.3	Not Detected
Dibromochloromethane	0.50	Not Detected	4.2	Not Detected
Chloroethane	2.0	Not Detected	5.3	Not Detected
Chloroform	0.50	Not Detected	2.4	Not Detected
Chloromethane	5.0	Not Detected	10	Not Detected
1,2-Dibromoethane (EDB)	0.50	Not Detected	3.8	Not Detected
1,2-Dichlorobenzene	0.50	Not Detected	3.0	Not Detected
1,3-Dichlorobenzene	0.50	Not Detected	3.0	Not Detected
1,4-Dichlorobenzene	0.50	Not Detected	3.0	Not Detected
1,1-Dichloroethane	0.50	Not Detected	2.0	Not Detected
Freon 12	0.50	Not Detected	2.5	Not Detected
1,2-Dichloroethane	0.50	Not Detected	2.0	Not Detected
1,1-Dichloroethene	0.50	Not Detected	2.0	Not Detected
cis-1,2-Dichloroethene	0.50	Not Detected	2.0	Not Detected
trans-1,2-Dichloroethene	0.50	Not Detected	2.0	Not Detected
1,2-Dichloropropane	0.50	Not Detected	2.3	Not Detected
cis-1,3-Dichloropropene	0.50	Not Detected	2.3	Not Detected
trans-1,3-Dichloropropene	0.50	Not Detected	2.3	Not Detected
Freon 114	0.50	Not Detected	3.5	Not Detected
Ethyl Benzene	0.50	Not Detected	2.2	Not Detected
4-Ethyltoluene	0.50	Not Detected	2.4	Not Detected
Hexachlorobutadiene	2.0	Not Detected	21	Not Detected
2-Hexanone	2.0	Not Detected	8.2	Not Detected
Methylene Chloride	5.0	Not Detected	17	Not Detected
4-Methyl-2-pentanone	0.50	Not Detected	2.0	Not Detected
Styrene	0.50	Not Detected	2.1	Not Detected
1,1,2,2-Tetrachloroethane	0.50	Not Detected	3.4	Not Detected
Tetrachloroethene	0.50	Not Detected	3.4	Not Detected
Toluene	0.50	Not Detected	1.9	Not Detected
1,2,4-Trichlorobenzene	2.0	Not Detected	15	Not Detected
1,1,1-Trichloroethane	0.50	Not Detected	2.7	Not Detected
1,1,2-Trichloroethane	0.50	Not Detected	2.7	Not Detected
Trichloroethene	0.50	Not Detected	2.7	Not Detected



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 2009766-02A

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	a100706c	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 10/7/20 12:15 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Freon 11	0.50	Not Detected	2.8	Not Detected
Freon 113	0.50	Not Detected	3.8	Not Detected
1,2,4-Trimethylbenzene	0.50	Not Detected	2.4	Not Detected
1,3,5-Trimethylbenzene	0.50	Not Detected	2.4	Not Detected
Vinyl Acetate	2.0	Not Detected	7.0	Not Detected
Vinyl Chloride	0.50	Not Detected	1.3	Not Detected
m,p-Xylene	0.50	Not Detected	2.2	Not Detected
o-Xylene	0.50	Not Detected	2.2	Not Detected
TVOC Ref. to Hexane	10	Not Detected	35	Not Detected

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
Toluene-d8	106	70-130
1,2-Dichloroethane-d4	102	70-130
4-Bromofluorobenzene	104	70-130



Air Toxics

Client Sample ID: CCV

Lab ID#: 2009766-03A

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	a100702	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 10/7/20 09:51 AM

Compound	%Recovery
Acetone	99
Benzene	99
alpha-Chlorotoluene	117
Bromodichloromethane	104
Bromoform	112
Bromomethane	110
2-Butanone (Methyl Ethyl Ketone)	101
Carbon Disulfide	103
Carbon Tetrachloride	97
Chlorobenzene	100
Dibromochloromethane	98
Chloroethane	99
Chloroform	102
Chloromethane	103
1,2-Dibromoethane (EDB)	97
1,2-Dichlorobenzene	104
1,3-Dichlorobenzene	104
1,4-Dichlorobenzene	102
1,1-Dichloroethane	99
Freon 12	99
1,2-Dichloroethane	103
1,1-Dichloroethene	100
cis-1,2-Dichloroethene	95
trans-1,2-Dichloroethene	108
1,2-Dichloropropane	104
cis-1,3-Dichloropropene	103
trans-1,3-Dichloropropene	99
Freon 114	91
Ethyl Benzene	99
4-Ethyltoluene	97
Hexachlorobutadiene	102
2-Hexanone	102
Methylene Chloride	106
4-Methyl-2-pentanone	101
Styrene	111
1,1,2,2-Tetrachloroethane	96
Tetrachloroethene	99
Toluene	97
1,2,4-Trichlorobenzene	105
1,1,1-Trichloroethane	98
1,1,2-Trichloroethane	97
Trichloroethene	101

1

2

3

4

5

6

7

8



Client Sample ID: CCV

Lab ID#: 2009766-03A

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	a100702	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 10/7/20 09:51 AM

Compound	%Recovery
Freon 11	98
Freon 113	90
1,2,4-Trimethylbenzene	103
1,3,5-Trimethylbenzene	102
Vinyl Acetate	100
Vinyl Chloride	98
m,p-Xylene	95
o-Xylene	94
TVOC Ref. to Hexane	100

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
Toluene-d8	104	70-130
1,2-Dichloroethane-d4	102	70-130
4-Bromofluorobenzene	112	70-130



Air Toxics

Client Sample ID: LCS

Lab ID#: 2009766-04A

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	a100703	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 10/7/20 10:16 AM

Compound	%Recovery	Method Limits
Acetone	99	70-130
Benzene	106	70-130
alpha-Chlorotoluene	126	70-130
Bromodichloromethane	108	70-130
Bromoform	117	70-130
Bromomethane	110	70-130
2-Butanone (Methyl Ethyl Ketone)	104	70-130
Carbon Disulfide	108	70-130
Carbon Tetrachloride	103	70-130
Chlorobenzene	102	70-130
Dibromochloromethane	102	70-130
Chloroethane	100	70-130
Chloroform	106	70-130
Chloromethane	109	70-130
1,2-Dibromoethane (EDB)	101	70-130
1,2-Dichlorobenzene	111	70-130
1,3-Dichlorobenzene	111	70-130
1,4-Dichlorobenzene	110	70-130
1,1-Dichloroethane	101	70-130
Freon 12	104	70-130
1,2-Dichloroethane	105	70-130
1,1-Dichloroethene	105	70-130
cis-1,2-Dichloroethene	99	70-130
trans-1,2-Dichloroethene	112	70-130
1,2-Dichloropropane	106	70-130
cis-1,3-Dichloropropene	106	70-130
trans-1,3-Dichloropropene	106	70-130
Freon 114	97	70-130
Ethyl Benzene	102	70-130
4-Ethyltoluene	103	70-130
Hexachlorobutadiene	125	70-130
2-Hexanone	106	70-130
Methylene Chloride	111	70-130
4-Methyl-2-pentanone	105	70-130
Styrene	114	70-130
1,1,2,2-Tetrachloroethane	102	70-130
Tetrachloroethene	104	70-130
Toluene	100	70-130
1,2,4-Trichlorobenzene	127	70-130
1,1,1-Trichloroethane	102	70-130
1,1,2-Trichloroethane	101	70-130
Trichloroethene	103	70-130

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8



Air Toxics

Client Sample ID: LCS

Lab ID#: 2009766-04A

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	a100703	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 10/7/20 10:16 AM

Compound	%Recovery	Method Limits
Freon 11	103	70-130
Freon 113	95	70-130
1,2,4-Trimethylbenzene	111	70-130
1,3,5-Trimethylbenzene	103	70-130
Vinyl Acetate	108	60-140
Vinyl Chloride	100	70-130
m,p-Xylene	99	70-130
o-Xylene	98	70-130
TVOC Ref. to Hexane	Not Spiked	

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
Toluene-d8	105	70-130
1,2-Dichloroethane-d4	102	70-130
4-Bromofluorobenzene	109	70-130



Air Toxics

Client Sample ID: LCSD

Lab ID#: 2009766-04AA

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	a100704	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 10/7/20 10:42 AM

Compound	%Recovery	Method Limits
Acetone	104	70-130
Benzene	109	70-130
alpha-Chlorotoluene	134 Q	70-130
Bromodichloromethane	110	70-130
Bromoform	123	70-130
Bromomethane	113	70-130
2-Butanone (Methyl Ethyl Ketone)	107	70-130
Carbon Disulfide	111	70-130
Carbon Tetrachloride	104	70-130
Chlorobenzene	107	70-130
Dibromochloromethane	104	70-130
Chloroethane	102	70-130
Chloroform	107	70-130
Chloromethane	113	70-130
1,2-Dibromoethane (EDB)	105	70-130
1,2-Dichlorobenzene	116	70-130
1,3-Dichlorobenzene	115	70-130
1,4-Dichlorobenzene	114	70-130
1,1-Dichloroethane	105	70-130
Freon 12	105	70-130
1,2-Dichloroethane	110	70-130
1,1-Dichloroethene	108	70-130
cis-1,2-Dichloroethene	102	70-130
trans-1,2-Dichloroethene	111	70-130
1,2-Dichloropropane	111	70-130
cis-1,3-Dichloropropene	111	70-130
trans-1,3-Dichloropropene	108	70-130
Freon 114	99	70-130
Ethyl Benzene	107	70-130
4-Ethyltoluene	107	70-130
Hexachlorobutadiene	136 Q	70-130
2-Hexanone	114	70-130
Methylene Chloride	111	70-130
4-Methyl-2-pentanone	110	70-130
Styrene	119	70-130
1,1,2,2-Tetrachloroethane	106	70-130
Tetrachloroethene	109	70-130
Toluene	103	70-130
1,2,4-Trichlorobenzene	138 Q	70-130
1,1,1-Trichloroethane	104	70-130
1,1,2-Trichloroethane	105	70-130
Trichloroethene	104	70-130

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8



Air Toxics

Client Sample ID: LCSD

Lab ID#: 2009766-04AA

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	a100704	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 10/7/20 10:42 AM

Compound	%Recovery	Method Limits
Freon 11	105	70-130
Freon 113	96	70-130
1,2,4-Trimethylbenzene	115	70-130
1,3,5-Trimethylbenzene	111	70-130
Vinyl Acetate	108	60-140
Vinyl Chloride	104	70-130
m,p-Xylene	104	70-130
o-Xylene	102	70-130
TVOC Ref. to Hexane	Not Spiked	

Q = Exceeds Quality Control limits.
Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
Toluene-d8	106	70-130
1,2-Dichloroethane-d4	104	70-130
4-Bromofluorobenzene	110	70-130

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8

CHAIN OF CUSTODY RECORD

No. 1574



SAMPLER'S PRINTED NAME:

Teery Fishel

SAMPLER'S SIGNATURE:

[Signature]

Date

Time

Sample ID

9-24-20

1320

20200924M1SVE

Sample Matrix

of Sample Containers

AIR

1

XX

XX

TO-15

TVOCs as HEXANE *

PROJECT NUMBER: CHKSTATM: H20001

SHIPPED TO: AIR TOXICS

PROJECT NAME: CHK STATE M
PROJECT MANAGER: DAVID BRADY

TAT:

Standard

ASOW:

N/A

* TOC as C6-C12

REMARKS

TAG#

Custody Seal Intact?

Y/N None Temp N/A

TOTAL NUMBER OF CONTAINERS

RELINQUISHED BY:

RELINQUISHED BY:

METHOD OF SHIPMENT:

FODEX

RECEIVED IN LABORATORY BY:

LABORATORY CONTACT:

CATAY 615-361-5041

POINT OF ORIGIN:

Send PDF, EDO, and INVOICE (if applicable) to:

JULIE.CZECH@EQUUSENV.COM

LABORATORY ADDRESS:

180 BLUE PAVINE RD, STE B Folsom, CA 95630

2009766

Login Sample Receipt Checklist

Client: Chesapeake Energy Corporation

Job Number: 180-111865-1
SDG Number: Property ID: 891077

Login Number: 111865

List Number: 1

Creator: Gartner, Cathy

List Source: Eurofins TestAmerica, Pittsburgh

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.		
The cooler's custody seal, if present, is intact.		
Sample custody seals, if present, are intact.		
The cooler or samples do not appear to have been compromised or tampered with.		
Samples were received on ice.		
Cooler Temperature is acceptable.		
Cooler Temperature is recorded.		
COC is present.		
COC is filled out in ink and legible.		
COC is filled out with all pertinent information.		
Is the Field Sampler's name present on COC?		
There are no discrepancies between the containers received and the COC.		
Samples are received within Holding Time (excluding tests with immediate HTs)		
Sample containers have legible labels.		
Containers are not broken or leaking.		
Sample collection date/times are provided.		
Appropriate sample containers are used.		
Sample bottles are completely filled.		
Sample Preservation Verified.		
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs		
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").		
Multiphasic samples are not present.		
Samples do not require splitting or compositing.		
Residual Chlorine Checked.		



Environment Testing America

ANALYTICAL REPORT

Eurofins TestAmerica, Pittsburgh
301 Alpha Drive
RIDC Park
Pittsburgh, PA 15238
Tel: (412)963-7058

Laboratory Job ID: 180-114957-1

Laboratory Sample Delivery Group: Property ID: 891077
Client Project/Site: State M-1

For:

Chesapeake Energy Corporation
PO BOX 548806
Oklahoma City, Oklahoma 73154

Attn: Chase Acker

A handwritten signature in black ink that reads "Cathy Gartner".

Authorized for release by:
1/4/2021 3:43:22 PM

Cathy Gartner, Project Manager II
(615)301-5041
Cathy.Gartner@Eurofinset.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

PA Lab ID: 02-00416

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Laboratory Job ID: 180-114957-1
SDG: Property ID: 891077



Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Definitions/Glossary	4
Sample Summary	5
Method Summary	6
Subcontract Data	7
Chain of Custody	21
Receipt Checklists	22

Case Narrative

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 180-114957-1
SDG: Property ID: 891077

Job ID: 180-114957-1

Laboratory: Eurofins TestAmerica, Pittsburgh

Narrative

Job Narrative
180-114957-1

Subcontract Work

Method TO 15: This method was subcontracted to Eurofins Air Toxics. The subcontract laboratory certification is different from that of the facility issuing the final report.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9

Definitions/Glossary

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 180-114957-1
SDG: Property ID: 891077

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Sample Summary

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 180-114957-1
SDG: Property ID: 891077

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
180-114957-1	20201211 M-1	Air	12/11/20 08:27	12/15/20 11:08	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9

Method Summary

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 180-114957-1
SDG: Property ID: 891077

Method	Method Description	Protocol	Laboratory
TO-15	TO-15	EPA	Eurofins

Protocol References:
EPA = US Environmental Protection Agency

Laboratory References:
Eurofins = Eurofins Air Toxics, 180 Blue Ravine Road, Suite B, Folsom, CA 95630



Air Toxics

12/30/2020

Ms. Cathy Gartner

Eurofins Test America

500 Wilson Pike Circle Suite 100

Brentwood TN 37027

Project Name: CHK STATE M

Project #: CHKSTATM:H20001

Workorder #: 2012402

Dear Ms. Cathy Gartner

The following report includes the data for the above referenced project for sample(s) received on 12/15/2020 at Eurofins Air Toxics LLC.

The data and associated QC analyzed by TO-15 are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics LLC. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Brian Whittaker at 916-985-1000 if you have any questions regarding the data in this report.

Regards,

A handwritten signature in black ink that reads "Brian Whittaker".

Brian Whittaker

Project Manager



Air Toxics

WORK ORDER #: 2012402

Work Order Summary

CLIENT:	Ms. Cathy Gartner Eurofins Test America 500 Wilson Pike Circle Suite 100 Brentwood, TN 37027	BILL TO:	Accounts Payable Eurofins Test America 4104 Shuffel St NW North Canton, OH 44720
PHONE:	800-765-0980	P.O. #	180-114957
FAX:	615-726-3404	PROJECT #	CHKSTATM:H20001 CHK STATE M
DATE RECEIVED:	12/15/2020	CONTACT:	Brian Whittaker
DATE COMPLETED:	12/30/2020		

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>	<u>RECEIPT VAC./PRES.</u>	<u>FINAL PRESSURE</u>
01A	20201211 M-1	TO-15	5.0 "Hg	5 psi
02A	Lab Blank	TO-15	NA	NA
03A	CCV	TO-15	NA	NA
04A	LCS	TO-15	NA	NA
04AA	LCSD	TO-15	NA	NA

CERTIFIED BY:

Technical Director

DATE: 12/30/20

Certification numbers: AZ Licensure AZ0775, FL NELAP – E87680, LA NELAP – 02089, NH NELAP - 209220, NJ NELAP - CA016, NY NELAP - 11291, TX NELAP - T104704434-20-16, UT NELAP – CA009332020-12, VA NELAP - 10615, WA NELAP - C935

Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program)

Accreditation number: CA300005-014, Effective date: 10/18/2020, Expiration date: 10/17/2021.

Eurofins Air Toxics, LLC certifies that the test results contained in this report meet all requirements of the NELAC standards

This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, LLC.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630

(916) 985-1000 . (800) 985-5955 . FAX (916) 351-8279



Air Toxics

LABORATORY NARRATIVE
EPA Method TO-15
Eurofins Test America
Workorder# 2012402

One 6 Liter Summa Canister sample was received on December 15, 2020. The laboratory performed analysis via EPA Method TO-15 using GC/MS in the full scan mode.

Receiving Notes

There were no receiving discrepancies.

Analytical Notes

TVOC (Total Volatile Organic Compounds) referenced to Hexane includes area counts for peaks that elute from Hexane minus 0.08 minutes to Naphthalene plus 0.08 minutes and quantitating the area based on the response factor of Hexane.

Dilution was performed on sample 20201211 M-1 due to the presence of high level target species.

Definition of Data Qualifying Flags

Ten qualifiers may have been used on the data analysis sheets and indicates as follows:

B - Compound present in laboratory blank greater than reporting limit (background subtraction not performed).

J - Estimated value.

E - Exceeds instrument calibration range.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the reporting limit, LOD, or MDL value. See data page for project specific U-flag definition.

UJ- Non-detected compound associated with low bias in the CCV

N - The identification is based on presumptive evidence.

M - Reported value may be biased due to apparent matrix interferences.

CN - See Case Narrative.

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue



Air Toxics

Summary of Detected Compounds
EPA METHOD TO-15 GC/MS FULL SCAN

Client Sample ID: 20201211 M-1

Lab ID#: 2012402-01A

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	11	80	34	260
Ethyl Benzene	11	180	46	770
4-Ethyltoluene	11	170	53	830
1,2,4-Trimethylbenzene	11	79	52	390
1,3,5-Trimethylbenzene	11	77	53	380
m,p-Xylene	11	380	46	1700
o-Xylene	11	83	46	360
TVOC Ref. to Hexane	210	91000	750	320000



Air Toxics

Client Sample ID: 20201211 M-1

Lab ID#: 2012402-01A

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	3122117	Date of Collection: 12/11/20 8:27:00 AM
Dil. Factor:	21.4	Date of Analysis: 12/21/20 07:29 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Acetone	110	Not Detected	250	Not Detected
Benzene	11	80	34	260
alpha-Chlorotoluene	11	Not Detected	55	Not Detected
Bromodichloromethane	11	Not Detected	72	Not Detected
Bromoform	11	Not Detected	110	Not Detected
Bromomethane	110	Not Detected	420	Not Detected
2-Butanone (Methyl Ethyl Ketone)	43	Not Detected	130	Not Detected
Carbon Disulfide	43	Not Detected	130	Not Detected
Carbon Tetrachloride	11	Not Detected	67	Not Detected
Chlorobenzene	11	Not Detected	49	Not Detected
Dibromochloromethane	11	Not Detected	91	Not Detected
Chloroethane	43	Not Detected	110	Not Detected
Chloroform	11	Not Detected	52	Not Detected
Chloromethane	110	Not Detected	220	Not Detected
1,2-Dibromoethane (EDB)	11	Not Detected	82	Not Detected
1,2-Dichlorobenzene	11	Not Detected	64	Not Detected
1,3-Dichlorobenzene	11	Not Detected	64	Not Detected
1,4-Dichlorobenzene	11	Not Detected	64	Not Detected
1,1-Dichloroethane	11	Not Detected	43	Not Detected
Freon 12	11	Not Detected	53	Not Detected
1,2-Dichloroethane	11	Not Detected	43	Not Detected
1,1-Dichloroethene	11	Not Detected	42	Not Detected
cis-1,2-Dichloroethene	11	Not Detected	42	Not Detected
trans-1,2-Dichloroethene	11	Not Detected	42	Not Detected
1,2-Dichloropropane	11	Not Detected	49	Not Detected
cis-1,3-Dichloropropene	11	Not Detected	48	Not Detected
trans-1,3-Dichloropropene	11	Not Detected	48	Not Detected
Freon 114	11	Not Detected	75	Not Detected
Ethyl Benzene	11	180	46	770
4-Ethyltoluene	11	170	53	830
Hexachlorobutadiene	43	Not Detected	460	Not Detected
2-Hexanone	43	Not Detected	180	Not Detected
Methylene Chloride	110	Not Detected	370	Not Detected
4-Methyl-2-pentanone	11	Not Detected	44	Not Detected
Styrene	11	Not Detected	46	Not Detected
1,1,2,2-Tetrachloroethane	11	Not Detected	73	Not Detected
Tetrachloroethene	11	Not Detected	72	Not Detected
Toluene	11	Not Detected	40	Not Detected
1,2,4-Trichlorobenzene	43	Not Detected	320	Not Detected
1,1,1-Trichloroethane	11	Not Detected	58	Not Detected
1,1,2-Trichloroethane	11	Not Detected	58	Not Detected
Trichloroethene	11	Not Detected	58	Not Detected



Air Toxics

Client Sample ID: 20201211 M-1

Lab ID#: 2012402-01A

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	3122117	Date of Collection: 12/11/20 8:27:00 AM
Dil. Factor:	21.4	Date of Analysis: 12/21/20 07:29 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Freon 11	11	Not Detected	60	Not Detected
Freon 113	11	Not Detected	82	Not Detected
1,2,4-Trimethylbenzene	11	79	52	390
1,3,5-Trimethylbenzene	11	77	53	380
Vinyl Acetate	43	Not Detected	150	Not Detected
Vinyl Chloride	11	Not Detected	27	Not Detected
m,p-Xylene	11	380	46	1700
o-Xylene	11	83	46	360
TVOC Ref. to Hexane	210	91000	750	320000

Container Type: 6 Liter Summa Canister

Surrogates	%Recovery	Method Limits
Toluene-d8	99	70-130
1,2-Dichloroethane-d4	93	70-130
4-Bromofluorobenzene	101	70-130



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 2012402-02A

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	3122106g	Date of Collection:	NA
Dil. Factor:	1.00	Date of Analysis:	12/21/20 12:07 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Acetone	5.0	Not Detected	12	Not Detected
Benzene	0.50	Not Detected	1.6	Not Detected
alpha-Chlorotoluene	0.50	Not Detected	2.6	Not Detected
Bromodichloromethane	0.50	Not Detected	3.4	Not Detected
Bromoform	0.50	Not Detected	5.2	Not Detected
Bromomethane	5.0	Not Detected	19	Not Detected
2-Butanone (Methyl Ethyl Ketone)	2.0	Not Detected	5.9	Not Detected
Carbon Disulfide	2.0	Not Detected	6.2	Not Detected
Carbon Tetrachloride	0.50	Not Detected	3.1	Not Detected
Chlorobenzene	0.50	Not Detected	2.3	Not Detected
Dibromochloromethane	0.50	Not Detected	4.2	Not Detected
Chloroethane	2.0	Not Detected	5.3	Not Detected
Chloroform	0.50	Not Detected	2.4	Not Detected
Chloromethane	5.0	Not Detected	10	Not Detected
1,2-Dibromoethane (EDB)	0.50	Not Detected	3.8	Not Detected
1,2-Dichlorobenzene	0.50	Not Detected	3.0	Not Detected
1,3-Dichlorobenzene	0.50	Not Detected	3.0	Not Detected
1,4-Dichlorobenzene	0.50	Not Detected	3.0	Not Detected
1,1-Dichloroethane	0.50	Not Detected	2.0	Not Detected
Freon 12	0.50	Not Detected	2.5	Not Detected
1,2-Dichloroethane	0.50	Not Detected	2.0	Not Detected
1,1-Dichloroethene	0.50	Not Detected	2.0	Not Detected
cis-1,2-Dichloroethene	0.50	Not Detected	2.0	Not Detected
trans-1,2-Dichloroethene	0.50	Not Detected	2.0	Not Detected
1,2-Dichloropropane	0.50	Not Detected	2.3	Not Detected
cis-1,3-Dichloropropene	0.50	Not Detected	2.3	Not Detected
trans-1,3-Dichloropropene	0.50	Not Detected	2.3	Not Detected
Freon 114	0.50	Not Detected	3.5	Not Detected
Ethyl Benzene	0.50	Not Detected	2.2	Not Detected
4-Ethyltoluene	0.50	Not Detected	2.4	Not Detected
Hexachlorobutadiene	2.0	Not Detected	21	Not Detected
2-Hexanone	2.0	Not Detected	8.2	Not Detected
Methylene Chloride	5.0	Not Detected	17	Not Detected
4-Methyl-2-pentanone	0.50	Not Detected	2.0	Not Detected
Styrene	0.50	Not Detected	2.1	Not Detected
1,1,2,2-Tetrachloroethane	0.50	Not Detected	3.4	Not Detected
Tetrachloroethene	0.50	Not Detected	3.4	Not Detected
Toluene	0.50	Not Detected	1.9	Not Detected
1,2,4-Trichlorobenzene	2.0	Not Detected	15	Not Detected
1,1,1-Trichloroethane	0.50	Not Detected	2.7	Not Detected
1,1,2-Trichloroethane	0.50	Not Detected	2.7	Not Detected
Trichloroethene	0.50	Not Detected	2.7	Not Detected



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 2012402-02A

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	3122106g	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 12/21/20 12:07 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Freon 11	0.50	Not Detected	2.8	Not Detected
Freon 113	0.50	Not Detected	3.8	Not Detected
1,2,4-Trimethylbenzene	0.50	Not Detected	2.4	Not Detected
1,3,5-Trimethylbenzene	0.50	Not Detected	2.4	Not Detected
Vinyl Acetate	2.0	Not Detected	7.0	Not Detected
Vinyl Chloride	0.50	Not Detected	1.3	Not Detected
m,p-Xylene	0.50	Not Detected	2.2	Not Detected
o-Xylene	0.50	Not Detected	2.2	Not Detected
TVOC Ref. to Hexane	10	Not Detected	35	Not Detected

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
Toluene-d8	100	70-130
1,2-Dichloroethane-d4	91	70-130
4-Bromofluorobenzene	103	70-130



Air Toxics

Client Sample ID: CCV

Lab ID#: 2012402-03A

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	3122102	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 12/21/20 10:16 AM

Compound	%Recovery
Acetone	82
Benzene	92
alpha-Chlorotoluene	96
Bromodichloromethane	95
Bromoform	107
Bromomethane	88
2-Butanone (Methyl Ethyl Ketone)	89
Carbon Disulfide	86
Carbon Tetrachloride	103
Chlorobenzene	98
Dibromochloromethane	102
Chloroethane	82
Chloroform	93
Chloromethane	73
1,2-Dibromoethane (EDB)	98
1,2-Dichlorobenzene	106
1,3-Dichlorobenzene	105
1,4-Dichlorobenzene	106
1,1-Dichloroethane	91
Freon 12	94
1,2-Dichloroethane	95
1,1-Dichloroethene	86
cis-1,2-Dichloroethene	93
trans-1,2-Dichloroethene	90
1,2-Dichloropropane	94
cis-1,3-Dichloropropene	95
trans-1,3-Dichloropropene	93
Freon 114	98
Ethyl Benzene	101
4-Ethyltoluene	102
Hexachlorobutadiene	112
2-Hexanone	93
Methylene Chloride	87
4-Methyl-2-pentanone	92
Styrene	97
1,1,2,2-Tetrachloroethane	94
Tetrachloroethene	105
Toluene	93
1,2,4-Trichlorobenzene	108
1,1,1-Trichloroethane	96
1,1,2-Trichloroethane	96
Trichloroethene	98

1
2
3
4
5
6
7
8
9



Air Toxics

Client Sample ID: CCV

Lab ID#: 2012402-03A

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	3122102	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 12/21/20 10:16 AM

Compound	%Recovery
Freon 11	98
Freon 113	99
1,2,4-Trimethylbenzene	97
1,3,5-Trimethylbenzene	102
Vinyl Acetate	96
Vinyl Chloride	79
m,p-Xylene	99
o-Xylene	99
TVOC Ref. to Hexane	100

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
Toluene-d8	100	70-130
1,2-Dichloroethane-d4	92	70-130
4-Bromofluorobenzene	104	70-130



Air Toxics

Client Sample ID: LCS

Lab ID#: 2012402-04A

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	3122103	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 12/21/20 10:43 AM

Compound	%Recovery	Method Limits
Acetone	82	70-130
Benzene	95	70-130
alpha-Chlorotoluene	98	70-130
Bromodichloromethane	97	70-130
Bromoform	109	70-130
Bromomethane	90	70-130
2-Butanone (Methyl Ethyl Ketone)	92	70-130
Carbon Disulfide	88	70-130
Carbon Tetrachloride	106	70-130
Chlorobenzene	100	70-130
Dibromochloromethane	103	70-130
Chloroethane	86	70-130
Chloroform	94	70-130
Chloromethane	72	70-130
1,2-Dibromoethane (EDB)	102	70-130
1,2-Dichlorobenzene	106	70-130
1,3-Dichlorobenzene	106	70-130
1,4-Dichlorobenzene	108	70-130
1,1-Dichloroethane	92	70-130
Freon 12	96	70-130
1,2-Dichloroethane	97	70-130
1,1-Dichloroethene	91	70-130
cis-1,2-Dichloroethene	98	70-130
trans-1,2-Dichloroethene	93	70-130
1,2-Dichloropropane	97	70-130
cis-1,3-Dichloropropene	99	70-130
trans-1,3-Dichloropropene	94	70-130
Freon 114	101	70-130
Ethyl Benzene	103	70-130
4-Ethyltoluene	105	70-130
Hexachlorobutadiene	126	70-130
2-Hexanone	96	70-130
Methylene Chloride	86	70-130
4-Methyl-2-pentanone	95	70-130
Styrene	99	70-130
1,1,2,2-Tetrachloroethane	96	70-130
Tetrachloroethene	106	70-130
Toluene	95	70-130
1,2,4-Trichlorobenzene	122	70-130
1,1,1-Trichloroethane	96	70-130
1,1,2-Trichloroethane	98	70-130
Trichloroethene	100	70-130



Air Toxics

Client Sample ID: LCS

Lab ID#: 2012402-04A

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	3122103	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 12/21/20 10:43 AM

Compound	%Recovery	Method Limits
Freon 11	99	70-130
Freon 113	101	70-130
1,2,4-Trimethylbenzene	100	70-130
1,3,5-Trimethylbenzene	104	70-130
Vinyl Acetate	101	70-130
Vinyl Chloride	79	70-130
m,p-Xylene	103	70-130
o-Xylene	100	70-130
TVOC Ref. to Hexane	Not Spiked	

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
Toluene-d8	102	70-130
1,2-Dichloroethane-d4	91	70-130
4-Bromofluorobenzene	104	70-130



Air Toxics

Client Sample ID: LCSD

Lab ID#: 2012402-04AA

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	3122104	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 12/21/20 11:11 AM

Compound	%Recovery	Method Limits
Acetone	83	70-130
Benzene	95	70-130
alpha-Chlorotoluene	99	70-130
Bromodichloromethane	96	70-130
Bromoform	110	70-130
Bromomethane	90	70-130
2-Butanone (Methyl Ethyl Ketone)	93	70-130
Carbon Disulfide	88	70-130
Carbon Tetrachloride	106	70-130
Chlorobenzene	101	70-130
Dibromochloromethane	104	70-130
Chloroethane	84	70-130
Chloroform	95	70-130
Chloromethane	74	70-130
1,2-Dibromoethane (EDB)	103	70-130
1,2-Dichlorobenzene	106	70-130
1,3-Dichlorobenzene	107	70-130
1,4-Dichlorobenzene	108	70-130
1,1-Dichloroethane	92	70-130
Freon 12	95	70-130
1,2-Dichloroethane	96	70-130
1,1-Dichloroethene	91	70-130
cis-1,2-Dichloroethene	96	70-130
trans-1,2-Dichloroethene	92	70-130
1,2-Dichloropropane	95	70-130
cis-1,3-Dichloropropene	98	70-130
trans-1,3-Dichloropropene	95	70-130
Freon 114	100	70-130
Ethyl Benzene	104	70-130
4-Ethyltoluene	106	70-130
Hexachlorobutadiene	129	70-130
2-Hexanone	95	70-130
Methylene Chloride	85	70-130
4-Methyl-2-pentanone	95	70-130
Styrene	100	70-130
1,1,2,2-Tetrachloroethane	96	70-130
Tetrachloroethene	108	70-130
Toluene	94	70-130
1,2,4-Trichlorobenzene	124	70-130
1,1,1-Trichloroethane	95	70-130
1,1,2-Trichloroethane	98	70-130
Trichloroethene	99	70-130

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9



Air Toxics

Client Sample ID: LCSD

Lab ID#: 2012402-04AA

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	3122104	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 12/21/20 11:11 AM

Compound	%Recovery	Method Limits
Freon 11	98	70-130
Freon 113	101	70-130
1,2,4-Trimethylbenzene	101	70-130
1,3,5-Trimethylbenzene	104	70-130
Vinyl Acetate	101	70-130
Vinyl Chloride	80	70-130
m,p-Xylene	104	70-130
o-Xylene	102	70-130
TVOC Ref. to Hexane	Not Spiked	

Container Type: NA - Not Applicable






Surrogates	%Recovery	Method Limits
Toluene-d8	101	70-130
1,2-Dichloroethane-d4	91	70-130
4-Bromofluorobenzene	104	70-130

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9

CHAIN OF CUSTODY RECORD

2012402

No. 1581

		PROJECT NUMBER: CHK STATM: H20001		PROJECT NAME: CHK STATE M		COC 1 of 1	
SAMPLER'S PRINTED NAME: JERRY FISHER		SHIPPED TO: AIR TOXICS		PROJECT MANAGER: DAVID BRADY		TAT:	
SAMPLER'S SIGNATURE: 		Sample Matrix		ASOW: N/A		REMARKS	
Date	Time	Sample ID	# of Sample Containers	TVOCs * as HEXANE		TAG # 000002232	
12-11-2008	27	20201211 M-1	Air	1	X	X	
<div>Custody Seal Intact? Y N (None Temp) </div>							
TOTAL NUMBER OF CONTAINERS			1				
RELINQUISHED BY: 			DATE: 12-11-20		TIME: 1600		RECEIVED BY: 
RELINQUISHED BY:			DATE:		TIME:		RECEIVED BY:
METHOD OF SHIPMENT: FedEx			DATE:		TIME:		AIRBILL NUMBER: 9028 0551 0750
RECEIVED IN LABORATORY BY:			DATE:		TIME:		Send PDF, EDD, and INVOICE (if applicable) to: DAVID@EDUNSEN.V.COM
LABORATORY CONTACT: CATHY GARNER 615-301-5041			LABORATORY ADDRESS:		180 BLUE RAUNE RD. STE B TOLSON, CA 95630		

POINT OF ORIGIN:

Login Sample Receipt Checklist

Client: Chesapeake Energy Corporation

Job Number: 180-114957-1
SDG Number: Property ID: 891077

Login Number: 114957
List Number: 1
Creator: Gartner, Cathy

List Source: Eurofins TestAmerica, Pittsburgh

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.		
The cooler's custody seal, if present, is intact.		
Sample custody seals, if present, are intact.		
The cooler or samples do not appear to have been compromised or tampered with.		
Samples were received on ice.		
Cooler Temperature is acceptable.		
Cooler Temperature is recorded.		
COC is present.		
COC is filled out in ink and legible.		
COC is filled out with all pertinent information.		
Is the Field Sampler's name present on COC?		
There are no discrepancies between the containers received and the COC.		
Samples are received within Holding Time (excluding tests with immediate HTs)		
Sample containers have legible labels.		
Containers are not broken or leaking.		
Sample collection date/times are provided.		
Appropriate sample containers are used.		
Sample bottles are completely filled.		
Sample Preservation Verified.		
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs		
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").		
Multiphasic samples are not present.		
Samples do not require splitting or compositing.		
Residual Chlorine Checked.		



Environment Testing America

ANALYTICAL REPORT

Eurofins TestAmerica, Pittsburgh
301 Alpha Drive
RIDC Park
Pittsburgh, PA 15238
Tel: (412)963-7058

Laboratory Job ID: 180-118512-1

Laboratory Sample Delivery Group: Property ID: 891077
Client Project/Site: State M-1

For:

Chesapeake Energy Corporation
PO BOX 548806
Oklahoma City, Oklahoma 73154

Attn: Chase Acker

A handwritten signature in black ink that reads "Cathy Gartner".

Authorized for release by:
3/17/2021 11:50:28 AM

Cathy Gartner, Project Manager II
(615)301-5041
Cathy.Gartner@Eurofinset.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

PA Lab ID: 02-00416

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Laboratory Job ID: 180-118512-1
SDG: Property ID: 891077

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8

Table of Contents

Cover Page	1
Table of Contents	2
Case Narrative	3
Definitions/Glossary	4
Sample Summary	5
Subcontract Data	6
Chain of Custody	20
Receipt Checklists	21

Case Narrative

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 180-118512-1
SDG: Property ID: 891077

Job ID: 180-118512-1

Laboratory: Eurofins TestAmerica, Pittsburgh

Narrative

Job Narrative
180-118512-1

Comments

No additional comments.

Subcontract Work

Method TO 15: This method was subcontracted to Eurofins Air Toxics. The subcontract laboratory certification is different from that of the facility issuing the final report.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8

Definitions/Glossary

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 180-118512-1
SDG: Property ID: 891077

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Sample Summary

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 180-118512-1
SDG: Property ID: 891077

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
180-118512-1	20210302 M-1	Air	03/02/21 14:35	03/04/21 11:32	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8



Air Toxics

3/17/2021

Ms. Cathy Gartner

Eurofins Test America

500 Wilson Pike Circle Suite 100

Brentwood TN 37027

Project Name: CHKSTATE M

Project #: CHKSTATM:H20001

Workorder #: 2103143

Dear Ms. Cathy Gartner

The following report includes the data for the above referenced project for sample(s) received on 3/4/2021 at Eurofins Air Toxics LLC.

The data and associated QC analyzed by TO-15 are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics LLC. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Brian Whittaker at 916-985-1000 if you have any questions regarding the data in this report.

Regards,

A handwritten signature in black ink that reads "Brian Whittaker". The signature is written in a cursive, flowing style.

Brian Whittaker

Project Manager



Air Toxics

WORK ORDER #: 2103143

Work Order Summary

CLIENT:	Ms. Cathy Gartner Eurofins Test America 500 Wilson Pike Circle Suite 100 Brentwood, TN 37027	BILL TO:	Accounts Payable Eurofins Test America 4104 Shuffel St NW North Canton, OH 44720
PHONE:	800-765-0980	P.O. #	23738
FAX:	615-726-3404	PROJECT #	CHKSTATM:H20001 CHKSTATE M
DATE RECEIVED:	03/04/2021	CONTACT:	Brian Whittaker
DATE COMPLETED:	03/17/2021		

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>	<u>RECEIPT VAC./PRES.</u>	<u>FINAL PRESSURE</u>
01A	20210302 M-1	TO-15	4.5 "Hg	4.9 psi
02A	Lab Blank	TO-15	NA	NA
03A	CCV	TO-15	NA	NA
04A	LCS	TO-15	NA	NA
04AA	LCSD	TO-15	NA	NA

CERTIFIED BY:

Technical Director

DATE: 03/17/21

Certification numbers: AZ Licensure AZ0775, FL NELAP – E87680, LA NELAP – 02089, NH NELAP - 209220, NJ NELAP - CA016, NY NELAP - 11291, TX NELAP - T104704434-20-16, UT NELAP – CA009332020-12, VA NELAP - 10615, WA NELAP - C935

Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program)

Accreditation number: CA300005-014, Effective date: 10/18/2020, Expiration date: 10/17/2021.

Eurofins Air Toxics, LLC certifies that the test results contained in this report meet all requirements of the NELAC standards

This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, LLC.

180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630

(916) 985-1000 . (800) 985-5955 . FAX (916) 351-8279



Air Toxics

LABORATORY NARRATIVE**EPA Method TO-15****Eurofins Test America****Workorder# 2103143**

One 6 Liter Summa Canister sample was received on March 04, 2021. The laboratory performed analysis via EPA Method TO-15 using GC/MS in the full scan mode.

Receiving Notes

There were no receiving discrepancies.

Analytical Notes

TVOC (Total Volatile Organic Compounds) referenced to Hexane includes area counts for peaks that elute from Hexane minus 0.08 minutes to Naphthalene plus 0.08 minutes and quantitating the area based on the response factor of Hexane.

All Quality Control Limit exceedances and affected sample results are noted by flags. Each flag is defined at the bottom of this Case Narrative and on each Sample Result Summary page. Target compound non-detects in the samples that are associated with high bias in QC analyses have not been flagged.

Definition of Data Qualifying Flags

Ten qualifiers may have been used on the data analysis sheets and indicates as follows:

B - Compound present in laboratory blank greater than reporting limit (background subtraction not performed).

J - Estimated value.

E - Exceeds instrument calibration range.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the reporting limit, LOD, or MDL value. See data page for project specific U-flag definition.

UJ- Non-detected compound associated with low bias in the CCV

N - The identification is based on presumptive evidence.

M - Reported value may be biased due to apparent matrix interferences.

CN - See Case Narrative.

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue



Air Toxics

Summary of Detected Compounds
EPA METHOD TO-15 GC/MS FULL SCAN

Client Sample ID: 20210302 M-1

Lab ID#: 2103143-01A

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
4-Ethyltoluene	0.78	0.82	3.8	4.0
1,3,5-Trimethylbenzene	0.78	1.0	3.8	4.9
TVOC Ref. to Hexane	16	2300	55	8100



Air Toxics

Client Sample ID: 20210302 M-1

Lab ID#: 2103143-01A

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	p031613	Date of Collection:	3/2/21 2:35:00 PM
Dil. Factor:	1.57	Date of Analysis:	3/16/21 05:04 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Acetone	7.8	Not Detected	19	Not Detected
Benzene	0.78	Not Detected	2.5	Not Detected
alpha-Chlorotoluene	0.78	Not Detected	4.1	Not Detected
Bromodichloromethane	0.78	Not Detected	5.2	Not Detected
Bromoform	0.78	Not Detected	8.1	Not Detected
Bromomethane	7.8	Not Detected	30	Not Detected
2-Butanone (Methyl Ethyl Ketone)	3.1	Not Detected	9.2	Not Detected
Carbon Disulfide	3.1	Not Detected	9.8	Not Detected
Carbon Tetrachloride	0.78	Not Detected	4.9	Not Detected
Chlorobenzene	0.78	Not Detected	3.6	Not Detected
Dibromochloromethane	0.78	Not Detected	6.7	Not Detected
Chloroethane	3.1	Not Detected	8.3	Not Detected
Chloroform	0.78	Not Detected	3.8	Not Detected
Chloromethane	7.8	Not Detected	16	Not Detected
1,2-Dibromoethane (EDB)	0.78	Not Detected	6.0	Not Detected
1,2-Dichlorobenzene	0.78	Not Detected	4.7	Not Detected
1,3-Dichlorobenzene	0.78	Not Detected	4.7	Not Detected
1,4-Dichlorobenzene	0.78	Not Detected	4.7	Not Detected
1,1-Dichloroethane	0.78	Not Detected	3.2	Not Detected
Freon 12	0.78	Not Detected	3.9	Not Detected
1,2-Dichloroethane	0.78	Not Detected	3.2	Not Detected
1,1-Dichloroethene	0.78	Not Detected	3.1	Not Detected
cis-1,2-Dichloroethene	0.78	Not Detected	3.1	Not Detected
trans-1,2-Dichloroethene	0.78	Not Detected	3.1	Not Detected
1,2-Dichloropropane	0.78	Not Detected	3.6	Not Detected
cis-1,3-Dichloropropene	0.78	Not Detected	3.6	Not Detected
trans-1,3-Dichloropropene	0.78	Not Detected	3.6	Not Detected
Freon 114	0.78	Not Detected	5.5	Not Detected
Ethyl Benzene	0.78	Not Detected	3.4	Not Detected
4-Ethyltoluene	0.78	0.82	3.8	4.0
Hexachlorobutadiene	3.1	Not Detected	33	Not Detected
2-Hexanone	3.1	Not Detected	13	Not Detected
Methylene Chloride	7.8	Not Detected	27	Not Detected
4-Methyl-2-pentanone	0.78	Not Detected UJ	3.2	Not Detected UJ
Styrene	0.78	Not Detected	3.3	Not Detected
1,1,2,2-Tetrachloroethane	0.78	Not Detected	5.4	Not Detected
Tetrachloroethene	0.78	Not Detected	5.3	Not Detected
Toluene	0.78	Not Detected	3.0	Not Detected
1,2,4-Trichlorobenzene	3.1	Not Detected	23	Not Detected
1,1,1-Trichloroethane	0.78	Not Detected	4.3	Not Detected
1,1,2-Trichloroethane	0.78	Not Detected	4.3	Not Detected
Trichloroethene	0.78	Not Detected	4.2	Not Detected



Air Toxics

Client Sample ID: 20210302 M-1

Lab ID#: 2103143-01A

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	p031613	Date of Collection:	3/2/21 2:35:00 PM
Dil. Factor:	1.57	Date of Analysis:	3/16/21 05:04 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Freon 11	0.78	Not Detected	4.4	Not Detected
Freon 113	0.78	Not Detected	6.0	Not Detected
1,2,4-Trimethylbenzene	0.78	Not Detected	3.8	Not Detected
1,3,5-Trimethylbenzene	0.78	1.0	3.8	4.9
Vinyl Acetate	3.1	Not Detected	11	Not Detected
Vinyl Chloride	0.78	Not Detected	2.0	Not Detected
m,p-Xylene	0.78	Not Detected	3.4	Not Detected
o-Xylene	0.78	Not Detected	3.4	Not Detected
TVOC Ref. to Hexane	16	2300	55	8100

UJ = Analyte associated with low bias in the CCV.

Container Type: 6 Liter Summa Canister

Surrogates	%Recovery	Method Limits
Toluene-d8	97	70-130
1,2-Dichloroethane-d4	119	70-130
4-Bromofluorobenzene	116	70-130



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 2103143-02A

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	p031607c	Date of Collection:	NA
Dil. Factor:	1.00	Date of Analysis:	3/16/21 01:28 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Acetone	5.0	Not Detected	12	Not Detected
Benzene	0.50	Not Detected	1.6	Not Detected
alpha-Chlorotoluene	0.50	Not Detected	2.6	Not Detected
Bromodichloromethane	0.50	Not Detected	3.4	Not Detected
Bromoform	0.50	Not Detected	5.2	Not Detected
Bromomethane	5.0	Not Detected	19	Not Detected
2-Butanone (Methyl Ethyl Ketone)	2.0	Not Detected	5.9	Not Detected
Carbon Disulfide	2.0	Not Detected	6.2	Not Detected
Carbon Tetrachloride	0.50	Not Detected	3.1	Not Detected
Chlorobenzene	0.50	Not Detected	2.3	Not Detected
Dibromochloromethane	0.50	Not Detected	4.2	Not Detected
Chloroethane	2.0	Not Detected	5.3	Not Detected
Chloroform	0.50	Not Detected	2.4	Not Detected
Chloromethane	5.0	Not Detected	10	Not Detected
1,2-Dibromoethane (EDB)	0.50	Not Detected	3.8	Not Detected
1,2-Dichlorobenzene	0.50	Not Detected	3.0	Not Detected
1,3-Dichlorobenzene	0.50	Not Detected	3.0	Not Detected
1,4-Dichlorobenzene	0.50	Not Detected	3.0	Not Detected
1,1-Dichloroethane	0.50	Not Detected	2.0	Not Detected
Freon 12	0.50	Not Detected	2.5	Not Detected
1,2-Dichloroethane	0.50	Not Detected	2.0	Not Detected
1,1-Dichloroethene	0.50	Not Detected	2.0	Not Detected
cis-1,2-Dichloroethene	0.50	Not Detected	2.0	Not Detected
trans-1,2-Dichloroethene	0.50	Not Detected	2.0	Not Detected
1,2-Dichloropropane	0.50	Not Detected	2.3	Not Detected
cis-1,3-Dichloropropene	0.50	Not Detected	2.3	Not Detected
trans-1,3-Dichloropropene	0.50	Not Detected	2.3	Not Detected
Freon 114	0.50	Not Detected	3.5	Not Detected
Ethyl Benzene	0.50	Not Detected	2.2	Not Detected
4-Ethyltoluene	0.50	Not Detected	2.4	Not Detected
Hexachlorobutadiene	2.0	Not Detected	21	Not Detected
2-Hexanone	2.0	Not Detected	8.2	Not Detected
Methylene Chloride	5.0	Not Detected	17	Not Detected
4-Methyl-2-pentanone	0.50	Not Detected UJ	2.0	Not Detected UJ
Styrene	0.50	Not Detected	2.1	Not Detected
1,1,2,2-Tetrachloroethane	0.50	Not Detected	3.4	Not Detected
Tetrachloroethene	0.50	Not Detected	3.4	Not Detected
Toluene	0.50	Not Detected	1.9	Not Detected
1,2,4-Trichlorobenzene	2.0	Not Detected	15	Not Detected
1,1,1-Trichloroethane	0.50	Not Detected	2.7	Not Detected
1,1,2-Trichloroethane	0.50	Not Detected	2.7	Not Detected
Trichloroethene	0.50	Not Detected	2.7	Not Detected



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 2103143-02A

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	p031607c	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 3/16/21 01:28 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Freon 11	0.50	Not Detected	2.8	Not Detected
Freon 113	0.50	Not Detected	3.8	Not Detected
1,2,4-Trimethylbenzene	0.50	Not Detected	2.4	Not Detected
1,3,5-Trimethylbenzene	0.50	Not Detected	2.4	Not Detected
Vinyl Acetate	2.0	Not Detected	7.0	Not Detected
Vinyl Chloride	0.50	Not Detected	1.3	Not Detected
m,p-Xylene	0.50	Not Detected	2.2	Not Detected
o-Xylene	0.50	Not Detected	2.2	Not Detected
TVOC Ref. to Hexane	10	Not Detected	35	Not Detected

UJ = Analyte associated with low bias in the CCV.

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
Toluene-d8	97	70-130
1,2-Dichloroethane-d4	116	70-130
4-Bromofluorobenzene	113	70-130



Air Toxics

Client Sample ID: CCV

Lab ID#: 2103143-03A

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	p031602	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 3/16/21 09:53 AM

Compound	%Recovery
Acetone	76
Benzene	94
alpha-Chlorotoluene	103
Bromodichloromethane	116
Bromoform	122
Bromomethane	100
2-Butanone (Methyl Ethyl Ketone)	84
Carbon Disulfide	86
Carbon Tetrachloride	122
Chlorobenzene	97
Dibromochloromethane	115
Chloroethane	84
Chloroform	113
Chloromethane	99
1,2-Dibromoethane (EDB)	97
1,2-Dichlorobenzene	103
1,3-Dichlorobenzene	103
1,4-Dichlorobenzene	104
1,1-Dichloroethane	90
Freon 12	130
1,2-Dichloroethane	133 Q
1,1-Dichloroethene	100
cis-1,2-Dichloroethene	95
trans-1,2-Dichloroethene	96
1,2-Dichloropropane	73
cis-1,3-Dichloropropene	98
trans-1,3-Dichloropropene	110
Freon 114	105
Ethyl Benzene	99
4-Ethyltoluene	101
Hexachlorobutadiene	125
2-Hexanone	72
Methylene Chloride	81
4-Methyl-2-pentanone	69 Q
Styrene	104
1,1,2,2-Tetrachloroethane	83
Tetrachloroethene	115
Toluene	94
1,2,4-Trichlorobenzene	109
1,1,1-Trichloroethane	116
1,1,2-Trichloroethane	94
Trichloroethene	105

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8



Client Sample ID: CCV
Lab ID#: 2103143-03A

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	p031602	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 3/16/21 09:53 AM

Compound	%Recovery
Freon 11	129
Freon 113	108
1,2,4-Trimethylbenzene	108
1,3,5-Trimethylbenzene	100
Vinyl Acetate	98
Vinyl Chloride	101
m,p-Xylene	102
o-Xylene	102
TVOC Ref. to Hexane	100

Q = Exceeds Quality Control limits.
Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
Toluene-d8	97	70-130
1,2-Dichloroethane-d4	117	70-130
4-Bromofluorobenzene	121	70-130



Air Toxics

Client Sample ID: LCS

Lab ID#: 2103143-04A

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	p031603	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 3/16/21 10:22 AM

Compound	%Recovery	Method Limits
Acetone	81	70-130
Benzene	96	70-130
alpha-Chlorotoluene	101	70-130
Bromodichloromethane	116	70-130
Bromoform	122	70-130
Bromomethane	100	70-130
2-Butanone (Methyl Ethyl Ketone)	92	70-130
Carbon Disulfide	93	70-130
Carbon Tetrachloride	130	70-130
Chlorobenzene	98	70-130
Dibromochloromethane	114	70-130
Chloroethane	91	70-130
Chloroform	117	70-130
Chloromethane	90	70-130
1,2-Dibromoethane (EDB)	96	70-130
1,2-Dichlorobenzene	101	70-130
1,3-Dichlorobenzene	102	70-130
1,4-Dichlorobenzene	103	70-130
1,1-Dichloroethane	96	70-130
Freon 12	137 Q	70-130
1,2-Dichloroethane	131 Q	70-130
1,1-Dichloroethene	111	70-130
cis-1,2-Dichloroethene	101	70-130
trans-1,2-Dichloroethene	98	70-130
1,2-Dichloropropane	76	70-130
cis-1,3-Dichloropropene	99	70-130
trans-1,3-Dichloropropene	112	70-130
Freon 114	110	70-130
Ethyl Benzene	101	70-130
4-Ethyltoluene	102	70-130
Hexachlorobutadiene	143 Q	70-130
2-Hexanone	68 Q	70-130
Methylene Chloride	84	70-130
4-Methyl-2-pentanone	69 Q	70-130
Styrene	103	70-130
1,1,2,2-Tetrachloroethane	84	70-130
Tetrachloroethene	116	70-130
Toluene	92	70-130
1,2,4-Trichlorobenzene	122	70-130
1,1,1-Trichloroethane	118	70-130
1,1,2-Trichloroethane	93	70-130
Trichloroethene	105	70-130

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8



Air Toxics

Client Sample ID: LCS

Lab ID#: 2103143-04A

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	p031603	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 3/16/21 10:22 AM

Compound	%Recovery	Method Limits
Freon 11	133 Q	70-130
Freon 113	113	70-130
1,2,4-Trimethylbenzene	107	70-130
1,3,5-Trimethylbenzene	99	70-130
Vinyl Acetate	110	70-130
Vinyl Chloride	103	70-130
m,p-Xylene	102	70-130
o-Xylene	101	70-130
TVOC Ref. to Hexane	Not Spiked	

Q = Exceeds Quality Control limits.
Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
Toluene-d8	97	70-130
1,2-Dichloroethane-d4	125	70-130
4-Bromofluorobenzene	120	70-130



Air Toxics

Client Sample ID: LCSD

Lab ID#: 2103143-04AA

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	p031604	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 3/16/21 10:51 AM

Compound	%Recovery	Method Limits
Acetone	73	70-130
Benzene	94	70-130
alpha-Chlorotoluene	100	70-130
Bromodichloromethane	115	70-130
Bromoform	121	70-130
Bromomethane	100	70-130
2-Butanone (Methyl Ethyl Ketone)	93	70-130
Carbon Disulfide	91	70-130
Carbon Tetrachloride	128	70-130
Chlorobenzene	97	70-130
Dibromochloromethane	114	70-130
Chloroethane	91	70-130
Chloroform	117	70-130
Chloromethane	90	70-130
1,2-Dibromoethane (EDB)	97	70-130
1,2-Dichlorobenzene	101	70-130
1,3-Dichlorobenzene	102	70-130
1,4-Dichlorobenzene	103	70-130
1,1-Dichloroethane	94	70-130
Freon 12	134 Q	70-130
1,2-Dichloroethane	128	70-130
1,1-Dichloroethene	109	70-130
cis-1,2-Dichloroethene	101	70-130
trans-1,2-Dichloroethene	102	70-130
1,2-Dichloropropane	75	70-130
cis-1,3-Dichloropropene	100	70-130
trans-1,3-Dichloropropene	112	70-130
Freon 114	108	70-130
Ethyl Benzene	101	70-130
4-Ethyltoluene	100	70-130
Hexachlorobutadiene	145 Q	70-130
2-Hexanone	70	70-130
Methylene Chloride	82	70-130
4-Methyl-2-pentanone	68 Q	70-130
Styrene	102	70-130
1,1,2,2-Tetrachloroethane	82	70-130
Tetrachloroethene	115	70-130
Toluene	92	70-130
1,2,4-Trichlorobenzene	126	70-130
1,1,1-Trichloroethane	117	70-130
1,1,2-Trichloroethane	94	70-130
Trichloroethene	105	70-130



Air Toxics

Client Sample ID: LCSD

Lab ID#: 2103143-04AA

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	p031604	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 3/16/21 10:51 AM

Compound	%Recovery	Method Limits
Freon 11	130	70-130
Freon 113	112	70-130
1,2,4-Trimethylbenzene	107	70-130
1,3,5-Trimethylbenzene	98	70-130
Vinyl Acetate	108	70-130
Vinyl Chloride	103	70-130
m,p-Xylene	102	70-130
o-Xylene	100	70-130
TVOC Ref. to Hexane	Not Spiked	

Q = Exceeds Quality Control limits.

Container Type: NA - Not Applicable

Surrogates	%Recovery	Method Limits
Toluene-d8	96	70-130
1,2-Dichloroethane-d4	120	70-130
4-Bromofluorobenzene	121	70-130

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8

CHAIN OF CUSTODY RECORD

2103143

No. 1552



SAMPLER'S PRINTED NAME: TERRY FISHER			PROJECT NUMBER: CHKSTATM: H20001		PROJECT NAME: CHK STATE M		COC <u>1</u> of <u>1</u>										
SAMPLER'S SIGNATURE: <i>Terry Fisher</i>			SHIPPED TO: AIR TOXICS		PROJECT MANAGER: DAVID BRADY		TAT: <i>Standard</i>										
Date	Time	Sample ID	Sample Matrix		# of Sample Containers	ASOW:		REMARKS									
3/2/21	1435	20210302 M-1	AIR		1	N/A * TVOCs as C6-C12											
					X	TO-15		TAG # 27420 CAR 50C N2489									
					X	TVOCs * as HEXANE											
<div>Signature: <i>[Signature]</i></div>																	
TOTAL NUMBER OF CONTAINERS			1														
RELINQUISHED BY: <i>Sony Sch</i>			DATE 3/2/21 TIME 1600		RECEIVED BY: <i>S CATU</i>		DATE 3/2/21 TIME 1132										
RELINQUISHED BY:			DATE		RECEIVED BY:		DATE										
METHOD OF SHIPMENT: FedEx					AIRBILL NUMBER: 9487 1150 2296		Fedex										
RECEIVED IN LABORATORY BY:			DATE		Send PDF, EDD, and INVOICE (if applicable) to:												
LABORATORY CONTACT:			TIME		DAVID@EQUINEWV.COM		JULIE.CZECZ@EQUINEWV.COM										
LABORATORY ADDRESS:					180 BLUE RAVINE RD. STE B		TOLSON, CA 95630										

POINT OF ORIGIN:

Login Sample Receipt Checklist

Client: Chesapeake Energy Corporation

Job Number: 180-118512-1
SDG Number: Property ID: 891077

Login Number: 118512

List Number: 1

Creator: Gartner, Cathy

List Source: Eurofins TestAmerica, Pittsburgh

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.		
The cooler's custody seal, if present, is intact.		
Sample custody seals, if present, are intact.		
The cooler or samples do not appear to have been compromised or tampered with.		
Samples were received on ice.		
Cooler Temperature is acceptable.		
Cooler Temperature is recorded.		
COC is present.		
COC is filled out in ink and legible.		
COC is filled out with all pertinent information.		
Is the Field Sampler's name present on COC?		
There are no discrepancies between the containers received and the COC.		
Samples are received within Holding Time (excluding tests with immediate HTs)		
Sample containers have legible labels.		
Containers are not broken or leaking.		
Sample collection date/times are provided.		
Appropriate sample containers are used.		
Sample bottles are completely filled.		
Sample Preservation Verified.		
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs		
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").		
Multiphasic samples are not present.		
Samples do not require splitting or compositing.		
Residual Chlorine Checked.		



Environment Testing America

ANALYTICAL REPORT

Eurofins TestAmerica, Edison
777 New Durham Road
Edison, NJ 08817
Tel: (732)549-3900

Laboratory Job ID: 460-210651-1

Laboratory Sample Delivery Group: Property ID: 891077
Client Project/Site: State M-1

For:

Chesapeake Energy Corporation
PO BOX 548806
Oklahoma City, Oklahoma 73154

Attn: Chase Acker

A handwritten signature in black ink that reads "Cathy Gartner". The signature is written in a cursive, flowing style.

Authorized for release by:
6/18/2020 3:21:23 PM

Cathy Gartner, Project Manager II
(615)301-5041
cathy.gartner@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Laboratory Job ID: 460-210651-1
SDG: Property ID: 891077

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	5
Client Sample Results	6
QC Sample Results	7
QC Association Summary	8
Lab Chronicle	9
Certification Summary	10
Method Summary	11
Sample Summary	12
Chain of Custody	13
Receipt Checklists	15

1

2

3

4

5

6

7

8

9

10

11

12

13

14

Definitions/Glossary

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 460-210651-1
SDG: Property ID: 891077

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 460-210651-1
SDG: Property ID: 891077

Job ID: 460-210651-1

Laboratory: Eurofins TestAmerica, Edison

Narrative

Job Narrative
460-210651-1

Comments

No additional comments.

Receipt

The samples were received on 6/9/2020 9:30 AM; the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 2.3° C.

GC Semi VOA

Method 300.0: The following samples were diluted to bring the concentration of target analytes within the calibration range: MW-4 (460-210651-2), MW-8 (460-210651-3), Dup (460-210651-4), (460-210802-A-2), (460-210802-A-2 DU), (460-210802-A-2 MS) and (460-210802-A-2 MSD). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Detection Summary

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 460-210651-1
SDG: Property ID: 891077

Client Sample ID: EQ Blank

Lab Sample ID: 460-210651-1

No Detections.

Client Sample ID: MW-4

Lab Sample ID: 460-210651-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	429		11.0		mg/L	11		300.0	Total/NA

Client Sample ID: MW-8

Lab Sample ID: 460-210651-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	97.4		2.00		mg/L	2		300.0	Total/NA

Client Sample ID: Dup

Lab Sample ID: 460-210651-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	424		11.0		mg/L	11		300.0	Total/NA

Client Sample Results

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 460-210651-1
SDG: Property ID: 891077

Client Sample ID: EQ Blank

Date Collected: 06/06/20 10:25

Date Received: 06/09/20 09:30

Lab Sample ID: 460-210651-1

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.00		mg/L			06/11/20 22:25	1

Client Sample ID: MW-4

Date Collected: 06/06/20 11:40

Date Received: 06/09/20 09:30

Lab Sample ID: 460-210651-2

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	429		11.0		mg/L			06/12/20 12:49	11

Client Sample ID: MW-8

Date Collected: 06/06/20 12:30

Date Received: 06/09/20 09:30

Lab Sample ID: 460-210651-3

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	97.4		2.00		mg/L			06/12/20 13:04	2

Client Sample ID: Dup

Date Collected: 06/06/20 00:00

Date Received: 06/09/20 09:30

Lab Sample ID: 460-210651-4

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	424		11.0		mg/L			06/12/20 13:19	11

QC Sample Results

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 460-210651-1
SDG: Property ID: 891077

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 460-700664/3

Matrix: Water

Analysis Batch: 700664

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.00		mg/L			06/11/20 13:28	1

Lab Sample ID: LCS 460-700664/5

Matrix: Water

Analysis Batch: 700664

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Bromide	3.20	3.080		mg/L		96	90 - 110
Chloride	3.20	3.152		mg/L		98	90 - 110
Fluoride	1.60	1.695		mg/L		106	90 - 110
Sulfate	4.80	4.730		mg/L		99	90 - 110

Lab Sample ID: LCSD 460-700664/6

Matrix: Water

Analysis Batch: 700664

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Bromide	3.20	3.083		mg/L		96	90 - 110	0	15
Chloride	3.20	3.170		mg/L		99	90 - 110	1	15
Fluoride	1.60	1.709		mg/L		107	90 - 110	1	15
Sulfate	4.80	4.718		mg/L		98	90 - 110	0	15

Lab Sample ID: MB 460-700937/26

Matrix: Water

Analysis Batch: 700937

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.00		mg/L			06/12/20 16:50	1

Lab Sample ID: LCS 460-700937/28

Matrix: Water

Analysis Batch: 700937

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Bromide	3.20	3.030		mg/L		95	90 - 110
Chloride	3.20	3.114		mg/L		97	90 - 110
Fluoride	1.60	1.758		mg/L		110	90 - 110
Sulfate	4.80	4.802		mg/L		100	90 - 110

Lab Sample ID: LCSD 460-700937/29

Matrix: Water

Analysis Batch: 700937

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Bromide	3.20	3.045		mg/L		95	90 - 110	0	15
Chloride	3.20	3.087		mg/L		96	90 - 110	1	15
Fluoride	1.60	1.696		mg/L		106	90 - 110	4	15
Sulfate	4.80	4.687		mg/L		98	90 - 110	2	15

Eurofins TestAmerica, Edison

QC Association Summary

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 460-210651-1
SDG: Property ID: 891077

HPLC/IC

Analysis Batch: 700664

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-210651-1	EQ Blank	Total/NA	Water	300.0	
MB 460-700664/3	Method Blank	Total/NA	Water	300.0	
LCS 460-700664/5	Lab Control Sample	Total/NA	Water	300.0	
LCSD 460-700664/6	Lab Control Sample Dup	Total/NA	Water	300.0	

Analysis Batch: 700937

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-210651-2	MW-4	Total/NA	Water	300.0	
460-210651-3	MW-8	Total/NA	Water	300.0	
460-210651-4	Dup	Total/NA	Water	300.0	
MB 460-700937/26	Method Blank	Total/NA	Water	300.0	
LCS 460-700937/28	Lab Control Sample	Total/NA	Water	300.0	
LCSD 460-700937/29	Lab Control Sample Dup	Total/NA	Water	300.0	

Lab Chronicle

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 460-210651-1
SDG: Property ID: 891077

Client Sample ID: EQ Blank
Date Collected: 06/06/20 10:25
Date Received: 06/09/20 09:30

Lab Sample ID: 460-210651-1
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	700664	06/11/20 22:25	VMI	TAL EDI

Client Sample ID: MW-4
Date Collected: 06/06/20 11:40
Date Received: 06/09/20 09:30

Lab Sample ID: 460-210651-2
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		11	700937	06/12/20 12:49	VMI	TAL EDI

Client Sample ID: MW-8
Date Collected: 06/06/20 12:30
Date Received: 06/09/20 09:30

Lab Sample ID: 460-210651-3
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		2	700937	06/12/20 13:04	VMI	TAL EDI

Client Sample ID: Dup
Date Collected: 06/06/20 00:00
Date Received: 06/09/20 09:30

Lab Sample ID: 460-210651-4
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		11	700937	06/12/20 13:19	VMI	TAL EDI

Laboratory References:
TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Accreditation/Certification Summary

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 460-210651-1
SDG: Property ID: 891077

Laboratory: Eurofins TestAmerica, Edison

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Connecticut	State	PH-0200	09-30-20
DE Haz. Subst. Cleanup Act (HSCA)	State	<cert No.>	12-31-21
Georgia	State	12028 (NJ)	06-30-20
Massachusetts	State	M-NJ312	06-30-20
New Jersey	NELAP	12028	06-30-20
New York	NELAP	11452	04-01-21
Pennsylvania	NELAP	68-00522	02-28-21
Rhode Island	State	LAO00132	12-31-20
USDA	US Federal Programs	P330-18-00135	05-03-21

Laboratory: Eurofins TestAmerica, Nashville

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Arizona	State Program	AZ0473	05-05-14 *

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Method Summary

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 460-210651-1
SDG: Property ID: 891077

Method	Method Description	Protocol	Laboratory
300.0	Anions, Ion Chromatography	MCAWW	TAL EDI

Protocol References:
MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

Laboratory References:
TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Sample Summary

Client: Chesapeake Energy Corporation
Project/Site: State M-1





Job ID: 460-210651-1
SDG: Property ID: 891077

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
460-210651-1	EQ Blank	Water	06/06/20 10:25	06/09/20 09:30	
460-210651-2	MW-4	Water	06/06/20 11:40	06/09/20 09:30	
460-210651-3	MW-8	Water	06/06/20 12:30	06/09/20 09:30	
460-210651-4	Dup	Water	06/06/20 00:00	06/09/20 09:30	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

CHAIN OF CUSTODY RECORD

210661 No. 1519

PROJECT NUMBER: CHKSATM: H20001		PROJECT NAME: CHK STATE M		COC 1 of 1	
SHIPPED TO: TA-EDISON		PROJECT MANAGER: DAVID BRADY		TAT: STANDARD	
SAMPLER'S PRINTED NAME: TERRY FISHER		ASOW: N/A			
SAMPLER'S SIGNATURE: 					
Date	Time	Sample ID	Sample Matrix	# of Sample Containers	REMARKS
6-6-20	1025	Eq Blk NK	W	1	1
6-6-20	1140	Smgr MW-4	W	1	2
6-6-20	1230	MW-8	W	1	3
6-6-20	---	D-p	W	1	4
					
460-210651 Chain of Custody					
TOTAL NUMBER OF CONTAINERS: 4					
RELINQUISHED BY: 		DATE 6-8-20		RECEIVED BY: 	
RELINQUISHED BY:		TIME 1600		DATE 6/9/20	
RELINQUISHED BY:		DATE		TIME 1930	
METHOD OF SHIPMENT: FEDEX		AIRBILL NUMBER: 1685 4441 6193		23. 24	
RECEIVED IN LABORATORY BY:		DATE		Send PDF, EDD, and INVOICE (if applicable) to: JULIE.CZECH@EQUUSENV.COM	
RECEIVED IN LABORATORY BY:		TIME		LABORATORY ADDRESS:	
LABORATORY CONTACT: CATHY GARTNER 615-301-5041		777 NEW DURHAM RD, EDISON, NJ 08817			
POINT OF ORIGIN:					

Eurofins TestAmerica Edison
Receipt Temperature and pH Log

Job Number:

20651

Number of Coolers:

IR Gun #

Cooler Temperatures

NAME	CONNECTED		NAME	CONNECTED	
	DATE	TIME		DATE	TIME
Cooler #1:	✓	✓	Cooler #4:	✓	✓
Cooler #2:	✓	✓	Cooler #8:	✓	✓
Cooler #3:	✓	✓	Cooler #9:	✓	✓
			Cooler #7:	✓	✓
			Cooler #5:	✓	✓
			Cooler #9:	✓	✓

Ammonia	COD	Nitrate Nitrite	Metals *	Hardness	Pest	EPH or QAM	Phenols	Sulfide	TKN	TOC	Total Cyanide	Total Phos	Other
(pH<2)	(pH<2)	(pH<2)	(pH<2)	(pH<2)	(pH 5-9)	(pH<2)	(pH<2)	(pH>9)	(pH<2)	(pH<2)	(pH>12)	(pH<2)	

[illegible]

If pH adjustments are required record the information below:

Sample No(s). adjusted:

Preservative Name/Conc.:

Lot # of Preservative(s):

Expiration Date:

The appropriate Project Manager and Department Manager should be notified about the samples which were pH adjusted.

Samples for Metal analysis which are out of compliance must be acidified at least 24 hours prior to analysis.

EDS-WI-038, Rev 4.1
10/22/2019

Initials:

Date: 6/9/20

Login Sample Receipt Checklist

Client: Chesapeake Energy Corporation

Job Number: 460-210651-1

SDG Number: Property ID: 891077

Login Number: 210651

List Number: 1

Creator: Meyers, Gary

List Source: Eurofins TestAmerica, Edison

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Environment Testing America

ANALYTICAL REPORT

Eurofins TestAmerica, Edison
777 New Durham Road
Edison, NJ 08817
Tel: (732)549-3900

Laboratory Job ID: 460-219217-1

Laboratory Sample Delivery Group: Property ID: 891077

Client Project/Site: State M-1

For:

Chesapeake Energy Corporation
PO BOX 548806
Oklahoma City, Oklahoma 73154

Attn: Chase Acker

A handwritten signature in black ink that reads "Cathy Gartner".

Authorized for release by:
10/5/2020 5:17:21 PM

Cathy Gartner, Project Manager II
(615)301-5041
Cathy.Gartner@Eurofinset.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Laboratory Job ID: 460-219217-1
SDG: Property ID: 891077

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	5
Client Sample Results	6
QC Sample Results	7
QC Association Summary	9
Lab Chronicle	10
Certification Summary	11
Method Summary	12
Sample Summary	13
Chain of Custody	14
Receipt Checklists	16

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Definitions/Glossary

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 460-219217-1
SDG: Property ID: 891077

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 460-219217-1
SDG: Property ID: 891077

Job ID: 460-219217-1

Laboratory: Eurofins TestAmerica, Edison

Narrative

Job Narrative
460-219217-1

Comments

No additional comments.

Receipt

The samples were received on 9/25/2020 10:30 AM; the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 3.6° C.

GC Semi VOA

Method 300.0: The following sample was diluted to bring the concentration of target analytes within the calibration range: MW-4 (460-219217-3). Elevated reporting limits (RLs) are provided.

Method 300.0: The following sample was diluted to bring the concentration of target analytes within the calibration range: Dup (460-219217-2). Elevated reporting limits (RLs) are provided.

Method 300.0: The following sample was diluted to bring the concentration of target analytes within the calibration range: MW-8 (460-219217-4). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

1
2
3
4
5
6
7
8
9
10
11
12
13
14

Detection Summary

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 460-219217-1
SDG: Property ID: 891077

Client Sample ID: EQ Blank

Lab Sample ID: 460-219217-1

No Detections.

Client Sample ID: Dup

Lab Sample ID: 460-219217-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	88.4		5.00		mg/L	5		300.0	Total/NA

Client Sample ID: MW-4

Lab Sample ID: 460-219217-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	430		7.00		mg/L	7		300.0	Total/NA

Client Sample ID: MW-8

Lab Sample ID: 460-219217-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	88.8		5.00		mg/L	5		300.0	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Edison

Client Sample Results

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 460-219217-1
SDG: Property ID: 891077

Client Sample ID: EQ Blank

Date Collected: 09/24/20 09:30

Date Received: 09/25/20 10:30

Lab Sample ID: 460-219217-1

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.00		mg/L			09/28/20 15:46	1

Client Sample ID: Dup

Date Collected: 09/24/20 00:00

Date Received: 09/25/20 10:30

Lab Sample ID: 460-219217-2

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	88.4		5.00		mg/L			10/01/20 01:58	5

Client Sample ID: MW-4

Date Collected: 09/24/20 11:00

Date Received: 09/25/20 10:30

Lab Sample ID: 460-219217-3

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	430		7.00		mg/L			09/28/20 21:28	7

Client Sample ID: MW-8

Date Collected: 09/24/20 12:10

Date Received: 09/25/20 10:30

Lab Sample ID: 460-219217-4

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	88.8		5.00		mg/L			10/01/20 15:01	5

QC Sample Results

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 460-219217-1
SDG: Property ID: 891077

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 460-727337/3

Matrix: Water

Analysis Batch: 727337

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.00		mg/L			09/28/20 12:02	1

Lab Sample ID: LCS 460-727337/5

Matrix: Water

Analysis Batch: 727337

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	3.20	3.009		mg/L		94	90 - 110

Lab Sample ID: LCSD 460-727337/6

Matrix: Water

Analysis Batch: 727337

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	3.20	3.009		mg/L		94	90 - 110	0	15

Lab Sample ID: MB 460-728042/3

Matrix: Water

Analysis Batch: 728042

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.00		mg/L			09/30/20 16:29	1

Lab Sample ID: LCS 460-728042/5

Matrix: Water

Analysis Batch: 728042

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	3.20	2.954		mg/L		92	90 - 110

Lab Sample ID: LCSD 460-728042/6

Matrix: Water

Analysis Batch: 728042

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	3.20	2.954		mg/L		92	90 - 110	0	15

Lab Sample ID: MB 460-728243/3

Matrix: Water

Analysis Batch: 728243

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.00		mg/L			10/01/20 03:42	1

Lab Sample ID: LCS 460-728243/5

Matrix: Water

Analysis Batch: 728243

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	3.20	3.124		mg/L		98	90 - 110

Eurofins TestAmerica, Edison

QC Sample Results

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 460-219217-1
SDG: Property ID: 891077

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: LCSD 460-728243/6				Client Sample ID: Lab Control Sample Dup							
Matrix: Water				Prep Type: Total/NA							
Analysis Batch: 728243											
Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit		
Chloride	3.20	3.095		mg/L		97	90 - 110	1	15		

QC Association Summary

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 460-219217-1
SDG: Property ID: 891077

HPLC/IC

Analysis Batch: 727337

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-219217-1	EQ Blank	Total/NA	Water	300.0	
460-219217-3	MW-4	Total/NA	Water	300.0	
MB 460-727337/3	Method Blank	Total/NA	Water	300.0	
LCS 460-727337/5	Lab Control Sample	Total/NA	Water	300.0	
LCSD 460-727337/6	Lab Control Sample Dup	Total/NA	Water	300.0	

Analysis Batch: 728042

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-219217-2	Dup	Total/NA	Water	300.0	
MB 460-728042/3	Method Blank	Total/NA	Water	300.0	
LCS 460-728042/5	Lab Control Sample	Total/NA	Water	300.0	
LCSD 460-728042/6	Lab Control Sample Dup	Total/NA	Water	300.0	

Analysis Batch: 728243

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-219217-4	MW-8	Total/NA	Water	300.0	
MB 460-728243/3	Method Blank	Total/NA	Water	300.0	
LCS 460-728243/5	Lab Control Sample	Total/NA	Water	300.0	
LCSD 460-728243/6	Lab Control Sample Dup	Total/NA	Water	300.0	

Lab Chronicle

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 460-219217-1
SDG: Property ID: 891077

Client Sample ID: EQ Blank
Date Collected: 09/24/20 09:30
Date Received: 09/25/20 10:30

Lab Sample ID: 460-219217-1
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	727337	09/28/20 15:46	VMI	TAL EDI

Client Sample ID: Dup
Date Collected: 09/24/20 00:00
Date Received: 09/25/20 10:30

Lab Sample ID: 460-219217-2
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		5	728042	10/01/20 01:58	VMI	TAL EDI

Client Sample ID: MW-4
Date Collected: 09/24/20 11:00
Date Received: 09/25/20 10:30

Lab Sample ID: 460-219217-3
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		7	727337	09/28/20 21:28	VMI	TAL EDI

Client Sample ID: MW-8
Date Collected: 09/24/20 12:10
Date Received: 09/25/20 10:30

Lab Sample ID: 460-219217-4
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		5	728243	10/01/20 15:01	VMI	TAL EDI

Laboratory References:
TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Accreditation/Certification Summary

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 460-219217-1
SDG: Property ID: 891077

Laboratory: Eurofins TestAmerica, Edison

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Connecticut	State	PH-0200	09-30-20 *
DE Haz. Subst. Cleanup Act (HSCA)	State	<cert No.>	12-31-21
Georgia	State	12028 (NJ)	07-01-21
Massachusetts	State	M-NJ312	06-30-21
New Jersey	NELAP	12028	06-30-21
New York	NELAP	11452	04-01-21
Pennsylvania	NELAP	68-00522	02-28-21
Rhode Island	State	LAO00132	12-31-20
USDA	US Federal Programs	P330-18-00135	05-03-21

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Method Summary

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 460-219217-1
SDG: Property ID: 891077

Method	Method Description	Protocol	Laboratory
300.0	Anions, Ion Chromatography	MCAWW	TAL EDI

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

Laboratory References:

TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Sample Summary

Client: Chesapeake Energy Corporation
Project/Site: State M-1




Job ID: 460-219217-1
SDG: Property ID: 891077

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
460-219217-1	EQ Blank	Water	09/24/20 09:30	09/25/20 10:30	
460-219217-2	Dup	Water	09/24/20 00:00	09/25/20 10:30	
460-219217-3	MW-4	Water	09/24/20 11:00	09/25/20 10:30	
460-219217-4	MW-8	Water	09/24/20 12:10	09/25/20 10:30	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

CHAIN OF CUSTODY RECORD

No. 1513

PROJECT NUMBER: CHKSTATM:H20001		PROJECT NAME: CHK STATE M		COC 1 of 1	
SHIPPED TO: TA-EDISON		PROJECT MANAGER: DAVID BRADY		TAT: Standard	
SAMPLER'S PRINTED NAME: TERRY FISHER		ASOW: N/A		219217	
SAMPLER'S SIGNATURE: 					
Date	Time	Sample ID	Sample Matrix	# of Sample Containers	REMARKS
9-24-20	930	EQ Blank	W	1 X	-1
9-24-20	-	Dup	W	1 X	-2
9-24-20	1100	MW-4	W	1 X	-3
9-24-20	1210	MW-8	W	1 X	-4
					
TOTAL NUMBER OF CONTAINERS					
RELINQUISHED BY: 		RECEIVED BY:		DATE	
RELINQUISHED BY:		RECEIVED BY:		TIME	
METHOD OF SHIPMENT: FedEx		AIRBILL NUMBER: 1361 5177 6870		DATE	
RECEIVED IN LABORATORY BY:		Send PDF, EDD, and INVOICE (if applicable) to: JULIE.CZECH@EDMUNSEN.V.COM		TIME	
LABORATORY CONTACT: CATHY 615-301-5041		LABORATORY ADDRESS: 777 NEW DURHAM RD. EDISON, NJ 08817		DATE	
POINT OF ORIGIN:		3.6		TIME	

Eurofins TestAmerica Edison
Receipt Temperature and pH LogPage 7 of 7

Job Number:

Number of Coolers:

IR Gun #

Cooler Temperatures

CONNECTED		CONNECTED	
NAME	CONNECTED	NAME	CONNECTED
Cooler #1:	3.0 °C	Cooler #4:	°C
Cooler #2:	°C	Cooler #5:	°C
Cooler #3:	°C	Cooler #6:	°C
		Cooler #7:	°C
		Cooler #8:	°C
		Cooler #9:	°C

[illegible]

If pH adjustments are required record the information below:

Sample No(s). adjusted:

Preservative Name/Conc.:

Lot # of Preservative(s):

Expiration Date:

The appropriate Project Manager and Department Manager should be notified about the samples which were pH adjusted. Samples for Metal analysis which are out of compliance must be acidified at least 24 hours prior to analysis.

EDS-WI-038, Rev 4.1
10/22/2019

Initials:

2

Date: 9/1/2011

Login Sample Receipt Checklist

Client: Chesapeake Energy Corporation

Job Number: 460-219217-1

SDG Number: Property ID: 891077

Login Number: 219217**List Number: 1****Creator: Lysy, Susan****List Source: Eurofins TestAmerica, Edison**

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	N/A	
Multiphasic samples are not present.	N/A	
Samples do not require splitting or compositing.	N/A	
Residual Chlorine Checked.	N/A	



Environment Testing America

ANALYTICAL REPORT

Eurofins TestAmerica, Edison
777 New Durham Road
Edison, NJ 08817
Tel: (732)549-3900

Laboratory Job ID: 460-224660-1

Laboratory Sample Delivery Group: Property ID: 891077

Client Project/Site: State M-1

For:

Chesapeake Energy Corporation
PO BOX 548806
Oklahoma City, Oklahoma 73154

Attn: Chase Acker

Authorized for release by:
12/22/2020 5:57:48 PM

Cathy Gartner, Project Manager II
(615)301-5041
Cathy.Gartner@Eurofinset.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Laboratory Job ID: 460-224660-1
SDG: Property ID: 891077

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	5
Client Sample Results	6
QC Sample Results	7
QC Association Summary	8
Lab Chronicle	9
Certification Summary	10
Method Summary	11
Sample Summary	12
Chain of Custody	13
Receipt Checklists	15

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Definitions/Glossary

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 460-224660-1
SDG: Property ID: 891077

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 460-224660-1
SDG: Property ID: 891077

Job ID: 460-224660-1

Laboratory: Eurofins TestAmerica, Edison

Narrative

Job Narrative
460-224660-1

Comments

No additional comments.

Receipt

The samples were received on 12/11/2020 10:35 AM; the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 1.0° C.

GC Semi VOA

Method 300.0: The following samples were diluted to bring the concentration of target analytes within the calibration range: MW-4 (460-224660-2), MW-8 (460-224660-3) and Dup (460-224660-4). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

1
2
3
4
5
6
7
8
9
10
11
12
13
14

Detection Summary

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 460-224660-1
SDG: Property ID: 891077

Client Sample ID: EQ Blank

Lab Sample ID: 460-224660-1

No Detections.

Client Sample ID: MW-4

Lab Sample ID: 460-224660-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	475		20.0		mg/L	20		300.0	Total/NA

Client Sample ID: MW-8

Lab Sample ID: 460-224660-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	73.5		20.0		mg/L	20		300.0	Total/NA

Client Sample ID: Dup

Lab Sample ID: 460-224660-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	482		20.0		mg/L	20		300.0	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Edison

Client Sample Results

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 460-224660-1
SDG: Property ID: 891077

Client Sample ID: EQ Blank

Date Collected: 12/10/20 08:25

Date Received: 12/11/20 10:35

Lab Sample ID: 460-224660-1

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.00		mg/L			12/16/20 14:19	1

Client Sample ID: MW-4

Date Collected: 12/10/20 09:40

Date Received: 12/11/20 10:35

Lab Sample ID: 460-224660-2

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	475		20.0		mg/L			12/16/20 14:34	20

Client Sample ID: MW-8

Date Collected: 12/10/20 10:50

Date Received: 12/11/20 10:35

Lab Sample ID: 460-224660-3

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	73.5		20.0		mg/L			12/16/20 14:49	20

Client Sample ID: Dup

Date Collected: 12/10/20 00:00

Date Received: 12/11/20 10:35

Lab Sample ID: 460-224660-4

Matrix: Water

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	482		20.0		mg/L			12/16/20 15:04	20

QC Sample Results

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 460-224660-1
SDG: Property ID: 891077

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 460-747358/3 Matrix: Water Analysis Batch: 747358										Client Sample ID: Method Blank Prep Type: Total/NA	
Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac		
Chloride	ND		1.00		mg/L			12/16/20 10:30	1		
Lab Sample ID: LCS 460-747358/5 Matrix: Water Analysis Batch: 747358										Client Sample ID: Lab Control Sample Prep Type: Total/NA	
Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
Chloride			3.20	3.004		mg/L		94	90 - 110		
Lab Sample ID: LCSD 460-747358/6 Matrix: Water Analysis Batch: 747358										Client Sample ID: Lab Control Sample Dup Prep Type: Total/NA	
Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride			3.20	2.996		mg/L		94	90 - 110	0	15

QC Association Summary

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 460-224660-1
SDG: Property ID: 891077

HPLC/IC

Analysis Batch: 747358

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-224660-1	EQ Blank	Total/NA	Water	300.0	
460-224660-2	MW-4	Total/NA	Water	300.0	
460-224660-3	MW-8	Total/NA	Water	300.0	
460-224660-4	Dup	Total/NA	Water	300.0	
MB 460-747358/3	Method Blank	Total/NA	Water	300.0	
LCS 460-747358/5	Lab Control Sample	Total/NA	Water	300.0	
LCSD 460-747358/6	Lab Control Sample Dup	Total/NA	Water	300.0	

Lab Chronicle

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 460-224660-1
SDG: Property ID: 891077

Client Sample ID: EQ Blank
Date Collected: 12/10/20 08:25
Date Received: 12/11/20 10:35

Lab Sample ID: 460-224660-1
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	747358	12/16/20 14:19	VMI	TAL EDI

Client Sample ID: MW-4
Date Collected: 12/10/20 09:40
Date Received: 12/11/20 10:35

Lab Sample ID: 460-224660-2
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		20	747358	12/16/20 14:34	VMI	TAL EDI

Client Sample ID: MW-8
Date Collected: 12/10/20 10:50
Date Received: 12/11/20 10:35

Lab Sample ID: 460-224660-3
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		20	747358	12/16/20 14:49	VMI	TAL EDI

Client Sample ID: Dup
Date Collected: 12/10/20 00:00
Date Received: 12/11/20 10:35

Lab Sample ID: 460-224660-4
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		20	747358	12/16/20 15:04	VMI	TAL EDI

Laboratory References:
TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Accreditation/Certification Summary

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 460-224660-1
SDG: Property ID: 891077

Laboratory: Eurofins TestAmerica, Edison

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Connecticut	State	PH-0200	09-30-20 *
DE Haz. Subst. Cleanup Act (HSCA)	State	N/A	12-31-21
Georgia	State	12028 (NJ)	07-01-21
Massachusetts	State	M-NJ312	06-30-21
New Jersey	NELAP	12028	06-30-21
New York	NELAP	11452	04-01-21
Pennsylvania	NELAP	68-00522	02-28-21
Rhode Island	State	LAO00132	12-31-20
USDA	US Federal Programs	P330-20-00244	11-03-23

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins TestAmerica, Edison

Method Summary

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 460-224660-1
SDG: Property ID: 891077

Method	Method Description	Protocol	Laboratory
300.0	Anions, Ion Chromatography	MCAWW	TAL EDI

Protocol References:
MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

Laboratory References:
TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Sample Summary

Client: Chesapeake Energy Corporation
Project/Site: State M-1



Job ID: 460-224660-1
SDG: Property ID: 891077

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
460-224660-1	EQ Blank	Water	12/10/20 08:25	12/11/20 10:35	
460-224660-2	MW-4	Water	12/10/20 09:40	12/11/20 10:35	
460-224660-3	MW-8	Water	12/10/20 10:50	12/11/20 10:35	
460-224660-4	Dup	Water	12/10/20 00:00	12/11/20 10:35	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

CHAIN OF CUSTODY RECORD

No. 1582

		PROJECT NUMBER: CHK STATM: H20001		PROJECT NAME: CHK STATE M		COC 1 of 1	
SHIPPED TO: TA-EDISON		PROJECT MANAGER: DAVID BRADY		TAT: STANDARD			
ASOW: N/A		224660					
REMARKS: -1 -2 -3 -4							
 460-224660 Chain of Custody							
RECEIVED BY: <i>[Signature]</i>		DATE 12-10-20		TIME 1600		RECEIVED BY: <i>[Signature]</i>	
RECEIVED BY: <i>[Signature]</i>		DATE 12-10-20		TIME 1600		RECEIVED BY: <i>[Signature]</i>	
AIRBILL NUMBER: 934540544908		Send PDF, EDD, and INVOICE (if applicable) to: QAQC@EQUUSENV.COM					
LABORATORY ADDRESS: 777 NEW DURHAM RD. EDISON, NJ 08817							

Date	Time	Sample ID	Sample Matrix	# of Sample Containers
12-10-20	825	Eg Blank	W	1
12-10-20	0940	MW-4	W	1
12-10-20	1050	MW-8	W	1
12-10-20	-	D-p	W	1
TOTAL NUMBER OF CONTAINERS: 4				
RELINQUISHED BY: <i>[Signature]</i>				
RELINQUISHED BY: <i>[Signature]</i>				
METHOD OF SHIPMENT: FEDEX				
RECEIVED IN LABORATORY BY:				
LABORATORY CONTACT: CATHY GARTNER 615-301-5041				

POINT OF ORIGIN:

Eurofins TestAmerica Edison
Receipt Temperature and pH LogPage 1 of 1

Job Number:

Number of Coolers:

IR Gun #

Cooler Temperatures

	RAW	CONNECTED		RAW	CONNECTED
Cooler #1:	1.0	1.0	Cooler #4:	1	1
Cooler #2:	1	1	Cooler #5:	1	1
Cooler #3:	1	1	Cooler #6:	1	1

[illegible]

If pH adjustments are required record the information below:

Sample No(s). adjusted:

Preservative Name/Conc.:

Volume of Preservative used (ml):

Lot # of Preservative(s):

Expiration Date:

The appropriate Project Manager and Department Manager should be notified about the samples which were pH adjusted. Samples for Metal analysis which are out of compliance must be acidified at least 24 hours prior to analysis.

EDS-WI-038, Rev 4.1
10/22/2019

Initials:

Date:

Login Sample Receipt Checklist

Client: Chesapeake Energy Corporation

Job Number: 460-224660-1

SDG Number: Property ID: 891077

Login Number: 224660

List Number: 1

Creator: Lysy, Susan

List Source: Eurofins TestAmerica, Edison

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	1486445
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	N/A	
Multiphasic samples are not present.	N/A	
Samples do not require splitting or compositing.	N/A	
Residual Chlorine Checked.	N/A	



Environment Testing America

ANALYTICAL REPORT

Eurofins TestAmerica, Edison
777 New Durham Road
Edison, NJ 08817
Tel: (732)549-3900

Laboratory Job ID: 460-229224-1

Laboratory Sample Delivery Group: Property ID: 891077

Client Project/Site: State M-1

For:

Chesapeake Energy Corporation
PO BOX 548806
Oklahoma City, Oklahoma 73154

Attn: Chase Acker

A handwritten signature in black ink that reads "Cathy Gartner".

Authorized for release by:
3/17/2021 3:10:22 PM

Cathy Gartner, Project Manager II
(615)301-5041

Cathy.Gartner@Eurofinset.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Laboratory Job ID: 460-229224-1
SDG: Property ID: 891077

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	5
Client Sample Results	6
QC Sample Results	7
QC Association Summary	8
Lab Chronicle	9
Certification Summary	10
Method Summary	11
Sample Summary	12
Chain of Custody	13
Receipt Checklists	15

1

2

3

4

5

6

7

8

9

10

11

12

13

14

Definitions/Glossary

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 460-229224-1
SDG: Property ID: 891077

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 460-229224-1
SDG: Property ID: 891077

Job ID: 460-229224-1

Laboratory: Eurofins TestAmerica, Edison

Narrative

Job Narrative
460-229224-1

Comments

No additional comments.

Receipt

The samples were received on 3/3/2021 10:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 2.7° C.

GC Semi VOA

Method 300.0: The following sample was diluted to bring the concentration of target analytes within the calibration range: MW-4 (460-229224-2). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Detection Summary

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 460-229224-1
SDG: Property ID: 891077

Client Sample ID: EQ Blank

Lab Sample ID: 460-229224-1

No Detections.

Client Sample ID: MW-4

Lab Sample ID: 460-229224-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	437		10.0		mg/L	10		300.0	Total/NA

Client Sample ID: MW-8

Lab Sample ID: 460-229224-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	63.9		1.00		mg/L	1		300.0	Total/NA

Client Sample ID: Dup

Lab Sample ID: 460-229224-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloride	63.8		1.00		mg/L	1		300.0	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Edison

Client Sample Results

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 460-229224-1
SDG: Property ID: 891077

Client Sample ID: EQ Blank
Date Collected: 03/02/21 08:55
Date Received: 03/03/21 10:00

Lab Sample ID: 460-229224-1
Matrix: Water

Method: 300.0 - Anions, Ion Chromatography									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.00		mg/L			03/05/21 17:54	1

Client Sample ID: MW-4
Date Collected: 03/02/21 10:55
Date Received: 03/03/21 10:00

Lab Sample ID: 460-229224-2
Matrix: Water

Method: 300.0 - Anions, Ion Chromatography									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	437		10.0		mg/L			03/07/21 06:13	10

Client Sample ID: MW-8
Date Collected: 03/02/21 13:20
Date Received: 03/03/21 10:00

Lab Sample ID: 460-229224-3
Matrix: Water

Method: 300.0 - Anions, Ion Chromatography									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	63.9		1.00		mg/L			03/05/21 18:24	1

Client Sample ID: Dup
Date Collected: 03/02/21 00:00
Date Received: 03/03/21 10:00

Lab Sample ID: 460-229224-4
Matrix: Water

Method: 300.0 - Anions, Ion Chromatography									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	63.8		1.00		mg/L			03/05/21 18:39	1

QC Sample Results

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 460-229224-1
SDG: Property ID: 891077

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 460-762716/3

Matrix: Water

Analysis Batch: 762716

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.00		mg/L			03/05/21 14:25	1

Lab Sample ID: LCS 460-762716/5

Matrix: Water

Analysis Batch: 762716

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	3.20	3.222		mg/L		101	90 - 110

Lab Sample ID: LCSD 460-762716/6

Matrix: Water

Analysis Batch: 762716

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	3.20	3.224		mg/L		101	90 - 110	0	15

Lab Sample ID: MB 460-762899/10

Matrix: Water

Analysis Batch: 762899

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		1.00		mg/L			03/06/21 21:30	1

Lab Sample ID: LCS 460-762899/12

Matrix: Water

Analysis Batch: 762899

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	3.20	3.458		mg/L		108	90 - 110

Lab Sample ID: LCSD 460-762899/13

Matrix: Water

Analysis Batch: 762899

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	3.20	3.452		mg/L		108	90 - 110	0	15

QC Association Summary

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 460-229224-1
SDG: Property ID: 891077

HPLC/IC

Analysis Batch: 762716

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-229224-1	EQ Blank	Total/NA	Water	300.0	
460-229224-3	MW-8	Total/NA	Water	300.0	
460-229224-4	Dup	Total/NA	Water	300.0	
MB 460-762716/3	Method Blank	Total/NA	Water	300.0	
LCS 460-762716/5	Lab Control Sample	Total/NA	Water	300.0	
LCSD 460-762716/6	Lab Control Sample Dup	Total/NA	Water	300.0	

Analysis Batch: 762899

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-229224-2	MW-4	Total/NA	Water	300.0	
MB 460-762899/10	Method Blank	Total/NA	Water	300.0	
LCS 460-762899/12	Lab Control Sample	Total/NA	Water	300.0	
LCSD 460-762899/13	Lab Control Sample Dup	Total/NA	Water	300.0	

Lab Chronicle

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 460-229224-1
SDG: Property ID: 891077

Client Sample ID: EQ Blank**Lab Sample ID: 460-229224-1****Date Collected: 03/02/21 08:55****Matrix: Water****Date Received: 03/03/21 10:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	762716	03/05/21 17:54	VMI	TAL EDI

Client Sample ID: MW-4**Lab Sample ID: 460-229224-2****Date Collected: 03/02/21 10:55****Matrix: Water****Date Received: 03/03/21 10:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		10	762899	03/07/21 06:13	VMI	TAL EDI

Client Sample ID: MW-8**Lab Sample ID: 460-229224-3****Date Collected: 03/02/21 13:20****Matrix: Water****Date Received: 03/03/21 10:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	762716	03/05/21 18:24	VMI	TAL EDI

Client Sample ID: Dup**Lab Sample ID: 460-229224-4****Date Collected: 03/02/21 00:00****Matrix: Water****Date Received: 03/03/21 10:00**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	300.0		1	762716	03/05/21 18:39	VMI	TAL EDI

Laboratory References:

TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Accreditation/Certification Summary

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 460-229224-1
SDG: Property ID: 891077

Laboratory: Eurofins TestAmerica, Edison

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Connecticut	State	PH-0200	09-30-22
DE Haz. Subst. Cleanup Act (HSCA)	State	N/A	12-31-21
Georgia	State	12028 (NJ)	07-01-21
Massachusetts	State	M-NJ312	06-30-21
New Jersey	NELAP	12028	06-30-21
New York	NELAP	11452	04-01-21
Pennsylvania	NELAP	68-00522	02-28-22
Rhode Island	State	LAO00132	12-30-21
USDA	US Federal Programs	P330-20-00244	11-03-23

Eurofins TestAmerica, Edison

Method Summary

Client: Chesapeake Energy Corporation
Project/Site: State M-1

Job ID: 460-229224-1
SDG: Property ID: 891077

Method	Method Description	Protocol	Laboratory
300.0	Anions, Ion Chromatography	MCAWW	TAL EDI

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

Laboratory References:

TAL EDI = Eurofins TestAmerica, Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Sample Summary

Client: Chesapeake Energy Corporation
Project/Site: State M-1






Job ID: 460-229224-1
SDG: Property ID: 891077

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
460-229224-1	EQ Blank	Water	03/02/21 08:55	03/03/21 10:00	
460-229224-2	MW-4	Water	03/02/21 10:55	03/03/21 10:00	
460-229224-3	MW-8	Water	03/02/21 13:20	03/03/21 10:00	
460-229224-4	Dup	Water	03/02/21 00:00	03/03/21 10:00	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

CHAIN OF CUSTODY RECORD

No. 1551

PROJECT NUMBER: CHK STAT M: H2000 1		PROJECT NAME: CHK STATE M		COC 1 of 1	
SHIPPED TO: TA-EDISON		PROJECT MANAGER: DAVID BRADY		TAT: STANDARD	
SAMPLER'S PRINTED NAME: TERRY FISHER		ASOW: N/A		REMARKS	
SAMPLER'S SIGNATURE: 					
Date	Time	Sample ID	Sample Matrix	# of Sample Containers	
3-2-21	0855	Eg BLANK	W	1	X
3-2-21	1055	MW-4	W	1	X
3-2-21	1320	MW-8	W	1	X
3-2-21	—	D-p	W	1	X
 460-229224 Chain of Custody					
<div style="display: flex; justify-content: space-between;"> <div> TOTAL NUMBER OF CONTAINERS → 4 </div> <div> RECEIVED BY:  DATE 3-2-21 TIME 1600 </div> </div>					
<div style="display: flex; justify-content: space-between;"> <div> RELINQUISHED BY:  DATE TIME </div> <div> RECEIVED BY:  DATE TIME </div> </div>					
METHOD OF SHIPMENT: FedEx					
RECEIVED IN LABORATORY BY: DATE TIME					
LABORATORY CONTACT: CATHY GARTNER 615-301-5041					
LABORATORY ADDRESS: 777 NEW DURHAM RD. EDISON, NJ 08817					
Send PDF, EDD, and INVOICE (if applicable) to: WAGC@EQUUS ENV.COM; JULIE.CZECH@EQUUSEN.V.COM					

POINT OF ORIGIN:

A.7C Q5#1642903

Eurofins TestAmerica Edison
Receipt Temperature and pH Log

Page ____ of ____

Job Number:

229224

Number of Coolers:

IR Gun #

11

Cooler Temperatures

	RAW		CORRECTED	
	RAW	CORRECTED	RAW	CORRECTED
Cooler #1:	2.7	2.7		
Cooler #2:		2		
Cooler #3:		2		
Cooler #4:		2		
Cooler #5:		2		
Cooler #6:		2		
Cooler #7:		2		
Cooler #8:		2		
Cooler #9:		2		

[illegible]

If pH adjustments are required record the information below:

Sample No(s). adjusted:

Preservative Name/Conc.:

Volume of Preservative used (ml):

Lot # of Preservative(s):

Expiration Date:

The appropriate Project Manager and Department Manager should be notified about the samples which were pH adjusted.

Samples for Metal analysis which are out of compliance must be acidified at least 24 hours prior to analysis.

EDS-WI-038, Rev 4.1
10/22/2019

Initials:

Date:

Date: 3/3/07

Login Sample Receipt Checklist

Client: Chesapeake Energy Corporation

Job Number: 460-229224-1

SDG Number: Property ID: 891077

Login Number: 229224

List Number: 1

Creator: DiGuardia, Joseph L

List Source: Eurofins TestAmerica, Edison

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 337542

CONDITIONS

Operator: CHESAPEAKE OPERATING, INC. 6100 NORTH WESTERN AVE OKC, OK 73118	OGRID:	147179
	Action Number:	337542
	Action Type:	[UF-GWA] Ground Water Abatement (GROUND WATER ABATEMENT)

CONDITIONS

Created By	Condition	Condition Date
michael.buchanan	SEVENTH ANNUAL GROUNDWATER MONITORING REPORT CHESAPEAKE ENERGY CORPORATION STATE M LEASE (AP-72) has been accepted as part of the record.	6/4/2024