

REVIEWED

By Mike Buchanan at 4:07 pm, Jul 01, 2024

2023 Annual Groundwater Monitoring and Activities Summary Report

Eldridge Ranch
Lea County, New Mexico
AP-33
Incident No. nAUTOFWCO00145

Review of the 2023 Annual Groundwater Monitoring Summary Report for Eldridge Ranch: Content Satisfactory

1. Continue annual groundwater monitoring as scheduled until all constituents are below the allowable concentrations in the WQCC human health standards and measurable LNAPL is no longer present. At this point in the abatement, transition to quarterly until eight consecutive quarters is demonstrated below standards.
2. Continue EFR remediation activities at MW-N, MW-LL, MW-27, MW-CC as scheduled.
3. Gauge MW-23, MW-14 and remove LNAPL at measurable amounts.
4. Submit the 2024 annual report to OCD by April 1, 2025.

Prepared for:



6900 E. Layton Ave., Suite 900
Denver, CO 80237-3658

Prepared by:



6855 W. 119th Ave.
Broomfield, CO 80020

March 26, 2024



Table of Contents

1. Introduction 1

2. Site Location and Background..... 1

3. Groundwater Monitoring..... 1

 3.1 Groundwater and LNAPL Elevation Monitoring..... 1

 3.2 Groundwater Quality Monitoring 2

 3.3 Data Quality Assurance / Quality Control..... 3

4. Remediation Activities 3

 4.1 Vacuum Enhanced Fluid Recovery..... 4

 4.2 Monitored Natural Attenuation (MNA) 4

5. Conclusions 4

6. Recommendations 5

Tables

1 Summary of Groundwater Elevation Data – 2023 Annual Report

2 Summary of BTEX Concentrations in Groundwater – 2023 Annual Report

Figures

1 Site Location Map

2 Site Map with Monitoring Well Locations

3 2023 Annual Groundwater Elevation Contour Map – September 25, 2023

4 2023 Annual Benzene Iso-concentration Contour Map – September 26-27, 2023

Appendices

A Historical Analytical Results – BTEX Concentrations in Groundwater

B Laboratory Analytical Report

 - Pace Analytical Report #: L1660511

C NMOCD Sample Notification



1. Introduction

This report summarizes annual 2023 groundwater monitoring and remediation activities conducted at the Eldridge Ranch Pipeline Release (Site) in Lea County, New Mexico (Figure 1). Tasman Geosciences (Tasman) performed these activities on behalf of DCP Midstream (DCP). The groundwater monitoring activities described herein were conducted to monitor the presence of light non-aqueous phase liquid (LNAPL) hydrocarbons, measure groundwater levels, obtain groundwater samples for laboratory analysis, and evaluate groundwater flow and quality conditions. Field data and laboratory analytical results collected on September 25-27, 2023 and were used to develop a groundwater elevation contour map and an analytical results map to evaluate current conditions at the Site.

2. Site Location and Background

The Site is located in New Mexico Oil Conservation Division (OCD) designated Unit P, Section 21, Township 19 South, Range 37 East, approximately 1 mile north and 3/4 of a mile east of the town of Monument in Lea County, New Mexico. The approximate coordinates are 32.642 degrees north and 103.256 degrees west. The surrounding area is predominantly uninhabited and used for ranching and oil and gas production and gathering. Approximately five underground pipelines traverse the Site.

The Site includes the former Eldridge Ranch property to the south and the former Huston property in the central portion, both of which are owned by DCP. The northern portion of the Site consists of land leased by DCP from the State of New Mexico. The Site spans more than a mile north to south over these three sections. For ease of discussion, the State of New Mexico property is referred to as the North Area, the Huston property is referenced as the Central Area, and the Eldridge Property is referred to as the South Area, as shown on Figure 2.

On March 9 and 12, 2018 plugging and abandonment of thirteen (13) total monitoring wells and one residential well was conducted in accordance with an approved Well Plugging Plan of Operations approved on February 27, 2018. The 13 wells plugged and abandoned included the Eldridge House Well, and Monitoring Wells: MW-1, MW-1D, MW-2, MW-3, MW-16, MW-17, NMG MW-2, NMG MW-3, NMG MW-4, NMG MW-6, NMG MW-7, and NMG MW-8.

3. Groundwater Monitoring

This section describes the field groundwater monitoring activities performed during the annual 2023 monitoring event on September 25-27, 2023. Monitoring activities included Site-wide groundwater gauging, LNAPL measurements, and groundwater sampling. Figure 2 illustrates the groundwater monitoring network utilized to perform these activities at the Site.

3.1 Groundwater and LNAPL Elevation Monitoring

Groundwater and LNAPL levels were measured in order to evaluate hydraulic characteristics and provide information regarding fluctuations in groundwater and LNAPL elevations at the Site. Annual 2023 groundwater levels were measured at 29 of the 45 monitoring well locations.



The monitoring wells were gauged on the north side of the well casing to the nearest 0.01-foot using an oil-water interface probe (IP). Groundwater levels were subsequently converted to elevations (feet above mean sea level [AMSL]).

Groundwater and LNAPL elevations collected during the reporting period as well as historical elevations are presented in Table 1. An annual 2023 groundwater elevation map, included as Figure 3, indicates that groundwater flow at the Site trends to the south-southeast. Groundwater elevations, ranges, average elevation change from the previous monitoring event and the calculated hydraulic gradient at the Site are summarized in the table below.

Summary of Measured Hydraulic Parameters

	2023 Annual (9/25/2023)
Maximum Elevation (Well ID)	3,614.99 (NMG MW-5)
Minimum Elevation (Well ID)	3,597.23 (MW-E)
Average Change from Previous Monitoring Event – All Wells	-0.40 feet
Hydraulic Gradient (ft/ft) / (Well IDs)	0.00398 (NMG MW-5 to MW-E)

During the annual 2023 event, LNAPL was observed at four monitoring wells, as summarized below:

Monitoring Well ID	Measured LNAPL Thickness (feet)
MW-14*	NM
MW-27	0.44
MW-CC	0.47
MW-LL	0.47

*Not measured - Did not exhibit measurable amount of LNAPL when gauged prior to well purging on September 26, 2023.

LNAPL was not observed in monitor well MW-14 during the site-wide gauging event on September 25, 2023. After removing approximately one gallon of groundwater during well purging activities on September 26, 2023, approximately 2.5 inches of LNAPL were observed in the sampling bailer. An accurate LNAPL thickness could not be measured due to the mixing caused by purging activities. Measurable LNAPL was not present at monitor well MW-N since being measured at 0.36 feet in 2022 and monitor well MW-23 since being measured at 0.42 feet in 2020.

3.2 Groundwater Quality Monitoring

Subsequent to recording groundwater level measurements at each monitoring well, groundwater samples were collected from monitoring wells that did not contain measurable LNAPL and that are historically included in the sampling network. A minimum of three well casing volumes of groundwater (calculated from total depth of the well and groundwater level measurements) was then purged from the subject well prior to the collection of groundwater samples. Groundwater samples were collected using disposable polyethylene bailers, placed in clean laboratory supplied containers, packed in an ice-filled cooler, and



maintained at approximately four (4) degrees Celsius (°C) for transportation to the laboratory. Groundwater samples were then shipped under chain-of-custody procedures to Pace Analytical labs (Pace) in Mount Juliet, Tennessee, for analysis.

Water quality samples were collected from 25 monitoring wells during the annual 2023 monitoring event and submitted to Pace Analytical laboratory for benzene, toluene, ethylbenzene, and total xylenes (BTEX) analyses by United States Environmental Protection Agency (USEPA) Method 8260B.

Table 2 summarizes BTEX concentrations in groundwater samples collected during the annual 2023 event. A dissolved phase benzene iso-concentration map is illustrated on Figure 4. In addition, historical analytical results up to and including the September 2023 event are contained in Appendix A. The laboratory analytical report for the reporting period is included in Appendix B and NMOCD sample notifications are included in Appendix C.

Analytical results/observations are summarized below.

- Benzene concentrations in groundwater samples from monitor wells MW-23 (0.149 milligrams per liter [mg/L]), MW-26 (0.239 mg/L), and MW-N (0.184 mg/L) were above the New Mexico Water Quality Control Commission (NMWQCC) groundwater standard of 0.010 mg/L. The remaining sampled well locations had benzene concentrations below the NMWQCC groundwater standards and/or laboratory reported detection limits (RDL).
- All 25 sampled monitor wells were below the NMWQCC groundwater standard or the laboratory detection limit for toluene, ethylbenzene, and total xylenes.

3.3 Data Quality Assurance / Quality Control

Field duplicate samples (MW-11, MW-E, and MW-EE) were collected during the sampling event. The data was reviewed for compliance with the analytical method and the associated quality assurance/quality control (QA/QC) procedures. All samples were analyzed using the correct analytical methods and within the correct holding times. Chain of custody forms were in order and properly executed, and data were reported using the correct method number and reporting units. QA/QC items of note for the annual 2022 event include the following:

- Target analytes were not detected in the trip blank.
- The relative percent difference (RPD) for benzene concentrations at parent and duplicate samples at MW-11 was 20.0% (0.00180 mg/L parent and 0.00220 mg/L duplicate) and MW-LL was 17.5% (0.00219 mg/L parent and 0.00261 duplicate). The parent and duplicate sample collected at monitor well MW-E were each below the laboratory RDL, in essence resulting in a 0% RPD.

Review of the QA/QC assessment indicate that data precision and accuracy are acceptable.

4. Remediation Activities

Active LNAPL remediation and passive dissolved phase petroleum hydrocarbon remediation activities were conducted during the fourth quarter 2022 as described in the following Sections.



4.1 Vacuum Enhanced Fluid Recovery

During 2023, Tasman conducted four vacuum enhanced fluid recovery (EFR) events in March, June, September, and December 2023. EFR was applied at each location using a vacuum truck and down-hole stinger pipe assemblies that were placed slightly below the LNAPL/groundwater interface, thereby removing LNAPL, groundwater, and hydrocarbon vapors from the subsurface. The EFR durations and liquid recovery volumes that were recorded during 2023 EFR efforts are summarized in the table below. The recovered liquid from the EFR events was subsequently transported and disposed of at the Cooper Disposal Facility in Hobbs, New Mexico.

EFR Location *	1Q (3/20/2023)	2Q (6/26/2023)	3Q (9/29/2023)	4Q (12/12/2023)
	Duration (hrs) / Volume Removed (bbl)			
MW-27/MW-CC	3.5/32	8/65	4/60	4/40
MW-LL	NA	NA	4/10	NA
MW-N	4/32	NA	NA	4/8

Notes:

* Vacuum enhanced fluid recovery at MW-27 and MW-CC was conducted simultaneously.

bbl = barrels

hrs = hours

NA = Not Applicable

4.2 Monitored Natural Attenuation (MNA)

In addition to EFR remediation activities, MNA continues to be employed as a remediation strategy to address dissolved phase petroleum hydrocarbon detections at the Site.

Due to the continuous reduction in hydrocarbon concentrations, monitoring wells in the North Area and South Area of the Site have exhibited detections below NMWQCC groundwater standards and/or laboratory detection limits. During the September 2023 monitoring event, NMG-MW-5 (North Area) was below the standard for benzene after being above standards for three consecutive years. MW-M and MW-O had benzene levels below NMWQCC groundwater standards for two consecutive years after 11 years of elevated concentrations. These wells will continue to be evaluated during 2024 for any further changes.

Historical and 2023 annual analytical data suggests that MNA continues to demonstrate the overall general degradation of dissolved phase hydrocarbon concentrations at the Site.

5. Conclusions

Data and observations collected during the annual 2023 monitoring event provide the following conclusions:

- Site-wide:
 - Dissolved phase BTEX concentrations indicate an overall declining trend.
- North Area of the Site:



- Benzene concentrations within the North Area were below the laboratory detection limits and NMWQCC groundwater standards during the annual 2023 monitoring event.
- Central Area of the Site:
 - LNAPL persists with fluctuating thicknesses in monitoring wells MW-27 and MW-CC. Thicknesses were calculated as 0.44 and 0.47 feet, respectively, during the 2023 annual monitoring event.
 - Measurable LNAPL was not present at MW-N since being measured at 0.36 feet in 2022
 - Measurable LNAPL was not present at MW-23 since being measured at 0.42 feet in 2020.
 - Elevated dissolved phase benzene concentrations continue to be observed within the Central Area of the Site. However, the benzene concentrations within the plume continue to exhibit a strong declining trend with minor fluctuations likely attributed to seasonal variations in the groundwater elevations at the Site. This trend indicates that the overall dissolved phase plume is being mitigated through MNA.
 - Point of compliance wells indicate that isolated impacts are not migrating.
- South Area of the Site:
 - Following well abandonment activities performed during March 2018, remaining wells within the South Area are no longer sampled as part of the annual monitoring program.

6. Recommendations

Based on evaluation of the 2022 annual monitoring event site observations and monitoring results, the following recommendations have been developed for future activities:

- Continue annual groundwater monitoring activities during 2024, scheduled during September 2024.
- Continue EFR remediation activities at MW-N, MW-LL, MW-27, and MW-CC, as needed. During 2024, EFR events will continue to be performed on a quarterly basis beginning in the first quarter 2024 for a total of four (4) events. Ongoing EFR efforts will be further assessed following annual monitoring events.
- MW-23 and MW-14 will be gauged during each quarterly EFR event, but EFR will be suspended until measurable LNAPL is observed at these locations.

Tables

TABLE 1
2023 ANNUAL
SUMMARY OF GROUNDWATER ELEVATION DATA
ELDRIDGE PIPELINE RELEASE
LEA COUNTY, NEW MEXICO

Location	Date	Depth to Groundwater (feet)	Depth to Product (feet)	Free Phase Hydrocarbon Thickness (feet)	Total Depth (feet)	TOC Elevation (feet amsl)	Groundwater Elevation (*) (feet amsl)	Change in Groundwater Elevation Since Previous Event (1) (feet)
MW-1	3/12/2018	PLUGGED AND ABANDONED						
MW-1D	3/12/2018	PLUGGED AND ABANDONED						
MW-2	3/12/2018	PLUGGED AND ABANDONED						
MW-3	3/12/2018	PLUGGED AND ABANDONED						
MW-4	9/25/2023	NM			NM	3621.31	NA	NA
MW-5	9/25/2023	NM			NM	3618.08	NA	NA
MW-6	9/25/2023	23.40			29.57	3624.99	3601.59	-0.21
MW-7	9/25/2023	NM			NM	3630.62	NA	NA
MW-8	9/25/2023	25.73			32.61	3625.92	3600.19	-0.35
MW-9	9/25/2023	NM			NM	3620.78	NA	NA
MW-10	9/25/2023	25.77			30.55	3627.27	3601.50	-0.40
MW-11	9/25/2023	26.24			32.71	3627.56	3601.32	-0.35
MW-12	9/25/2023	28.51			33.77	3631.14	3602.63	-0.36
MW-13	9/25/2023	NM			NM	3632.90	NA	NA
MW-14*	9/25/2023	28.51			33.77	3630.36	3601.85	-2.19
MW-15	9/25/2023	NM			NM	3635.47	NA	NA
MW-16	3/12/2018	PLUGGED AND ABANDONED						
MW-17	3/12/2018	PLUGGED AND ABANDONED						
MW-18	9/25/2023	25.36			35.05	3623.53	3598.17	-0.27
MW-19	9/25/2023	20.33			30.12	3617.99	3597.66	-0.25
MW-20	9/25/2023	33.15			35.23	3637.14	3603.99	-0.31
MW-21	9/25/2023	NM			NM	3633.27	NA	NA
MW-22	9/25/2023	25.07			35.04	3628.68	3603.61	-0.42
MW-23	9/25/2023	26.17			32.93	3632.02	3605.85	-0.31
MW-24	9/25/2023	NM			NM	3609.15	NA	NA
MW-25	9/25/2023	29.18			36.25	3640.14	3610.96	-0.24
MW-26	9/25/2023	26.61			35.45	3635.01	3608.40	-0.23
MW-27	9/25/2023	32.35	31.91	0.44	40.23	3636.41	3604.39	-0.28
MW-28	9/25/2023	NM			NM	3632.58	NA	NA
MW-29	9/25/2023	27.94			34.93	3634.17	3606.23	-0.30
MW-30	9/25/2023	NM			NM	3630.76	NA	NA
MW-31	9/25/2023	NM			NM	3625.38	NA	NA
MW-A	9/25/2023	NM			NM	3616.26	NA	NA
MW-E	9/25/2023	23.21			28.70	3620.44	3597.23	-0.17
MW-F	9/25/2023	19.09			23.02	3616.44	3597.35	-0.17
MW-I	9/25/2023	27.33			36.62	3627.63	3600.30	-0.35
MW-J	9/19/2022	NM			NM	3624.79	NA	NA
MW-M	9/25/2023	30.56			40.28	3634.10	3603.54	-0.33

TABLE 1
2023 ANNUAL
SUMMARY OF GROUNDWATER ELEVATION DATA
ELDRIDGE PIPELINE RELEASE
LEA COUNTY, NEW MEXICO

Location	Date	Depth to Groundwater (feet)	Depth to Product (feet)	Free Phase Hydrocarbon Thickness (feet)	Total Depth (feet)	TOC Elevation (feet amsl)	Groundwater Elevation (*) (feet amsl)	Change in Groundwater Elevation Since Previous Event (1) (feet)
MW-N	9/25/2023	32.32			39.05	3635.45	3603.13	-0.42
MW-O	9/25/2023	30.92			38.82	3634.05	3603.13	-0.43
MW-Q	9/25/2023	27.52			36.98	3631.59	3604.07	-0.42
MW-S	9/25/2023	20.06			20.55	3622.20	3602.14	-0.40
MW-CC	9/25/2023	32.18	31.71	0.47	38.18	3635.22	3603.39	-0.43
MW-EE	9/25/2023	25.87			34.08	3632.32	3606.45	-0.25
MW-LL	9/25/2023	32.65	32.18	0.47	39.50	3635.41	3602.76	-0.79
MW-MM	9/25/2023	26.77			32.31	3631.61	3604.84	-0.43
NMG-MW-2	3/9/2018	PLUGGED AND ABANDONED						
NMG-MW-3	3/9/2018	PLUGGED AND ABANDONED						
NMG-MW-4	3/9/2018	PLUGGED AND ABANDONED						
NMG-MW-5	9/25/2023	33.56			38.50	3648.55	3614.99	-0.26
NMG-MW-6	3/9/2018	PLUGGED AND ABANDONED						
NMG-MW-7	3/9/2018	PLUGGED AND ABANDONED						
NMG-MW-8	3/9/2018	PLUGGED AND ABANDONED						
NMG-MW-9	9/25/2023	NM			NM	3642.12	NA	NA
NMG-MW-10	9/25/2023	29.90			32.23	3641.78	3611.88	-0.34
NMG-MW-11	9/25/2023	NM			NM	3640.37	NA	NA
NMG-MW-12	9/25/2023	NM			NM	3638.20	NA	NA
NMG-MW-13	9/25/2023	NM			NM	3636.64	NA	NA
Average change in groundwater elevation (9/19/2022 to 9/25/2023)								-0.40

Notes:

1- Changes in groundwater elevation calculated by subtracting the measurement collected during the previous monitoring event from the measurement collected amsl = feet above mean sea level

TOC = top of casing

Groundwater elevation = (TOC Elevation - Measured Depth to Water)

* LNAPL was not observed during gauging activities but was observed in bailer during well purging activities.

Groundwater elevation = (TOC Elevation - Measured Depth to Water) + (LNAPL Thickness in Well * LNAPL Relative Density)

LNAPL relative density is assumed to be approximately 0.75

NM = Not Measured

NA = Not Applicable

TABLE 2
2023 ANNUAL
SUMMARY OF BTEX CONCENTRATIONS IN GROUNDWATER
ELDRIDGE PIPELINE RELEASE
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
NMWQCC Groundwater Standards (mg/L)		0.010	1.00	0.70	0.62	
MW-6	9/27/2023	<0.00100	<0.00100	<0.00100	<0.00300	
MW-8	9/27/2023	0.000164 J	<0.00100	<0.00100	<0.00300	
MW-10	9/27/2023	<0.00100	<0.00100	<0.00100	<0.00300	
MW-11	9/27/2023	0.00180	<0.00100	0.00104	0.00094 J	Duplicate 2 sample collected
MW-11 (Duplicate)	9/27/2023	0.00220	<0.00100	0.000798 J	0.000773 J	
MW-12	9/27/2023	0.000122 J	<0.00100	<0.00100	<0.00300	
MW-14	9/27/2023	NS - LNAPL				LNAPL
MW-18	9/27/2023	<0.00100	<0.00100	<0.00100	<0.00300	
MW-19	9/27/2023	<0.00100	<0.00100	<0.00100	<0.00300	
MW-20	9/27/2023	<0.00100	<0.00100	<0.00100	<0.00300	
MW-22	9/26/2023	<0.00100	<0.00100	<0.00100	<0.00300	
MW-23	9/26/2023	0.149	0.0283	0.252	0.150	
MW-25	9/26/2023	<0.00100	<0.00100	<0.00100	<0.00300	
MW-26	9/26/2023	0.239	0.116	0.148	0.572	
MW-27	9/27/2023	NS - LNAPL				LNAPL - 0.44 ft
MW-29	9/26/2023	<0.00100	<0.00100	<0.00100	<0.00300	
MW-E	9/27/2023	<0.00100	<0.00100	<0.00100	<0.00300	Duplicate 3 sample collected
MW-E (Duplicate)	9/27/2023	<0.00100	<0.00100	<0.00100	<0.00300	
MW-F	9/27/2023	<0.00100	<0.00100	<0.00100	<0.00300	
MW-I	9/27/2023	<0.00100	<0.00100	<0.00100	<0.00300	
MW-M	9/27/2023	0.00011 J	<0.00100	0.00300	0.000619 J	
MW-N	9/26/2023	0.184	<0.00100	0.0015	0.00109 J	
MW-O	9/26/2023	0.00125	<0.00100	<0.00100	<0.00300	
MW-Q	9/27/2023	<0.00100	<0.00100	<0.00100	<0.00300	
MW-S	9/27/2023	<0.00100	<0.00100	<0.00100	<0.00300	
MW-CC	9/27/2023	NS - LNAPL				LNAPL - 0.47 ft
MW-EE	9/26/2023	0.00219	<0.00100	<0.00100	<0.00300	Duplicate 1 sample collected
MW-EE (Duplicate)	9/26/2023	0.00261	<0.00100	<0.00100	<0.00300	
MW-LL	9/27/2023	NS - LNAPL				LNAPL - 0.47 ft
MW-MM	9/26/2023	0.000113 J	<0.00100	<0.00100	<0.00300	
NMG-MW-5	9/26/2023	0.00176	0.014	0.00683	0.0305	
NMG-MW-10	9/26/2023	<0.00100	<0.00100	<0.00100	<0.00300	
Trip Blank	9/27/2023	<0.00100	<0.00100	<0.00100	<0.00300	

Notes:

Bold red values indicate an exceedance of the associated NMWQCC standard (Effective 7/1/2020) or, for chlorides, the secondary maximum contaminant level (SMCL) which has been established as a guideline in the National Secondary Drinking Water Regulations.


NMWQCC = New Mexico Water Quality Control Commission

LNAPL = light non-aqueous phase liquid


J = A qualifier indicating an estimated value of a concentration above the laboratory's Method Detection Limit (MDL) but below the Reported Detection Limit (RDL).

mg/L = milligrams per liter

Figures



DATE: April 2015	 TASMAN Tasman, Inc. 6855 W. 119th Ave Broomfield, CO 80020	DCP Midstream Eldridge Ranch Unit P, Section 21, Township 19 South, Range 37 East Lea County, New Mexico	Site Location Map	Figure 1
DESIGNED BY: T. Johansen				
DRAWN BY: D. Arnold				




DATE:	February 2022
DESIGNED BY:	B. Humphrey
DRAWN BY:	J. Clonts


TASMAN Tasman, Inc.
6855 W. 119th Ave
Broomfield, CO 80020

DCP Operating Company
Eldridge Pipeline Release
2023 Annual Groundwater
Monitoring Summary Report

Site Map with
Monitoring Well
Locations

Figure
2





Appendix A
Historical Analytical Results

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
ELDRIDGE PIPELINE RELEASE
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Comments
NMWQCC Groundwater Standards (mg/L)		0.010	1.00	0.70	0.62	
MW-1	9/14/2011	0.0031	<0.002	0.0194	0.0075	
MW-1	3/6/2012	0.0027	<0.002	<0.002	<0.004	
MW-1	9/7/2012	0.0023	<0.002	0.0156	<0.003	
MW-1	2/21/2013	0.0021	<0.002	0.0153	<0.003	
MW-1	9/13/2013	0.0019	<0.002	0.0126	<0.003	
MW-1	2/27/2014	0.0015	<0.002	0.0111	<0.003	
MW-1	9/24/2014	Well Not Sampled due to Inclement Weather				
MW-1	2/26/2015	<0.005	<0.005	0.011	<0.015	
MW-1	9/2/2015	<0.005	<0.005	0.011	<0.015	
MW-1	3/23/2016	<0.0050	<0.0050	0.0075	<0.015	
MW-1	9/27/2016	<0.0010	<0.0010	0.01	0.0033	
MW-1	3/8/2017	0.0011	<0.0010	0.0076	<0.0010	
MW-1	9/27/2017	0.00103	<0.0010	0.00594	<0.0030	
MW-1	3/12/2018	Plugged and Abandoned				
MW-1D	9/14/2011	<0.001	<0.002	0.0005	<0.004	
MW-1D	3/6/2012	<0.001	<0.002	<0.002	<0.004	
MW-1D	9/7/2012	<0.001	<0.002	<0.002	<0.003	
MW-1D	2/21/2013	<0.001	<0.002	<0.002	<0.003	
MW-1D	9/13/2013	<0.001	<0.002	<0.002	<0.003	
MW-1D	2/27/2014	<0.001	<0.002	<0.002	<0.003	
MW-1D	9/24/2014	Well Not Sampled due to Inclement Weather				
MW-1D	2/26/2015	<0.001	<0.001	<0.001	<0.003	
MW-1D	9/2/2015	<0.001	<0.001	<0.001	<0.003	
MW-1D	3/23/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-1D	9/27/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-1D	3/8/2017	<0.00100	<0.00100	<0.00100	<0.0010	
MW-1D	9/27/2017	<0.00100	<0.00100	<0.00100	<0.00300	
MW-1D	3/12/2018	Plugged and Abandoned				
MW-2	9/24/2014	Well Not on Sampling Plan				
MW-2	3/12/2018	Plugged and Abandoned				
MW-3	9/7/2012	NS	NS	NS	NS	
MW-3	2/21/2013	NS	NS	NS	NS	
MW-3	2/27/2014	Well was gauged not sampled				
MW-3	9/24/2014	Well Not on Sampling Plan				
MW-3	3/12/2018	Plugged and Abandoned				
MW-4	9/14/2011	0.0011	<0.004	0.0968	0.291	
MW-4	3/6/2012	0.00033	<0.002	0.0407	0.397	
MW-4	9/7/2012	0.00059	0.0012	0.078	0.29	
MW-4	2/21/2013	0.00049	<0.002	0.0802	0.244	
MW-4	9/13/2013	0.00041	<0.002	0.0695	0.22	
MW-4	2/27/2014	0.00046 J	<0.002	0.047	0.147	
MW-4	9/24/2014	Well Not Sampled due to Inclement Weather				
MW-4	2/26/2015	<0.005	<0.005	0.053	0.14	
MW-4	9/2/2015	<0.005	<0.005	0.057	0.15	
MW-4	3/23/2016	<0.0050	<0.0050	0.036	0.091	
MW-4	9/27/2016	0.0062	0.0084	0.053	0.1	
MW-4	3/8/2017	<0.0050	<0.0050	<0.0050	0.075	
MW-4	9/27/2017	<0.00100	<0.00100	0.0229	0.0632	
MW-4	9/12/2018	Well Not on Sampling Plan				
MW-5	9/14/2011	0.00028	<0.002	0.0091	0.0314	
MW-5	3/6/2012	<0.001	<0.002	0.0095	0.0351	
MW-5	9/7/2012	0.00034	<0.002	0.0073	0.0253	
MW-5	2/21/2013	0.00045	<0.002	0.0068	0.0242	
MW-5	9/13/2013	<0.001	<0.002	0.0068	0.0267	
MW-5	2/27/2014	<0.001	<0.002	0.0052	0.0181	
MW-5	9/25/2014	<0.001	<0.001	<0.001	<0.001	
MW-5	2/26/2015	<0.001	<0.001	<0.001	<0.003	

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
ELDRIDGE PIPELINE RELEASE
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Comments
NMWQCC Groundwater Standards (mg/L)		0.010	1.00	0.70	0.62	
MW-5	9/2/2015	<0.001	<0.001	0.0017	0.006	
MW-5	3/23/2016	<0.0010	<0.0010	0.003	0.011	
MW-5	9/27/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-5	3/8/2017	<0.00100	<0.00100	<0.00100	0.002	
MW-5	9/27/2017	<0.00100	<0.00100	0.000572 J	0.0015 J	
MW-5	9/12/2018	Well Not on Sampling Plan				
MW-6	9/14/2011	<0.001	<0.002	<0.002	<0.004	
MW-6	3/6/2012	<0.001	<0.002	<0.002	<0.004	
MW-6	9/7/2012	<0.001	<0.002	<0.002	<0.003	
MW-6	2/21/2013	<0.001	<0.002	<0.002	<0.003	
MW-6	9/13/2013	<0.001	<0.002	<0.002	<0.003	
MW-6	2/27/2014	<0.001	<0.002	<0.002	<0.003	
MW-6	9/24/2014	Well Not Sampled due to Inclement Weather				
MW-6	2/26/2015	<0.001	<0.001	<0.001	<0.003	
MW-6	9/3/2015	<0.001	<0.001	<0.001	<0.003	
MW-6	3/22/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-6	9/27/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-6	3/8/2017	<0.00100	<0.00100	<0.00100	<0.0010	
MW-6	9/27/2017	<0.00100	<0.00100	<0.00100	<0.00300	
MW-6	9/13/2018	<0.00100	<0.00100	<0.00100	<0.00300	
MW-6	6/11/2019	<0.00100	<0.00100	<0.00100	<0.00300	
MW-6	6/10/2020	<0.00100	<0.00100	<0.00100	<0.00300	
MW-6	6/17/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-6	9/21/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-6	9/27/2023	<0.00100	<0.00100	<0.00100	<0.00300	
MW-7	9/7/2012	NS	NS	NS	NS	
MW-7	2/21/2013	NS	NS	NS	NS	
MW-7	2/27/2014	Well was gauged not sampled				
MW-7	9/24/2014	Well Not on Sampling Plan				
MW-8	9/14/2011	0.0117	<0.004	0.0659	0.136	
MW-8	3/8/2012	0.0085	<0.002	0.0473	0.121	Duplicate C sample collected
MW-8	9/6/2012	0.0029	<0.002	0.131	0.344	Duplicate C sample collected
MW-8	2/20/2013	0.0024	<0.002	0.0375	0.0966	
MW-8	9/12/2013	0.0013	<0.002	0.0216	0.0642	
MW-8	2/27/2014	0.0014	<0.002	0.0323	0.0887	
MW-8 (duplicate)	9/25/2014	0.00084 J	<0.001	0.0216	0.0535	Duplicate C sample collected
MW-8	9/25/2014	0.00091 J	<0.001	0.0232	0.058	
MW-8	2/26/2015	<0.005	<0.005	0.023	0.054	
MW-8	9/3/2015	<0.005	<0.005	0.016	0.039	
MW-8	3/22/2016	<0.0050	<0.0050	0.014	<0.015	
MW-8	9/27/2016	0.0052	0.0058	0.012	<0.015	
MW-8	3/8/2017	<0.00100	<0.00100	0.0055	0.0098	
MW-8	9/27/2017	0.00224	0.00111	0.0101	0.0136	
MW-8	9/13/2018	0.00121	<0.0010	0.00481	0.00604	
MW-8	6/11/2019	0.000634 J	<0.0010	0.00198	0.00216 J	
MW-8	6/10/2020	0.000327 J	<0.0010	0.000243 J	0.000268 J	
MW-8	6/17/2021	0.000242 J	<0.0010	<0.0010	<0.0030	
MW-8	9/21/2022	0.000462 J	<0.00100	<0.00100	<0.00300	
MW-8	9/27/2023	0.000164 J	<0.00100	<0.00100	<0.00300	
MW-9	9/14/2011	<0.001	<0.002	<0.002	<0.004	
MW-9	3/7/2012	<0.001	<0.002	<0.002	<0.004	
MW-9	9/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-9	2/20/2013	<0.001	<0.002	<0.002	<0.003	
MW-9	9/12/2013	<0.001	<0.002	<0.002	<0.003	
MW-9	2/27/2014	<0.001	<0.002	<0.002	<0.003	
MW-9		Removed in 1H14				
MW-10	9/14/2011	0.0202	<0.002	0.0041	0.0044	
MW-10	3/8/2012	0.0078	<0.002	0.00086	<0.004	

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
ELDRIDGE PIPELINE RELEASE
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Comments
NMWQCC Groundwater Standards (mg/L)		0.010	1.00	0.70	0.62	
MW-10	9/6/2012	0.0102	<0.002	0.0012	<0.003	
MW-10	2/20/2013	0.0044	<0.002	<0.002	<0.003	
MW-10	9/12/2013	0.0049	<0.002	<0.002	<0.003	
MW-10	2/27/2014	0.0046	<0.002	0.00026 J	<0.003	
MW-10	9/24/2014	Well Not Sampled due to Inclement Weather				
MW-10	2/26/2015	<0.005	<0.005	<0.005	<0.015	
MW-10	9/2/2015	<0.005	<0.005	<0.005	<0.015	
MW-10	3/22/2016	<0.0050	<0.0050	<0.0050	<0.015	
MW-10	9/27/2016	<0.0010	<0.0010	<0.0010	<0.003	
MW-10	3/8/2017	<0.00100	<0.00100	<0.00100	<0.0010	
MW-10	9/27/2017	<0.00100	<0.00100	<0.00100	<0.00300	
MW-10	9/13/2018	<0.00100	<0.00100	<0.00100	<0.00300	
MW-10	6/11/2019	<0.00100	<0.00100	<0.00100	<0.00300	
MW-10	6/10/2020	<0.00100	<0.00100	<0.00100	<0.00300	
MW-10	6/17/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-10	9/21/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-10	9/27/2023	<0.00100	<0.00100	<0.00100	<0.00300	
MW-11	9/14/2011	3.52	<0.20	0.37	0.403	
MW-11	3/8/2012	2.01	<0.20	0.17	<0.40	
MW-11	9/6/2012	1.85	<0.05	0.139	0.0774	
MW-11	2/20/2013	2.04	<0.05	0.102	<0.075	
MW-11	9/12/2013	2.41	<0.040	0.113	0.0635	
MW-11	2/27/2014	LNAPL	LNAPL	LNAPL	LNAPL	
MW-11	9/24/2014	Well Not Sampled due to Inclement Weather				
MW-11	2/26/2015	0.84	<0.005	0.33	0.52	
MW-11	9/2/2015	0.67	<0.005	0.27	0.37	
MW-11	3/22/2016	0.78	<0.0050	0.16	0.23	
MW-11	9/27/2016	0.45	0.0013	<0.0010	0.18	
MW-11	3/8/2017	0.77	0.0018	0.14	0.16	
MW-11	9/27/2017	0.730	0.000862 J	0.203	0.251	Duplicate #3 sample collected
MW-11 (Duplicate)	9/27/2017	0.599	0.000805 J	0.217	0.226	
MW-11	9/13/2018	0.321	<0.0100	0.0865	0.0606	Duplicate A sample collected
MW-11 (Duplicate)	9/13/2018	0.329	0.000705 J	0.115	0.0844	
MW-11	6/11/2019	0.286	0.00479 J	0.0574	0.0288 J	Duplicate A sample collected
MW-11 (Duplicate)	6/11/2019	0.305	0.000457 J	0.0511	0.0233	
MW-11	6/10/2020	0.0976	0.000482 J	0.0312	0.0184	Duplicate A sample collected
MW-11 (Duplicate)	6/10/2020	0.0981	0.000692 J	0.0321	0.0192	
MW-11	6/17/2021	0.0130	<0.0010	0.0124	0.00563 J	Duplicate A sample collected
MW-11 (Duplicate)	6/17/2021	0.0129	<0.0010	0.0102	0.00179 J	
MW-11	9/21/2022	0.00515	0.00241	0.00255	0.00112 J	Duplicate A sample collected
MW-11 (Duplicate)	9/21/2022	0.00374	0.000308 J	0.00232	0.000968 J	
MW-11	9/27/2023	0.0018	<0.00100	0.00104	0.00094 J	Duplicate 2 sample collected
MW-11 (Duplicate)	9/27/2023	0.0022	<0.00100	0.000798 J	0.000773 J	
MW-12	9/14/2011	9.51	<0.20	0.307	<0.40	
MW-12	3/8/2012	17.0	<0.20	0.71	<0.40	
MW-12	9/6/2012	7.12	<0.20	0.337	<0.30	
MW-12	2/20/2013	3.10	<0.10	0.187	<0.15	
MW-12	9/12/2013	3.29	<0.10	0.235	<0.15	Duplicate A sample collected
MW-12	2/27/2014	1.02	<0.10	0.126	<0.15	Duplicate C sample collected
MW-12 (duplicate)	2/27/2014	1.25	<0.002	0.18	0.0133	
MW-12	9/24/2014	Well Not Sampled due to Inclement Weather				
MW-12	2/25/2015	3.50	<0.005	0.24	0.089	Duplicate C Sample Collected
MW-12 (Duplicate)	2/25/2015	3.40	<0.005	0.23	0.1	
MW-12	9/2/2015	3.80	<0.005	0.23	0.02	Duplicate B Sample Collected
MW-12 (Duplicate)	9/2/2015	5.70	<0.005	0.21	0.02	
MW-12	3/22/2016	3.90	<0.0050	0.2	<0.015	Duplicate B Sample Collected
MW-12 (Duplicate)	3/22/2016	4.10	<0.0050	0.21	<0.015	
MW-12	9/27/2016	3.90	<0.0010	0.17	0.013	Duplicate B Sample Collected
MW-12 (Duplicate)	9/27/2016	3.10	<0.0010	0.16	<0.030	
MW-12	3/8/2017	4.70	<0.0050	0.25	0.012	

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
ELDRIDGE PIPELINE RELEASE
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Comments
NMWQCC Groundwater Standards (mg/L)		0.010	1.00	0.70	0.62	
MW-12	9/27/2017	5.81	<0.0010	0.206	0.00542	
MW-12	9/14/2018	3.54	<0.050	0.168	<0.150	
MW-12	6/11/2019	2.51	<0.050	0.289	<0.150	
MW-12	6/10/2020	0.199	<0.0010	0.119	0.000692 J	
MW-12	6/17/2021	0.0099	<0.0010	0.00173	0.000223 J	
MW-12	9/21/2022	0.000299 J	<0.00100	<0.00100	<0.00300	
MW-12	9/27/2023	0.000122 J	<0.00100	<0.00100	<0.00300	
MW-13	9/24/2014	Well Not on Sampling Plan				
MW-14	9/14/2011	<0.001	<0.002	<0.002	<0.004	
MW-14	3/8/2012	<0.001	<0.002	<0.002	<0.004	
MW-14	9/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-14	2/19/2013	<0.001	<0.002	<0.002	<0.003	
MW-14	9/12/2013	<0.001	<0.002	<0.002	<0.003	
MW-14	2/26/2014	<0.001	<0.002	<0.002	<0.003	
MW-14	9/24/2014	Well Not Sampled due to Inclement Weather				
MW-14	2/25/2015	<0.001	<0.001	<0.001	<0.003	
MW-14	9/2/2015	<0.001	<0.001	<0.001	<0.003	
MW-14	3/22/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-14	9/27/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-14	3/8/2017	<0.00100	<0.00100	<0.00100	<0.0010	
MW-14	9/27/2017	<0.00100	<0.00100	<0.00100	<0.00300	
MW-14	9/14/2018	<0.00100	<0.00100	<0.00100	<0.00300	
MW-14	6/10/2019	<0.00100	<0.00100	<0.00100	<0.00300	
MW-14	6/11/2020	3.65	18.9	3.71	10.8	
MW-14	6/17/2021	LNAPL				LNAPL - 0.02 ft
MW-14	9/21/2022	0.0112	0.00154	0.00222	0.00564	
MW-14	9/27/2023	NS - LNAPL				NM
MW-15	9/24/2014	Well Not on Sampling Plan				
MW-16	9/14/2011	<0.001	<0.002	<0.002	<0.004	
MW-16	3/7/2012	<0.001	<0.002	<0.002	<0.004	
MW-16	9/7/2012	<0.001	<0.002	<0.002	<0.003	
MW-16	2/21/2013	<0.001	<0.002	<0.002	<0.003	
MW-16	9/13/2013	<0.001	<0.002	<0.002	<0.003	
MW-16	2/27/2014	<0.001	<0.002	<0.002	<0.003	
MW-16		Removed in 2H13				
MW-16	3/12/2018	Plugged and Abandoned				
MW-17	9/14/2011	<0.001	<0.002	<0.002	<0.004	
MW-17	3/7/2012	<0.001	<0.002	<0.002	<0.004	
MW-17	9/7/2012	NS	NS	NS	NS	
MW-17	2/22/2013	<0.001	<0.002	<0.002	<0.003	
MW-17	9/13/2013	<0.001	<0.002	<0.002	<0.003	
MW-17	2/27/2014	<0.001	<0.002	<0.002	<0.003	
MW-17	9/25/2014	<0.001	<0.001	<0.001	<0.001	
MW-17	2/26/2015	<0.001	<0.001	<0.001	<0.003	
MW-17	9/2/2015	<0.001	<0.001	<0.001	<0.003	
MW-17	3/23/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-17	9/27/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-17	3/8/2017	<0.00100	<0.00100	<0.00100	<0.0010	
MW-17	9/27/2017	<0.00100	<0.00100	<0.00100	<0.00300	
MW-17	3/12/2018	Plugged and Abandoned				
MW-18	9/14/2011	0.0019	<0.002	0.0053	0.0073	
MW-18	3/8/2012	0.00038	<0.002	0.0012	<0.004	
MW-18	9/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-18	2/21/2013	<0.001	<0.002	<0.002	<0.003	
MW-18	9/13/2013	<0.001	<0.002	<0.002	<0.003	
MW-18	2/27/2014	<0.001	<0.002	<0.002	<0.003	
MW-18	9/25/2014	<0.001	<0.001	<0.001	<0.001	
MW-18	2/26/2015	<0.001	<0.001	0.0019	<0.003	

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
ELDRIDGE PIPELINE RELEASE
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Comments
NMWQCC Groundwater Standards (mg/L)		0.010	1.00	0.70	0.62	
MW-18	9/3/2015	<0.001	<0.001	<0.001	0.0031	
MW-18	3/22/2016	<0.0010	<0.0010	0.0029	0.0042	
MW-18	9/27/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-18	3/8/2017	<0.00100	<0.00100	<0.00100	<0.0010	
MW-18	9/27/2017	<0.00100	<0.00100	<0.00100	<0.00300	
MW-18	9/13/2018	<0.00100	<0.00100	<0.00100	<0.00300	
MW-18	6/11/2019	<0.00100	<0.00100	<0.00100	<0.00300	
MW-18	6/10/2020	<0.00100	<0.00100	<0.00100	<0.00300	
MW-18	6/17/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-18	9/21/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-18	9/27/2023	<0.00100	<0.00100	<0.00100	<0.00300	
MW-19	9/14/2011	<0.001	<0.002	<0.002	<0.004	
MW-19	3/7/2012	<0.001	<0.002	<0.002	<0.004	
MW-19	9/7/2012	0.00032	<0.002	<0.002	<0.003	
MW-19	2/21/2013	<0.001	<0.002	<0.002	<0.003	
MW-19	9/13/2013	<0.001	<0.002	<0.002	<0.003	
MW-19	2/27/2014	<0.001	<0.002	<0.002	<0.003	
MW-19	9/25/2014	<0.001	<0.001	<0.001	<0.001	
MW-19	2/26/2015	<0.001	<0.001	<0.001	<0.003	
MW-19	9/3/2015	<0.001	<0.001	<0.001	<0.003	
MW-19	3/22/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-19	9/27/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-19	3/8/2017	<0.00100	<0.00100	<0.00100	<0.0010	
MW-19	9/27/2017	<0.00100	<0.00100	<0.00100	<0.00300	
MW-19	9/13/2018	<0.00100	<0.00100	<0.00100	<0.00300	
MW-19	6/11/2019	<0.00100	<0.00100	<0.00100	<0.00300	
MW-19	6/11/2020	<0.00100	<0.00100	<0.00100	<0.00300	
MW-19	6/17/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-19	9/21/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-19	9/27/2023	<0.00100	<0.00100	<0.00100	<0.00300	
MW-20	9/14/2011	<0.001	<0.002	<0.002	<0.004	
MW-20	9/7/2012	NS	NS	NS	NS	
MW-20	2/20/2013	<0.001	<0.002	<0.002	<0.003	
MW-20	9/13/2013	NS	NS	NS	NS	
MW-20	2/27/2014	<0.001	<0.002	<0.002	<0.003	
MW-20	9/24/2014	Well Not Sampled due to Inclement Weather				
MW-20	2/25/2015	<0.001	<0.001	<0.001	<0.003	
MW-20	9/3/2015	<0.001	<0.001	<0.001	<0.003	
MW-20	3/22/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-20	9/27/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-20	3/8/2017	<0.00100	<0.00100	<0.00100	<0.0010	
MW-20	9/27/2017	<0.00100	<0.00100	<0.00100	<0.00300	
MW-20	9/14/2018	<0.00100	<0.00100	<0.00100	<0.00300	
MW-20	6/11/2019	<0.00100	<0.00100	<0.00100	<0.00300	
MW-20	6/10/2020	<0.00100	<0.00100	<0.00100	<0.00300	
MW-20	6/17/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-20	9/21/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-20	9/27/2023	<0.00100	<0.00100	<0.00100	<0.00300	
MW-21	2/27/2014	0.00059 J	<0.002	0.00072 J	<0.003	
MW-21	9/24/2014	Well Not on Sampling Plan				
MW-22	9/14/2011	NS	NS	NS	NS	
MW-22	9/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-22	2/19/2013	NS	NS	NS	NS	
MW-22	9/13/2013	NS	NS	NS	NS	
MW-22	2/27/2014	<0.001	<0.002	<0.002	<0.003	
MW-22	9/24/2014	<0.001	<0.001	<0.001	<0.001	
MW-22	2/25/2015	<0.001	<0.001	<0.001	<0.003	
MW-22	9/2/2015	<0.001	<0.001	<0.001	<0.003	
MW-22	3/22/2016	<0.0010	<0.0010	<0.0010	<0.0030	

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
ELDRIDGE PIPELINE RELEASE
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Comments
NMWQCC Groundwater Standards (mg/L)		0.010	1.00	0.70	0.62	
MW-22	9/27/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-22	3/8/2017	<0.00100	<0.00100	<0.00100	<0.0010	
MW-22	9/27/2017	<0.00100	<0.00100	<0.00100	<0.00300	
MW-22	9/14/2018	<0.00100	<0.00100	<0.00100	<0.00300	
MW-22	6/12/2019	<0.00100	<0.00100	<0.00100	<0.00300	
MW-22	6/11/2020	<0.00100	<0.00100	<0.00100	<0.00300	
MW-22	6/17/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-22	9/22/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-22	9/26/2023	<0.00100	<0.00100	<0.00100	<0.00300	
MW-23	9/14/2011	0.0588	<0.004	0.121	<0.008	Duplicate B sample collected
MW-23	3/8/2012	0.0505	<0.002	0.127	0.0034	
MW-23	9/6/2012	0.0290	<0.002	0.094	0.0032	
MW-23	2/19/2013	0.0509	<0.002	0.0698	0.0024	
MW-23	9/12/2013	0.0418	<0.002	0.0392	<0.003	
MW-23	2/26/2014	0.0382	<0.002	0.0208	<0.003	
MW-23	9/24/2014	Well Not Sampled due to Inclement Weather				
MW-23	2/25/2015	0.0061	<0.005	<0.005	<0.015	Duplicate B Sample Collected
MW-23 (Duplicate)	2/25/2015	<0.005	<0.005	<0.005	<0.015	
MW-23	9/2/2015	<0.005	<0.005	<0.005	<0.015	Duplicate C Sample Collected
MW-23 (Duplicate)	9/2/2015	<0.001	<0.001	<0.001	<0.003	
MW-23	3/22/2016	<0.0050	<0.0050	<0.0050	<0.015	Duplicate C Sample Collected
MW-23 (Duplicate)	3/22/2016	3.90	<0.0050	0.21	<0.015	
MW-23	9/27/2016	<0.0010	<0.0010	<0.0010	<0.0030	Duplicate C Sample Collected
MW-23 (Duplicate)	9/27/2016	<0.0050	<0.0050	0.011	<0.015	
MW-23	3/8/2017	<0.00100	<0.00100	<0.00100	<0.0010	
MW-23	9/27/2017	<0.00100	<0.00100	<0.00100	<0.00300	
MW-23	9/14/2018	<0.00100	<0.00100	<0.00100	<0.00300	
MW-23	6/10/2019	LNAPL				
MW-23	6/11/2020	54.4	606	127	436	
MW-23	6/17/2021	1.60	0.182	0.660	0.436	
MW-23	9/22/2022	0.49	0.0102 J	0.304	0.279	
MW-23	9/26/2023	0.149	0.0283	0.252	0.150	
MW-24	9/14/2011	0.00051	<0.002	<0.002	<0.004	
MW-24	3/7/2012	<0.001	<0.002	<0.002	<0.004	
MW-24	9/7/2012	<0.001	<0.002	<0.002	<0.003	
MW-24	2/21/2013	<0.001	<0.002	<0.002	<0.003	
MW-24	9/13/2013	<0.001	<0.002	<0.002	<0.003	
MW-24	2/27/2014	<0.001	<0.002	<0.002	<0.003	
MW-24	9/25/2014	<0.001	<0.001	<0.001	<0.001	
MW-24	2/26/2015	<0.001	<0.001	<0.001	<0.003	
MW-24	9/2/2015	<0.001	<0.001	<0.001	<0.003	
MW-24	3/23/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-24	9/27/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-24	3/8/2017	<0.00100	<0.00100	<0.00100	<0.0010	
MW-24	9/27/2017	<0.00100	<0.00100	<0.00100	<0.00300	
MW-24	9/13/2018	Well Not on Sampling Plan				
MW-25	9/14/2011	<0.001	<0.002	<0.002	<0.004	
MW-25	3/7/2012	<0.001	<0.002	<0.002	<0.004	
MW-25	9/5/2012	<0.001	<0.002	<0.002	<0.003	
MW-25	2/19/2013	<0.001	<0.002	<0.002	<0.003	
MW-25	9/12/2013	<0.001	<0.002	<0.002	<0.003	
MW-25	2/26/2014	<0.001	<0.002	<0.002	<0.003	
MW-25	9/24/2014	Well Not Sampled due to Inclement Weather				
MW-25	2/25/2015	<0.001	<0.001	<0.001	<0.003	
MW-25	9/2/2015	<0.001	<0.001	<0.001	<0.003	
MW-25	3/22/2016	0.0019	0.0081	0.0011	0.0082	
MW-25	9/27/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-25	3/8/2017	<0.00100	<0.00100	<0.00100	<0.0010	
MW-25	9/27/2017	<0.00100	<0.00100	<0.00100	<0.00300	
MW-25	9/14/2018	<0.00100	<0.00100	<0.00100	<0.00300	

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
ELDRIDGE PIPELINE RELEASE
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Comments
NMWQCC Groundwater Standards (mg/L)		0.010	1.00	0.70	0.62	
MW-25	6/11/2019	<0.00100	<0.00100	<0.00100	<0.00300	
MW-25	6/11/2020	<0.00100	<0.00100	<0.00100	<0.00300	
MW-25	6/17/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-25	9/22/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-25	9/26/2023	<0.00100	<0.00100	<0.00100	<0.00300	
MW-26	9/14/2011	NS	NS	NS	NS	
MW-26	3/8/2012	NS	NS	NS	NS	
MW-26	9/7/2012	NS	NS	NS	NS	
MW-26	2/19/2013	LNAPL	LNAPL	LNAPL	LNAPL	
MW-26	9/12/2013	LNAPL	LNAPL	LNAPL	LNAPL	
MW-26	2/26/2014	LNAPL	LNAPL	LNAPL	LNAPL	
MW-26	9/24/2014	Well Not Sampled due to Inclement Weather				
MW-26	2/25/2015	16.0	29.0	0.750	2.40	
MW-26	9/2/2015	12.0	15.0	0.470	1.50	
MW-26	3/22/2016	1.40	1.40	0.110	0.39	
MW-26	9/27/2016	3.50	15.0	0.510	2.90	
MW-26	3/8/2017	6.00	10.0	0.410	1.70	Duplicate #1 sample collected
MW-26 (Duplicate)	3/8/2017	7.90	12.0	0.400	1.70	
MW-26	9/27/2017	6.99	21.7	0.625	2.98	
MW-26	9/14/2018	0.359	0.148	0.0175	0.0347	
MW-26	6/12/2019	1.84	0.914	0.0681	0.175	
MW-26	6/11/2020	5.05	1.87	0.146	0.334	
MW-26	6/17/2021	0.104	0.0309	0.00852	0.0235	
MW-26	9/21/2022	LNAPL				LNAPL - 0.09 ft
MW-26	9/26/2023	0.239	0.116	0.148	0.572	
MW-27	9/24/2014	Well Not Sampled due to Inclement Weather				
MW-27	2/25/2015	LNAPL				
MW-27	9/2/2015	LNAPL				
MW-27	3/22/2016	LNAPL				
MW-27	9/27/2016	LNAPL				
MW-27	3/8/2017	LNAPL				
MW-27	9/27/2017	LNAPL				
MW-27	9/13/2017	LNAPL				
MW-27	6/10/2019	LNAPL				
MW-27	6/11/2020	0.554	0.624	0.424	1.07	
MW-27	6/17/2021	LNAPL				LNAPL - 0.49 ft
MW-27	9/21/2022	LNAPL				LNAPL - 0.45 ft
MW-27	9/27/2023	NS - LNAPL				LNAPL - 0.44 ft
MW-28	9/14/2011	<0.001	<0.002	<0.002	<0.004	
MW-28	3/7/2012	<0.001	<0.002	<0.002	<0.004	
MW-28	9/5/2012	<0.001	<0.002	<0.002	<0.003	
MW-28	2/19/2013	<0.001	<0.002	<0.002	<0.003	
MW-28	9/12/2013	<0.001	<0.002	<0.002	<0.003	
MW-28	2/26/2014	<0.001	<0.002	<0.002	<0.003	
MW-28	9/24/2014	Well Not Sampled due to Inclement Weather				
MW-28		Removed 1H15				
MW-29	9/14/2011	<0.001	<0.002	<0.002	<0.004	
MW-29	3/7/2012	0.00028	<0.002	<0.002	<0.004	
MW-29	9/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-29	2/20/2013	<0.001	<0.002	<0.002	<0.003	
MW-29	9/12/2013	<0.001	<0.002	<0.002	<0.003	
MW-29	2/26/2014	<0.001	<0.002	<0.002	<0.003	
MW-29	9/24/2014	<0.001	<0.001	<0.001	<0.001	
MW-29	2/25/2015	<0.001	<0.001	<0.001	<0.003	
MW-29	9/2/2015	<0.001	<0.001	<0.001	<0.003	
MW-29	3/22/2016	<0.0010	0.0028	<0.0010	<0.0030	
MW-29	9/27/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-29	3/8/2017	<0.00100	<0.00100	<0.00100	<0.0010	
MW-29	9/27/2017	<0.00100	<0.00100	<0.00100	<0.00300	

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
ELDRIDGE PIPELINE RELEASE
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Comments
NMWQCC Groundwater Standards (mg/L)		0.010	1.00	0.70	0.62	
MW-29	9/14/2018	<0.00100	<0.00100	<0.00100	<0.00300	
MW-29	6/12/2019	<0.00100	<0.00100	<0.00100	<0.00300	
MW-29	6/11/2020	0.000108 J	<0.0010	<0.0010	<0.0030	
MW-29	6/17/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-29	9/22/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-29	9/26/2023	<0.00100	<0.00100	<0.00100	<0.00300	
MW-30	9/14/2011	<0.001	<0.002	<0.002	<0.004	
MW-30	3/7/2012	<0.001	<0.002	<0.002	<0.004	
MW-30	9/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-30	2/20/2013	<0.001	<0.002	<0.002	<0.003	
MW-30	9/12/2013	<0.001	<0.002	<0.002	<0.003	
MW-30	2/27/2014	<0.001	<0.002	<0.002	<0.003	
MW-30	Removed in 1H14					
MW-31	9/14/2011	<0.001	<0.002	<0.002	<0.004	
MW-31	3/7/2012	<0.001	<0.002	<0.002	<0.004	
MW-31	9/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-31	2/20/2013	<0.001	<0.002	<0.002	<0.003	
MW-31	9/12/2013	<0.001	<0.002	<0.002	<0.003	
MW-31	2/27/2014	<0.001	<0.002	<0.002	<0.003	
MW-31	Removed in 1H14					
House Well	9/14/2011	0.0088	<0.002	0.00074	<0.004	Duplicate C sample collected
House Well	3/6/2012	0.00044	<0.002	<0.002	<0.004	
House Well	9/6/2012	<0.001	<0.002	<0.002	<0.003	
House Well	2/21/2013	<0.001	<0.002	<0.002	<0.003	
House Well	9/12/2013	0.00027	<0.002	<0.002	<0.003	
House Well	2/27/2014	<0.001	<0.002	<0.002	<0.003	
House Well	9/24/2014	Well Not Sampled due to Inclement Weather				
House Well	2/26/2015	<0.001	<0.001	<0.001	<0.003	
House Well	9/3/2015	<0.001	<0.001	<0.001	<0.003	
House Well	3/23/2016	<0.0010	<0.0010	<0.0010	<0.0030	
House Well	9/27/2016	<0.0010	<0.0010	<0.0010	<0.0030	
House Well	3/8/2017	<0.00100	<0.00100	<0.00100	<0.0010	
House Well	9/27/2017	<0.00100	<0.00100	<0.00100	<0.00300	
House Well	3/12/2018	Plugged and Abandoned				
Irrigation Well	9/14/2011	0.0049	<0.002	0.0167	0.0236	
Irrigation Well	3/6/2012	0.0017	<0.002	0.0108	0.0158	Duplicate A sample collected
Irrigation Well	9/6/2012	0.0048	<0.002	0.015	0.0114	Duplicate A sample collected
Irrigation Well	2/21/2013	0.0027	<0.002	0.0117	0.0116	
Irrigation Well	9/12/2013	0.0027	<0.002	0.0057	<0.003	Duplicate C sample collected
Irrigation Well	2/27/2014	0.0033	<0.002	0.0149	0.0029 J	
Irrigation Well	9/25/2014	0.0025	<0.001	0.0077	0.0014	Duplicate B Sample Collected
Irrigation Well (Duplicate)	9/25/2014	0.0014	<0.001	0.0031	0.00097 J	
Irrigation Well	2/26/2015	<0.001	<0.001	<0.001	<0.003	
Irrigation Well	9/2/2015	0.0022	<0.001	0.0089	0.0036	
Irrigation Well	3/23/2016	NS	NS	NS	NS	
Irrigation Well	9/27/2016	<0.005	<0.005	<0.005	<0.015	
Irrigation Well	3/8/2017	<0.00100	<0.00100	0.0021	0.0026	
Irrigation Well	9/27/2017	0.000482 J	<0.0010	0.00241	0.00227 J	
Irrigation Well	9/13/2018	Well Not on Sampling Plan				
MW-A	9/14/2011	0.001	<0.002	0.0753	0.217	
MW-A	3/6/2012	0.00073	<0.002	0.081	0.222	
MW-A	9/7/2012	0.00087	<0.002	0.076	0.206	
MW-A	2/21/2013	0.00077	<0.002	0.0713	0.189	Duplicate A sample collected
MW-A	9/13/2013	<0.0010	<0.002	0.0732	0.179	
MW-A	2/27/2014	0.00029 J	<0.002	0.0636	0.151	
MW-A	9/24/2014	Well Not Sampled due to Inclement Weather				
MW-A	2/26/2015	<0.001	<0.001	0.05	0.13	
MW-A	9/2/2015	<0.001	<0.001	0.042	0.1	

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
ELDRIDGE PIPELINE RELEASE
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Comments
NMWQCC Groundwater Standards (mg/L)		0.010	1.00	0.70	0.62	
MW-A	3/23/2016	<0.0010	<0.0010	0.044	0.097	
MW-A	9/27/2017	<0.0050	<0.0050	0.035	0.075	
MW-A	3/8/2017	<0.00100	<0.00100	<0.00100	0.0063	
MW-A	9/27/2017	<0.00100	<0.00100	0.0299	0.0536	
MW-A	9/13/2018	Well Not on Sampling Plan				
MW-E	9/14/2011	0.0043	<0.002	0.00097	<0.004	
MW-E	3/7/2012	0.0025	<0.002	<0.002	<0.004	
MW-E	9/7/2012	0.0018	<0.002	<0.002	<0.003	
MW-E	2/21/2013	0.0027	<0.002	<0.002	<0.003	
MW-E	9/13/2013	0.0015	<0.002	<0.002	<0.003	
MW-E	2/27/2014	0.0016	<0.002	<0.002	<0.003	
MW-E	9/25/2014	0.0067	<0.001	0.0027	0.0151	
MW-E	2/26/2015	0.0038	<0.001	<0.001	<0.003	
MW-E	9/3/2015	0.0084	<0.001	<0.001	<0.003	
MW-E	3/22/2016	0.0012	<0.0010	<0.0010	<0.0030	
MW-E	9/27/2017	0.0088	<0.0010	<0.0010	<0.0030	
MW-E	3/8/2017	0.0016	<0.0010	<0.0010	<0.0010	
MW-E	9/27/2017	0.00197	<0.0010	<0.0010	<0.0030	
MW-E	9/13/2018	0.000890 J	<0.0010	<0.0010	<0.0030	
MW-E	6/11/2019	0.000515 J	<0.0010	<0.0010	<0.0030	
MW-E	6/10/2020	0.000113 J	<0.0010	<0.0010	<0.0030	
MW-E	6/17/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-E	9/21/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-E	9/27/2023	<0.00100	<0.00100	<0.00100	<0.00300	Duplicate 3 sample collected
MW-E (Duplicate)	9/27/2023	<0.00100	<0.00100	<0.00100	<0.00300	
MW-F	9/14/2011	<0.001	<0.002	<0.002	<0.004	
MW-F	3/7/2012	<0.001	<0.002	<0.002	<0.004	
MW-F	9/7/2012	<0.001	<0.002	<0.002	<0.003	
MW-F	2/21/2013	<0.001	<0.002	<0.002	<0.003	
MW-F	9/13/2013	<0.001	<0.002	<0.002	<0.003	
MW-F	2/27/2014	<0.001	<0.002	<0.002	<0.003	
MW-F	9/25/2014	<0.001	<0.001	<0.001	<0.001	
MW-F	2/26/2015	<0.001	<0.001	<0.001	<0.003	
MW-F	9/3/2015	<0.001	<0.001	<0.001	<0.003	
MW-F	3/22/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-F	9/27/2017	<0.00100	<0.00100	<0.00100	<0.00300	
MW-F	3/8/2017	<0.00100	<0.00100	<0.00100	<0.0010	
MW-F	9/27/2017	<0.00100	<0.00100	<0.00100	<0.00300	
MW-F	9/13/2018	<0.00100	<0.00100	<0.00100	<0.00300	
MW-F	6/11/2019	<0.00100	<0.00100	<0.00100	<0.00300	
MW-F	6/10/2020	<0.00100	<0.00100	<0.00100	<0.00300	
MW-F	6/17/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-F	9/21/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-F	9/27/2023	<0.00100	<0.00100	<0.00100	<0.00300	
MW-I	9/14/2011	0.00082	<0.002	<0.002	<0.004	
MW-I	3/6/2012	0.00068	<0.002	<0.002	<0.004	
MW-I	9/6/2012	0.00043	<0.002	<0.002	<0.003	
MW-I	2/21/2013	0.00035	<0.002	<0.002	<0.003	
MW-I	9/13/2013	0.00028	<0.002	<0.002	<0.003	
MW-I	2/27/2014	0.00033 J	<0.002	<0.002	<0.003	
MW-I	9/24/2014	Well Not Sampled due to Inclement Weather				
MW-I	2/26/2015	<0.001	<0.001	<0.001	<0.003	
MW-I	9/3/2015	<0.001	<0.001	<0.001	<0.003	
MW-I	3/22/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-I	9/27/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-I	3/8/2017	<0.00100	<0.00100	<0.00100	<0.0010	
MW-I	9/27/2017	<0.00100	<0.00100	<0.00100	<0.00300	
MW-I	9/13/2018	<0.00100	<0.00100	<0.00100	<0.00300	
MW-I	6/11/2019	<0.00100	<0.00100	<0.00100	<0.00300	
MW-I	6/11/2020	<0.00100	<0.00100	<0.00100	<0.00300	

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
ELDRIDGE PIPELINE RELEASE
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Comments	
NMWQCC Groundwater Standards (mg/L)		0.010	1.00	0.70	0.62		
MW-I	6/17/2021	<0.00100	<0.00100	<0.00100	<0.00300		
MW-I	9/21/2022	<0.00100	<0.00100	<0.00100	<0.00300		
MW-I	9/27/2023	<0.00100	<0.00100	<0.00100	<0.00300		
MW-J	9/14/2011	<0.001	<0.002	<0.002	<0.004		
MW-J	3/6/2012	<0.001	<0.002	<0.002	<0.004		
MW-J	9/6/2012	<0.001	<0.002	<0.002	<0.003		
MW-J	2/21/2013	<0.001	<0.002	<0.002	<0.003		
MW-J	9/13/2013	<0.001	<0.002	<0.002	<0.003		
MW-J	2/27/2014	<0.001	<0.002	<0.002	<0.003		
MW-J	Removed in 2H13						
MW-M	9/14/2011	8.53	<0.20	0.347	0.214		
MW-M	3/8/2012	3.72	<0.20	0.296	<0.40		
MW-M	9/6/2012	1.27	<0.10	0.188	0.107		
MW-M	2/20/2013	0.647	<0.02	0.192	0.087		
MW-M	9/12/2013	0.313	<0.01	0.184	0.0417		
MW-M	2/27/2014	0.205	<0.01	0.171	0.0271		
MW-M	9/24/2014	Well Not Sampled due to Inclement Weather					
MW-M	2/25/2015	7.50	2.20	0.37	0.800		
MW-M	9/2/2015	6.60	0.13	0.4	0.24		
MW-M	3/22/2016	5.30	0.012	0.45	0.084		
MW-M	9/27/2016	2.80	<0.010	0.39	<0.03		
MW-M	3/8/2017	3.00	0.031	0.4	0.027		
MW-M	9/27/2017	2.48	0.000593 J	0.438	0.0143		
MW-M	9/14/2018	1.08	<0.050	0.293	<0.150		
MW-M	6/11/2019	0.176	<0.050	0.236	<0.150		
MW-M	6/11/2020	0.0247	<0.00100	0.106	<0.0030		
MW-M	6/17/2021	0.00513	<0.00100	0.0198	0.000351 J		
MW-M	9/21/2022	0.000332 J	<0.00100	0.000997 J	<0.00300		
MW-M	9/27/2023	0.00011 J	<0.00100	0.00300	0.000619 J		
MW-N	9/14/2011	15.0	0.982	0.315	0.38		
MW-N	3/8/2012	15.4	2.21	0.417	0.414		
MW-N	9/6/2012	13.7	3.47	0.603	2.00		
MW-N	2/20/2013	14.9	0.173	0.282	0.0714	Duplicate B sample collected	
MW-N	9/12/2013	LNAPL					
MW-N	2/27/2014	LNAPL					
MW-N	9/24/2014	15.4	4.18	0.637	1.50		
MW-N	2/25/2015	LNAPL					
MW-N	9/2/2015	4.6	0.81	0.49	0.94		
MW-N	3/22/2016	5.5	0.95	0.46	0.78		
MW-N	9/27/2017	LNAPL					
MW-N	3/8/2017	LNAPL					
MW-N	9/27/2017	LNAPL					
MW-N	9/13/2018	LNAPL					
MW-N	6/12/2019	5.21	<0.100	0.442	1.06		
MW-N	6/11/2020	4.74	0.0809	0.602	1.41		
MW-N	6/17/2021	LNAPL				LNAPL- 0.45 ft	
MW-N	9/21/2022	LNAPL				LNAPL - 0.36 ft	
MW-N	9/26/2023	0.184	<0.00100	0.0015	0.00109 J		
MW-O	9/14/2011	6.93	0.0022	0.244	<0.004		
MW-O	3/8/2012	7.61	<0.20	0.195	<0.40		
MW-O	9/6/2012	8.04	<0.10	0.185	<0.15		
MW-O	2/20/2013	10.5	<0.10	0.131	<0.15		
MW-O	9/12/2013	8.27	<0.20	0.121	<0.30		
MW-O	2/27/2014	8.72	<0.10	0.0685 J	<0.15	Duplicate B sample collected	
MW-O (duplicate)	2/27/2014	8.86	<0.01	0.0861	<0.015		
MW-O	9/24/2014	5.41	<0.05	0.0514	<0.05		
MW-O	2/25/2015	2.50	<0.005	0.14	0.018		
MW-O	9/2/2015	3.00	<0.005	0.15	<0.015		

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
ELDRIDGE PIPELINE RELEASE
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Comments
NMWQCC Groundwater Standards (mg/L)		0.010	1.00	0.70	0.62	
MW-O	3/22/2016	2.40	<0.0050	0.17	<0.015	
MW-O	9/27/2017	2.40	<0.0050	0.088	<0.015	
MW-O	3/8/2017	1.90	<0.0050	0.064	<0.0050	Duplicate #2 sample collected
MW-O (Duplicate)	3/8/2017	1.60	<0.0100	0.099	<0.010	
MW-O	9/27/2017	1.50	<0.0500	0.0724	0.00152	
MW-O	9/14/2018	1.26	<0.050	<0.050	<0.150	
MW-O	6/12/2019	1.41	<0.050	0.0263 J	<0.150	
MW-O	6/11/2020	0.865	<0.0010	0.00172	0.00276 J	
MW-O	6/17/2021	0.0170	<0.010	<0.010	<0.030	
MW-O	9/21/2022	0.000289 J	<0.00100	<0.00100	<0.00300	
MW-O	9/26/2023	0.00125	<0.00100	<0.00100	<0.00300	
MW-Q	9/14/2011	0.896	<0.002	0.0108	<0.004	
MW-Q	3/8/2012	0.814	<0.02	<0.02	<0.04	
MW-Q	9/6/2012	0.738	<0.002	0.0062	<0.003	
MW-Q	2/20/2013	0.75	<0.01	0.0017	<0.015	
MW-Q	9/12/2013	0.53	<0.01	0.0015	<0.015	
MW-Q	2/27/2014	0.0707	<0.002	0.00097 J	<0.003	
MW-Q	9/24/2014	<0.001	<0.001	<0.001	<0.001	
MW-Q	2/25/2015	0.0024	<0.001	<0.001	<0.003	
MW-Q	9/2/2015	<0.001	<0.001	<0.001	<0.003	
MW-Q	3/22/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-Q	9/27/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-Q	3/8/2017	<0.00100	<0.00100	<0.00100	<0.0010	
MW-Q	9/27/2017	<0.00100	<0.00100	<0.00100	<0.00300	
MW-Q	9/13/2018	<0.00100	<0.00100	<0.00100	<0.00300	
MW-Q	6/12/2019	<0.00100	<0.00100	<0.00100	<0.00300	
MW-Q	6/11/2020	<0.00100	<0.00100	<0.00100	<0.00300	
MW-Q	6/17/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-Q	9/21/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-Q	9/27/2023	<0.00100	<0.00100	<0.00100	<0.00300	
MW-S	9/14/2011	<0.001	<0.002	<0.002	<0.004	
MW-S	3/8/2012	<0.001	<0.002	<0.002	<0.004	
MW-S	9/6/2012	<0.001	<0.002	<0.002	<0.003	
MW-S	2/20/2013	<0.001	<0.002	<0.002	<0.003	
MW-S	9/12/2013	<0.001	<0.002	<0.002	<0.003	
MW-S	2/27/2014	<0.001	<0.002	<0.002	<0.003	
MW-S	9/24/2014	<0.001	<0.001	<0.001	<0.001	
MW-S	2/25/2015	<0.001	<0.001	<0.001	<0.003	
MW-S	9/2/2015	<0.001	<0.001	<0.001	<0.003	
MW-S	3/22/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-S	9/27/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-S	3/8/2017	<0.00100	<0.00100	<0.00100	<0.0010	
MW-S	9/27/2017	<0.00100	<0.00100	<0.00100	<0.00300	
MW-S	9/13/2018	<0.00100	<0.00100	<0.00100	<0.00300	
MW-S	6/12/2019	<0.00100	<0.00100	<0.00100	<0.00300	
MW-S	6/11/2020	<0.00100	<0.00100	<0.00100	<0.00300	
MW-S	6/17/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-S	9/21/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-S	9/27/2023	<0.00100	<0.00100	<0.00100	<0.00300	
MW-CC	9/14/2011			LNAPL		
MW-CC	3/8/2012			LNAPL		
MW-CC	9/6/2012			LNAPL		
MW-CC	2/19/2013			LNAPL		
MW-CC	9/13/2013			LNAPL		
MW-CC	2/27/2014			LNAPL		
MW-CC	9/24/2014			LNAPL		
MW-CC	2/25/2015			LNAPL		
MW-CC	9/2/2015			LNAPL		
MW-CC	3/22/2016			LNAPL		
MW-CC	9/27/2016			LNAPL		

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
ELDRIDGE PIPELINE RELEASE
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Comments
NMWQCC Groundwater Standards (mg/L)		0.010	1.00	0.70	0.62	
MW-CC	3/8/2017	LNAPL				
MW-CC	9/27/2017	LNAPL				
MW-CC	9/13/2018	LNAPL				
MW-CC	6/10/2019	LNAPL				
MW-CC	6/11/2020	1.13 J	2.85	0.741 J	2.05 J	
MW-CC	6/17/2021	LNAPL				LNAPL - 0.47 ft
MW-CC	9/21/2022	LNAPL				LNAPL - 0.45 ft
MW-CC	9/27/2023	NS - LNAPL				LNAPL - 0.47 ft
MW-EE	9/14/2011	0.447	<0.002	0.0089	0.0041	Duplicate A sample collected
MW-EE	3/8/2012	0.0735	<0.002	0.0011	<0.004	
MW-EE	9/6/2012	0.0964	<0.002	0.0011	<0.003	
MW-EE	2/19/2013	0.424	<0.002	0.0024	0.0022	
MW-EE	9/12/2013	1.11	<0.01	0.0021	<0.015	
MW-EE	2/26/2014	1.21	<0.02	<0.02	<0.03	Duplicate A sample collected
MW-EE (duplicate)	2/26/2014	1.43	<0.05	<0.05	<0.075	
MW-EE	9/24/2014	Well Not Sampled due to Inclement Weather				
MW-EE	2/25/2015	0.21	<0.005	<0.005	<0.015	
MW-EE	9/2/2015	0.12	<0.001	<0.001	<0.003	
MW-EE	3/22/2016	0.37	<0.0010	<0.0010	<0.0030	
MW-EE	9/27/2016	0.041	<0.0010	<0.0010	<0.0030	
MW-EE	3/8/2017	0.02	<0.0010	<0.0010	<0.0010	
MW-EE	9/27/2017	0.0148	<0.0010	<0.0010	<0.0030	Duplicate #1 sample collected
MW-EE (Duplicate)	9/27/2017	0.0122	<0.0010	<0.0010	<0.0030	
MW-EE	9/14/2018	0.0167	<0.0010	<0.0010	<0.0030	Duplicate C sample collected
MW-EE (Duplicate)	9/14/2018	0.0139	<0.0010	<0.0010	<0.0030	
MW-EE	6/11/2019	0.0318	0.00228	<0.0010	<0.0030	Duplicate B sample collected
MW-EE (Duplicate)	6/11/2019	0.0245	0.00224	<0.0010	<0.0030	
MW-EE	6/11/2020	0.0181	<0.0010	<0.0010	<0.0030	Duplicate B sample collected
MW-EE (Duplicate)	6/11/2020	0.0267	<0.0010	<0.0010	<0.0030	
MW-EE	6/17/2021	0.0233	<0.0010	0.000223 J	<0.0030	Duplicate B sample collected
MW-EE (Duplicate)	6/17/2021	0.021	<0.0010	0.000194 J	<0.0030	
MW-EE	9/22/2022	0.00119	<0.00100	<0.00100	<0.00300	Duplicate B sample collected
MW-EE (Duplicate)	9/22/2022	0.0000978 J	<0.00100	<0.00100	<0.00300	
MW-EE	9/26/2023	0.00219	<0.00100	<0.00100	<0.00300	Duplicate 1 sample collected
MW-EE (Duplicate)	9/26/2023	0.00261	<0.00100	<0.00100	<0.00300	
MW-LL	9/14/2011	1.23	0.0066	0.0531	0.0202	
MW-LL	3/8/2012	1.42	<0.02	0.0642	<0.04	
MW-LL	9/6/2012	0.523	<0.002	0.0261	0.0024	
MW-LL	2/20/2013	0.778	<0.01	0.0482	<0.015	
MW-LL	9/12/2013	0.403	<0.01	0.0237	<0.015	
MW-LL	2/27/2014	0.491	<0.01	0.0214	<0.015	
MW-LL	9/24/2014	Well Not Sampled due to Inclement Weather				
MW-LL	2/25/2015	0.59	0.24	0.11	0.21	
MW-LL	9/2/2015	0.53	0.034	0.11	0.15	
MW-LL	3/22/2016	0.35	<0.0050	0.076	0.066	
MW-LL	9/27/2016	0.37	0.13	0.058	0.076	
MW-LL	3/8/2017	0.29	<0.0050	0.089	0.067	Duplicate #3 sample collected
MW-LL (Duplicate)	3/8/2017	0.3	0.002	0.086	0.066	
MW-LL	9/27/2017	0.235	0.0135	0.0892	0.932	Duplicate #2 sample collected
MW-LL (Duplicate)	9/27/2017	0.309	0.0158	0.0942	0.0986	
MW-LL	9/14/2018	0.232	<0.0050	0.0551	<0.0150	Duplicate B sample collected
MW-LL (Duplicate)	9/14/2018	0.172	0.000458 J	0.0597	0.00408	
MW-LL	6/11/2019	0.159	<0.0050	0.0421	<0.0150	Duplicate C sample collected
MW-LL (Duplicate)	6/11/2019	0.162	0.000563 J	0.0438	0.00206 J	
MW-LL	6/11/2020	0.0476	<0.0010	0.00825	0.000255 J	Duplicate C sample collected
MW-LL (Duplicate)	6/11/2020	0.033	<0.0010	0.0051	<0.00300	
MW-LL	6/17/2021	0.0191	<0.0010	0.000365 J	0.000564 J	Duplicate C sample collected
MW-LL (Duplicate)	6/17/2021	0.0217	<0.0010	0.000403 J	0.000488 J	
MW-LL	9/22/2022	0.104	0.0333	0.164	0.310	Duplicate C sample collected
MW-LL (Duplicate)	9/22/2022	0.125	0.0346	0.230	0.415	
MW-LL	9/27/2023	NS - LNAPL				LNAPL - 0.47 ft

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
ELDRIDGE PIPELINE RELEASE
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Comments
NMWQCC Groundwater Standards (mg/L)		0.010	1.00	0.70	0.62	
MW-MM	9/14/2011	0.0082	<0.002	0.022	<0.004	
MW-MM	3/8/2012	0.0032	<0.002	0.0053	<0.004	
MW-MM	9/6/2012	0.002	<0.002	0.0041	<0.003	
MW-MM	2/19/2013	0.0015	<0.002	0.00083	<0.003	
MW-MM	9/12/2013	0.00088	<0.002	<0.002	<0.003	
MW-MM	2/26/2014	0.00051 J	<0.002	<0.002	<0.003	
MW-MM	9/24/2014	<0.001	<0.001	<0.001	<0.001	
MW-MM	2/25/2015	<0.001	<0.001	<0.001	<0.003	
MW-MM	9/2/2015	<0.001	<0.001	<0.001	<0.003	
MW-MM	3/22/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-MM	9/27/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-MM	3/8/2017	<0.00100	<0.00100	<0.00100	<0.0010	
MW-MM	9/27/2017	<0.00100	<0.00100	<0.00100	<0.00300	
MW-MM	9/14/2018	<0.00100	<0.00100	<0.00100	<0.00300	
MW-MM	6/10/2019	0.0713	<0.0010	0.000511 J	<0.0030	
MW-MM	6/11/2020	0.00362	<0.0010	<0.0010	<0.0030	
MW-MM	6/17/2021	<0.00100	<0.00100	<0.00100	<0.00300	
MW-MM	9/22/2022	0.000107 J	<0.00100	<0.00100	<0.00300	
MW-MM	9/26/2023	0.000113 J	<0.00100	<0.00100	<0.00300	
NMG-MW-2	9/14/2011	<0.001	<0.002	<0.002	<0.004	
NMG-MW-2	3/7/2012	<0.001	<0.002	<0.002	<0.004	
NMG-MW-2	9/5/2012	<0.001	<0.002	<0.002	<0.003	
NMG-MW-2	2/20/2013	<0.001	<0.002	<0.002	<0.003	
NMG-MW-2	9/12/2013	<0.001	<0.002	<0.002	<0.003	
NMG-MW-2	2/26/2014	<0.001	<0.002	<0.002	<0.003	
NMG-MW-2	9/24/2014	<0.001	<0.001	<0.001	<0.001	
NMG-MW-2	2/25/2015	<0.001	<0.001	<0.001	<0.003	
NMG-MW-2	9/2/2015	<0.001	<0.001	<0.001	<0.003	
NMG-MW-2	3/22/2016	<0.0010	<0.0010	<0.0010	<0.0030	
NMG-MW-2	9/27/2016	<0.0010	<0.0010	<0.0010	<0.0030	
NMG-MW-2	3/8/2017	<0.00100	<0.00100	<0.00100	<0.0010	
NMG-MW-2	9/27/2017	<0.00100	<0.00100	<0.00100	<0.00300	
NMG-MW-2	3/9/2018	Plugged and Abandoned				
NMG-MW-3	9/14/2011	<0.001	<0.002	<0.002	<0.004	
NMG-MW-3	3/7/2012	<0.001	<0.002	<0.002	<0.004	
NMG-MW-3	9/5/2012	<0.001	<0.002	<0.002	<0.003	
NMG-MW-3	2/20/2013	<0.001	<0.002	<0.002	<0.003	
NMG-MW-3	9/12/2013	<0.001	<0.002	<0.002	<0.003	
NMG-MW-3	9/12/2013	<0.001	<0.002	<0.002	<0.003	
NMG-MW-3	2/26/2014	<0.001	<0.002	<0.002	<0.003	
NMG-MW-3	9/24/2014	<0.001	<0.001	<0.001	<0.001	
NMG-MW-3	2/25/2015	<0.001	<0.001	<0.001	<0.003	
NMG-MW-3	9/2/2015	<0.001	<0.001	<0.001	<0.003	
NMG-MW-3	3/22/2016	<0.0010	<0.0010	<0.0010	<0.0030	
NMG-MW-3	9/27/2016	<0.0010	<0.0010	<0.0010	<0.0030	
NMG-MW-3	3/8/2017	<0.00100	<0.00100	<0.00100	<0.0010	
NMG-MW-3	9/27/2017	<0.00100	<0.00100	<0.00100	<0.00300	
NMG-MW-3	3/9/2018	Plugged and Abandoned				
NMG-MW-4	9/14/2011	<0.001	<0.002	<0.002	<0.004	
NMG-MW-4	3/7/2012	<0.001	<0.002	<0.002	<0.004	
NMG-MW-4	9/5/2012	<0.001	<0.002	<0.002	<0.003	
NMG-MW-4	2/19/2013	<0.001	<0.002	<0.002	<0.003	
NMG-MW-4	2/26/2014	<0.001	<0.002	<0.002	<0.003	
NMG-MW-4	9/24/2014	<0.001	<0.001	<0.001	<0.001	
NMG-MW-4	2/25/2015	<0.001	<0.001	<0.001	<0.003	
NMG-MW-4	9/2/2015	<0.001	<0.001	<0.001	<0.003	
NMG-MW-4	3/22/2016	<0.0010	<0.0010	<0.0010	<0.0030	
NMG-MW-4	9/27/2016	<0.0010	<0.0010	<0.0010	<0.0030	
NMG-MW-4	3/8/2017	<0.00100	<0.00100	<0.00100	<0.0010	
NMG-MW-4	9/27/2017	<0.00100	<0.00100	<0.00100	<0.00300	
NMG-MW-4	3/8/2017	<0.00100	<0.00100	<0.00100	<0.0010	

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
ELDRIDGE PIPELINE RELEASE
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Comments
NMWQCC Groundwater Standards (mg/L)		0.010	1.00	0.70	0.62	
NMG-MW-4	9/27/2017	<0.00100	<0.00100	<0.00100	<0.00300	
NMG-MW-4	3/9/2018	Plugged and Abandoned				
NMG-MW-5	9/14/2011	0.0375	<0.004	0.135	<0.008	
NMG-MW-5	3/7/2012	0.0039	<0.002	0.229	<0.004	
NMG-MW-5	9/5/2012	0.00083	<0.002	0.153	<0.003	
NMG-MW-5	2/19/2013	0.0012	<0.002	0.0608	<0.003	
NMG-MW-5	9/12/2013	0.0047	<0.002	0.0321	<0.003	
NMG-MW-5	2/26/2014	0.0206	<0.002	0.0034	<0.003	
NMG-MW-5	9/24/2014	0.0542	<0.001	0.00034 J	0.0016	
NMG-MW-5	2/25/2015	<0.001	<0.001	<0.001	<0.003	
NMG-MW-5	9/2/2015	<0.001	<0.001	<0.001	<0.003	
NMG-MW-5	3/22/2016	<0.0010	<0.0010	<0.0010	<0.0030	
NMG-MW-5	9/27/2016	DRY				
NMG-MW-5	3/8/2017	<0.00100	<0.00100	<0.00100	<0.0010	
NMG-MW-5	9/27/2017	<0.00100	<0.00100	<0.00100	<0.00300	
NMG-MW-5	9/13/2018	<0.00100	<0.00100	<0.00100	<0.00300	
NMG-MW-5	6/10/2019	0.00234	<0.0010	<0.0010	0.00123 J	
NMG-MW-5	6/11/2020	0.0138	<0.0010	0.00732	0.00486	
NMG-MW-5	6/17/2021	0.0122	<0.0010	0.00117	0.011	
NMG-MW-5	9/22/2022	0.00189	<0.00100	0.00194	0.0107	
NMG-MW-5	9/26/2023	0.00176	0.014	0.00683	0.0305	
NMG-MW-6	9/14/2011	0.0005	<0.002	0.0067	<0.004	
NMG-MW-6	3/7/2012	0.00062	<0.002	0.0011	<0.004	
NMG-MW-6	9/5/2012	0.00038	<0.002	0.00066	<0.003	
NMG-MW-6	2/19/2013	<0.001	<0.002	<0.002	<0.003	
NMG-MW-6	9/12/2013	<0.001	<0.002	0.00034	<0.003	
NMG-MW-6	2/26/2014	<0.001	<0.002	<0.002	<0.003	
NMG-MW-6	9/24/2014	<0.001	<0.001	<0.001	<0.001	
NMG-MW-6	2/25/2015	<0.001	<0.001	<0.001	<0.003	
NMG-MW-6	9/2/2015	<0.001	<0.001	<0.001	<0.003	
NMG-MW-6	3/22/2016	<0.0010	<0.0010	<0.0010	<0.0030	
NMG-MW-6	9/27/2016	<0.0010	<0.0010	<0.0010	<0.0030	
NMG-MW-6	3/8/2017	<0.00100	<0.00100	<0.00100	<0.0010	
NMG-MW-6	9/27/2017	<0.00100	<0.00100	<0.00100	<0.00300	
NMG-MW-6	3/9/2018	Plugged and Abandoned				
NMG-MW-7	9/14/2011	0.0273	<0.002	0.0154	0.013	
NMG-MW-7	3/7/2012	0.0261	<0.002	0.0144	0.0086	
NMG-MW-7	9/5/2012	0.0188	<0.002	0.0082	0.0043	
NMG-MW-7	2/20/2013	0.0116	<0.002	0.005	0.0032	
NMG-MW-7	9/12/2013	0.009	<0.002	0.0067	0.0023	
NMG-MW-7	2/26/2014	0.0059	<0.002	0.0055	<0.003	
NMG-MW-7	9/24/2014	0.0011	<0.001	0.00053 J	<0.001	
NMG-MW-7	2/25/2015	<0.001	<0.001	<0.001	<0.003	
NMG-MW-7	9/2/2015	<0.001	<0.001	<0.001	<0.003	
NMG-MW-7	3/22/2016	<0.0010	<0.0010	<0.0010	<0.0030	
NMG-MW-7	9/27/2016	<0.0010	<0.0010	<0.0010	<0.0030	
NMG-MW-7	3/8/2017	<0.00100	<0.00100	<0.00100	<0.0010	
NMG-MW-7	9/27/2017	<0.00100	<0.00100	<0.00100	<0.00300	
NMG-MW-7	3/9/2018	Plugged and Abandoned				
NMG-MW-8	9/14/2011	<0.001	<0.002	<0.002	<0.004	
NMG-MW-8	3/7/2012	<0.001	<0.002	<0.002	<0.004	
NMG-MW-8	9/5/2012	<0.001	<0.002	<0.002	<0.003	
NMG-MW-8	2/19/2013	<0.001	<0.002	<0.002	<0.003	
NMG-MW-8	9/12/2013	<0.001	<0.002	<0.002	<0.003	
NMG-MW-8	2/26/2014	<0.001	<0.002	<0.002	<0.003	
NMG-MW-8	9/24/2014	0.0013	<0.001	0.0194	0.052	
NMG-MW-8	2/25/2015	<0.001	<0.001	<0.001	<0.003	
NMG-MW-8	9/2/2015	<0.001	<0.001	<0.001	<0.003	
NMG-MW-8	3/22/2016	<0.0010	<0.0010	<0.0010	<0.0030	

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
ELDRIDGE PIPELINE RELEASE
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Comments
NMWQCC Groundwater Standards (mg/L)		0.010	1.00	0.70	0.62	
NMG-MW-8	9/27/2016	<0.0010	<0.0010	<0.0010	<0.0030	
NMG-MW-8	3/8/2017	<0.00100	<0.00100	<0.00100	<0.0010	
NMG-MW-8	9/27/2017	<0.00100	<0.00100	<0.00100	<0.00300	
NMG-MW-8	3/9/2018	Plugged and Abandoned				
NMG-MW-9	9/14/2011	<0.001	<0.002	<0.002	<0.004	
NMG-MW-9	3/7/2012	<0.001	<0.002	<0.002	<0.004	
NMG-MW-9	9/5/2012	<0.001	<0.002	<0.002	<0.003	
NMG-MW-9	2/19/2013	<0.001	<0.002	<0.002	<0.003	
NMG-MW-9	9/12/2013	<0.001	<0.002	<0.002	<0.003	
NMG-MW-9	2/26/2014	<0.001	<0.002	<0.002	<0.003	
NMG-MW-9		Removed in 2H13				
NMG-MW-10	9/14/2011	0.282	<0.010	0.105	0.155	
NMG-MW-10	3/7/2012	0.219	<0.002	0.085	0.0993	Duplicate B sample collected
NMG-MW-10	9/5/2012	0.192	<0.002	0.0836	0.0895	Duplicate B sample collected
NMG-MW-10	2/19/2013	0.187	<0.002	0.0805	0.0706	
NMG-MW-10	9/12/2013	0.179	<0.002	0.0809	0.0656	Duplicate B sample collected
NMG-MW-10	2/26/2014	0.145	<0.01	0.0582	0.0382	
NMG-MW-10	9/24/2014	0.0621	<0.001	0.0119	0.0229	Duplicate A Sample Collected
NMG-MW-10	9/24/2014	0.0593	<0.001	0.0114	0.0217	
NMG-MW-10	2/25/2015	0.0064	<0.001	<0.001	<0.003	Duplicate A Sample Collected
NMG-MW-10 (Duplicate)	2/25/2015	0.0052	<0.001	<0.001	<0.003	
NMG-MW-10	9/2/2015	0.018	<0.001	0.0034	0.0052	Duplicate A Sample Collected
NMG-MW-10 (Duplicate)	9/2/2015	0.016	<0.001	0.0029	0.0047	
NMG-MW-10	3/22/2016	0.012	<0.0010	0.0028	0.0055	Duplicate A Sample Collected
NMG-MW-10 (Duplicate)	3/22/2016	0.013	<0.0050	<0.0050	<0.015	
NMG-MW-10	9/27/2016	0.0071	<0.0010	<0.0010	<0.0030	Duplicate A Sample Collected
NMG-MW-10 (Duplicate)	9/27/2016	0.0075	<0.0050	<0.0050	<0.015	
NMG-MW-10	3/8/2017	0.0033	<0.0010	<0.0010	<0.0010	
NMG-MW-10	9/27/2017	0.00147	<0.0010	<0.0010	<0.0030	
NMG-MW-10	9/14/2018	<0.00100	<0.00100	<0.00100	<0.00300	
NMG-MW-10	6/10/2019	0.000532 J	<0.0010	<0.0010	<0.0030	
NMG-MW-10	6/11/2020	0.000451 J	<0.0010	<0.0010	<0.0030	
NMG-MW-10	6/17/2021	0.000150 J	<0.0010	<0.0010	<0.0030	
NMG-MW-10	9/22/2022	<0.00100	<0.00100	<0.00100	<0.00300	
NMG-MW-10	9/26/2023	<0.00100	<0.00100	<0.00100	<0.00300	
NMG-MW-11	9/14/2011	<0.001	<0.002	<0.002	<0.004	
NMG-MW-11	3/7/2012	<0.001	<0.002	<0.002	<0.004	
NMG-MW-11	9/5/2012	<0.001	<0.002	<0.002	<0.003	
NMG-MW-11	2/19/2013	<0.001	<0.002	<0.002	<0.003	Duplicate C sample collected
NMG-MW-11	9/12/2013	<0.001	<0.002	<0.002	<0.003	
NMG-MW-11	2/26/2014	<0.001	<0.002	<0.002	<0.003	
NMG-MW-11	9/24/2014	<0.001	<0.001	<0.001	<0.001	
NMG-MW-11	2/25/2015	<0.001	<0.001	<0.001	<0.003	
NMG-MW-11	9/2/2015	<0.001	<0.001	<0.001	<0.003	
NMG-MW-11	3/22/2016	<0.0010	<0.0010	<0.0010	<0.0030	
NMG-MW-11	9/27/2016	<0.0010	<0.0010	<0.0010	<0.0030	
NMG-MW-11	3/8/2017	<0.00100	<0.00100	<0.00100	<0.0010	
NMG-MW-11	9/27/2017	<0.00100	<0.00100	<0.00100	<0.00300	
NMG-MW-11	9/13/2018	Well Not on Sampling Plan				
NMG-MW-12	9/14/2011	0.0013	<0.002	<0.002	<0.004	
NMG-MW-12	3/7/2012	0.0062	<0.002	<0.002	<0.004	
NMG-MW-12	9/5/2012	0.0012	<0.002	<0.002	<0.003	
NMG-MW-12	2/19/2013	0.0024	<0.002	<0.002	<0.003	
NMG-MW-12	9/12/2013	0.00087	<0.002	<0.002	<0.003	
NMG-MW-12	2/26/2014	0.00035 J	<0.002	<0.002	<0.003	
NMG-MW-12	9/24/2014	0.0017	<0.001	<0.001	<0.001	
NMG-MW-12	2/25/2015	<0.001	<0.001	<0.001	<0.003	
NMG-MW-12	9/2/2015	<0.001	<0.001	<0.001	<0.003	
NMG-MW-12	3/22/2016	<0.0010	<0.0010	<0.0010	<0.0030	

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
ELDRIDGE PIPELINE RELEASE
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/l)	Toluene (mg/l)	Ethylbenzene (mg/l)	Total Xylenes (mg/l)	Comments
NMWQCC Groundwater Standards (mg/L)		0.010	1.00	0.70	0.62	
NMG-MW-12	9/27/2016	Obstruction in well @ 17.97'				
NMG-MW-12	3/8/2017	<0.00100	<0.00100	<0.00100	<0.0010	
NMG-MW-12	9/27/2017	<0.00100	<0.00100	<0.00100	<0.00300	
NMG-MW-12	9/13/2018	Well Not on Sampling Plan				
NMG-MW-13	9/14/2011	<0.001	<0.002	<0.002	<0.004	
NMG-MW-13	3/7/2012	<0.001	<0.002	<0.002	<0.004	
NMG-MW-13	9/5/2012	<0.001	<0.002	<0.002	<0.003	
NMG-MW-13	2/20/2013	<0.001	<0.002	<0.002	<0.003	
NMG-MW-13	9/12/2013	<0.001	<0.002	<0.002	<0.003	
NMG-MW-13	9/24/2014	<0.001	<0.001	<0.001	<0.001	
NMG-MW-13	2/25/2015	<0.001	<0.001	<0.001	<0.003	
NMG-MW-13	9/2/2015	<0.001	<0.001	<0.001	<0.003	
NMG-MW-13	3/22/2016	<0.0010	<0.0010	<0.0010	<0.0030	
NMG-MW-13	9/27/2016	Obstruction @ 16.35'				
NMG-MW-13	3/8/2017	<0.00100	<0.00100	<0.00100	<0.0010	
NMG-MW-13	9/27/2017	<0.00100	<0.00100	<0.00100	<0.00300	
NMG-MW-13	9/13/2018	Well Not on Sampling Plan				
Trip Blank	9/25/2014	<0.001	<0.001	<0.001	<0.001	
Trip Blank	9/2/2015	<0.001	<0.001	<0.001	<0.003	
Trip Blank	2/25/2015	<0.001	<0.001	<0.001	<0.003	
Trip Blank	9/2/2015	<0.001	<0.001	<0.001	<0.003	
Trip Blank	9/2/2015	<0.001	<0.001	<0.001	<0.003	
Trip Blank	2/25/2015	<0.001	<0.001	<0.001	<0.003	
Trip Blank	2/25/2015	<0.001	<0.001	<0.001	<0.003	
Trip Blank	3/22/2016	<0.0010	<0.0010	<0.0010	<0.0030	
Trip Blank	9/27/2016	<0.0010	<0.0010	<0.0010	<0.0030	
Trip Blank	3/8/2017	<0.00100	<0.00100	<0.00100	<0.0010	
Trip Blank	9/27/2017	NA	NA	NA	NA	Trip Blank not submitted
Trip Blank 1	9/14/2018	<0.00100	<0.00100	<0.00100	<0.00300	
Trip Blank 2	9/14/2018	<0.00100	0.000505 J	<0.0010	<0.0030	
Trip Blank	6/12/2019	<0.00100	<0.00100	<0.00100	<0.0010	
Trip Blank	6/11/2020	NA	NA	NA	NA	
Trip Blank	6/17/2021	<0.00100	<0.00100	<0.00100	<0.00300	
Trip Blank	9/21/2022	<0.00100	<0.00100	<0.00100	<0.00300	
Trip Blank	9/27/2023	<0.00100	<0.00100	<0.00100	<0.00300	

Notes:

Bold red values indicate an exceedance of the associated NMWQCC standard (Effective 7/1/2020) or, for chlorides, the secondary maximum contaminant level (SMCL) which has been established as a guideline in the National Secondary Drinking Water Regulations.

NMWQCC = New Mexico Water Quality Control Commission

LNAPL = Light Non-Aqueous Phase Liquid

J=A qualifier indicating an estimated value of a concentration above the laboratory's Method Detection Limit (MDL) but below the Reported Detection Limit (RDL).

NS = Not Sampled

NA=Not applicable

mg/L = milligrams per liter

Appendix B

Laboratory Analytical Report

- Pace Analytical Report #: L1660511



ANALYTICAL REPORT

October 06, 2023

DCP Midstream - Tasman

Sample Delivery Group: L1660511
Samples Received: 09/28/2023
Project Number:
Description: Eldridge Ranch

Report To: Kyle Norman
2620 W. Marland Blvd
Hobbs, NM 88240

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Entire Report Reviewed By:

Chris Ward

Chris Ward
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

Cp: Cover Page	1	¹ Cp
Tc: Table of Contents	2	
Ss: Sample Summary	3	² Tc
Cn: Case Narrative	7	
Sr: Sample Results	8	³ Ss
MW-6 L1660511-01	8	
MW-8 L1660511-02	9	⁴ Cn
MW-10 L1660511-03	10	⁵ Sr
MW-11 L1660511-04	11	
MW-12 L1660511-05	12	⁶ Qc
MW-18 L1660511-06	13	
MW-19 L1660511-07	14	⁷ Gl
MW-20 L1660511-08	15	⁸ Al
MW-22 L1660511-09	16	
MW-23 L1660511-10	17	⁹ Sc
MW-25 L1660511-11	18	
MW-26 L1660511-12	19	
MW-29 L1660511-13	20	
MW-E L1660511-14	21	
MW-F L1660511-15	22	
MW-I L1660511-16	23	
MW-M L1660511-17	24	
MW-N L1660511-18	25	
MW-O L1660511-19	26	
MW-Q L1660511-20	27	
MW-S L1660511-21	28	
MW-EE L1660511-22	29	
MW-MM L1660511-23	30	
NMG-MW-5 L1660511-24	31	
NMG-MW-10 L1660511-25	32	
DUPLICATE 1 L1660511-26	33	
DUPLICATE 2 L1660511-27	34	
DUPLICATE 3 L1660511-28	35	
TRIP BLANK L1660511-29	36	
Qc: Quality Control Summary	37	
Volatile Organic Compounds (GC/MS) by Method 8260B	37	
Gl: Glossary of Terms	39	
Al: Accreditations & Locations	40	
Sc: Sample Chain of Custody	41	

MW-6 L1660511-01 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2142646	1	10/01/23 09:55	10/01/23 09:55	DYW	Mt. Juliet, TN

Collected by
Kendon Stark

Collected date/time
09/27/23 10:32

Received date/time
09/28/23 09:00

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

MW-8 L1660511-02 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2142646	1	10/01/23 10:17	10/01/23 10:17	DYW	Mt. Juliet, TN

Collected by
Kendon Stark

Collected date/time
09/27/23 09:25

Received date/time
09/28/23 09:00

MW-10 L1660511-03 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2142646	1	10/01/23 10:38	10/01/23 10:38	DYW	Mt. Juliet, TN

Collected by
Kendon Stark

Collected date/time
09/27/23 09:07

Received date/time
09/28/23 09:00

MW-11 L1660511-04 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2142646	1	10/01/23 11:00	10/01/23 11:00	DYW	Mt. Juliet, TN

Collected by
Kendon Stark

Collected date/time
09/27/23 08:55

Received date/time
09/28/23 09:00

MW-12 L1660511-05 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2142646	1	10/01/23 11:22	10/01/23 11:22	DYW	Mt. Juliet, TN

Collected by
Kendon Stark

Collected date/time
09/27/23 08:36

Received date/time
09/28/23 09:00

MW-18 L1660511-06 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2142646	1	10/01/23 11:44	10/01/23 11:44	DYW	Mt. Juliet, TN

Collected by
Kendon Stark

Collected date/time
09/27/23 09:57

Received date/time
09/28/23 09:00

MW-19 L1660511-07 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2142646	1	10/01/23 12:05	10/01/23 12:05	DYW	Mt. Juliet, TN

Collected by
Kendon Stark

Collected date/time
09/27/23 10:15

Received date/time
09/28/23 09:00

MW-20 L1660511-08 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2142646	1	10/01/23 12:27	10/01/23 12:27	DYW	Mt. Juliet, TN

Collected by
Kendon Stark

Collected date/time
09/27/23 08:22

Received date/time
09/28/23 09:00

MW-22 L1660511-09 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2142646	1	10/01/23 12:49	10/01/23 12:49	DYW	Mt. Juliet, TN

Collected by
Kendon Stark

Collected date/time
09/26/23 12:58

Received date/time
09/28/23 09:00

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

MW-23 L1660511-10 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2142646	20	10/01/23 13:33	10/01/23 13:33	DYW	Mt. Juliet, TN

Collected by
Kendon Stark

Collected date/time
09/26/23 11:58

Received date/time
09/28/23 09:00

MW-25 L1660511-11 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2142646	1	10/01/23 13:11	10/01/23 13:11	DYW	Mt. Juliet, TN

Collected by
Kendon Stark

Collected date/time
09/26/23 11:07

Received date/time
09/28/23 09:00

MW-26 L1660511-12 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2142646	50	10/01/23 13:54	10/01/23 13:54	DYW	Mt. Juliet, TN

Collected by
Kendon Stark

Collected date/time
09/26/23 11:28

Received date/time
09/28/23 09:00

MW-29 L1660511-13 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2142801	1	10/01/23 17:00	10/01/23 17:00	JAH	Mt. Juliet, TN

Collected by
Kendon Stark

Collected date/time
09/26/23 12:13

Received date/time
09/28/23 09:00

MW-E L1660511-14 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2142801	1	10/01/23 17:20	10/01/23 17:20	JAH	Mt. Juliet, TN

Collected by
Kendon Stark

Collected date/time
09/27/23 10:45

Received date/time
09/28/23 09:00

MW-F L1660511-15 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2142801	1	10/01/23 17:41	10/01/23 17:41	JAH	Mt. Juliet, TN

Collected by
Kendon Stark

Collected date/time
09/27/23 10:56

Received date/time
09/28/23 09:00

MW-I L1660511-16 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2142801	1	10/01/23 18:02	10/01/23 18:02	JAH	Mt. Juliet, TN

Collected by
Kendon Stark

Collected date/time
09/27/23 09:41

Received date/time
09/28/23 09:00

MW-M L1660511-17 GW

				Collected by Kendon Stark	Collected date/time 09/27/23 07:39	Received date/time 09/28/23 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2142801	1	10/01/23 18:22	10/01/23 18:22	JAH	Mt. Juliet, TN

1
Cp

2
Tc

3
Ss

MW-N L1660511-18 GW

				Collected by Kendon Stark	Collected date/time 09/26/23 13:32	Received date/time 09/28/23 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2142801	1	10/01/23 18:43	10/01/23 18:43	JAH	Mt. Juliet, TN

4
Cn

5
Sr

MW-O L1660511-19 GW

				Collected by Kendon Stark	Collected date/time 09/26/23 13:48	Received date/time 09/28/23 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2142801	1	10/01/23 19:04	10/01/23 19:04	JAH	Mt. Juliet, TN

6
Qc

7
Gl

MW-Q L1660511-20 GW

				Collected by Kendon Stark	Collected date/time 09/27/23 07:55	Received date/time 09/28/23 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2142801	1	10/01/23 19:24	10/01/23 19:24	JAH	Mt. Juliet, TN

8
Al

9
Sc

MW-S L1660511-21 GW

				Collected by Kendon Stark	Collected date/time 09/27/23 08:08	Received date/time 09/28/23 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2142801	1	10/01/23 19:45	10/01/23 19:45	JAH	Mt. Juliet, TN

MW-EE L1660511-22 GW

				Collected by Kendon Stark	Collected date/time 09/26/23 11:43	Received date/time 09/28/23 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2142801	1	10/01/23 20:05	10/01/23 20:05	JAH	Mt. Juliet, TN

MW-MM L1660511-23 GW

				Collected by Kendon Stark	Collected date/time 09/26/23 12:29	Received date/time 09/28/23 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2142801	1	10/01/23 20:26	10/01/23 20:26	JAH	Mt. Juliet, TN

NMG-MW-5 L1660511-24 GW

				Collected by Kendon Stark	Collected date/time 09/26/23 10:32	Received date/time 09/28/23 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2142801	1	10/01/23 20:47	10/01/23 20:47	JAH	Mt. Juliet, TN

NMG-MW-10 L1660511-25 GW

Collected by
Kendon Stark

Collected date/time
09/26/23 10:49

Received date/time
09/28/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2142801	1	10/01/23 21:07	10/01/23 21:07	JAH	Mt. Juliet, TN

¹Cp

²Tc

³Ss

DUPLICATE 1 L1660511-26 GW

Collected by
Kendon Stark

Collected date/time
09/26/23 00:00

Received date/time
09/28/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2142801	1	10/01/23 21:28	10/01/23 21:28	JAH	Mt. Juliet, TN

⁴Cn

⁵Sr

DUPLICATE 2 L1660511-27 GW

Collected by
Kendon Stark

Collected date/time
09/27/23 00:00

Received date/time
09/28/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2142801	1	10/01/23 21:48	10/01/23 21:48	JAH	Mt. Juliet, TN

⁶Qc

⁷Gl

⁸Al

DUPLICATE 3 L1660511-28 GW

Collected by
Kendon Stark

Collected date/time
09/27/23 00:00

Received date/time
09/28/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2142801	1	10/01/23 22:09	10/01/23 22:09	JAH	Mt. Juliet, TN

⁹Sc

TRIP BLANK L1660511-29 GW

Collected by
Kendon Stark

Collected date/time
09/27/23 00:00

Received date/time
09/28/23 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2142801	1	10/01/23 16:39	10/01/23 16:39	JAH	Mt. Juliet, TN

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Chris Ward
Project Manager

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ Gl
- ⁸ Al
- ⁹ Sc

Collected date/time: 09/27/23 10:32

L1660511

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	U		0.0000941	0.00100	1	10/01/2023 09:55	WG2142646
Toluene	U		0.000278	0.00100	1	10/01/2023 09:55	WG2142646
Ethylbenzene	U		0.000137	0.00100	1	10/01/2023 09:55	WG2142646
Total Xylenes	U		0.000174	0.00300	1	10/01/2023 09:55	WG2142646
(S) Toluene-d8	111			80.0-120		10/01/2023 09:55	WG2142646
(S) 4-Bromofluorobenzene	89.8			77.0-126		10/01/2023 09:55	WG2142646
(S) 1,2-Dichloroethane-d4	95.9			70.0-130		10/01/2023 09:55	WG2142646

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 09/27/23 09:25

L1660511

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	0.000164	J	0.0000941	0.00100	1	10/01/2023 10:17	WG2142646
Toluene	U		0.000278	0.00100	1	10/01/2023 10:17	WG2142646
Ethylbenzene	U		0.000137	0.00100	1	10/01/2023 10:17	WG2142646
Total Xylenes	U		0.000174	0.00300	1	10/01/2023 10:17	WG2142646
(S) Toluene-d8	115			80.0-120		10/01/2023 10:17	WG2142646
(S) 4-Bromofluorobenzene	89.1			77.0-126		10/01/2023 10:17	WG2142646
(S) 1,2-Dichloroethane-d4	96.5			70.0-130		10/01/2023 10:17	WG2142646

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 09/27/23 09:07

L1660511

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	U		0.0000941	0.00100	1	10/01/2023 10:38	WG2142646
Toluene	U		0.000278	0.00100	1	10/01/2023 10:38	WG2142646
Ethylbenzene	U		0.000137	0.00100	1	10/01/2023 10:38	WG2142646
Total Xylenes	U		0.000174	0.00300	1	10/01/2023 10:38	WG2142646
(S) Toluene-d8	113			80.0-120		10/01/2023 10:38	WG2142646
(S) 4-Bromofluorobenzene	90.8			77.0-126		10/01/2023 10:38	WG2142646
(S) 1,2-Dichloroethane-d4	96.3			70.0-130		10/01/2023 10:38	WG2142646

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 09/27/23 08:55

L1660511

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	0.00180		0.0000941	0.00100	1	10/01/2023 11:00	WG2142646
Toluene	U		0.000278	0.00100	1	10/01/2023 11:00	WG2142646
Ethylbenzene	0.00104		0.000137	0.00100	1	10/01/2023 11:00	WG2142646
Total Xylenes	0.000940	J	0.000174	0.00300	1	10/01/2023 11:00	WG2142646
(S) Toluene-d8	112			80.0-120		10/01/2023 11:00	WG2142646
(S) 4-Bromofluorobenzene	92.1			77.0-126		10/01/2023 11:00	WG2142646
(S) 1,2-Dichloroethane-d4	94.1			70.0-130		10/01/2023 11:00	WG2142646

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 09/27/23 08:36

L1660511

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	0.000122	J	0.0000941	0.00100	1	10/01/2023 11:22	WG2142646
Toluene	U		0.000278	0.00100	1	10/01/2023 11:22	WG2142646
Ethylbenzene	U		0.000137	0.00100	1	10/01/2023 11:22	WG2142646
Total Xylenes	U		0.000174	0.00300	1	10/01/2023 11:22	WG2142646
(S) Toluene-d8	116			80.0-120		10/01/2023 11:22	WG2142646
(S) 4-Bromofluorobenzene	93.6			77.0-126		10/01/2023 11:22	WG2142646
(S) 1,2-Dichloroethane-d4	97.8			70.0-130		10/01/2023 11:22	WG2142646

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Collected date/time: 09/27/23 09:57

L1660511

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	U		0.0000941	0.00100	1	10/01/2023 11:44	WG2142646
Toluene	U		0.000278	0.00100	1	10/01/2023 11:44	WG2142646
Ethylbenzene	U		0.000137	0.00100	1	10/01/2023 11:44	WG2142646
Total Xylenes	U		0.000174	0.00300	1	10/01/2023 11:44	WG2142646
(S) Toluene-d8	111			80.0-120		10/01/2023 11:44	WG2142646
(S) 4-Bromofluorobenzene	90.6			77.0-126		10/01/2023 11:44	WG2142646
(S) 1,2-Dichloroethane-d4	97.4			70.0-130		10/01/2023 11:44	WG2142646

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 09/27/23 10:15

L1660511

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	U		0.0000941	0.00100	1	10/01/2023 12:05	WG2142646
Toluene	U		0.000278	0.00100	1	10/01/2023 12:05	WG2142646
Ethylbenzene	U		0.000137	0.00100	1	10/01/2023 12:05	WG2142646
Total Xylenes	U		0.000174	0.00300	1	10/01/2023 12:05	WG2142646
(S) Toluene-d8	110			80.0-120		10/01/2023 12:05	WG2142646
(S) 4-Bromofluorobenzene	88.8			77.0-126		10/01/2023 12:05	WG2142646
(S) 1,2-Dichloroethane-d4	97.1			70.0-130		10/01/2023 12:05	WG2142646

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 09/27/23 08:22

L1660511

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	U		0.0000941	0.00100	1	10/01/2023 12:27	WG2142646
Toluene	U		0.000278	0.00100	1	10/01/2023 12:27	WG2142646
Ethylbenzene	U		0.000137	0.00100	1	10/01/2023 12:27	WG2142646
Total Xylenes	U		0.000174	0.00300	1	10/01/2023 12:27	WG2142646
(S) Toluene-d8	109			80.0-120		10/01/2023 12:27	WG2142646
(S) 4-Bromofluorobenzene	86.7			77.0-126		10/01/2023 12:27	WG2142646
(S) 1,2-Dichloroethane-d4	99.1			70.0-130		10/01/2023 12:27	WG2142646

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 09/26/23 12:58

L1660511

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	U		0.0000941	0.00100	1	10/01/2023 12:49	WG2142646
Toluene	U		0.000278	0.00100	1	10/01/2023 12:49	WG2142646
Ethylbenzene	U		0.000137	0.00100	1	10/01/2023 12:49	WG2142646
Total Xylenes	U		0.000174	0.00300	1	10/01/2023 12:49	WG2142646
(S) Toluene-d8	113			80.0-120		10/01/2023 12:49	WG2142646
(S) 4-Bromofluorobenzene	89.7			77.0-126		10/01/2023 12:49	WG2142646
(S) 1,2-Dichloroethane-d4	97.1			70.0-130		10/01/2023 12:49	WG2142646

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 09/26/23 11:58

L1660511

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	0.149		0.00188	0.0200	20	10/01/2023 13:33	WG2142646
Toluene	0.0283		0.00556	0.0200	20	10/01/2023 13:33	WG2142646
Ethylbenzene	0.252		0.00274	0.0200	20	10/01/2023 13:33	WG2142646
Total Xylenes	0.150		0.00348	0.0600	20	10/01/2023 13:33	WG2142646
(S) Toluene-d8	115			80.0-120		10/01/2023 13:33	WG2142646
(S) 4-Bromofluorobenzene	91.3			77.0-126		10/01/2023 13:33	WG2142646
(S) 1,2-Dichloroethane-d4	97.9			70.0-130		10/01/2023 13:33	WG2142646

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 09/26/23 11:07

L1660511

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	U		0.0000941	0.00100	1	10/01/2023 13:11	WG2142646
Toluene	U		0.000278	0.00100	1	10/01/2023 13:11	WG2142646
Ethylbenzene	U		0.000137	0.00100	1	10/01/2023 13:11	WG2142646
Total Xylenes	U		0.000174	0.00300	1	10/01/2023 13:11	WG2142646
(S) Toluene-d8	112			80.0-120		10/01/2023 13:11	WG2142646
(S) 4-Bromofluorobenzene	90.2			77.0-126		10/01/2023 13:11	WG2142646
(S) 1,2-Dichloroethane-d4	98.5			70.0-130		10/01/2023 13:11	WG2142646

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 09/26/23 11:28

L1660511

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	0.239		0.00471	0.0500	50	10/01/2023 13:54	WG2142646
Toluene	0.116		0.0139	0.0500	50	10/01/2023 13:54	WG2142646
Ethylbenzene	0.148		0.00685	0.0500	50	10/01/2023 13:54	WG2142646
Total Xylenes	0.572		0.00870	0.150	50	10/01/2023 13:54	WG2142646
(S) Toluene-d8	114			80.0-120		10/01/2023 13:54	WG2142646
(S) 4-Bromofluorobenzene	91.4			77.0-126		10/01/2023 13:54	WG2142646
(S) 1,2-Dichloroethane-d4	98.8			70.0-130		10/01/2023 13:54	WG2142646

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 09/26/23 12:13

L1660511

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	U		0.0000941	0.00100	1	10/01/2023 17:00	WG2142801
Toluene	U		0.000278	0.00100	1	10/01/2023 17:00	WG2142801
Ethylbenzene	U		0.000137	0.00100	1	10/01/2023 17:00	WG2142801
Total Xylenes	U		0.000174	0.00300	1	10/01/2023 17:00	WG2142801
(S) Toluene-d8	95.0			80.0-120		10/01/2023 17:00	WG2142801
(S) 4-Bromofluorobenzene	87.4			77.0-126		10/01/2023 17:00	WG2142801
(S) 1,2-Dichloroethane-d4	113			70.0-130		10/01/2023 17:00	WG2142801

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 09/27/23 10:45

L1660511

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	U		0.0000941	0.00100	1	10/01/2023 17:20	WG2142801
Toluene	U		0.000278	0.00100	1	10/01/2023 17:20	WG2142801
Ethylbenzene	U		0.000137	0.00100	1	10/01/2023 17:20	WG2142801
Total Xylenes	U		0.000174	0.00300	1	10/01/2023 17:20	WG2142801
(S) Toluene-d8	96.1			80.0-120		10/01/2023 17:20	WG2142801
(S) 4-Bromofluorobenzene	89.3			77.0-126		10/01/2023 17:20	WG2142801
(S) 1,2-Dichloroethane-d4	112			70.0-130		10/01/2023 17:20	WG2142801

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 09/27/23 10:56

L1660511

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	U		0.0000941	0.00100	1	10/01/2023 17:41	WG2142801
Toluene	U		0.000278	0.00100	1	10/01/2023 17:41	WG2142801
Ethylbenzene	U		0.000137	0.00100	1	10/01/2023 17:41	WG2142801
Total Xylenes	U		0.000174	0.00300	1	10/01/2023 17:41	WG2142801
(S) Toluene-d8	95.6			80.0-120		10/01/2023 17:41	WG2142801
(S) 4-Bromofluorobenzene	88.5			77.0-126		10/01/2023 17:41	WG2142801
(S) 1,2-Dichloroethane-d4	114			70.0-130		10/01/2023 17:41	WG2142801

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 09/27/23 09:41

L1660511

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	U		0.0000941	0.00100	1	10/01/2023 18:02	WG2142801
Toluene	U		0.000278	0.00100	1	10/01/2023 18:02	WG2142801
Ethylbenzene	U		0.000137	0.00100	1	10/01/2023 18:02	WG2142801
Total Xylenes	U		0.000174	0.00300	1	10/01/2023 18:02	WG2142801
(S) Toluene-d8	95.1			80.0-120		10/01/2023 18:02	WG2142801
(S) 4-Bromofluorobenzene	87.8			77.0-126		10/01/2023 18:02	WG2142801
(S) 1,2-Dichloroethane-d4	111			70.0-130		10/01/2023 18:02	WG2142801

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 09/27/23 07:39

L1660511

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	0.000110	J	0.0000941	0.00100	1	10/01/2023 18:22	WG2142801
Toluene	U		0.000278	0.00100	1	10/01/2023 18:22	WG2142801
Ethylbenzene	0.00300		0.000137	0.00100	1	10/01/2023 18:22	WG2142801
Total Xylenes	0.000619	J	0.000174	0.00300	1	10/01/2023 18:22	WG2142801
(S) Toluene-d8	96.5			80.0-120		10/01/2023 18:22	WG2142801
(S) 4-Bromofluorobenzene	90.8			77.0-126		10/01/2023 18:22	WG2142801
(S) 1,2-Dichloroethane-d4	113			70.0-130		10/01/2023 18:22	WG2142801

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 09/26/23 13:32

L1660511

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	0.184		0.0000941	0.00100	1	10/01/2023 18:43	WG2142801
Toluene	U		0.000278	0.00100	1	10/01/2023 18:43	WG2142801
Ethylbenzene	0.00150		0.000137	0.00100	1	10/01/2023 18:43	WG2142801
Total Xylenes	0.00109	J	0.000174	0.00300	1	10/01/2023 18:43	WG2142801
(S) Toluene-d8	95.4			80.0-120		10/01/2023 18:43	WG2142801
(S) 4-Bromofluorobenzene	87.0			77.0-126		10/01/2023 18:43	WG2142801
(S) 1,2-Dichloroethane-d4	107			70.0-130		10/01/2023 18:43	WG2142801

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 09/26/23 13:48

L1660511

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	0.00125		0.0000941	0.00100	1	10/01/2023 19:04	WG2142801
Toluene	U		0.000278	0.00100	1	10/01/2023 19:04	WG2142801
Ethylbenzene	U		0.000137	0.00100	1	10/01/2023 19:04	WG2142801
Total Xylenes	U		0.000174	0.00300	1	10/01/2023 19:04	WG2142801
(S) Toluene-d8	97.1			80.0-120		10/01/2023 19:04	WG2142801
(S) 4-Bromofluorobenzene	81.1			77.0-126		10/01/2023 19:04	WG2142801
(S) 1,2-Dichloroethane-d4	105			70.0-130		10/01/2023 19:04	WG2142801

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 09/27/23 07:55

L1660511

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	U		0.0000941	0.00100	1	10/01/2023 19:24	WG2142801
Toluene	U		0.000278	0.00100	1	10/01/2023 19:24	WG2142801
Ethylbenzene	U		0.000137	0.00100	1	10/01/2023 19:24	WG2142801
Total Xylenes	U		0.000174	0.00300	1	10/01/2023 19:24	WG2142801
(S) Toluene-d8	92.3			80.0-120		10/01/2023 19:24	WG2142801
(S) 4-Bromofluorobenzene	86.8			77.0-126		10/01/2023 19:24	WG2142801
(S) 1,2-Dichloroethane-d4	115			70.0-130		10/01/2023 19:24	WG2142801

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 09/27/23 08:08

L1660511

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	U		0.0000941	0.00100	1	10/01/2023 19:45	WG2142801
Toluene	U		0.000278	0.00100	1	10/01/2023 19:45	WG2142801
Ethylbenzene	U		0.000137	0.00100	1	10/01/2023 19:45	WG2142801
Total Xylenes	U		0.000174	0.00300	1	10/01/2023 19:45	WG2142801
(S) Toluene-d8	94.8			80.0-120		10/01/2023 19:45	WG2142801
(S) 4-Bromofluorobenzene	88.9			77.0-126		10/01/2023 19:45	WG2142801
(S) 1,2-Dichloroethane-d4	115			70.0-130		10/01/2023 19:45	WG2142801

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 09/26/23 11:43

L1660511

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	0.00219		0.0000941	0.00100	1	10/01/2023 20:05	WG2142801
Toluene	U		0.000278	0.00100	1	10/01/2023 20:05	WG2142801
Ethylbenzene	U		0.000137	0.00100	1	10/01/2023 20:05	WG2142801
Total Xylenes	U		0.000174	0.00300	1	10/01/2023 20:05	WG2142801
(S) Toluene-d8	95.3			80.0-120		10/01/2023 20:05	WG2142801
(S) 4-Bromofluorobenzene	91.1			77.0-126		10/01/2023 20:05	WG2142801
(S) 1,2-Dichloroethane-d4	112			70.0-130		10/01/2023 20:05	WG2142801

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 09/26/23 12:29

L1660511

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	0.000113	J	0.0000941	0.00100	1	10/01/2023 20:26	WG2142801
Toluene	U		0.000278	0.00100	1	10/01/2023 20:26	WG2142801
Ethylbenzene	U		0.000137	0.00100	1	10/01/2023 20:26	WG2142801
Total Xylenes	U		0.000174	0.00300	1	10/01/2023 20:26	WG2142801
(S) Toluene-d8	96.1			80.0-120		10/01/2023 20:26	WG2142801
(S) 4-Bromofluorobenzene	89.9			77.0-126		10/01/2023 20:26	WG2142801
(S) 1,2-Dichloroethane-d4	113			70.0-130		10/01/2023 20:26	WG2142801

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 09/26/23 10:32

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	0.00176		0.0000941	0.00100	1	10/01/2023 20:47	WG2142801
Toluene	0.0140		0.000278	0.00100	1	10/01/2023 20:47	WG2142801
Ethylbenzene	0.00683		0.000137	0.00100	1	10/01/2023 20:47	WG2142801
Total Xylenes	0.0305		0.000174	0.00300	1	10/01/2023 20:47	WG2142801
(S) Toluene-d8	96.1			80.0-120		10/01/2023 20:47	WG2142801
(S) 4-Bromofluorobenzene	89.3			77.0-126		10/01/2023 20:47	WG2142801
(S) 1,2-Dichloroethane-d4	108			70.0-130		10/01/2023 20:47	WG2142801

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 09/26/23 10:49

L1660511

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	U		0.0000941	0.00100	1	10/01/2023 21:07	WG2142801
Toluene	U		0.000278	0.00100	1	10/01/2023 21:07	WG2142801
Ethylbenzene	U		0.000137	0.00100	1	10/01/2023 21:07	WG2142801
Total Xylenes	U		0.000174	0.00300	1	10/01/2023 21:07	WG2142801
(S) Toluene-d8	92.9			80.0-120		10/01/2023 21:07	WG2142801
(S) 4-Bromofluorobenzene	87.8			77.0-126		10/01/2023 21:07	WG2142801
(S) 1,2-Dichloroethane-d4	113			70.0-130		10/01/2023 21:07	WG2142801

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 09/26/23 00:00

L1660511

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	0.00261		0.0000941	0.00100	1	10/01/2023 21:28	WG2142801
Toluene	U		0.000278	0.00100	1	10/01/2023 21:28	WG2142801
Ethylbenzene	U		0.000137	0.00100	1	10/01/2023 21:28	WG2142801
Total Xylenes	U		0.000174	0.00300	1	10/01/2023 21:28	WG2142801
(S) Toluene-d8	91.8			80.0-120		10/01/2023 21:28	WG2142801
(S) 4-Bromofluorobenzene	88.9			77.0-126		10/01/2023 21:28	WG2142801
(S) 1,2-Dichloroethane-d4	117			70.0-130		10/01/2023 21:28	WG2142801

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 09/27/23 00:00

L1660511

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	0.00220		0.0000941	0.00100	1	10/01/2023 21:48	WG2142801
Toluene	U		0.000278	0.00100	1	10/01/2023 21:48	WG2142801
Ethylbenzene	0.000798	J	0.000137	0.00100	1	10/01/2023 21:48	WG2142801
Total Xylenes	0.000773	J	0.000174	0.00300	1	10/01/2023 21:48	WG2142801
(S) Toluene-d8	93.7			80.0-120		10/01/2023 21:48	WG2142801
(S) 4-Bromofluorobenzene	86.9			77.0-126		10/01/2023 21:48	WG2142801
(S) 1,2-Dichloroethane-d4	111			70.0-130		10/01/2023 21:48	WG2142801

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 09/27/23 00:00

L1660511

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	U		0.0000941	0.00100	1	10/01/2023 22:09	WG2142801
Toluene	U		0.000278	0.00100	1	10/01/2023 22:09	WG2142801
Ethylbenzene	U		0.000137	0.00100	1	10/01/2023 22:09	WG2142801
Total Xylenes	U		0.000174	0.00300	1	10/01/2023 22:09	WG2142801
(S) Toluene-d8	94.3			80.0-120		10/01/2023 22:09	WG2142801
(S) 4-Bromofluorobenzene	87.7			77.0-126		10/01/2023 22:09	WG2142801
(S) 1,2-Dichloroethane-d4	112			70.0-130		10/01/2023 22:09	WG2142801

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 09/27/23 00:00

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	U		0.0000941	0.00100	1	10/01/2023 16:39	WG2142801
Toluene	U		0.000278	0.00100	1	10/01/2023 16:39	WG2142801
Ethylbenzene	U		0.000137	0.00100	1	10/01/2023 16:39	WG2142801
Total Xylenes	U		0.000174	0.00300	1	10/01/2023 16:39	WG2142801
(S) Toluene-d8	95.4			80.0-120		10/01/2023 16:39	WG2142801
(S) 4-Bromofluorobenzene	90.0			77.0-126		10/01/2023 16:39	WG2142801
(S) 1,2-Dichloroethane-d4	114			70.0-130		10/01/2023 16:39	WG2142801

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

[L1660511-01,02,03,04,05,06,07,08,09,10,11,12](#)

Method Blank (MB)

(MB) R3982010-2 10/01/23 06:39

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Benzene	U		0.0000941	0.00100
Toluene	U		0.000278	0.00100
Ethylbenzene	U		0.000137	0.00100
Total Xylenes	U		0.000174	0.00300
(S) Toluene-d8	114			80.0-120
(S) 4-Bromofluorobenzene	92.1			77.0-126
(S) 1,2-Dichloroethane-d4	94.7			70.0-130

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Laboratory Control Sample (LCS)

(LCS) R3982010-1 10/01/23 05:55

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Benzene	0.00500	0.00413	82.6	70.0-123	
Toluene	0.00500	0.00439	87.8	79.0-120	
Ethylbenzene	0.00500	0.00444	88.8	79.0-123	
Total Xylenes	0.0150	0.0132	88.0	79.0-123	
(S) Toluene-d8			112	80.0-120	
(S) 4-Bromofluorobenzene			96.9	77.0-126	
(S) 1,2-Dichloroethane-d4			97.1	70.0-130	

Method Blank (MB)

(MB) R3980504-3 10/01/23 14:56

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Benzene	U		0.0000941	0.00100
Toluene	U		0.000278	0.00100
Ethylbenzene	U		0.000137	0.00100
Total Xylenes	U		0.000174	0.00300
(S) Toluene-d8	94.6			80.0-120
(S) 4-Bromofluorobenzene	88.3			77.0-126
(S) 1,2-Dichloroethane-d4	111			70.0-130

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Laboratory Control Sample (LCS)

(LCS) R3980504-1 10/01/23 13:34

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Benzene	0.00500	0.00546	109	70.0-123	
Toluene	0.00500	0.00500	100	79.0-120	
Ethylbenzene	0.00500	0.00437	87.4	79.0-123	
Total Xylenes	0.0150	0.0123	82.0	79.0-123	
(S) Toluene-d8			94.0	80.0-120	
(S) 4-Bromofluorobenzene			89.3	77.0-126	
(S) 1,2-Dichloroethane-d4			113	70.0-130	

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

QualifierDescription

J	The identification of the analyte is acceptable; the reported value is an estimate.
---	---

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey--NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio--VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1 6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1 4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA -- ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA -- ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA--Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable
* Not all certifications held by the laboratory are applicable to the results reported in the attached report.
* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

¹Cp

²Tc

³Ss

⁴Cn



⁵Sr


⁶Qc

⁷Gl

⁸Al

⁹Sc

Company Name/Address: DCP Midstream - Tasman 2620 W. Marland Blvd Hobbs, NM 88240				Billing Information: Steve Weathers 370 17th St, Ste 2500 Denver, CO 80202				Pres Chk		Analysis / Container / Preservative										Chain of Custody Page ____ of ____											
Report to: Brett Dennis				Email To: swwathers@dcpmidstream.com;knorman@tas																 MT JULIET, TN 12065 Lebanon Rd Mount Juliet, TN 37122 Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: https://info.pacelabs.com/hubfs/pas-standard-terms.pdf											
Project Description: K5 Former Hobbs Booster Station Eldridge Ranch				City/State Collected:				Please Circle: PT MT CT ET												SDG # L1660511 D085											
Phone: 575-318-5017				Client Project #				Lab Project # K5 DCPTASMAN-HOBBSBOOST Eldridge Ranch												Acctnum: DCPTASMAN Template: T237553											
Collected by (print): Kendon Stark				Site/Facility ID #				P.O. # 0000662016												Prelogin: P1023529 PM: 824 - Chris Ward PB: OR 9-7-23											
Collected by (signature): 				Rush? (Lab MUST Be Notified) ☐ Same Day ☐ Five Day ☐ Next Day ☐ 5 Day (Rad Only) ☐ Two Day ☐ 10 Day (Rad Only) ☐ Three Day				Quote #												Shipped Via: FedEX Ground											
Immediately Packed on Ice N ☐ Y ☒				Date Results Needed				No. of Cntrs												Remarks Sample # (lab only)											
Sample ID				Comp/Grab		Matrix *		Depth		Date		Time		No. of Cntrs																	
MW-6				Grab		GW		NA		9.27.23		10:32		3		X															
MW-8				Grab		GW		NA		9.27.23		09:25		3		X															
MW-10				Grab		GW		NA		9.27.23		09:07		3		X															
MW-11				Grab		GW		NA		9.27.23		08:55		3		X															
MW-12				Grab		GW		NA		9.27.23		08:36		3		X															
MW-14				Grab		GW		NA		9.27.23		08:36		3		X															
MW-18				Grab		GW		NA		9.27.23		09:57		3		X															
MW-19				Grab		GW		NA		9.27.23		10:15		3		X															
MW-20				Grab		GW		NA		9.27.23		08:22		3		X															
MW-22				Grab		GW		NA		9.26.23		12:58		3		X															
* Matrix: SS - Soil AIR - Air F - Filter GW - Groundwater B - Bioassay WW - WasteWater DW - Drinking Water OT - Other _____				Remarks:														pH _____ Temp _____ Flow _____ Other _____				Sample Receipt Checklist COC Seal Present/Intact: ☒ NP ☐ N COC Signed/Accurate: ☒ Y ☐ N Bottles arrive intact: ☒ Y ☐ N Correct bottles used: ☒ Y ☐ N Sufficient volume sent: ☒ Y ☐ N If Applicable VOA Zero Headspace: ☒ Y ☐ N Preservation Correct/Checked: ☒ Y ☐ N RAD Screen <0.5 mR/hr: ☒ Y ☐ N									
Relinquished by: (Signature) 				Date: 9.27.23				Time: 12:15				Received by: (Signature) 				Trip Blank Received: Yes/No 3 ☒ Yes ☐ No MeOH TBR				Temp: 84 °C Bottles Received:				If preservation required by Login: Date/Time							
Relinquished by: (Signature)				Date:				Time:				Received by: (Signature)				Temp: °C Bottles Received:				If preservation required by Login: Date/Time											
Relinquished by: (Signature)				Date:				Time:				Received for lab by: (Signature)				Date:				Time:				Hold:				Condition: NCF / OK			

Company Name/Address: DCP Midstream - Tasman 2620 W. Marland Blvd Hobbs, NM 88240				Billing Information: Steve Weathers 370 17th St, Ste 2500 Denver, CO 80202				Pres Chk		Analysis / Container / Preservative										Chain of Custody Page ____ of ____  MT JULIET, TN 12065 Lebanon Rd Mount Juliet, TN 37122 Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: https://info.pacelabs.com/hubfs/pas-standard-terms.pdf	
Report to: Brett Dennis				Email To: swwathers@dcpmidstream.com;knorman@tas																	
Project Description: K5 Former Hobbs Booster Station Eldridge Ranch				City/State Collected: _____				Please Circle: PT MT CT ET													
Phone: 575-318-5017				Client Project # _____				Lab Project # K5 DCPTASMAN-HOBBSBOOST Eldridge Ranch													
Collected by (print): Hendon Stark				Site/Facility ID # _____				P.O. # 0000662016													
Collected by (signature): 				Rush? (Lab MUST Be Notified) ☐ Same Day ☐ Five Day ☐ Next Day ☐ 5 Day (Rad Only) ☐ Two Day ☐ 10 Day (Rad Only) ☐ Three Day				Quote # _____ Date Results Needed _____													
Immediately Packed on Ice N ☐ Y ☒								No. of Cntrs													
Sample ID		Comp/Grab	Matrix *	Depth	Date	Time															
MW-23		Grab	GW	NA	9.26.23	11:58	3	X											-10		
MW-25		Grab	GW	NA	9.26.23	11:07	3	X											-11		
MW-26		Grab	GW	NA	9.26.23	11:28	3	X											-12		
MW-27		Grab	GW	NA	9.26.23	11:28	3	X											-13		
MW-29		Grab	GW	NA	9.26.23	12:13	3	X											-14		
MW-E		Grab	GW	NA	9.27.23	10:45	3	X											-15		
MW-F		Grab	GW	NA	9.27.23	10:56	3	X											-16		
MW-I		Grab	GW	NA	9.27.23	09:41	3	X											-17		
MW-M		Grab	GW	NA	9.27.23	07:39	3	X											-18		
MW-N		Grab	GW	NA	9.26.23	13:32	3	X											-19		

* Matrix:

SS - Soil AIR - Air F - Filter

GW - Groundwater B - Bioassay

WW - WasteWater

DW - Drinking Water

OT - Other _____

Remarks:

pH _____ Temp _____


Flow _____ Other _____

Samples returned via:

☐ UPS ☐ FedEx ☐ Courier _____

Tracking # _____

Relinquished by (Signature):



Date:

9.27.23

Time:

12:15

Received by (Signature):

Trip Blank Received: Yes / No

HCL / MeOH
TBR

Temp: _____ °C Bottles Received: _____

Relinquished by (Signature):

Date:

Time:

Received for lab by (Signature):

Deanne Ramsey

Date:

09-28-23

Time:

0900

Hold:

Condition:

NCF / OK

Sample Receipt Checklist

COC Seal Present/Intact: ☒ NP ☒ Y ☐ N

COC Signed/Accurate: ☒ Y ☐ N

Bottles arrive intact: ☒ Y ☐ N

Correct bottles used: ☒ Y ☐ N



Sufficient volume sent: ☒ Y ☐ N

If Applicable

VOA Zero Headspace: ☒ Y ☐ N

Preservation Correct/Checked: ☒ Y ☐ N

RAD Screen <0.5 mR/hr: ☒ Y ☐ N

Company Name/Address: DCP Midstream - Tasman 2620 W. Marland Blvd Hobbs, NM 88240		Billing Information: Steve Weathers 370 17th St, Ste 2500 Denver, CO 80202		Pres Chk		Analysis / Container / Preservative										Chain of Custody Page ____ of ____				
Report to: Brett Dennis		Email To: swweathers@dcpmidstream.com;knorman@tas														 MT JULIET, TN 12065 Lebanon Rd Mount Juliet, TN 37122 Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: https://info.pacelabs.com/hubfs/pas-standard-terms.pdf				
Project Description: KS Former Hobbs Booster Station Eldridge Ranch		City/State Collected:		Please Circle: PT MT CT ET																
Phone: 575-318-5017		Client Project #		Lab Project # KS DCPTASMAN-HOBBSBOOST Eldridge Ranch												SDG # L660511				
Collected by (print): Whendon Stark		Site/Facility ID #		P.O. # 0000662016												Table #				
Collected by (signature): 		Rush? (Lab MUST Be Notified) ____ Same Day ____ Five Day ____ Next Day ____ 5 Day (Rad Only) ____ Two Day ____ 10 Day (Rad Only) ____ Three Day		Quote #												Acctnum: DCPTASMAN Template: T237553				
Immediately Packed on Ice N ____ Y ☒				Date Results Needed												Pregoin: P1023529 PM: 824 - Chris Ward PB: 9-7-23				
Sample ID		Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs											Shipped Via: FedEX Ground		
MW-O		Grab	GW	NA	9.26.23	13:48	3	X											Remarks	
MW-Q		Grab	GW	NA	9.27.23	07:55	3	X											Sample # (lab only)	
MW-S		Grab	GW	NA	9.27.23	08:08	3	X											-19	
MW-CC			GW				3	X											-20	
MW-EE		Grab	GW	NA	9.26.23	11:43	3	X											-21	
MW-LL			GW				3	X											-22	
MW-MM		Grab	GW	NA	9.26.23	12:29	3	X											-23	
NMG-MW-5		Grab	GW	NA	9.26.23	10:32	3	X											-24	
NMG-MW-10		Grab	GW	NA	9.26.23	10:49	3	X											-25	
Duplicate 1		Grab	GW	NA	9.26.23	—	3	X											-26	
* Matrix: SS - Soil AIR - Air F - Filter GW - Groundwater B - Bioassay WW - WasteWater DW - Drinking Water OT - Other		Remarks:		pH ____ Temp ____ Flow ____ Other ____												Sample Receipt Checklist COC Seal Present/Intact: ☒ Y ☐ N COC Signed/Accurate: ☒ Y ☐ N Bottles arrive intact: ☒ Y ☐ N Correct bottles used: ☒ Y ☐ N Sufficient volume sent: ☒ Y ☐ N If Applicable VOA Zero Headspace: ☒ Y ☐ N Preservation Correct/Checked: ☒ Y ☐ N RAD Screen <0.5 mR/hr: ☒ Y ☐ N				
Samples returned via: ____ UPS ____ FedEx ____ Courier		Tracking #																		
Relinquished by: (Signature) 		Date: 9.27.23	Time: 12:15	Received by: (Signature)		Trip Blank Received: Yes / No HCL / MeoH TBR														
Relinquished by: (Signature)		Date:	Time:	Received by: (Signature)		Temp: ____ °C Bottles Received:												If preservation required by Login: Date/Time		
Relinquished by: (Signature)		Date:	Time:	Received for lab by: (Signature) Deanna Rumbey		Date: 09-28-23 Time: 0900												Hold: Condition: NCF / OK		

[illegible]

[illegible]

Appendix C
NMOCD Sample Notification

From: [Weathers, Stephen](#)
To: [Kyle Norman](#); [Brett Dennis](#)
Subject: FW: [EXTERNAL] Notification of DCP 3rd Quarter 2023 Groundwater Monitoring for SENM Remediation Projects
Date: Wednesday, September 6, 2023 3:21:51 PM
Attachments: [image002.png](#)
[image005.png](#)
[image0011.jpg](#)
[Outlook-Info0000.png](#)
[image003.jpg](#)
[image004.jpg](#)

See Nelson’s comments below. We just need to let them know of any changes to the schedule. I would strictly adhere to your schedule if at all possible.



Steve Weathers, P.G.
Program Manager, Remediation Management

Phillips 66 | 6900 E. Layton Ave. | Suite 900
Denver, CO 80237-3658 | M: 303-619-3042
stephen.weathers@p66.com



From: Velez, Nelson, EMNRD <Nelson.Velez@emnrd.nm.gov>
Sent: Wednesday, September 6, 2023 2:19 PM
To: Weathers, Stephen <Stephen.Weathers@p66.com>
Cc: Bratcher, Michael, EMNRD <mike.bratcher@emnrd.nm.gov>
Subject: Re: [EXTERNAL] Notification of DCP 3rd Quarter 2023 Groundwater Monitoring for SENM Remediation Projects

This Message Is From an External Sender

This message came from outside your organization.

[Report Suspicious](#)

Stephen,

Thank you for the notice. If an OCD representative is not on-site on the date &/or time given, please proceed with your sampling. For whatever reason, the sample collection timeframe is altered, please notify the OCD as soon as possible so we may adjust our schedule(s). Failure to notify the OCD of the rescheduling may result in the sample(s) not being accepted.

Please keep a copy of this communication for inclusion within the appropriate reporting documentation.

Thanks again

Regards,

Nelson Velez • Environmental Specialist - Adv
Environmental Bureau | EMNRD - Oil Conservation Division
1000 Rio Brazos Road | Aztec, NM 87410
(505) 469-6146 | nelson.velez@emnrd.nm.gov
<http://www.emnrd.state.nm.us/OCD/>



From: Weathers, Stephen <Stephen.Weathers@p66.com>
Sent: Wednesday, September 6, 2023 1:50 PM
To: Velez, Nelson, EMNRD <Nelson.Velez@emnrd.nm.gov>; Bratcher, Michael, EMNRD <mike.bratcher@emnrd.nm.gov>
Subject: [EXTERNAL] Notification of DCP 3rd Quarter 2023 Groundwater Monitoring for SENM Remediation Projects

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Nelson/Mike
This email is to serve as notification that Tasman will be conducting the 3rd Quarter 2023 groundwater sampling event during September at several DCP remediation sites.
Below is the estimated sampling schedule.

3rd Quarter 2023								
Date	Time (Approximate)	Location	County	Unit Letter	Section	Township	Range	Comments/NMOCD Case Number
Monday, September 18-19, 2023	8:00 AM	Hobbs Booster Station	Lea	C and D	4	19S	38E	AP-114/Sampling

Wednesday, September 20, 2023	8:00 AM	Hobbs Gas Plant	Lea	G	36	18S	36E	AP-122/Sampling
Thursday, September 21, 2023	8:00 AM	RR Extension	Lea	C and F	19	20S	37E	AP-55/Sampling
Friday, September 22, 2023	8:00 AM	Linam Ranch	Lea	B	6	19S	37E	GW-015/Sampling
Monday, September 25-27 2023	8:00 AM	Eldridge Ranch	Lea	P	21	19S	37E	AP-33/Sampling
Thursday, September 28, 2023	8:00 AM	Burton Flats	Eddy	D	1	21S	27E	2RP-799/Sampling

Let me know if you have any questions or concerns with the schedule.

Thanks

Steve



Steve Weathers, P.G.
Program Manager, Remediation Management

Phillips 66 | 6900 E. Layton Ave. | Suite 900
Denver, CO 80237-3658 | M: 303-619-3042
stephen.weathers@p66.com



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 327075

CONDITIONS

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID:
	36785
	Action Number:
	327075
Action Type:	
[UF-GWA] Ground Water Abatement (GROUND WATER ABATEMENT)	

CONDITIONS

Created By	Condition	Condition Date
michael.buchanan	Review of the 2023 Annual Groundwater Monitoring Summary Report for Eldridge Ranch: Content Satisfactory 1. Continue annual groundwater monitoring as scheduled until all constituents are below the allowable concentrations in the WQCC human health standards and measurable LNAPL is no longer present. At this point in the abatement, transition to quarterly until eight consecutive quarters is demonstrated below standards. 2. Continue EFR remediation activities at MW-N, MW-LL, MW-27, MW-CC as scheduled. 3. Gauge MW-23, MW-14 and remove LNAPL at measurable amounts. 4. Submit the 2024 annual report to OCD by April 1, 2025.	7/1/2024