



Natural Gas Analysis Report

GPA 2172-09/API 14.5 Report with GPA 2145-16 Physical Properties

	Sample Information
Sample Name	8. CORRAL 2N COMPRESSOR STATION AFTER FUEL SKID
Technician	ANTHONY DOMINGUEZ
Analyzer Make & Model	INFICON MICRO GC
Last Calibration/Validation Date	03-02-2023
Meter Number	NA
Air temperature	64
Flow Rate (MCF/Day)	NA
Heat Tracing	Heated Hose & Gasifier
Sample description/mtr name	8. CORRAL 2N COMPRESSOR STATION AFTER FUEL SKID
Sampling Method	fill and empty
Operator	OCCIDENTAL PETROLEUM
State	New Mexico
Region Name	PERMIAN_RESOURCES
Asset	NEW MEXICO
System	NA
FLOC	NA
Sample Sub Type	NA
Sample Name Type	NA
Vendor	AKM MEASUREMENT
Cylinder #	AKM-4
Sampled by	JONATHAN ALDRICH
Sample date	3-1-2023
Analyzed date	3-2-2023
Method Name	C9
Injection Date	2023-03-02 11:01:47
Report Date	2023-03-02 11:05:23
EZReporter Configuration File	1-16-2023 OXY GPA C9+ H2S #2.cfgx
Source Data File	454164ab-9c70-4a26-9a81-475679206b40
NGA Phys. Property Data Source	GPA Standard 2145-16 (FPS)
Data Source	INFICON Fusion Connector

Component Results

Component Name	Peak Area	Raw Amount	Response Factor	Norm Mole%	Gross HV (Dry) (BTU / Ideal cu.ft.)	Relative Gas Density (Dry)	GPM (Dry) (Gal. / 1000 cu.ft.)	
Nitrogen	19900.4	1.1216	0.00005636	1.1210	0.0	0.01084	0.124	
Methane	1048827.2	76.8431	0.00007327	76.8014	777.5	0.42540	13.064	
CO2	3240.1	0.1531	0.00004726	0.1530	0.0	0.00232	0.026	
Ethane	273459.1	12.4443	0.00004551	12.4375	220.6	0.12913	3.338	
H2S	0.0	0.0000	0.00000000	0.0000	0.0	0.00000	0.000	
Propane	193142.1	6.3290	0.00003277	6.3256	159.5	0.09631	1.749	
iso-butane	69923.5	0.7771	0.00001111	0.7767	25.3	0.01559	0.255	
n-Butane	155310.4	1.7060	0.00001098	1.7051	55.8	0.03422	0.539	
iso-pentane	29200.4	0.2836	0.00000971	0.2835	11.4	0.00706	0.104	
n-Pentane	29465.3	0.2790	0.00000947	0.2789	11.2	0.00695	0.101	
hexanes	10415.0	0.0791	0.00000760	0.0791	3.8	0.00235	0.033	
heptanes	4902.0	0.0306	0.00000624	0.0306	1.7	0.00106	0.014	
octanes	1200.0	0.0067	0.00000558	0.0067	0.4	0.00026	0.003	
nonanes+	141.0	0.0009	0.00000619	0.0009	0.1	0.00004	0.001	
Total:		100.0541		100.0000	1267.2	0.73153	19.351	

Results Summary

Result	Dry	Sat.	
Total Un-Normalized Mole%	100.0541		
Pressure Base (psia)	14.730		
Temperature Base (Deg. F)	60.00		
Flowing Temperature (Deg. F)	0.0		
Flowing Temperature (Deg. F)	125.0		

Result	Dry	Sat.	
Gross Heating Value (BTU / Ideal cu.ft.)	1267.2	1245.2	
Gross Heating Value (BTU / Real cu.ft.)	1271.8	1250.2	
Relative Density (G), Real	0.7339	0.7323	

Monitored Parameter Report

Parameter	Value	Lower Limit	Upper Limit	Status	
Total un-normalized amount	100.0541	97.0000	103.0000	Pass	

UPSET FLARING EVENT SPECIFIC JUSTIFICATIONS FORM**Facility:** Corral 2N CS**Flare Date:** 07/26/2024**Duration of Event:** 4 Hours 9 Minutes**MCF Flared:** 351**Start Time:** 10:50 AM**End Time:** 02:59 PM**Cause:** Emergency Flare > Downstream Activity > Enterprise > Process Intake Capacity Malfunctions**Method of Flared Gas Measurement:** Gas Flare Meter

1. Reason why this event was beyond Operator's control:

This emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable breakdown of equipment or process that was beyond the owner/operator's control and did not stem from activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and preventative maintenance practices. Oxy engages in respectable and good facility operation practices while also maintaining its continuous facility equipment preventative maintenance program. In this case, there were third party issues which were affecting Oxy's ability to push forward its gas, which resulted in several instances of intermittent flaring within a 24-hour period. One of the third-party companies responsible for transporting our gas products is experiencing significant logistical challenges. This has resulted in delays and bottlenecks, preventing the timely movement of our products to their intended destinations. The second third-party company, which manages storage facilities, is currently facing capacity constraints. Their inability to accommodate additional volumes of gas has created a backlog, further complicating the situation. These disruptions have led to an accumulation of excess gas at our facility. To mitigate the risks associated with overpressure and to ensure the safety of our operations, we have had to resort to controlled flaring. This process allows us to safely burn off the excess gas, thereby preventing potential hazards such as equipment damage, leaks, or even explosions. While flaring is not our preferred method of handling excess gas, it is a necessary step under these exceptional circumstances to maintain the integrity and safety of our operations. We are actively working with the affected third-party companies to resolve these issues as quickly as possible and to minimize the environmental impact of flaring. This event is out of OXY's control. OXY made every effort to control and minimize emissions as much as possible. The duration and volume of this flaring event is a combination of multiple intermittent flaring instances within a 24-hour period.

2. Steps Taken to limit duration and magnitude of venting or flaring:

This facility is unmanned, except when Oxy production techs are gathering data daily or conducting daily walk-throughs to ensure that there are no problems, circumstances and/or assist other personnel on-site for maintenance purposes. It is OXY's policy to route its stranded gas to a flare during an unforeseen and unavoidable emergency or malfunction, as the part of the overall process or steps to take to limit duration and magnitude of flaring. Oxy personnel are in the field 24/7 and can physically see when we are flaring which in turn are communicated to additional Oxy field personnel. Internal OXY procedures ensure that upon notice of flaring, malfunction gas compressor unit and/or multiple unit shutdown alarms, increased sensor line pressure alarms, etc., field production technician personnel are promptly notified, and are instructed to assess the issue as soon as possible to take prompt corrective action and minimize emissions. Oxy production technicians must assess whether the issue or circumstance is due to damage and repair is needed, or whether there are other reasons for its cause. In this case, there were third party issues which were affecting Oxy's ability to push forward its gas,

which resulted in several instances of intermittent flaring within a 24-hour period. One of the third-party companies responsible for transporting our gas products is experiencing significant logistical challenges. This has resulted in delays and bottlenecks, preventing the timely movement of our products to their intended destinations. The second third-party company, which manages storage facilities, is currently facing capacity constraints. Their inability to accommodate additional volumes of gas has created a backlog, further complicating the situation. These disruptions have led to an accumulation of excess gas at our facility. To mitigate the risks associated with overpressure and to ensure the safety of our operations, we have had to resort to controlled flaring. This process allows us to safely burn off the excess gas, thereby preventing potential hazards such as equipment damage, leaks, or even explosions. While flaring is not our preferred method of handling excess gas, it is a necessary step under these exceptional circumstances to maintain the integrity and safety of our operations. We are actively working with the affected third-party companies to resolve these issues as quickly as possible and to minimize the environmental impact of flaring. As soon as flaring began in each intermittent instance, the well optimizer adjusted injection rates and shut in several wells to minimize emissions and cease flaring. OXY made every effort to control and minimize emissions as much as possible during this event.

3. Corrective Actions taken to eliminate the cause and reoccurrence of venting or flaring:

Oxy cannot take any corrective actions to eliminate the cause and potential reoccurrence of an Enterprise and/or ETC gas flow pipeline restriction or shut-in, as this control issue is downstream of Oxy's custody transfer point and out of Oxy's control to avoid, prevent from happening or reoccurring. Enterprise downstream facilities and associated facilities and/or secondary pipeline operators, such as ETC., may have operational issues which will reoccur from time to time and may trigger a spike in their gas line pressure, which in turn, directly impacts Oxy's ability to send gas to them. When Enterprise or ETC has downstream activity issues or greatly struggles to handle the volume of gas being sent to them by Oxy, Enterprise and/or ETC then restricts Oxy's ability to send gas, which then prompts Oxy to route all of its stranded gas not pushed into their gas pipelines, to flare. OXY makes every effort to control and minimize emissions as much as possible. The only actions that Oxy can take and handle that is within its control, is to keep continually communicate with Enterprise and/or ETC personnel during these types of situations.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

DEFINITIONS

Action 373089

DEFINITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 373089
	Action Type: [C-129] Venting and/or Flaring (C-129)

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application: • this application's operator, hereinafter "this operator"; • venting and/or flaring, hereinafter "vent or flare"; • any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms"; • the statements in (and/or attached to) this, hereinafter "the statements in this"; • and the past tense will be used in lieu of mixed past/present tense questions and statements.
--

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 373089

QUESTIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID:	16696
	Action Number:	373089
	Action Type:	[C-129] Venting and/or Flaring (C-129)

QUESTIONS

Prerequisites Any messages presented in this section, will prevent submission of this application. Please resolve these issues before continuing with the rest of the questions.	
Incident Well	Unavailable.
Incident Facility	[fAPP2126641235] CORRAL #2 NORTH COMP STATION

Determination of Reporting Requirements Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide additional guidance.	
Was this vent or flare caused by an emergency or malfunction	Yes
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	No
Is this considered a submission for a vent or flare event	Yes, minor venting and/or flaring of natural gas.
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during venting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC.	
Was there at least 50 MCF of natural gas vented and/or flared during this event	Yes
Did this vent or flare result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No
Was the vent or flare within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No

Equipment Involved	
Primary Equipment Involved	Other (Specify)
Additional details for Equipment Involved. Please specify	Emergency Flare > Downstream Activity > Enterprise > Process Intake Capacity Malfunctions

Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group.	
Methane (CH4) percentage	77
Nitrogen (N2) percentage, if greater than one percent	1
Hydrogen Sulfide (H2S) PPM, rounded up	0
Carbon Dioxide (C02) percentage, if greater than one percent	0
Oxygen (O2) percentage, if greater than one percent	0
If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas.	
Methane (CH4) percentage quality requirement	Not answered.
Nitrogen (N2) percentage quality requirement	Not answered.
Hydrogen Sufide (H2S) PPM quality requirement	Not answered.
Carbon Dioxide (C02) percentage quality requirement	Not answered.
Oxygen (O2) percentage quality requirement	Not answered.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 373089

QUESTIONS (continued)

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 373089
	Action Type: [C-129] Venting and/or Flaring (C-129)

QUESTIONS

Date(s) and Time(s)	
Date vent or flare was discovered or commenced	07/26/2024
Time vent or flare was discovered or commenced	10:50 AM
Time vent or flare was terminated	02:59 PM
Cumulative hours during this event	4

Measured or Estimated Volume of Vented or Flared Natural Gas	
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Cause: Other Other (Specify) Natural Gas Flared Released: 351 Mcf Recovered: 0 Mcf Lost: 351 Mcf.
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Gas Flare Meter
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity	
Was this vent or flare a result of downstream activity	Yes
Was notification of downstream activity received by this operator	No
Downstream OGRID that should have notified this operator	[713731] Enterprise Crude Pipeline LLC
Date notified of downstream activity requiring this vent or flare	Not answered.
Time notified of downstream activity requiring this vent or flare	Not answered.

Steps and Actions to Prevent Waste	
For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control.	True
Please explain reason for why this event was beyond this operator's control	This emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable breakdown of equipment or process that was beyond the owner/operator's control and did not stem from activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and preventative maintenance practices. Oxy engages in respectable and good facility operation practices while also maintaining its continuous facility equipment preventative maintenance program. In this case, there were third party issues which were affecting Oxy's ability to push forward its gas, which resulted in several instances of intermittent flaring within a 24-hour period. One of the third-party companies responsible for transporting our gas products is experiencing significant logistical challenges. This has resulted in delays and bottlenecks, preventing the timely movement of our products to their intended destinations. The second third-party company, which manages storage facilities, is currently facing capacity constraints. Their inability to accommodate additional volumes of gas has created a backlog, further complicating the situation. These disruptions have led to an accumulation of excess gas at our facility. To mitigate the risks associated with overpressure and to ensure the safety of our operations, we have had to resort to controlled flaring. This process allows us to safely burn off the excess gas, thereby preventing potential hazards such as equipment damage, leaks, or even explosions. While flaring is not our preferred method of handling excess gas, it is a necessary step under these exceptional circumstances to maintain the integrity and safety of our operations. We are actively working with the affected third-party companies to resolve these issues as quickly as possible and to

	minimize the environmental impact of flaring. This event is out of OXY's control. OXY made every effort to control and minimize emissions as much as possible. The duration
Steps taken to limit the duration and magnitude of vent or flare	This facility is unmanned, except when Oxy production techs are gathering data daily or conducting daily walkthroughs to ensure that there are no problems, circumstances and/or assist other personnel on-site for maintenance purposes. It is OXY's policy to route its stranded gas to a flare during an unforeseen and unavoidable emergency or malfunction, as the part of the overall process or steps to take to limit duration and magnitude of flaring. Oxy personnel are in the field 24/7 and can physically see when we are flaring which in turn are communicated to additional Oxy field personnel. Internal OXY procedures ensure that upon notice of flaring, malfunction gas compressor unit and/or multiple unit shutdown alarms, increased sensor line pressure alarms, etc., field production technician personnel are promptly notified, and are instructed to assess the issue as soon as possible to take prompt corrective action and minimize emissions. Oxy production technicians must assess whether the issue or circumstance is due to damage and repair is needed, or whether there are other reasons for its cause. In this case, there were third party issues which were affecting Oxy's ability to push forward its gas, which resulted in several instances of intermittent flaring within a 24-hour period. One of the third-party companies responsible for transporting our gas products is experiencing significant logistical challenges. This has resulted in delays and bottlenecks, preventing the timely movement of our products to their intended destinations. The second third-party company, which manages storage facilities, is currently facing capacity constraints. Their inability to accommodate additional volumes of gas has created a backlog, further complicating the situation. These disruptions have led to an accumulation of excess gas at our facility. To mitigate the risks associated with overpressure and to ensure the safety of our operations, we have had to resort to controlled flari
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	Oxy cannot take any corrective actions to eliminate the cause and potential reoccurrence of an Enterprise and/or ETC gas flow pipeline restriction or shut-in, as this control issue is downstream of Oxy's custody transfer point and out of Oxy's control to avoid, prevent from happening or reoccurring. Enterprise downstream facilities and associated facilities and/or secondary pipeline operators, such as ETC., may have operational issues which will reoccur from time to time and may trigger a spike in their gas line pressure, which in turn, directly impacts Oxy's ability to send gas to them. When Enterprise or ETC has downstream activity issues or greatly struggles to handle the volume of gas being sent to them by Oxy, Enterprise and/or ETC then restricts Oxy's ability to send gas, which then prompts Oxy to route all of its stranded gas not pushed into their gas pipelines, to flare. OXY makes every effort to control and minimize emissions as much as possible. The only actions that Oxy can take and handle that is within its control, is to keep continually communicate with Enterprise and/or ETC personnel during these types of situations.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 373089

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 373089
	Action Type: [C-129] Venting and/or Flaring (C-129)

ACKNOWLEDGMENTS

☒	I acknowledge that I am authorized to submit a <i>Venting and/or Flaring</i> (C-129) report on behalf of this operator and understand that this report can be a complete C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC.
☒	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively.
☒	I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
☒	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
☒	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 373089

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 373089
	Action Type: [C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
shelbyschoepf	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	8/12/2024