


AKM MEASUREMENT SERVICES,LLC. Natural Gas Analysis Report
 GPA 2172-09/API 14.5 Report with GPA 2145-16 Physical Properties

	Sample Information
Sample Name	CORRAL 2 SOUTH STATION INLET
Technician	ANTHONY DOMINGUEZ
Analyzer Make & Model	INFICON MICRO GC
Last Calibration/Validation Date	11-03-2023
Meter Number	NA
Air temperature	63
Flow Rate (MCF/Day)	
Heat Tracing	HEATED HOSE & GASIFIER
Sample description/mtr name	CORRAL 2 SOUTH STATION INLET
Sampling Method	FILL & EMPTY
Operator	OCCIDENTAL PETROLEUM, OXY USA INC
State	NEW MEXICO
Region Name	PERMIAN_RESOURCES
Asset	NEW MEXICO
System	RANCH
FLOC	OP-L2100-CS005
Sample Sub Type	COMP STATION
Sample Name Type	METER
Vendor	AKM MEASUREMENT
Cylinder #	38905
Sampled by	CHANDLER MONTGOMERY
Sample date	11-1-2023
Analyzed date	11-03-2023
Method Name	C9
Injection Date	2023-11-03 11:59:19
Report Date	2023-11-03 12:01:14
EZReporter Configuration File	1-16-2023 OXY GPA C9+ H2S #2.cfgx
Source Data File	661cfdda-b53d-4ae9-a028-b52f2b3db2d4
NGA Phys. Property Data Source	GPA Standard 2145-16 (FPS)
Data Source	INFICON Fusion Connector

Component Results

Component Name	Peak Area	Raw Amount	Response Factor	Norm Mole%	Gross HV (Dry) (BTU / Ideal cu.ft.)	Relative Gas Density (Dry)	GPM (Dry) (Gal. / 1000 cu.ft.)	
Nitrogen	16421.8	0.9478	0.00005772	0.9428	0.0	0.00912	0.104	
Methane	975051.0	71.3657	0.00007319	70.9859	718.6	0.39319	12.090	
CO2	2427.5	0.1159	0.00004774	0.1153	0.0	0.00175	0.020	
Ethane	291974.2	13.4774	0.00004616	13.4057	237.8	0.13918	3.602	
H2S	0.0	0.0000	0.00000000	0.0000	0.0	0.00000	0.000	
Propane	229342.5	7.5131	0.00003276	7.4731	188.5	0.11378	2.068	
iso-butane	104612.2	1.1718	0.00001120	1.1656	38.0	0.02339	0.383	
n-Butane	254085.4	2.8254	0.00001112	2.8104	91.9	0.05640	0.890	
iso-pentane	73025.7	0.7231	0.00000990	0.7193	28.8	0.01792	0.264	
n-Pentane	95662.5	0.9104	0.00000952	0.9055	36.4	0.02256	0.330	
hexanes	87528.0	0.8740	0.00000999	0.8693	41.4	0.02587	0.359	
heptanes	71956.0	0.4426	0.00000615	0.4403	24.3	0.01523	0.204	
octanes	28646.0	0.1573	0.00000549	0.1565	9.8	0.00617	0.081	
nonanes+	3123.0	0.0104	0.00000332	0.0103	0.7	0.00046	0.006	
Total:		100.5349		100.0000	1416.2	0.82501	20.401	

Results Summary

Result	Dry	Sat.	
Total Un-Normalized Mole%	100.5349		
Pressure Base (psia)	14.730		
Temperature Base (Deg. F)	60.00		
	0.0		

Result	Dry	Sat.	
Flowing Pressure (psia)	49.3		
Gross Heating Value (BTU / Ideal cu.ft.)	1416.2	1391.6	
Gross Heating Value (BTU / Real cu.ft.)	1423.2	1399.0	
Relative Density (G), Real	0.8287	0.8255	

Monitored Parameter Report

Parameter	Value	Lower Limit	Upper Limit	Status	
Total un-normalized amount	100.5349	97.0000	103.0000	Pass	

UPSET FLARING EVENT SPECIFIC JUSTIFICATIONS FORM**Facility:** Corral 2S CS**Flare Date:** 09/13/2024**Duration of Event:** 35 Minutes**MCF Flared:** 141**Start Time:** 12:02 AM**End Time:** 12:37 AM**Cause:** Emergency Flare > Storage Wells > Well Surges**Method of Flared Gas Measurement:** Gas Flare Meter

1. Reason why this event was beyond Operator's control:

In this instance, because of a sudden and unanticipated surge in gas flow from multiple wells that surpassed the capacity of the compressor engines, OXY was forced to flare the gas rather than compress it. This type of flaring is unforeseeable and unanticipated as wells surge from time to time, especially when bringing storage wells online. To mitigate the risks associated with wells surges and to ensure the safety of our operations, we had to resort to controlled and safety flaring. This process allows us to safely burn off the excess gas, thereby preventing potential hazards such as equipment damage, leaks, or even explosions. While flaring is not Oxy's preferred method of handling excess gas, it is a necessary step under these exceptional circumstances to maintain the integrity and safety of our operations. This flaring situation was beyond OXY's control, but Oxy took all possible measures to reduce emissions effectively.

2. Steps Taken to limit duration and magnitude of venting or flaring:

In this instance, because of a sudden and unanticipated surge in gas flow from multiple wells that surpassed the capacity of the compressor engines, the steps taken to limit the duration and magnitude of flaring was to flare the gas rather than compress it. This type of flaring is unforeseeable and unanticipated as wells surge from time to time, especially when bringing storage wells online. To mitigate the risks associated with wells surges and to ensure the safety of our operations, we had to resort to controlled and safety flaring. This process allows us to safely burn off the excess gas, thereby preventing potential hazards such as equipment damage, leaks, or even explosions. While flaring is not Oxy's preferred method of handling excess gas, it is a necessary step under these exceptional circumstances to maintain the integrity and safety of our operations. The steps taken to limit the duration of this flaring event was as soon as the wells began surging Oxy production techs began taking the immediate steps to adjust the facility's optimizers to shut in wells in an effort to reduce flaring. Additional production techs would slowly start choking back several wells in the area with the pressure control valves on the flowlines until the flaring incident was minimized and stopped. OXY routed all the stranded sales gas to a flare with a 98% combustion efficiency in order to minimize emissions as much as possible. This kind of flaring is both unforeseeable and unexpected, as well surges periodically, which are beyond OXY's ability to predict or prevent. Nevertheless, OXY exerted maximum effort to manage and reduce emissions as much as possible.

3. Corrective Actions taken to eliminate the cause and reoccurrence of venting or flaring:

Oxy is limited in its corrective actions to eliminate this type of flaring is unpredictable and unexpected, making it challenging to prevent its recurrence, particularly when storage wells are being brought online and well surges occur all of sudden.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

DEFINITIONS

Action 388966

DEFINITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 388966
	Action Type: [C-129] Venting and/or Flaring (C-129)

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application: • this application's operator, hereinafter "this operator"; • venting and/or flaring, hereinafter "vent or flare"; • any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms"; • the statements in (and/or attached to) this, hereinafter "the statements in this"; • and the past tense will be used in lieu of mixed past/present tense questions and statements.
--

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 388966

QUESTIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID:	16696
	Action Number:	388966
	Action Type:	[C-129] Venting and/or Flaring (C-129)

QUESTIONS

Prerequisites	
Any messages presented in this section, will prevent submission of this application. Please resolve these issues before continuing with the rest of the questions.	
Incident Well	Unavailable.
Incident Facility	[fAPP2126640958] CORRAL #2 SOUTH COMP STATION

Determination of Reporting Requirements	
Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide additional guidance.	
Was this vent or flare caused by an emergency or malfunction	Yes
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	No
Is this considered a submission for a vent or flare event	Yes, minor venting and/or flaring of natural gas.
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during venting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC.	
Was there at least 50 MCF of natural gas vented and/or flared during this event	Yes
Did this vent or flare result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No
Was the vent or flare within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No

Equipment Involved	
Primary Equipment Involved	Other (Specify)
Additional details for Equipment Involved. Please specify	Emergency Flare > Storage Wells > Well Surges

Representative Compositional Analysis of Vented or Flared Natural Gas	
Please provide the mole percent for the percentage questions in this group.	
Methane (CH4) percentage	71
Nitrogen (N2) percentage, if greater than one percent	1
Hydrogen Sulfide (H2S) PPM, rounded up	0
Carbon Dioxide (C02) percentage, if greater than one percent	0
Oxygen (O2) percentage, if greater than one percent	0
If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas.	
Methane (CH4) percentage quality requirement	Not answered.
Nitrogen (N2) percentage quality requirement	Not answered.
Hydrogen Sufide (H2S) PPM quality requirement	Not answered.
Carbon Dioxide (C02) percentage quality requirement	Not answered.
Oxygen (O2) percentage quality requirement	Not answered.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2
Action 388966

QUESTIONS (continued)

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 388966
	Action Type: [C-129] Venting and/or Flaring (C-129)

QUESTIONS

Date(s) and Time(s)	
Date vent or flare was discovered or commenced	09/13/2024
Time vent or flare was discovered or commenced	12:02 AM
Time vent or flare was terminated	12:37 AM
Cumulative hours during this event	1

Measured or Estimated Volume of Vented or Flared Natural Gas	
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Cause: Other Other (Specify) Natural Gas Flared Released: 141 Mcf Recovered: 0 Mcf Lost: 141 Mcf.
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Gas Flare Meter
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity	
Was this vent or flare a result of downstream activity	No
Was notification of downstream activity received by this operator	Not answered.
Downstream OGRID that should have notified this operator	Not answered.
Date notified of downstream activity requiring this vent or flare	Not answered.
Time notified of downstream activity requiring this vent or flare	Not answered.

Steps and Actions to Prevent Waste	
For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control.	True
Please explain reason for why this event was beyond this operator's control	In this instance, because of a sudden and unanticipated surge in gas flow from multiple wells that surpassed the capacity of the compressor engines, OXY was forced to flare the gas rather than compress it. This type of flaring is unforeseeable and unanticipated as wells surge from time to time, especially when bringing storage wells online. To mitigate the risks associated with wells surges and to ensure the safety of our operations, we had to resort to controlled and safety flaring. This process allows us to safely burn off the excess gas, thereby preventing potential hazards such as equipment damage, leaks, or even explosions. While flaring is not Oxy's preferred method of handling excess gas, it is a necessary step under these exceptional circumstances to maintain the integrity and safety of our operations. This flaring situation was beyond OXY's control, but Oxy took all possible measures to reduce emissions effectively.
	In this instance, because of a sudden and unanticipated surge in gas flow from multiple wells that surpassed the capacity of the compressor engines, the steps taken to limit the duration and magnitude of flaring was to flare the gas rather than compress it. This type of flaring is unforeseeable and unanticipated as wells surge from time to time, especially when bringing storage wells online. To mitigate the risks associated with wells surges and to ensure the safety of our operations, we had to resort to controlled and safety flaring. This process allows us to safely burn off the excess gas, thereby preventing potential hazards such as equipment damage, leaks, or even explosions. While flaring is not Oxy's preferred

Steps taken to limit the duration and magnitude of vent or flare	method of handling excess gas, it is a necessary step under these exceptional circumstances to maintain the integrity and safety of our operations. The steps taken to limit the duration of this flaring event was as soon as the wells began surging Oxy production techs began taking the immediate steps to adjust the facility's optimizers to shut in wells in an effort to reduce flaring. Additional production techs would slowly start choking back several wells in the area with the pressure control valves on the flowlines until the flaring incident was minimized and stopped. OXY routed all the stranded sales gas to a flare with a 98% combustion efficiency in order to minimize emissions as much as possible. This kind of flaring is both unforeseeable and unexpected, as well surges periodically, which are beyond OXY's ability to predict or prevent. Nevertheless, OXY exerted maximum effort to manage and reduce emissions as much as possible.
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	Oxy is limited in its corrective actions to eliminate this type of flaring is unpredictable and unexpected, making it challenging to prevent its recurrence, particularly when storage wells are being brought online and well surges occur all of sudden.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 388966

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 388966
	Action Type: [C-129] Venting and/or Flaring (C-129)

ACKNOWLEDGMENTS

☒	I acknowledge that I am authorized to submit a <i>Venting and/or Flaring</i> (C-129) report on behalf of this operator and understand that this report can be a complete C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC.
☒	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively.
☒	I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
☒	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
☒	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 388966

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 388966
	Action Type: [C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
shelbyschoepf	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	10/1/2024