AKM MEASUREMENT SERVICES,LLC. Natural Gas Analysis Report GPA 2172-09/API 14.5 Report with GPA 2145-16 Physical Properties

	Sample Information
Sample Name	LOST TANK 18 FACILITY PROD 2
Technician	ANTHONY DOMINGUEZ
Analyzer Make & Model	INFICON MICRO GC
Last Calibration/Validation Date	12-15-2023
Meter Number	16412P
Air temperature	59
Flow Rate (MCF/Day)	19315
Heat Tracing	HEATED HOSE & GASIFIER
Sample description/mtr name	LOST TANK 18 FACILITY PROD 2
Sampling Method	FILL & EMPTY
Operator	OCCIDENTAL PETROLEUM, OXY USA INC
State	NEW MEXICO
Region Name	PERMIAN_RESOURCES
Asset	NEW MEXICO
System	LOST TANK
FLOC	OP-DELNE-BT010
Sample Sub Type	СТВ
Sample Name Type	METER
Vendor	AKM MEASUREMENT
Cylinder #	38967
Sampled by	SCOTT
Sample date	12-11-2023
Analyzed date	12-19-2023
Method Name	C9
Injection Date	2023-12-19 17:22:49
Report Date	2023-12-19 17:24:34
EZReporter Configuration File	1-16-2023 OXY GPA C9+ H2S #2.cfgx
Source Data File	c9df624d-557a-4940-b08e-304ec2186c4a
NGA Phys. Property Data Source	GPA Standard 2145-16 (FPS)
Data Source	INFICON Fusion Connector

Component Results

Component Name	Peak Area	Raw Amount	Response Factor	Norm Mole%	Gross HV (Dry) (BTU / Ideal cu.ft.)	Relative Gas Density (Dry)	GPM (Dry) (Gal. / 1000 cu.ft.)	
Nitrogen	33914.5	1.9299	0.00005691	1.9234	0.0	0.01860	0.212	
Methane	970996.0	70.7503	0.00007286	70.5121	713.8	0.39057	12.003	
CO2	27471.0	1.3080	0.00004761	1.3036	0.0	0.01981	0.223	
Ethane	291718.9	13.4465	0.00004609	13.4012	237.7	0.13913	3.599	
H2S	0.0	0.0000	0.00000000	0.0000	0.0	0.00000	0.000	
Propane	234132.9	7.6719	0.00003277	7.6461	192.8	0.11641	2.115	
iso-butane	91468.0	1.0116	0.00001106	1.0082	32.9	0.02023	0.331	
n-Butane	233710.5	2.5698	0.00001100	2.5611	83.7	0.05140	0.811	
iso-pentane	50142.9	0.4900	0.00000977	0.4883	19.6	0.01216	0.179	
n-Pentane	56869.7	0.5337	0.00000938	0.5319	21.4	0.01325	0.194	
hexanes	36640.0	0.3612	0.00000986	0.3600	17.2	0.01071	0.149	
heptanes	31543.0	0.1905	0.00000604	0.1899	10.5	0.00657	0.088	
octanes	12956.0	0.0696	0.00000537	0.0694	4.3	0.00274	0.036	
nonanes+	1475.0	0.0048	0.00000326	0.0048	0.3	0.00021	0.003	
Total:		100.3379		100.0000	1334.2	0.80179	19.943	

Results Summary

Result	Dry	Sat.
Total Un-Normalized Mole%	100.3379	
Pressure Base (psia)	14.730	
Temperature Base (Deg. F)	60.00	
Released to Temperature 10429F2024 10:43	:12 AM 83.3	

Received by OCD: 10/29/2024 10:33:00 A	M Dry	Sat.	Pag
Flowing Pressure (psia)	100.2		
Gross Heating Value (BTU / Ideal cu.ft.)	1334.2	1311.0	
Gross Heating Value (BTU / Real cu.ft.)	1340.0	1317.3	
Relative Density (G), Real	0.8049	0.8022	

Monitored Parameter Report

Parame	ter	Value	Lower Limit	Upper Limit	Status	
Total un-normalize	d amount	100.3379	97.0000	103.0000	Pass	

UPSET FLARING EVENT SPECIFIC JUSTIFICATIONS FORM

Facility: Lost Tank 18 CPF Flare Date: 10/01/2024

Duration of Event: 1 Hour **MCF Flared:** 615

Start Time: 11:15 AM End Time: 12:15 PM

Cause: Emergency Flare > Lost Tank 25 CPF > Equipment Malfunction > MPLX > Process Intake Reduction

Method of Flared Gas Measurement: Gas Flare Meter

1. Reason why this event was beyond Operator's control:

This emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable breakdown of equipment or process that was beyond the owner/operator's control and did not stem from activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and preventative maintenance practices. Oxy engages in respectable and good facility operation practices while also maintaining its continuous facility equipment preventative maintenance program. In this case, the Lost tank 25 CGL Dehy unit shut down due to a slammed ESD valve shutting in, which in turn, caused the reboiler temperature to drop, which then prompted on-site field personnel to attempt to get the unit back to operational temperatures and running at its normal operations. As a result, MPLX takeaway at the Lost Tank 25 CGL was cut down to 20K on their sales valve until moisture dropped. With MPLX sales gas restriction at the Lost Tank 25 CGL, this led to elevated field pressure, ultimately triggering a flaring event at the Lost Tank 18 CPF. This flaring situation was beyond OXY's control, but Oxy took all possible measures to reduce emissions effectively.

2. Steps Taken to limit duration and magnitude of venting or flaring:

It is OXY's policy to route its stranded gas to a flare during an unforeseen and unavoidable emergency or malfunction, that is beyond Oxy's control to avoid, prevent or foresee, to minimize emissions as much as possible as part of the overall steps taken to limit duration and magnitude of flaring. The flare at this facility has a 98% combustion efficiency to lessen emissions as much as possible. In this case, the Lost tank 25 CGL Dehy unit shut down due to a slammed ESD valve shutting in, which in turn, caused the reboiler temperature to drop, which then prompted on-site field personnel to attempt to get the unit back to operational temperatures and running at its normal operations. As a result, MPLX takeaway at the Lost Tank 25 CGL was cut down to 20K on their sales valve until moisture dropped. With MPLX sales gas restriction at the Lost Tank 25 CGL, this led to elevated field pressure, ultimately triggering a flaring event at the Lost Tank 18 CPF. As soon as flaring occurred, steps were immediately taken to reduce and mitigate the volume of gas being sent to flare by choking back all high GOR wells. There is an option to reroute to our Lucid offload, but the Lost Tank 25 CGL was at full capacity. This flaring situation was beyond OXY's control, but Oxy took all possible measures to reduce emissions effectively.

3. Corrective Actions taken to eliminate the cause and reoccurrence of venting or flaring:

Oxy is limited in the corrective actions available to them to eliminate the cause and potential reoccurrence of equipment malfunctions as notwithstanding various equipment design and operation, equipment operations are inherently dynamic and even the smallest alarms, false or true, can be sudden, reasonably unforeseeable, and unexpected which can cause unexpected and without warning malfunctions to occur, thereby, triggering flaring to occur. Oxy continually strives to maintain and operate all its equipment in a manner consistent with good practices for minimizing emissions and reducing the number of emission events. Oxy has a strong and positive equipment preventative maintenance program in place.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

DEFINITIONS

Action 396693

DEFINITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	396693
	Action Type:
	[C-129] Amend Venting and/or Flaring (C-129A)

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application:

- this application's operator, hereinafter "this operator";
- · venting and/or flaring, hereinafter "vent or flare";
- any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";
- the statements in (and/or attached to) this, hereinafter "the statements in this";
- and the past tense will be used in lieu of mixed past/present tense questions and statements.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 396693

Q	UESTIONS			
Operator:		OGRID:		
OXY USA INC P.O. Box 4294		16696		
Houston, TX 772104294		Action Number: 396693		
		Action Type:		
AUTOTION O		[C-129] Amend Venting and/or Flaring (C-129A)		
QUESTIONS				
Prerequisites Any messages presented in this section, will prevent submission of this application. Please resolve to	these issues hefore conti	nuing with the rest of the questions		
Incident ID (n#)	Unavailable.	taing war the rest of the questions.		
Incident Name	Unavailable.			
Incident Type	Flare	Flare		
Incident Status	Unavailable.	able.		
Incident Facility	[fAPP2226965761]	Lost Tank 18 CPF		
Only valid Vent, Flare or Vent with Flaring incidents (selected above in the Application Details section	on) that are assigned to y	our current operator can be amended with this C-129A application.		
Determination of Reporting Requirements				
Answer all questions that apply. The Reason(s) statements are calculated based on your answers ar	nd may provide addional o	quidance.		
Was this vent or flare caused by an emergency or malfunction	Yes			
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	No			
Is this considered a submission for a vent or flare event	Yes, major venting	and/or flaring of natural gas.		
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during v	enting and/or flaring that i	is or may be a major or minor release under 19.15.29.7 NMAC.		
Was there at least 50 MCF of natural gas vented and/or flared during this event	Yes			
Did this vent or flare result in the release of ANY liquids (not fully and/or completely				
flared) that reached (or has a chance of reaching) the ground, a surface, a	No			
watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water				
Was the vent or flare within an incorporated municipal boundary or withing 300 feet				
from an occupied permanent residence, school, hospital, institution or church in existence	No			
CAISTERIOC				
Equipment Involved				
Primary Equipment Involved	Other (Specify)			
	(1 2)			
Additional details for Equipment Involved. Please specify		Lost Tank 25 CPF > Equipment Malfunction > MPLX > Process Intake		
	Reduction			
Representative Compositional Analysis of Vented or Flared Natural Gas				
Please provide the mole percent for the percentage questions in this group. Methano (CHA) percentage	71			
Methane (CH4) percentage	71			
Nitrogen (N2) percentage, if greater than one percent	2			
Hydrogen Sulfide (H2S) PPM, rounded up	0			
Carbon Dioxide (C02) percentage, if greater than one percent	1			

0

Not answered.

Not answered.

Not answered.

Not answered.

Carbon Dioxide (C02) percentage quality requirement

Oxygen (02) percentage, if greater than one percent

Methane (CH4) percentage quality requirement

Nitrogen (N2) percentage quality requirement Hydrogen Sufide (H2S) PPM quality requirement

Oxygen (02) percentage quality requirement

If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS, Page 2

Action 396693

QUESTIONS (COITHINGE)	QUESTIONS ((continued)
-----------------------	-------------	-------------

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	396693
	Action Type:
	[C-129] Amend Venting and/or Flaring (C-129A)

QUESTIONS

Date(s) and Time(s)			
Date vent or flare was discovered or commenced	10/01/2024		
Time vent or flare was discovered or commenced	11:15 AM		
Time vent or flare was terminated	12:15 PM		
Cumulative hours during this event	1		

Measured or Estimated Volume of Vented or Flared Natural Gas	
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Cause: Other Other (Specify) Natural Gas Flared Released: 615 Mcf Recovered: 0 Mcf Lost: 615 Mcf.
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Gas Flare Meter
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity		
Was this vent or flare a result of downstream activity	No	
Was notification of downstream activity received by this operator	Not answered.	
Downstream OGRID that should have notified this operator	Not answered.	
Date notified of downstream activity requiring this vent or flare		
Time notified of downstream activity requiring this vent or flare	Not answered.	

teps and Actions to Prevent Waste	
For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control	True
Please explain reason for why this event was beyond this operator's control	This emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable breakdown of equipment or process that was beyond the owner/operator's control and did not stem from activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and preventative maintenance practices. Oxy engages in respectable and good facility operation practices while also maintaining its continuous facility equipment preventative maintenance program. In this case, the Lost tank 25 CGL Dehy unit shut down due to a slammed ESD valve shutting in, which in turn, caused the reboiler temperature to drop, which then prompted on-site field personnel to attempt to get the unit back to operational temperatures and running at its normal operations. As a result, MPLX takeaway at the Lost Tank 25 CGL was cut down to 20K on their sales valve until moisture dropped. With MPLX sales gas restriction at the Lost Tank 25 CGL, this led to elevated field pressure, ultimately triggering a flaring event at the Lost Tank 18 CPF. This flaring situation was beyond OXY's control, but Oxy took all possible measures to reduce emissions effectively.
	It is OXY's policy to route its stranded gas to a flare during an unforeseen and unavoidable emergency or malfunction, that is beyond Oxy's control to avoid, prevent or foresee, to minimize emissions as much as possible as part of the overall steps taken to limit duration and magnitude of flaring. The flare at this facility has a 98% combustion efficiency to lessen emissions as much as possible. In this case, the Lost tank 25 CGL Dehy unit shut down due to a slammed ESD valve shutting in, which in turn, caused the reboiler temperature to drop.

Steps taken to limit the duration and magnitude of vent or flare	which then prompted on-site field personnel to attempt to get the unit back to operational temperatures and running at its normal operations. As a result, MPLX takeaway at the Lost Tank 25 CGL was cut down to 20K on their sales valve until moisture dropped. With MPLX sales gas restriction at the Lost Tank 25 CGL, this led to elevated field pressure, ultimately triggering a flaring event at the Lost Tank 18 CPF. As soon as flaring occurred, steps were immediately taken to reduce and mitigate the volume of gas being sent to flare by choking back all high GOR wells. There is an option to reroute to our Lucid offload, but the Lost Tank 25 CGL was at full capacity. This flaring situation was beyond OXY's control, but Oxy took all possible measures to reduce emissions effectively.
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	Oxy is limited in the corrective actions available to them to eliminate the cause and potential reoccurrence of equipment malfunctions as notwithstanding various equipment design and operation, equipment operations are inherently dynamic and even the smallest alarms, false or true, can be sudden, reasonably unforeseeable, and unexpected which can cause unexpected and without warning malfunctions to occur, thereby, triggering flaring to occur. Oxy continually strives to maintain and operate all its equipment in a manner consistent with good practices for minimizing emissions and reducing the number of emission events. Oxy has a strong and positive equipment preventative maintenance program in place.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 396693

ACKNOWLEDGMENTS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	396693
	Action Type:
	[C-129] Amend Venting and/or Flaring (C-129A)

ACKNOWLEDGMENTS

V	I acknowledge that with this application I will be amending an existing incident file (assigned to this operator) for a vent or flare event, pursuant to 19.15.27 and 19.15.28 NMAC.
V	I acknowledge that amending an incident file does not replace original submitted application(s) or information and understand that any C-129 forms submitted to the OCD will be logged and stored as public record.
V	I hereby certify the statements in this amending report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
V	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
V	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 396693

CONDITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	396693
	Action Type:
	[C-129] Amend Venting and/or Flaring (C-129A)

CONDITIONS

Created By	Condition	Condition Date
marialuna2	If the information provided in this report requires further amendment(s), submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	10/29/2024