



CLOSURE REPORT

Property:

Bisti 10A (07/17/24)
Unit Letter K, S16 T25N R11W
San Juan County, New Mexico

New Mexico EMNRD OCD Incident ID No. NAPP2419947182

October 10, 2024

Ensolum Project No. 05A1226327

Prepared for:

Enterprise Field Services, LLC
614 Reilly Avenue
Farmington, NM 87401
Attn: Mr. Thomas Long

Prepared by:

Landon Daniell
Staff Geologist

Kyle Summers
Senior Managing Geologist

TABLE OF CONTENTS

1.0	INTRODUCTION.....	1
1.1	Site Description & Background	1
1.2	Project Objective.....	1
2.0	CLOSURE CRITERIA.....	1
3.0	SOIL REMEDIATION ACTIVITIES.....	3
4.0	SOIL SAMPLING PROGRAM	3
5.0	SOIL LABORATORY ANALYTICAL METHODS.....	3
6.0	SOIL DATA EVALUATION	4
7.0	RECLAMATION.....	4
8.0	FINDINGS AND RECOMMENDATION	4
9.0	STANDARDS OF CARE, LIMITATIONS, AND RELIANCE	5
9.1	Standard of Care	5
9.2	Limitations.....	5
9.3	Reliance	5

LIST OF APPENDICES

Appendix A – Figures

Figure 1: Topographic Map
Figure 2: Site Vicinity Map
Figure 3: Site Map with Soil Analytical Results

Appendix B – Siting Figures and Documentation

Figure A: 1.0 Mile Radius Water Well/POD Location Map
Figure B: Cathodic Protection Well Recorded Depth to Water
Figure C: 300 Foot Radius Watercourse and Drainage Identification
Figure D: 300 Foot Radius Occupied Structure Identification
Figure E: Water Well and Natural Spring Location
Figure F: Wetlands
Figure G: Mines, Mills, and Quarries
Figure H: 100-Year Flood Plain Map

Appendix C – Executed C-138 Solid Waste Acceptance Form

Appendix D – Photographic Documentation

Appendix E – Regulatory Correspondence

Appendix F – Table 1 - Soil Analytical Summary

Appendix G – Laboratory Data Sheets & Chain of Custody Documentation

1.0 INTRODUCTION

1.1 Site Description & Background

Operator:	Enterprise Field Services, LLC / Enterprise Products Operating LLC (Enterprise)
Site Name:	Bisti 10A (07/17/24) (Site)
NM EMNRD OCD Incident ID No.	NAPP2419947182
Location:	36.400093° North, 108.009437° West Unit Letter K, Section 16, Township 25 North, Range 11 West San Juan County, New Mexico
Property:	Bureau of Land Management (BLM)
Regulatory:	New Mexico (NM) Energy, Minerals and Natural Resources Department (EMNRD) Oil Conservation Division (OCD)

On July 17, 2024, Enterprise personnel identified a release of natural gas and associated pipeline liquids from the Bisti 10A pipeline. Enterprise subsequently isolated and locked the pipeline out of service. On July 19, 2024, Enterprise initiated activities to repair the pipeline. On July 24, 2024, Enterprise initiated activities to remediate petroleum hydrocarbon impact. Enterprise determined the release was “reportable” and the NM EMNRD OCD was subsequently notified.

A **Topographic Map** depicting the location of the Site is included as **Figure 1**, and a **Site Vicinity Map** is included as **Figure 2** in **Appendix A**.

1.2 Project Objective

The primary objective of the closure activities was to reduce constituent of concern (COC) concentrations in the on-site soils to below the applicable NM EMNRD OCD closure criteria.

2.0 CLOSURE CRITERIA

The Site is subject to regulatory oversight by the NNEPA and NM EMNRD OCD. During the evaluation and remediation of the Site, Ensolum, LLC (Ensolum) referenced New Mexico Administrative Code (NMAC) 19.15.29 *Releases*, which establishes investigation and abatement action requirements for oil and gas release sites that are subject to reporting and/or corrective action. The appropriate closure criteria for sites are determined using the siting requirements outlined in Paragraph (4) of Subsection C of 19.15.29.12 NMAC. Ensolum utilized the general site characteristics and information available from NM state agency databases and federal agency geospatial databases to determine the appropriate closure criteria for the Site. Supporting figures and documentation associated with the following Siting bullets are provided in **Appendix B**.

- The NM Office of the State Engineer (OSE) tracks the usage and assignment of water rights and water well installations and records this information in the Water Rights Reporting System (WRRS) database. Water wells and other points of diversion (PODs) are each assigned POD numbers in the database (which is searchable and includes an interactive map). No PODs were identified in the same Public Land Survey System (PLSS) section or adjacent PLSS sections. The closest POD (SJ-00077) is approximately 2.2 miles southeast of the site and approximately 124 feet higher in elevation than the Site. The recorded depth to water (DTW) for this POD is 550 feet below grade surface (bgs) (**Figure A, Appendix B**).

- No cathodic protection wells (CPW) were identified in the NM EMNRD OCD imaging database in the same or adjacent PLSS sections (**Figure B (Appendix B)**).
- The Site is not located within 300 feet of a NM EMNRD OCD-defined continuously flowing watercourse or significant watercourse (**Figure C, Appendix B**).
- The Site is located within 200 feet of a lakebed, sinkhole, or playa lake. The Site is located within a playa lake according to the topographic map.
- The Site is not located within 300 feet of a permanent residence, school, hospital, institution, or church (**Figure D, Appendix B**).
- No springs, or private domestic freshwater wells used by less than five households for domestic or stock watering purposes were identified within 500 feet of the Site (**Figure E, Appendix B**).
- No freshwater wells or springs were identified within 1,000 feet of the Site (**Figure E, Appendix B**).
- The Site is not located within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to New Mexico Statutes Annotated (NMSA) 1978, Section 3-27-3.
- Based on information identified in the U.S. Fish & Wildlife Service National Wetlands Inventory Wetlands Mapper, the Site is not within 300 feet of a wetland (**Figure F, Appendix B**).
- Based on information identified in the NM Mining and Minerals Division's Geographic Information System (GIS) Maps and Mine Data database, the Site is not within an area overlying a subsurface mine (**Figure G, Appendix B**).
- The Site is not located within an unstable area per Paragraph (6) of Subsection U of 19.15.2.7 NMAC.
- Based on information provided by the Federal Emergency Management Agency (FEMA) National Flood Hazard Layer (NFHL) geospatial database, the Site is not within a 100-year floodplain (**Figure H, Appendix B**).

Based on available information Enterprise estimates the depth to subsurface water at the Site to potentially be less than 50 feet bgs, resulting in a Tier I ranking. The closure criteria for soils remaining in place at the Site include:

Tier I Closure Criteria for Soils Impacted by a Release		
Constituent ¹	Method	Limit
Chloride	EPA 300.0 or SM4500 Cl B	600 mg/kg
TPH (GRO+DRO+MRO) ²	EPA SW-846 Method 8015	100 mg/kg
BTEX ³	EPA SW-846 Method 8021 or 8260	50 mg/kg
Benzene	EPA SW-846 Method 8021 or 8260	10 mg/kg

¹ – Constituent concentrations are in milligrams per kilogram (mg/kg).

² – Total Petroleum Hydrocarbons (TPH). Gasoline Range Organics (GRO). Diesel Range Organics (DRO). Motor Oil/Lube Oil Range Organics (MRO).

³ – Benzene, Toluene, Ethylbenzene, and Total Xylenes (BTEX).

3.0 SOIL REMEDIATION ACTIVITIES

On July 19, 2024, Enterprise initiated activities to repair the pipeline. On July 24, 2024, Enterprise initiated activities to remediate petroleum hydrocarbon impact resulting from the release. During the remediation and corrective action activities, West States Energy Contractors provided heavy equipment and labor support, while Ensolum provided environmental consulting support.

The excavation measured approximately 37 feet long and 37 feet wide at the maximum extents. The maximum depth of the excavation measured approximately 6 to 7 feet bgs. The lithology encountered during the completion of remediation activities consisted primarily of unconsolidated clay and silty sand, shale, and sandstone.

Approximately 432 cubic yards (yd³) of petroleum hydrocarbon-affected soils and 15 barrels (bbls) of hydro-excavation soil cuttings and water were transported to the Envirotech, Inc., (Envirotech) landfarm in San Juan County, NM for disposal/remediation. The executed C-138 solid waste acceptance form is provided in **Appendix C**. The excavation was backfilled with imported fill and then contoured to the surrounding grade.

Figure 3 is a map that identifies approximate soil sample locations and depicts the approximate dimensions of the excavation with respect to the pipeline (**Appendix A**). Photographic documentation of the field activities is included in **Appendix D**.

4.0 SOIL SAMPLING PROGRAM

Ensolum field screened the soil samples from the excavation utilizing a calibrated Dexsil PetroFLAG[®] hydrocarbon analyzer system and a photoionization detector (PID) fitted with a 10.6 eV lamp to guide excavation extents.

Ensolum's soil sampling program included the collection of eight composite soil samples (S-1 through S-8) from the excavation for laboratory analysis. The composite samples were comprised of five aliquots each and represent an estimated 200 square foot (ft²) or less sample area per guidelines outlined in Section D of 19.15.29.12 NMAC. A clean shovel and rock chisel were utilized to obtain fresh aliquots from each area of the excavation. Regulatory correspondence is provided in **Appendix E**.

Sampling Event

On July 24, 2024, sampling was performed at the Site. The OCD was notified of the sampling event although no representative was present during sampling activities. Composite soil samples S-1 (6') and S-2 (6' to 7') were collected from the floor of the excavation. Composite soil samples S-3 (0' to 7'), S-4 (0' to 7'), S-5 (0' to 7'), S-6 (0' to 7'), S-7 (0' to 6'), and S-8 (0' to 6') were collected from the sloped walls of the excavation.

All soil samples were collected and placed in laboratory-prepared glassware. The containers were labeled and sealed using the laboratory-supplied labels and custody seals and were stored on ice in a cooler. The samples were relinquished to the courier for Eurofins Environment Testing South Central, LLC (Eurofins) of Albuquerque, NM, under proper chain-of-custody procedures.

5.0 SOIL LABORATORY ANALYTICAL METHODS

The composite soil samples were analyzed for BTEX using Environmental Protection Agency (EPA) SW-846 Method 8021; TPH GRO/DRO/MRO using EPA SW-846 Method 8015; and chlorides using EPA Method 300.0.

The laboratory analytical results are summarized in **Table 1 (Appendix F)**. The laboratory data sheets and executed chain-of-custody forms are provided in **Appendix G**.

6.0 SOIL DATA EVALUATION

Ensolum compared the benzene, BTEX, TPH, and chloride laboratory analytical results or laboratory practical quantitation limits (PQLs) / reporting limits (RLs) associated with the composite soil samples (S-1 through S-8) to the applicable NM EMNRD OCD closure criteria. The laboratory analytical results are summarized in **Table 1 (Appendix F)**.

- The laboratory analytical results for the composite soil samples indicate that benzene is not present at concentrations greater than the laboratory PQLs/RLs, which are less than the NM EMNRD OCD closure criteria of 10 mg/kg.
- The laboratory analytical results for the composite soil samples indicate that total BTEX is not present at concentrations greater than the laboratory PQLs/RLs, which are less than the NM EMNRD OCD closure criteria of 50 mg/kg.
- The laboratory analytical results for the composite soil samples indicate that total combined TPH GRO/DRO/MRO is not present at concentrations greater than the laboratory PQLs/RLs, which are less than the NM EMNRD OCD closure criteria of 100 mg/kg.
- The laboratory analytical results for composite soil samples S-3 and S-7 indicate chloride concentrations of 85 mg/kg and 65 mg/kg, respectively, which are less than the NM EMNRD OCD closure criteria of 600 mg/kg. The laboratory analytical results for the other composite soil samples collected from soils remaining at the Site indicate that chloride is not present at concentrations greater than the laboratory PQLs/RLs, which are less than the NM EMNRD OCD closure criteria of 600 mg/kg.

7.0 RECLAMATION

The excavation was backfilled with imported fill and then contoured to the surrounding grade. Once the Site is no longer being used for oil and gas production, final reclamation and revegetation will be addressed in accordance with 19.15.29.13 NMAC.

8.0 FINDINGS AND RECOMMENDATION

- Eight composite soil samples were collected from the Site. Based on laboratory analytical results, no benzene, total BTEX, chloride, or total combined TPH GRO/DRO/MRO exceedances were identified in the soils remaining at the Site.
- Approximately 432 yd³ of petroleum hydrocarbon-affected soils and 15 bbls of hydro-excavation soil cuttings and water were transported to the Envirotech landfarm for disposal/remediation.

Based on field observations and laboratory analytical results, no additional investigation or corrective action appears warranted at this time.

9.0 STANDARDS OF CARE, LIMITATIONS, AND RELIANCE

9.1 Standard of Care

Ensolum's services were performed in accordance with standards customarily provided by a firm rendering the same or similar services in the area during the same time period. Ensolum makes no warranties, express or implied, as to the services performed hereunder. Additionally, Ensolum does not warrant the work of third parties supplying information used in the report (e.g., laboratories, regulatory agencies, or other third parties).

9.2 Limitations

Findings, conclusions, and recommendations resulting from these services are based upon information derived from the on-Site activities and other services performed under this scope of work, and it should be noted that this information is subject to change over time. Certain indicators of the presence of hazardous substances, petroleum products, or other constituents may have been latent, inaccessible, unobservable, or not present during these services, and Ensolum cannot represent that the Site contains no hazardous substances, toxic materials, petroleum products, or other latent conditions beyond those identified during the investigation. Environmental conditions at other areas or portions of the Site may vary from those encountered at actual sample locations. Ensolum's findings and recommendation are based solely upon data available to Ensolum at the time of these services.

9.3 Reliance


This report has been prepared for the exclusive use of Enterprise, and any authorization for use or reliance by any other party (except a governmental entity having jurisdiction over the Site) is prohibited without the express written authorization of Enterprise and Ensolum. Any unauthorized distribution or reuse is at the client's sole risk. Notwithstanding the foregoing, reliance by authorized parties will be subject to the terms, conditions, and limitations stated in the Report and Ensolum's Master Services Agreement. The limitation of liability defined in the agreement is the aggregate limit of Ensolum's liability to the client.



APPENDIX A

Figures

Document Path: C:\Users\Peter.Rodriguez\OneDrive - ENSOLUM\LLC\Desktop\PAR_GIS\Bisti 10A (07/17/24)\1 - Project\Fig 1_Template\Bisti 10A (07/17/24).aprx




Topographic Map

Enterprise Field Services, LLC
Bisti 10A (07/17/24)
Project Number: 05A1226327
Unit Letter K, S16 T25N R11W, San Juan County, NM
36.400093, -108.009437

FIGURE
1

Document Path: C:\Users\Peter.Rodriguez\OneDrive - ENSOLUM, LLC\Desktop\PAR_GIS\B10A\B10A (07/17/24) - B10A (07/17/24) - Project\Fig 1_Template\B10A (07/17/24).aprx



Site Vicinity Map

Enterprise Field Services, LLC
Bisti 10A (07/17/24)
Project Number: 05A1226327
Unit Letter K, S16 T25N R11W, San Juan County, NM
36.400093, -108.009437

FIGURE

2

Legend

- ▲ Release Point
- Composite Soil Sample Location
- Pipeline
- ▨ Excavation Extent (0' - 7' bgs)
- ▨ Sloped Excavation Sidewall (0' - 7' bgs)

S-8	
07.24.24	
W (0' - 6')	
Benzene...	<0.022
Toluene...	<0.044
Ethylbenzene...	<0.044
Xylenes...	<0.087
Total BTEX...	ND
TPH GRO...	<4.4
TPH DRO...	<9.9
TPH MRO...	<49
Total Combined TPH	
GRO/DRO/MRO...	ND
Chlorides...	<60

S-1	
07.24.24	
F (6')	
Benzene...	<0.020
Toluene...	<0.039
Ethylbenzene...	<0.039
Xylenes...	<0.078
Total BTEX...	ND
TPH GRO...	<3.9
TPH DRO...	<9.6
TPH MRO...	<48
Total Combined TPH	
GRO/DRO/MRO...	ND
Chlorides...	<60

S-3	
07.24.24	
W (0' - 7')	
Benzene...	<0.020
Toluene...	<0.040
Ethylbenzene...	<0.040
Xylenes...	<0.079
Total BTEX...	ND
TPH GRO...	<4.0
TPH DRO...	<9.8
TPH MRO...	<49
Total Combined TPH	
GRO/DRO/MRO...	ND
Chlorides...	85

S-4	
07.24.24	
W (0' - 7')	
Benzene...	<0.019
Toluene...	<0.038
Ethylbenzene...	<0.038
Xylenes...	<0.076
Total BTEX...	ND
TPH GRO...	<3.8
TPH DRO...	<9.2
TPH MRO...	<46
Total Combined TPH	
GRO/DRO/MRO...	ND
Chlorides...	<60

S-7	
07.24.24	
W (0' - 6')	
Benzene...	<0.025
Toluene...	<0.049
Ethylbenzene...	<0.049
Xylenes...	<0.098
Total BTEX...	ND
TPH GRO...	<4.9
TPH DRO...	<9.5
TPH MRO...	<48
Total Combined TPH	
GRO/DRO/MRO...	ND
Chlorides...	65



S-6	
07.24.24	
W (0' - 7')	
Benzene...	<0.018
Toluene...	<0.037
Ethylbenzene...	<0.037
Xylenes...	<0.074
Total BTEX...	ND
TPH GRO...	<3.7
TPH DRO...	<9.7
TPH MRO...	<49
Total Combined TPH	
GRO/DRO/MRO...	ND
Chlorides...	<60

S-2	
07.24.24	
F (6' - 7')	
Benzene...	<0.019
Toluene...	<0.038
Ethylbenzene...	<0.038
Xylenes...	<0.076
Total BTEX...	ND
TPH GRO...	<3.8
TPH DRO...	<9.8
TPH MRO...	<49
Total Combined TPH	
GRO/DRO/MRO...	ND
Chlorides...	<60

S-5	
07.24.24	
W (0' - 7')	
Benzene...	<0.018
Toluene...	<0.035
Ethylbenzene...	<0.035
Xylenes...	<0.071
Total BTEX...	ND
TPH GRO...	<3.5
TPH DRO...	<9.7
TPH MRO...	<48
Total Combined TPH	
GRO/DRO/MRO...	ND
Chlorides...	<60

Notes:

F - Floor Sample
 W - Wall Sample
 bgs - Below Grade Surface
 All concentration are listed in
 milligrams per kilogram (mg/kg)
 All depths are listed in feet bgs

**Site Map with Soil Analytical Results**

Enterprise Field Services, LLC
 Bisti 10A (07/17/24)
 Project Number: 05A1226327
 Unit Letter K, S16 T25N R11W, San Juan County, NM
 36.400093, -108.009437

FIGURE
3






APPENDIX B

Siting Figures and Documentation

Document Path: C:\Users\Peter.Rodriguez\OneDrive - ENSOLUM, LLC\Desktop\PAR_GIS\File Path Structure6 - Aztec\Enterprise Field Services, LLC\05A1226327 - Bisti 10A (07/17/24)\1 - Project\Fig 1_Template\Bisti 10A (07/17/24).aprx




1.0 Mile Radius Water Well / POD Location Map

Enterprise Field Services, LLC
Bisti 10A (07/17/24)
Project Number: 05A1226327
Unit Letter K, S16 T25N R11W, San Juan County, NM
36.400093, -108.009437

**FIGURE
A**

Document Path: C:\Users\Peter.Rodriguez\OneDrive - ENSOLUM, LLC\Desktop\PAR_GIS\Bisti 10A (07/17/24)\1 - Project\Fig 1_Template\Bisti 10A (07/17/24).aprx




Cathodic Protection Well Recorded Depth to Water

Enterprise Field Services, LLC
Bisti 10A (07/17/24)
Project Number: 05A1226327
Unit Letter K, S16 T25N R11W, San Juan County, NM
36.400093, -108.009437

**FIGURE
B**

Document Path: C:\Users\Peter.Rodriguez\OneDrive - ENSOLUM, LLC\Desktop\PAR_GIS\B10A\B10A (07/17/24)\1 - Project\Fig. 1_Template\B10A (07/17/24).aprx



300 Foot Radius Watercourse and Drainage Identification


Enterprise Field Services, LLC
Bisti 10A (07/17/24)

Project Number: 05A1226327

Unit Letter K, S16 T25N R11W, San Juan County, NM
36.400093, -108.009437

FIGURE
C

Document Path: C:\Users\Peter.Rodriguez\OneDrive - ENSOLUM, LLC\Desktop\PAR_GIS\B10A_10A (07/17/24)\1 - Project\Fig. 1_Template\B10A_10A (07/17/24).aprx



300 Foot Radius Occupied Structure Identification


Enterprise Field Services, LLC
Bisti 10A (07/17/24)

Project Number: 05A1226327

Unit Letter K, S16 T25N R11W, San Juan County, NM
36.400093, -108.009437

**FIGURE
D**

Document Path: C:\Users\Peter.Rodriguez\OneDrive - ENSOLUM\LLC\Desktop\PAR_GIS\Bisti 10A (07/17/24)\1 - Project\Fig 1_Template\Bisti 10A (07/17/24).aprx




Water Well and Natural Spring Location

Enterprise Field Services, LLC
Bisti 10A (07/17/24)
Project Number: 05A1226327
Unit Letter K, S16 T25N R11W, San Juan County, NM
36.400093, -108.009437

FIGURE
E

Document Path: C:\Users\Peter.Rodriguez\OneDrive - ENSOLUM, LLC\Desktop\PAR_GIS\Bisti 10A (07/17/24)\1 - Project\Fig 1_Template\Bisti 10A (07/17/24).aprx




Wetlands

Enterprise Field Services, LLC
Bisti 10A (07/17/24)
Project Number: 05A1226327
Unit Letter K, S16 T25N R11W, San Juan County, NM
36.400093, -108.009437

FIGURE
F

Document Path: C:\Users\Peter.Rodriguez\OneDrive - ENSOLUM, LLC\Desktop\PAR_GIS\Bisti 10A (07/17/24) - Bisti 10A (07/17/24) - Project\Fig 1_Template\Bisti 10A (07/17/24).aprx




Mines, Mills, and Quarries

Enterprise Field Services, LLC
Bisti 10A (07/17/24)
Project Number: 05A1226327
Unit Letter K, S16 T25N R11W, San Juan County, NM
36.400093, -108.009437

FIGURE
G

Document Path: C:\Users\Peter.Rodriguez\OneDrive - ENSOLUM, LLC\Desktop\PAR_GIS\Bisti 10A\Bisti 10A (07/17/24)\1 - Project\Fig 1_Template\Bisti 10A (07/17/24).aprx



100-Year Flood Plain Map

Enterprise Field Services, LLC
Bisti 10A (07/17/24)
Project Number: 05A1226327
Unit Letter K, S16 T25N R11W, San Juan County, NM
36.400093, -108.009437

FIGURE
H



APPENDIX C

Executed C-138 Solid Waste Acceptance Form

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-138
Revised 08/01/11

*Surface Waste Management Facility Operator
and Generator shall maintain and make this
documentation available for Division inspection.

97057-1125

REQUEST FOR APPROVAL TO ACCEPT SOLID WASTE**1. Generator Name and Address:**

Enterprise Field Services, LLC, 614 Reilly Ave, Farmington NM 87401

PayKey: AM14058

PM: ME Eddleman

AFE: Pending

2. Originating Site:

Bisti/Trunk 10A

3. Location of Material (Street Address, City, State or ULSTR):

UL K Section 16 T25N R11W; 36.4000093, -107.009437

July 2024

4. Source and Description of Waste:

Source: Remediation activities associated with a natural gas pipeline leak.

Description: Hydrocarbon/Condensate impacted soil associated natural gas pipeline release.

Estimated Volume (50) yd³ / bbls Known Volume (to be entered by the operator at the end of the haul) 432/15 yd³ / bbls**5. GENERATOR CERTIFICATION STATEMENT OF WASTE STATUS**I, Thomas Long *Thomas Long*, representative or authorized agent for Enterprise Products Operating do hereby**Generator Signature**

certify that according to the Resource Conservation and Recovery Act (RCRA) and the US Environmental Protection Agency's July 1988 regulatory determination, the above described waste is: (Check the appropriate classification)

☒ RCRA Exempt: Oil field wastes generated from oil and gas exploration and production operations and are not mixed with non-exempt waste. **Operator Use Only: Waste Acceptance Frequency** ☐ Monthly ☐ Weekly ☐ Per Load☐ RCRA Non-Exempt: Oil field waste which is non-hazardous that does not exceed the minimum standards for waste hazardous by characteristics established in RCRA regulations, 40 CFR 261.21-261.24, or listed hazardous waste as defined in 40 CFR, part 261, subpart D, as amended. The following documentation is attached to demonstrate the above-described waste is non-hazardous. (Check the appropriate items)☐ MSDS Information ☐ RCRA Hazardous Waste Analysis ☐ Process Knowledge ☐ Other (Provide description in Box 4)**GENERATOR 19.15.36.15 WASTE TESTING CERTIFICATION STATEMENT FOR LANDFARMS**I, Thomas Long *Thomas Long* 7-19-2024, representative for Enterprise Products Operating authorizes Envirotech, Inc. to complete**Generator Signature**

the required testing/sign the Generator Waste Testing Certification.

I, Greg Crabtree, representative for Envirotech, Inc. do hereby certify that representative samples of the oil field waste have been subjected to the paint filter test and tested for chloride content and that the samples have been found to conform to the specific requirements applicable to landfarms pursuant to Section 15 of 19.15.36 NMAC. The results of the representative samples are attached to demonstrate the above-described waste conform to the requirements of Section 15 of 19.15.36 NMAC.**5. Transporter: TBD****OCD Permitted Surface Waste Management Facility**Name and Facility Permit #: **Envirotech Inc. Soil Remediation Facility * Permit #: NM 01-0011**Address of Facility: **Hilltop, NM**

Method of Treatment and/or Disposal:

☐ Evaporation ☐ Injection ☐ Treating Plant ☒ Landfarm ☐ Landfill ☐ Other**Waste Acceptance Status:**☒ **APPROVED**☐ **DENIED (Must Be Maintained As Permanent Record)**PRINT NAME: Greg CrabtreeSIGNATURE: *Greg Crabtree*

Surface Waste Management Facility Authorized Agent

TITLE: Enviro Manager

TELEPHONE NO.:

DATE: 7/19/24505-632-0615



APPENDIX D

Photographic Documentation

SITE PHOTOGRAPHS

Closure Report
Enterprise Field Services, LLC
Bisti 10A (07/17/24)
Ensolum Project No. 05A1226327

**Photograph 1**

Photograph Description: View of final excavation.

**Photograph 2**

Photograph Description: View of final excavation.

**Photograph 3**

Photograph Description: View of final excavation.



SITE PHOTOGRAPHS

Closure Report
Enterprise Field Services, LLC
Bisti 10A (07/17/24)
Ensolum Project No. 05A1226327



Photograph 4

Photograph Description: View of final excavation.



Photograph 4

Photograph Description: View of the site after initial restoration.





APPENDIX E

Regulatory Correspondence

From: OCDOnline@state.nm.us
To: [Long, Thomas](#)
Subject: [EXTERNAL] The Oil Conservation Division (OCD) has accepted the application, Application ID: 366507
Date: Tuesday, July 23, 2024 1:02:43 PM

[Use caution with links/attachments]

To whom it may concern (c/o Thomas Long for Enterprise Field Services, LLC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2419947182.

The sampling event is expected to take place:

When: 07/26/2024 @ 09:00

Where: K-15-25N-12W 0 FNL 0 FEL (36.400005,-108.099455)

Additional Information: Ensolum, LLC

Additional Instructions: 36.400005,-108.099455

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505



APPENDIX F

Table 1 – Soil Analytical Summary



TABLE 1
Bisti 10A (07/17/24)
SOIL ANALYTICAL SUMMARY

Sample I.D.	Date	Sample Type C- Composite G - Grab	Sample Depth (feet)	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Xylenes (mg/kg)	Total BTEX ¹ (mg/kg)	TPH GRO (mg/kg)	TPH DRO (mg/kg)	TPH MRO (mg/kg)	Total Combined TPH (GRO/DRO/MRO) ¹ (mg/kg)	Chloride (mg/kg)
New Mexico Energy, Mineral & Natural Resources Department Oil Conservation Division Closure Criteria (Tier I)				10	NE	NE	NE	50	NE	NE	NE	100	600
Excavation Composite Soil Samples													
S-1	07.24.24	C	6	<0.020	<0.039	<0.039	<0.078	ND	<3.9	<9.6	<48	ND	<60
S-2	07.24.24	C	6 to 7	<0.019	<0.038	<0.038	<0.076	ND	<3.8	<9.8	<49	ND	<60
S-3	07.24.24	C	0 to 7	<0.020	<0.040	<0.040	<0.079	ND	<4.0	<9.8	<49	ND	85
S-4	07.24.24	C	0 to 7	<0.019	<0.038	<0.038	<0.076	ND	<3.8	<9.2	<46	ND	<60
S-5	07.24.24	C	0 to 7	<0.018	<0.035	<0.035	<0.071	ND	<3.5	<9.7	<48	ND	<60
S-6	07.24.24	C	0 to 7	<0.018	<0.037	<0.037	<0.074	ND	<3.7	<9.7	<49	ND	<60
S-7	07.24.24	C	0 to 6	<0.025	<0.049	<0.049	<0.098	ND	<4.9	<9.5	<48	ND	65
S-8	07.24.24	C	0 to 6	<0.022	<0.044	<0.044	<0.087	ND	<4.4	<9.9	<49	ND	<60

Note: Concentrations in **bold** and yellow exceed the applicable NM EMNRD Closure Criteria

¹ = Total combined concentrations are rounded to two (2) significant figures to match the laboratory resolution of the individual constituents.

ND = Not Detected above the Practical Quantitation Limits (PQLs) or Reporting Limits (RLs)

NE = Not established

mg/kg = milligrams per kilogram

BTEX = Benzene, Toluene, Ethylbenzene, and Xylenes

TPH = Total Petroleum Hydrocarbons

GRO = Gasoline Range Organics

DRO = Diesel Range Organics

MRO = Motor Oil/Lube Oil Range Organics



APPENDIX G

Laboratory Data Sheets & Chain of Custody Documentation



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

ANALYTICAL REPORT

PREPARED FOR

Attn: Kyle Summers
Ensolum
606 S Rio Grande
Suite A
Aztec, New Mexico 87410
Generated 7/30/2024 9:44:39 AM

JOB DESCRIPTION

Bisti 10A

JOB NUMBER

885-8602-1

Eurofins Albuquerque
4901 Hawkins NE
Albuquerque NM 87109

Eurofins Albuquerque

Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing South Central, LLC Project Manager.

Authorization



Generated
7/30/2024 9:44:39 AM

Authorized for release by
John Caldwell, Project Manager
john.caldwell@et.eurofinsus.com
(505)345-3975

Client: Ensolum
Project/Site: Bisti 10A

Laboratory Job ID: 885-8602-1

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
QC Sample Results	14
QC Association Summary	18
Lab Chronicle	21
Certification Summary	24
Chain of Custody	25
Receipt Checklists	26



Definitions/Glossary

Client: Ensolum
Project/Site: Bisti 10A

Job ID: 885-8602-1

Qualifiers

GC VOA

Qualifier	Qualifier Description
S1+	Surrogate recovery exceeds control limits, high biased.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Ensolum
Project: Bisti 10A

Job ID: 885-8602-1

Job ID: 885-8602-1Eurofins Albuquerque

Job Narrative
885-8602-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 7/25/2024 6:30 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 5.3°C.

Gasoline Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Albuquerque

Client Sample Results

Client: Ensolum
Project/Site: Bisti 10A

Job ID: 885-8602-1

Client Sample ID: S-1
Date Collected: 07/24/24 09:15
Date Received: 07/25/24 06:30

Lab Sample ID: 885-8602-1
Matrix: Solid

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Gasoline Range Organics [C6 - C10]	ND		3.9	mg/Kg		07/25/24 08:38	07/25/24 11:39	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	92		35 - 166			07/25/24 08:38	07/25/24 11:39	1	
Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	ND		0.020	mg/Kg		07/25/24 08:38	07/25/24 11:39	1	
Ethylbenzene	ND		0.039	mg/Kg		07/25/24 08:38	07/25/24 11:39	1	
Toluene	ND		0.039	mg/Kg		07/25/24 08:38	07/25/24 11:39	1	
Xylenes, Total	ND		0.078	mg/Kg		07/25/24 08:38	07/25/24 11:39	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	88		48 - 145			07/25/24 08:38	07/25/24 11:39	1	
Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Diesel Range Organics [C10-C28]	ND		9.6	mg/Kg		07/25/24 09:28	07/25/24 11:06	1	
Motor Oil Range Organics [C28-C40]	ND		48	mg/Kg		07/25/24 09:28	07/25/24 11:06	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
Di-n-octyl phthalate (Surr)	92		62 - 134			07/25/24 09:28	07/25/24 11:06	1	
Method: EPA 300.0 - Anions, Ion Chromatography									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	ND		60	mg/Kg		07/25/24 10:50	07/25/24 12:07	20	

Client Sample Results

Client: Ensolum
Project/Site: Bisti 10A

Job ID: 885-8602-1

Client Sample ID: S-2

Lab Sample ID: 885-8602-2

Date Collected: 07/24/24 09:20

Matrix: Solid

Date Received: 07/25/24 06:30

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Gasoline Range Organics [C6 - C10]	ND		3.8	mg/Kg		07/25/24 08:38	07/25/24 12:02	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	94		35 - 166			07/25/24 08:38	07/25/24 12:02	1	
Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	ND		0.019	mg/Kg		07/25/24 08:38	07/25/24 12:02	1	
Ethylbenzene	ND		0.038	mg/Kg		07/25/24 08:38	07/25/24 12:02	1	
Toluene	ND		0.038	mg/Kg		07/25/24 08:38	07/25/24 12:02	1	
Xylenes, Total	ND		0.076	mg/Kg		07/25/24 08:38	07/25/24 12:02	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	86		48 - 145			07/25/24 08:38	07/25/24 12:02	1	
Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Diesel Range Organics [C10-C28]	ND		9.8	mg/Kg		07/25/24 09:28	07/25/24 11:17	1	
Motor Oil Range Organics [C28-C40]	ND		49	mg/Kg		07/25/24 09:28	07/25/24 11:17	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
Di-n-octyl phthalate (Surr)	99		62 - 134			07/25/24 09:28	07/25/24 11:17	1	
Method: EPA 300.0 - Anions, Ion Chromatography									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	ND		60	mg/Kg		07/25/24 10:50	07/25/24 12:19	20	

Client Sample Results

Client: Ensolum
Project/Site: Bisti 10A

Job ID: 885-8602-1

Client Sample ID: S-3
Date Collected: 07/24/24 09:25
Date Received: 07/25/24 06:30

Lab Sample ID: 885-8602-3
Matrix: Solid

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Gasoline Range Organics [C6 - C10]	ND		4.0	mg/Kg		07/25/24 08:38	07/25/24 12:26		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	91		35 - 166			07/25/24 08:38	07/25/24 12:26		1
Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	ND		0.020	mg/Kg		07/25/24 08:38	07/25/24 12:26		1
Ethylbenzene	ND		0.040	mg/Kg		07/25/24 08:38	07/25/24 12:26		1
Toluene	ND		0.040	mg/Kg		07/25/24 08:38	07/25/24 12:26		1
Xylenes, Total	ND		0.079	mg/Kg		07/25/24 08:38	07/25/24 12:26		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	87		48 - 145			07/25/24 08:38	07/25/24 12:26		1
Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Diesel Range Organics [C10-C28]	ND		9.8	mg/Kg		07/25/24 09:28	07/25/24 11:27		1
Motor Oil Range Organics [C28-C40]	ND		49	mg/Kg		07/25/24 09:28	07/25/24 11:27		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
Di-n-octyl phthalate (Surr)	98		62 - 134			07/25/24 09:28	07/25/24 11:27		1
Method: EPA 300.0 - Anions, Ion Chromatography									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	85		60	mg/Kg		07/25/24 10:50	07/25/24 12:32		20

Client Sample Results

Client: Ensolum
Project/Site: Bisti 10A

Job ID: 885-8602-1

Client Sample ID: S-4
Date Collected: 07/24/24 09:35
Date Received: 07/25/24 06:30

Lab Sample ID: 885-8602-4
Matrix: Solid

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Gasoline Range Organics [C6 - C10]	ND		3.8	mg/Kg		07/25/24 08:38	07/25/24 12:49		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	97		35 - 166			07/25/24 08:38	07/25/24 12:49		1
Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	ND		0.019	mg/Kg		07/25/24 08:38	07/25/24 12:49		1
Ethylbenzene	ND		0.038	mg/Kg		07/25/24 08:38	07/25/24 12:49		1
Toluene	ND		0.038	mg/Kg		07/25/24 08:38	07/25/24 12:49		1
Xylenes, Total	ND		0.076	mg/Kg		07/25/24 08:38	07/25/24 12:49		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	88		48 - 145			07/25/24 08:38	07/25/24 12:49		1
Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Diesel Range Organics [C10-C28]	ND		9.2	mg/Kg		07/25/24 09:28	07/25/24 11:38		1
Motor Oil Range Organics [C28-C40]	ND		46	mg/Kg		07/25/24 09:28	07/25/24 11:38		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
Di-n-octyl phthalate (Surr)	98		62 - 134			07/25/24 09:28	07/25/24 11:38		1
Method: EPA 300.0 - Anions, Ion Chromatography									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	ND		60	mg/Kg		07/25/24 10:50	07/25/24 12:44		20

Client Sample Results

Client: Ensolum
Project/Site: Bisti 10A

Job ID: 885-8602-1

Client Sample ID: S-5
Date Collected: 07/24/24 09:45
Date Received: 07/25/24 06:30

Lab Sample ID: 885-8602-5
Matrix: Solid

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Gasoline Range Organics [C6 - C10]	ND		3.5	mg/Kg		07/25/24 08:38	07/25/24 13:13	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	96		35 - 166			07/25/24 08:38	07/25/24 13:13	1	
Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	ND		0.018	mg/Kg		07/25/24 08:38	07/25/24 13:13	1	
Ethylbenzene	ND		0.035	mg/Kg		07/25/24 08:38	07/25/24 13:13	1	
Toluene	ND		0.035	mg/Kg		07/25/24 08:38	07/25/24 13:13	1	
Xylenes, Total	ND		0.071	mg/Kg		07/25/24 08:38	07/25/24 13:13	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	90		48 - 145			07/25/24 08:38	07/25/24 13:13	1	
Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Diesel Range Organics [C10-C28]	ND		9.7	mg/Kg		07/25/24 09:28	07/25/24 11:49	1	
Motor Oil Range Organics [C28-C40]	ND		48	mg/Kg		07/25/24 09:28	07/25/24 11:49	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
Di-n-octyl phthalate (Surr)	94		62 - 134			07/25/24 09:28	07/25/24 11:49	1	
Method: EPA 300.0 - Anions, Ion Chromatography									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	ND		60	mg/Kg		07/25/24 10:50	07/25/24 12:56	20	

Client Sample Results

Client: Ensolum
Project/Site: Bisti 10A

Job ID: 885-8602-1

Client Sample ID: S-6
Date Collected: 07/24/24 09:55
Date Received: 07/25/24 06:30

Lab Sample ID: 885-8602-6
Matrix: Solid

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Gasoline Range Organics [C6 - C10]	ND		3.7	mg/Kg		07/25/24 08:38	07/25/24 13:36	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	93		35 - 166			07/25/24 08:38	07/25/24 13:36	1	
Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	ND		0.018	mg/Kg		07/25/24 08:38	07/25/24 13:36	1	
Ethylbenzene	ND		0.037	mg/Kg		07/25/24 08:38	07/25/24 13:36	1	
Toluene	ND		0.037	mg/Kg		07/25/24 08:38	07/25/24 13:36	1	
Xylenes, Total	ND		0.074	mg/Kg		07/25/24 08:38	07/25/24 13:36	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	87		48 - 145			07/25/24 08:38	07/25/24 13:36	1	
Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Diesel Range Organics [C10-C28]	ND		9.7	mg/Kg		07/25/24 09:28	07/25/24 12:00	1	
Motor Oil Range Organics [C28-C40]	ND		49	mg/Kg		07/25/24 09:28	07/25/24 12:00	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
Di-n-octyl phthalate (Surr)	99		62 - 134			07/25/24 09:28	07/25/24 12:00	1	
Method: EPA 300.0 - Anions, Ion Chromatography									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	ND		60	mg/Kg		07/25/24 10:50	07/25/24 13:09	20	

Client Sample Results

Client: Ensolum
Project/Site: Bisti 10A

Job ID: 885-8602-1

Client Sample ID: S-7
Date Collected: 07/24/24 10:05
Date Received: 07/25/24 06:30

Lab Sample ID: 885-8602-7
Matrix: Solid

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Gasoline Range Organics [C6 - C10]	ND		4.9	mg/Kg		07/25/24 08:38	07/25/24 14:00		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	94		35 - 166			07/25/24 08:38	07/25/24 14:00		1
Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	ND		0.025	mg/Kg		07/25/24 08:38	07/25/24 14:00		1
Ethylbenzene	ND		0.049	mg/Kg		07/25/24 08:38	07/25/24 14:00		1
Toluene	ND		0.049	mg/Kg		07/25/24 08:38	07/25/24 14:00		1
Xylenes, Total	ND		0.098	mg/Kg		07/25/24 08:38	07/25/24 14:00		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	88		48 - 145			07/25/24 08:38	07/25/24 14:00		1
Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Diesel Range Organics [C10-C28]	ND		9.5	mg/Kg		07/25/24 09:28	07/25/24 12:10		1
Motor Oil Range Organics [C28-C40]	ND		48	mg/Kg		07/25/24 09:28	07/25/24 12:10		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
Di-n-octyl phthalate (Surr)	100		62 - 134			07/25/24 09:28	07/25/24 12:10		1
Method: EPA 300.0 - Anions, Ion Chromatography									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	65		60	mg/Kg		07/25/24 10:50	07/25/24 13:21		20

Client Sample Results

Client: Ensolum
Project/Site: Bisti 10A

Job ID: 885-8602-1

Client Sample ID: S-8
Date Collected: 07/24/24 10:15
Date Received: 07/25/24 06:30

Lab Sample ID: 885-8602-8
Matrix: Solid

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Gasoline Range Organics [C6 - C10]	ND		4.4	mg/Kg		07/25/24 08:38	07/25/24 14:24		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	93		35 - 166			07/25/24 08:38	07/25/24 14:24		1
Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	ND		0.022	mg/Kg		07/25/24 08:38	07/25/24 14:24		1
Ethylbenzene	ND		0.044	mg/Kg		07/25/24 08:38	07/25/24 14:24		1
Toluene	ND		0.044	mg/Kg		07/25/24 08:38	07/25/24 14:24		1
Xylenes, Total	ND		0.087	mg/Kg		07/25/24 08:38	07/25/24 14:24		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	86		48 - 145			07/25/24 08:38	07/25/24 14:24		1
Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Diesel Range Organics [C10-C28]	ND		9.9	mg/Kg		07/25/24 09:28	07/25/24 12:21		1
Motor Oil Range Organics [C28-C40]	ND		49	mg/Kg		07/25/24 09:28	07/25/24 12:21		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
Di-n-octyl phthalate (Surr)	97		62 - 134			07/25/24 09:28	07/25/24 12:21		1
Method: EPA 300.0 - Anions, Ion Chromatography									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	ND		60	mg/Kg		07/25/24 10:50	07/25/24 13:34		20

QC Sample Results

Client: Ensolum
Project/Site: Bisti 10A

Job ID: 885-8602-1

Method: 8015M/D - Gasoline Range Organics (GRO) (GC)

Lab Sample ID: MB 885-9113/1-A						Client Sample ID: Method Blank			
Matrix: Solid						Prep Type: Total/NA			
Analysis Batch: 9196						Prep Batch: 9113			
Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Gasoline Range Organics [C6 - C10]	ND		5.0	mg/Kg		07/25/24 08:38	07/25/24 11:16	1	
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	93		35 - 166			07/25/24 08:38	07/25/24 11:16	1	

Lab Sample ID: LCS 885-9113/2-A					Client Sample ID: Lab Control Sample				
Matrix: Solid					Prep Type: Total/NA				
Analysis Batch: 9196					Prep Batch: 9113				
Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics [C6 - C10]			25.0	23.9		mg/Kg		95	70 - 130
Surrogate	LCS %Recovery	LCS Qualifier	Limits						
4-Bromofluorobenzene (Surr)	196	S1+	35 - 166						

Lab Sample ID: 885-8602-1 MS						Client Sample ID: S-1			
Matrix: Solid						Prep Type: Total/NA			
Analysis Batch: 9196						Prep Batch: 9113			
Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics [C6 - C10]	ND		19.6	19.2		mg/Kg		98	70 - 130
Surrogate	MS %Recovery	MS Qualifier	Limits						
4-Bromofluorobenzene (Surr)	202	S1+	35 - 166						

Lab Sample ID: 885-8602-1 MSD									Client Sample ID: S-1		
Matrix: Solid									Prep Type: Total/NA		
Analysis Batch: 9196									Prep Batch: 9113		
Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics [C6 - C10]	ND		19.6	19.1		mg/Kg		97	70 - 130	1	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
4-Bromofluorobenzene (Surr)	202	S1+	35 - 166								

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 885-9113/1-A						Client Sample ID: Method Blank			
Matrix: Solid						Prep Type: Total/NA			
Analysis Batch: 9197						Prep Batch: 9113			
Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	ND		0.025	mg/Kg		07/25/24 08:38	07/25/24 11:16	1	
Ethylbenzene	ND		0.050	mg/Kg		07/25/24 08:38	07/25/24 11:16	1	
Toluene	ND		0.050	mg/Kg		07/25/24 08:38	07/25/24 11:16	1	

Eurofins Albuquerque

QC Sample Results

Client: Ensolum
Project/Site: Bisti 10A

Job ID: 885-8602-1

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: MB 885-9113/1-A						Client Sample ID: Method Blank		
Matrix: Solid						Prep Type: Total/NA		
Analysis Batch: 9197						Prep Batch: 9113		
Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Xylenes, Total	ND		0.10	mg/Kg		07/25/24 08:38	07/25/24 11:16	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	88		48 - 145			07/25/24 08:38	07/25/24 11:16	1

Lab Sample ID: LCS 885-9113/3-A					Client Sample ID: Lab Control Sample				
Matrix: Solid					Prep Type: Total/NA				
Analysis Batch: 9197					Prep Batch: 9113				
Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec	Limits	
	Added	Result	Qualifier						
Benzene	1.00	0.897		mg/Kg		90		70 - 130	
Ethylbenzene	1.00	0.830		mg/Kg		83		70 - 130	
Toluene	1.00	0.838		mg/Kg		84		70 - 130	
Xylenes, Total	3.00	2.51		mg/Kg		84		70 - 130	
Surrogate	LCS	LCS	Qualifier	Limits					
	%Recovery								
4-Bromofluorobenzene (Surr)	87			48 - 145					

Lab Sample ID: 885-8602-2 MS						Client Sample ID: S-2			
Matrix: Solid						Prep Type: Total/NA			
Analysis Batch: 9197						Prep Batch: 9113			
Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	ND		0.763	0.683		mg/Kg		90	70 - 130
Ethylbenzene	ND		0.763	0.640		mg/Kg		82	70 - 130
Toluene	ND		0.763	0.658		mg/Kg		84	70 - 130
Xylenes, Total	ND		2.29	1.95		mg/Kg		84	70 - 130
Surrogate	MS %Recovery	MS Qualifier	Limits						
4-Bromofluorobenzene (Surr)	94		48 - 145						

Lab Sample ID: 885-8602-2 MSD						Client Sample ID: S-2				
Matrix: Solid						Prep Type: Total/NA				
Analysis Batch: 9197						Prep Batch: 9113				
Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD Limit
Benzene	ND		0.763	0.664		mg/Kg		87	70 - 130	3 20
Ethylbenzene	ND		0.763	0.656		mg/Kg		84	70 - 130	3 20
Toluene	ND		0.763	0.651		mg/Kg		83	70 - 130	1 20
Xylenes, Total	ND		2.29	1.97		mg/Kg		85	70 - 130	1 20
Surrogate	MSD %Recovery	MSD Qualifier	Limits							
4-Bromofluorobenzene (Surr)	94		48 - 145							

QC Sample Results

Client: Ensolum
Project/Site: Bisti 10A

Job ID: 885-8602-1

Method: 8015M/D - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 885-9135/1-A						Client Sample ID: Method Blank			
Matrix: Solid						Prep Type: Total/NA			
Analysis Batch: 9115						Prep Batch: 9135			
	MB	MB							
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Diesel Range Organics [C10-C28]	ND		10	mg/Kg		07/25/24 09:28	07/25/24 10:45	1	
Motor Oil Range Organics [C28-C40]	ND		50	mg/Kg		07/25/24 09:28	07/25/24 10:45	1	
	MB	MB							
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
Di-n-octyl phthalate (Surr)	94		62 - 134			07/25/24 09:28	07/25/24 10:45	1	

Lab Sample ID: LCS 885-9135/2-A						Client Sample ID: Lab Control Sample			
Matrix: Solid						Prep Type: Total/NA			
Analysis Batch: 9115						Prep Batch: 9135			
Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics [C10-C28]			50.0	47.1		mg/Kg		94	60 - 135
Surrogate	LCS %Recovery	LCS Qualifier	Limits						
Di-n-octyl phthalate (Surr)	93		62 - 134						

Lab Sample ID: 885-8602-8 MS						Client Sample ID: S-8			
Matrix: Solid						Prep Type: Total/NA			
Analysis Batch: 9115						Prep Batch: 9135			
Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics [C10-C28]	ND		49.0	48.3		mg/Kg		99	44 - 136
Surrogate	MS %Recovery	MS Qualifier	Limits						
Di-n-octyl phthalate (Surr)	102		62 - 134						

Lab Sample ID: 885-8602-8 MSD									Client Sample ID: S-8		
Matrix: Solid									Prep Type: Total/NA		
Analysis Batch: 9115									Prep Batch: 9135		
Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Diesel Range Organics [C10-C28]	ND		48.9	48.8		mg/Kg		100	44 - 136	1	32
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
Di-n-octyl phthalate (Surr)	99		62 - 134								

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 885-9153/1-A						Client Sample ID: Method Blank			
Matrix: Solid						Prep Type: Total/NA			
Analysis Batch: 9200						Prep Batch: 9153			
Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	ND		3.0	mg/Kg		07/25/24 10:50	07/25/24 11:42	1	

Eurofins Albuquerque

QC Sample Results

Client: Ensolum
Project/Site: Bisti 10A

Job ID: 885-8602-1

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 885-9153/2-A				Client Sample ID: Lab Control Sample							
Matrix: Solid				Prep Type: Total/NA							
Analysis Batch: 9200				Prep Batch: 9153							
Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
Chloride			30.0	28.6		mg/Kg		95	90 - 110		

Lab Sample ID: 885-8602-7 MS				Client Sample ID: S-7							
Matrix: Solid				Prep Type: Total/NA							
Analysis Batch: 9200				Prep Batch: 9153							
Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
Chloride	65		30.3	81.9		mg/Kg		56	50 - 150		

Lab Sample ID: 885-8602-7 MSD				Client Sample ID: S-7							
Matrix: Solid				Prep Type: Total/NA							
Analysis Batch: 9200				Prep Batch: 9153							
Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Chloride	65		29.9	89.6		mg/Kg		83	50 - 150	9	20

Lab Sample ID: 885-8602-8 MS				Client Sample ID: S-8							
Matrix: Solid				Prep Type: Total/NA							
Analysis Batch: 9200				Prep Batch: 9153							
Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
Chloride	ND		30.2	ND		mg/Kg		NC	50 - 150		

Lab Sample ID: 885-8602-8 MSD				Client Sample ID: S-8							
Matrix: Solid				Prep Type: Total/NA							
Analysis Batch: 9200				Prep Batch: 9153							
Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Chloride	ND		29.9	ND		mg/Kg		NC	50 - 150	NC	20

QC Association Summary

Client: Ensolum
Project/Site: Bisti 10A

Job ID: 885-8602-1

GC VOA

Prep Batch: 9113

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-8602-1	S-1	Total/NA	Solid	5035	
885-8602-2	S-2	Total/NA	Solid	5035	
885-8602-3	S-3	Total/NA	Solid	5035	
885-8602-4	S-4	Total/NA	Solid	5035	
885-8602-5	S-5	Total/NA	Solid	5035	
885-8602-6	S-6	Total/NA	Solid	5035	
885-8602-7	S-7	Total/NA	Solid	5035	
885-8602-8	S-8	Total/NA	Solid	5035	
MB 885-9113/1-A	Method Blank	Total/NA	Solid	5035	
LCS 885-9113/2-A	Lab Control Sample	Total/NA	Solid	5035	
LCS 885-9113/3-A	Lab Control Sample	Total/NA	Solid	5035	
885-8602-1 MS	S-1	Total/NA	Solid	5035	
885-8602-1 MSD	S-1	Total/NA	Solid	5035	
885-8602-2 MS	S-2	Total/NA	Solid	5035	
885-8602-2 MSD	S-2	Total/NA	Solid	5035	

Analysis Batch: 9196

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-8602-1	S-1	Total/NA	Solid	8015M/D	9113
885-8602-2	S-2	Total/NA	Solid	8015M/D	9113
885-8602-3	S-3	Total/NA	Solid	8015M/D	9113
885-8602-4	S-4	Total/NA	Solid	8015M/D	9113
885-8602-5	S-5	Total/NA	Solid	8015M/D	9113
885-8602-6	S-6	Total/NA	Solid	8015M/D	9113
885-8602-7	S-7	Total/NA	Solid	8015M/D	9113
885-8602-8	S-8	Total/NA	Solid	8015M/D	9113
MB 885-9113/1-A	Method Blank	Total/NA	Solid	8015M/D	9113
LCS 885-9113/2-A	Lab Control Sample	Total/NA	Solid	8015M/D	9113
885-8602-1 MS	S-1	Total/NA	Solid	8015M/D	9113
885-8602-1 MSD	S-1	Total/NA	Solid	8015M/D	9113

Analysis Batch: 9197

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-8602-1	S-1	Total/NA	Solid	8021B	9113
885-8602-2	S-2	Total/NA	Solid	8021B	9113
885-8602-3	S-3	Total/NA	Solid	8021B	9113
885-8602-4	S-4	Total/NA	Solid	8021B	9113
885-8602-5	S-5	Total/NA	Solid	8021B	9113
885-8602-6	S-6	Total/NA	Solid	8021B	9113
885-8602-7	S-7	Total/NA	Solid	8021B	9113
885-8602-8	S-8	Total/NA	Solid	8021B	9113
MB 885-9113/1-A	Method Blank	Total/NA	Solid	8021B	9113
LCS 885-9113/3-A	Lab Control Sample	Total/NA	Solid	8021B	9113
885-8602-2 MS	S-2	Total/NA	Solid	8021B	9113
885-8602-2 MSD	S-2	Total/NA	Solid	8021B	9113

GC Semi VOA

Analysis Batch: 9115

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-8602-1	S-1	Total/NA	Solid	8015M/D	9135

Eurofins Albuquerque

QC Association Summary

Client: Ensolum
Project/Site: Bisti 10A

Job ID: 885-8602-1

GC Semi VOA (Continued)

Analysis Batch: 9115 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-8602-2	S-2	Total/NA	Solid	8015M/D	9135
885-8602-3	S-3	Total/NA	Solid	8015M/D	9135
885-8602-4	S-4	Total/NA	Solid	8015M/D	9135
885-8602-5	S-5	Total/NA	Solid	8015M/D	9135
885-8602-6	S-6	Total/NA	Solid	8015M/D	9135
885-8602-7	S-7	Total/NA	Solid	8015M/D	9135
885-8602-8	S-8	Total/NA	Solid	8015M/D	9135
MB 885-9135/1-A	Method Blank	Total/NA	Solid	8015M/D	9135
LCS 885-9135/2-A	Lab Control Sample	Total/NA	Solid	8015M/D	9135
885-8602-8 MS	S-8	Total/NA	Solid	8015M/D	9135
885-8602-8 MSD	S-8	Total/NA	Solid	8015M/D	9135

Prep Batch: 9135

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-8602-1	S-1	Total/NA	Solid	SHAKE	
885-8602-2	S-2	Total/NA	Solid	SHAKE	
885-8602-3	S-3	Total/NA	Solid	SHAKE	
885-8602-4	S-4	Total/NA	Solid	SHAKE	
885-8602-5	S-5	Total/NA	Solid	SHAKE	
885-8602-6	S-6	Total/NA	Solid	SHAKE	
885-8602-7	S-7	Total/NA	Solid	SHAKE	
885-8602-8	S-8	Total/NA	Solid	SHAKE	
MB 885-9135/1-A	Method Blank	Total/NA	Solid	SHAKE	
LCS 885-9135/2-A	Lab Control Sample	Total/NA	Solid	SHAKE	
885-8602-8 MS	S-8	Total/NA	Solid	SHAKE	
885-8602-8 MSD	S-8	Total/NA	Solid	SHAKE	

HPLC/IC

Prep Batch: 9153

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-8602-1	S-1	Total/NA	Solid	300_Prep	
885-8602-2	S-2	Total/NA	Solid	300_Prep	
885-8602-3	S-3	Total/NA	Solid	300_Prep	
885-8602-4	S-4	Total/NA	Solid	300_Prep	
885-8602-5	S-5	Total/NA	Solid	300_Prep	
885-8602-6	S-6	Total/NA	Solid	300_Prep	
885-8602-7	S-7	Total/NA	Solid	300_Prep	
885-8602-8	S-8	Total/NA	Solid	300_Prep	
MB 885-9153/1-A	Method Blank	Total/NA	Solid	300_Prep	
LCS 885-9153/2-A	Lab Control Sample	Total/NA	Solid	300_Prep	
885-8602-7 MS	S-7	Total/NA	Solid	300_Prep	
885-8602-7 MSD	S-7	Total/NA	Solid	300_Prep	
885-8602-8 MS	S-8	Total/NA	Solid	300_Prep	
885-8602-8 MSD	S-8	Total/NA	Solid	300_Prep	

Analysis Batch: 9200

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-8602-1	S-1	Total/NA	Solid	300.0	9153
885-8602-2	S-2	Total/NA	Solid	300.0	9153
885-8602-3	S-3	Total/NA	Solid	300.0	9153

Eurofins Albuquerque

QC Association Summary

Client: Ensolum
Project/Site: Bisti 10A

Job ID: 885-8602-1

HPLC/IC (Continued)

Analysis Batch: 9200 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-8602-4	S-4	Total/NA	Solid	300.0	9153
885-8602-5	S-5	Total/NA	Solid	300.0	9153
885-8602-6	S-6	Total/NA	Solid	300.0	9153
885-8602-7	S-7	Total/NA	Solid	300.0	9153
885-8602-8	S-8	Total/NA	Solid	300.0	9153
MB 885-9153/1-A	Method Blank	Total/NA	Solid	300.0	9153
LCS 885-9153/2-A	Lab Control Sample	Total/NA	Solid	300.0	9153
885-8602-7 MS	S-7	Total/NA	Solid	300.0	9153
885-8602-7 MSD	S-7	Total/NA	Solid	300.0	9153
885-8602-8 MS	S-8	Total/NA	Solid	300.0	9153
885-8602-8 MSD	S-8	Total/NA	Solid	300.0	9153

Lab Chronicle

Client: Ensolum
Project/Site: Bisti 10A

Job ID: 885-8602-1

Client Sample ID: S-1

Date Collected: 07/24/24 09:15

Date Received: 07/25/24 06:30

Lab Sample ID: 885-8602-1

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			9113	JP	EET ALB	07/25/24 08:38
Total/NA	Analysis	8015M/D		1	9196	JP	EET ALB	07/25/24 11:39
Total/NA	Prep	5035			9113	JP	EET ALB	07/25/24 08:38
Total/NA	Analysis	8021B		1	9197	JP	EET ALB	07/25/24 11:39
Total/NA	Prep	SHAKE			9135	KR	EET ALB	07/25/24 09:28
Total/NA	Analysis	8015M/D		1	9115	KR	EET ALB	07/25/24 11:06
Total/NA	Prep	300_Prep			9153	RC	EET ALB	07/25/24 10:50
Total/NA	Analysis	300.0		20	9200	RC	EET ALB	07/25/24 12:07

Client Sample ID: S-2

Date Collected: 07/24/24 09:20

Date Received: 07/25/24 06:30

Lab Sample ID: 885-8602-2

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			9113	JP	EET ALB	07/25/24 08:38
Total/NA	Analysis	8015M/D		1	9196	JP	EET ALB	07/25/24 12:02
Total/NA	Prep	5035			9113	JP	EET ALB	07/25/24 08:38
Total/NA	Analysis	8021B		1	9197	JP	EET ALB	07/25/24 12:02
Total/NA	Prep	SHAKE			9135	KR	EET ALB	07/25/24 09:28
Total/NA	Analysis	8015M/D		1	9115	KR	EET ALB	07/25/24 11:17
Total/NA	Prep	300_Prep			9153	RC	EET ALB	07/25/24 10:50
Total/NA	Analysis	300.0		20	9200	RC	EET ALB	07/25/24 12:19

Client Sample ID: S-3

Date Collected: 07/24/24 09:25

Date Received: 07/25/24 06:30

Lab Sample ID: 885-8602-3

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			9113	JP	EET ALB	07/25/24 08:38
Total/NA	Analysis	8015M/D		1	9196	JP	EET ALB	07/25/24 12:26
Total/NA	Prep	5035			9113	JP	EET ALB	07/25/24 08:38
Total/NA	Analysis	8021B		1	9197	JP	EET ALB	07/25/24 12:26
Total/NA	Prep	SHAKE			9135	KR	EET ALB	07/25/24 09:28
Total/NA	Analysis	8015M/D		1	9115	KR	EET ALB	07/25/24 11:27
Total/NA	Prep	300_Prep			9153	RC	EET ALB	07/25/24 10:50
Total/NA	Analysis	300.0		20	9200	RC	EET ALB	07/25/24 12:32

Client Sample ID: S-4

Date Collected: 07/24/24 09:35

Date Received: 07/25/24 06:30

Lab Sample ID: 885-8602-4

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			9113	JP	EET ALB	07/25/24 08:38
Total/NA	Analysis	8015M/D		1	9196	JP	EET ALB	07/25/24 12:49

Eurofins Albuquerque

Lab Chronicle

Client: Ensolum
Project/Site: Bisti 10A

Job ID: 885-8602-1

Client Sample ID: S-4
Date Collected: 07/24/24 09:35
Date Received: 07/25/24 06:30

Lab Sample ID: 885-8602-4
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			9113	JP	EET ALB	07/25/24 08:38
Total/NA	Analysis	8021B		1	9197	JP	EET ALB	07/25/24 12:49
Total/NA	Prep	SHAKE			9135	KR	EET ALB	07/25/24 09:28
Total/NA	Analysis	8015M/D		1	9115	KR	EET ALB	07/25/24 11:38
Total/NA	Prep	300_Prep			9153	RC	EET ALB	07/25/24 10:50
Total/NA	Analysis	300.0		20	9200	RC	EET ALB	07/25/24 12:44

Client Sample ID: S-5
Date Collected: 07/24/24 09:45
Date Received: 07/25/24 06:30

Lab Sample ID: 885-8602-5
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			9113	JP	EET ALB	07/25/24 08:38
Total/NA	Analysis	8015M/D		1	9196	JP	EET ALB	07/25/24 13:13
Total/NA	Prep	5035			9113	JP	EET ALB	07/25/24 08:38
Total/NA	Analysis	8021B		1	9197	JP	EET ALB	07/25/24 13:13
Total/NA	Prep	SHAKE			9135	KR	EET ALB	07/25/24 09:28
Total/NA	Analysis	8015M/D		1	9115	KR	EET ALB	07/25/24 11:49
Total/NA	Prep	300_Prep			9153	RC	EET ALB	07/25/24 10:50
Total/NA	Analysis	300.0		20	9200	RC	EET ALB	07/25/24 12:56

Client Sample ID: S-6
Date Collected: 07/24/24 09:55
Date Received: 07/25/24 06:30

Lab Sample ID: 885-8602-6
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			9113	JP	EET ALB	07/25/24 08:38
Total/NA	Analysis	8015M/D		1	9196	JP	EET ALB	07/25/24 13:36
Total/NA	Prep	5035			9113	JP	EET ALB	07/25/24 08:38
Total/NA	Analysis	8021B		1	9197	JP	EET ALB	07/25/24 13:36
Total/NA	Prep	SHAKE			9135	KR	EET ALB	07/25/24 09:28
Total/NA	Analysis	8015M/D		1	9115	KR	EET ALB	07/25/24 12:00
Total/NA	Prep	300_Prep			9153	RC	EET ALB	07/25/24 10:50
Total/NA	Analysis	300.0		20	9200	RC	EET ALB	07/25/24 13:09

Client Sample ID: S-7
Date Collected: 07/24/24 10:05
Date Received: 07/25/24 06:30

Lab Sample ID: 885-8602-7
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			9113	JP	EET ALB	07/25/24 08:38
Total/NA	Analysis	8015M/D		1	9196	JP	EET ALB	07/25/24 14:00
Total/NA	Prep	5035			9113	JP	EET ALB	07/25/24 08:38
Total/NA	Analysis	8021B		1	9197	JP	EET ALB	07/25/24 14:00

Eurofins Albuquerque

Lab Chronicle

Client: Ensolum
Project/Site: Bisti 10A

Job ID: 885-8602-1

Client Sample ID: S-7
Date Collected: 07/24/24 10:05
Date Received: 07/25/24 06:30

Lab Sample ID: 885-8602-7
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	SHAKE			9135	KR	EET ALB	07/25/24 09:28
Total/NA	Analysis	8015M/D		1	9115	KR	EET ALB	07/25/24 12:10
Total/NA	Prep	300_Prep			9153	RC	EET ALB	07/25/24 10:50
Total/NA	Analysis	300.0		20	9200	RC	EET ALB	07/25/24 13:21

Client Sample ID: S-8
Date Collected: 07/24/24 10:15
Date Received: 07/25/24 06:30

Lab Sample ID: 885-8602-8
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			9113	JP	EET ALB	07/25/24 08:38
Total/NA	Analysis	8015M/D		1	9196	JP	EET ALB	07/25/24 14:24
Total/NA	Prep	5035			9113	JP	EET ALB	07/25/24 08:38
Total/NA	Analysis	8021B		1	9197	JP	EET ALB	07/25/24 14:24
Total/NA	Prep	SHAKE			9135	KR	EET ALB	07/25/24 09:28
Total/NA	Analysis	8015M/D		1	9115	KR	EET ALB	07/25/24 12:21
Total/NA	Prep	300_Prep			9153	RC	EET ALB	07/25/24 10:50
Total/NA	Analysis	300.0		20	9200	RC	EET ALB	07/25/24 13:34

Laboratory References:
EET ALB = Eurofins Albuquerque, 4901 Hawkins NE, Albuquerque, NM 87109, TEL (505)345-3975

Accreditation/Certification Summary

Client: Ensolum
Project/Site: Bisti 10A

Job ID: 885-8602-1

Laboratory: Eurofins Albuquerque

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Oregon	NELAP	NM100001	02-26-25

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

Login Sample Receipt Checklist

Client: Ensolum

Job Number: 885-8602-1

Login Number: 8602
List Number: 1
Creator: Casarrubias, Tracy

List Source: Eurofins Albuquerque

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 392198

QUESTIONS

Operator: Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID: 241602
	Action Number: 392198
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2419947182
Incident Name	NAPP2419947182 TRUNK 10A @ 0
Incident Type	Natural Gas Release
Incident Status	Remediation Closure Report Received

Location of Release Source	
<i>Please answer all the questions in this group.</i>	
Site Name	Trunk 10A
Date Release Discovered	07/17/2024
Surface Owner	Federal

Incident Details	
<i>Please answer all the questions in this group.</i>	
Incident Type	Natural Gas Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	Yes
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release	
<i>Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.</i>	
Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Not answered.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	Cause: Corrosion Pipeline (Any) Condensate Released: 5 BBL Recovered: 0 BBL Lost: 5 BBL.
Natural Gas Vented (Mcf) Details	Cause: Corrosion Pipeline (Any) Natural Gas Vented Released: 172 MCF Recovered: 0 MCF Lost: 172 MCF.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Not answered.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 392198

QUESTIONS (continued)

Operator: Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID: 241602
	Action Number: 392198
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this will be treated as a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	Yes
Reasons why this would be considered a submission for a notification of a major release	From paragraph A. "Major release" determine using: (2) an unauthorized release of a volume that: (b) may with reasonable probability reach a watercourse.
With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	Not answered.

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Thomas Long Title: Sr Field Environmental Scientist Email: tjlong@eprod.com Date: 07/22/2024
--	---

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 392198

QUESTIONS (continued)

Operator: Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID: 241602
	Action Number: 392198
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS**Site Characterization**

Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 26 and 50 (ft.)
What method was used to determine the depth to ground water	NM OSE iWaters Database Search
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Between ½ and 1 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Zero feet, overlying, or within area
An occupied permanent residence, school, hospital, institution, or church	Greater than 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Greater than 5 (mi.)
Any other fresh water well or spring	Greater than 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Between 1 and 5 (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Between ½ and 1 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	No

Remediation Plan

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No

Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)

Chloride (EPA 300.0 or SM4500 Cl B)	85
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	0.1
GRO+DRO (EPA SW-846 Method 8015M)	0.1
BTEX (EPA SW-846 Method 8021B or 8260B)	0.1
Benzene (EPA SW-846 Method 8021B or 8260B)	0.1

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

On what estimated date will the remediation commence	07/19/2024
On what date will (or did) the final sampling or liner inspection occur	07/24/2024
On what date will (or was) the remediation complete(d)	07/24/2024
What is the estimated surface area (in square feet) that will be reclaimed	1369
What is the estimated volume (in cubic yards) that will be reclaimed	432
What is the estimated surface area (in square feet) that will be remediated	1369
What is the estimated volume (in cubic yards) that will be remediated	432

These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 4

Action 392198

QUESTIONS (continued)

Operator: Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID: 241602
	Action Number: 392198
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Remediation Plan (continued)	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:	
<i>(Select all answers below that apply.)</i>	
(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for off-site disposal	ENVIROTECH LANDFARM #1 [FEEM0112334691]
OR which OCD approved well (API) will be used for off-site disposal	Not answered.
OR is the off-site disposal site, to be used, out-of-state	Not answered.
OR is the off-site disposal site, to be used, an NMED facility	Not answered.
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	Not answered.
(In Situ) Soil Vapor Extraction	Not answered.
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	Not answered.
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	Not answered.
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	Not answered.
Ground Water Abatement pursuant to 19.15.30 NMAC	Not answered.
OTHER (Non-listed remedial process)	Not answered.
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
I hereby agree and sign off to the above statement	Name: Thomas Long Title: Sr Field Environmental Scientist Email: tjlong@eprod.com Date: 10/14/2024
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 392198

QUESTIONS (continued)

Operator: Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID: 241602
	Action Number: 392198
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Deferral Requests Only	
Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 6

Action 392198

QUESTIONS (continued)

Operator: Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID: 241602
	Action Number: 392198
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	366507
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	07/26/2024
What was the (estimated) number of samples that were to be gathered	8
What was the sampling surface area in square feet	200

Remediation Closure Request

Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.

Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes
What was the total surface area (in square feet) remediated	1369
What was the total volume (cubic yards) remediated	432
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes
What was the total surface area (in square feet) reclaimed	1369
What was the total volume (in cubic yards) reclaimed	432
Summarize any additional remediation activities not included by answers (above)	None

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

I hereby agree and sign off to the above statement	Name: Thomas Long Title: Sr Field Environmental Scientist Email: tjlong@eprod.com Date: 10/14/2024
--	---

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 7

Action 392198

QUESTIONS (continued)

Operator: Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID: 241602
	Action Number: 392198
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Reclamation Report	
Only answer the questions in this group if all reclamation steps have been completed.	
Requesting a reclamation approval with this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 392198

CONDITIONS

Operator: Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID: 241602
	Action Number: 392198
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

CONDITIONS

Created By	Condition	Condition Date
rhamlet	We have received your Remediation Closure Report for Incident #NAPP2419947182 TRUNK 10A, thank you. This Remediation Closure Report is approved.	11/14/2024