AKM MEASUREMENT SERVICES,LLC. Natural Gas Analysis Report GPA 2172-09/API 14.5 Report with GPA 2145-16 Physical Properties

	Sample Information
Sample Name	RED TANK CPF 26 PROD 3
Technician	ANTHONY DOMINGUEZ
Analyzer Make & Model	INFICON MICRO GC
Last Calibration/Validation Date	01-18-2024
Meter Number	16611P
Air temperature	25
! '	10617
Flow Rate (MCF/Day)	
Heat Tracing	HEATED HOSE & GASIFIER
Sample description/mtr name	RED TANK CPF 26 PROD 3
Sampling Method	FILL & EMPTY
Operator	OCCIDENTAL PETROLEUM, OXY USA INC
State	NEW MEXICO
Region Name	PERMIAN_RESOURCES
Asset	NEW MEXICO
System	RED TANK
FLOC	OP-L2281-BT001
Sample Sub Type	СТВ
Sample Name Type	METER
Vendor	AKM MEASUREMENT
Cylinder #	38943
Sampled by	SCOTT
Sample date	1-19-2024
Analyzed date	1-23-2024
Method Name	C9
Injection Date	2024-01-23 14:31:21
Report Date	2024-01-23 14:35:34
EZReporter Configuration File	1-16-2023 OXY GPA C9+ H2S #2.cfgx
Source Data File	bf855204-fd71-4367-9dea-215dddff4faa
NGA Phys. Property Data Source	GPA Standard 2145-16 (FPS)
Data Source	INFICON Fusion Connector

Component Results

Component Name	Peak Area	Raw Amount	Response Factor	Norm Mole%	Gross HV (Dry) (BTU / Ideal cu.ft.)	Relative Gas Density (Dry)	GPM (Dry) (Gal. / 1000 cu.ft.)	
Nitrogen	32261.1	1.8584	0.00005761	1.8607	0.0	0.01800	0.206	
Methane	994139.0	72.2088	0.00007263	72.2990	731.9	0.40046	12.305	
CO2	41188.6	1.9552	0.00004747	1.9576	0.0	0.02975	0.335	
Ethane	267067.5	12.2644	0.00004592	12.2797	217.8	0.12749	3.297	
H2S	0.0	0.0000	0.00000000	0.0000	0.0	0.00000	0.000	
Propane	202792.4	6.6294	0.00003269	6.6377	167.4	0.10106	1.836	
iso-butane	76815.3	0.8504	0.00001107	0.8515	27.8	0.01709	0.280	
n-Butane	193683.5	2.1309	0.00001100	2.1335	69.8	0.04282	0.675	
iso-pentane	49526.5	0.4842	0.00000978	0.4848	19.4	0.01208	0.178	
n-Pentane	60397.3	0.5667	0.00000938	0.5674	22.8	0.01413	0.206	
hexanes	52843.0	0.5190	0.00000982	0.5196	24.8	0.01546	0.215	
heptanes	51633.0	0.3070	0.00000595	0.3074	17.0	0.01064	0.142	
octanes	18723.0	0.0972	0.00000519	0.0974	6.1	0.00384	0.050	
nonanes+	1480.0	0.0037	0.00000253	0.0037	0.3	0.00016	0.002	
Total:		99.8755		100.0000	1305.0	0.79297	19.728	

Results Summary

Result	Dry	Sat.	
Total Un-Normalized Mole%	99.8755		
Pressure Base (psia)	14.730		
Temperature Base (Deg. F)	60.00		
le Aseulug Tempeietyre LD 634F2024 9:47:10	<i>PM</i> 74.5		

Rece	ived by OCD: 11/24/2024 9:41:10 PM	Dry	Sat.	Page 2	2 of 9
	Flowing Pressure (psia)	103.0		S .	
	Gross Heating Value (BTU / Ideal cu.ft.)	1305.0	1282.2		
	Gross Heating Value (BTU / Real cu.ft.)	1310.5	1288.2		
	Relative Density (G), Real	0.7960	0.7933		

Monitored Parameter Report

Parameter	Value	Lower Limit	Upper Limit	Status	
Total un-normalized amount	99.8755	97.0000	103.0000	Pass	

UPSET FLARING EVENT SPECIFIC JUSTIFICATIONS FORM

Facility: Red Tank 26 CPF Flare Date: 11/07/2024

Duration of Event: 1 Hour 10 Minutes **MCF Flared:** 946

Start Time: 07:10 AM End Time: 08:20 AM

Cause: Emergency Flare > Third Party > USA Compression > Red Tank BOO 26 & Red Tank 27 CGL > Power

Glitch > Compression Issues > Equipment Shutdown > High Line Pressure > Field Area Pressure

Method of Flared Gas Measurement: Gas Flare Meter

1. Reason why this event was beyond Operator's control:

The emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable interruption, restriction or partial shut-down of USA Compression Equipment caused by a power glitch. This interruption, restriction, or partial shut-in by a third-party pipeline compression station operator is downstream of Oxy's custody transfer point and out of Oxy's control to foresee, avoid or prevent from happening and did not stem from any of Oxy's upstream facility activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and preventative maintenance practices. In this instance, Red Tank 26 Boo and Red Tank 27 CGL compressor stations, which are owned and operated by USA Compression, encountered issues with all their compression equipment due to a power glitch. This power glitch affected both of USA Compression's facilities, resulting in an abrupt and unexpected shutdown of their gas flow intake from Oxy. Consequently, the shutdown impacted the Red Tank area and subsequently affected Red Tank 26 CPF. The high field pressure that ensued caused Red Tank 26 CPF to pressurize and trigger a flaring event. This incident was unforeseeable and could not have been avoided or prevented, as it occurred without any prior notice or warning to Oxy and its field personnel from USA Compression personnel. Red Tank 26 Boo compressor station is the first stopping point, where OXY sends its sales gas from its facility, before it is pushed further down the pipeline for further processing at Mark West, a downstream gathering system facility, which is downstream of Oxy's control.

2. Steps Taken to limit duration and magnitude of venting or flaring:

It is OXY's policy to route its stranded gas to a flare during an unforeseen and unavoidable emergency or malfunction, that is beyond Oxy's control to avoid, prevent or foresee, to minimize emissions as much as possible as part of the overall steps taken to limit duration and magnitude of flaring. In this instance, Red Tank 26 Boo and Red Tank 27 CGL compressor stations, which are owned and operated by USA Compression, encountered issues with all their compression equipment due to a power glitch. This power glitch affected both of USA Compression's facilities, resulting in an abrupt and unexpected shutdown of their gas flow intake from Oxy. Consequently, the shutdown impacted the Red Tank area and subsequently affected Red Tank 26 CPF. The high field pressure that ensued caused Red Tank 26 CPF to pressurize and trigger a flaring event. The Oxy production techs, who were on-site, continually kept in touch with additional Oxy field personnel to make adjustments to injection rate changes, to minimize emissions during USA Compressions' attempts to resolve their equipment issues, which took longer than usual to resolve due to their own mechanics were busy at other locations. This event is out of OXY's control, yet OXY made every effort to control and minimize emissions as much as possible.

3. Corrective Actions taken to eliminate the cause and reoccurrence of venting or flaring:

Oxy cannot take any corrective actions to eliminate the cause and potential reoccurrence of a third-party owned and operated compressor station's sudden and unexpected gas flow intake restriction or shut-in, as this control issue is downstream of Oxy's custody transfer point and out of Oxy's control to foresee, avoid, prevent from happening or reoccur. Third-party downstream compression station owner operators may have equipment issues, which will reoccur from time to time, which in turn, directly impacts Oxy's ability to send its sales gas to them, and potentially triggering a flaring event. OXY makes every effort to control and minimize emissions as much as possible. The only actions that Oxy can take and handle that is within its control, is to continually communicate with USA Compression personnel, who operate the Red Tank Boo 26 Compressor Station and the Red Tank 27 CGL, when possible, during these types of circumstances.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

DEFINITIONS

Action 406109

DEFINITIONS

Operator:	OGRID:
OXY USA INC	16696
	Action Number:
Houston, TX 772104294	406109
	Action Type:
	[C-129] Amend Venting and/or Flaring (C-129A)

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application:

- this application's operator, hereinafter "this operator";
- venting and/or flaring, hereinafter "vent or flare";
- any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";
- the statements in (and/or attached to) this, hereinafter "the statements in this";
- and the past tense will be used in lieu of mixed past/present tense questions and statements.

Sante Fe Main Office Phone: (505) 476-3441 General Information

Phone: (505) 629-6116
Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS

Action 406109

QUESTIONS

Operator: OXY USA INC	C	OGRID: 16696	
P.O. Box 4294	A	action Number:	
Houston, TX 772104294		406109	
	A	ction Type: [C-129] Amend Venting and/or Flaring (C-129A)	
QUESTIONS		to 1201/mond volume and or riding to 1201/	
Prerequisites			
Any messages presented in this section, will prevent submission of this application. Please resolve	these issues before continui	ng with the rest of the questions.	
Incident ID (n#)	Unavailable.		
Incident Name	Unavailable.		
Incident Type	Flare		
Incident Status	Unavailable.		
Incident Facility	[fAPP2322359755] Red Tank 26 Central Processing Facility		
Only valid Vent, Flare or Vent with Flaring incidents (selected above in the Application Details section	on) that are assigned to your	current operator can be amended with this C-129A application.	
Determination of Reporting Requirements			
Answer all questions that apply. The Reason(s) statements are calculated based on your answers at	1	dance.	
Was this vent or flare caused by an emergency or malfunction	Yes		
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	No		
Is this considered a submission for a vent or flare event	Yes, major venting and/or flaring of natural gas.		
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during v	enting and/or flaring that is o	or may be a major or minor release under 19.15.29.7 NMAC.	
Was there at least 50 MCF of natural gas vented and/or flared during this event	Yes		
Did this vent or flare result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No		
Was the vent or flare within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No		

Equipment Involved		
Primary Equipment Involved	Other (Specify)	
Additional details for Equipment Involved. Please specify	Emergency Flare > Third Party > USA Compression > Red Tank BOO 26 & Red Tank 27 CGL > Power Glitch > Compression Issues > Equipment Shutdown > High Line Pressure > Field Area Pressure	

Representative Compositional Analysis of Vented or Flared Natural Gas				
Please provide the mole percent for the percentage questions in this group.				
Methane (CH4) percentage	72			
Nitrogen (N2) percentage, if greater than one percent	2			
Hydrogen Sulfide (H2S) PPM, rounded up	0			
Carbon Dioxide (C02) percentage, if greater than one percent	2			
Oxygen (02) percentage, if greater than one percent	0			
If you are venting and/or flaring because of Pipeline Specification, please provide the required spe	cifications for each gas.			
Methane (CH4) percentage quality requirement	Not answered.			
Nitrogen (N2) percentage quality requirement	Not answered.			
Hydrogen Sufide (H2S) PPM quality requirement	Not answered.			
Carbon Dioxide (C02) percentage quality requirement	Not answered.			
Oxygen (02) percentage quality requirement	Not answered.			

Sante Fe Main Office Phone: (505) 476-3441 General Information

Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe. NM 87505

QUESTIONS, Page 2

Action 406109

Santa	Fe, NIVI 8/5	U5	
	ONS (continued)	T	
Operator: OXY USA INC		OGRID: 16696	
P.O. Box 4294		Action Number:	
Houston, TX 772104294		406109	
		Action Type: [C-129] Amend Venting and/or Flaring (C-129A)	
QUESTIONS			
Date(s) and Time(s)			
Date vent or flare was discovered or commenced	11/07/2024		
Time vent or flare was discovered or commenced	07:10 AM		
Time vent or flare was terminated	08:20 AM		
Cumulative hours during this event	1		
	-		
Measured or Estimated Volume of Vented or Flared Natural Gas			
Natural Gas Vented (Mcf) Details	Not answered.		
Natural Gas Flared (Mcf) Details	Cause: Other Other Lost: 946 Mcf.	er (Specify) Natural Gas Flared Released: 946 Mcf Recovered: 0 Mcf	
Other Released Details	Not answered.		
Additional details for Measured or Estimated Volume(s). Please specify	Gas Flare Meter		
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.		
Venting or Flaring Resulting from Downstream Activity			
Was this vent or flare a result of downstream activity	No		
Was notification of downstream activity received by this operator	Not answered.		
Downstream OGRID that should have notified this operator	Not answered.		
Date notified of downstream activity requiring this vent or flare			
Time notified of downstream activity requiring this vent or flare	Not answered.		
Steps and Actions to Prevent Waste			
For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control	True		
Please explain reason for why this event was beyond this operator's control	interruption, restrict power glitch. This ir compression station control to foresee, a upstream facility ac avoided by good de Red Tank 26 Boo a operated by USA C due to a continuing facilities, resulting in Consequently, the same Tank 26 CPF. The I and trigger a flaring or prevented, as it of	In the was caused by the unforeseen, unexpected, sudden, and unavoidable ition or partial shut-down of USA Compression Equipment caused by a interruption, restriction, or partial shut-in by a third-party pipeline not provided in the provi	

point, where OXY sends its sales gas from its facility, before it is pushed further down the pipeline for further processing at Mark West, a downstream gathering system facility, which is

It is OXY's policy to route its stranded gas to a flare during an unforeseen and unavoidable

downstream of Oxy's control.

Steps taken to limit the duration and magnitude of vent or flare	emergency or malfunction, that is beyond Oxy's control to avoid, prevent or foresee, to minimize emissions as much as possible as part of the overall steps taken to limit duration and magnitude of flaring. In this instance, Red Tank 26 Boo and Red Tank 27 CGL compressor stations, which are owned and operated by USA Compression, encountered issues with all their compression equipment due to a power glitch. This power glitch affected both of USA Compression's facilities, resulting in an abrupt and unexpected shutdown of their gas flow intake from Oxy. Consequently, the shutdown impacted the Red Tank area and subsequently affected Red Tank 26 CPF. The high field pressure that ensued caused Red Tank 26 CPF to pressurize and trigger a flaring event. The Oxy production techs, who were on-site, continually kept in touch with additional Oxy field personnel to make adjustments to injection rate changes, to minimize emissions during USA Compressions' attempts to resolve their equipment issues, which took longer than usual to resolve due to their own mechanics were busy at other locations. This event is out of OXY's control, yet OXY made every effort to control and minimize emissions as much as possible.
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	Oxy cannot take any corrective actions to eliminate the cause and potential reoccurrence of a third-party owned and operated compressor station's sudden and unexpected gas flow intake restriction or shut-in, as this control issue is downstream of Oxy's custody transfer point and out of Oxy's control to foresee, avoid, prevent from happening or reoccur. Third-party downstream compression station owner operators may have equipment issues, which will reoccur from time to time, which in turn, directly impacts Oxy's ability to send its sales gas to them, and potentially triggering a flaring event. OXY makes every effort to control and minimize emissions as much as possible. The only actions that Oxy can take and handle that is within its control, is to continually communicate with USA Compression personnel, who operate the Red Tank Boo 26 Compressor Station and the Red Tank 27 CGL, when possible, during these types of circumstances.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 406109

ACKNOWLEDGMENTS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	406109
	Action Type:
	[C-129] Amend Venting and/or Flaring (C-129A)

ACKNOWLEDGMENTS

$\overline{\lor}$	I acknowledge that with this application I will be amending an existing incident file (assigned to this operator) for a vent or flare event, pursuant to 19.15.27 and 19.15.28 NMAC.
~	I acknowledge that amending an incident file does not replace original submitted application(s) or information and understand that any C-129 forms submitted to the OCD will be logged and stored as public record.
~	I hereby certify the statements in this amending report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
~	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
~	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 406109

CONDITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	406109
	Action Type:
	[C-129] Amend Venting and/or Flaring (C-129A)

CONDITIONS

Created By	Condition	Condition Date
marialuna2	If the information provided in this report requires further amendment(s), submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	11/24/2024