

Certificate of Analysis

Number: 6030-24010190-001A

Artesia Laboratory 200 E Main St. Artesia, NM 88210 Phone 575-746-3481

Chandler Montgomery Occidental Petroleum 1502 W Commerce Dr. Carlsbad, NM 88220 Jan. 18, 2024

Field: PERMIAN_RESOURCES Sampled By: Roberto Andrade
Station Name: Falcon Ridge CGL Check Sample Of: Gas Spot
Station Number: 16920C Sample Date: 01/16/2024 01:45

Station Number: 16920C Sample Date: 01/16/2024 01:45
Station Location: OP-L3821-CS001 Sample Conditions: 1212.9 psig, @ 93.1 °F Ambient: 25 °F

 Sample Point:
 Meter
 Effective Date:
 01/16/2024 01:45

 Formation:
 NEW_MEXICO
 Flow Rate:
 9433.446 MSCFD

 County:
 Lea
 Method:
 GPA-2261M

Well Name: CDP Cylinder No: 1111-007142

Type of Sample: : Spot-Cylinder Instrument: 70104251 (Inficon GC-MicroFusion)

Heat Trace Used: N/A Last Inst. Cal.: 01/15/2024 0:00 AM

Sampling Method: : Fill and Purge Analyzed: 01/17/2024 12:26:56 by EBH

Sampling Company: : SPL

Analytical Data

Components	Un-normalized Mol %	Mol. %	Wt. %	GPM at 14.65 psia
Hydrogen Sulfide	0.0000	0.0000	0.0000	
Nitrogen	1.2630	1.2839	1.5206	
Carbon Dioxide	1.0472	1.0645	1.9807	
Methane	68.8088	69.9451	47.4405	
Ethane	12.6002	12.8083	16.2829	3.422
Propane	8.8294	8.9752	16.7325	2.470
Iso-Butane	1.2093	1.2293	3.0208	0.402
n-Butane	2.8878	2.9355	7.2135	0.924
Iso-Pentane	0.6543	0.6651	2.0288	0.243
n-Pentane	0.5769	0.5864	1.7887	0.212
Hexanes	0.2932	0.2980	1.0857	0.122
Heptanes	0.1717	0.1745	0.7393	0.080
Octanes	0.0323	0.0328	0.1584	0.017
Nonanes Plus	0.0014	0.0014	0.0076	0.001
	98.3755	100.0000	100.0000	7.893
Calculated Physical F	Properties	Tot	al	C9+
Calculated Molecular V	Veight	23.6	65	128.26
Compressibility Factor		0.995		
Relative Density Real (0.820	01	4.4283
GPA 2172 Calculation				
Calculated Gross BTI	U per ft³ @ 14.65 ps	sia & 60°F		
Real Gas Dry BTU		1372	.7	6974.4
Water Sat. Gas Base E	3TU	1349	.3	6852.4
Ideal, Gross HV - Dry a	at 14.65 psia	1366	.4	6974.4
Ideal, Gross HV - Wet		1342	.5	6852.4

Comments: H2S Field Content 0 ppm

FMP/LSE N/A, WO#4001595465

Bulg &

Hydrocarbon Laboratory Manager

Quality Assurance: The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality

assurance, unless otherwise stated.

UPSET FLARING EVENT SPECIFIC JUSTIFICATIONS FORM

Facility: Falcon Ridge CGL Flare Date: 11/13/2024

Duration of Event: 3 Hours 50 Minutes **MCF Flared:** 56

Start Time: 09:00 AM End Time: 12:50 PM

Cause: Emergency Flare > Scheduled Maintenance > USA Compression > Compression Equipment

Method of Flared Gas Measurement: Gas Flare Meter

1. Reason why this event was beyond Operator's control:

This emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable breakdown of equipment or process that was beyond the owner/operator's control and did not stem from activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and preventative maintenance practices. Oxy engages in respectable and good facility operation practices while also maintaining its continuous facility equipment preventative maintenance program. In this case, third-party compressor vendor USA Compression, arrived at the Falcon Ridge CGL, to perform compressor preventative maintenance work, which required several gas compressors to be brought offline, one by one, which in turn, then triggered a flaring event to occur. To mitigate the risks associated with overpressure of the facility during this process and to ensure the safety of our operations, we have had to resort to controlled and safety flaring. This process allows us to safely burn off the excess gas, thereby preventing potential hazards such as equipment damage, leaks, or even explosions. While flaring is not Oxy's preferred method of handling excess gas, it is a necessary step under these exceptional circumstances to maintain the integrity and safety of our operations. OXY made every effort to control and minimize emissions as much as possible.

2. Steps Taken to limit duration and magnitude of venting or flaring:

It is OXY's policy to route its stranded gas to a flare during an unforeseen and unavoidable emergency or malfunction, that is beyond Oxy's control to avoid, prevent or foresee, to minimize emissions as much as possible as part of the overall steps taken to limit duration and magnitude of flaring. The flare at this facility has a 98% combustion efficiency to lessen emissions as much as possible. In this case, third-party compressor vendor USA Compression, arrived at the Falcon Ridge CGL, to perform compressor preventative maintenance work, which required several gas compressors to be brought offline, one by one, which in turn, then triggered a flaring event to occur. To mitigate the risks associated with overpressure of the facility during this process and to ensure the safety of our operations, we have had to resort to controlled and safety flaring. This process allows us to safely burn off the excess gas, thereby preventing potential hazards such as equipment damage, leaks, or even explosions. While flaring is not Oxy's preferred method of handling excess gas, it is a necessary step under these exceptional circumstances to maintain the integrity and safety of our operations. OXY made every effort to control and minimize emissions as much as possible.

3. Corrective Actions taken to eliminate the cause and reoccurrence of venting or flaring:

Oxy is limited in the corrective actions available to them to eliminate the cause and potential reoccurrence of third-party compressor vendor's scheduled preventative maintenance. Oxy continually strives to maintain and operate all its equipment in a manner consistent with good practices for minimizing emissions. Oxy has a strong and positive equipment preventative maintenance program in place. While flaring is not Oxy's preferred method of handling excess gas, it is a necessary step under these exceptional circumstances to maintain the integrity and safety of our operations. OXY made every effort to control and minimize emissions as much as possible.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

DEFINITIONS

Action 407202

DEFINITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	407202
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application:

- this application's operator, hereinafter "this operator";
- venting and/or flaring, hereinafter "vent or flare";
- any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";
- the statements in (and/or attached to) this, hereinafter "the statements in this";
- and the past tense will be used in lieu of mixed past/present tense questions and statements.

Sante Fe Main Office Phone: (505) 476-3441 General Information

Phone: (505) 629-6116 Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 407202

Q	UESTIONS	
Operator: OXY USA INC		OGRID: 16696
P.O. Box 4294 Houston, TX 772104294		Action Number: 407202
		Action Type: [C-129] Venting and/or Flaring (C-129)
QUESTIONS		
Prerequisites		
Any messages presented in this section, will prevent submission of this application. Please resolve	these issues before continuing wit	th the rest of the questions.
Incident Well	Unavailable.	
Incident Facility	[fAPP2333082512] Falcon	Ridge CGL CS
Determination of Reporting Requirements		
Answer all questions that apply. The Reason(s) statements are calculated based on your answers at		
Was this vent or flare caused by an emergency or malfunction	Yes	
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	No	
Is this considered a submission for a vent or flare event	Yes, minor venting and/or	flaring of natural gas.
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during v	renting and/or flaring that is or may	be a major or minor release under 19.15.29.7 NMAC.
Was there at least 50 MCF of natural gas vented and/or flared during this event	Yes	
Did this vent or flare result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No	
Was the vent or flare within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No	
Equipment Involved		
Primary Equipment Involved	Other (Specify)	
Additional details for Equipment Involved. Please specify	Emergency Flare > Schedu	uled Maintenance > USA Compression > Compression Equipment
Description Comments and American State of the American State of t		
Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group.		
Methane (CH4) percentage	70	
	+	
Nitrogen (N2) percentage, if greater than one percent	1	
Hydrogen Sulfide (H2S) PPM, rounded up	0	
Carbon Dioxide (C02) percentage, if greater than one percent	1	
Oxygen (02) percentage, if greater than one percent	0	
If you are venting and/or flaring because of Pipeline Specification, please provide the required spec	cifications for each gas.	
Methane (CH4) percentage quality requirement	Not answered.	
Nitrogen (N2) percentage quality requirement	Not answered.	
Hydrogen Sufide (H2S) PPM quality requirement	Not answered.	
Carbon Dioxide (C02) percentage quality requirement	Not answered.	

Not answered.

Oxygen (02) percentage quality requirement

Sante Fe Main Office Phone: (505) 476-3441 General Information

Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe. NM 87505

QUESTIONS, Page 2

Action 407202

Santa	Fe, NM 87505
OUEST	IONS (continued)
Operator:	OGRID:
OXY USA INC P.O. Box 4294	16696 Action Number:
Houston, TX 772104294	407202
	Action Type: [C-129] Venting and/or Flaring (C-129)
QUESTIONS	
Date(s) and Time(s)	
Date vent or flare was discovered or commenced	11/13/2024
Time vent or flare was discovered or commenced	09:00 AM
Time vent or flare was terminated	12:50 PM
Cumulative hours during this event	4
	<u> </u>
Measured or Estimated Volume of Vented or Flared Natural Gas	
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Cause: Other Other (Specify) Natural Gas Flared Released: 56 Mcf Recovered: 0 Mcf Lost: 56 Mcf.
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Gas Flare Meter
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.
Venting or Flaring Resulting from Downstream Activity	
Was this vent or flare a result of downstream activity	No
Was notification of downstream activity received by this operator	Not answered.
Downstream OGRID that should have notified this operator	Not answered.
Date notified of downstream activity requiring this vent or flare	Not answered.
Time notified of downstream activity requiring this vent or flare	Not answered.
Steps and Actions to Prevent Waste	
For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control.	True
Please explain reason for why this event was beyond this operator's control	This emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable breakdown of equipment or process that was beyond the owner/operator's control and did not stem from activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and preventative maintenance practices. Oxy engages in respectable and good facility operation practices while also maintaining its continuous facility equipment preventative maintenance program. In this case, third-party compressor vendor USA Compression, arrived at the Falcon Ridge CGL, to perform compressor preventative maintenance work, which required several gas compressors to be brought offline, one by one, which in turn, then triggered a flaring event to occur. To mitigate the risks associated with overpressure of the facility during this process and to ensure the safety of our operations, we have had to resort to controlled and safety flaring. This process allows us to safely burn off the excess gas, thereby preventing potential hazards such as equipment damage, leaks, or even explosions. While flaring is not Oxy's preferred method of handling excess gas, it is a necessary step under these exceptional circumstances to maintain the integrity and safety of our operations. OXY made every effort to control and minimize emissions as much as possible.

It is OXY's policy to route its stranded gas to a flare during an unforeseen and unavoidable emergency or malfunction, that is beyond Oxy's control to avoid, prevent or foresee, to minimize emissions as much as possible as part of the overall steps taken to limit duration and magnitude of flaring. The flare at this facility has a 98% combustion efficiency to lessen

Steps taken to limit the duration and magnitude of vent or flare	emissions as much as possible. In this case, third-party compressor vendor USA Compression, arrived at the Falcon Ridge CGL, to perform compressor preventative maintenance work, which required several gas compressors to be brought offline, one by one, which in turn, then triggered a flaring event to occur. To mitigate the risks associated with overpressure of the facility during this process and to ensure the safety of our operations, we have had to resort to controlled and safety flaring. This process allows us to safely burn off the excess gas, thereby preventing potential hazards such as equipment damage, leaks, or even explosions. While flaring is not Oxy's preferred method of handling excess gas, it is a necessary step under these exceptional circumstances to maintain the integrity and safety of our operations. OXY made every effort to control and minimize emissions as much as possible.
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	Oxy is limited in the corrective actions available to them to eliminate the cause and potential reoccurrence of third-party compressor vendor's scheduled preventative maintenance. Oxy continually strives to maintain and operate all its equipment in a manner consistent with good practices for minimizing emissions. Oxy has a strong and positive equipment preventative maintenance program in place. While flaring is not Oxy's preferred method of handling excess gas, it is a necessary step under these exceptional circumstances to maintain the integrity and safety of our operations. OXY made every effort to control and minimize emissions as much as possible.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 407202

ACKNOWLEDGMENTS

ı	Operator:	OGRID:
ı	OXY USA INC	16696
ı	P.O. Box 4294	Action Number:
ı	Houston, TX 772104294	407202
ı		Action Type:
ı		[C-129] Venting and/or Flaring (C-129)

ACKNOWLEDGMENTS

V	I acknowledge that I am authorized to submit a <i>Venting and/or Flaring</i> (C-129) report on behalf of this operator and understand that this report can be a complete C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC.
V	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively.
V	I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
V	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
V	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 407202

CONDITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	407202
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
marialuna2	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	11/27/2024