AKM MEASUREMENT SERVICES,LLC. Natural Gas Analysis Report GPA 2172-09/API 14.5 Report with GPA 2145-16 Physical Properties

	Sample Information
Sample Name	RED TANK 19 CTB FUEL GAS
Technician	ANTHONY DOMINGUEZ
Analyzer Make & Model	INFICON MICRO GC
Last Calibration/Validation Date	01-18-2024
Meter Number	
Air temperature	64
Flow Rate (MCF/Day)	
Heat Tracing	HEATED HOSE & GASIFIER
Sample description/mtr name	RED TANK 19 CTB FUEL GAS
Sampling Method	FILL & EMPTY
Operator	OCCIDENTAL PETROLEUM, OXY USA INC
State	NEW MEXICO
Region Name	PERMIAN_RESOURCES
Asset	NEW MEXICO
System	EAST
FLOC	
Sample Sub Type	FUEL GAS
Sample Name Type	FUEL GAS
Vendor	AKM MEASUREMENT
Cylinder #	30949
Sampled by	JONATHAN ALDRICH
Sample date	1-18-2024
Analyzed date	1-23-2024
Method Name	C9
Injection Date	2024-01-23 11:49:52
Report Date	2024-01-23 11:50:33
EZReporter Configuration File	1-16-2023 OXY GPA C9+ H2S #2.cfgx
Source Data File	99bd35c8-8311-478c-8a2f-99adff044d3f
NGA Phys. Property Data Source	GPA Standard 2145-16 (FPS)
Data Source	INFICON Fusion Connector

Component Results

Component Name	Peak Area	Raw Amount	Response Factor	Norm Mole%	Gross HV (Dry) (BTU / Ideal cu.ft.)	Relative Gas Density (Dry)	GPM (Dry) (Gal. / 1000 cu.ft.)	
Nitrogen	37266.5	2.1468	0.00005761	2.1489	0.0	0.02078	0.237	
Methane	990810.1	71.9670	0.00007263	72.0384	729.3	0.39902	12.258	
CO2	69868.6	3.3166	0.00004747	3.3199	0.0	0.05045	0.569	
Ethane	260884.5	11.9805	0.00004592	11.9924	212.7	0.12451	3.219	
H2S	0.0	0.0008	0.00000000	0.0008	0.0	0.00001	0.000	
Propane	194828.6	6.3691	0.00003269	6.3754	160.8	0.09707	1.763	
iso-butane	69862.7	0.7735	0.00001107	0.7742	25.2	0.01554	0.254	
n-Butane	172320.8	1.8958	0.00001100	1.8977	62.1	0.03808	0.601	
iso-pentane	42870.9	0.4192	0.00000978	0.4196	16.8	0.01045	0.154	
n-Pentane	48040.3	0.4508	0.00000938	0.4512	18.1	0.01124	0.164	
hexanes	33494.0	0.3289	0.00000982	0.3293	15.7	0.00980	0.136	
heptanes	32128.0	0.1910	0.00000595	0.1912	10.5	0.00661	0.089	
octanes	11379.0	0.0591	0.00000519	0.0592	3.7	0.00233	0.030	
nonanes+	725.0	0.0018	0.00000253	0.0018	0.1	0.00008	0.001	
Total:		99.9009		100.0000	1255.1	0.78597	19.475	

Results Summary

	Result	Dry	Sat.
	Total Un-Normalized Mole%	99.9009	
	Pressure Base (psia)	14.730	
	Temperature Base (Deg. F)	60.00	
Rele	triedug Tempeiatyre 1Déb8F2024 12:48:31	<i>PM</i> 73.0	

Rece	ived by OCD: 12/18/2024 12:47:27 P.	Dry	Sat.	Page 2 d	of 9
	Flowing Pressure (psia)	130.0			
	Gross Heating Value (BTU / Ideal cu.ft.)	1255.1	1233.3		
	Gross Heating Value (BTU / Real cu.ft.)	1260.1	1238.7		
	Relative Density (G), Real	0.7888	0.7862		

Monitored Parameter Report

Parameter	Value	Lower Limit	Upper Limit	Status	
Total un-normalized amount	99.9009	97.0000	103.0000	Pass	

UPSET FLARING EVENT SPECIFIC JUSTIFICATIONS FORM

Facility: Red Tank 19 CTB Flare Date: 11/07/2024

Duration of Event: 36 Minutes **MCF Flared:** 478

Start Time: 07:10 AM End Time: 07:46 AM

Cause: Emergency Flare > Third Party > USA Compression > Red Tank BOO 26 & Red Tank 27 CGL > Power

Glitch > Compression Issues > Equipment Shutdown > High Line Pressure > Field Area Pressure

Method of Flared Gas Measurement: Gas Flare Meter

1. Reason why this event was beyond Operator's control:

The emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable interruption, restriction or partial shut-down of USA Compression Equipment caused by a power glitch. This interruption, restriction, or partial shut-in by a third-party pipeline compression station operator is downstream of Oxy's custody transfer point and out of Oxy's control to foresee, avoid or prevent from happening and did not stem from any of Oxy's upstream facility activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and preventative maintenance practices. In this instance, Red Tank 26 Boo and Red Tank 27 CGL compressor stations, which are owned and operated by USA Compression, encountered issues with all their compression equipment due to a power glitch. This power glitch affected both of USA Compression's facilities, resulting in an abrupt and unexpected shutdown of their gas flow intake from Oxy. Consequently, the shutdown impacted the Red Tank area and subsequently affected Red Tank 19 CTB. The high field pressure that ensued caused Red Tank 19 CTB to pressurize and trigger a flaring event. This incident was unforeseeable and could not have been avoided or prevented, as it occurred without any prior notice or warning to Oxy and its field personnel from USA Compression personnel. Red Tank 26 Boo compressor station is the first stopping point, where OXY sends its sales gas from its facility, before it is pushed further down the pipeline for further processing at Mark West, a downstream gathering system facility, which is downstream of Oxy's control.

2. Steps Taken to limit duration and magnitude of venting or flaring:

It is OXY's policy to route its stranded gas to a flare during an unforeseen and unavoidable emergency or malfunction, that is beyond Oxy's control to avoid, prevent or foresee, to minimize emissions as much as possible as part of the overall steps taken to limit duration and magnitude of flaring. In this instance, Red Tank 26 Boo and Red Tank 27 CGL compressor stations, which are owned and operated by USA Compression, encountered issues with all their compression equipment due to a power glitch. This power glitch affected both of USA Compression's facilities, resulting in an abrupt and unexpected shutdown of their gas flow intake from Oxy. Consequently, the shutdown impacted the Red Tank area and subsequently affected Red Tank 19 CTB. The high field pressure that ensued caused Red Tank 19 CTB to pressurize and trigger a flaring event. The Oxy production techs, who were on-site, continually kept in touch with additional Oxy field personnel to make adjustments to injection rate changes, to minimize emissions during USA Compressions' attempts to resolve their equipment issues, which took longer than usual to resolve due to their own mechanics were busy at other locations. This event is out of OXY's control, yet OXY made every effort to control and minimize emissions as much as possible.

3. Corrective Actions taken to eliminate the cause and reoccurrence of venting or flaring:

Oxy cannot take any corrective actions to eliminate the cause and potential reoccurrence of a third-party owned and operated compressor station's sudden and unexpected gas flow intake restriction or shut-in, as this control issue is downstream of Oxy's custody transfer point and out of Oxy's control to foresee, avoid, prevent from happening or reoccur. Third-party downstream compression station owner operators may have equipment issues, which will reoccur from time to time, which in turn, directly impacts Oxy's ability to send its sales gas to them, and potentially triggering a flaring event. OXY makes every effort to control and minimize emissions as much as possible. The only actions that Oxy can take and handle that is within its control, is to continually communicate with USA Compression personnel, who operate the Red Tank Boo 26 Compressor Station and the Red Tank 27 CGL, when possible, during these types of circumstances.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

DEFINITIONS

Action 413513

DEFINITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	413513
[F	Action Type:
	[C-129] Amend Venting and/or Flaring (C-129A)

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application:

- this application's operator, hereinafter "this operator";
- venting and/or flaring, hereinafter "vent or flare";
- any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";
- the statements in (and/or attached to) this, hereinafter "the statements in this";
- and the past tense will be used in lieu of mixed past/present tense questions and statements.

Sante Fe Main Office Phone: (505) 476-3441 General Information

Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS

Action 413513

QUESTIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	413513
	Action Type:
	[C-129] Amend Venting and/or Flaring (C-129A)
QUESTIONS	

Prerequisites Any messages presented in this section, will prevent submission of this application. Please resolve these issues before continuing with the rest of the questions. Incident ID (n#) Unavailable. Incident Type Flare Incident Status Unavailable. Incident Facility [fAPP2127031815] RED TANK 19 CTB

Only valid Vent, Flare or Vent with Flaring incidents (selected above in the Application Details section) that are assigned to your current operator can be amended with this C-129A application

etermination of Reporting Requirements	
nswer all questions that apply. The Reason(s) statements are calculated based on your answers	and may provide addional guidance.
Was this vent or flare caused by an emergency or malfunction	Yes
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	No
Is this considered a submission for a vent or flare event	Yes, minor venting and/or flaring of natural gas.
operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during was there at least 50 MCF of natural gas vented and/or flared during this event	venting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC. Yes
	Yes

Equipment Involved			
Primary Equipment Involved	Other (Specify)		
Additional details for Equipment Involved. Please specify	Emergency Flare > Third Party > USA Compression > Red Tank BOO 26 & Red Tank 27 CGL > Power Glitch > Compression Issues > Equipment Shutdown > High Line Pressure > Field Area Pressure		

Representative Compositional Analysis of Vented or Flared Natural Gas			
Please provide the mole percent for the percentage questions in this group.			
Methane (CH4) percentage	73		
Nitrogen (N2) percentage, if greater than one percent	2		
Hydrogen Sulfide (H2S) PPM, rounded up	4		
Carbon Dioxide (C02) percentage, if greater than one percent	0		
Oxygen (02) percentage, if greater than one percent	0		
If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas.			
Methane (CH4) percentage quality requirement	0		
Nitrogen (N2) percentage quality requirement	0		
Hydrogen Sufide (H2S) PPM quality requirement	0		
Carbon Dioxide (C02) percentage quality requirement	0		
Oxygen (02) percentage quality requirement	0		

Sante Fe Main Office Phone: (505) 476-3441 General Information

Phone: (505) 629-6116
Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe. NM 87505

QUESTIONS, Page 2

Action 413513

Santa	1 e, 14141 07 303		
QUESTI	ONS (continued)		
Operator:	OGRID:		
OXY USA INC P.O. Box 4294	16696 Action Number:		
Houston, TX 772104294	413513		
	Action Type: [C-129] Amend Venting and/or Flaring (C-129A)		
QUESTIONS			
Date(s) and Time(s)			
Date vent or flare was discovered or commenced	11/07/2024		
Time vent or flare was discovered or commenced	07:10 AM		
Time vent or flare was terminated	07:46 AM		
Cumulative hours during this event	1		
	<u> ` </u>		
Measured or Estimated Volume of Vented or Flared Natural Gas			
Natural Gas Vented (Mcf) Details	Not answered.		
Natural Gas Flared (Mcf) Details	Cause: Other Other (Specify) Natural Gas Flared Released: 478 MCF Recovered: 0 MCF Lost: 478 MCF.		
Other Released Details	Not answered.		
Additional details for Measured or Estimated Volume(s). Please specify	Gas Flare Meter		
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.		
Venting or Flaring Resulting from Downstream Activity			
Was this vent or flare a result of downstream activity	M-		
Was notification of downstream activity received by this operator	No No		
Downstream OGRID that should have notified this operator	0 No		
Date notified of downstream activity requiring this vent or flare			
Time notified of downstream activity requiring this vent or flare	40.00 AM		
Time notined of downstream activity requiring this vent of hare	12:00 AM		
Steps and Actions to Prevent Waste			
For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control	True		
Please explain reason for why this event was beyond this operator's control	The emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable interruption, restriction or partial shut-down of USA Compression Equipment caused by a power glitch. This interruption, restriction, or partial shut-in by a third-party pipeline compression station operator is downstream of Oxy's custody transfer point and out of Oxy's control to foresee, avoid or prevent from happening and did not stem from any of Oxy's upstream facility activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and preventative maintenance practices. In this instance, Red Tank 26 Boo and Red Tank 27 CGL compressor stations, which are owned and operated by USA Compression, encountered issues with all their compression equipment due to a power glitch. This power glitch affected both of USA Compression's facilities, resulting in an abrupt and unexpected shutdown of their gas flow intake from Oxy. Consequently, the shutdown impacted the Red Tank area and subsequently affected Red Tank 19 CTB. The high field pressure that ensued caused Red Tank 19 CTB to pressurize and trigger a flaging event. This incident was unforcessenable and could not have been avoided.		

or prevented, as it occurred without any prior notice or warning to Oxy and its field personnel from USA Compression personnel. Red Tank 26 Boo compressor station is the first stopping point, where OXY sends its sales gas from its facility, before it is pushed further down the pipeline for further processing at Mark West, a downstream gathering system facility, which is

It is OXY's policy to route its stranded gas to a flare during an unforeseen and unavoidable

downstream of Oxy's control.

Steps taken to limit the duration and magnitude of vent or flare	emergency or malfunction, that is beyond Oxy's control to avoid, prevent or foresee, to minimize emissions as much as possible as part of the overall steps taken to limit duration and magnitude of flaring. In this instance, Red Tank 26 Boo and Red Tank 27 CGL compressor stations, which are owned and operated by USA Compression, encountered issues with all their compression equipment due to a power glitch. This power glitch affected both of USA Compression's facilities, resulting in an abrupt and unexpected shutdown of their gas flow intake from Oxy. Consequently, the shutdown impacted the Red Tank area and
	subsequently affected Red Tank 19 CTB. The high field pressure that ensued caused Red Tank 19 CTB to pressurize and trigger a flaring event. The Oxy production techs, who were on-site, continually kept in touch with additional Oxy field personnel to make adjustments to injection rate changes, to minimize emissions during USA Compressions' attempts to resolve their equipment issues, which took longer than usual to resolve due to their own mechanics were busy at other locations. This event is out of OXY's control, yet OXY made every effort to control and minimize emissions as much as possible.
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	Oxy cannot take any corrective actions to eliminate the cause and potential reoccurrence of a third-party owned and operated compressor station's sudden and unexpected gas flow intake restriction or shut-in, as this control issue is downstream of Oxy's custody transfer point and out of Oxy's control to foresee, avoid, prevent from happening or reoccur. Third-party downstream compression station owner operators may have equipment issues, which will reoccur from time to time, which in turn, directly impacts Oxy's ability to send its sales gas to them, and potentially triggering a flaring event. OXY makes every effort to control and minimize emissions as much as possible. The only actions that Oxy can take and handle that is within its control, is to continually communicate with USA Compression personnel, who operate the Red Tank Boo 26 Compressor Station and the Red Tank 27 CGL, when possible, during these types of circumstances.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 413513

ACKNOWLEDGMENTS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	413513
	Action Type:
	[C-129] Amend Venting and/or Flaring (C-129A)

ACKNOWLEDGMENTS

V	I acknowledge that with this application I will be amending an existing incident file (assigned to this operator) for a vent or flare event, pursuant to 19.15.27 and 19.15.28 NMAC.
V	I acknowledge that amending an incident file does not replace original submitted application(s) or information and understand that any C-129 forms submitted to the OCD will be logged and stored as public record.
V	I hereby certify the statements in this amending report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
V	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
V	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 413513

CONDITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	413513
	Action Type:
	[C-129] Amend Venting and/or Flaring (C-129A)

CONDITIONS

Created By	Condition	Condition Date
shelbyschoepf	If the information provided in this report requires further amendment(s), submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	12/18/2024