Jason Michelson
Operations Lead, Portfolio Operations Central

June 8, 2021

New Mexico Oil Conservation Division
1220 South St. Francis Drive
Santa Fe, NM 87505

Re: Pardue Farms 27-12
2RP-1395
2020 Site Assessment Report
Eddy County, New Mexico

Dear whom it concerns,

Please find enclosed for your files, copies of the following report:

- 2020 Pardue Farms 27-12 Site Assessment Report

The submittal was prepared by Arcadis U.S., Inc. (Arcadis) for Chevron Environmental Management Company (CEMC) on behalf of Chevron U.S.A Inc.

Please do not hesitate to call Russell Grant with Arcadis at 432-217-2064 or myself at 832-854-5601, should you have any questions.

Respectfully,

Jason Michelson

Jason Michelson

Encl. 2020 Pardue Farms 27-12 Site Assessment Report

C.C. Amy Barnhill, Chevron/MCBU

Jason Michelson
Operations Lead Central
Portfolio Operations - Central
1500 Louisiana Street, Houston, TX 77002
Tel 832 854 5601 Mobile 281 660 8564
jmichelson@chevron.com

ARCADIS

REVIEWED
By Mike Buchanan at 11:17 am, Dec 19, 2024

Chevron Environmental Management Company & Real Estate Co.

2020 Site Assessment Report

Pardue Farms 27-12 Well Site
Case No. 2RP-1395

May 2021

Review of the 2020 Site Assessment Report, accepted for the record: content satisfactory
1. Chloride impact in groundwater at the site is ongoing and further delineation deemed necessary. Efforts are ongoing to characterize the remainder of the release.
2. Groundwater flow has been established to be in the north northwestern direction.
3. Further soil and groundwater delineation has been recommended in this 2020 Site Assessment Report, a 2024 Site Assessment has been submitted; application ID is 395121 and is under review for the incident.

2020 Site Assessment Report

Pardue Farms 27-12 Well Site
Case No. 2RP-1395

May 2021


Prepared By:
Arcadis U.S., Inc.
1004 North Big Spring Street, Suite 121
Midland
Texas 79701
Phone: 432 687 5400
Fax: 432 687 5401

Prepared For:
Armando Martinez
Chevron Environmental Management Company
P.O. Box 469
Questa, NM 87564

Our Ref:
30059787



Russell Grant
Certified Project Manager



Ryan Nanny P.G.
Senior Project Geologist

This document is intended only for the use of the individual or entity for which it was prepared and may contain information that is privileged, confidential and exempt from disclosure under applicable law. Any dissemination, distribution or copying of this document is strictly prohibited.

Version Control (optional)

Issue	Revision No.	Date Issued	Page No.	Description	Reviewed By

Contents

1 Introduction 1
2 2020 Investigation 1
2.1 Soil Analytical Results 2
2.1.1 Chloride 2
2.1.2 BTEX 2
2.1.3 TPH 2
3 2020 Groundwater Investigation 3
3.1 Groundwater Gauging Data 3
3.2 Groundwater Analytical Results 3
3.2.1 Chloride 3
3.2.2 BTEX 4
3.2.3 TDS 4
4 Summary 4

Tables

Table 1. November 2020 Soil Investigation Analytical Summary
Table 2. November 2020 Potentiometric Elevation Data
Table 3. November 2020 Groundwater Investigation Analytical Summary
Table 4. Cumulative Groundwater Investigation Analytical Summary

Figures

Figure 1. Site Vicinity Map
Figure 2. November 2020 Soil Analytical Results Map
Figure 3. November 2020 Potentiometric Surface Map
Figure 4. November 2020 Groundwater Analytical Results Map
Figure 5. November 2020 Chloride Isoconcentration Map

Received by OCD: 10/23/2024 11:44:05 AM

Appendices

Appendix A. Site Background Information

Appendix B. Field Methodologies and Documentation

Appendix C. Approved Well Application Permit to Drill C-4351 POD-3

Appendix D. Boring Logs

Appendix E. Laboratory Reports

Released to Imaging: 12/19/2024 2:22:50 PM

1 Introduction

On behalf of Chevron Environmental Management Company (CEMC), Arcadis U.S., Inc. (Arcadis) has prepared this Site Assessment Report (Report) for Pardue Farms 27-12 (Site) in order for Chevron Mid-Continent Business Unit (MCBU) to document the environmental assessment activities performed at the Site. This Report summarizes the field activities completed, and the laboratory analytical results of samples collected during a soil and groundwater investigation conducted on-site in November 2020.

The Site is located in Eddy County approximately one mile southeast of Loving, New Mexico along the northeast quarter of the southwest quarter of Section 27, Township 23 South, Range 28 East. The Site surface is privately owned and Chevron Midcontinent, L.P. holds the oil and gas lease. The average depth to groundwater at the Site is approximately 30 feet below ground surface (bgs).

The Site is located on the western edge of the Permian Basin, a 75,000-square-mile area in Texas and New Mexico that is populated by numerous oil and gas production wells. In New Mexico, the Permian Basin extends to Roosevelt County to the north, Chaves and Eddy County to the west, and to Texas to the south. A Site Vicinity Map is presented as **Figure 1**. Additional Site background information is presented in **Appendix A**. Field methodologies and documentation is presented in **Appendix B**.

2 2020 Investigation

In November 2020, Arcadis advanced one monitoring well (MW-6) to a total depth of 60 feet (ft) bgs using an Atlas Copco T3W Air/Mud rotary drilling rig. Soil samples were collected from the boring location using a trowel at the surface (0 - 1 ft bgs), and additional soil samples were collected via trowel from the following depths:

- 1 - 2 ft bgs
- 2 - 3 ft bgs
- 3 - 4 ft bgs
- 9 - 10 ft bgs
- 14 - 15 ft bgs
- 19 – 20 ft bgs
- 24 – 25 ft bgs

Soil samples were continuously logged for stratigraphic characteristics according to the Unified Soil Classification System (USCS) and field screening methods were utilized to quantify soil hydrocarbon impacts. No staining was observed; however, elevated (>3.0 parts per million (ppm)) photo ionizing device (PID) readings were observed at a depth of 2 ft bgs to 25 ft bgs ranging from 6.7 ppm at 24 ft bgs to 186.8 ppm at 9 ft bgs. Soil samples collected from MW-6 were analyzed for:

- Benzene, Toluene, Ethylbenzene and Xylene (BTEX) by U.S. Environmental Protection Agency (USEPA) 8260B
- Total Petroleum Hydrocarbon (TPH) - Gasoline Range Organics (GRO), Diesel Range Organics (DRO), Oil Range Organics (ORO) by USEPA 8105D
- Chloride by USEPA 9056

A groundwater sample was collected from monitoring well MW-6 utilizing low flow technology and analyzed for the following analytes:

- BTEX by USEPA 8260C
- TPH-GRO, by USEPA 8105B
- TPH-DRO, ORO by USEPA 8015D
- Chloride by USEPA 300
- Total Dissolved Solids (TDS) by Method 2540 C-1997

Groundwater and soil samples were collected via trowel and placed in clean, laboratory-supplied sample containers, labeled, placed on ice, cooled to approximately 4 degrees Celsius, and transported via overnight courier to Eurofins TestAmerica analytical laboratory in Houston, Texas for constituents of concern (COC) analysis.

Monitoring well MW-6 was drilled and installed to a total depth of 60 ft bgs and was constructed of 2-inch diameter polyvinyl chloride (PVC) with 35 ft of 0.010-inch slotted screen from 23.75 to 58.75 ft bgs. MW-6 was completed as a flush mount and was developed by over pumping the well until free of formation fine sediments.

Investigative derived waste (IDW), which includes soil cuttings from drilling activities and groundwater collected from monitoring well development and sampling, were contained in four properly labeled 55-gallon drums and stored onsite. The drum contents were sampled and classified as non-hazardous waste. Arcadis will arrange for a disposal company to transport the drums to a CEMC -approved waste disposal facility during the calendar year of 2021. Monitoring well MW-6 was constructed in accordance with the approved WR-07 application for permit to drill a well with no water right and identified as C-4351 POD-3. The approved application is presented in **Appendix C**. The boring logs are presented in **Appendix D**.

2.1 Soil Analytical Results

Soil analytical results were compared to the closure criteria outlined in Title 19, Chapter 15, Part 29 (19.15.29) of the New Mexico Administrative Code (NMAC) standards for chloride, BTEX and (TPH). A summary of the soil sample analytical results from the November 2020 soil investigation are presented in **Table 1**. Copies of the certified analytical reports and chain-of-custody documentation are presented in **Appendix E**. Soil analytical results are also presented on **Figure 2**.

2.1.1 Chloride

- Chloride concentrations exceeded the NMAC standard of 600 milligrams per kilogram (mg/kg) in two sample intervals collected during the advancement of MW-6:
    - 19 – 20 ft bgs: 1,230 mg/kg
    - 24 – 25 ft bgs: 920 mg/kg

2.1.2 BTEX

- BTEX concentrations were reported below the NMAC standard of 50 mg/kg at all sample locations.

2.1.3 TPH

- TPH concentrations were reported below the NMAC standard of 100 mg/kg at all sample locations.

Received by OCD: 10/23/2024 11:44:05 AM

3 2020 Groundwater Investigation

Groundwater at the Site was monitored in 2020 from a network of four monitoring wells (MW-1 through MW-3) and from the newly installed monitoring well (MW-6). Arcadis gauged and sampled monitoring wells MW-1, MW-2, MW-3, and MW-6 on November 19th, 2020. All samples were collected via low flow purge technology. Samples collected were analyzed for:

- BTEX by USEPA 8260C
- TPH- GRO by USEPA 8105B
- TPH- DRO, ORO by USEPA 8015D
- Chloride by USEPA 300
- Total Dissolved Solids by Method 2540 C-1997

3.1 Groundwater Gauging Data

Groundwater and light non-aqueous phase liquid (LNAPL) measurements were collected utilizing a Solinst Oil/Water interface meter during the 2020 investigation event and indicated the following:

- Depth to groundwater ranged from 24.69 feet BTOC (MW-6) to 34.56 ft BTOC (MW-2) during the November 2020 gauging event
- LNAPL was not observed in any of the Site monitoring wells
- The groundwater elevations during the 2020 period appear to be consistent with historical levels, with groundwater flow to the northeast
- The calculated gradient was 0.00011 feet/foot (ft/ft) for the November 2020 gauging event.

Potentiometric elevation data collected from the November 2020 investigation is presented in **Table 2** and on **Figure 3**.

3.2 Groundwater Analytical Results

Four monitoring wells were sampled on November 19, 2020. Groundwater analytical results for chloride, BTEX, TPH, and TDS were compared to the New Mexico Water Quality Control Commission (NMWQCC) Groundwater Standards for samples collected from MW-1 through MW-3, and MW-6 in November 2020. A summary of the groundwater sample analytical results is presented in **Table 3** and a cumulative summary of groundwater sample analytical results can be viewed in **Table 4**. Copies of the certified analytical reports and chain-of-custody documentation are presented in **Appendix E**. Groundwater analytical results are also presented on **Figure 4**.

The isoconcentration map for chloride for the November 2020 sampling event is presented in **Figure 5**. Analytical results from the November 2020 groundwater investigation are further discussed below.

3.2.1 Chloride

- Chloride concentrations exceeded the NMWQCC standard of 250 milligrams per liter (mg/L) in four wells sampled during the November 2020 groundwater investigation. Chloride analytical results are as follows:
    - MW-1: 9,880 mg/L
    - MW-2: 6,580 mg/L

Released to Imaging: 12/19/2024 2:22:50 PM

- MW-3: 6,680 mg/L
- MW-6: 10,800 mg/L

3.2.2 BTEX

- BTEX were reported below the NMWQCC standard of 0.01, 0.75, 0.75 and 0.62 mg/L, respectively in all wells sampled during the November 2020 groundwater investigation.

3.2.3 TDS

- TDS concentrations exceeded the NMWQCC standard of 1,000 mg/L in four wells sampled during the November 2020 groundwater investigation. TDS analytical results are as follows:
  - MW-1: 14,800 mg/L
  - MW-2: 13,400 mg/L
  - MW-3: 14,100 mg/L
  - MW-6: 18,800 mg/L

4 Summary

To further delineate the chloride impacts to soil and groundwater at the Site, one monitoring well (MW-6) was installed downgradient of the release area.

- Soil analytical results exceeded the revised NMAC screening level for chloride of 600 mg/kg at two sample intervals from MW-6 at 19-20 ft bgs (1,230 mg/kg) and 24-25 ft bgs (920 mg/kg).

All four Site monitoring wells were gauged and sampled on November 19th, 2020. Potentiometric surface conditions were consistent with historical results, with groundwater flow to the north northeast.

Groundwater sample analytical results reported from the November 2020 groundwater investigation indicated:

- Chloride exceeded the NMWQCC groundwater standard in all Site wells sampled in November 2020.
- TDS exceeded the NMWQCC groundwater standard in in all Site wells sampled in November 2020.
- Chloride exhibited an increase in concentration during the 2020 sampling event
- TDS appears to be stable through the 2020 sampling event.

Chloride impact to soil and groundwater at the Site has not been fully delineated. Additional soil and groundwater assessment activities are recommended. If you have any question or comments regarding the information presented in this Report, please contact Russell Grant at 432.217.2064 or at Russell.Grant@arcadis.com.

Tables

Table 1
November 2020 Soil Investigation Analytical Summary
Chevron EMC
Pardue Farms 27-12
Eddy County, New Mexico

Boring Location ID	Sample Date	Sample Depth (feet bgs)	Benzene	Toluene	Ethylbenzene	Total Xylenes	Total BTEX	TPH-GRO	TPH-DRO	TPH-ORO	Chloride	Moisture
			(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	%
NMAC Closure Criteria [(a)]			**10**	**--**	**--**	**--**	**50**	**--**	**100**	**--**	**600**	**--**
Composite (S)	11/19/2020	--	<0.000647	<0.00142	<0.001050	<0.001160	<0.000647	<0.0637	24.90	**66.50**		
MW-6-S	11/16/2020	0 to 1	<0.000625	<0.00137	<0.001010	<0.001120	<0.000625	<0.5720	8.73	59.60	59.7 J F1	1.8
	11/16/2020	1 to 2	<0.000694	<0.00152	<0.001120	<0.001240	<0.000694	<0.7290	10.50	40.30	44.4 J	14.4
	11/16/2020	2 to 3	<0.000685	<0.00150	<0.001110	<0.001230	<0.000685	<0.6540	<1.81	29.50	64.6 J	5.8
	11/16/2020	3 to 4	<0.0006	<0.00131	<0.000971	<0.001080	<0.000600	<0.7490	7.96 J	36.20	97.2 J	21.1
	11/16/2020	9 to 10	<0.000648	<0.00142	<0.001050	<0.001160	<0.000648	<0.6900	<1.87	24.60	82.8 J	8.8
	11/16/2020	14 to 15	<0.000605	<0.00132	<0.000979	<0.001080	<0.000605	<0.8620	<2.37	<6.94	477.0	28.4
	11/16/2020	19 to 20	<0.000557	<0.00122	<0.000901	<0.000998	<0.000557	<0.6760	<1.93	<5.65	**1,230**	11.6
	11/16/2020	24 to 25	<0.000623	<0.00136	<0.001010	<0.001120	<0.000623	<0.6560	24.20	123.00	**920.0**	15.0

Legend:

Value	Analytical value is greater than or equal to NMAC clsoure criteria
mg/kg	Milligram per killogram
'<'	Analyte was not detected at or above the Method Detection Limit (MDL)
ft bgs	Below ground surface
BTEX	Benzene, Toluene, Ethylbenzene, and Total Xylenes
TPH GRO	Total Petroleum Hydrocarbons Gasoline Range Organics
TPH MRO	Total Petroluem Hydrocarbons Motor Oil Range Organics
TPH DRO	Total Petroleum Hydrocarbon Diesel Range Organics
NMAC	New Mexico Administration Code

Lab Qualifiers:

J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
F1	MS and/or MSD recovery exceeds control limits.

Notes:
1. Chloride analyzed by United States Environmental Protection Agency Method 300
2. TPH analyzed by USEPA Method 8015D
3. BTEX analyzed by USEPA Method 8260B
4. (a) Title 19, Chapter 15 of the NMAC for Natural Resources and Wildlife, Oil and Gas, and Releases, 19.15.29 NMAC. August

Table 2
November 2020 Potentiometric Elevation Data
Chevron EMC
Pardue Farms 27-12
Eddy County, New Mexico

Well ID TOC Elevation (ft. NAVD ,88)	Date	Depth to Groundwater (ft. below TOC)	Depth to LNAPL (ft. below TOC)	LNAPL Thickness	Groundwater Elevation (ft. NAVD,88)	Well Depth (ft below TOC)	Well screen interval (ft. below bgs)
MW-1 3,070.30	11/10/2020	33.03	ND	ND	3037.27	58.22	15 - 55
MW-2 3,071.87	11/10/2020	34.56	ND	ND	3037.31	58.35	15 - 55
MW-3 3,068.64	11/10/2020	31.36	ND	ND	3037.28	59.83	19 - 54
MW-6 --	11/10/2020	24.69	ND	ND	--	58.75	23.75 - 58.75

Notes:
TOC = Top of Casing
NAVD88 = North American Vertical Datum of 1988
bgs = below ground surface
NA = Not Detected
-- = Not measured

Table 3
November 2020 Groundwater Investigation Analytical Summary
Chevron EMC
Pardue Farms 27-12
Eddy County, New Mexico

Boring Location ID	Sample Date	Chloride	Benzene	Toluene	Ethylbenzene	Total Xylenes	Total BTEX	TPH-GRO	TPH-DRO	TPH-ORO	TDS
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)
NMAC Standards		**250**	**0.01**	**0.75**	**0.75**	**0.62**	**--**	**--**	**--**	**--**	**1,000**
MW-1	11/19/2020	**9,880**	<0.000560	<0.000550	<0.00129	<0.00198	<0.000550	<0.0492	<0.0450	<0.150	**14,800**
MW-2	11/19/2020	**6,580**	<0.000560	<0.000550	<0.00129	<0.00198	<0.000550	<0.0492	<0.0450	<0.150	**13,400**
MW-3	11/19/2020	**6,680**	<0.000560	<0.000550	<0.00129	<0.00198	<0.000550	<0.0492	<0.0450	0.256	**14,100**
MW-6	11/19/2020	**10,800**	<0.000560	<0.000550	<0.00129	<0.00198	<0.000550	<0.0492	0.0914 J	0.293	**18,800**
MW-6 (DUP-1)	11/19/2020	**12,400**	<0.000560	<0.000550	<0.00129	<0.00198	<0.000550	<0.0492	0.0994 J	0.202 J	**16,600**

Legend:

Value	Analytical value is greater than or equal to NMAC clsoure criteria
mg/L	Milligram per killogram
'<'	Analyte was not detected at or above the Method Detection Limit (MDL)
NA	Not Analyzed
ft bgs	Below ground surface
NMAC	New Mexico Administration Code
BTEX	Benzene, Toluene, Ethylbenzene, and Total Xylenes
TPH GRO	Total Petroleum Hydrocarbons Gasoline Range Organics
TPH DRO	Total Petroleum Hydrocarbon Diesel Range Organics
TPH-ORO	Total Petroluem Hydrocarbons Oil Range Organics

Lab Qualifiers:

J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
DUP	Duplicate result

Notes:
1. Chloride analyzed by United States Environmental Protection Agency Method 300.0
2. TPH analyzed by USEPA Method 8015D
3. BTEX analyzed by USEPA Method 8260B
4. (a) Title 19, Chapter 15 of the NMAC for Natural Resources and Wildlife, Oil and Gas, and Releases, 19.15.29 NMAC. August

Table 4
Cumulative Groundwater Investigation Analytical Summary
Chevron EMC
Pardue Farms 27-12
Eddy County, New Mexico

ARCADIS

Boring Location ID	Sample Date	Chloride	Benzene	Toluene	Ethylbenzene	Total Xylenes	Total BTEX	TPH-GRO	TPH-DRO	TPH-ORO	TDS
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)
NMAC Standards		**250**	**0.01**	**0.75**	**0.75**	**0.62**	**--**	**--**	**--**	**--**	**1,000**
MW-1	6/27/2019	**4,560**	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/19/2020	**9,880**	<0.000560	<0.000550	<0.00129	<0.00198	<0.000550	<0.0492	<0.0450	<0.150	**14,800**
MW-2	6/27/2019	**5,950**	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/19/2020	**6,580**	<0.000560	<0.000550	<0.00129	<0.00198	<0.000550	<0.0492	<0.0450	<0.150	**13,400**
MW-3	6/27/2019	**4,650**	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/19/2020	**6,680**	<0.000560	<0.000550	<0.00129	<0.00198	<0.000550	<0.0492	<0.0450	0.256	**14,100**
MW-5	10/17/2019	**2,180**	0.000176	0.000198	0.000212	0.000366	0.000952	0.0492 U	0.4520 J	0.212 J	**5,910**
DUP-1	6/27/2019	**5,710**	NA	NA	NA	NA	NA	NA	NA	NA	NA
DUP-2	10/17/2019	**1,290**	NA	NA	NA	NA	NA	NA	0.4520 J	NA	**5,880**
MW-6	11/19/2020	**10,800**	<0.000560	<0.000550	<0.00129	<0.00198	<0.000550	<0.0492	0.0914 J	0.293	**18,800**
MW-6 (DUP-1)	11/19/2020	**12,400**	<0.000560	<0.000550	<0.00129	<0.00198	<0.000550	<0.0492	0.0994 J	0.202 J	**16,600**

Legend:


Value	Analytical value is greater than or equal to NMAC clsoure criteria
mg/L	Milligram per killogram
'<'	Analyte was not detected at or above the Method Detection Limit (MDL)
NA	Not Analyzed
ft bgs	Below ground surface
NMAC	New Mexico Administration Code
BTEX	Benzene, Toluene, Ethylbenzene, and Total Xylenes
TPH GRO	Total Petroleum Hydrocarbons Gasoline Range Organics
TPH DRO	Total Petroleum Hydrocarbon Diesel Range Organics
TPH-ORO	Total Petroluem Hydrocarbons Oil Range Organics

Lab Qualifiers:

J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
DUP	Duplicate result

Notes:
1. Chloride analyzed by United States Environmental Protection Agency Method 300.0
2. TPH analyzed by USEPA Method 8015D
3. BTEX analyzed by USEPA Method 8260B
4. (a) Title 19, Chapter 15 of the NMAC for Natural Resources and Wildlife, Oil and Gas, and Releases, 19.15.29 NMAC. August

Figures



Legend

- MONITORING WELL LOCATION
- SOIL BORING LOCATION
- PLUGGED AND ABANDONED TEMPORARY MONITORING WELL
- FLOWLINE RELEASE POINT
- BURIED ELECTRICAL SERVICE
- GAS LINE
- APPROXIMATE WATER LINE
- APPROXIMATE AREA OF RELEASE
- APPROXIMATE FLOWLINE LOCATION
- PARCEL BOUNDARY

NOTES:
1.AERIAL IMAGE FROM GOOGLE EARTH, 2019.

0 40 80
FEET
1 inch = 80 feet

CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
PARDUE FARMS 27-12: HES TRANSFER SITE
EDDY COUNTY, NEW MEXICO
2020 SITE ASSESSMENT REPORT


SITE VICINITY MAP


ARCADIS

FIGURE
1

User Name: av00976 DATE: 1/5/2021 12:10:07 PM
PATH: T:_ENV\Chevron_PardueFarm\GIS\ArcMap_MXD\2021\Fig1_Site_Vicinity_Map.mxd

MW-6								
SAMPLE DATE: NOVEMBER 16,2020								
DEPTH	0 to 1	1 to 2	2 to 3	3 to 4	9 to 10	14 to 15	19 to 20	24 to 25
TOTAL BTEX	<0.000625	<0.000694	<0.000685	<0.0006	<0.000648	<0.000605	<0.000557	<0.000623
TPH-GRO	<0.572	<0.729	<0.654	<0.749	<0.690	<0.862	<0.676	<0.656
TPH-DRO	8.73	10.5	<1.81	7.96 J	<1.87	<2.37	<1.93	24.2
TPH-ORO	59.6	40.3	29.5	36.2	24.6	<6.94	<5.65	123
CHLORIDE	59.7 J F1	44.4 J	64.6 J	97.2 J	82.8 J	477	**1,230**	**920**





Legend

- MONITORING WELL LOCATION
- SOIL BORING LOCATION
- PLUGGED AND ABANDONED TEMPORARY MONITORING WELL
- FLOWLINE RELEASE POINT
- BURIED ELECTRICAL SERVICE
- GAS LINE
- APPROXIMATE WATER LINE
- APPROXIMATE AREA OF RELEASE
- APPROXIMATE FLOWLINE LOCATION
- PARCEL BOUNDARY

NOTES:

1. BTEX = BENZENE, TOLUENE, ETHYLBENZENE AND TOTAL XYLENES.
2. TPH-GRO = TOTAL PETROLEUM HYDROCARBONS AS GASOLINE RANGE ORGANICS.
3. TPH-DRO = TOTAL PETROLEUM HYDROCARBONS AS DIESEL RANGE ORGANICS.
4. TPH-ORO = TOTAL PETROLEUM HYDROCARBONS AS OIL RANGE ORGANICS.
5. TPH ANALYSIS BY EPA 8015 MODIFIED.
6. EPA = ENVIRONMENTAL PROTECTION AGENCY.
7. CHLORIDE ANALYSIS BY EPA METHOD E300 MODIFIED.
8. RESULTS SHOWN IN MILLIGRAMS PER LITER (mg/L) UNLESS OTHERWISE NOTED.
9. J = RESULT IS LESS THAN THE RL BUT GREATER THAN OR EQUAL TO THE MDL AND THE CONCENTRATION IS AN APPROXIMATE VALUE.
10. < = ANALYTE WAS NOT DETECTED AT OR ABOVE THE METHOD DETECTION LIMIT (MDL)
11. F1 = MS AND/OR MSD RECOVERY EXCEEDS CONTROL LIMITS.
12. VALUE = ANALYTICAL VALUE IS GREATER THAN OR EQUAL TO NMAC CLSOURE CRITERIA
13. AERIAL IMAGE FROM GOOGLE EARTH, 2019.



0 40 80 FEET

1 inch = 80 feet


CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
PARDUE FARMS 27-12: HES TRANSFER SITE
EDDY COUNTY, NEW MEXICO
2020 SITE ASSESSMENT REPORT


November 2020
SOIL ANALYTICAL RESULTS MAP

ARCADIS

FIGURE **2**

User Name: PSI01065 DATE: 1/8/2021 1:53:08 PM
PATH: T:_ENV\Chevron_PardueFarm\GIS\ArcMap_MXD\2021\Fig2_Soil_AnalyticalLmxd





Legend

- MONITORING WELL LOCATION
- SOIL BORING LOCATION
- PLUGGED AND ABANDONED TEMPORARY MONITORING WELL
- FLOWLINE RELEASE POINT
- GROUNDWATER ELEVATION CONTOUR (FEET ABOVE MEAN SEA LEVEL)
- BURIED ELECTRICAL SERVICE
- GAS LINE
- APPROXIMATE WATER LINE
- APPROXIMATE AREA OF RELEASE
- APPROXIMATE FLOWLINE LOCATION
- PARCEL BOUNDARY

NOTES:

1. AERIAL IMAGE FROM GOOGLE EARTH, 2019.
2. NM = NOT MEASURED
3. * = WELL NOT USED FOR CONTOURING

0 40 80 FEET

1 inch = 80 feet

CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
PARDUE FARMS 27-12: HES TRANSFER SITE
EDDY COUNTY, NEW MEXICO
2020 SITE ASSESSMENT REPORT

November 2020
POTENTIOMETRIC SURFACE MAP

ARCADIS

FIGURE
3

User Name: av00976 DATE: 1/7/2021 10:15:29 AM
PATH: T:_ENV\Chevron_PardueFarm\GIS\ArcMap_MXD\2021\Fig3_GW_Elevation.mxd

104°4'48"W 104°4'46"W 104°4'45"W 104°4'43"W 104°4'42"W 104°4'41"W 104°4'39"W 104°4'38"W

32°16'27"N 32°16'25"N 32°16'24"N 32°16'23"N 32°16'21"N

MW-6	
SAMPLE DATE: NOVEMBER 19,2020	
TOTAL BTEX	<0.000550 [<0.000550]
TPH-GRO	<0.0492 [<0.0492]
TPH-DRO	0.0914 J [0.0994 J]
TPH-ORO	0.293 [0.202 J]
CHLORIDE	**10,800 [12,400]**

MW-1	
SAMPLE DATE: NOVEMBER 19,2020	
TOTAL BTEX	<0.000550
TPH-GRO	<0.0492
TPH-DRO	<0.0450
TPH-ORO	<0.150
CHLORIDE	**9,880**

MW-3	
SAMPLE DATE: NOVEMBER 19,2020	
TOTAL BTEX	<0.000550
TPH-GRO	<0.0492
TPH-DRO	<0.0450
TPH-ORO	0.256
CHLORIDE	**6,680**

MW-2	
SAMPLE DATE: NOVEMBER 19,2020	
TOTAL BTEX	<0.000550
TPH-GRO	<0.0492
TPH-DRO	<0.0450
TPH-ORO	<0.150
CHLORIDE	**6,580**


FORMER CHEVRON PARDUE FARMS #27-12 PRODUCTION WELL

SPILL PATH

RELEASE POINT

SB-1 SB-2 SB-3 SB-4 SB-5 SB-6 SB-7 SB-8 SB-9 SB-10 SB-11 BH-1 BH-2

MW-1 MW-2 MW-3 MW-4 MW-5 MW-6



Legend

- MONITORING WELL LOCATION
- SOIL BORING LOCATION
- PLUGGED AND ABANDONED TEMPORARY MONITORING WELL
- FLOWLINE RELEASE POINT
- BURIED ELECTRICAL SERVICE
- GAS LINE
- APPROXIMATE WATER LINE
- APPROXIMATE AREA OF RELEASE
- APPROXIMATE FLOWLINE LOCATION
- PARCEL BOUNDARY

NOTES:

1. BTEX = BENZENE, TOLUENE, ETHYLBENZENE AND TOTAL XYLENES.
2. TPH-GRO = TOTAL PETROLEUM HYDROCARBONS AS GASOLINE RANGE ORGANICS.
3. TPH-DRO = TOTAL PETROLEUM HYDROCARBONS AS DIESEL RANGE ORGANICS.
4. TPH-ORO = TOTAL PETROLEUM HYDROCARBONS AS OIL RANGE ORGANICS.
5. TPH ANALYSIS BY EPA 8015 MODIFIED.
6. EPA = ENVIRONMENTAL PROTECTION AGENCY.
7. CHLORIDE ANALYSIS BY EPA METHOD E300 MODIFIED.
8. RESULTS SHOWN IN MILLIGRAMS PER LITER (mg/L) UNLESS OTHERWISE NOTED.
9. [ ] = DUPLICATE RESULTS.
10. TDS = TOTAL DISSOLVED SOLIDS
11. VALUE = ANALYTICAL VALUE IS GREATER THAN OR EQUAL TO NMAC CLSOURE CRITERIA
12. < = ANALYTE WAS NOT DETECTED AT OR ABOVE THE METHOD DETECTION LIMIT (MDL)
13. J= RESULT IS LESS THAN THE RL BUT GREATER THAN OR EQUAL TO THE MDL AND THE CONCENTRATION IS AN APPROXIMATE VALUE.
14. AERIAL IMAGE FROM GOOGLE EARTH, 2019.

0 40 80 FEET

1 inch = 80 feet

CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
PARDUE FARMS 27-12: HES TRANSFER SITE
EDDY COUNTY, NEW MEXICO
2020 SITE ASSESSMENT REPORT


November 2020

GROUNDWATER ANALYTICAL RESULTS MAP

ARCADIS

FIGURE **4**

User Name: PSI01065 DATE: 1/8/2021 1:31:34 PM
PATH: T:_ENV\Chevron_PardueFarm\GIS\ArcMap_MXD\2021\Fig4_GW_AnalyticalLmxd



Legend

- MONITORING WELL LOCATION
- SOIL BORING LOCATION
- PLUGGED AND ABANDONED TEMPORARY MONITORING WELL
- FLOWLINE RELEASE POINT
- CHLORIDE ISOCONCENTRATION CONTOUR
- CHLORIDE ISOCONCENTRATION CONTOUR - INFERRED
- BURIED ELECTRICAL SERVICE
- GAS LINE
- APPROXIMATE WATER LINE
- APPROXIMATE AREA OF RELEASE
- APPROXIMATE FLOWLINE LOCATION
- PARCEL BOUNDARY

NOTES:

1. BTEX = BENZENE, TOLUENE, ETHYLBENZENE AND TOTAL XYLENES.
2. TPH-GRO = TOTAL PETROLEUM HYDROCARBONS AS GASOLINE RANGE ORGANICS.
3. TPH-DRO = TOTAL PETROLEUM HYDROCARBONS AS DIESEL RANGE ORGANICS.
4. TPH-ORO = TOTAL PETROLEUM HYDROCARBONS AS OIL RANGE ORGANICS.
5. TPH ANALYSIS BY EPA 8015 MODIFIED.
6. EPA = ENVIRONMENTAL PROTECTION AGENCY.
7. CHLORIDE ANALYSIS BY EPA METHOD E300 MODIFIED.
8. RESULTS SHOWN IN MILLIGRAMS PER LITER (mg/L) UNLESS OTHERWISE NOTED.
9. [ ] = DUPLICATE RESULTS.
10. VALUE = ANALYTICAL VALUE IS GREATER THAN OR EQUAL TO NMAC CLSOURE CRITERIA
11. < = ANALYTE WAS NOT DETECTED AT OR ABOVE THE METHOD DETECTION LIMIT (MDL)
12. J= RESULT IS LESS THAN THE RL BUT GREATER THAN OR EQUAL TO THE MDL AND THE CONCENTRATION IS AN APPROXIMATE VALUE.
13. AERIAL IMAGE FROM GOOGLE EARTH, 2019.

CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
PARDUE FARMS 27-12: HES TRANSFER SITE
EDDY COUNTY, NEW MEXICO
2020 SITE ASSESSMENT REPORT

November 2020
CHLORIDE ISOCONCENTRATION MAP

ARCADIS Design & Consultancy for natural and built assets

FIGURE
5

User Name: avi00976 DATE: 1/13/2021 8:16:20 PM
PATH: T:_ENV\Chevron_PardueFarm\GIS\ArcMap_MXD\2021\Fig5_Chloride Iso Map.mxd

Appendix A

Site Background Information

SITE DESCRIPTION AND BACKGROUND

The following site description and background section provides an overview of the site location and regional setting including geology, hydrogeology, nearby drinking water wells, surface water, and climate.

Site Location and Description

The Site is located approximately one mile southeast of Loving, New Mexico along the northeast quarter of the southwest quarter of Section 27, Township 23-South, Range 28-East. The properties surface ownership is privately owned and Chevron Midcontinent, L.P. hold the oil and gas lease.

The Site is located on the western edge of the Permian Basin, a 75,000-square-mile area in Texas and New Mexico that is populated by numerous oil and gas production wells. In New Mexico, the Permian Basin extends to Roosevelt County to the North, Chaves and Eddy County to the west, and to Texas to the south.

Nearby Water Wells and Surface Water

Based on review of satellite imagery, the Pecos River is located approximately 2.5 miles due northeast from the site. The southwestern edge of a salt-lake is located approximately 3.25 miles to the northeast. (GoogleEarth 2018). In November 2018, Arcadis field staff verified that there are no surface-water bodies located within 1,000 feet of the Site.

In January 2019, Arcadis reviewed information obtained from the New Mexico Office of the State Engineer (NMOSE) online database (NMOSE 2019), which indicated there is one water supply well located approximately 310 feet to the southwest from the Pardue Farms 27-12 oil well. The primary use for this water well is for domestic and livestock watering. The NMOSE online database identified 419 water-supply wells within a 5-mile radius of the site (NMOSE 2019).

Climate

Monthly average temperatures near the Site vary from a minimum of 33.1 degrees Fahrenheit (°F) in February to a maximum of 95.9°F in June (Western Regional Climate Center [WRCC] Carlsbad Cavern City Airport, New Mexico [291475] weather station). Average annual precipitation recorded for the area of the Site from the available WRCC period of record between 1930 and 2016 was approximately 12.84 inches per year (WRCC 2019a).

Due to the arid climate, the Site experiences low precipitation and high evaporation rates. Average annual evaporation from the available WRCC period of record between 1914 and 2005 was approximately 87.68 inches per year (WRCC 2019b).

Regional Geology and Hydrogeology

The Site elevation is approximately 3,070 feet above mean sea level (ft amsl) and is located in the Paleozoic era Delaware Basin with the Pecos River and the Grame Ridge to the east, the Guadalupe Mountains to the west, and the Capitan Reef limestone bed to the north (Bachman 1980). The Delaware Basin is overlain with

Released to Imaging: 12/19/2024 2:22:50 PM

evaporites, primarily gypsum and halite, from the Castile and Salado Formations, followed by the carbonate, evaporite, and clastic sediments of the Rustler Formation, and lastly, by the red beds of the Dewey Lake Formation. The Delaware Basin underwent extensive erosion and dissolution throughout the Mesozoic and Cenozoic eras and resulted in an ancient karst plain that was subsequently filled in by alluvial deposits known as the Pecos Valley Alluvium (TWBD 2019). The Pecos Valley Alluvium is predominantly composed of surficial deposits of transmissive sands and gravels mixed with low-permeability clays, primarily from the Pecos River (Barrol 2004).

The main source of fresh groundwater in the area comes from the Pecos Valley Alluvium Aquifer which has a thickness of approximately 100 to 200 feet with a saturated thickness of up to 150 feet (Barrol 2004).

Average depth to water based on the current wells in the vicinity of the Site is approximately 54 feet below ground surface (bgs) (NMOSE 2019).

Water-supply wells are completed in the Pecos Valley Alluvium Aquifer which consists primarily of Quaternary alluvial and eolian sediments (TWBD 2010) as well as surficial deposits from the Pecos River (Barrol 2004). The aquifer is primarily recharged by the Pecos River as well as “on-farm return flow” water. The regional groundwater flow direction is generally towards the east-southeast (Barrol 2004).

INITIAL RELEASE RESPONSE

A release, initially estimated to be less than 5 bbls of oil and produced water, occurred at the Site in May 2010 due to a pinhole caused by internal corrosion located on the top side of a subsurface flowline. Chevron personnel from the Mid-Continent Business Unit (MCBU) stopped the release and conducted initial response activities. Chevron MCBU personnel subcontracted a third-party company to excavate the visually affected soil. Excavation activities were conducted in June 2010 during which Chevron MCBU personnel noted the release was greater than 5 bbls. Two boreholes, BH-1 and BH-2, (total depths of 26 feet bgs and 21 feet bgs, respectively), were installed and discrete soil samples were collected. After collecting the soil samples, the excavated area was reportedly backfilled with imported soil. Pursuant to New Mexico Oil Conservation Division (NMOCD) requirements (NMOCD 1993), Chevron MCBU submitted a Notification of Release and Correction (Form C-141) to the NMOCD, detailing the location, volume of release, and initial and planned cleanup efforts for the site.

Soil and groundwater assessment activities were conducted in April 2012 by Conestoga-Rovers & Associated (CRA). A total of three soil borings (SB-1, SB-2 and SB-3) and three groundwater monitoring wells (MW-1, MW-2 and MW-3) were installed on April 9-10, 2012.

2018 SOIL INVESTIGATION

In November 2018, Arcadis conducted site assessment activities to characterize the lateral and vertical extents of potential soil impacts at the Site. Soil boring locations were selected based on the results of previous soil sampling activities completed at the Site in April 2012, locations of pipelines and other equipment at the Site, and the extent of the release as documented by Chevron MCBU personnel during the initial response activities.

To evaluate the potential extent of impacts to soil at the Site, Arcadis advanced the five soil borings (SB-1 through SB-5) on November 11, 2018.

Prior to conducting drilling activities, each boring location was cleared for subsurface utilities with an air knife. The air knife could not be advanced more than 2 to 3 inches bgs due to the presence of a thick caliche layer. Each soil boring was then advanced to a total depth of approximately 25 feet bgs using air rotary drilling technology.

Soil was continuously logged for stratigraphic characteristics according to the Unified Soil Classification System (USCS). Arcadis used Quantab® field screening methods to quantify chloride concentrations in soil prior to sample collection (Boyer 2004). Field personnel recorded Quantab® readings, soil types, and other pertinent geologic data on boring logs. No staining or elevated photo ionizing device (PID) readings were observed. Lithologic data indicated the subsurface material consisted primarily of gravely sand clays from approximately 0 to 10 feet bgs followed by sandy caliche layers from approximately 10 to 25 feet bgs. Six soil samples were collected from each boring location beginning at a depth of 0-1' foot bgs and continuing at 5- foot intervals from 5 to 25 feet bgs. A total of 30 samples were collected in clean, laboratory-supplied glass jars, labeled, placed in an ice-chilled cooler, and submitted under appropriate chain of custody protocols to Xenco Laboratories in Lubbock, TX. Soil samples collected from each boring were analyzed for the following:

- Chloride by USEPA Method 300
- Benzene, toluene, ethylbenzene, and xylenes (BTEX) by USEPA Method 8021B
- Total petroleum hydrocarbons (TPH) – diesel range organics (DRO), oil range organics (ORO), and gasoline range organics (GRO) by Method SW8015B
- Moisture content by SM 2540B

Following soil sample collection, the boreholes were filled with soil cuttings from total depth to ground surface. The ground surface was restored to match the surround conditions.

Soil Sample Results

The analytical data from the soil samples collected in November 2018 were compared to the closure criteria (CC) outlined in Title 19, Chapter 15, Part 29 (19.15.29) of the New Mexico Administrative Code (NMAC) concerning natural resources and wildlife, oil and gas, and releases which became effective on August 14, 2018. The analytical results for the 30 soil assessment samples are summarized below:

- Benzene was not detected above the laboratory reporting limit in any of the 30 soil samples
- Toluene was detected in three soil samples collected at 24 to 25 feet bgs with estimated concentrations of 0.00561 milligrams per kilogram (mg/kg) (SB-4), 0.00525 mg/kg (SB-7), and 0.00598 mg/kg (SB-8)
- Ethylbenzene was detected in one soil sample collected from SB-8 at 9 to 10 feet bgs with an estimated concentration of 0.0153 mg/kg
- Total Xylenes were detected in three of the 30 soil samples collected with concentrations ranging from an estimated 0.00741 mg/kg at SB-6 (0 to 1-foot bgs) to 0.213 mg/kg at SB-8 (9 to 10 feet bgs)
- Total BTEX compounds were detected in six of the 30 soil samples collected with concentrations ranging from an estimated 0.00525 mg/kg at SB-7 (24 to 25 feet bgs) to 0.228 mg/kg at SB-8 (9 to 10 feet bgs). Total BTEX concentrations did not the exceed the 2018 NMAC CC of 50 mg/kg.
- Chloride was detected in each of the 30 soil samples collected from the Site with concentrations ranging from an estimated 14.7 mg/kg at SB-8 (0 to 1-foot bgs) to 8,940 mg/kg at SB-7 (24 to 25 feet bgs). Chloride concentrations exceeded the 2018 NMAC CC of 600 mg/kg in each of the samples collected from below four feet bgs at each soil boring location

- TPH-GRO was detected in five of the 30 soil samples collected with concentrations ranging from an estimated 0.565 mg/kg at SB-7 (2 to 3 feet bgs) to 9.76 mg/kg at SB-8 (9 to 10 feet bgs)
- TPH-DRO was detected in two of the 30 soil samples collected with estimated concentrations of 16.5 mg/kg at SB-5 (0 to 1-foot bgs) to 20.1 mg/kg at SB-6 (24 to 25 feet bgs)
- TPH-ORO was not detected above the laboratory reporting limit in any of the 30 soil samples.

The 2018 NMAC CC for total TPH compound (summation of ORO, GRO, and DRO) concentrations is 100 mg/kg for a site with groundwater less than 50 feet bgs. Total TPH concentrations did not exceed the CC in any of the 30 soil samples collected during the 2018 soil investigation.

2018 GROUNDWATER ASSESSMENT

Monitoring Well Installation and Groundwater Sampling

Soil and groundwater assessments conducted by CRA in April 2012 suggested potential impacts near groundwater at Pardue 27-12. Arcadis installed temporary groundwater monitoring well MW-4 on November 5, 2018. This temporary monitoring well was drilled southwest from the release area to confirm background concentrations in the aquifer and evaluate to potential impact of groundwater.

The monitoring well location was hand cleared using air knife to a minimum depth of 8 feet bgs and was advanced to a total of 58 feet bgs using air rotary drilling technology. The monitoring well was approved by the NMOSE for construction within the open borehole using nominal 4-inch outside diameter (OD) schedule 40 poly vinyl chloride (PVC) casing. The screened interval extended across the saturated thickness of the aquifer (18 feet to 58 feet bgs) and was constructed of 0.10-inch machine-slotted PVC casing. Depth to groundwater was measured following installation at approximately 20.50 feet bgs.

Soil was continuously logged for lithologic characteristics according to the USCS. After the temporary well installation and development, one groundwater sample and one duplicate were collected from the newly installed well in laboratory-supplied containers and submitted under appropriate chain of custody protocols to Xenco for the analysis of the following:

- BTEX by EPA Method 8021B
- TPH - GRO, DRO, ORO by EPA Method 8015M
- Chloride by EPA Method 300.0
- Total Dissolved Solids (TDS) by Standard Method 2540C

MW-4 was plugged using 3/8 inch hydrated bentonite chips to approximately 0.5-foot bgs. The ground surface was restored to match the surrounding conditions. Soil cuttings were transported offsite to R360 Environmental Solutions in Hobbs, NM for disposal in accordance with state and federal regulations on December 11, 2018.

Groundwater Sample Results

Groundwater analytical results were compared the Human Health Standards outlined in Title 20, Chapter 6, Part 2 (20.6.2) of the NMAC concerning environmental protection, water quality, ground and surface water protection

which became effective on December 1, 1995. The analytical results for the groundwater sample collected from MW-4 in November 2018 are summarized below.

Chloride was detected at a concentration of 3,200 milligrams per liter (mg/L) in the groundwater sample collected from MW-4 which exceeded the NMAC human heath standard value of 250 mg/L.

BTEX and TPH compounds were not detected above the laboratory reporting limit in the groundwater sample which is below the 2018 NMAC human health standards. Total dissolved solids were detected at a concentration of 5,400 mg/L which is above the 2018 NMAC human health standard value of 1,000 mg/L.

2019 SOIL INVESTIGATION

In October 2019, Arcadis conducted site assessment activities to characterize the lateral and vertical extents of potential soil impacts at the Site. Soil boring locations were selected based on the results of previous soil sampling activities completed at the Site in April 2012 and November 2018, locations of pipelines and other equipment at the Site, and the extent of the release as documented by Chevron MCBU personnel during the initial response activities. To evaluate the potential extent of impacts to soil at the Site, Arcadis advanced three shallow soil borings (SB-9 through SB-11) and one temporary monitoring well (MW-5) on October 15 through 16, 2019.

Prior to conducting drilling activities, each boring location was cleared for subsurface utilities with an air knife. Each soil boring was then advanced to a total depth of approximately 25 feet bgs using air rotary drilling technology, and temporary monitoring well MW-5 was advanced to a total depth of 45 feet bgs. Soil was continuously logged for stratigraphic characteristics according to the Unified Soil Classification System (USCS). No staining or elevated (<3.0 ppm) photo ionizing device (PID) readings were observed. Lithologic data indicated the subsurface material consisted primarily of gravely sand clays from approximately 0 to 10 feet bgs followed by sandy caliche layers from approximately 10 to 25 feet bgs, and clayey silt layers from 26 to 45 feet bgs. Six soil samples were collected from each boring location, beginning at a depth of 0-1' foot bgs and continuing at 5- foot intervals from 5 to 25 feet bgs, and nine soil samples were collected from temporary monitoring well MW-5, beginning at a depth of 0-1' foot bgs and continuing at 5- foot intervals from 5 to 40 feet bgs. A total of 27 samples were collected in clean, laboratory-supplied glass jars, labeled, placed in an ice-chilled cooler, and were shipped by Fed-Ex priority overnight to Eurofins TestAmerica analytical laboratory under chain-of-custody protocol. Soil samples collected from each boring were analyzed for the following:

- Chloride by USEPA Method 300
- Benzene, toluene, ethylbenzene, and xylenes (BTEX) by USEPA Method 8260B
- Total petroleum hydrocarbons (TPH) – diesel range organics (DRO), oil range organics (ORO), and gasoline range organics (GRO) by Method SW8015B

Following soil sample collection, the boreholes were filled with soil cuttings from total depth to ground surface. The ground surface was restored to match the surround conditions. Temporary monitoring well MW-5 was drilled via Air Rotary drilling technology to a total depth of 57.43 ft bgs and was constructed of 2-inch diameter polyvinyl chloride (PVC) with 10 feet of 0.010 inch slotted screen from 37.43 to 47.43 ft bgs. MW-5 was completed with a 2-foot PVC casing above land surface. MW-5 was developed by over pumping the well. Soil cuttings and development water produced during the installation of temporary well MW-5 were drummed and transported to R360 Halfway, a select for use facility, for disposal. Temporary monitoring well MW-5 was plugged in accordance with the approved well application and plugging plan of operations under C-4351 POD-1, presented in the Appendix C of the *2019 Site Assessment Report*.

Soil Sample Results

The analytical data from the soil samples collected in October 2019 were compared to the closure criteria (CC) outlined in Title 19, Chapter 15, Part 29 (19.15.29) of the New Mexico Administrative Code (NMAC) concerning natural resources and wildlife, oil and gas, and releases which became effective on August 14, 2018. The analytical results for the 27 soil assessment samples are summarized below:

- BTEX concentrations were reported below the NMAC standard of 50 milligrams per kilogram (mg/Kg) at all sample locations
- TPH concentrations were reported below the NMAC standard of 100 mg/Kg at all sample locations. The 2019 NMAC CC for total TPH compound (summation of ORO, GRO, and DRO) concentrations is 100 mg/kg for a site with groundwater less than 50 feet bgs.
- Chloride concentrations exceeded the NMAC standard of 600 mg/Kg in;
    - All (six) sample intervals collected at SB-9:
        - 0 – 1 ft bgs: 19,500 mg/Kg
        - 4 – 5 ft bgs: 3,030 mg/Kg
    - 9 – 10 ft bgs: 1,180 mg/Kg
        - 14 – 15 ft bgs: 2,620 mg/Kg
        - 19 – 20 ft bgs: 2,750 mg/Kg
        - 24 – 25 ft bgs: 1,940 mg/Kg
    - Four samples collected from SB-10:
        - 9 – 10 ft bgs: 868 mg/Kg
        - 14 – 15 ft bgs: 1,010 mg/Kg
        - 19 – 20 ft bgs: 1,300 mg/Kg
        - 24 – 25 ft bgs: 1,340 mg/kg
    - Three samples collected from SB-11:
        - 9 – 10 ft bgs: 1,400 mg/Kg
        - 19 – 20 ft bgs: 616 mg/Kg
        - 24 – 25 ft bgs: 1,200 mg/Kg
    - Two sample intervals collected from MW-5:
        - 24 – 25 ft bgs: 617 mg/Kg
        - 39 – 40 ft bgs: 630 mg/Kg

2019 GROUNDWATER ASSESSMENT

Temporary Monitoring Well Installation and Groundwater Sampling

Soil and groundwater assessments conducted by CRA in April 2012 and by Arcadis in 2018 suggested potential impacts near groundwater at Pardue 27-12. Arcadis installed temporary groundwater monitoring well MW-5 on October 15, 2019. This temporary monitoring well was drilled southwest from the release area to confirm background concentrations in the aquifer and evaluate to potential impact of groundwater.

Released to Imaging: 12/19/2024 2:22:50 PM

Groundwater at the Site was monitored in 2019 from a network of three monitoring wells (MW-1 through MW-3) and one temporary monitoring wells (MW-5). Arcadis gauged and sampled monitoring wells MW-1, MW-2 and MW-3 in June 2019, and MW-5 in October 2019. All samples were collected via low flow purge methodology. Samples collected at MW-1, MW-2 and MW-3 were analyzed for chloride by EPA Method 300; the sample from temporary monitoring well MW-5 was analyzed for:

- BTEX by EPA 8260B
- TPH- GRO, DRO, ORO by EPA 8105B
- Chloride by EPA 300
- Total Dissolved Solids by Method 9056A

Groundwater Sample Results

Groundwater analytical results were compared the New Mexico Water Quality Control Commission (NMWQCC) Groundwater Standards for MW-1 through MW-3 in June 2019. Groundwater analytical results for chloride, BTEX (benzene, toluene, ethylbenzene, and total xylenes), and TDS (total dissolved solids) were compared to the NMWQCC Groundwater standards for MW-5 in October 2019. The analytical results for the groundwater sample collected from MW-1 through MW-3 in June 2019 and MW-5 in October 2019 are summarized below.

Chloride concentrations exceeded the NMWQCC standard of 250 milligrams per liter (mg/L) in all wells sampled in June 2019:

- MW-1: 4,560 mg/L
- MW-2: 5,950 mg/L
- MW-3: 4.650 mg/L

Chloride concentrations exceeded the NMWQCC standard of 250 mg/L in MW-5 at a concentration of 2,180 mg/L in October 2019.

BTEX were reported below the NMWQCC standard of 0.01, 0.75, 0.75 and 0.62 mg/L, respectively, in MW-5 in October 2019.

TDS concentrations exceeded the NMWQCC standard of 1,000 mg/L at temporary monitoring well MW-5 during October 2019 at a concentration of 5,910 mg/L.

Appendix B

Field Methodologies and Documentation

FIELD METHODOLOGY

Soil Investigation and Monitoring Well Installation

Soil cuttings from the monitoring well installation was logged on an Arcadis boring log according to Unified Soil Classification System (USCS) guidelines. Arcadis collected grab soil samples from the monitoring well boring advancement at the surface (0 to 1 feet bgs) and throughout subsurface soil (1 to 2 feet bgs, 2 to 3 feet bgs, 3 to 4 feet bgs, 9 to 10 feet bgs, 14 to 15 feet bgs, 19 to 20 feet bgs and 24 to 25 feet bgs). Arcadis utilized field screening methods to quantify hydrocarbon and chloride impacts in the soil cuttings. The soil samples were collected in clean, laboratory-supplied sample containers, labeled, placed on ice, cooled to approximately 4 degrees Celsius, and shipped via Fed-Ex priority overnight to Eurofins TestAmerica analytical laboratory in Houston, Texas, under chain-of-custody protocol for the following analysis:

- Benzene, toluene, ethylbenzene, and xylenes (BTEX) by United States Environmental Protection Agency (USEPA) Method 8260B;
- Total petroleum hydrocarbons (TPH) gasoline range organics (GRO), diesel range organics (DRO), and oil range organics (ORO) by USEPA Method 8015M;
- Chloride by USEPA Method 300.0; and

The well development process was conducted after the installation of the monitoring well. Monitoring well development included bailing, swabbing, and pumping the well until groundwater parameters became stable. Soil cuttings were transported offsite to R360 Environmental Solutions located in Hobbs, New Mexico for disposal in accordance with state and federal regulations.

Groundwater Investigation

Prior to sampling, static fluid water levels were measured with an electronic interface probe to the nearest hundredth of a foot and recorded. After recording static water levels, discrete samples were collected using a Hydrasleeve™. All non-disposable groundwater sampling equipment was thoroughly decontaminated between measurements to prevent possible cross-contamination between wells. Laboratory-supplied sample containers were filled directly from the Hydrasleeve™.

Groundwater samples were placed on ice in insulated coolers and chilled to a temperature of approximately 4°C (40°F). The coolers were sealed for shipment with proper chain-of-custody documentation and shipped to Eurofins Test America, located in Houston, Texas, for analysis of BTEX by Environmental Protection Agency (EPA) 8260B, TPH-GRO, DRO, ORO by EPA 8105B, chloride by EPA 300, and Total Dissolved Solids (TDS) by Method 9056A.

ARCADIS Design & Consultancy for natural and built assets

Groundwater Gauging Log

Client:	Chevron
Project Name:	Pardue Farms
Date(s):	11/10/2020
Sampler(s):	Justin Steinmann

Well	Date	Time	Depth to Water (ft)	Well Depth (ft)	Depth to LNAPL (ft)	Remarks
MW-1	11/10/2020	08:20:00	33.03	58.22	--	
MW-2	11/10/2020	08:20:00	34.56	58.35	--	
MW-3	11/10/2020	08:15:00	31.36	59.83	--	
MW-6	11/10/2020	08:15:00	24.69	58.75	--	

Received by OCD: 10/23/2024 11:14:05 AM

ARCADIS Design & Consultancy for natural and built assets

Groundwater Sampling Log

Page 33 of 395

Project Name/ Location	Pardue Farms 27-12	**Well ID**	MW-6	**Date**	11/19/2020
Project Number	30059172	**Measuring Point**	Top of Casing	**Weather (°F)**	Clear, warm
Depth of Well (ft bgs)	NA	**Measured Well Depth (ft bmp)**	58.8	**Measuring Point Elevation**	NA
Static Water Level (ft bmp)	25.15	**Casing Diameter (in)**		**Screen Setting (ft bgs)**	to
Purge Method	Low-Flow	**Sample Method**	Low-Flow	**Pump Intake (ft bgs)**	40.0
Purge Start	09:14	**Sample ID**	MW-6-W-20-11-19	**QA/QC Sample**	MW-6-W-201119
Purge End	09:44	**Sample Time**	09:45	**Sampled By**	Justin Steinmann

Time	Total Minutes Elapsed	Rate (mL/min)	Cumulative Volume Purged (mL)	Depth to Water (ft)	pH (SU)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp. (°C)	ORP (mV)	Appearance	
											Color	Odor
09:44	30	200	NA	28.73	6.89	21.600	58.6	6.32	19.49	130.0	Clear	None

Constituent Sampled	Container	Number	Filtered	Preservative
BTEX	40 mL Glass Vial	6	no	HCL
CL, TDS	1L poly	1	no	None
TPH	1 L Amber Glass	2	no	None

Comments: Needs lock

bgs = below ground surface
bmp = below measuring point
in = inches
ft = feet
mg/L = milligrams per liter
mL/min = milliliters per minute
mS/cm = milliiSiemens per centimeter
mV = millivolts
NTU = Nephelometric Turbidity Unit
ORP = Oxidation Reduction Potential
SU = standard units
TDS = Total Dissolved Solids
°C = degrees Celsius
°F = degrees Fahrenheit

Released to Imaging: 12/19/2024 2:22:50 PM

Project Name/ Location	Pardue Farms 27-12	**Well ID**	MW-2	**Date**	11/19/2020
Project Number	30059172	**Measuring Point**	Top of Casing	**Weather (°F)**	Clear, warm
Depth of Well (ft bgs)	NA	**Measured Well Depth (ft bmp)**	58.4	**Measuring Point Elevation**	NA
Static Water Level (ft bmp)	34.56	**Casing Diameter (in)**		**Screen Setting (ft bgs)**	to
Purge Method	Low-Flow	**Sample Method**	Low-Flow	**Pump Intake (ft bgs)**	45.0
Purge Start	11:47	**Sample ID**	MW-2-W-20-11-19	**QA/QC Sample**	NA
Purge End	12:17	**Sample Time**	12:20	**Sampled By**	Justin Steinmann

Time	Total Minutes Elapsed	Rate (mL/min)	Cumulative Volume Purged (mL)	Depth to Water (ft)	pH (SU)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp. (°C)	ORP (mV)	Appearance	
											Color	Odor
12:17	30	150	NA	34.69	6.83	16.400	27.6	1.18	24.94	148.0	Clear	None

Constituent Sampled	Container	Number	Filtered	Preservative
BTEX	40 mL Glass Vial	6	no	HCL
CL, TDS	1L poly	1	no	None
TPH	1 L Amber Glass	2	no	None

Comments: Roots in well

bgs = below ground surface
bmp = below measuring point
in = inches
ft = feet
mg/L = milligrams per liter
mL/min = milliliters per minute
mS/cm = milliiSiemens per centimeter
mV = millivolts
NTU = Nephelometric Turbidity Unit
ORP = Oxidation Reduction Potential
SU = standard units
TDS = Total Dissolved Solids
°C = degrees Celsius
°F = degrees Fahrenheit

Released to Imaging: 12/19/2024 2:22:50 PM

Received by OCD: 10/23/2024 11:14:05 AM

Project Name/ Location	Pardue Farms 27-12	**Well ID**	MW-1	**Date**	11/19/2020
Project Number	30059172	**Measuring Point**	Top of Casing	**Weather (°F)**	Clear, warm
Depth of Well (ft bgs)	NA	**Measured Well Depth (ft bmp)**	58.2	**Measuring Point Elevation**	NA
Static Water Level (ft bmp)	33.03	**Casing Diameter (in)**		**Screen Setting (ft bgs)**	to
Purge Method	Low-Flow	**Sample Method**	Low-Flow	**Pump Intake (ft bgs)**	45.0
Purge Start	10:37	**Sample ID**	MW-1-W-20-11-19	**QA/QC Sample**	NA
Purge End	11:07	**Sample Time**	11:09	**Sampled By**	Justin Steinmann

Time	Total Minutes Elapsed	Rate (mL/min)	Cumulative Volume Purged (mL)	Depth to Water (ft)	pH (SU)	Conductivity (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp. (°C)	ORP (mV)	Appearance	
											Color	Odor
11:07	30	120	NA	33.01	7.05	19.200	23.1	2.37	21.40	156.0	Clear	None

Constituent Sampled	Container	Number	Filtered	Preservative
BTEX	40 mL Glass Vial	6	no	HCL
CL, TDS	1L poly	1	no	None
TPH	1 L Amber Glass	2	no	None

Comments: Roots in well

bgs = below ground surface
bmp = below measuring point
in = inches
ft = feet
mg/L = milligrams per liter
mL/min = milliliters per minute
mS/cm = milliiSiemens per centimeter
mV = millivolts
NTU = Nephelometric Turbidity Unit
ORP = Oxidation Reduction Potential
SU = standard units
TDS = Total Dissolved Solids
°C = degrees Celsius
°F = degrees Fahrenheit

Released to Imaging: 12/19/2024 2:22:50 PM

Appendix C

Approved Well Application Permit to Drill C-4351 POD-3

Page 37 of 395

John R. D Antonio, Jr., P.E.
State Engineer

Roswell Office
1900 WEST SECOND STREET
ROSWELL, NM 88201

STATE OF NEW MEXICO
OFFICE OF THE STATE ENGINEER

Trn Nbr: 681582
File Nbr: C 04351

Nov. 10, 2020

RUSSELL GRANT
ARCADIS US INC CHEVRON
10205 WESTHEIMER ROAD STE 800
HOUSTON, TX 77042

Greetings:

Your approved copy of the above numbered permit to drill a well for non-consumptive purposes is enclosed. You must obtain an additional permit if you intend to use the water. It is your responsibility to provide the contracted well driller with a copy of the permit that must be made available during well drilling activities.

Carefully review the attached conditions of approval for all specific permit requirements.

* If use of this well is temporary in nature and the well will be plugged at the end of the well usage, the OSE must initially approve of the plugging. If plugging approval is not conditioned in this permit, the applicant must submit a Plugging Plan of Operations for approval prior to the well being plugged. The Plugging Record must be properly completed and submitted to the OSE within 30 days of the well plugging.

* If the final intended purpose and condition requires a well ID tag and meter installation, the applicant must immediately send a completed meter report form to this office.

* The well record and log must be submitted within 30 days of the completion of the well or if the attempt was a dry hole.

* This permit expires and will be cancelled if no well is drilled and/or a well log is not received by the date set forth in the conditions of approval.

Appropriate forms can be downloaded from the OSE website www.ose.state.nm.us.

Sincerely,

Andrew Dennis
(575)622-6521

Enclosure

explore

Received by OCD: 10/23/2024 11:44:05 AM

Released to Imaging: 12/19/2024 2:22:50 PM

Page 38 of 395

File No. C-4351-POD3

NEW MEXICO OFFICE OF THE STATE ENGINEER

WR-07 APPLICATION FOR PERMIT TO DRILL A WELL WITH NO WATER RIGHT

(check applicable box):

For fees, see State Engineer website: http://www.ose.state.nm.us/

Purpose:

- ☐ Exploratory Well (Pump test)
- ☒ Monitoring Well
- ☐ Pollution Control And/Or Recovery
- ☐ Construction Site/Public Works Dewatering
- ☐ Mine Dewatering
- ☐ Ground Source Heat Pump
- ☐ Other(Describe):

A separate permit will be required to apply water to beneficial use regardless if use is consumptive or nonconsumptive.

☐ Temporary Request - Requested Start Date: Requested End Date:

Plugging Plan of Operations Submitted? ☐ Yes ☒ No

1. APPLICANT(S)

Name: Arcadis US, Inc. on behalf of Chevron Environmental Management Company	Name:
Contact or Agent: Russell Grant — check here if Agent ☐	Contact or Agent: — check here if Agent ☐
Mailing Address: 10205 Westheimer Rd. Suite 800	Mailing Address:
City: Houston	City:
State: TX — Zip Code: 77042	State: — Zip Code:
Phone: 432.214.1542 — ☐ Home ☒ Cell Phone (Work):	Phone: — ☐ Home ☐ Cell Phone (Work):
E-mail (optional): russell.grant@arcadis.com	E-mail (optional):

OSE DII OCT 26 2020 AM 8:53

FOR OSE INTERNAL USE — Application for Permit, Form WR-07, Rev 11/17/16

File No.: C-4351-POD3	Trn. No.:	Receipt No.: 2-42661
Trans Description (optional): MoN		
Sub-Basin: CUB	PCW/LOG Due Date:	

Received by OCD: 10/23/2024 11:44:05 AM

Released to Imaging: 12/19/2024 2:22:50 PM

Page 39 of 395

2. **WELL(S)** Describe the well(s) applicable to this application.

Location Required: Coordinate location must be reported in NM State Plane (NAD 83), UTM (NAD 83), or Latitude/Longitude (Lat/Long - WGS84).
District II (Roswell) and District VII (Cimarron) customers, provide a PLSS location in addition to above.

☐ NM State Plane (NAD83) (Feet)
☐ NM West Zone
☐ NM East Zone
☐ NM Central Zone

☐ UTM (NAD83) (Meters)
☐ Zone 12N
☐ Zone 13N

■ Lat/Long (WGS84) (to the nearest 1/10th of second)

Well Number (If known):	X or Easting or Longitude:	Y or Northing or Latitude:	Provide if known: -Public Land Survey System (PLSS) (*Quarters or Halves , Section, Township, Range*) OR - Hydrographic Survey Map & Tract; OR - Lot, Block & Subdivision; OR - Land Grant Name
MW-6	104°4'40.79"W	32°16'25.63"N	Private Property (Billy Melton)
C-4351-POD3			SW NE SW, Section 27, T 23S R 28E

NOTE: If more well locations need to be described, complete form WR-08 (Attachment 1 – POD Descriptions)
Additional well descriptions are attached: ☐ Yes ■ No **If yes, how many**

Other description relating well to common landmarks, streets, or other:

Well is on land owned by: Billy Melton

Well Information: NOTE: If more than one (1) well needs to be described, provide attachment. Attached? ☐ Yes ■ No
If yes, how many

Approximate depth of well (feet): 60'	Outside diameter of well casing (inches): 4"
Driller Name: White Drilling	Driller License Number: WD-1456

3. ADDITIONAL STATEMENTS OR EXPLANATIONS

Monitoring well (MW-6) will be installed at the location mentioned above to approximately 60 feet below ground surface. The monitoring well will be utilized for groundwater monitoring.

I (Landowner Full Name Printed) Billy Melton approve the selected location for the installation of MW-6 with the understanding that pending the utility locate, the location could be adjusted, within a 25 foot radius, only if needed to avoid subsurface utilities.

Landowner Signature: [signature] Date: 10-22-2020

FOR OSE INTERNAL USE — Application for Permit, Form WR-07

File No.: C-4351-POD3	Trn No.:

Received by OCD: 10/23/2024 11:44:05 AM
Released to Imaging: 12/19/2024 2:22:50 PM

Page 40 of 395

4. SPECIFIC REQUIREMENTS: The applicant must include the following, as applicable to each well type. Please check the appropriate boxes, to indicate the information has been included and/or attached to this application:

Exploratory: ☐ Include a description of any proposed pump test, if applicable. **Monitoring:** ■ Include the reason for the monitoring well, and, ■ The duration of the planned monitoring.	**Pollution Control and/or Recovery:** ☐ Include a plan for pollution control/recovery, that includes the following: ☐ A description of the need for the pollution control or recovery operation. ☐ The estimated maximum period of time for completion of the operation. ☐ The annual diversion amount. ☐ The annual consumptive use amount. ☐ The maximum amount of water to be diverted and injected for the duration of the operation. ☐ The method and place of discharge. ☐ The method of measurement of water produced and discharged. ☐ The source of water to be injected. ☐ The method of measurement of water injected. ☐ The characteristics of the aquifer. ☐ The method of determining the resulting annual consumptive use of water and depletion from any related stream system. ☐ Proof of any permit required from the New Mexico Environment Department. ☐ An access agreement if the applicant is not the owner of the land on which the pollution plume control or recovery well is to be located.	**Construction De-Watering:** ☐ Include a description of the proposed dewatering operation, ☐ The estimated duration of the operation, ☐ The maximum amount of water to be diverted, ☐ A description of the need for the dewatering operation, and, ☐ A description of how the diverted water will be disposed of. **Ground Source Heat Pump:** ☐ Include a description of the geothermal heat exchange project, ☐ The number of boreholes for the completed project and required depths. ☐ The time frame for constructing the geothermal heat exchange project, and, ☐ The duration of the project. ☐ Preliminary surveys, design data, and additional information shall be included to provide all essential facts relating to the request.	**Mine De-Watering:** ☐ Include a plan for pollution control/recovery, that includes the following: ☐ A description of the need for mine dewatering. ☐ The estimated maximum period of time for completion of the operation. ☐ The source(s) of the water to be diverted. ☐ The geohydrologic characteristics of the aquifer(s). ☐ The maximum amount of water to be diverted per annum. ☐ The maximum amount of water to be diverted for the duration of the operation. ☐ The quality of the water. ☐ The method of measurement of water diverted. ☐ The recharge of water to the aquifer. ☐ Description of the estimated area of hydrologic effect of the project. ☐ The method and place of discharge. ☐ An estimation of the effects on surface water rights and underground water rights from the mine dewatering project. ☐ A description of the methods employed to estimate effects on surface water rights and underground water rights. ☐ Information on existing wells, rivers, springs, and wetlands within the area of hydrologic effect.

ACKNOWLEDGEMENT

I, We (name of applicant(s)), Russell Grant
Print Name(s)

affirm that the foregoing statements are true to the best of (my, our) knowledge and belief.

R. Grant
Applicant Signature

Applicant Signature

ACTION OF THE STATE ENGINEER

This application is:

☑ approved ☐ partially approved ☐ denied

provided it is not exercised to the detriment of any others having existing rights, and is not contrary to the conservation of water in New Mexico nor detrimental to the public welfare and further subject to the attached conditions of approval.

Witness my hand and seal this 10th day of November 20 20, for the State Engineer

John R. D'Antonio Jr., P.E., State Engineer

By: Signature — Juan Hernandez Print

Title: Water Resources Manager I
Print

FOR OSE INTERNAL USE — Application for Permit, Form WR-07

File No.: C-4351-POD3 | Trn No.:

Received by OCD: 10/23/2024 11:44:05 AM

Released to Imaging: 12/19/2024 2:22:50 PM

Page 41 of 395

NEW MEXICO STATE ENGINEER OFFICE
PERMIT TO EXPLORE

SPECIFIC CONDITIONS OF APPROVAL

17-1A Depth of the well shall not exceed the thickness of the valley fill.

17-4 No water shall be appropriated and beneficially used under this permit.

17-6 The well authorized by this permit shall be plugged completely using the following method per Rules and Regulations Governing Well Driller Licensing, Construction, Repair and Plugging of Wells; Subsection C of 19.27.4.30 NMAC unless an alternative plugging method is proposed by the well owner and approved by the State Engineer upon completion of the permitted use. All pumping appurtenance shall be removed from the well prior to plugging. To plug a well, the entire well shall be filled from the bottom upwards to ground surface using a tremie pipe. The bottom of the tremie shall remain submerged in the sealant throughout the entire sealing process; other placement methods may be acceptable and approved by the state engineer. The well shall be plugged with an office of the state engineer approved sealant for use in the plugging of non-artesian wells. The well driller shall cut the casing off at least four (4) feet below ground surface and fill the open hole with at least two vertical feet of approved sealant. The driller must fill or cover any open annulus with sealant. Once the sealant has cured, the well driller or well owner may cover the seal with soil. A Plugging Report for said well shall be filed with the Office of the State Engineer in a District Office within 30 days of completion of the plugging.

17-7 The Permittee shall utilize the highest and best technology available to ensure conservation of water to the maximum extent practical.

Trn Desc: C 04351 POD3

File Number: C 04351
Trn Number: 681582

Received by OCD: 10/23/2024 11:44:05 AM

Released to Imaging: 12/19/2024 2:22:50 PM

Page 42 of 395

NEW MEXICO STATE ENGINEER OFFICE
PERMIT TO EXPLORE

SPECIFIC CONDITIONS OF APPROVAL (Continued)

17-B The well shall be drilled by a driller licensed in the State of New Mexico in accordance with 72-12-12 NMSA 1978. A licensed driller shall not be required for the construction of a well driven without the use of a drill rig, provided that the casing shall not exceed two and three-eighths (2 3/8) inches outside diameter.

17-C The well driller must file the well record with the State Engineer and the applicant within 30 days after the well is drilled or driven. It is the well owner's responsibility to ensure that the well driller files the well record.
The well driller may obtain the well record form from any District Office or the Office of the State Engineer website.

17-P The well shall be constructed, maintained, and operated to prevent inter-aquifer exchange of water and to prevent loss of hydraulic head between hydrogeologic zones.

17-Q The State Engineer retains jurisdiction over this permit.

17-R Pursuant to section 72-8-1 NMSA 1978, the permittee shall allow the State Engineer and OSE representatives entry upon private property for the performance of their respective duties, including access to the ditch or acequia to measure flow and also to the well for meter reading and water level measurement.

LOG The Point of Diversion C 04351 POD1 must be completed and the Well Log filed on or before 11/10/2021.

LOG The Point of Diversion C 04351 POD2 must be completed and the Well Log filed on or before 11/10/2021.

Trn Desc: C 04351 POD3

File Number: C 04351
Trn Number: 681582

Received by OCD: 10/23/2024 11:44:05 AM

Released to Imaging: 12/19/2024 2:22:50 PM

Page 43 of 395

NEW MEXICO STATE ENGINEER OFFICE
PERMIT TO EXPLORE

SPECIFIC CONDITIONS OF APPROVAL (Continued)

LOG The Point of Diversion C 04351 POD3 must be completed and the Well Log filed on or before 11/10/2021.

ACTION OF STATE ENGINEER

Notice of Intention Rcvd:	Date Rcvd. Corrected:
Formal Application Rcvd: 10/26/2020	Pub. of Notice Ordered:
Date Returned - Correction:	Affidavit of Pub. Filed:

This application is approved provided it is not exercised to the detriment of any others having existing rights, and is not contrary to the conservation of water in New Mexico nor detrimental to the public welfare of the state; and further subject to the specific conditions listed previously.

Witness my hand and seal this 10 day of Nov A.D., 2020

John R. D Antonio, Jr., P.E. State Engineer

By: JUAN HERNANDEZ


Trn Desc: C 04351 POD3

File Number: C 04351
Trn Number: 681582

Received by OCD: 10/23/2024 11:44:05 AM

Released to Imaging: 12/19/2024 2:22:50 PM

Page 44 of 395



Coordinates

UTM - NAD 83 (m) - Zone 13

Easting 586830.811

Northing 3571155.957

State Plane - NAD 83 (f) - Zone E

Easting 620255.520

Northing 463428.294

Degrees Minutes Seconds

Latitude 32 : 16 : 25.630000

Longitude -104 : 4 : 40.790000

Location pulled from Coordinate Search

NEW MEXICO OFFICE OF THE STATE ENGINEER

1:4,514

ft

0 90 180 360

N

A. DENNIS 11/10/2020

Office of the State Engineer
Interstate Stream Commission

Data depiction efforts have been made by the New Mexico Office of the State Engineer (OSE/ISC) to verify that these maps accurately interpret the source data used in their preparation; however, a degree of error is inherent in all maps, and these maps may contain omissions and errors. Large scale resolution restrictions, positional accuracy, and data set methodology interpretation of source data, and other circumstances. These maps are distributed "as is" without warranty of any kind.

Spatial Information

County: Eddy

Groundwater Basin: Carlsbad

Abstract Area: C CUB

Land Grant: Not in Land Grant

Restrictions:

NA

PLSS Description

NESWNESW Qtr of Sec 27 of 023S 028E

Derived from CADNSDI- Qtr Sec. locations are calculated and are only approximations

Parcel Information

UPC/DocNum: 4166137153325

Parcel Owner: MELTON, BILLY J & LINDA

Address: 248 NYMEYER ROAD null null

Legal: Quarter: SW S: 27 T: 23S R: 28E N2SW (LESS 400' X 1269' IN NW COR) MAP# 316-15 LOC BEHIND 248 NYMEYER ROAD

POD Information

Owner: ARCADIS US INC

File Number: C-4351-POD3

POD Status: NoData

Permit Status: NoData

Permit Use: NoData

Purpose: MON

- Coord Search Location
- WRAB Abstract Project Areas
- Counties
- Eddy County Parcels 2020

Hydro Survey Boundary

- <all other values>
- None
- All
- Partial

- Hydro Survey Footprints
- Sections
- BLM Land Grant
- PLSSTownship
- PLSSFirstDiv...
- PLSSSecond...

Received by OCD: 10/23/2024 11:44:05 AM

Released to Imaging: 12/19/2024 2:22:50 PM

Page 45 of 395

October 4, 2018

Arcadis U.S., Inc.
101 Creekside Ridge Court, Suite 200
Roseville, CA 95621

OSE DII NOU 9 2020 AM10:32

Reference: Agent Authorization Requestor for Monitoring Well Installation in Eddy County, New Mexico

Mr. Krehbiel:

As directed by the New Mexico Office of the State Engineer (NMOSE), Chevron Environmental Management Company (CEMC) is providing this letter to certify that Arcadis U.S., Inc (Arcadis) is authorized to act as an agent of CEMC for the monitoring well installation work outlined below, and will conduct this work under the direction of CEMC.

Under the direction of CEMC, Arcadis is managing and will oversee the installation of one monitoring well at one Chevron U.S.A Inc. (CUSA) oil production site in Eddy County, New Mexico. The name and anticipated coordinates of the well is included in the table below.

Well Name	Latitude	Longitude
~~Pardue Farm MW4~~	~~32.272519°~~	~~-104.079430°~~
Melton, MW-6	32, 16, 25.63	-104, 4, 40.79

BD
11/7/2020

If you have any questions or require any additional information, please feel free to contact me at (985) 773-6746.

Sincerely,

Jason Michelson

cc: Brett Krehbiel, Arcadis, Roseville, CA

STATE ENGINEER OFFICE
ROSWELL, NEW MEXICO
2018 OCT 11 PM 1:23

OSE DII NOU 9 2020 AM10:32

Received by OCD: 10/23/2024 11:44:05 AM

Released to Imaging: 12/19/2024 2:22:50 PM

Appendix D

Boring Logs

BORING LOG

Well No.: MW-6 Date Drilled: 11/16/20
Client Name: Chevron
Site Location: Pardue Farms 27-12
Project No.: 300 59172 Drilling Method: Air Rotary
Logged By: J. Steinmann Sample Method: Grab
Drilling Co.: White Driller: Bo Atkins

Sample / Core Interval			P. I. D. (PPM)				Description Depth (ft)		Description
Device	Depth (ft)	Recovery (ft)	Depth (ft)	Reading	Sample Analysis	U.S.C.S.	from	to	(Lithology, Munsell Color, Grain Size w/percentages (most to least), Roundness, Sorting, Consistency/Hardness, Moisture Content, Bedding, Fractures, Additional Remarks)
HA	0/1		0/1	0.0	0/1	SM	0	1	Silty Sand 7.5 YR 6/4 Light Brown
AR	1/2		1/2	0.1					Sand, v. fine-med gm, prly sorted,
	2/3		2/3	50.3					subrounded, w/ some silt.
	3/4		3/4	161.6					Little-some granules-cobbles, calcareous
	9/10		9/10	186.8					hard. Dry. Loose.
	14/15		14/15	13.4	1/2	SM	1	4	Silty Sand 5 yr 7/4 Pink
	19/20		19/20	11.1	2/3				Sand; v. fine-fine, well sorted,
—	24/25		24/25	6.7	3/4				silty, w/ trace-little granule-
									cobbles; hard, siliceous rounded,
									throughout. Dry, loose.
									@ 2' granules-cobbles become
									absent
						GW	4	9	Gravelly Sand 7.5 yr 6/4 Lt Brown
									Sand; v. fine-med gm, prly sorted,
									silty, loose, w/ pebbles-cobbles,
									subrounded-subangular, hard,
									calcareous, throughout.
	Cl-								Dry.
0/1	<128				9/10	SP/CL	9	14	Sand 5yr 7/4 Pink
1/2	<128								v. fine-fine sand well sorted,
2/3	<128								subrounded, trace silt, gypsiferous
3/4	<128								loose, dry.
9/10	<128								w/ trace clay interbeds; 5yr 6/6
14/15	492								Reddish yellow, soft, pliable, non plastic
19/20	492								slightly moist
24/25	1420								
					14/15	SP/CL	14	19	Sand, as above
									w/ Clay interbeds increasing to
									some, becoming hard, nonpliable,
									dry.
					19/20	CL	19	24	Clay 5yr 6/6 Reddish Yellow
									slightly pliable, non plastic, firm,
									dry,
									interbedded w/ some
									Sand; v. fine-fine, subrounded
									mod. sorted, trace gypsum
									Trace pebbles, hard, siliceous
									rounded-subrounded

BORING LOG


Well No.: MW-6 Date Drilled: 11/16/20
Client Name: Chevron
Site Location: Pardue Farms 27-12
Project No.: 30059172 Drilling Method: 11/16/20
Logged By: J. Steinmann Sample Method: Grab
Drilling Co.: White Driller: Bo Atkins

Sample / Core Interval			P. I. D. (PPM)				Description Depth (ft)		Description
Device	Depth (ft)	Recovery (ft)	Depth (ft)	Reading	Sample Analysis	U.S.C.S.	from	to	(Lithology, Munsell Color, Grain Size w/percentages (most to least), Roundness, Sorting, Consistency/Hardness, Moisture Content, Bedding, Fractures, Additional Remarks)
					24/25	SP	24	35	Sand 5 YR 5/6 Yellowish Red
									v. fine - fine sand, moderately sorted
						CL			rounded, silty, w/ trace - little
									gypsum grains, angular, med sand
									sized, Loose throughout
									intbdded w/
									trace - little clay lenses 5yr 6/6
									Reddish yellow, slightly pliable,
									non plastic. Slightly moist.
						CL	35	45	Clay 2.5 YR 5/6 Red
									slightly - moderately pliable,
									slightly plastic
									w/ trace - little sand, fine,
									moderately sorted throughout
									Trace gypsum, med. sand sized.
									Slightly moist.
									@ 46 Becoming moderately moist
						CL	45	50	Sandy Clay 2.5 YR 5/6 Red.
									as above, w/ sand
									increasing to some throughout.
						GW	50	55	Sandy Gravel 2.5 YR 5/6 Red
									Gravel, granules - pebbles, poorly sorted
									well rounded, siliceous, clast
									supported, loose
									w/ some sand
									v. fine - fine, Loose throughout
									slightly moist, w/ trace - little clay.
						CL	55	58	Sandy Clay 2.5 yr 5/6 Red
									pliable, non plastic, soft, slightly
									moist
									w/ little - some sand, v. fine - fine,
									moderately - well sorted, loose
									throughout, homogenous.
									TD 58.75
									JS 11/16/20

Surface Completion Diagram



Well Construction Diagram



* Depth Below Land Surface

Measuring Point is Land Surface Unless Otherwise Noted.

BORING/MONITOR/WELL LOG

Well No.: MW-6 File Name:
Client Name: Chevron
Site Location: Pardue Farms 27-12
Project No.: 300 59172 Drilling Method: Air Rotary
Logged By: J. Steinmann Sample Method: Grab
Drilling Co.: White Driller: Bo Atkins
Date Drilled: 11/16/20 Date Surveyed:
Surface Elev.: ☐ Surveyed ☐ Estimated
Top of Casing Elev.: ☐ Surveyed ☐ Estimated
Permit No.: Drilling Fluid: Air
Development Technique(s) and Date(s): Well pumped off w/ sub pump

		Measuring Point:	Date:
Static Water Level:	25.15	TOC	11/17/20
Pumping Water Level:			

Yield: gpm Date:
Well Purpose: Monitoring Well

Remarks:

Hole Size: 5.5" Grout Type: Neat
Seal Type: Bentonite Screen Pack: 20/40 Sand
Casing Type: PVC sch40 Casing Size: 2"
ScreenType: .010 PVC Screen/Slot Size: .010
Drilled Depth: 60' Plug-Back Depth: 1.25'

Well Location Diagram

Appendix E

Laboratory Reports

eurofins | Environment Testing America



ANALYTICAL REPORT

Eurofins TestAmerica, Houston
6310 Rothway Street
Houston, TX 77040
Tel: (713)690-4444

Laboratory Job ID: 600-213947-1
Client Project/Site: Chevron Pardue Farms 27-12

For:
ARCADIS U.S., Inc.
1004 North Big Spring
Suite 121
Midland, Texas 79701

Attn: Ryan Nanny

Authorized for release by:
12/22/2020 8:52:26 AM

Sachin Kudchadkar, Senior Project Manager
(713)690-4444
Sachin.Kudchadkar@Eurofinset.com

LINKS

Review your project results through TotalAccess

Have a Question? Ask The Expert

Visit us at: www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Client: ARCADIS U.S., Inc.
Project/Site: Chevron Pardue Farms 27-12

Laboratory Job ID: 600-213947-1

Table of Contents

Cover Page 1
Table of Contents 2
Method Summary 3
Sample Summary 4
Client Sample Results 5
Definitions/Glossary 9
Surrogate Summary 11
QC Sample Results 13
Default Detection Limits 22
QC Association Summary 24
Lab Chronicle 28
Certification Summary 30
Chain of Custody 31
Receipt Checklists 36

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Chevron Pardue Farms 27-12

Job ID: 600-213947-1

Method	Method Description	Protocol	Laboratory
8260C	Volatile Organic Compounds by GC/MS	SW846	TAL HOU
8015B	Gasoline Range Organics - (GC)	SW846	TAL CAN
8015D	Diesel Range Organics (DRO) (GC)	SW846	TAL HOU
6010B	Metals (ICP)	SW846	TAL HOU
7470A	Mercury (CVAA)	SW846	TAL HOU
1010	Flashpoint	40CFR136A	TAL HOU
2540 C-1997	Total Dissolved Solids (Dried at 180 °C)	SM	TAL HOU
300.0	Anions, Ion Chromatography	MCAWW	TAL CC
9040B	Corrosivity as pH	SW846	TAL HOU
9045C	Corrosivity	SW846	TAL HOU
D92	Flashpoint	ASTM	TAL CC
1311	TCLP Extraction	SW846	TAL HOU
3010A	Preparation, Total Metals	SW846	TAL HOU
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	TAL HOU
3546	Microwave Extraction	SW846	TAL HOU
5030A	Purge and Trap	SW846	TAL CAN
5030B	Purge and Trap	SW846	TAL CAN
5030C	Purge and Trap	SW846	TAL HOU
5030C	Purge and Trap for Solids	SW846	TAL HOU
7470A	Preparation, Mercury	SW846	TAL HOU

Protocol References:

40CFR136A = "Methods for Organic Chemical Analysis of Municipal Industrial Wastewater ", 40CFR, Part 136, Appendix A, October 26, 1984 and subsequent revisions.
ASTM = ASTM International
MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.
SM = "Standard Methods For The Examination Of Water And Wastewater"
SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396
TAL CC = Eurofins TestAmerica, Corpus Christi, 1733 N. Padre Island Drive, Corpus Christi, TX 78408, TEL (361)289-2673
TAL HOU = Eurofins TestAmerica, Houston, 6310 Rothway Street, Houston, TX 77040, TEL (713)690-4444

Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Chevron Pardue Farms 27-12

Job ID: 600-213947-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
600-213947-1	Pardue Farms 27-12 Purge Water	Water	11/19/20 13:14	11/20/20 09:13	
600-213947-2	Pardue Farms 27-12 Comp IDW	Solid	11/19/20 13:04	11/20/20 09:13	
600-213947-3	MW-6-WD-201119	Water	11/19/20 00:00	11/20/20 09:13	
600-213947-4	MW-2-W-201119	Water	11/19/20 12:20	11/20/20 09:13	
600-213947-5	MW-1-W-201119	Water	11/19/20 11:09	11/20/20 09:13	

Client Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Chevron Pardue Farms 27-12

Job ID: 600-213947-1

Client Sample ID: Pardue Farms 27-12 Purge Water

Lab Sample ID: 600-213947-1

Date Collected: 11/19/20 13:14
Matrix: Water
Date Received: 11/20/20 09:13

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.000560	U	0.00500	0.000560	mg/L			11/24/20 22:30	1
Ethylbenzene	0.00129	U	0.00500	0.00129	mg/L			11/24/20 22:30	1
Toluene	0.000550	U	0.00500	0.000550	mg/L			11/24/20 22:30	1
Xylenes, Total	0.00198	U	0.00500	0.00198	mg/L			11/24/20 22:30	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*97*		*50 - 134*		*11/24/20 22:30*	*1*
4-Bromofluorobenzene	*99*		*67 - 139*		*11/24/20 22:30*	*1*
Dibromofluoromethane	*110*		*62 - 130*		*11/24/20 22:30*	*1*
Toluene-d8 (Surr)	*107*		*70 - 130*		*11/24/20 22:30*	*1*

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	49.2	U	100	49.2	ug/L			11/27/20 23:39	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Trifluorotoluene (Surr)	*93*		*63 - 125*		*11/27/20 23:39*	*1*

Method: 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	**0.113**	**J**	0.253	0.0455	mg/L		11/24/20 13:21	11/25/20 11:43	1
Oil Range Organics (C28-C35)	0.152	U	0.253	0.152	mg/L		11/24/20 13:21	11/25/20 11:43	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o-Terphenyl	*137*		*60 - 140*	*11/24/20 13:21*	*11/25/20 11:43*	*1*

Method: 6010B - Metals (ICP) - TCLP

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Silver	**0.0140**	**J B**	0.100	0.0129	mg/L		11/27/20 06:00	11/27/20 13:41	1
Arsenic	0.0466	U	0.100	0.0466	mg/L		11/27/20 06:00	11/27/20 13:41	1
Barium	**0.228**	**B**	0.200	0.0162	mg/L		11/27/20 06:00	11/27/20 13:41	1
Cadmium	0.0111	U	0.0500	0.0111	mg/L		11/27/20 06:00	11/27/20 13:41	1
Chromium	0.0159	U	0.100	0.0159	mg/L		11/27/20 06:00	11/27/20 13:41	1
Lead	0.0219	U	0.100	0.0219	mg/L		11/27/20 06:00	11/27/20 13:41	1
Selenium	0.0589	U	0.400	0.0589	mg/L		11/27/20 06:00	11/27/20 13:41	1

Method: 7470A - Mercury (CVAA) - TCLP

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.000103	U F1	0.000250	0.000103	mg/L		11/27/20 07:56	11/30/20 12:21	1

General Chemistry

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Flashpoint	**>150**		1.00	1.00	Degrees F			11/28/20 17:10	1
pH	**7.6**	**HF**	0.01	0.01	SU			12/02/20 10:59	1

Client Sample ID: Pardue Farms 27-12 Comp IDW

Lab Sample ID: 600-213947-2

Date Collected: 11/19/20 13:04
Matrix: Solid
Date Received: 11/20/20 09:13

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.000647	U	0.00513	0.000647	mg/Kg		11/23/20 14:52	11/23/20 15:21	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Job ID: 600-213947-1
Project/Site: Chevron Pardue Farms 27-12

Client Sample ID: Pardue Farms 27-12 Comp IDW
Lab Sample ID: 600-213947-2
Date Collected: 11/19/20 13:04
Matrix: Solid
Date Received: 11/20/20 09:13

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylbenzene	0.00105	U	0.00513	0.00105	mg/Kg		11/23/20 14:52	11/23/20 15:21	1
Toluene	0.00142	U	0.00513	0.00142	mg/Kg		11/23/20 14:52	11/23/20 15:21	1
Xylenes, Total	0.00116	U	0.00513	0.00116	mg/Kg		11/23/20 14:52	11/23/20 15:21	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*93*		*61 - 130*	*11/23/20 14:52*	*11/23/20 15:21*	*1*
4-Bromofluorobenzene	*103*		*57 - 140*	*11/23/20 14:52*	*11/23/20 15:21*	*1*
Dibromofluoromethane	*85*		*68 - 140*	*11/23/20 14:52*	*11/23/20 15:21*	*1*
Toluene-d8 (Surr)	*84*		*50 - 130*	*11/23/20 14:52*	*11/23/20 15:21*	*1*

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	63.7	U	99.2	63.7	ug/Kg		11/25/20 18:59	11/26/20 15:03	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Trifluorotoluene (Surr)	*86*		*20 - 140*	*11/25/20 18:59*	*11/26/20 15:03*	*1*

Method: 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	**24.9**		8.26	1.70	mg/Kg		12/01/20 08:29	12/02/20 14:47	1
Oil Range Organics (C28-C35)	**66.5**		8.26	4.98	mg/Kg		12/01/20 08:29	12/02/20 14:47	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o-Terphenyl	*149*	*X*	*60 - 140*	*12/01/20 08:29*	*12/02/20 14:47*	*1*

Method: 6010B - Metals (ICP) - TCLP

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Silver	0.0129	U	0.100	0.0129	mg/L		11/27/20 06:00	11/27/20 14:02	1
Arsenic	0.0466	U	0.100	0.0466	mg/L		11/27/20 06:00	11/27/20 14:02	1
Barium	**0.338**		0.200	0.0162	mg/L		11/27/20 06:00	11/27/20 14:02	1
Cadmium	0.0111	U	0.0500	0.0111	mg/L		11/27/20 06:00	11/27/20 14:02	1
Chromium	0.0159	U	0.100	0.0159	mg/L		11/27/20 06:00	11/27/20 14:02	1
Lead	0.0219	U	0.100	0.0219	mg/L		11/27/20 06:00	11/27/20 14:02	1
Selenium	0.0589	U	0.400	0.0589	mg/L		11/27/20 06:00	11/27/20 14:02	1

Method: 7470A - Mercury (CVAA) - TCLP

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.000103	U	0.000250	0.000103	mg/L		11/27/20 07:56	11/30/20 12:39	1

General Chemistry

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
pH	**7.6**	**H**	0.01	0.01	SU			11/30/20 13:15	1
Flashpoint	**>212**		70.0	70.0	Degrees F			12/21/20 16:00	1

Client Sample ID: MW-6-WD-201119
Lab Sample ID: 600-213947-3
Date Collected: 11/19/20 00:00
Matrix: Water
Date Received: 11/20/20 09:13

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.000560	U	0.00500	0.000560	mg/L			11/24/20 22:55	1
Ethylbenzene	0.00129	U	0.00500	0.00129	mg/L			11/24/20 22:55	1

Eurofins TestAmerica, Houston

Client Sample Results

Client: ARCADIS U.S., Inc. Job ID: 600-213947-1
Project/Site: Chevron Pardue Farms 27-12

Client Sample ID: MW-6-WD-201119 Lab Sample ID: 600-213947-3

Date Collected: 11/19/20 00:00 **Matrix: Water**
Date Received: 11/20/20 09:13

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Toluene	0.000550	U	0.00500	0.000550	mg/L			11/24/20 22:55	1
Xylenes, Total	0.00198	U	0.00500	0.00198	mg/L			11/24/20 22:55	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*95*		*50 - 134*		*11/24/20 22:55*	*1*
4-Bromofluorobenzene	*99*		*67 - 139*		*11/24/20 22:55*	*1*
Dibromofluoromethane	*108*		*62 - 130*		*11/24/20 22:55*	*1*
Toluene-d8 (Surr)	*103*		*70 - 130*		*11/24/20 22:55*	*1*

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	49.2	U	100	49.2	ug/L			11/28/20 00:18	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Trifluorotoluene (Surr)	*90*		*63 - 125*		*11/28/20 00:18*	*1*

Method: 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	**0.0994**	**J**	0.250	0.0450	mg/L		11/24/20 13:21	11/25/20 10:05	1
Oil Range Organics (C28-C35)	**0.202**	**J**	0.250	0.150	mg/L		11/24/20 13:21	11/25/20 10:05	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o-Terphenyl	*115*		*60 - 140*	*11/24/20 13:21*	*11/25/20 10:05*	*1*

General Chemistry

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	**16600**		200	200	mg/L			11/25/20 14:26	1
Chloride	**12400**		1000	192	mg/L			11/28/20 00:44	1000

Client Sample ID: MW-2-W-201119 Lab Sample ID: 600-213947-4

Date Collected: 11/19/20 12:20 **Matrix: Water**
Date Received: 11/20/20 09:13

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.000560	U	0.00500	0.000560	mg/L			11/24/20 23:19	1
Ethylbenzene	0.00129	U	0.00500	0.00129	mg/L			11/24/20 23:19	1
Toluene	0.000550	U	0.00500	0.000550	mg/L			11/24/20 23:19	1
Xylenes, Total	0.00198	U	0.00500	0.00198	mg/L			11/24/20 23:19	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*94*		*50 - 134*		*11/24/20 23:19*	*1*
4-Bromofluorobenzene	*95*		*67 - 139*		*11/24/20 23:19*	*1*
Dibromofluoromethane	*104*		*62 - 130*		*11/24/20 23:19*	*1*
Toluene-d8 (Surr)	*103*		*70 - 130*		*11/24/20 23:19*	*1*

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	49.2	U	100	49.2	ug/L			11/28/20 00:56	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Trifluorotoluene (Surr)	*93*		*63 - 125*		*11/28/20 00:56*	*1*

Client Sample Results

Client: ARCADIS U.S., Inc. Job ID: 600-213947-1
Project/Site: Chevron Pardue Farms 27-12

Client Sample ID: MW-2-W-201119 Lab Sample ID: 600-213947-4

Date Collected: 11/19/20 12:20 **Matrix: Water**
Date Received: 11/20/20 09:13

Method: 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.0450	U	0.250	0.0450	mg/L		11/24/20 13:21	11/25/20 10:37	1
Oil Range Organics (C28-C35)	0.150	U	0.250	0.150	mg/L		11/24/20 13:21	11/25/20 10:37	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o-Terphenyl	*78*		*60 - 140*	*11/24/20 13:21*	*11/25/20 10:37*	*1*

General Chemistry

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	**13400**		200	200	mg/L			11/25/20 14:24	1
Chloride	**6580**		1000	192	mg/L			11/27/20 23:36	1000

Client Sample ID: MW-1-W-201119 Lab Sample ID: 600-213947-5

Date Collected: 11/19/20 11:09 **Matrix: Water**
Date Received: 11/20/20 09:13

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.000560	U	0.00500	0.000560	mg/L			11/24/20 23:42	1
Ethylbenzene	0.00129	U	0.00500	0.00129	mg/L			11/24/20 23:42	1
Toluene	0.000550	U	0.00500	0.000550	mg/L			11/24/20 23:42	1
Xylenes, Total	0.00198	U	0.00500	0.00198	mg/L			11/24/20 23:42	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*94*		*50 - 134*		*11/24/20 23:42*	*1*
4-Bromofluorobenzene	*94*		*67 - 139*		*11/24/20 23:42*	*1*
Dibromofluoromethane	*104*		*62 - 130*		*11/24/20 23:42*	*1*
Toluene-d8 (Surr)	*103*		*70 - 130*		*11/24/20 23:42*	*1*

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	49.2	U	100	49.2	ug/L			11/28/20 01:35	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Trifluorotoluene (Surr)	*90*		*63 - 125*		*11/28/20 01:35*	*1*

Method: 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.0450	U	0.250	0.0450	mg/L		11/24/20 13:21	11/25/20 11:10	1
Oil Range Organics (C28-C35)	0.150	U	0.250	0.150	mg/L		11/24/20 13:21	11/25/20 11:10	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o-Terphenyl	*64*		*60 - 140*	*11/24/20 13:21*	*11/25/20 11:10*	*1*

General Chemistry

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	**14800**		200	200	mg/L			11/25/20 14:26	1
Chloride	**9880**		1000	192	mg/L			11/28/20 00:10	1000

Definitions/Glossary

Client: ARCADIS U.S., Inc. Job ID: 600-213947-1
Project/Site: Chevron Pardue Farms 27-12

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

GC VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.
X	Surrogate recovery exceeds control limits

Metals

Qualifier	Qualifier Description
B	Compound was found in the blank and sample.
F1	MS and/or MSD recovery exceeds control limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

General Chemistry

Qualifier	Qualifier Description
H	Sample was prepped or analyzed beyond the specified holding time
HF	Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)

Definitions/Glossary

Client: ARCADIS U.S., Inc. Job ID: 600-213947-1
Project/Site: Chevron Pardue Farms 27-12

Glossary (Continued)

Abbreviation	These commonly used abbreviations may or may not be present in this report.
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Chevron Pardue Farms 27-12

Job ID: 600-213947-1

Method: 8260C - Volatile Organic Compounds by GC/MS

Matrix: Solid **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)			
		DCA	BFB	DBFM	TOL
Lab Sample ID	Client Sample ID	(61-130)	(57-140)	(68-140)	(50-130)
600-213947-2	Pardue Farms 27-12 Comp IDW	93	103	85	84
LCS 600-307642/3	Lab Control Sample	87	103	82	78
LCSD 600-307642/4	Lab Control Sample Dup	89	107	81	80
MB 600-307642/6	Method Blank	92	104	81	80

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene
DBFM = Dibromofluoromethane
TOL = Toluene-d8 (Surr)

Method: 8260C - Volatile Organic Compounds by GC/MS

Matrix: Water **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)			
		DCA	BFB	DBFM	TOL
Lab Sample ID	Client Sample ID	(50-134)	(67-139)	(62-130)	(70-130)
600-213947-1	Pardue Farms 27-12 Purge Water	97	99	110	107
600-213947-3	MW-6-WD-201119	95	99	108	103
600-213947-4	MW-2-W-201119	94	95	104	103
600-213947-5	MW-1-W-201119	94	94	104	103
LCS 600-307717/4	Lab Control Sample	92	105	106	98
LCSD 600-307717/5	Lab Control Sample Dup	85	95	94	88
MB 600-307717/7	Method Blank	91	99	100	100

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene
DBFM = Dibromofluoromethane
TOL = Toluene-d8 (Surr)

Method: 8015B - Gasoline Range Organics - (GC)

Matrix: Solid **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)	
		TFT1	TFT1
Lab Sample ID	Client Sample ID	(20-140)	(20-140)
600-213947-2	Pardue Farms 27-12 Comp IDW	86	86
LCS 240-462898/2-A	Lab Control Sample	93	93
MB 240-462898/1-A	Method Blank	94	94

Surrogate Legend

TFT = Trifluorotoluene (Surr)

Method: 8015B - Gasoline Range Organics - (GC)

Matrix: Water **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)
		TFT1
Lab Sample ID	Client Sample ID	(63-125)
600-213947-1	Pardue Farms 27-12 Purge Water	93
600-213947-3	MW-6-WD-201119	90

Surrogate Summary

Client: ARCADIS U.S., Inc. Job ID: 600-213947-1
Project/Site: Chevron Pardue Farms 27-12

Method: 8015B - Gasoline Range Organics - (GC) (Continued)

Matrix: Water **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)								
		TFT1								
Lab Sample ID	Client Sample ID	(63-125)								
600-213947-4	MW-2-W-201119	93								
600-213947-5	MW-1-W-201119	90								
LCS 240-463064/5	Lab Control Sample	98								
LCS 240-463065/5	Lab Control Sample	98								
MB 240-463064/4	Method Blank	88								
MB 240-463065/4	Method Blank	88								

Surrogate Legend
TFT = Trifluorotoluene (Surr)

Method: 8015D - Diesel Range Organics (DRO) (GC)

Matrix: Solid **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)								
		OTPH								
Lab Sample ID	Client Sample ID	(60-140)								
600-213947-2	Pardue Farms 27-12 Comp IDW	149 X								
LCS 600-307905/2-A	Lab Control Sample	132								
MB 600-307905/1-A	Method Blank	121								

Surrogate Legend
OTPH = o-Terphenyl

Method: 8015D - Diesel Range Organics (DRO) (GC)

Matrix: Water **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)								
		OTPH								
Lab Sample ID	Client Sample ID	(60-140)								
600-213947-1	Pardue Farms 27-12 Purge Water	137								
600-213947-3	MW-6-WD-201119	115								
600-213947-4	MW-2-W-201119	78								
600-213947-5	MW-1-W-201119	64								
LCS 600-307723/2-A	Lab Control Sample	97								
LCSD 600-307723/3-A	Lab Control Sample Dup	89								
MB 600-307723/1-A	Method Blank	93								

Surrogate Legend
OTPH = o-Terphenyl

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Chevron Pardue Farms 27-12

Job ID: 600-213947-1

Method: 8260C - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 600-307642/6
Matrix: Solid
Analysis Batch: 307642

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.000630	U	0.00500	0.000630	mg/Kg			11/23/20 11:08	1
Ethylbenzene	0.00102	U	0.00500	0.00102	mg/Kg			11/23/20 11:08	1
Toluene	0.00138	U	0.00500	0.00138	mg/Kg			11/23/20 11:08	1
Xylenes, Total	0.00113	U	0.00500	0.00113	mg/Kg			11/23/20 11:08	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*92*		*61 - 130*		*11/23/20 11:08*	*1*
4-Bromofluorobenzene	*104*		*57 - 140*		*11/23/20 11:08*	*1*
Dibromofluoromethane	*81*		*68 - 140*		*11/23/20 11:08*	*1*
Toluene-d8 (Surr)	*80*		*50 - 130*		*11/23/20 11:08*	*1*

Lab Sample ID: LCS 600-307642/3
Matrix: Solid
Analysis Batch: 307642

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
Benzene			0.0500	0.04561		mg/Kg		91	70 - 131		
Ethylbenzene			0.0500	0.03809		mg/Kg		76	66 - 130		
Toluene			0.0500	0.04056		mg/Kg		81	67 - 130		
Xylenes, Total			0.100	0.07634		mg/Kg		76	63 - 130		
m-Xylene & p-Xylene			0.0500	0.03843		mg/Kg		77	64 - 130		
o-Xylene			0.0500	0.03791		mg/Kg		76	62 - 130		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*87*		*61 - 130*
4-Bromofluorobenzene	*103*		*57 - 140*
Dibromofluoromethane	*82*		*68 - 140*
Toluene-d8 (Surr)	*78*		*50 - 130*

Lab Sample ID: LCSD 600-307642/4
Matrix: Solid
Analysis Batch: 307642

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene			0.0500	0.05735		mg/Kg		115	70 - 131	23	30
Ethylbenzene			0.0500	0.04822		mg/Kg		96	66 - 130	23	30
Toluene			0.0500	0.05036		mg/Kg		101	67 - 130	22	30
Xylenes, Total			0.100	0.09419		mg/Kg		94	63 - 130	21	30
m-Xylene & p-Xylene			0.0500	0.04709		mg/Kg		94	64 - 130	20	30
o-Xylene			0.0500	0.04710		mg/Kg		94	62 - 130	22	30

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*89*		*61 - 130*
4-Bromofluorobenzene	*107*		*57 - 140*
Dibromofluoromethane	*81*		*68 - 140*
Toluene-d8 (Surr)	*80*		*50 - 130*

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Chevron Pardue Farms 27-12

Job ID: 600-213947-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 600-307717/7
Matrix: Water
Analysis Batch: 307717

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.000560	U	0.00500	0.000560	mg/L			11/24/20 14:18	1
Ethylbenzene	0.00129	U	0.00500	0.00129	mg/L			11/24/20 14:18	1
Toluene	0.000550	U	0.00500	0.000550	mg/L			11/24/20 14:18	1
Xylenes, Total	0.00198	U	0.00500	0.00198	mg/L			11/24/20 14:18	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*91*		*50 - 134*		*11/24/20 14:18*	*1*
4-Bromofluorobenzene	*99*		*67 - 139*		*11/24/20 14:18*	*1*
Dibromofluoromethane	*100*		*62 - 130*		*11/24/20 14:18*	*1*
Toluene-d8 (Surr)	*100*		*70 - 130*		*11/24/20 14:18*	*1*

Lab Sample ID: LCS 600-307717/4
Matrix: Water
Analysis Batch: 307717

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
Benzene			0.0500	0.05307		mg/L		106	70 - 131		
Ethylbenzene			0.0500	0.05313		mg/L		106	70 - 130		
Toluene			0.0500	0.05534		mg/L		111	70 - 130		
Xylenes, Total			0.100	0.1086		mg/L		109	70 - 130		
m-Xylene & p-Xylene			0.0500	0.05506		mg/L		110	70 - 130		
o-Xylene			0.0500	0.05352		mg/L		107	69 - 130		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*92*		*50 - 134*
4-Bromofluorobenzene	*105*		*67 - 139*
Dibromofluoromethane	*106*		*62 - 130*
Toluene-d8 (Surr)	*98*		*70 - 130*

Lab Sample ID: LCSD 600-307717/5
Matrix: Water
Analysis Batch: 307717

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene			0.0500	0.04619		mg/L		92	70 - 131	14	20
Ethylbenzene			0.0500	0.04787		mg/L		96	70 - 130	10	20
Toluene			0.0500	0.04846		mg/L		97	70 - 130	13	20
Xylenes, Total			0.100	0.09639		mg/L		96	70 - 130	12	20
m-Xylene & p-Xylene			0.0500	0.04956		mg/L		99	70 - 130	11	20
o-Xylene			0.0500	0.04683		mg/L		94	69 - 130	13	20

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*85*		*50 - 134*
4-Bromofluorobenzene	*95*		*67 - 139*
Dibromofluoromethane	*94*		*62 - 130*
Toluene-d8 (Surr)	*88*		*70 - 130*

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Chevron Pardue Farms 27-12

Job ID: 600-213947-1

Method: 8015B - Gasoline Range Organics - (GC)

Lab Sample ID: MB 240-462898/1-A
Matrix: Solid
Analysis Batch: 462905

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 462898

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	64.2	U	100	64.2	ug/Kg		11/25/20 18:59	11/25/20 22:53	1
Gasoline Range Organics [C6 - C10]	64.2	U	100	64.2	ug/Kg		11/25/20 18:59	11/25/20 22:53	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Trifluorotoluene (Surr)	*94*		*20 - 140*	*11/25/20 18:59*	*11/25/20 22:53*	*1*
Trifluorotoluene (Surr)	*94*		*20 - 140*	*11/25/20 18:59*	*11/25/20 22:53*	*1*

Lab Sample ID: LCS 240-462898/2-A
Matrix: Solid
Analysis Batch: 462905

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 462898

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Gasoline Range Organics [C6 - C10]	800	851.7		ug/Kg		106	75 - 126
Gasoline Range Organics [C6 - C10]	800	851.7		ug/Kg		106	75 - 126

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
Trifluorotoluene (Surr)	*93*		*20 - 140*
Trifluorotoluene (Surr)	*93*		*20 - 140*

Lab Sample ID: MB 240-463064/4
Matrix: Water
Analysis Batch: 463064

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	49.2	U	100	49.2	ug/L			11/27/20 16:34	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Trifluorotoluene (Surr)	*88*		*63 - 125*		*11/27/20 16:34*	*1*

Lab Sample ID: LCS 240-463064/5
Matrix: Water
Analysis Batch: 463064

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Gasoline Range Organics [C6 - C10]	800	838.2		ug/L		105	77 - 120

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
Trifluorotoluene (Surr)	*98*		*63 - 125*

Lab Sample ID: MB 240-463065/4
Matrix: Water
Analysis Batch: 463065

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	49.2	U	100	49.2	ug/L			11/27/20 16:34	1

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Chevron Pardue Farms 27-12

Job ID: 600-213947-1

Method: 8015B - Gasoline Range Organics - (GC) (Continued)

Lab Sample ID: MB 240-463065/4
Matrix: Water
Analysis Batch: 463065

Client Sample ID: Method Blank
Prep Type: Total/NA

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Trifluorotoluene (Surr)	88		63 - 125		11/27/20 16:34	1

Lab Sample ID: LCS 240-463065/5
Matrix: Water
Analysis Batch: 463065

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
Gasoline Range Organics [C6 - C10]			800	838.2		ug/L		105	77 - 120		

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Trifluorotoluene (Surr)	98		63 - 125

Method: 8015D - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 600-307723/1-A
Matrix: Water
Analysis Batch: 307710

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 307723

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.0450	U	0.250	0.0450	mg/L		11/24/20 13:20	11/25/20 07:17	1
Oil Range Organics (C28-C35)	0.150	U	0.250	0.150	mg/L		11/24/20 13:20	11/25/20 07:17	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	93		60 - 140	11/24/20 13:20	11/25/20 07:17	1

Lab Sample ID: LCS 600-307723/2-A
Matrix: Water
Analysis Batch: 307710

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 307723

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
Diesel Range Organics [C10-C28]			1.00	1.167		mg/L		117	70 - 130		

Surrogate	LCS %Recovery	LCS Qualifier	Limits
o-Terphenyl	97		60 - 140

Lab Sample ID: LCSD 600-307723/3-A
Matrix: Water
Analysis Batch: 307710

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 307723

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Diesel Range Organics [C10-C28]			1.00	1.168		mg/L		117	70 - 130	0	30

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
o-Terphenyl	89		60 - 140

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Chevron Pardue Farms 27-12

Job ID: 600-213947-1

Method: 8015D - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: MB 600-307905/1-A
Matrix: Solid
Analysis Batch: 307871

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 307905

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	1.71	U	8.30	1.71	mg/Kg		12/01/20 08:29	12/02/20 04:17	1
Oil Range Organics (C28-C35)	5.00	U	8.30	5.00	mg/Kg		12/01/20 08:29	12/02/20 04:17	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o-Terphenyl	*121*		*60 - 140*	*12/01/20 08:29*	*12/02/20 04:17*	*1*

Lab Sample ID: LCS 600-307905/2-A
Matrix: Solid
Analysis Batch: 307871

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 307905

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
Diesel Range Organics [C10-C28]			66.8	65.61		mg/Kg		98	66 - 134		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
o-Terphenyl	*132*		*60 - 140*

Method: 6010B - Metals (ICP)

Lab Sample ID: MB 600-307800/1-A
Matrix: Solid
Analysis Batch: 307831

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 307800

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Silver	0.002000	J	0.0100	0.00129	mg/L		11/27/20 06:00	11/27/20 12:41	1
Arsenic	0.00466	U	0.0100	0.00466	mg/L		11/27/20 06:00	11/27/20 12:41	1
Barium	0.00162	U	0.0200	0.00162	mg/L		11/27/20 06:00	11/27/20 12:41	1
Cadmium	0.00111	U	0.00500	0.00111	mg/L		11/27/20 06:00	11/27/20 12:41	1
Chromium	0.00159	U	0.0100	0.00159	mg/L		11/27/20 06:00	11/27/20 12:41	1
Lead	0.00219	U	0.0100	0.00219	mg/L		11/27/20 06:00	11/27/20 12:41	1
Selenium	0.00589	U	0.0400	0.00589	mg/L		11/27/20 06:00	11/27/20 12:41	1

Lab Sample ID: LCS 600-307800/2-A
Matrix: Solid
Analysis Batch: 307831

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 307800

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
Silver			0.250	0.2578		mg/L		103	80 - 120		
Arsenic			1.00	0.9989		mg/L		100	80 - 120		
Barium			1.00	1.092		mg/L		109	80 - 120		
Cadmium			1.00	1.017		mg/L		102	80 - 120		
Chromium			1.00	1.020		mg/L		102	80 - 120		
Lead			1.00	0.9770		mg/L		98	80 - 120		
Selenium			1.00	1.027		mg/L		103	80 - 120		

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Chevron Pardue Farms 27-12

Job ID: 600-213947-1

Method: 6010B - Metals (ICP) (Continued)

Lab Sample ID: LB 600-307748/1-B
Matrix: Water
Analysis Batch: 307831

Client Sample ID: Method Blank
Prep Type: TCLP
Prep Batch: 307800

Analyte	LB Result	LB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Silver	0.01600	J	0.100	0.0129	mg/L		11/27/20 06:00	11/27/20 12:45	1
Arsenic	0.0466	U	0.100	0.0466	mg/L		11/27/20 06:00	11/27/20 12:45	1
Barium	0.01900	J	0.200	0.0162	mg/L		11/27/20 06:00	11/27/20 12:45	1
Cadmium	0.0111	U	0.0500	0.0111	mg/L		11/27/20 06:00	11/27/20 12:45	1
Chromium	0.0159	U	0.100	0.0159	mg/L		11/27/20 06:00	11/27/20 12:45	1
Lead	0.0219	U	0.100	0.0219	mg/L		11/27/20 06:00	11/27/20 12:45	1
Selenium	0.0589	U	0.400	0.0589	mg/L		11/27/20 06:00	11/27/20 12:45	1

Lab Sample ID: LB 600-307752/1-B
Matrix: Solid
Analysis Batch: 307831

Client Sample ID: Method Blank
Prep Type: TCLP
Prep Batch: 307800

Analyte	LB Result	LB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Silver	0.0129	U	0.100	0.0129	mg/L		11/27/20 06:00	11/27/20 13:59	1
Arsenic	0.0466	U	0.100	0.0466	mg/L		11/27/20 06:00	11/27/20 13:59	1
Barium	0.0162	U	0.200	0.0162	mg/L		11/27/20 06:00	11/27/20 13:59	1
Cadmium	0.0111	U	0.0500	0.0111	mg/L		11/27/20 06:00	11/27/20 13:59	1
Chromium	0.0159	U	0.100	0.0159	mg/L		11/27/20 06:00	11/27/20 13:59	1
Lead	0.0219	U	0.100	0.0219	mg/L		11/27/20 06:00	11/27/20 13:59	1
Selenium	0.0589	U	0.400	0.0589	mg/L		11/27/20 06:00	11/27/20 13:59	1

Lab Sample ID: 600-213947-1 MS
Matrix: Water
Analysis Batch: 307831

Client Sample ID: Pardue Farms 27-12 Purge Water
Prep Type: TCLP
Prep Batch: 307800

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Silver	0.0140	J B	2.50	2.669		mg/L		106	75 - 125
Arsenic	0.0466	U	10.0	10.48		mg/L		105	75 - 125
Barium	0.228	B	10.0	11.17		mg/L		109	75 - 125
Cadmium	0.0111	U	10.0	10.41		mg/L		104	75 - 125
Chromium	0.0159	U	10.0	10.29		mg/L		103	75 - 125
Lead	0.0219	U	10.0	10.03		mg/L		100	75 - 125
Selenium	0.0589	U	10.0	10.62		mg/L		106	75 - 125

Lab Sample ID: 600-213947-2 MS
Matrix: Solid
Analysis Batch: 307831

Client Sample ID: Pardue Farms 27-12 Comp IDW
Prep Type: TCLP
Prep Batch: 307800

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Silver	0.0129	U	2.50	2.653		mg/L		106	75 - 125
Arsenic	0.0466	U	10.0	10.36		mg/L		104	75 - 125
Barium	0.338		10.0	11.35		mg/L		110	75 - 125
Cadmium	0.0111	U	10.0	10.43		mg/L		104	75 - 125
Chromium	0.0159	U	10.0	10.37		mg/L		104	75 - 125
Lead	0.0219	U	10.0	9.852		mg/L		99	75 - 125
Selenium	0.0589	U	10.0	10.59		mg/L		106	75 - 125

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Chevron Pardue Farms 27-12

Job ID: 600-213947-1

Method: 6010B - Metals (ICP) (Continued)

Lab Sample ID: 600-213947-2 DU
Matrix: Solid
Analysis Batch: 307831

Client Sample ID: Pardue Farms 27-12 Comp IDW
Prep Type: TCLP
Prep Batch: 307800

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Silver	0.0129	U	0.0129	U	mg/L		NC	20
Arsenic	0.0466	U	0.0466	U	mg/L		NC	20
Barium	0.338		0.3250		mg/L		4	20
Cadmium	0.0111	U	0.0111	U	mg/L		NC	20
Chromium	0.0159	U	0.0159	U	mg/L		NC	20
Lead	0.0219	U	0.0219	U	mg/L		NC	20
Selenium	0.0589	U	0.0589	U	mg/L		NC	20

Method: 7470A - Mercury (CVAA)

Lab Sample ID: MB 600-307805/7-A
Matrix: Solid
Analysis Batch: 307884

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 307805

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.000103	U	0.000250	0.000103	mg/L		11/27/20 07:56	11/30/20 12:14	1

Lab Sample ID: LCS 600-307805/8-A
Matrix: Solid
Analysis Batch: 307884

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 307805

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Mercury	0.00375	0.003682		mg/L		98	70 - 130

Lab Sample ID: LB 600-307748/1-C
Matrix: Water
Analysis Batch: 307884

Client Sample ID: Method Blank
Prep Type: TCLP
Prep Batch: 307805

Analyte	LB Result	LB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.000103	U	0.000250	0.000103	mg/L		11/27/20 07:56	11/30/20 12:18	1

Lab Sample ID: LB 600-307752/1-C
Matrix: Solid
Analysis Batch: 307884

Client Sample ID: Method Blank
Prep Type: TCLP
Prep Batch: 307805

Analyte	LB Result	LB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.0001388	J	0.000250	0.000103	mg/L		11/27/20 07:56	11/30/20 12:33	1

Lab Sample ID: 600-213947-1 MS
Matrix: Water
Analysis Batch: 307884

Client Sample ID: Pardue Farms 27-12 Purge Water
Prep Type: TCLP
Prep Batch: 307805

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Mercury	0.000103	U F1	0.00375	0.002609	F1	mg/L		70	75 - 125

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Chevron Pardue Farms 27-12

Job ID: 600-213947-1

Method: 7470A - Mercury (CVAA) (Continued)

Lab Sample ID: 600-213947-2 MS
Matrix: Solid
Analysis Batch: 307884

Client Sample ID: Pardue Farms 27-12 Comp IDW
Prep Type: TCLP
Prep Batch: 307805

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Mercury	0.000103	U	0.00375	0.003754		mg/L		100	75 - 125

Lab Sample ID: 600-213947-1 DU
Matrix: Water
Analysis Batch: 307884

Client Sample ID: Pardue Farms 27-12 Purge Water
Prep Type: TCLP
Prep Batch: 307805

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Mercury	0.000103	U F1	0.000103	U	mg/L		NC	20

Method: 1010 - Flashpoint

Lab Sample ID: MB 600-307846/1
Matrix: Water
Analysis Batch: 307846

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Flashpoint	>150.0		1.00	1.00	Degrees F			11/28/20 17:10	1

Lab Sample ID: LCS 600-307846/2
Matrix: Water
Analysis Batch: 307846

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Flashpoint	81.0	82.00		Degrees F		101	97 - 103

Method: 2540 C-1997 - Total Dissolved Solids (Dried at 180 °C)

Lab Sample ID: MB 600-307784/1
Matrix: Water
Analysis Batch: 307784

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	10.0	U	10.0	10.0	mg/L			11/25/20 14:24	1

Lab Sample ID: LCS 600-307784/2
Matrix: Water
Analysis Batch: 307784

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Dissolved Solids	1800	1803		mg/L		100	90 - 110

Lab Sample ID: MB 600-307785/1
Matrix: Water
Analysis Batch: 307785

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	10.0	U	10.0	10.0	mg/L			11/25/20 14:26	1

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Chevron Pardue Farms 27-12

Job ID: 600-213947-1

Method: 2540 C-1997 - Total Dissolved Solids (Dried at 180 °C) (Continued)

Lab Sample ID: LCS 600-307785/2
Matrix: Water
Analysis Batch: 307785

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Dissolved Solids	1800	1702		mg/L		95	90 - 110

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 560-180838/3
Matrix: Water
Analysis Batch: 180838

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	0.192	U	1.00	0.192	mg/L			11/27/20 12:52	1

Lab Sample ID: LCS 560-180838/4
Matrix: Water
Analysis Batch: 180838

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	10.0	10.24		mg/L		102	90 - 110

Method: 9040B - Corrosivity as pH

Lab Sample ID: LCS 600-307948/1
Matrix: Water
Analysis Batch: 307948

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
pH	7.00	6.9		SU		99	99 - 101

Method: 9045C - Corrosivity

Lab Sample ID: LCS 600-307886/1
Matrix: Solid
Analysis Batch: 307886

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
pH	7.00	7.0		SU		100	99 - 101

Method: D92 - Flashpoint

Lab Sample ID: LCS 560-181536/1
Matrix: Solid
Analysis Batch: 181536

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Flashpoint	81.0	82.00		Degrees F		101	88 - 112

Unadjusted Detection Limits

Client: ARCADIS U.S., Inc. Job ID: 600-213947-1
Project/Site: Chevron Pardue Farms 27-12

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	MQL	MDL	Units
Benzene	0.00500	0.000560	mg/L
Ethylbenzene	0.00500	0.00129	mg/L
Toluene	0.00500	0.000550	mg/L
Xylenes, Total	0.00500	0.00198	mg/L

Method: 8260C - Volatile Organic Compounds by GC/MS
Prep: 5030C

Analyte	MQL	MDL	Units
Benzene	0.00500	0.000630	mg/Kg
Ethylbenzene	0.00500	0.00102	mg/Kg
Toluene	0.00500	0.00138	mg/Kg
Xylenes, Total	0.00500	0.00113	mg/Kg

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	MQL	MDL	Units
Gasoline Range Organics [C6 - C10]	100	49.2	ug/L

Method: 8015B - Gasoline Range Organics - (GC)
Prep: 5030A

Analyte	MQL	MDL	Units
Gasoline Range Organics [C6 - C10]	100	64.2	ug/Kg

Method: 8015D - Diesel Range Organics (DRO) (GC)
Prep: 3510C

Analyte	MQL	MDL	Units
Diesel Range Organics [C10-C28]	0.250	0.0450	mg/L
Oil Range Organics (C28-C35)	0.250	0.150	mg/L

Method: 8015D - Diesel Range Organics (DRO) (GC)
Prep: 3546

Analyte	MQL	MDL	Units
Diesel Range Organics [C10-C28]	8.30	1.71	mg/Kg
Oil Range Organics (C28-C35)	8.30	5.00	mg/Kg

Method: 6010B - Metals (ICP) - TCLP
Prep: 3010A
Leach: 1311

Analyte	MQL	MDL	Units
Arsenic	0.0100	0.00466	mg/L
Barium	0.0200	0.00162	mg/L
Cadmium	0.00500	0.00111	mg/L
Chromium	0.0100	0.00159	mg/L
Lead	0.0100	0.00219	mg/L
Selenium	0.0400	0.00589	mg/L
Silver	0.0100	0.00129	mg/L

Method: 7470A - Mercury (CVAA) - TCLP
Prep: 7470A
Leach: 1311

Analyte	MQL	MDL	Units
Mercury	0.000200	0.0000820	mg/L

Unadjusted Detection Limits

Client: ARCADIS U.S., Inc.
Job ID: 600-213947-1
Project/Site: Chevron Pardue Farms 27-12

General Chemistry

Analyte	MQL	MDL	Units
Flashpoint	1.00	1.00	Degrees F
Total Dissolved Solids	10.0	10.0	mg/L
Chloride	1.00	0.192	mg/L
pH	0.01	0.01	SU
pH	0.01	0.01	SU
Flashpoint	70.0	70.0	Degrees F

QC Association Summary

Client: ARCADIS U.S., Inc.
Job ID: 600-213947-1
Project/Site: Chevron Pardue Farms 27-12

GC/MS VOA

Analysis Batch: 307642

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213947-2	Pardue Farms 27-12 Comp IDW	Total/NA	Solid	8260C	307681
MB 600-307642/6	Method Blank	Total/NA	Solid	8260C	
LCS 600-307642/3	Lab Control Sample	Total/NA	Solid	8260C	
LCSD 600-307642/4	Lab Control Sample Dup	Total/NA	Solid	8260C	

Prep Batch: 307681

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213947-2	Pardue Farms 27-12 Comp IDW	Total/NA	Solid	5030C	

Analysis Batch: 307717

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213947-1	Pardue Farms 27-12 Purge Water	Total/NA	Water	8260C	
600-213947-3	MW-6-WD-201119	Total/NA	Water	8260C	
600-213947-4	MW-2-W-201119	Total/NA	Water	8260C	
600-213947-5	MW-1-W-201119	Total/NA	Water	8260C	
MB 600-307717/7	Method Blank	Total/NA	Water	8260C	
LCS 600-307717/4	Lab Control Sample	Total/NA	Water	8260C	
LCSD 600-307717/5	Lab Control Sample Dup	Total/NA	Water	8260C	

GC VOA

Prep Batch: 462898

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213947-2	Pardue Farms 27-12 Comp IDW	Total/NA	Solid	5030A	
MB 240-462898/1-A	Method Blank	Total/NA	Solid	5030A	
LCS 240-462898/2-A	Lab Control Sample	Total/NA	Solid	5030A	

Analysis Batch: 462905

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 240-462898/1-A	Method Blank	Total/NA	Solid	8015B	462898
LCS 240-462898/2-A	Lab Control Sample	Total/NA	Solid	8015B	462898

Analysis Batch: 462906

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213947-2	Pardue Farms 27-12 Comp IDW	Total/NA	Solid	8015B	462898
MB 240-462898/1-A	Method Blank	Total/NA	Solid	8015B	462898
LCS 240-462898/2-A	Lab Control Sample	Total/NA	Solid	8015B	462898

Analysis Batch: 463064

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 240-463064/4	Method Blank	Total/NA	Water	8015B	
LCS 240-463064/5	Lab Control Sample	Total/NA	Water	8015B	

Analysis Batch: 463065

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213947-1	Pardue Farms 27-12 Purge Water	Total/NA	Water	8015B	
600-213947-3	MW-6-WD-201119	Total/NA	Water	8015B	
600-213947-4	MW-2-W-201119	Total/NA	Water	8015B	
600-213947-5	MW-1-W-201119	Total/NA	Water	8015B	
MB 240-463065/4	Method Blank	Total/NA	Water	8015B	
LCS 240-463065/5	Lab Control Sample	Total/NA	Water	8015B	

QC Association Summary

Client: ARCADIS U.S., Inc.
Job ID: 600-213947-1
Project/Site: Chevron Pardue Farms 27-12

GC Semi VOA

Analysis Batch: 307710

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213947-1	Pardue Farms 27-12 Purge Water	Total/NA	Water	8015D	307723
600-213947-3	MW-6-WD-201119	Total/NA	Water	8015D	307723
600-213947-4	MW-2-W-201119	Total/NA	Water	8015D	307723
600-213947-5	MW-1-W-201119	Total/NA	Water	8015D	307723
MB 600-307723/1-A	Method Blank	Total/NA	Water	8015D	307723
LCS 600-307723/2-A	Lab Control Sample	Total/NA	Water	8015D	307723
LCSD 600-307723/3-A	Lab Control Sample Dup	Total/NA	Water	8015D	307723

Prep Batch: 307723

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213947-1	Pardue Farms 27-12 Purge Water	Total/NA	Water	3510C	
600-213947-3	MW-6-WD-201119	Total/NA	Water	3510C	
600-213947-4	MW-2-W-201119	Total/NA	Water	3510C	
600-213947-5	MW-1-W-201119	Total/NA	Water	3510C	
MB 600-307723/1-A	Method Blank	Total/NA	Water	3510C	
LCS 600-307723/2-A	Lab Control Sample	Total/NA	Water	3510C	
LCSD 600-307723/3-A	Lab Control Sample Dup	Total/NA	Water	3510C	

Analysis Batch: 307871

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213947-2	Pardue Farms 27-12 Comp IDW	Total/NA	Solid	8015D	307905
MB 600-307905/1-A	Method Blank	Total/NA	Solid	8015D	307905
LCS 600-307905/2-A	Lab Control Sample	Total/NA	Solid	8015D	307905

Prep Batch: 307905

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213947-2	Pardue Farms 27-12 Comp IDW	Total/NA	Solid	3546	
MB 600-307905/1-A	Method Blank	Total/NA	Solid	3546	
LCS 600-307905/2-A	Lab Control Sample	Total/NA	Solid	3546	

Metals

Leach Batch: 307748

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213947-1	Pardue Farms 27-12 Purge Water	TCLP	Water	1311	
LB 600-307748/1-B	Method Blank	TCLP	Water	1311	
LB 600-307748/1-C	Method Blank	TCLP	Water	1311	
600-213947-1 MS	Pardue Farms 27-12 Purge Water	TCLP	Water	1311	
600-213947-1 DU	Pardue Farms 27-12 Purge Water	TCLP	Water	1311	

Leach Batch: 307752

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213947-2	Pardue Farms 27-12 Comp IDW	TCLP	Solid	1311	
LB 600-307752/1-B	Method Blank	TCLP	Solid	1311	
LB 600-307752/1-C	Method Blank	TCLP	Solid	1311	
600-213947-2 MS	Pardue Farms 27-12 Comp IDW	TCLP	Solid	1311	
600-213947-2 DU	Pardue Farms 27-12 Comp IDW	TCLP	Solid	1311	

Prep Batch: 307800

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213947-1	Pardue Farms 27-12 Purge Water	TCLP	Water	3010A	307748

QC Association Summary

Client: ARCADIS U.S., Inc. Job ID: 600-213947-1
Project/Site: Chevron Pardue Farms 27-12

Metals (Continued)

Prep Batch: 307800 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213947-2	Pardue Farms 27-12 Comp IDW	TCLP	Solid	3010A	307752
LB 600-307748/1-B	Method Blank	TCLP	Water	3010A	307748
LB 600-307752/1-B	Method Blank	TCLP	Solid	3010A	307752
MB 600-307800/1-A	Method Blank	Total/NA	Solid	3010A	
LCS 600-307800/2-A	Lab Control Sample	Total/NA	Solid	3010A	
600-213947-1 MS	Pardue Farms 27-12 Purge Water	TCLP	Water	3010A	307748
600-213947-2 MS	Pardue Farms 27-12 Comp IDW	TCLP	Solid	3010A	307752
600-213947-2 DU	Pardue Farms 27-12 Comp IDW	TCLP	Solid	3010A	307752

Prep Batch: 307805

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213947-1	Pardue Farms 27-12 Purge Water	TCLP	Water	7470A	307748
600-213947-2	Pardue Farms 27-12 Comp IDW	TCLP	Solid	7470A	307752
LB 600-307748/1-C	Method Blank	TCLP	Water	7470A	307748
LB 600-307752/1-C	Method Blank	TCLP	Solid	7470A	307752
MB 600-307805/7-A	Method Blank	Total/NA	Solid	7470A	
LCS 600-307805/8-A	Lab Control Sample	Total/NA	Solid	7470A	
600-213947-1 MS	Pardue Farms 27-12 Purge Water	TCLP	Water	7470A	307748
600-213947-2 MS	Pardue Farms 27-12 Comp IDW	TCLP	Solid	7470A	307752
600-213947-1 DU	Pardue Farms 27-12 Purge Water	TCLP	Water	7470A	307748

Analysis Batch: 307831

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213947-1	Pardue Farms 27-12 Purge Water	TCLP	Water	6010B	307800
600-213947-2	Pardue Farms 27-12 Comp IDW	TCLP	Solid	6010B	307800
LB 600-307748/1-B	Method Blank	TCLP	Water	6010B	307800
LB 600-307752/1-B	Method Blank	TCLP	Solid	6010B	307800
MB 600-307800/1-A	Method Blank	Total/NA	Solid	6010B	307800
LCS 600-307800/2-A	Lab Control Sample	Total/NA	Solid	6010B	307800
600-213947-1 MS	Pardue Farms 27-12 Purge Water	TCLP	Water	6010B	307800
600-213947-2 MS	Pardue Farms 27-12 Comp IDW	TCLP	Solid	6010B	307800
600-213947-2 DU	Pardue Farms 27-12 Comp IDW	TCLP	Solid	6010B	307800

Analysis Batch: 307884

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213947-1	Pardue Farms 27-12 Purge Water	TCLP	Water	7470A	307805
600-213947-2	Pardue Farms 27-12 Comp IDW	TCLP	Solid	7470A	307805
LB 600-307748/1-C	Method Blank	TCLP	Water	7470A	307805
LB 600-307752/1-C	Method Blank	TCLP	Solid	7470A	307805
MB 600-307805/7-A	Method Blank	Total/NA	Solid	7470A	307805
LCS 600-307805/8-A	Lab Control Sample	Total/NA	Solid	7470A	307805
600-213947-1 MS	Pardue Farms 27-12 Purge Water	TCLP	Water	7470A	307805
600-213947-2 MS	Pardue Farms 27-12 Comp IDW	TCLP	Solid	7470A	307805
600-213947-1 DU	Pardue Farms 27-12 Purge Water	TCLP	Water	7470A	307805

General Chemistry

Analysis Batch: 180838

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213947-3	MW-6-WD-201119	Total/NA	Water	300.0	
600-213947-4	MW-2-W-201119	Total/NA	Water	300.0	

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Chevron Pardue Farms 27-12

Job ID: 600-213947-1

General Chemistry (Continued)

Analysis Batch: 180838 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213947-5	MW-1-W-201119	Total/NA	Water	300.0	
MB 560-180838/3	Method Blank	Total/NA	Water	300.0	
LCS 560-180838/4	Lab Control Sample	Total/NA	Water	300.0	

Analysis Batch: 181536

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213947-2	Pardue Farms 27-12 Comp IDW	Total/NA	Solid	D92	
LCS 560-181536/1	Lab Control Sample	Total/NA	Solid	D92	

Analysis Batch: 307784

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213947-4	MW-2-W-201119	Total/NA	Water	2540 C-1997	
MB 600-307784/1	Method Blank	Total/NA	Water	2540 C-1997	
LCS 600-307784/2	Lab Control Sample	Total/NA	Water	2540 C-1997	

Analysis Batch: 307785

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213947-3	MW-6-WD-201119	Total/NA	Water	2540 C-1997	
600-213947-5	MW-1-W-201119	Total/NA	Water	2540 C-1997	
MB 600-307785/1	Method Blank	Total/NA	Water	2540 C-1997	
LCS 600-307785/2	Lab Control Sample	Total/NA	Water	2540 C-1997	

Analysis Batch: 307846

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213947-1	Pardue Farms 27-12 Purge Water	Total/NA	Water	1010	
MB 600-307846/1	Method Blank	Total/NA	Water	1010	
LCS 600-307846/2	Lab Control Sample	Total/NA	Water	1010	

Analysis Batch: 307886

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213947-2	Pardue Farms 27-12 Comp IDW	Total/NA	Solid	9045C	
LCS 600-307886/1	Lab Control Sample	Total/NA	Solid	9045C	

Analysis Batch: 307948

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213947-1	Pardue Farms 27-12 Purge Water	Total/NA	Water	9040B	
LCS 600-307948/1	Lab Control Sample	Total/NA	Water	9040B	

Lab Chronicle

Client: ARCADIS U.S., Inc. Job ID: 600-213947-1
Project/Site: Chevron Pardue Farms 27-12

Client Sample ID: Pardue Farms 27-12 Purge Water — Lab Sample ID: 600-213947-1

Date Collected: 11/19/20 13:14 **Matrix: Water**
Date Received: 11/20/20 09:13

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	307717	11/24/20 22:30	KLV	TAL HOU
Total/NA	Analysis	8015B		1	463065	11/27/20 23:39	MBB	TAL CAN
Total/NA	Prep	3510C			307723	11/24/20 13:21	MRA	TAL HOU
Total/NA	Analysis	8015D		1	307710	11/25/20 11:43	RJV	TAL HOU
TCLP	Leach	1311			307748	11/24/20 17:00		TAL HOU
TCLP	Prep	3010A			307800	11/27/20 06:00	KP1	TAL HOU
TCLP	Analysis	6010B		1	307831	11/27/20 13:41	KP1	TAL HOU
TCLP	Leach	1311			307748	11/24/20 17:00		TAL HOU
TCLP	Prep	7470A			307805	11/27/20 07:56	SOT	TAL HOU
TCLP	Analysis	7470A		1	307884	11/30/20 12:21	SOT	TAL HOU
Total/NA	Analysis	1010		1	307846	11/28/20 17:10	ANP	TAL HOU
Total/NA	Analysis	9040B		1	307948	12/02/20 10:59	A1K	TAL HOU

Client Sample ID: Pardue Farms 27-12 Comp IDW — Lab Sample ID: 600-213947-2

Date Collected: 11/19/20 13:04 **Matrix: Solid**
Date Received: 11/20/20 09:13

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030C			307681	11/23/20 14:52		TAL HOU
Total/NA	Analysis	8260C		1	307642	11/23/20 15:21	WS1	TAL HOU
Total/NA	Prep	5030A			462898	11/25/20 18:59	MBB	TAL CAN
Total/NA	Analysis	8015B		1	462906	11/26/20 15:03	MBB	TAL CAN
Total/NA	Prep	3546			307905	12/01/20 08:29		TAL HOU
Total/NA	Analysis	8015D		1	307871	12/02/20 14:47	RJV	TAL HOU
TCLP	Leach	1311			307752	11/24/20 17:00		TAL HOU
TCLP	Prep	3010A			307800	11/27/20 06:00	KP1	TAL HOU
TCLP	Analysis	6010B		1	307831	11/27/20 14:02	KP1	TAL HOU
TCLP	Leach	1311			307752	11/24/20 17:00		TAL HOU
TCLP	Prep	7470A			307805	11/27/20 07:56	SOT	TAL HOU
TCLP	Analysis	7470A		1	307884	11/30/20 12:39	SOT	TAL HOU
Total/NA	Analysis	9045C		1	307886	11/30/20 13:15	A1K	TAL HOU
Total/NA	Analysis	D92		1	181536	12/21/20 16:00	LDK	TAL CC

Client Sample ID: MW-6-WD-201119 — Lab Sample ID: 600-213947-3

Date Collected: 11/19/20 00:00 **Matrix: Water**
Date Received: 11/20/20 09:13

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	307717	11/24/20 22:55	KLV	TAL HOU
Total/NA	Analysis	8015B		1	463065	11/28/20 00:18	MBB	TAL CAN
Total/NA	Prep	3510C			307723	11/24/20 13:21	MRA	TAL HOU
Total/NA	Analysis	8015D		1	307710	11/25/20 10:05	RJV	TAL HOU
Total/NA	Analysis	2540 C-1997		1	307785	11/25/20 14:26	KRD	TAL HOU
Total/NA	Analysis	300.0		1000	180838	11/28/20 00:44	JEM	TAL CC

Lab Chronicle

Client: ARCADIS U.S., Inc. Job ID: 600-213947-1
Project/Site: Chevron Pardue Farms 27-12

Client Sample ID: MW-2-W-201119 Lab Sample ID: 600-213947-4

Date Collected: 11/19/20 12:20 **Matrix: Water**
Date Received: 11/20/20 09:13

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	307717	11/24/20 23:19	KLV	TAL HOU
Total/NA	Analysis	8015B		1	463065	11/28/20 00:56	MBB	TAL CAN
Total/NA	Prep	3510C			307723	11/24/20 13:21	MRA	TAL HOU
Total/NA	Analysis	8015D		1	307710	11/25/20 10:37	RJV	TAL HOU
Total/NA	Analysis	2540 C-1997		1	307784	11/25/20 14:24	KRD	TAL HOU
Total/NA	Analysis	300.0		1000	180838	11/27/20 23:36	JEM	TAL CC

Client Sample ID: MW-1-W-201119 Lab Sample ID: 600-213947-5

Date Collected: 11/19/20 11:09 **Matrix: Water**
Date Received: 11/20/20 09:13

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	307717	11/24/20 23:42	KLV	TAL HOU
Total/NA	Analysis	8015B		1	463065	11/28/20 01:35	MBB	TAL CAN
Total/NA	Prep	3510C			307723	11/24/20 13:21	MRA	TAL HOU
Total/NA	Analysis	8015D		1	307710	11/25/20 11:10	RJV	TAL HOU
Total/NA	Analysis	2540 C-1997		1	307785	11/25/20 14:26	KRD	TAL HOU
Total/NA	Analysis	300.0		1000	180838	11/28/20 00:10	JEM	TAL CC

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

TAL CC = Eurofins TestAmerica, Corpus Christi, 1733 N. Padre Island Drive, Corpus Christi, TX 78408, TEL (361)289-2673

TAL HOU = Eurofins TestAmerica, Houston, 6310 Rothway Street, Houston, TX 77040, TEL (713)690-4444

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc.
Job ID: 600-213947-1
Project/Site: Chevron Pardue Farms 27-12

Laboratory: Eurofins TestAmerica, Houston

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704223-20-28	11-01-21

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015D	3510C	Water	Oil Range Organics (C28-C35)
8015D	3546	Solid	Oil Range Organics (C28-C35)

Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-21
Connecticut	State	PH-0590	12-31-21
Florida	NELAP	E87225	06-30-21
Georgia	State	4062	02-23-21
Illinois	NELAP	004498	07-31-21
Iowa	State	421	06-01-21
Kansas	NELAP	E-10336	04-30-21
Kentucky (UST)	State	112225	02-23-21
Kentucky (WW)	State	KY98016	12-31-20
Minnesota	NELAP	OH00048	12-31-20
Minnesota (Petrofund)	State	3506	08-01-21
New Jersey	NELAP	OH001	06-30-21
New York	NELAP	10975	03-31-21
Ohio VAP	State	CL0024	06-05-21
Oregon	NELAP	4062	02-24-21
Pennsylvania	NELAP	68-00340	08-31-21
Texas	NELAP	T104704517-18-10	08-31-21
USDA	US Federal Programs	P330-18-00281	09-17-21
Virginia	NELAP	010101	09-14-21
Washington	State	C971	01-12-21
West Virginia DEP	State	210	12-31-20

Laboratory: Eurofins TestAmerica, Corpus Christi

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Louisiana	NELAP	05094	06-30-21
Oklahoma	State	2020-006	08-31-21
Texas	NELAP	T104704210-19-23	03-31-21
USDA	US Federal Programs	P330-18-00314	10-31-21

Released to Imaging: 12/19/2024 2:22:50 PM
Received by OCD: 10/23/2024 11:44:05 AM

Eurofins TestAmerica, Houston
6310 Rothway Street
Houston, TX 77040
Phone (713) 690-4444 Fax (713) 690-5646

Chain of Custody Record

eurofins | Environment Testing America

Client Information	Sampler: J. Stemmans	Lab PM: Kudchadkar, Sachin G	Carrier Tracking No(s):	COC No: 600-79929-21574.2
Client Contact: Ryan Nanny	Phone: 619 851 8792	E-Mail: Sachin.Kudchadkar@Eurofinset.com		Page: Page 2 of 2 — 1 of 1
Company: ARCADIS U.S., Inc.				Job #:
Address: 1004 North Big Spring Suite 121	Due Date Requested: —			
City: Midland	TAT Requested (days): Std			
State, Zip: TX, 79701				
Phone: 432-684-5400(Tel) 432-687-5401(Fax)	PO #: Purchase Order Requested			
Email: ryan.nanny@arcadis.com	WO #			
Project Name: Chevron Pardue Farms 27-12	Project #: 60012812			
Site: Pardue Farms	SSOW#:			

Analysis Requested

Preservation Codes:

A - HCL	M - Hexane
B - NaOH	N - None
C - Zn Acetate	O - AsNaO2
D - Nitric Acid	P - Na2O4S
E - NaHSO4	Q - Na2SO3
F - MeOH	R - Na2S2O3
G - Amchlor	S - H2SO4
H - Ascorbic Acid	T - TSP Dodecahydrate
I - Ice	U - Acetone
J - DI Water	V - MCAA
K - EDTA	W - pH 4-5
L - EDA	Z - other (specify)

Other:

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	8260C - BETX Only	8015D_GRO - Gasoline Range Organics	8015D_DRO /MRO	2540C_Calcd, TDS	1010, Ignitability	9040B - Corrosivity	300- Chloride	1311/6010B/7470- TCLP RCRA metals	moisture	BTEX 8021B	TPH, GRO, DRO, ORO 8015M		Total Number of containers	Special Instructions/Note:
			Preservation Code:																	
Pardue Farms 27-12 Purge Water	11/19/20	1314	G&C	Solid			1	1	1		1	1		1					9	Water IDW
Pardue Farms 27-12 Comp IDW	11/19/20	1304	C	Solid			1	1	1		1	1		1					2	Soil IDW
MW-6-WD-201119	11/19/20	—	G	Solid						1			1		1	1	1		9	
MW-2-W-201119	11/19/20	1220	G	Solid						1			1		1	1	1		9	
MW-1-W-201119	11/19/20	1109	G	Solid						1			1		1	1	1		9	
Temp Blank	—	—	—	—																
	11/19/20																			

600-213947 Chain of Custody

Possible Hazard Identification
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months

Deliverable Requested: I, II, III, IV, Other (specify)

Special Instructions/QC Requirements:

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:

	Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
1		11/19/20 1600	Arcadis		11/20/20 9:13	EDA
2	Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
3	Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company

Custody Seals Intact: Δ Yes Δ No	Custody Seal No.:	Cooler Temperature(s) °C and Other Remarks:

All "MW" samples should end w/ "201119"

Ver: 01/16/2019

'20 NOV 20 9:13

Loc: 600
213947

eurofins | Environment Testing TestAmerica

Eurofins TestAmerica Houston

Sample Receipt Checklist

Date/Time Received: 11/20/20 9:13

JOB NUMBER: _____ CLIENT: Accadis

UNPACKED BY: TO CARRIER/DRIVER: FedEx

Custody Seal Present: ☒YES ☐NO Number of Coolers Received:

Cooler ID	Temp Blank	Trip Blank	Observed Temp (°C)	Therm ID	Therm CF	Corrected Temp (°C)
8587	(Y) / N	Y / (N)	2.6	681	+0.1	2.7
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N		TO	11/20/20	
	Y / N	Y / N				

CF = correction factor

Samples received on ice? ☒YES ☐NO

LABORATORY PRESERVATION OF SAMPLES REQUIRED: ☒NO ☐YES

Base samples are>pH 12: ☐YES ☐NO Acid preserved are<pH 2: ☐YES ☐NO

TX1005 samples frozen upon receipt: ☐ YES DATE & TIME PUT IN FREEZER: _____

pH paper Lot #_____ VOA headspace acceptable (5-6mm): ☒YES ☐NO ☐NA

Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?	☒YES	☐ NO

COMMENTS:

TO 11/20/20

HS-SA-WI-013 Rev. 4A; 08/26/2019

Released to Imaging: 12/19/2024 2:22:50 PM
Received by OCD: 10/23/2024 11:44:05 AM

Eurofins TestAmerica, Houston
6310 Rothway Street
Houston, TX 77040
Phone: 713-690-4444 Fax: 713-690-5646

Chain of Custody Record

eurofins | Environment Testing America

Client Information (Sub Contract Lab)	Sampler:	Lab PM: Kudchadkar, Sachin G	Carrier Tracking No(s):	COC No: 600-47873.1
Client Contact: Shipping/Receiving	Phone:	E-Mail: Sachin.Kudchadkar@Eurofinset.com	State of Origin: Texas	Page: Page 1 of 1
Company: TestAmerica Laboratories, Inc.		Accreditations Required (See note): NELAP - Texas		Job #: 600-213947-1
Address: 4101 Shuffel Street NW,	Due Date Requested: 12/4/2020			
City: North Canton	TAT Requested (days):			
State, Zip: OH, 44720				
Phone: 330-497-9396(Tel) 330-497-0772(Fax)	PO #:			
Email:	WO #:			
Project Name: Chevron Pardue Farms 27-12	Project #: 60012812			
Site:	SSOW#:			

Preservation Codes:

A - HCL	M - Hexane
B - NaOH	N - None
C - Zn Acetate	O - AsNaO2
D - Nitric Acid	P - Na2O4S
E - NaHSO4	Q - Na2SO3
F - MeOH	R - Na2S2O3
G - Amchlor	S - H2SO4
H - Ascorbic Acid	T - TSP Dodecahydrate
I - Ice	U - Acetone
J - DI Water	V - MCAA
K - EDTA	W - pH 4-5
L - EDA	Z - other (specify)

Other:

GC

Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	8015B_GRO/5030B Gasoline Range Organics [C6-C10]	8015B_GRO/5030B_SolidNAC Gasoline Range Organics [C6-C10]	Total Number of containers	Special Instructions/Note:
			Preservation Code:							
Pardue Farms 27-12 Purge Water (600-213947-1)	11/19/20	13:14 Central		Water			X		3	
Pardue Farms 27-12 Comp IDW (600-213947-2)	11/19/20	13:04 Central		Solid				X	1	
MW-6-WD-201119 (600-213947-3)	11/19/20	Central		Water			X		2	
MW-2-W-201119 (600-213947-4)	11/19/20	12:20 Central		Water			X		2	
MW-1-W-201119 (600-213947-5)	11/19/20	11:09 Central		Water			X		2	

Note: Since laboratory accreditations are subject to change, Eurofins TestAmerica places the ownership of method, analyte & accreditation compliance upon out subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/tests/matrix being analyzed, the samples must be shipped back to the Eurofins TestAmerica laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins TestAmerica attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said complicance to Eurofins TestAmerica.

Possible Hazard Identification	Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
Unconfirmed	☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months
Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 2	Special Instructions/QC Requirements:

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:

	Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
1		11/12-1120 17:00	ET1	Adam Jones	11-25-20 1030	ET1
2	Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
3	Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company

Custody Seals Intact: Δ Yes Δ No	Custody Seal No.:	Cooler Temperature(s) °C and Other Remarks:

Ver: 11/01/2020

Eurofins TestAmerica Canton Sample Receipt Form/Narrative **Login # :** _____
Canton Facility

Client TA Houston Site Name _____ Cooler unpacked by:
Cooler Received on 11-25-20 Opened on 11-25-20
FedEx: 1st Grd (Exp) UPS FAS Clipper Client Drop Off TestAmerica Courier Other
Receipt After-hours: Drop-off Date/Time Storage Location

TestAmerica Cooler # TA Foam Box Client Cooler Box Other _____
Packing material used: Bubble Wrap Foam Plastic Bag None Other _____
COOLANT: (Wet Ice) Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt ☐ See Multiple Cooler Form
IR GUN# IR-11 (CF +0.9 °C) Observed Cooler Temp. 0.9 °C Corrected Cooler Temp. 1.8 °C
IR GUN #IR-12 (CF +0.5°C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1	(Yes)	No
-Were the seals on the outside of the cooler(s) signed & dated?	(Yes)	No NA
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?	Yes	(No)
-Were tamper/custody seals intact and uncompromised?	(Yes)	No NA
3. Shippers' packing slip attached to the cooler(s)?	(Yes)	No
4. Did custody papers accompany the sample(s)?	(Yes)	No
5. Were the custody papers relinquished & signed in the appropriate place?	(Yes)	No
6. Was/were the person(s) who collected the samples clearly identified on the COC?	Yes	(No)
7. Did all bottles arrive in good condition (Unbroken)?	(Yes)	No
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC?	(Yes)	No
9. For each sample, does the COC specify preservatives (Y(N), # of containers (Y)N), and sample type of grab/comp(Y/(N))?		
10. Were correct bottle(s) used for the test(s) indicated?	(Yes)	No
11. Sufficient quantity received to perform indicated analyses?	(Yes)	No
12. Are these work share samples and all listed on the COC?	(Yes)	No
If yes, Questions 13-17 have been checked at the originating laboratory.		
13. Were all preserved sample(s) at the correct pH upon receipt?	Yes	No NA pH Strip Lot# HC907861
14. Were VOAs on the COC?	Yes	No
15. Were air bubbles >6 mm in any VOA vials? ● ⬅ Larger than this.	Yes	No NA
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____	Yes	No
17. Was a LL Hg or Me Hg trip blank present? _____	Yes	No

Tests that are not checked for pH by Receiving:
VOAs
Oil and Grease
TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other

Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES ☐ additional next page | Samples processed by:

19. SAMPLE CONDITION
Sample(s) _____ were received after the recommended holding time had expired.
Sample(s) _____ were received in a broken container.
Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION
Sample(s) _____ were further preserved in the laboratory.
Time preserved: _____ Preservative(s) added/Lot number(s): _____

VOA Sample Preservation - Date/Time VOAs Frozen: _____

WI-NC-099

Released to Imaging: 12/19/2024 2:22:50 PM
Received by OCD: 10/23/2024 11:44:05 AM

Eurofins TestAmerica, Houston
6310 Rothway Street
Houston, TX 77040
Phone: 713-690-4444 Fax: 713-690-5646

Chain of Custody Record

eurofins | Environment Testing America

Client Information (Sub Contract Lab)	Sampler:	Lab PM: Kudchadkar, Sachin G	Carrier Tracking No(s):	COC No: 600-47878.1
Client Contact: Shipping/Receiving	Phone:	E-Mail: Sachin.Kudchadkar@Eurofinset.com	State of Origin: Texas	Page: Page 1 of 1
Company: TestAmerica Laboratories, Inc.		Accreditations Required (See note): NELAP - Texas		Job #: 600-213947-1
Address: 1733 N. Padre Island Drive, ,	Due Date Requested: 12/4/2020			
City: Corpus Christi	TAT Requested (days):			
State, Zip: TX, 78408				
Phone: 361-289-2673(Tel) 361-289-2471(Fax)	PO #:			
Email:	WO #:			
Project Name: Chevron Pardue Farms 27-12	Project #: 60012812			
Site:	SSOW#:			

Analysis Requested

Preservation Codes:

A - HCL	M - Hexane
B - NaOH	N - None
C - Zn Acetate	O - AsNaO2
D - Nitric Acid	P - Na2O4S
E - NaHSO4	Q - Na2SO3
F - MeOH	R - Na2S2O3
G - Amchlor	S - H2SO4
H - Ascorbic Acid	T - TSP Dodecahydrate
I - Ice	U - Acetone
J - DI Water	V - MCAA
K - EDTA	W - pH 4-5
L - EDA	Z - other (specify)

Other:

Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	300	Total Number of containers	Special Instructions/Note:
			Preservation Code:						
MW-6-WD-201119 (600-213947-3)	11/19/20	Central		Water			X	1	
MW-2-W-201119 (600-213947-4)	11/19/20	12:20 Central		Water			X	1	
MW-1-W-201119 (600-213947-5)	11/19/20	11:09 Central		Water			X	1	

Note: Since laboratory accreditations are subject to change, Eurofins TestAmerica places the ownership of method, analyte & accreditation compliance upon out subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/tests/matrix being analyzed, the samples must be shipped back to the Eurofins TestAmerica laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins TestAmerica attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said complicance to Eurofins TestAmerica.

Possible Hazard Identification	Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
Unconfirmed	☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months
Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 2	Special Instructions/QC Requirements:

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:

	Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
1	[signature]	11/24/20 1700	ETA	[signature] Jenna Cooper	11/25/20 1030	
2	Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
3	Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company

Custody Seals Intact: Δ Yes Δ No	Custody Seal No.:	Cooler Temperature(s) °C and Other Remarks: -2.4 IR-10 -1.3 CP

Ver: 11/01/2020

Login Sample Receipt Checklist

Client: ARCADIS U.S., Inc. Job Number: 600-213947-1

Login Number: 213947 **List Source: Eurofins TestAmerica, Houston**
List Number: 1
Creator: Olson, Troy 1

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	Lab does not accept radioactive samples.
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	2.6
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	Check done at department level as required.

Login Sample Receipt Checklist

Client: ARCADIS U.S., Inc. Job Number: 600-213947-1

Login Number: 213947 **List Source: Eurofins TestAmerica, Corpus Christi**
List Number: 2 **List Creation: 11/25/20 11:33 AM**
Creator: Sanchez, Allyse A

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	Check done at department level as required.

Login Sample Receipt Checklist

Client: ARCADIS U.S., Inc. Job Number: 600-213947-1

Login Number: 213947 **List Source: Eurofins TestAmerica, Corpus Christi**
List Number: 4 **List Creation: 12/16/20 01:00 PM**
Creator: Cooper, Jenna L

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.		
The cooler's custody seal, if present, is intact.		
Sample custody seals, if present, are intact.		
The cooler or samples do not appear to have been compromised or tampered with.		
Samples were received on ice.		
Cooler Temperature is acceptable.		
Cooler Temperature is recorded.		
COC is present.		
COC is filled out in ink and legible.		
COC is filled out with all pertinent information.		
Is the Field Sampler's name present on COC?		
There are no discrepancies between the containers received and the COC.		
Samples are received within Holding Time (excluding tests with immediate HTs)		
Sample containers have legible labels.		
Containers are not broken or leaking.		
Sample collection date/times are provided.		
Appropriate sample containers are used.		
Sample bottles are completely filled.		
Sample Preservation Verified.		
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs		
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").		
Multiphasic samples are not present.		
Samples do not require splitting or compositing.		
Residual Chlorine Checked.		

eurofins | Environment Testing America



ANALYTICAL REPORT

Eurofins TestAmerica, Houston
6310 Rothway Street
Houston, TX 77040
Tel: (713)690-4444

Laboratory Job ID: 600-213950-1
Client Project/Site: Chevron Pardue Farms 11/19/20

For:
ARCADIS U.S., Inc.
1004 North Big Spring
Suite 121
Midland, Texas 79701

Attn: Ryan Nanny

Authorized for release by:
12/7/2020 10:26:06 AM

Sachin Kudchadkar, Senior Project Manager
(713)690-4444
Sachin.Kudchadkar@Eurofinset.com

LINKS

Review your project results through TotalAccess

Have a Question? Ask The Expert

Visit us at: www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Client: ARCADIS U.S., Inc.
Project/Site: Chevron Pardue Farms 11/19/20

Laboratory Job ID: 600-213950-1

Table of Contents

Cover Page 1
Table of Contents 2
Method Summary 3
Sample Summary 4
Client Sample Results 5
Definitions/Glossary 8
Surrogate Summary 9
QC Sample Results 10
Default Detection Limits 14
QC Association Summary 15
Lab Chronicle 17
Certification Summary 19
Chain of Custody 20
Receipt Checklists 25

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Chevron Pardue Farms 11/19/20

Job ID: 600-213950-1

Method	Method Description	Protocol	Laboratory
8260C	Volatile Organic Compounds by GC/MS	SW846	TAL HOU
8015B	Gasoline Range Organics - (GC)	SW846	TAL CAN
8015D	Diesel Range Organics (DRO) (GC)	SW846	TAL HOU
2540 C-1997	Total Dissolved Solids (Dried at 180 °C)	SM	TAL HOU
300.0	Anions, Ion Chromatography	MCAWW	TAL CC
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	TAL HOU
5030B	Purge and Trap	SW846	TAL CAN
5030C	Purge and Trap	SW846	TAL HOU

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

TAL CC = Eurofins TestAmerica, Corpus Christi, 1733 N. Padre Island Drive, Corpus Christi, TX 78408, TEL (361)289-2673

TAL HOU = Eurofins TestAmerica, Houston, 6310 Rothway Street, Houston, TX 77040, TEL (713)690-4444

Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Chevron Pardue Farms 11/19/20

Job ID: 600-213950-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
600-213950-1	MW-6-W-201119	Water	11/19/20 09:45	11/20/20 09:13	
600-213950-2	MW-6-WF-201119	Water	11/19/20 07:10	11/20/20 09:13	
600-213950-3	MW-6-WE-201119	Water	11/19/20 07:20	11/20/20 09:13	
600-213950-4	MW-3-W-201119	Water	11/19/20 08:25	11/20/20 09:13	

Client Sample Results

Client: ARCADIS U.S., Inc.
Job ID: 600-213950-1
Project/Site: Chevron Pardue Farms 11/19/20

Client Sample ID: MW-6-W-201119
Lab Sample ID: 600-213950-1
Date Collected: 11/19/20 09:45
Matrix: Water
Date Received: 11/20/20 09:13

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.560	U	5.00	0.560	ug/L			11/25/20 19:10	1
Ethylbenzene	1.29	U	5.00	1.29	ug/L			11/25/20 19:10	1
Toluene	0.550	U	5.00	0.550	ug/L			11/25/20 19:10	1
Xylenes, Total	1.98	U	5.00	1.98	ug/L			11/25/20 19:10	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*98*		*50 - 134*		*11/25/20 19:10*	*1*
4-Bromofluorobenzene	*103*		*67 - 139*		*11/25/20 19:10*	*1*
Dibromofluoromethane	*109*		*62 - 130*		*11/25/20 19:10*	*1*
Toluene-d8 (Surr)	*99*		*70 - 130*		*11/25/20 19:10*	*1*

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	49.2	U	100	49.2	ug/L			11/28/20 02:14	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Trifluorotoluene (Surr)	*96*		*63 - 125*		*11/28/20 02:14*	*1*

Method: 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	**0.0914**	**J**	0.250	0.0450	mg/L		11/24/20 13:21	11/27/20 08:01	1
C28-C36	**0.293**		0.250	0.150	mg/L		11/24/20 13:21	11/27/20 08:01	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o-Terphenyl	*84*		*60 - 140*	*11/24/20 13:21*	*11/27/20 08:01*	*1*

General Chemistry

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	**18800**		200	200	mg/L			11/25/20 14:24	1
Chloride	**10800**		1000	192	mg/L			11/27/20 23:02	1000

Client Sample ID: MW-6-WF-201119
Lab Sample ID: 600-213950-2
Date Collected: 11/19/20 07:10
Matrix: Water
Date Received: 11/20/20 09:13

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.560	U	5.00	0.560	ug/L			11/25/20 19:35	1
Ethylbenzene	1.29	U	5.00	1.29	ug/L			11/25/20 19:35	1
Toluene	0.550	U	5.00	0.550	ug/L			11/25/20 19:35	1
Xylenes, Total	1.98	U	5.00	1.98	ug/L			11/25/20 19:35	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*96*		*50 - 134*		*11/25/20 19:35*	*1*
4-Bromofluorobenzene	*98*		*67 - 139*		*11/25/20 19:35*	*1*
Dibromofluoromethane	*101*		*62 - 130*		*11/25/20 19:35*	*1*
Toluene-d8 (Surr)	*98*		*70 - 130*		*11/25/20 19:35*	*1*

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	49.2	U	100	49.2	ug/L			11/28/20 02:52	1

Client Sample Results

Client: ARCADIS U.S., Inc. Job ID: 600-213950-1
Project/Site: Chevron Pardue Farms 11/19/20

Client Sample ID: MW-6-WF-201119 Lab Sample ID: 600-213950-2

Date Collected: 11/19/20 07:10 **Matrix: Water**
Date Received: 11/20/20 09:13

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Trifluorotoluene (Surr)	*88*		*63 - 125*		*11/28/20 02:52*	*1*

Method: 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.0450	U	0.250	0.0450	mg/L		11/24/20 13:21	11/25/20 21:00	1
C28-C36	**0.218**	**J**	0.250	0.150	mg/L		11/24/20 13:21	11/25/20 21:00	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o-Terphenyl	*107*		*60 - 140*	*11/24/20 13:21*	*11/25/20 21:00*	*1*

General Chemistry

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	10.0	U	10.0	10.0	mg/L			11/25/20 14:24	1
Chloride	1.92	U	10.0	1.92	mg/L			11/27/20 22:29	10

Client Sample ID: MW-6-WE-201119 Lab Sample ID: 600-213950-3

Date Collected: 11/19/20 07:20 **Matrix: Water**
Date Received: 11/20/20 09:13

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.560	U	5.00	0.560	ug/L			11/25/20 19:59	1
Ethylbenzene	1.29	U	5.00	1.29	ug/L			11/25/20 19:59	1
Toluene	0.550	U	5.00	0.550	ug/L			11/25/20 19:59	1
Xylenes, Total	1.98	U	5.00	1.98	ug/L			11/25/20 19:59	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*104*		*50 - 134*		*11/25/20 19:59*	*1*
4-Bromofluorobenzene	*104*		*67 - 139*		*11/25/20 19:59*	*1*
Dibromofluoromethane	*113*		*62 - 130*		*11/25/20 19:59*	*1*
Toluene-d8 (Surr)	*106*		*70 - 130*		*11/25/20 19:59*	*1*

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	49.2	U	100	49.2	ug/L			11/28/20 03:31	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Trifluorotoluene (Surr)	*90*		*63 - 125*		*11/28/20 03:31*	*1*

Method: 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	**0.101**	**J**	0.250	0.0450	mg/L		11/24/20 13:21	11/27/20 08:34	1
C28-C36	**0.302**		0.250	0.150	mg/L		11/24/20 13:21	11/27/20 08:34	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o-Terphenyl	*109*		*60 - 140*	*11/24/20 13:21*	*11/27/20 08:34*	*1*

General Chemistry

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	10.0	U	10.0	10.0	mg/L			11/25/20 14:24	1
Chloride	1.92	U	10.0	1.92	mg/L			11/27/20 21:55	10

Client Sample Results

Client: ARCADIS U.S., Inc.
Job ID: 600-213950-1
Project/Site: Chevron Pardue Farms 11/19/20

Client Sample ID: MW-3-W-201119
Lab Sample ID: 600-213950-4
Date Collected: 11/19/20 08:25
Matrix: Water
Date Received: 11/20/20 09:13

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.560	U	5.00	0.560	ug/L			11/25/20 20:23	1
Ethylbenzene	1.29	U	5.00	1.29	ug/L			11/25/20 20:23	1
Toluene	0.550	U	5.00	0.550	ug/L			11/25/20 20:23	1
Xylenes, Total	1.98	U	5.00	1.98	ug/L			11/25/20 20:23	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*91*		*50 - 134*		*11/25/20 20:23*	*1*
4-Bromofluorobenzene	*92*		*67 - 139*		*11/25/20 20:23*	*1*
Dibromofluoromethane	*95*		*62 - 130*		*11/25/20 20:23*	*1*
Toluene-d8 (Surr)	*91*		*70 - 130*		*11/25/20 20:23*	*1*

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	49.2	U	100	49.2	ug/L			11/28/20 04:10	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Trifluorotoluene (Surr)	*87*		*63 - 125*		*11/28/20 04:10*	*1*

Method: 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.0450	U	0.250	0.0450	mg/L		11/24/20 13:21	11/25/20 22:05	1
C28-C36	**0.256**		0.250	0.150	mg/L		11/24/20 13:21	11/25/20 22:05	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o-Terphenyl	*115*		*60 - 140*	*11/24/20 13:21*	*11/25/20 22:05*	*1*

General Chemistry

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	**14100**		200	200	mg/L			11/25/20 14:26	1
Chloride	**6680**		1000	192	mg/L			12/02/20 07:50	1000

Definitions/Glossary

Client: ARCADIS U.S., Inc. Job ID: 600-213950-1
Project/Site: Chevron Pardue Farms 11/19/20

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

GC VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

General Chemistry

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Chevron Pardue Farms 11/19/20

Job ID: 600-213950-1

Method: 8260C - Volatile Organic Compounds by GC/MS

Matrix: Water **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)			
		DCA	BFB	DBFM	TOL
Lab Sample ID	Client Sample ID	(50-134)	(67-139)	(62-130)	(70-130)
600-213950-1	MW-6-W-201119	98	103	109	99
600-213950-2	MW-6-WF-201119	96	98	101	98
600-213950-3	MW-6-WE-201119	104	104	113	106
600-213950-4	MW-3-W-201119	91	92	95	91
LCS 600-307771/10	Lab Control Sample	97	110	107	97
LCSD 600-307771/11	Lab Control Sample Dup	92	101	101	93
MB 600-307771/15	Method Blank	97	97	103	100

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene
DBFM = Dibromofluoromethane
TOL = Toluene-d8 (Surr)

Method: 8015B - Gasoline Range Organics - (GC)

Matrix: Water **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)
		TFT1
Lab Sample ID	Client Sample ID	(63-125)
600-213950-1	MW-6-W-201119	96
600-213950-2	MW-6-WF-201119	88
600-213950-3	MW-6-WE-201119	90
600-213950-4	MW-3-W-201119	87
LCS 240-463064/5	Lab Control Sample	98
LCS 240-463065/5	Lab Control Sample	98
MB 240-463064/4	Method Blank	88
MB 240-463065/4	Method Blank	88

Surrogate Legend

TFT = Trifluorotoluene (Surr)

Method: 8015D - Diesel Range Organics (DRO) (GC)

Matrix: Water **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)
		OTPH
Lab Sample ID	Client Sample ID	(60-140)
600-213950-1	MW-6-W-201119	84
600-213950-2	MW-6-WF-201119	107
600-213950-3	MW-6-WE-201119	109
600-213950-4	MW-3-W-201119	115
LCS 600-307723/2-A	Lab Control Sample	77
LCSD 600-307723/3-A	Lab Control Sample Dup	76
MB 600-307723/1-A	Method Blank	93

Surrogate Legend

OTPH = o-Terphenyl

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Chevron Pardue Farms 11/19/20

Job ID: 600-213950-1

Method: 8260C - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 600-307771/15
Matrix: Water
Analysis Batch: 307771

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.560	U	5.00	0.560	ug/L			11/25/20 17:34	1
Ethylbenzene	1.29	U	5.00	1.29	ug/L			11/25/20 17:34	1
Toluene	0.550	U	5.00	0.550	ug/L			11/25/20 17:34	1
Xylenes, Total	1.98	U	5.00	1.98	ug/L			11/25/20 17:34	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*97*		*50 - 134*		*11/25/20 17:34*	*1*
4-Bromofluorobenzene	*97*		*67 - 139*		*11/25/20 17:34*	*1*
Dibromofluoromethane	*103*		*62 - 130*		*11/25/20 17:34*	*1*
Toluene-d8 (Surr)	*100*		*70 - 130*		*11/25/20 17:34*	*1*

Lab Sample ID: LCS 600-307771/10
Matrix: Water
Analysis Batch: 307771

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
Benzene			50.0	47.80		ug/L		96	70 - 131		
Ethylbenzene			50.0	50.11		ug/L		100	70 - 130		
Toluene			50.0	49.94		ug/L		100	70 - 130		
Xylenes, Total			100	101.0		ug/L		101	70 - 130		
m-Xylene & p-Xylene			50.0	52.22		ug/L		104	70 - 130		
o-Xylene			50.0	48.78		ug/L		98	69 - 130		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*97*		*50 - 134*
4-Bromofluorobenzene	*110*		*67 - 139*
Dibromofluoromethane	*107*		*62 - 130*
Toluene-d8 (Surr)	*97*		*70 - 130*

Lab Sample ID: LCSD 600-307771/11
Matrix: Water
Analysis Batch: 307771

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene			50.0	46.35		ug/L		93	70 - 131	3	20
Ethylbenzene			50.0	48.78		ug/L		98	70 - 130	3	20
Toluene			50.0	49.20		ug/L		98	70 - 130	1	20
Xylenes, Total			100	98.53		ug/L		99	70 - 130	2	20
m-Xylene & p-Xylene			50.0	50.56		ug/L		101	70 - 130	3	20
o-Xylene			50.0	47.97		ug/L		96	69 - 130	2	20

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*92*		*50 - 134*
4-Bromofluorobenzene	*101*		*67 - 139*
Dibromofluoromethane	*101*		*62 - 130*
Toluene-d8 (Surr)	*93*		*70 - 130*

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Chevron Pardue Farms 11/19/20

Job ID: 600-213950-1

Method: 8015B - Gasoline Range Organics - (GC)

Lab Sample ID: MB 240-463064/4
Matrix: Water
Analysis Batch: 463064

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	49.2	U	100	49.2	ug/L			11/27/20 16:34	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Trifluorotoluene (Surr)	*88*		*63 - 125*		*11/27/20 16:34*	*1*

Lab Sample ID: LCS 240-463064/5
Matrix: Water
Analysis Batch: 463064

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
Gasoline Range Organics [C6 - C10]			800	838.2		ug/L		105	77 - 120		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
Trifluorotoluene (Surr)	*98*		*63 - 125*

Lab Sample ID: MB 240-463065/4
Matrix: Water
Analysis Batch: 463065

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	49.2	U	100	49.2	ug/L			11/27/20 16:34	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Trifluorotoluene (Surr)	*88*		*63 - 125*		*11/27/20 16:34*	*1*

Lab Sample ID: LCS 240-463065/5
Matrix: Water
Analysis Batch: 463065

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
Gasoline Range Organics [C6 - C10]			800	838.2		ug/L		105	77 - 120		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
Trifluorotoluene (Surr)	*98*		*63 - 125*

Method: 8015D - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 600-307723/1-A
Matrix: Water
Analysis Batch: 307766

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 307723

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	0.0450	U	0.250	0.0450	mg/L		11/24/20 13:20	11/25/20 18:50	1
C28-C36	0.150	U	0.250	0.150	mg/L		11/24/20 13:20	11/25/20 18:50	1

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Chevron Pardue Farms 11/19/20

Job ID: 600-213950-1

Method: 8015D - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: MB 600-307723/1-A
Matrix: Water
Analysis Batch: 307766

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 307723

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	93		60 - 140	11/24/20 13:20	11/25/20 18:50	1

Lab Sample ID: LCS 600-307723/2-A
Matrix: Water
Analysis Batch: 307766

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 307723

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Diesel Range Organics [C10-C28]	1.00	0.9831		mg/L		98	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
o-Terphenyl	77		60 - 140

Lab Sample ID: LCSD 600-307723/3-A
Matrix: Water
Analysis Batch: 307766

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 307723

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Diesel Range Organics [C10-C28]	1.00	1.001		mg/L		100	70 - 130	2	30

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
o-Terphenyl	76		60 - 140

Method: 2540 C-1997 - Total Dissolved Solids (Dried at 180 °C)

Lab Sample ID: MB 600-307784/1
Matrix: Water
Analysis Batch: 307784

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	10.0	U	10.0	10.0	mg/L			11/25/20 14:24	1

Lab Sample ID: LCS 600-307784/2
Matrix: Water
Analysis Batch: 307784

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Dissolved Solids	1800	1803		mg/L		100	90 - 110

Lab Sample ID: MB 600-307785/1
Matrix: Water
Analysis Batch: 307785

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	10.0	U	10.0	10.0	mg/L			11/25/20 14:26	1

QC Sample Results

Client: ARCADIS U.S., Inc. Job ID: 600-213950-1
Project/Site: Chevron Pardue Farms 11/19/20

Method: 2540 C-1997 - Total Dissolved Solids (Dried at 180 °C) (Continued)

Lab Sample ID: LCS 600-307785/2 **Client Sample ID: Lab Control Sample**
Matrix: Water **Prep Type: Total/NA**
Analysis Batch: 307785

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
Total Dissolved Solids			1800	1702		mg/L		95	90 - 110		

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 560-180838/3 **Client Sample ID: Method Blank**
Matrix: Water **Prep Type: Total/NA**
Analysis Batch: 180838

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	0.192	U	1.00	0.192	mg/L			11/27/20 12:52	1

Lab Sample ID: LCS 560-180838/4 **Client Sample ID: Lab Control Sample**
Matrix: Water **Prep Type: Total/NA**
Analysis Batch: 180838

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
Chloride			10.0	10.24		mg/L		102	90 - 110		

Lab Sample ID: MB 560-180916/20 **Client Sample ID: Method Blank**
Matrix: Water **Prep Type: Total/NA**
Analysis Batch: 180916

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	0.192	U	1.00	0.192	mg/L			12/01/20 20:31	1

Lab Sample ID: LCS 560-180916/21 **Client Sample ID: Lab Control Sample**
Matrix: Water **Prep Type: Total/NA**
Analysis Batch: 180916

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
Chloride			10.0	10.28		mg/L		103	90 - 110		

Unadjusted Detection Limits

Client: ARCADIS U.S., Inc.
Job ID: 600-213950-1
Project/Site: Chevron Pardue Farms 11/19/20

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	MQL	MDL	Units
Benzene	5.00	0.560	ug/L
Ethylbenzene	5.00	1.29	ug/L
Toluene	5.00	0.550	ug/L
Xylenes, Total	5.00	1.98	ug/L

Method: 8015B - Gasoline Range Organics - (GC)

Analyte	MQL	MDL	Units
Gasoline Range Organics [C6 - C10]	100	49.2	ug/L

Method: 8015D - Diesel Range Organics (DRO) (GC)

Prep: 3510C

Analyte	MQL	MDL	Units
C28-C36	0.250	0.150	mg/L
Diesel Range Organics [C10-C28]	0.250	0.0450	mg/L

General Chemistry

Analyte	MQL	MDL	Units
Total Dissolved Solids	10.0	10.0	mg/L
Chloride	1.00	0.192	mg/L

QC Association Summary

Client: ARCADIS U.S., Inc. Job ID: 600-213950-1
Project/Site: Chevron Pardue Farms 11/19/20

GC/MS VOA

Analysis Batch: 307771

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213950-1	MW-6-W-201119	Total/NA	Water	8260C	
600-213950-2	MW-6-WF-201119	Total/NA	Water	8260C	
600-213950-3	MW-6-WE-201119	Total/NA	Water	8260C	
600-213950-4	MW-3-W-201119	Total/NA	Water	8260C	
MB 600-307771/15	Method Blank	Total/NA	Water	8260C	
LCS 600-307771/10	Lab Control Sample	Total/NA	Water	8260C	
LCSD 600-307771/11	Lab Control Sample Dup	Total/NA	Water	8260C	

GC VOA

Analysis Batch: 463064

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 240-463064/4	Method Blank	Total/NA	Water	8015B	
LCS 240-463064/5	Lab Control Sample	Total/NA	Water	8015B	

Analysis Batch: 463065

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213950-1	MW-6-W-201119	Total/NA	Water	8015B	
600-213950-2	MW-6-WF-201119	Total/NA	Water	8015B	
600-213950-3	MW-6-WE-201119	Total/NA	Water	8015B	
600-213950-4	MW-3-W-201119	Total/NA	Water	8015B	
MB 240-463065/4	Method Blank	Total/NA	Water	8015B	
LCS 240-463065/5	Lab Control Sample	Total/NA	Water	8015B	

GC Semi VOA

Prep Batch: 307723

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213950-1	MW-6-W-201119	Total/NA	Water	3510C	
600-213950-2	MW-6-WF-201119	Total/NA	Water	3510C	
600-213950-3	MW-6-WE-201119	Total/NA	Water	3510C	
600-213950-4	MW-3-W-201119	Total/NA	Water	3510C	
MB 600-307723/1-A	Method Blank	Total/NA	Water	3510C	
LCS 600-307723/2-A	Lab Control Sample	Total/NA	Water	3510C	
LCSD 600-307723/3-A	Lab Control Sample Dup	Total/NA	Water	3510C	

Analysis Batch: 307766

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213950-1	MW-6-W-201119	Total/NA	Water	8015D	307723
600-213950-2	MW-6-WF-201119	Total/NA	Water	8015D	307723
600-213950-3	MW-6-WE-201119	Total/NA	Water	8015D	307723
600-213950-4	MW-3-W-201119	Total/NA	Water	8015D	307723
MB 600-307723/1-A	Method Blank	Total/NA	Water	8015D	307723
LCS 600-307723/2-A	Lab Control Sample	Total/NA	Water	8015D	307723
LCSD 600-307723/3-A	Lab Control Sample Dup	Total/NA	Water	8015D	307723

General Chemistry

Analysis Batch: 180838

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213950-1	MW-6-W-201119	Total/NA	Water	300.0	
600-213950-2	MW-6-WF-201119	Total/NA	Water	300.0	

QC Association Summary

Client: ARCADIS U.S., Inc.
Job ID: 600-213950-1
Project/Site: Chevron Pardue Farms 11/19/20

General Chemistry (Continued)

Analysis Batch: 180838 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213950-3	MW-6-WE-201119	Total/NA	Water	300.0	
MB 560-180838/3	Method Blank	Total/NA	Water	300.0	
LCS 560-180838/4	Lab Control Sample	Total/NA	Water	300.0	

Analysis Batch: 180916

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213950-4	MW-3-W-201119	Total/NA	Water	300.0	
MB 560-180916/20	Method Blank	Total/NA	Water	300.0	
LCS 560-180916/21	Lab Control Sample	Total/NA	Water	300.0	

Analysis Batch: 307784

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213950-1	MW-6-W-201119	Total/NA	Water	2540 C-1997	
600-213950-2	MW-6-WF-201119	Total/NA	Water	2540 C-1997	
600-213950-3	MW-6-WE-201119	Total/NA	Water	2540 C-1997	
MB 600-307784/1	Method Blank	Total/NA	Water	2540 C-1997	
LCS 600-307784/2	Lab Control Sample	Total/NA	Water	2540 C-1997	

Analysis Batch: 307785

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213950-4	MW-3-W-201119	Total/NA	Water	2540 C-1997	
MB 600-307785/1	Method Blank	Total/NA	Water	2540 C-1997	
LCS 600-307785/2	Lab Control Sample	Total/NA	Water	2540 C-1997	

Lab Chronicle

Client: ARCADIS U.S., Inc. Job ID: 600-213950-1
Project/Site: Chevron Pardue Farms 11/19/20

Client Sample ID: MW-6-W-201119 Lab Sample ID: 600-213950-1

Date Collected: 11/19/20 09:45 **Matrix: Water**
Date Received: 11/20/20 09:13

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	307771	11/25/20 19:10	KLV	TAL HOU
Total/NA	Analysis	8015B		1	463065	11/28/20 02:14	MBB	TAL CAN
Total/NA	Prep	3510C			307723	11/24/20 13:21	MRA	TAL HOU
Total/NA	Analysis	8015D		1	307766	11/27/20 08:01	RJV	TAL HOU
Total/NA	Analysis	2540 C-1997		1	307784	11/25/20 14:24	KRD	TAL HOU
Total/NA	Analysis	300.0		1000	180838	11/27/20 23:02	JEM	TAL CC

Client Sample ID: MW-6-WF-201119 Lab Sample ID: 600-213950-2

Date Collected: 11/19/20 07:10 **Matrix: Water**
Date Received: 11/20/20 09:13

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	307771	11/25/20 19:35	KLV	TAL HOU
Total/NA	Analysis	8015B		1	463065	11/28/20 02:52	MBB	TAL CAN
Total/NA	Prep	3510C			307723	11/24/20 13:21	MRA	TAL HOU
Total/NA	Analysis	8015D		1	307766	11/25/20 21:00	RJV	TAL HOU
Total/NA	Analysis	2540 C-1997		1	307784	11/25/20 14:24	KRD	TAL HOU
Total/NA	Analysis	300.0		10	180838	11/27/20 22:29	JEM	TAL CC

Client Sample ID: MW-6-WE-201119 Lab Sample ID: 600-213950-3

Date Collected: 11/19/20 07:20 **Matrix: Water**
Date Received: 11/20/20 09:13

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	307771	11/25/20 19:59	KLV	TAL HOU
Total/NA	Analysis	8015B		1	463065	11/28/20 03:31	MBB	TAL CAN
Total/NA	Prep	3510C			307723	11/24/20 13:21	MRA	TAL HOU
Total/NA	Analysis	8015D		1	307766	11/27/20 08:34	RJV	TAL HOU
Total/NA	Analysis	2540 C-1997		1	307784	11/25/20 14:24	KRD	TAL HOU
Total/NA	Analysis	300.0		10	180838	11/27/20 21:55	JEM	TAL CC

Client Sample ID: MW-3-W-201119 Lab Sample ID: 600-213950-4

Date Collected: 11/19/20 08:25 **Matrix: Water**
Date Received: 11/20/20 09:13

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	307771	11/25/20 20:23	KLV	TAL HOU
Total/NA	Analysis	8015B		1	463065	11/28/20 04:10	MBB	TAL CAN
Total/NA	Prep	3510C			307723	11/24/20 13:21	MRA	TAL HOU
Total/NA	Analysis	8015D		1	307766	11/25/20 22:05	RJV	TAL HOU
Total/NA	Analysis	2540 C-1997		1	307785	11/25/20 14:26	KRD	TAL HOU
Total/NA	Analysis	300.0		1000	180916	12/02/20 07:50	JEM	TAL CC

Lab Chronicle

Client: ARCADIS U.S., Inc.
Project/Site: Chevron Pardue Farms 11/19/20

Job ID: 600-213950-1

Laboratory References:

TAL CAN = Eurofins TestAmerica, Canton, 4101 Shuffel Street NW, North Canton, OH 44720, TEL (330)497-9396

TAL CC = Eurofins TestAmerica, Corpus Christi, 1733 N. Padre Island Drive, Corpus Christi, TX 78408, TEL (361)289-2673

TAL HOU = Eurofins TestAmerica, Houston, 6310 Rothway Street, Houston, TX 77040, TEL (713)690-4444

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc. Job ID: 600-213950-1
Project/Site: Chevron Pardue Farms 11/19/20

Laboratory: Eurofins TestAmerica, Houston

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704223-20-28	11-01-21

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015D	3510C	Water	C28-C36

Laboratory: Eurofins TestAmerica, Canton

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	State	2927	02-23-21
Connecticut	State	PH-0590	12-31-21
Florida	NELAP	E87225	06-30-21
Georgia	State	4062	02-23-21
Illinois	NELAP	004498	07-31-21
Iowa	State	421	06-01-21
Kansas	NELAP	E-10336	04-30-21
Kentucky (UST)	State	112225	02-23-21
Kentucky (WW)	State	KY98016	12-31-20
Minnesota	NELAP	OH00048	12-31-20
Minnesota (Petrofund)	State	3506	08-01-21
New Jersey	NELAP	OH001	06-30-21
New York	NELAP	10975	03-31-21
Ohio VAP	State	CL0024	06-05-21
Oregon	NELAP	4062	02-24-21
Pennsylvania	NELAP	68-00340	08-31-21
Texas	NELAP	T104704517-18-10	08-31-21
USDA	US Federal Programs	P330-18-00281	09-17-21
Virginia	NELAP	010101	09-14-21
Washington	State	C971	01-12-21
West Virginia DEP	State	210	12-31-20

Laboratory: Eurofins TestAmerica, Corpus Christi

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Louisiana	NELAP	05094	06-30-21
Oklahoma	State	2020-006	08-31-21
Texas	NELAP	T104704210-19-23	03-31-21
USDA	US Federal Programs	P330-18-00314	10-31-21

Released to Imaging: 12/19/2024 2:22:50 PM
Received by OCD: 10/23/2024 11:44:05 AM

Eurofins TestAmerica, Houston
6310 Rothway Street
Houston, TX 77040
Phone (713) 690-4444 Fax (713) 690-5646

Chain of Custody Record

eurofins | Environment Testing America

Client Information	Sampler: J. Steinmann	Lab PM: Kudchadkar, Sachin G	Carrier Tracking No(s):	COC No: 600-79931-21575.1
Client Contact: Ryan Nanny	Phone: 619 881 8792	E-Mail: Sachin.Kudchadkar@Eurofinset.com		Page: Page 1 of 1
Company: ARCADIS U.S., Inc.				Job #:
Address: 1004 North Big Spring Suite 121	Due Date Requested: —		Analysis Requested	
City: Midland	TAT Requested (days): Std			
State, Zip: TX, 79701				
Phone: 432-684-5400(Tel) 432-687-5401(Fax)	PO #: Purchase Order Requested			
Email: ryan.nanny@arcadis.com	WO #:			
Project Name: ~~Chevron Fed 4 Com 1~~ Pardue Farms	Project #: 60012813 60012813			
Site: Pardue Farms	SSOW#:			

Preservation Codes:

A - HCL	M - Hexane
B - NaOH	N - None
C - Zn Acetate	O - AsNaO2
D - Nitric Acid	P - Na2O4S
E - NaHSO4	Q - Na2SO3
F - MeOH	R - Na2S2O3
G - Amchlor	S - H2SO4
H - Ascorbic Acid	T - TSP Dodecahydrate
I - Ice	U - Acetone
J - DI Water	V - MCAA
K - EDTA	W - pH 4-5
L - EDA	Z - other (specify)

Other:

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	~~8260~~ BTEX 80218	8015- GRO/DRO/MRO 8015M	300-Cl, TDS 2540	moisture	~~1311/8010B/7471 - TCLP RCRA metals~~	~~9045 pH~~	~~1010 Ignitability~~	Total Number of containers	Special Instructions/Note:
			Preservation Code:												
~~MW-6-W-201118~~	~~11/19~~	0945		Solid											
MW-6-W-201119	11/19/20	0945	G	Solid			1	1	1	1				9	
MW-6-WF-201119	11/19/20	0710	G	Solid			1	1	1	1				9	Field Blank
MW-6-WE-201119	11/19/20	0720	G	Solid			1	1	1	1				9	Equip Blank
MW-3-W-201119	11/19/20	0825	G	Solid			1	1	1	1				9	
Temp Blank				Solid			—	—	—					1	
				Solid											
				Solid											
				Solid											
				Solid											
				Solid											
				Solid											

GP 11/19/20

600-213950 Chain of Custody

Possible Hazard Identification	Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological	☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months
Deliverable Requested: I, II, III, IV, Other (specify)	Special Instructions/QC Requirements:

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:

	Relinquished by:	Date/Time	Company	Received by:	Date/Time	Company
1		11/19/20 1600	Arcadis		11/20/20 9:13	EA
2	Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
3	Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company

Custody Seals Intact: Δ Yes Δ No	Custody Seal No.:	Cooler Temperature(s) °C and Other Remarks:

all samples taken on 11/19 and all "MW" samples should end with "201119"

Ver: 01/16/2019

Loc: 600
213950

'20 NOV 20 9:13

eurofins | Environment Testing TestAmerica

Eurofins TestAmerica Houston

Sample Receipt Checklist

Date/Time Received: 11/20/20 9:13

JOB NUMBER: _____ CLIENT: Arcadis

UNPACKED BY: TO CARRIER/DRIVER: FedEx

Custody Seal Present: ☒YES ☐NO Number of Coolers Received:

Cooler ID	Temp Blank	Trip Blank	Observed Temp (°C)	Therm ID	Therm CF	Corrected Temp (°C)
8576	(Y) / N	Y / (N)	1.9	681	+0.1	2.0
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N		TO 11/20/20		
	Y / N	Y / N				

CF = correction factor

Samples received on ice? ☒YES ☐NO

LABORATORY PRESERVATION OF SAMPLES REQUIRED: ☒NO ☐YES

Base samples are>pH 12: ☐YES ☐NO Acid preserved are<pH 2: ☐YES ☐NO

TX1005 samples frozen upon receipt: ☐ YES DATE & TIME PUT IN FREEZER: _____

pH paper Lot #_____ VOA headspace acceptable (5-6mm): ☒YES ☐NO ☐NA

Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?	☒YES	☐ NO

COMMENTS:

TO 11/20/20

HS-SA-WI-013 Rev. 4A; 08/26/2019

Released to Imaging: 12/19/2024 2:22:50 PM
Received by OCD: 10/23/2024 11:44:05 AM

Eurofins TestAmerica, Houston
6310 Rothway Street
Houston, TX 77040
Phone: 713-690-4444 Fax: 713-690-5646

Chain of Custody Record

eurofins | Environment Testing America

Client Information (Sub Contract Lab)	Sampler:	Lab PM: Kudchadkar, Sachin G	Carrier Tracking No(s):	COC No: 600-47873.1
Client Contact: Shipping/Receiving	Phone:	E-Mail: Sachin.Kudchadkar@Eurofinset.com	State of Origin: Texas	Page: Page 1 of 1
Company: TestAmerica Laboratories, Inc.		Accreditations Required (See note): NELAP - Texas		Job #: 600-213950-1
Address: 4101 Shuffel Street NW, ,	Due Date Requested: 12/4/2020			
City: North Canton	TAT Requested (days):			
State, Zip: OH, 44720				
Phone: 330-497-9396(Tel) 330-497-0772(Fax)	PO #:			
Email:	WO #:			
Project Name: Chevron Pardue Farms 11/19/20	Project #: 60012812			
Site:	SSOW#:			

Analysis Requested

Preservation Codes:

A - HCL, B - NaOH, C - Zn Acetate, D - Nitric Acid, E - NaHSO4, F - MeOH, G - Amchlor, H - Ascorbic Acid, I - Ice, J - DI Water, K - EDTA, L - EDA, M - Hexane, N - None, O - AsNaO2, P - Na2O4S, Q - Na2SO3, R - Na2S2O3, S - H2SO4, T - TSP Dodecahydrate, U - Acetone, V - MCAA, W - pH 4-5, Z - other (specify)

Other:

GC

Special Instructions/Note:

Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	8015B_GRO/5030B Gasoline Range Organics [C6-C10]	Total Number of containers
			Preservation Code:					
MW-6-W-201119 (600-213950-1)	11/19/20	09:45 Central		Water			X	3
MW-6-WF-201119 (600-213950-2)	11/19/20	07:10 Central		Water			X	3
MW-6-WE-201119 (600-213950-3)	11/19/20	07:20 Central		Water			X	2
MW-3-W-201119 (600-213950-4)	11/19/20	08:25 Central		Water			X	3

Note: Since laboratory accreditations are subject to change, Eurofins TestAmerica places the ownership of method, analyte & accreditation compliance upon out subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/tests/matrix being analyzed, the samples must be shipped back to the Eurofins TestAmerica laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins TestAmerica attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said complicance to Eurofins TestAmerica.

Possible Hazard Identification	Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
Unconfirmed	☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months
Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 2	Special Instructions/QC Requirements:

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:

	Date/Time:	Company	Received by:	Date/Time:	Company
Relinquished by:	11/24/20 17:00	ETA	Adam Gomez	11-25-20 1030	ETA
Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company

Custody Seals Intact: Δ Yes Δ No	Custody Seal No.:	Cooler Temperature(s) °C and Other Remarks:

Ver: 11/01/2020

Eurofins TestAmerica Canton Sample Receipt Form/Narrative **Login # :** _____
Canton Facility

Client TA Houston Site Name _____ Cooler unpacked by: Adam Gomez
Cooler Received on 11-25-20 Opened on 11-25-20
FedEx: 1st Grd (Exp) UPS FAS Clipper Client Drop Off TestAmerica Courier Other _____
Receipt After-hours: Drop-off Date/Time _____ Storage Location _____
TestAmerica Cooler # TA Foam Box Client Cooler Box Other _____
Packing material used: (Bubble Wrap) Foam Plastic Bag None Other _____
COOLANT: (Wet Ice) Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt ☐ See Multiple Cooler Form
IR GUN# IR-11 (CF +0.9 °C) Observed Cooler Temp. 0.9 °C Corrected Cooler Temp. 1.8 °C
IR GUN #IR-12 (CF +0.5°C) Observed Cooler Temp. _____ °C Corrected Cooler Temp. _____ °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1	(Yes)	No
-Were the seals on the outside of the cooler(s) signed & dated?	(Yes)	No NA
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?	Yes	(No)
-Were tamper/custody seals intact and uncompromised?	(Yes)	No NA
3. Shippers' packing slip attached to the cooler(s)?	(Yes)	No
4. Did custody papers accompany the sample(s)?	(Yes)	No
5. Were the custody papers relinquished & signed in the appropriate place?	(Yes)	No
6. Was/were the person(s) who collected the samples clearly identified on the COC?	Yes	(No)
7. Did all bottles arrive in good condition (Unbroken)?	(Yes)	No
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC?	(Yes)	No
9. For each sample, does the COC specify preservatives (Y(N), # of containers (Y)N), and sample type of grab/comp(Y/N)?		
10. Were correct bottle(s) used for the test(s) indicated?	(Yes)	No
11. Sufficient quantity received to perform indicated analyses?	(Yes)	No
12. Are these work share samples and all listed on the COC?	(Yes)	No
If yes, Questions 13-17 have been checked at the originating laboratory.		
13. Were all preserved sample(s) at the correct pH upon receipt?	Yes	No NA pH Strip Lot# HC907861
14. Were VOAs on the COC?	Yes	No
15. Were air bubbles >6 mm in any VOA vials? ● ⬅ Larger than this.	Yes	No NA
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # _____	Yes	No
17. Was a LL Hg or Me Hg trip blank present? _____	Yes	No

Tests that are not checked for pH by Receiving:
VOAs
Oil and Grease
TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other

Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES ☐ additional next page | Samples processed by:

19. SAMPLE CONDITION
Sample(s) _____ were received after the recommended holding time had expired.
Sample(s) _____ were received in a broken container.
Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION
Sample(s) _____ were further preserved in the laboratory.
Time preserved: _____ Preservative(s) added/Lot number(s): _____

VOA Sample Preservation - Date/Time VOAs Frozen: _____

WI-NC-099

Released to Imaging: 12/19/2024 2:22:50 PM
Received by OCD: 10/23/2024 11:44:05 AM

Eurofins TestAmerica, Houston
6310 Rothway Street
Houston, TX 77040
Phone: 713-690-4444 Fax: 713-690-5646

Chain of Custody Record

eurofins | Environment Testing America

Client Information (Sub Contract Lab)	Sampler:	Lab PM: Kudchadkar, Sachin G	Carrier Tracking No(s):	COC No: 600-47878.1
Client Contact: Shipping/Receiving	Phone:	E-Mail: Sachin.Kudchadkar@Eurofinset.com	State of Origin: Texas	Page: Page 1 of 1
Company: TestAmerica Laboratories, Inc.		Accreditations Required (See note): NELAP - Texas		Job #: 600-213950-1
Address: 1733 N. Padre Island Drive, ,	Due Date Requested: 12/4/2020			
City: Corpus Christi	TAT Requested (days):			
State, Zip: TX, 78408				
Phone: 361-289-2673(Tel) 361-289-2471(Fax)	PO #:			
Email:	WO #:			
Project Name: Chevron Pardue Farms 11/19/20	Project #: 60012812			
Site:	SSOW#:			

Analysis Requested

Preservation Codes:

A - HCL	M - Hexane
B - NaOH	N - None
C - Zn Acetate	O - AsNaO2
D - Nitric Acid	P - Na2O4S
E - NaHSO4	Q - Na2SO3
F - MeOH	R - Na2S2O3
G - Amchlor	S - H2SO4
H - Ascorbic Acid	T - TSP Dodecahydrate
I - Ice	U - Acetone
J - DI Water	V - MCAA
K - EDTA	W - pH 4-5
L - EDA	Z - other (specify)

Other:

Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	300	Total Number of containers	Special Instructions/Note:
			Preservation Code:						
MW-6-W-201119 (600-213950-1)	11/19/20	09:45 Central		Water			X	1	
MW-6-WF-201119 (600-213950-2)	11/19/20	07:10 Central		Water			X	1	
MW-6-WE-201119 (600-213950-3)	11/19/20	07:20 Central		Water			X	1	
MW-3-W-201119 (600-213950-4)	11/19/20	08:25 Central		Water			X	1	

Note: Since laboratory accreditations are subject to change, Eurofins TestAmerica places the ownership of method, analyte & accreditation compliance upon out subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/tests/matrix being analyzed, the samples must be shipped back to the Eurofins TestAmerica laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins TestAmerica attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said complicance to Eurofins TestAmerica.

Possible Hazard Identification	Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
Unconfirmed	☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months
Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 2	Special Instructions/QC Requirements:

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:

Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
[signature]	11/24/20 17:00	ETA	Jenna Cooper	11/25/20 1030	
Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company

Custody Seals Intact: Δ Yes Δ No	Custody Seal No.:	Cooler Temperature(s) °C and Other Remarks: -2.9 IR-10 -1.3 CP

Ver: 11/01/2020

Login Sample Receipt Checklist

Client: ARCADIS U.S., Inc. Job Number: 600-213950-1

Login Number: 213950 **List Source: Eurofins TestAmerica, Houston**
List Number: 1
Creator: Olson, Troy 1

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	Lab does not accept radioactive samples.
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	1.9
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	False	Refer to Job Narrative for details.
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	False	Containers received broken. No volume could be salvaged for analysis.
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	Check done at department level as required.

Login Sample Receipt Checklist

Client: ARCADIS U.S., Inc. Job Number: 600-213950-1

Login Number: 213950 **List Source: Eurofins TestAmerica, Corpus Christi**
List Number: 2 **List Creation: 11/25/20 11:34 AM**
Creator: Sanchez, Allyse A

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	Check done at department level as required.

eurofins | Environment Testing America



ANALYTICAL REPORT

Eurofins TestAmerica, Houston
6310 Rothway Street
Houston, TX 77040
Tel: (713)690-4444

Laboratory Job ID: 600-213833-1
Client Project/Site: Chevron Pardue Farms 27-12

For:
ARCADIS U.S., Inc.
1004 North Big Spring
Suite 121
Midland, Texas 79701

Attn: Ryan Nanny

Authorized for release by:
12/7/2020 8:13:21 AM

Sachin Kudchadkar, Senior Project Manager
(713)690-4444
Sachin.Kudchadkar@Eurofinset.com

LINKS
Review your project results through TotalAccess
Have a Question? Ask The Expert
Visit us at: www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Client: ARCADIS U.S., Inc.
Project/Site: Chevron Pardue Farms 27-12

Laboratory Job ID: 600-213833-1

Table of Contents

Cover Page 1
Table of Contents 2
Method Summary 3
Sample Summary 4
Client Sample Results 5
Definitions/Glossary 12
Surrogate Summary 13
QC Sample Results 15
Default Detection Limits 18
QC Association Summary 19
Lab Chronicle 22
Certification Summary 26
Chain of Custody 27
Receipt Checklists 30

Method Summary

Client: ARCADIS U.S., Inc.
Project/Site: Chevron Pardue Farms 27-12

Job ID: 600-213833-1

Method	Method Description	Protocol	Laboratory
8260B	Volatile Organic Compounds (GC/MS)	SW846	TAL HOU
8015D	Gasoline Range Organics (GRO) (GC)	SW846	TAL HOU
8015D	Diesel Range Organics (DRO) (GC)	SW846	TAL HOU
2540B	Percent Moisture	SM20	TAL HOU
9056	Anions, Ion Chromatography	SW846	TAL CC
3546	Microwave Extraction	SW846	TAL HOU
5030C	Purge and Trap Methanol Dilution	SW846	TAL HOU
5035	Closed System Purge & Trap/Laboratory Preservation	SW846	TAL HOU
DI Leach	Deionized Water Leaching Procedure	ASTM	TAL CC

Protocol References:

ASTM = ASTM International

SM20 = "Standard Methods For The Examination Of Water And Wastewater", 20th Edition."

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL CC = Eurofins TestAmerica, Corpus Christi, 1733 N. Padre Island Drive, Corpus Christi, TX 78408, TEL (361)289-2673

TAL HOU = Eurofins TestAmerica, Houston, 6310 Rothway Street, Houston, TX 77040, TEL (713)690-4444

Sample Summary

Client: ARCADIS U.S., Inc.
Project/Site: Chevron Pardue Farms 27-12

Job ID: 600-213833-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
600-213833-1	MW-6-S-0-1-201116	Solid	11/16/20 12:00	11/17/20 10:22	
600-213833-2	MW-6-S-1-2-201116	Solid	11/16/20 12:15	11/17/20 10:22	
600-213833-3	MW-6-S-2-3-201116	Solid	11/16/20 12:20	11/17/20 10:22	
600-213833-4	MW-6-S-3-4-201116	Solid	11/16/20 12:25	11/17/20 10:22	
600-213833-5	MW-6-S-9-10-201116	Solid	11/16/20 12:30	11/17/20 10:22	
600-213833-6	MW-6-S-14-15-201116	Solid	11/16/20 12:33	11/17/20 10:22	
600-213833-7	MW-6-S-19-20-201116	Solid	11/16/20 12:35	11/17/20 10:22	
600-213833-8	MW-6-S-24-25-201116	Solid	11/16/20 12:38	11/17/20 10:22	

Client Sample Results

Client: ARCADIS U.S., Inc. Job ID: 600-213833-1
Project/Site: Chevron Pardue Farms 27-12

Client Sample ID: MW-6-S-0-1-201116 Lab Sample ID: 600-213833-1

Date Collected: 11/16/20 12:00 **Matrix: Solid**
Date Received: 11/17/20 10:22

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.625	U	4.96	0.625	ug/Kg		11/17/20 13:37	11/17/20 14:14	1
Ethylbenzene	1.01	U	4.96	1.01	ug/Kg		11/17/20 13:37	11/17/20 14:14	1
Toluene	1.37	U	4.96	1.37	ug/Kg		11/17/20 13:37	11/17/20 14:14	1
Xylenes, Total	1.12	U	4.96	1.12	ug/Kg		11/17/20 13:37	11/17/20 14:14	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*83*		*61 - 130*	*11/17/20 13:37*	*11/17/20 14:14*	*1*
4-Bromofluorobenzene	*88*		*57 - 140*	*11/17/20 13:37*	*11/17/20 14:14*	*1*
Dibromofluoromethane	*87*		*68 - 140*	*11/17/20 13:37*	*11/17/20 14:14*	*1*
Toluene-d8 (Surr)	*91*		*50 - 130*	*11/17/20 13:37*	*11/17/20 14:14*	*1*

General Chemistry

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	**1.8**		1.0	1.0	%			11/18/20 15:55	1
Percent Solids	**98.2**		1.0	1.0	%			11/18/20 15:55	1

General Chemistry - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	**59.7**	**J F1**	200	9.98	mg/Kg			12/02/20 22:33	20

Client Sample ID: MW-6-S-0-1-201116 Lab Sample ID: 600-213833-1

Date Collected: 11/16/20 12:00 **Matrix: Solid**
Date Received: 11/17/20 10:22 **Percent Solids: 98.2**

Method: 8015D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	0.572	U	0.976	0.572	mg/Kg	☼	11/18/20 09:00	11/18/20 11:41	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
a,a,a-Trifluorotoluene	*98*		*70 - 130*	*11/18/20 09:00*	*11/18/20 11:41*	*1*

Method: 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	**8.73**		8.40	1.73	mg/Kg	☼	11/25/20 13:23	11/30/20 16:27	1
Oil Range Organics (C28-C35)	**59.6**		8.40	5.06	mg/Kg	☼	11/25/20 13:23	11/30/20 16:27	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o-Terphenyl	*144*	*X*	*60 - 140*	*11/25/20 13:23*	*11/30/20 16:27*	*1*

Client Sample ID: MW-6-S-1-2-201116 Lab Sample ID: 600-213833-2

Date Collected: 11/16/20 12:15 **Matrix: Solid**
Date Received: 11/17/20 10:22

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.694	U	5.51	0.694	ug/Kg		11/17/20 13:37	11/17/20 14:37	1
Ethylbenzene	1.12	U	5.51	1.12	ug/Kg		11/17/20 13:37	11/17/20 14:37	1
Toluene	1.52	U	5.51	1.52	ug/Kg		11/17/20 13:37	11/17/20 14:37	1
Xylenes, Total	1.24	U	5.51	1.24	ug/Kg		11/17/20 13:37	11/17/20 14:37	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*83*		*61 - 130*	*11/17/20 13:37*	*11/17/20 14:37*	*1*

Client Sample Results

Client: ARCADIS U.S., Inc. Job ID: 600-213833-1
Project/Site: Chevron Pardue Farms 27-12

Client Sample ID: MW-6-S-1-2-201116 Lab Sample ID: 600-213833-2

Date Collected: 11/16/20 12:15 **Matrix: Solid**
Date Received: 11/17/20 10:22

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
4-Bromofluorobenzene	*95*		*57 - 140*	*11/17/20 13:37*	*11/17/20 14:37*	*1*
Dibromofluoromethane	*89*		*68 - 140*	*11/17/20 13:37*	*11/17/20 14:37*	*1*
Toluene-d8 (Surr)	*93*		*50 - 130*	*11/17/20 13:37*	*11/17/20 14:37*	*1*

General Chemistry

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	**14.4**		1.0	1.0	%			11/18/20 15:55	1
Percent Solids	**85.6**		1.0	1.0	%			11/18/20 15:55	1

General Chemistry - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	**44.4**	**J**	198	9.90	mg/Kg			12/03/20 00:15	20

Client Sample ID: MW-6-S-1-2-201116 Lab Sample ID: 600-213833-2

Date Collected: 11/16/20 12:15 **Matrix: Solid**
Date Received: 11/17/20 10:22 **Percent Solids: 85.6**

Method: 8015D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	0.729	U	1.24	0.729	mg/Kg	☼	11/18/20 09:00	11/18/20 12:06	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
a,a,a-Trifluorotoluene	*89*		*70 - 130*	*11/18/20 09:00*	*11/18/20 12:06*	*1*

Method: 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	**10.5**		9.69	2.00	mg/Kg	☼	11/25/20 13:23	11/30/20 16:58	1
Oil Range Organics (C28-C35)	**40.3**		9.69	5.84	mg/Kg	☼	11/25/20 13:23	11/30/20 16:58	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o-Terphenyl	*134*		*60 - 140*	*11/25/20 13:23*	*11/30/20 16:58*	*1*

Client Sample ID: MW-6-S-2-3-201116 Lab Sample ID: 600-213833-3

Date Collected: 11/16/20 12:20 **Matrix: Solid**
Date Received: 11/17/20 10:22

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.685	U	5.43	0.685	ug/Kg		11/17/20 13:37	11/17/20 15:00	1
Ethylbenzene	1.11	U	5.43	1.11	ug/Kg		11/17/20 13:37	11/17/20 15:00	1
Toluene	1.50	U	5.43	1.50	ug/Kg		11/17/20 13:37	11/17/20 15:00	1
Xylenes, Total	1.23	U	5.43	1.23	ug/Kg		11/17/20 13:37	11/17/20 15:00	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*85*		*61 - 130*	*11/17/20 13:37*	*11/17/20 15:00*	*1*
4-Bromofluorobenzene	*92*		*57 - 140*	*11/17/20 13:37*	*11/17/20 15:00*	*1*
Dibromofluoromethane	*91*		*68 - 140*	*11/17/20 13:37*	*11/17/20 15:00*	*1*
Toluene-d8 (Surr)	*94*		*50 - 130*	*11/17/20 13:37*	*11/17/20 15:00*	*1*

General Chemistry

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	**5.8**		1.0	1.0	%			11/18/20 15:55	1

Client Sample Results

Client: ARCADIS U.S., Inc.
Job ID: 600-213833-1
Project/Site: Chevron Pardue Farms 27-12

Client Sample ID: MW-6-S-2-3-201116
Lab Sample ID: 600-213833-3
Date Collected: 11/16/20 12:20
Matrix: Solid
Date Received: 11/17/20 10:22

General Chemistry (Continued)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids	94.2		1.0	1.0	%			11/18/20 15:55	1

General Chemistry - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	64.6	J	200	9.98	mg/Kg			12/03/20 00:48	20

Client Sample ID: MW-6-S-2-3-201116
Lab Sample ID: 600-213833-3
Date Collected: 11/16/20 12:20
Matrix: Solid
Date Received: 11/17/20 10:22
Percent Solids: 94.2

Method: 8015D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	0.654	U	1.12	0.654	mg/Kg	☼	11/18/20 09:00	11/18/20 12:30	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
a,a,a-Trifluorotoluene	*94*		*70 - 130*	*11/18/20 09:00*	*11/18/20 12:30*	*1*

Method: 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	1.81	U	8.79	1.81	mg/Kg	☼	11/25/20 13:23	11/30/20 17:30	1
Oil Range Organics (C28-C35)	29.5		8.79	5.30	mg/Kg	☼	11/25/20 13:23	11/30/20 17:30	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o-Terphenyl	*135*		*60 - 140*	*11/25/20 13:23*	*11/30/20 17:30*	*1*

Client Sample ID: MW-6-S-3-4-201116
Lab Sample ID: 600-213833-4
Date Collected: 11/16/20 12:25
Matrix: Solid
Date Received: 11/17/20 10:22

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.600	U	4.76	0.600	ug/Kg		11/17/20 13:37	11/17/20 15:23	1
Ethylbenzene	0.971	U	4.76	0.971	ug/Kg		11/17/20 13:37	11/17/20 15:23	1
Toluene	1.31	U	4.76	1.31	ug/Kg		11/17/20 13:37	11/17/20 15:23	1
Xylenes, Total	1.08	U	4.76	1.08	ug/Kg		11/17/20 13:37	11/17/20 15:23	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*82*		*61 - 130*	*11/17/20 13:37*	*11/17/20 15:23*	*1*
4-Bromofluorobenzene	*90*		*57 - 140*	*11/17/20 13:37*	*11/17/20 15:23*	*1*
Dibromofluoromethane	*89*		*68 - 140*	*11/17/20 13:37*	*11/17/20 15:23*	*1*
Toluene-d8 (Surr)	*91*		*50 - 130*	*11/17/20 13:37*	*11/17/20 15:23*	*1*

General Chemistry

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	21.1		1.0	1.0	%			11/18/20 15:55	1
Percent Solids	78.9		1.0	1.0	%			11/18/20 15:55	1

General Chemistry - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	97.2	J	200	10.0	mg/Kg			12/03/20 01:22	20

Client Sample Results

Client: ARCADIS U.S., Inc. Job ID: 600-213833-1
Project/Site: Chevron Pardue Farms 27-12

Client Sample ID: MW-6-S-3-4-201116 Lab Sample ID: 600-213833-4

Date Collected: 11/16/20 12:25 **Matrix: Solid**
Date Received: 11/17/20 10:22 **Percent Solids: 78.9**

Method: 8015D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	0.749	U	1.28	0.749	mg/Kg	☼	11/18/20 09:00	11/18/20 12:55	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
a,a,a-Trifluorotoluene	*91*		*70 - 130*	*11/18/20 09:00*	*11/18/20 12:55*	*1*

Method: 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	**7.96**	**J**	10.5	2.16	mg/Kg	☼	11/25/20 13:23	11/30/20 18:02	1
Oil Range Organics (C28-C35)	**36.2**		10.5	6.31	mg/Kg	☼	11/25/20 13:23	11/30/20 18:02	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o-Terphenyl	*129*		*60 - 140*	*11/25/20 13:23*	*11/30/20 18:02*	*1*

Client Sample ID: MW-6-S-9-10-201116 Lab Sample ID: 600-213833-5

Date Collected: 11/16/20 12:30 **Matrix: Solid**
Date Received: 11/17/20 10:22

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.648	U	5.14	0.648	ug/Kg		11/17/20 13:37	11/17/20 15:46	1
Ethylbenzene	1.05	U	5.14	1.05	ug/Kg		11/17/20 13:37	11/17/20 15:46	1
Toluene	1.42	U	5.14	1.42	ug/Kg		11/17/20 13:37	11/17/20 15:46	1
Xylenes, Total	1.16	U	5.14	1.16	ug/Kg		11/17/20 13:37	11/17/20 15:46	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*85*		*61 - 130*	*11/17/20 13:37*	*11/17/20 15:46*	*1*
4-Bromofluorobenzene	*91*		*57 - 140*	*11/17/20 13:37*	*11/17/20 15:46*	*1*
Dibromofluoromethane	*91*		*68 - 140*	*11/17/20 13:37*	*11/17/20 15:46*	*1*
Toluene-d8 (Surr)	*91*		*50 - 130*	*11/17/20 13:37*	*11/17/20 15:46*	*1*

General Chemistry

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	**8.8**		1.0	1.0	%			11/18/20 15:55	1
Percent Solids	**91.2**		1.0	1.0	%			11/18/20 15:55	1

General Chemistry - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	**82.8**	**J**	200	10.0	mg/Kg			12/03/20 01:56	20

Client Sample ID: MW-6-S-9-10-201116 Lab Sample ID: 600-213833-5

Date Collected: 11/16/20 12:30 **Matrix: Solid**
Date Received: 11/17/20 10:22 **Percent Solids: 91.2**

Method: 8015D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	0.690	U	1.18	0.690	mg/Kg	☼	11/18/20 09:00	11/18/20 13:20	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
a,a,a-Trifluorotoluene	*98*		*70 - 130*	*11/18/20 09:00*	*11/18/20 13:20*	*1*

Client Sample Results

Client: ARCADIS U.S., Inc. Job ID: 600-213833-1
Project/Site: Chevron Pardue Farms 27-12

Client Sample ID: MW-6-S-9-10-201116 Lab Sample ID: 600-213833-5

Date Collected: 11/16/20 12:30 **Matrix: Solid**
Date Received: 11/17/20 10:22 **Percent Solids: 91.2**

Method: 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	1.87	U	9.08	1.87	mg/Kg	☼	11/25/20 13:23	11/30/20 18:33	1
Oil Range Organics (C28-C35)	**24.6**		9.08	5.47	mg/Kg	☼	11/25/20 13:23	11/30/20 18:33	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o-Terphenyl	*121*		*60 - 140*	*11/25/20 13:23*	*11/30/20 18:33*	*1*

Client Sample ID: MW-6-S-14-15-201116 Lab Sample ID: 600-213833-6

Date Collected: 11/16/20 12:33 **Matrix: Solid**
Date Received: 11/17/20 10:22

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.605	U	4.80	0.605	ug/Kg		11/17/20 13:37	11/17/20 16:10	1
Ethylbenzene	0.979	U	4.80	0.979	ug/Kg		11/17/20 13:37	11/17/20 16:10	1
Toluene	1.32	U	4.80	1.32	ug/Kg		11/17/20 13:37	11/17/20 16:10	1
Xylenes, Total	1.08	U	4.80	1.08	ug/Kg		11/17/20 13:37	11/17/20 16:10	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*78*		*61 - 130*	*11/17/20 13:37*	*11/17/20 16:10*	*1*
4-Bromofluorobenzene	*95*		*57 - 140*	*11/17/20 13:37*	*11/17/20 16:10*	*1*
Dibromofluoromethane	*90*		*68 - 140*	*11/17/20 13:37*	*11/17/20 16:10*	*1*
Toluene-d8 (Surr)	*92*		*50 - 130*	*11/17/20 13:37*	*11/17/20 16:10*	*1*

General Chemistry

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	**28.4**		1.0	1.0	%			11/18/20 15:55	1
Percent Solids	**71.6**		1.0	1.0	%			11/18/20 15:55	1

General Chemistry - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	**477**		197	9.85	mg/Kg			12/03/20 02:30	20

Client Sample ID: MW-6-S-14-15-201116 Lab Sample ID: 600-213833-6

Date Collected: 11/16/20 12:33 **Matrix: Solid**
Date Received: 11/17/20 10:22 **Percent Solids: 71.6**

Method: 8015D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	0.862	U	1.47	0.862	mg/Kg	☼	11/18/20 09:00	11/18/20 13:44	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
a,a,a-Trifluorotoluene	*98*		*70 - 130*	*11/18/20 09:00*	*11/18/20 13:44*	*1*

Method: 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	2.37	U	11.5	2.37	mg/Kg	☼	11/25/20 13:23	11/30/20 19:36	1
Oil Range Organics (C28-C35)	6.94	U	11.5	6.94	mg/Kg	☼	11/25/20 13:23	11/30/20 19:36	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o-Terphenyl	*118*		*60 - 140*	*11/25/20 13:23*	*11/30/20 19:36*	*1*

Client Sample Results

Client: ARCADIS U.S., Inc.
Job ID: 600-213833-1
Project/Site: Chevron Pardue Farms 27-12

Client Sample ID: MW-6-S-19-20-201116
Lab Sample ID: 600-213833-7
Date Collected: 11/16/20 12:35
Matrix: Solid
Date Received: 11/17/20 10:22

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.557	U	4.42	0.557	ug/Kg		11/17/20 13:37	11/17/20 16:33	1
Ethylbenzene	0.901	U	4.42	0.901	ug/Kg		11/17/20 13:37	11/17/20 16:33	1
Toluene	1.22	U	4.42	1.22	ug/Kg		11/17/20 13:37	11/17/20 16:33	1
Xylenes, Total	0.998	U	4.42	0.998	ug/Kg		11/17/20 13:37	11/17/20 16:33	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*80*		*61 - 130*	*11/17/20 13:37*	*11/17/20 16:33*	*1*
4-Bromofluorobenzene	*90*		*57 - 140*	*11/17/20 13:37*	*11/17/20 16:33*	*1*
Dibromofluoromethane	*88*		*68 - 140*	*11/17/20 13:37*	*11/17/20 16:33*	*1*
Toluene-d8 (Surr)	*90*		*50 - 130*	*11/17/20 13:37*	*11/17/20 16:33*	*1*

General Chemistry

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	**11.6**		1.0	1.0	%			11/18/20 15:55	1
Percent Solids	**88.4**		1.0	1.0	%			11/18/20 15:55	1

General Chemistry - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	**1230**		199	9.95	mg/Kg			12/03/20 03:04	20

Client Sample ID: MW-6-S-19-20-201116
Lab Sample ID: 600-213833-7
Date Collected: 11/16/20 12:35
Matrix: Solid
Date Received: 11/17/20 10:22
Percent Solids: 88.4

Method: 8015D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	0.676	U	1.15	0.676	mg/Kg	☼	11/18/20 09:00	11/18/20 14:09	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
a,a,a-Trifluorotoluene	*94*		*70 - 130*	*11/18/20 09:00*	*11/18/20 14:09*	*1*

Method: 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	1.93	U	9.38	1.93	mg/Kg	☼	11/25/20 13:23	11/30/20 20:08	1
Oil Range Organics (C28-C35)	5.65	U	9.38	5.65	mg/Kg	☼	11/25/20 13:23	11/30/20 20:08	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o-Terphenyl	*125*		*60 - 140*	*11/25/20 13:23*	*11/30/20 20:08*	*1*

Client Sample ID: MW-6-S-24-25-201116
Lab Sample ID: 600-213833-8
Date Collected: 11/16/20 12:38
Matrix: Solid
Date Received: 11/17/20 10:22

Method: 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.623	U	4.94	0.623	ug/Kg		11/17/20 13:37	11/17/20 16:56	1
Ethylbenzene	1.01	U	4.94	1.01	ug/Kg		11/17/20 13:37	11/17/20 16:56	1
Toluene	1.36	U	4.94	1.36	ug/Kg		11/17/20 13:37	11/17/20 16:56	1
Xylenes, Total	1.12	U	4.94	1.12	ug/Kg		11/17/20 13:37	11/17/20 16:56	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*85*		*61 - 130*	*11/17/20 13:37*	*11/17/20 16:56*	*1*

Client Sample Results

Client: ARCADIS U.S., Inc. Job ID: 600-213833-1
Project/Site: Chevron Pardue Farms 27-12

Client Sample ID: MW-6-S-24-25-201116 Lab Sample ID: 600-213833-8

Date Collected: 11/16/20 12:38 **Matrix: Solid**
Date Received: 11/17/20 10:22

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene	90		57 - 140	11/17/20 13:37	11/17/20 16:56	1
Dibromofluoromethane	90		68 - 140	11/17/20 13:37	11/17/20 16:56	1
Toluene-d8 (Surr)	88		50 - 130	11/17/20 13:37	11/17/20 16:56	1

General Chemistry

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture	15.0		1.0	1.0	%			11/18/20 15:55	1
Percent Solids	85.0		1.0	1.0	%			11/18/20 15:55	1

General Chemistry - Soluble

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	920		199	9.95	mg/Kg			12/03/20 03:38	20

Client Sample ID: MW-6-S-24-25-201116 Lab Sample ID: 600-213833-8

Date Collected: 11/16/20 12:38 **Matrix: Solid**
Date Received: 11/17/20 10:22 **Percent Solids: 85.0**

Method: 8015D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	0.656	U	1.12	0.656	mg/Kg	☼	11/18/20 09:00	11/18/20 14:33	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
a,a,a-Trifluorotoluene	102		70 - 130	11/18/20 09:00	11/18/20 14:33	1

Method: 8015D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	24.2		9.72	2.00	mg/Kg	☼	11/25/20 13:23	12/01/20 08:21	1
Oil Range Organics (C28-C35)	123		9.72	5.86	mg/Kg	☼	11/25/20 13:23	12/01/20 08:21	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
o-Terphenyl	107		60 - 140	11/25/20 13:23	12/01/20 08:21	1

Definitions/Glossary

Client: ARCADIS U.S., Inc. Job ID: 600-213833-1
Project/Site: Chevron Pardue Farms 27-12

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

GC VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.
X	Surrogate recovery exceeds control limits

General Chemistry

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Surrogate Summary

Client: ARCADIS U.S., Inc.
Project/Site: Chevron Pardue Farms 27-12

Job ID: 600-213833-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Matrix: Solid **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)			
		DCA	BFB	DBFM	TOL
Lab Sample ID	Client Sample ID	(61-130)	(57-140)	(68-140)	(50-130)
600-213833-1	MW-6-S-0-1-201116	83	88	87	91
600-213833-2	MW-6-S-1-2-201116	83	95	89	93
600-213833-3	MW-6-S-2-3-201116	85	92	91	94
600-213833-4	MW-6-S-3-4-201116	82	90	89	91
600-213833-5	MW-6-S-9-10-201116	85	91	91	91
600-213833-6	MW-6-S-14-15-201116	78	95	90	92
600-213833-7	MW-6-S-19-20-201116	80	90	88	90
600-213833-8	MW-6-S-24-25-201116	85	90	90	88
LCS 600-307349/3	Lab Control Sample	85	99	91	92
LCSD 600-307349/4	Lab Control Sample Dup	82	94	87	90
MB 600-307349/6	Method Blank	82	95	89	91

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene
DBFM = Dibromofluoromethane
TOL = Toluene-d8 (Surr)

Method: 8015D - Gasoline Range Organics (GRO) (GC)

Matrix: Solid **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)
		TFT1
Lab Sample ID	Client Sample ID	(70-130)
600-213833-1	MW-6-S-0-1-201116	98
600-213833-2	MW-6-S-1-2-201116	89
600-213833-3	MW-6-S-2-3-201116	94
600-213833-4	MW-6-S-3-4-201116	91
600-213833-5	MW-6-S-9-10-201116	98
600-213833-6	MW-6-S-14-15-201116	98
600-213833-7	MW-6-S-19-20-201116	94
600-213833-8	MW-6-S-24-25-201116	102
LCS 600-307379/1-A	Lab Control Sample	88
LCSD 600-307379/2-A	Lab Control Sample Dup	88
MB 600-307379/3-A	Method Blank	87

Surrogate Legend

TFT = a,a,a-Trifluorotoluene

Method: 8015D - Diesel Range Organics (DRO) (GC)

Matrix: Solid **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)
		OTPH
Lab Sample ID	Client Sample ID	(60-140)
600-213833-1	MW-6-S-0-1-201116	144 X
600-213833-2	MW-6-S-1-2-201116	134
600-213833-3	MW-6-S-2-3-201116	135
600-213833-4	MW-6-S-3-4-201116	129
600-213833-5	MW-6-S-9-10-201116	121
600-213833-6	MW-6-S-14-15-201116	118

Surrogate Summary

Client: ARCADIS U.S., Inc. Job ID: 600-213833-1
Project/Site: Chevron Pardue Farms 27-12

Method: 8015D - Diesel Range Organics (DRO) (GC) (Continued)

Matrix: Solid **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)							
Lab Sample ID	Client Sample ID	OTPH (60-140)							
600-213833-7	MW-6-S-19-20-201116	125							
600-213833-8	MW-6-S-24-25-201116	107							
LCS 600-307778/2-A	Lab Control Sample	95							
MB 600-307778/1-A	Method Blank	138							

Surrogate Legend

OTPH = o-Terphenyl

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Chevron Pardue Farms 27-12

Job ID: 600-213833-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 600-307349/6
Matrix: Solid
Analysis Batch: 307349

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.630	U	5.00	0.630	ug/Kg			11/17/20 10:52	1
Ethylbenzene	1.02	U	5.00	1.02	ug/Kg			11/17/20 10:52	1
Toluene	1.38	U	5.00	1.38	ug/Kg			11/17/20 10:52	1
Xylenes, Total	1.13	U	5.00	1.13	ug/Kg			11/17/20 10:52	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*82*		*61 - 130*		*11/17/20 10:52*	*1*
4-Bromofluorobenzene	*95*		*57 - 140*		*11/17/20 10:52*	*1*
Dibromofluoromethane	*89*		*68 - 140*		*11/17/20 10:52*	*1*
Toluene-d8 (Surr)	*91*		*50 - 130*		*11/17/20 10:52*	*1*

Lab Sample ID: LCS 600-307349/3
Matrix: Solid
Analysis Batch: 307349

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
Benzene			50.0	40.33		ug/Kg		81	70 - 131		
Ethylbenzene			50.0	42.65		ug/Kg		85	66 - 130		
m-Xylene & p-Xylene			50.0	40.20		ug/Kg		80	64 - 130		
o-Xylene			50.0	42.49		ug/Kg		85	62 - 130		
Toluene			50.0	40.94		ug/Kg		82	67 - 130		
Xylenes, Total			100	82.69		ug/Kg		83	63 - 130		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*85*		*61 - 130*
4-Bromofluorobenzene	*99*		*57 - 140*
Dibromofluoromethane	*91*		*68 - 140*
Toluene-d8 (Surr)	*92*		*50 - 130*

Lab Sample ID: LCSD 600-307349/4
Matrix: Solid
Analysis Batch: 307349

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Benzene			50.0	50.15		ug/Kg		100	70 - 131	22	30
Ethylbenzene			50.0	53.49		ug/Kg		107	66 - 130	23	30
m-Xylene & p-Xylene			50.0	50.66		ug/Kg		101	64 - 130	23	30
o-Xylene			50.0	53.50		ug/Kg		107	62 - 130	23	30
Toluene			50.0	52.80		ug/Kg		106	67 - 130	25	30
Xylenes, Total			100	104.2		ug/Kg		104	63 - 130	23	30

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*82*		*61 - 130*
4-Bromofluorobenzene	*94*		*57 - 140*
Dibromofluoromethane	*87*		*68 - 140*
Toluene-d8 (Surr)	*90*		*50 - 130*

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Chevron Pardue Farms 27-12

Job ID: 600-213833-1

Method: 8015D - Gasoline Range Organics (GRO) (GC)

Lab Sample ID: MB 600-307379/3-A
Matrix: Solid
Analysis Batch: 307385

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 307379

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	0.586	U	1.00	0.586	mg/Kg		11/18/20 09:00	11/18/20 11:17	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
a,a,a-Trifluorotoluene	*87*		*70 - 130*	*11/18/20 09:00*	*11/18/20 11:17*	*1*

Lab Sample ID: LCS 600-307379/1-A
Matrix: Solid
Analysis Batch: 307385

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 307379

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Gasoline Range Organics [C6 - C10]	5.04	5.520		mg/Kg		110	70 - 130

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
a,a,a-Trifluorotoluene	*88*		*70 - 130*

Lab Sample ID: LCSD 600-307379/2-A
Matrix: Solid
Analysis Batch: 307385

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 307379

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Gasoline Range Organics [C6 - C10]	5.04	5.588		mg/Kg		111	70 - 130	1	30

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
a,a,a-Trifluorotoluene	*88*		*70 - 130*

Method: 8015D - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 600-307778/1-A
Matrix: Solid
Analysis Batch: 307871

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 307778

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	1.71	U	8.30	1.71	mg/Kg		11/25/20 13:23	11/30/20 12:32	1
Oil Range Organics (C28-C35)	5.00	U	8.30	5.00	mg/Kg		11/25/20 13:23	11/30/20 12:32	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
o-Terphenyl	*138*		*60 - 140*	*11/25/20 13:23*	*11/30/20 12:32*	*1*

Lab Sample ID: LCS 600-307778/2-A
Matrix: Solid
Analysis Batch: 307871

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 307778

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Diesel Range Organics [C10-C28]	66.8	70.67		mg/Kg		106	66 - 134

QC Sample Results

Client: ARCADIS U.S., Inc.
Project/Site: Chevron Pardue Farms 27-12

Job ID: 600-213833-1

Method: 8015D - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 600-307778/2-A
Matrix: Solid
Analysis Batch: 307871

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 307778

Surrogate	LCS %Recovery	LCS Qualifier	Limits
o-Terphenyl	95		60 - 140

Method: 2540B - Percent Moisture

Lab Sample ID: 600-213833-5 DU
Matrix: Solid
Analysis Batch: 307460

Client Sample ID: MW-6-S-9-10-201116
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Percent Moisture	8.8		9.3		%		5	20
Percent Solids	91.2		90.7		%		0.5	20

Lab Sample ID: 600-213833-6 DU
Matrix: Solid
Analysis Batch: 307460

Client Sample ID: MW-6-S-14-15-201116
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Percent Moisture	28.4		27.5		%		3	20
Percent Solids	71.6		72.5		%		1	20

Method: 9056 - Anions, Ion Chromatography

Lab Sample ID: MB 560-180935/1-A
Matrix: Solid
Analysis Batch: 180951

Client Sample ID: Method Blank
Prep Type: Soluble

Analyte	MB Result	MB Qualifier	MQL (Adj)	SDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1.420	J	10.0	0.500	mg/Kg			12/02/20 21:25	1

Lab Sample ID: LCS 560-180935/2-A
Matrix: Solid
Analysis Batch: 180951

Client Sample ID: Lab Control Sample
Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	100	103.7		mg/Kg		104	80 - 120

Lab Sample ID: 600-213833-1 MS
Matrix: Solid
Analysis Batch: 180951

Client Sample ID: MW-6-S-0-1-201116
Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	59.7	J F1	2000	1573	F1	mg/Kg		76	80 - 120

Lab Sample ID: 600-213833-1 MSD
Matrix: Solid
Analysis Batch: 180951

Client Sample ID: MW-6-S-0-1-201116
Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	59.7	J F1	2000	1585	F1	mg/Kg		76	80 - 120	1	30

Unadjusted Detection Limits

Client: ARCADIS U.S., Inc. Job ID: 600-213833-1
Project/Site: Chevron Pardue Farms 27-12

Method: 8260B - Volatile Organic Compounds (GC/MS)

Prep: 5035

Analyte	MQL	MDL	Units
Benzene	5.00	0.630	ug/Kg
Ethylbenzene	5.00	1.02	ug/Kg
Toluene	5.00	1.38	ug/Kg
Xylenes, Total	5.00	1.13	ug/Kg

Method: 8015D - Gasoline Range Organics (GRO) (GC)

Prep: 5030C

Analyte	MQL	MDL	Units
Gasoline Range Organics [C6 - C10]	1.00	0.586	mg/Kg

Method: 8015D - Diesel Range Organics (DRO) (GC)

Prep: 3546

Analyte	MQL	MDL	Units
Diesel Range Organics [C10-C28]	8.30	1.71	mg/Kg
Oil Range Organics (C28-C35)	8.30	5.00	mg/Kg

General Chemistry

Analyte	MQL	MDL	Units
Percent Moisture	1.0	1.0	%
Percent Solids	1.0	1.0	%

General Chemistry - Soluble

Leach: DI Leach

Analyte	MQL	MDL	Units
Chloride	10.0	0.500	mg/Kg

QC Association Summary

Client: ARCADIS U.S., Inc.
Job ID: 600-213833-1
Project/Site: Chevron Pardue Farms 27-12

GC/MS VOA

Analysis Batch: 307349

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213833-1	MW-6-S-0-1-201116	Total/NA	Solid	8260B	307359
600-213833-2	MW-6-S-1-2-201116	Total/NA	Solid	8260B	307359
600-213833-3	MW-6-S-2-3-201116	Total/NA	Solid	8260B	307359
600-213833-4	MW-6-S-3-4-201116	Total/NA	Solid	8260B	307359
600-213833-5	MW-6-S-9-10-201116	Total/NA	Solid	8260B	307359
600-213833-6	MW-6-S-14-15-201116	Total/NA	Solid	8260B	307359
600-213833-7	MW-6-S-19-20-201116	Total/NA	Solid	8260B	307359
600-213833-8	MW-6-S-24-25-201116	Total/NA	Solid	8260B	307359
MB 600-307349/6	Method Blank	Total/NA	Solid	8260B	
LCS 600-307349/3	Lab Control Sample	Total/NA	Solid	8260B	
LCSD 600-307349/4	Lab Control Sample Dup	Total/NA	Solid	8260B	

Prep Batch: 307359

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213833-1	MW-6-S-0-1-201116	Total/NA	Solid	5035	
600-213833-2	MW-6-S-1-2-201116	Total/NA	Solid	5035	
600-213833-3	MW-6-S-2-3-201116	Total/NA	Solid	5035	
600-213833-4	MW-6-S-3-4-201116	Total/NA	Solid	5035	
600-213833-5	MW-6-S-9-10-201116	Total/NA	Solid	5035	
600-213833-6	MW-6-S-14-15-201116	Total/NA	Solid	5035	
600-213833-7	MW-6-S-19-20-201116	Total/NA	Solid	5035	
600-213833-8	MW-6-S-24-25-201116	Total/NA	Solid	5035	

GC VOA

Prep Batch: 307379

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213833-1	MW-6-S-0-1-201116	Total/NA	Solid	5030C	
600-213833-2	MW-6-S-1-2-201116	Total/NA	Solid	5030C	
600-213833-3	MW-6-S-2-3-201116	Total/NA	Solid	5030C	
600-213833-4	MW-6-S-3-4-201116	Total/NA	Solid	5030C	
600-213833-5	MW-6-S-9-10-201116	Total/NA	Solid	5030C	
600-213833-6	MW-6-S-14-15-201116	Total/NA	Solid	5030C	
600-213833-7	MW-6-S-19-20-201116	Total/NA	Solid	5030C	
600-213833-8	MW-6-S-24-25-201116	Total/NA	Solid	5030C	
MB 600-307379/3-A	Method Blank	Total/NA	Solid	5030C	
LCS 600-307379/1-A	Lab Control Sample	Total/NA	Solid	5030C	
LCSD 600-307379/2-A	Lab Control Sample Dup	Total/NA	Solid	5030C	

Analysis Batch: 307385

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213833-1	MW-6-S-0-1-201116	Total/NA	Solid	8015D	307379
600-213833-2	MW-6-S-1-2-201116	Total/NA	Solid	8015D	307379
600-213833-3	MW-6-S-2-3-201116	Total/NA	Solid	8015D	307379
600-213833-4	MW-6-S-3-4-201116	Total/NA	Solid	8015D	307379
600-213833-5	MW-6-S-9-10-201116	Total/NA	Solid	8015D	307379
600-213833-6	MW-6-S-14-15-201116	Total/NA	Solid	8015D	307379
600-213833-7	MW-6-S-19-20-201116	Total/NA	Solid	8015D	307379
600-213833-8	MW-6-S-24-25-201116	Total/NA	Solid	8015D	307379
MB 600-307379/3-A	Method Blank	Total/NA	Solid	8015D	307379
LCS 600-307379/1-A	Lab Control Sample	Total/NA	Solid	8015D	307379

QC Association Summary

Client: ARCADIS U.S., Inc.
Project/Site: Chevron Pardue Farms 27-12

Job ID: 600-213833-1

GC VOA (Continued)

Analysis Batch: 307385 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCSD 600-307379/2-A	Lab Control Sample Dup	Total/NA	Solid	8015D	307379

GC Semi VOA

Prep Batch: 307778

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213833-1	MW-6-S-0-1-201116	Total/NA	Solid	3546	
600-213833-2	MW-6-S-1-2-201116	Total/NA	Solid	3546	
600-213833-3	MW-6-S-2-3-201116	Total/NA	Solid	3546	
600-213833-4	MW-6-S-3-4-201116	Total/NA	Solid	3546	
600-213833-5	MW-6-S-9-10-201116	Total/NA	Solid	3546	
600-213833-6	MW-6-S-14-15-201116	Total/NA	Solid	3546	
600-213833-7	MW-6-S-19-20-201116	Total/NA	Solid	3546	
600-213833-8	MW-6-S-24-25-201116	Total/NA	Solid	3546	
MB 600-307778/1-A	Method Blank	Total/NA	Solid	3546	
LCS 600-307778/2-A	Lab Control Sample	Total/NA	Solid	3546	

Analysis Batch: 307871

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213833-1	MW-6-S-0-1-201116	Total/NA	Solid	8015D	307778
600-213833-2	MW-6-S-1-2-201116	Total/NA	Solid	8015D	307778
600-213833-3	MW-6-S-2-3-201116	Total/NA	Solid	8015D	307778
600-213833-4	MW-6-S-3-4-201116	Total/NA	Solid	8015D	307778
600-213833-5	MW-6-S-9-10-201116	Total/NA	Solid	8015D	307778
600-213833-6	MW-6-S-14-15-201116	Total/NA	Solid	8015D	307778
600-213833-7	MW-6-S-19-20-201116	Total/NA	Solid	8015D	307778
600-213833-8	MW-6-S-24-25-201116	Total/NA	Solid	8015D	307778
MB 600-307778/1-A	Method Blank	Total/NA	Solid	8015D	307778
LCS 600-307778/2-A	Lab Control Sample	Total/NA	Solid	8015D	307778

General Chemistry

Leach Batch: 180935

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213833-1	MW-6-S-0-1-201116	Soluble	Solid	DI Leach	
600-213833-2	MW-6-S-1-2-201116	Soluble	Solid	DI Leach	
600-213833-3	MW-6-S-2-3-201116	Soluble	Solid	DI Leach	
600-213833-4	MW-6-S-3-4-201116	Soluble	Solid	DI Leach	
600-213833-5	MW-6-S-9-10-201116	Soluble	Solid	DI Leach	
600-213833-6	MW-6-S-14-15-201116	Soluble	Solid	DI Leach	
600-213833-7	MW-6-S-19-20-201116	Soluble	Solid	DI Leach	
600-213833-8	MW-6-S-24-25-201116	Soluble	Solid	DI Leach	
MB 560-180935/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 560-180935/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
600-213833-1 MS	MW-6-S-0-1-201116	Soluble	Solid	DI Leach	
600-213833-1 MSD	MW-6-S-0-1-201116	Soluble	Solid	DI Leach	

Analysis Batch: 180951

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213833-1	MW-6-S-0-1-201116	Soluble	Solid	9056	180935
600-213833-2	MW-6-S-1-2-201116	Soluble	Solid	9056	180935
600-213833-3	MW-6-S-2-3-201116	Soluble	Solid	9056	180935

QC Association Summary

Client: ARCADIS U.S., Inc.
Job ID: 600-213833-1
Project/Site: Chevron Pardue Farms 27-12

General Chemistry (Continued)

Analysis Batch: 180951 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213833-4	MW-6-S-3-4-201116	Soluble	Solid	9056	180935
600-213833-5	MW-6-S-9-10-201116	Soluble	Solid	9056	180935
600-213833-6	MW-6-S-14-15-201116	Soluble	Solid	9056	180935
600-213833-7	MW-6-S-19-20-201116	Soluble	Solid	9056	180935
600-213833-8	MW-6-S-24-25-201116	Soluble	Solid	9056	180935
MB 560-180935/1-A	Method Blank	Soluble	Solid	9056	180935
LCS 560-180935/2-A	Lab Control Sample	Soluble	Solid	9056	180935
600-213833-1 MS	MW-6-S-0-1-201116	Soluble	Solid	9056	180935
600-213833-1 MSD	MW-6-S-0-1-201116	Soluble	Solid	9056	180935

Analysis Batch: 307460

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
600-213833-1	MW-6-S-0-1-201116	Total/NA	Solid	2540B	
600-213833-2	MW-6-S-1-2-201116	Total/NA	Solid	2540B	
600-213833-3	MW-6-S-2-3-201116	Total/NA	Solid	2540B	
600-213833-4	MW-6-S-3-4-201116	Total/NA	Solid	2540B	
600-213833-5	MW-6-S-9-10-201116	Total/NA	Solid	2540B	
600-213833-6	MW-6-S-14-15-201116	Total/NA	Solid	2540B	
600-213833-7	MW-6-S-19-20-201116	Total/NA	Solid	2540B	
600-213833-8	MW-6-S-24-25-201116	Total/NA	Solid	2540B	
600-213833-5 DU	MW-6-S-9-10-201116	Total/NA	Solid	2540B	
600-213833-6 DU	MW-6-S-14-15-201116	Total/NA	Solid	2540B	

Lab Chronicle

Client: ARCADIS U.S., Inc. Job ID: 600-213833-1
Project/Site: Chevron Pardue Farms 27-12

Client Sample ID: MW-6-S-0-1-201116 Lab Sample ID: 600-213833-1

Date Collected: 11/16/20 12:00 **Matrix: Solid**
Date Received: 11/17/20 10:22

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			307359	11/17/20 13:37	WS1	TAL HOU
Total/NA	Analysis	8260B		1	307349	11/17/20 14:14	WS1	TAL HOU
Total/NA	Analysis	2540B		1	307460	11/18/20 15:55	KRD	TAL HOU
Soluble	Leach	DI Leach			180935	12/02/20 17:22	JEM	TAL CC
Soluble	Analysis	9056		20	180951	12/02/20 22:33	JEM	TAL CC

Client Sample ID: MW-6-S-0-1-201116 Lab Sample ID: 600-213833-1

Date Collected: 11/16/20 12:00 **Matrix: Solid**
Date Received: 11/17/20 10:22 **Percent Solids: 98.2**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030C			307379	11/18/20 09:00	WS1	TAL HOU
Total/NA	Analysis	8015D		1	307385	11/18/20 11:41	WS1	TAL HOU
Total/NA	Prep	3546			307778	11/25/20 13:23	RLK	TAL HOU
Total/NA	Analysis	8015D		1	307871	11/30/20 16:27	RJV	TAL HOU

Client Sample ID: MW-6-S-1-2-201116 Lab Sample ID: 600-213833-2

Date Collected: 11/16/20 12:15 **Matrix: Solid**
Date Received: 11/17/20 10:22

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			307359	11/17/20 13:37	WS1	TAL HOU
Total/NA	Analysis	8260B		1	307349	11/17/20 14:37	WS1	TAL HOU
Total/NA	Analysis	2540B		1	307460	11/18/20 15:55	KRD	TAL HOU
Soluble	Leach	DI Leach			180935	12/02/20 17:22	JEM	TAL CC
Soluble	Analysis	9056		20	180951	12/03/20 00:15	JEM	TAL CC

Client Sample ID: MW-6-S-1-2-201116 Lab Sample ID: 600-213833-2

Date Collected: 11/16/20 12:15 **Matrix: Solid**
Date Received: 11/17/20 10:22 **Percent Solids: 85.6**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030C			307379	11/18/20 09:00	WS1	TAL HOU
Total/NA	Analysis	8015D		1	307385	11/18/20 12:06	WS1	TAL HOU
Total/NA	Prep	3546			307778	11/25/20 13:23	RLK	TAL HOU
Total/NA	Analysis	8015D		1	307871	11/30/20 16:58	RJV	TAL HOU

Client Sample ID: MW-6-S-2-3-201116 Lab Sample ID: 600-213833-3

Date Collected: 11/16/20 12:20 **Matrix: Solid**
Date Received: 11/17/20 10:22

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			307359	11/17/20 13:37	WS1	TAL HOU
Total/NA	Analysis	8260B		1	307349	11/17/20 15:00	WS1	TAL HOU
Total/NA	Analysis	2540B		1	307460	11/18/20 15:55	KRD	TAL HOU

Lab Chronicle

Client: ARCADIS U.S., Inc. Job ID: 600-213833-1
Project/Site: Chevron Pardue Farms 27-12

Client Sample ID: MW-6-S-2-3-201116 Lab Sample ID: 600-213833-3

Date Collected: 11/16/20 12:20 **Matrix: Solid**
Date Received: 11/17/20 10:22

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			180935	12/02/20 17:22	JEM	TAL CC
Soluble	Analysis	9056		20	180951	12/03/20 00:48	JEM	TAL CC

Client Sample ID: MW-6-S-2-3-201116 Lab Sample ID: 600-213833-3

Date Collected: 11/16/20 12:20 **Matrix: Solid**
Date Received: 11/17/20 10:22 **Percent Solids: 94.2**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030C			307379	11/18/20 09:00	WS1	TAL HOU
Total/NA	Analysis	8015D		1	307385	11/18/20 12:30	WS1	TAL HOU
Total/NA	Prep	3546			307778	11/25/20 13:23	RLK	TAL HOU
Total/NA	Analysis	8015D		1	307871	11/30/20 17:30	RJV	TAL HOU

Client Sample ID: MW-6-S-3-4-201116 Lab Sample ID: 600-213833-4

Date Collected: 11/16/20 12:25 **Matrix: Solid**
Date Received: 11/17/20 10:22

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			307359	11/17/20 13:37	WS1	TAL HOU
Total/NA	Analysis	8260B		1	307349	11/17/20 15:23	WS1	TAL HOU
Total/NA	Analysis	2540B		1	307460	11/18/20 15:55	KRD	TAL HOU
Soluble	Leach	DI Leach			180935	12/02/20 17:22	JEM	TAL CC
Soluble	Analysis	9056		20	180951	12/03/20 01:22	JEM	TAL CC

Client Sample ID: MW-6-S-3-4-201116 Lab Sample ID: 600-213833-4

Date Collected: 11/16/20 12:25 **Matrix: Solid**
Date Received: 11/17/20 10:22 **Percent Solids: 78.9**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030C			307379	11/18/20 09:00	WS1	TAL HOU
Total/NA	Analysis	8015D		1	307385	11/18/20 12:55	WS1	TAL HOU
Total/NA	Prep	3546			307778	11/25/20 13:23	RLK	TAL HOU
Total/NA	Analysis	8015D		1	307871	11/30/20 18:02	RJV	TAL HOU

Client Sample ID: MW-6-S-9-10-201116 Lab Sample ID: 600-213833-5

Date Collected: 11/16/20 12:30 **Matrix: Solid**
Date Received: 11/17/20 10:22

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			307359	11/17/20 13:37	WS1	TAL HOU
Total/NA	Analysis	8260B		1	307349	11/17/20 15:46	WS1	TAL HOU
Total/NA	Analysis	2540B		1	307460	11/18/20 15:55	KRD	TAL HOU
Soluble	Leach	DI Leach			180935	12/02/20 17:22	JEM	TAL CC
Soluble	Analysis	9056		20	180951	12/03/20 01:56	JEM	TAL CC

Lab Chronicle

Client: ARCADIS U.S., Inc. Job ID: 600-213833-1
Project/Site: Chevron Pardue Farms 27-12

Client Sample ID: MW-6-S-9-10-201116 Lab Sample ID: 600-213833-5

Date Collected: 11/16/20 12:30 **Matrix: Solid**
Date Received: 11/17/20 10:22 **Percent Solids: 91.2**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030C			307379	11/18/20 09:00	WS1	TAL HOU
Total/NA	Analysis	8015D		1	307385	11/18/20 13:20	WS1	TAL HOU
Total/NA	Prep	3546			307778	11/25/20 13:23	RLK	TAL HOU
Total/NA	Analysis	8015D		1	307871	11/30/20 18:33	RJV	TAL HOU

Client Sample ID: MW-6-S-14-15-201116 Lab Sample ID: 600-213833-6

Date Collected: 11/16/20 12:33 **Matrix: Solid**
Date Received: 11/17/20 10:22

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			307359	11/17/20 13:37	WS1	TAL HOU
Total/NA	Analysis	8260B		1	307349	11/17/20 16:10	WS1	TAL HOU
Total/NA	Analysis	2540B		1	307460	11/18/20 15:55	KRD	TAL HOU
Soluble	Leach	DI Leach			180935	12/02/20 17:22	JEM	TAL CC
Soluble	Analysis	9056		20	180951	12/03/20 02:30	JEM	TAL CC

Client Sample ID: MW-6-S-14-15-201116 Lab Sample ID: 600-213833-6

Date Collected: 11/16/20 12:33 **Matrix: Solid**
Date Received: 11/17/20 10:22 **Percent Solids: 71.6**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030C			307379	11/18/20 09:00	WS1	TAL HOU
Total/NA	Analysis	8015D		1	307385	11/18/20 13:44	WS1	TAL HOU
Total/NA	Prep	3546			307778	11/25/20 13:23	RLK	TAL HOU
Total/NA	Analysis	8015D		1	307871	11/30/20 19:36	RJV	TAL HOU

Client Sample ID: MW-6-S-19-20-201116 Lab Sample ID: 600-213833-7

Date Collected: 11/16/20 12:35 **Matrix: Solid**
Date Received: 11/17/20 10:22

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			307359	11/17/20 13:37	WS1	TAL HOU
Total/NA	Analysis	8260B		1	307349	11/17/20 16:33	WS1	TAL HOU
Total/NA	Analysis	2540B		1	307460	11/18/20 15:55	KRD	TAL HOU
Soluble	Leach	DI Leach			180935	12/02/20 17:22	JEM	TAL CC
Soluble	Analysis	9056		20	180951	12/03/20 03:04	JEM	TAL CC

Client Sample ID: MW-6-S-19-20-201116 Lab Sample ID: 600-213833-7

Date Collected: 11/16/20 12:35 **Matrix: Solid**
Date Received: 11/17/20 10:22 **Percent Solids: 88.4**

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030C			307379	11/18/20 09:00	WS1	TAL HOU
Total/NA	Analysis	8015D		1	307385	11/18/20 14:09	WS1	TAL HOU
Total/NA	Prep	3546			307778	11/25/20 13:23	RLK	TAL HOU
Total/NA	Analysis	8015D		1	307871	11/30/20 20:08	RJV	TAL HOU

Lab Chronicle

Client: ARCADIS U.S., Inc.
Job ID: 600-213833-1
Project/Site: Chevron Pardue Farms 27-12

Client Sample ID: MW-6-S-24-25-201116
Lab Sample ID: 600-213833-8
Date Collected: 11/16/20 12:38
Matrix: Solid
Date Received: 11/17/20 10:22

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			307359	11/17/20 13:37	WS1	TAL HOU
Total/NA	Analysis	8260B		1	307349	11/17/20 16:56	WS1	TAL HOU
Total/NA	Analysis	2540B		1	307460	11/18/20 15:55	KRD	TAL HOU
Soluble	Leach	DI Leach			180935	12/02/20 17:22	JEM	TAL CC
Soluble	Analysis	9056		20	180951	12/03/20 03:38	JEM	TAL CC

Client Sample ID: MW-6-S-24-25-201116
Lab Sample ID: 600-213833-8
Date Collected: 11/16/20 12:38
Matrix: Solid
Date Received: 11/17/20 10:22
Percent Solids: 85.0

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5030C			307379	11/18/20 09:00	WS1	TAL HOU
Total/NA	Analysis	8015D		1	307385	11/18/20 14:33	WS1	TAL HOU
Total/NA	Prep	3546			307778	11/25/20 13:23	RLK	TAL HOU
Total/NA	Analysis	8015D		1	307871	12/01/20 08:21	RJV	TAL HOU

Laboratory References:

TAL CC = Eurofins TestAmerica, Corpus Christi, 1733 N. Padre Island Drive, Corpus Christi, TX 78408, TEL (361)289-2673

TAL HOU = Eurofins TestAmerica, Houston, 6310 Rothway Street, Houston, TX 77040, TEL (713)690-4444

Accreditation/Certification Summary

Client: ARCADIS U.S., Inc. Job ID: 600-213833-1
Project/Site: Chevron Pardue Farms 27-12

Laboratory: Eurofins TestAmerica, Houston

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704223-20-28	11-01-21

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
2540B		Solid	Percent Moisture
2540B		Solid	Percent Solids
8015D	3546	Solid	Oil Range Organics (C28-C35)

Laboratory: Eurofins TestAmerica, Corpus Christi

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Louisiana	NELAP	05094	06-30-21
Oklahoma	State	2020-006	08-31-21
Texas	NELAP	T104704210-19-23	03-31-21
USDA	US Federal Programs	P330-18-00314	10-31-21

Released to Imaging: 12/19/2024 2:22:50 PM
Received by OCD: 10/23/2024 11:44:05 AM

Eurofins TestAmerica, Houston
6310 Rothway Street
Houston, TX 77040
Phone (713) 690-4444 Fax (713) 690-5646

Chain of Custody Record

eurofins | Environment Testing America

Client Information	Sampler: J. Steinmann	Lab PM: Kudchadkar, Sachin G	Carrier Tracking No(s):	COC No: 600-79929-21574.1
Client Contact: Ryan Nanny	Phone: 619 851 8792	E-Mail: Sachin.Kudchadkar@Eurofinset.com		Page: Page ~~1 of 2~~ 1 of 1
Company: ARCADIS U.S., Inc.				Job #:
Address: 1004 North Big Spring Suite 121	Due Date Requested:			
City: Midland	TAT Requested (days): std			
State, Zip: TX, 79701				
Phone: 432-684-5400(Tel) 432-687-5401(Fax)	PO #: Purchase Order Requested			
Email: ryan.nanny@arcadis.com	WO #:			
Project Name: Chevron Pardue Farms 27-12	Project #: 60012812			
Site: Pardue 27-12	SSOW#:			

Analysis Requested

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=wasteoil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	~~8260C - BETX Only~~ 8260B BTEX	8015D_GRO - Gasoline Range Organics	8015D_DRO - (MOD) Diesel Range Organics	~~25406_Sulfide_300_ORGFM_28D~~ 300.0, Moisture	1010, 6010B, 7470A	9040B - Corrosivity	8260B - BETX Only	8015D_GRO - Gasoline Range Organics	ORO 8015M	Total Number of containers
			Preservation Code:				A	A	N	N	N	N	N	N		
MW-6-S-0-1-201116	11/16/20	1200	G	Water												2
MW-6-S-1-2-201116		1215		Water												
MW-6-S-2-3-201116		1220		Water												
MW-6-S-3-4-201116		1225		Water												
MW-6-S-9-10-201116		1230		Water												
MW-6-S-14-15-201116		1233		Water												
MW-6-S-19-20-201116		1235		Water												
MW-6-S-24-25-201116		1238		Water												
Temp Blank				Water												
				Solid												
JS 11/16/20				Solid												

Special Instructions/Note:

600-213833 Chain of Custody

Preservation Codes:

A - HCL	M - Hexane
B - NaOH	N - None
C - Zn Acetate	O - AsNaO2
D - Nitric Acid	P - Na2O4S
E - NaHSO4	Q - Na2SO3
F - MeOH	R - Na2S2O3
G - Amchlor	S - H2SO4
H - Ascorbic Acid	T - TSP Dodecahydrate
I - Ice	U - Acetone
J - DI Water	V - MCAA
K - EDTA	W - pH 4-5
L - EDA	Z - other (specify)

Other:

Possible Hazard Identification
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months

Deliverable Requested: I, II, III, IV, Other (specify)

Special Instructions/QC Requirements:

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:

	Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
		11/16/20 1715	Arcadis	YCRS	11/17/20 1022	ETA
	Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
	Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company

Custody Seals Intact: Δ Yes Δ No	Custody Seal No.:	Cooler Temperature(s) °C and Other Remarks:

Ver: 01/16/2019

'20 NOV 17 10:22

Loc: 600
213833

eurofins | Environment Testing TestAmerica

Eurofins TestAmerica Houston

Sample Receipt Checklist

Date/Time Received: _____

JOB NUMBER: _____ CLIENT: Arcadis

UNPACKED BY: YR CARRIER/DRIVER: FedEx

Custody Seal Present: ☑YES ☐NO Number of Coolers Received: 1

Cooler ID	Temp Blank	Trip Blank	Observed Temp (°C)	Therm ID	Therm CF	Corrected Temp (°C)
1786	Y / N	Y / N	2.8	681	0.1	2.9
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				
	Y / N	Y / N				YR 11/17/20
	Y / N	Y / N				

CF = correction factor

Samples received on ice? ☑YES ☐NO

LABORATORY PRESERVATION OF SAMPLES REQUIRED: ☑NO ☐YES

Base samples are>pH 12: ☐YES ☐NO Acid preserved are<pH 2: ☐YES ☐NO

TX1005 samples frozen upon receipt: ☐ YES DATE & TIME PUT IN FREEZER: _____

pH paper Lot #_____ VOA headspace acceptable (5-6mm): ☐YES ☐NO ☑NA

Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?	☑YES	☐ NO

COMMENTS:

YR 11/17/20

HS-SA-WI-013 Rev. 4A; 08/26/2019

Released to Imaging: 12/19/2024 2:22:50 PM
Received by OCD: 10/23/2024 11:44:05 AM

Eurofins TestAmerica, Houston
6310 Rothway Street
Houston, TX 77040
Phone: 713-690-4444 Fax: 713-690-5646

Chain of Custody Record

eurofins | Environment Testing America

Client Information (Sub Contract Lab)	Sampler:	Lab PM: Kudchadkar, Sachin G	Carrier Tracking No(s):	COC No: 600-47896.1
Client Contact: Shipping/Receiving	Phone:	E-Mail: Sachin.Kudchadkar@Eurofinset.com	State of Origin: Texas	Page: Page 1 of 1
Company: TestAmerica Laboratories, Inc.		Accreditations Required (See note): NELAP - Texas		Job #: 600-213833-1
Address: 1733 N. Padre Island Drive, ,	Due Date Requested: 12/1/2020			
City: Corpus Christi	TAT Requested (days):			
State, Zip: TX, 78408				
Phone: 361-289-2673(Tel) 361-289-2471(Fax)	PO #:			
Email:	WO #:			
Project Name: Chevron Pardue Farms 27-12	Project #: 60012812			
Site:	SSOW#:			

Analysis Requested

Preservation Codes:

A - HCL	M - Hexane
B - NaOH	N - None
C - Zn Acetate	O - AsNaO2
D - Nitric Acid	P - Na2O4S
E - NaHSO4	Q - Na2SO3
F - MeOH	R - Na2S2O3
G - Amchlor	S - H2SO4
H - Ascorbic Acid	T - TSP Dodecahydrate
I - Ice	U - Acetone
J - DI Water	V - MCAA
K - EDTA	W - pH 4-5
L - EDA	Z - other (specify)

Other:

Sample Identification - Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	9056/DI_LEACH (MOD) Local Method	Total Number of containers	Special Instructions/Note:
			Preservation Code:						
MW-6-S-0-1-201116 (600-213833-1)	11/16/20	12:00 Central		Solid			X	1	
MW-6-S-1-2-201116 (600-213833-2)	11/16/20	12:15 Central		Solid			X	1	
MW-6-S-2-3-201116 (600-213833-3)	11/16/20	12:20 Central		Solid			X	1	
MW-6-S-3-4-201116 (600-213833-4)	11/16/20	12:25 Central		Solid			X	1	
MW-6-S-9-10-201116 (600-213833-5)	11/16/20	12:30 Central		Solid			X	1	
MW-6-S-14-15-201116 (600-213833-6)	11/16/20	12:33 Central		Solid			X	1	
MW-6-S-19-20-201116 (600-213833-7)	11/16/20	12:35 Central		Solid			X	1	
MW-6-S-24-25-201116 (600-213833-8)	11/16/20	12:38 Central		Solid			X	1	

Note: Since laboratory accreditations are subject to change, Eurofins TestAmerica places the ownership of method, analyte & accreditation compliance upon out subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/tests/matrix being analyzed, the samples must be shipped back to the Eurofins TestAmerica laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins TestAmerica attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said complicance to Eurofins TestAmerica.

Possible Hazard Identification	Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
Unconfirmed	☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months
Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 2	Special Instructions/QC Requirements:

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:

	Date/Time:	Company	Received by:	Date/Time:	Company
Relinquished by:	11/27/20 17:00	ETA	Allyse Sng	11/28/20 1150	ETA
Relinquished by:					
Relinquished by:					

Custody Seals Intact: Δ Yes Δ No	Custody Seal No.:	Cooler Temperature(s) °C and Other Remarks: 1.1 IR10 14 CG

Ver: 11/01/2020

Login Sample Receipt Checklist

Client: ARCADIS U.S., Inc. Job Number: 600-213833-1

Login Number: 213833 **List Source: Eurofins TestAmerica, Houston**
List Number: 1
Creator: Rubio, Yuri

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	Lab does not accept radioactive samples.
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	2.9
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	Check done at department level as required.

Login Sample Receipt Checklist

Client: ARCADIS U.S., Inc. Job Number: 600-213833-1

Login Number: 213833 **List Source: Eurofins TestAmerica, Corpus Christi**
List Number: 2 **List Creation: 11/28/20 12:52 PM**
Creator: Sanchez, Allyse A

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	Check done at department level as required.

Login Sample Receipt Checklist

Client: ARCADIS U.S., Inc. Job Number: 600-213833-1

Login Number: 213833 **List Source: Eurofins TestAmerica, Corpus Christi**
List Number: 3 **List Creation: 11/30/20 11:09 AM**
Creator: Cooper, Jenna L

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	Check done at department level as required.

Arcadis U.S., Inc.
1004 North Big Spring Street, Suite 121
Midland
Texas 79701
Phone: 432 687 5400
Fax: 432 687 5401
www.arcadis.com

ARCADIS

Chevron Environmental Management Company & Real Estate Co.

2021 Site Assessment Report

Pardue Farms 27-12 Well Site
Case No. 2RP-1395

March 2022

2021 Site Assessment Report

Pardue Farms 27-12 Well Site
Case No. 2RP-1395

March 2022


Prepared By:
Arcadis U.S., Inc.
1004 North Big Spring Street, Suite 121
Midland
Texas 79701
Phone: 432 687 5400
Fax: 432 687 5401

Prepared For:
Armando Martinez
Chevron Environmental Management Company
P.O. Box 469
Questa, NM 87564

Our Ref:
30093248



Russell Grant
Certified Project Manager



Ryan Nanny P.G.
Senior Project Geologist

This document is intended only for the use of the individual or entity for which it was prepared and may contain information that is privileged, confidential and exempt from disclosure under applicable law. Any dissemination, distribution or copying of this document is strictly prohibited.

Version Control (optional)

Issue	Revision No.	Date Issued	Page No.	Description	Reviewed By

Received by OCD: 10/23/2024 11:44:05 AM

Contents

1 Introduction 1
2 2021 Investigation 1
2.1 Soil Analytical Results 3
2.1.1 Chloride 3
2.1.2 BTEX 4
2.1.3 TPH 4
3 2021 Groundwater Investigation 4
3.1 Groundwater Gauging Data 4
3.2 Groundwater Analytical Results 5
3.2.1 Chloride 5
3.2.2 BTEX 5
3.2.3 TDS 5
4 Summary 6

Tables

Table 1. November 2021 Soil Investigation Analytical Summary
Table 2. 2021 Potentiometric Elevation Data
Table 3. 2021 Groundwater Investigation Analytical Summary
Table 4. Cumulative Groundwater Investigation Analytical Summary

Figures

Figure 1. Site Vicinity Map
Figure 2. Soil Analytical Results Map - November 2021
Figure 3. Potentiometric Surface Map - June 2021
Figure 4. Potentiometric Surface Map - December 2021
Figure 5. Groundwater Analytical Results Map - June 2021

Released to Imaging: 12/19/2024 2:22:50 PM

Figure 6. **Groundwater Analytical Results Map - December 2021**

Figure 7. **Chloride Isoconcentration Map - June 2021**

Figure 8. **Chloride Isoconcentration Map - December 2021**

Appendices

Appendix A: **Site Background Information**

Appendix B: **Field Documentation**

Appendix C: **Soil Boring Logs**

Appendix D: **Laboratory Reports**

1 Introduction

On behalf of Chevron Environmental Management Company (CEMC), Arcadis U.S., Inc. (Arcadis) has prepared this Site Assessment Report (Report) for Pardue Farms 27-12 (Site) in order for Chevron Mid-Continent Business Unit (MCBU) to document the environmental assessment activities performed at the Site. This Report summarizes the field activities completed, and the laboratory analytical results of samples collected during a soil and groundwater investigation conducted on-site in December 2021.

The Site is located in Eddy County approximately one mile southeast of Loving, New Mexico along the northeast quarter of the southwest quarter of Section 27, Township 23 South, Range 28 East. The Site surface is privately owned and Chevron Midcontinent, L.P. holds the oil and gas lease. The average depth to groundwater at the Site is approximately 30 feet below ground surface (bgs).

The Site is located on the western edge of the Permian Basin, a 75,000-square-mile area in Texas and New Mexico that is populated by numerous oil and gas production wells. In New Mexico, the Permian Basin extends to Roosevelt County to the north, Chaves and Eddy County to the west, and to Texas to the south. A Site Vicinity Map is presented as **Figure 1**. Additional Site background information is presented in **Appendix A**. Field documentation is presented in **Appendix B**.

2 2021 Investigation

In November 2021, Arcadis advanced 12 soil borings to a total depth of 4 to 16 feet (ft) bgs using a Geoprobe 5400 Series direct-push drilling rig. Soil samples were collected at the surface (0'-1') of each boring using a hand auger, and at the following intervals using a lined split-spoon core barrel:

- SB-12, SB-13
  - 1 – 2 ft bgs
  - 2 – 3 ft bgs
  - 3 – 4 ft bgs
  - 4 – 5 ft bgs
  - 9 – 10 ft bgs
  - 13 – 14 ft bgs
- SB-14
  - 1 – 2 ft bgs
  - 2 – 3 ft bgs
  - 4 – 5 ft bgs
  - 7 – 8 ft bgs
- SB-15
  - 1 – 2 ft bgs
  - 2 – 3 ft bgs
  - 3 – 4 ft bgs
  - 4 – 5 ft bgs
  - 9 – 10 ft bgs
  - 14 – 15 ft bgs
- SB-16, SB-17
  - 1 – 2 ft bgs
  - 2 – 3 ft bgs

  - 3 – 4 ft bgs
  - 4 – 5 ft bgs
  - 9 – 10 ft bgs
- SB-18
  - 1 – 2 ft bgs
  - 2 – 3 ft bgs
  - 3 – 4 ft bgs
  - 4 – 5 ft bgs
- SB-19, SB-20
  - 1 – 2 ft bgs
  - 2 – 3 ft bgs
  - 3 – 4 ft bgs
  - 4 – 5 ft bgs
  - 6 – 7 ft bgs
- SB-21
  - 1 – 2 ft bgs
  - 2 – 3 ft bgs
  - 3 – 4 ft bgs
  - 6 – 7 ft bgs
- SB-22, SB-23
  - 1 – 2 ft bgs
  - 2 – 3 ft bgs
  - 3 – 4 ft bgs

Soil samples were continuously logged for stratigraphic characteristics according to the Unified Soil Classification System (USCS) and field screening methods were utilized to quantify soil hydrocarbon impacts. No staining was observed and the highest photoionization detector (PID) readings were 0.2 ppm observed at SB-12 (3-4 ft bgs) and SB-16 (0-1 ft bgs). A PID reading of 0.1ppm was observed at SB-16 (1-2 ft bgs). No other PID detections were observed. Soil boring logs are presented in **Appendix C**.

Soil samples were collected from core-barrel liners and placed in clean, laboratory-supplied sample containers, labeled, placed on ice, cooled to approximately 4 degrees Celsius, and transported via overnight courier to Pace analytical laboratory in Mount Juliet, Tennessee, for constituents of concern (COC) analysis. The samples collected from each soil boring were analyzed for:

- Benzene, Toluene, Ethylbenzene and Xylene (BTEX) by U.S. Environmental Protection Agency (USEPA) 8260B
- Total Petroleum Hydrocarbon (TPH) - Gasoline Range Organics (GRO), Diesel Range Organics (DRO), Oil Range Organics (ORO) by USEPA 8015D, 8015M
- Chloride by USEPA 300.0

Investigative derived waste (IDW), which includes soil cuttings from drilling activities were containerized in one properly labeled 55-gallon drum and stored onsite until they were picked up by an approved waste-disposal company and disposed of at a CEMC-approved waste disposal facility at the end of the event. Soil boring were plugged to native ground surface with bentonite chips.

2.1 Soil Analytical Results

Soil analytical results were compared to the closure criteria outlined in Title 19, Chapter 15, Part 29 (19.15.29) of the New Mexico Administrative Code (NMAC) standards for chloride, BTEX and TPH. A summary of the soil sample analytical results from the November 2021 soil investigation are presented in **Table 1**. Copies of the certified analytical reports and chain-of-custody documentation are presented in **Appendix D**. Soil analytical results are also presented in **Figure 2**.

2.1.1 Chloride

Chloride concentrations exceeded the NMAC standard of 600 milligrams per kilogram (mg/kg) in eight of the soil borings (SB-12,13,14,15, 16, 17, 18, and 19). SB-20, 21, 22, and 23 did not have any exceedances of the NMAC standards for chlorides. The sample intervals for each borehole with exceedances are listed below:

- SB-12
  - 1-2 ft bgs: 1,430 mg/kg
  - 2-3 ft bgs: 2,100 mg/kg
  - 3-4 ft bgs: 923 mg/kg
  - 4-5 ft bgs: 1,690 mg/kg
  - 9-10 ft bgs: 2,030 mg/kg
  - 13-14 ft bgs, 1,910 mg/kg
- SB-13
  - 2-3 ft bgs: 831 mg/kg
  - 3-4 ft bgs: 3,070 mg/kg
  - 4-5 ft bgs: 904 mg/kg
  - 9-10 ft bgs: 1,490 mg/kg
  - 13-14 ft bgs, 1,990 mg/kg
  - SB-14
  - 7-8 ft bgs: 2,250 mg/kg
- SB-15
  - 1-2 ft bgs: 1,640 mg/kg
  - 2-3 ft bgs: 2,520 mg/kg
  - 3-4 ft bgs: 2,720 mg/kg
  - 9-10 ft bgs: 1,940 mg/kg
  - 14-15 ft bgs, 1,460 mg/kg
- SB-16
  - 1-2 ft bgs: 1,000 mg/kg
  - 2-3 ft bgs: 6,900 mg/kg
  - 3-4 ft bgs: 4,010 mg/kg
  - 4-5 ft bgs: 4,800 mg/kg
  - 9-10 ft bgs, 2,260 mg/kg
- SB-17
  - 3-4 ft bgs: 1,590 mg/kg
  - 4-5 ft bgs: 1,640 mg/kg
  - 9-10 ft bgs, 740 mg/kg
- SB-18
  - 2-3 ft bgs: 1,320 mg/kg

Released to Imaging: 12/19/2024 2:22:50 PM

  - 3-4 ft bgs: 1,780 mg/kg
- SB-19
  - 6-7 ft bgs: 1,800 mg/kg

2.1.2 BTEX

BTEX concentrations were reported below the NMAC standard of 50 mg/kg at all sample locations.

2.1.3 TPH

TPH concentrations were reported below the NMAC standard of 100 mg/kg at all sample locations.

3 2021 Groundwater Investigation

Groundwater at the Site was monitored during two events (Spring and Fall) during 2021 from a network of four monitoring wells (MW-1, MW-2, MW-3, and MW-6). Arcadis gauged and sampled each monitoring well on June 30, 2021, and again on December 10, 2021. All samples were collected via low flow methods using a bladder pump. Samples collected were analyzed for:

- BTEX by USEPA 8021
- TPH- GRO by USEPA 8015
- TPH- DRO, ORO by USEPA 8015M
- Chloride by USEPA 300.0
- Total Dissolved Solids by Method 2540C-2011

3.1 Groundwater Gauging Data

Groundwater and light non-aqueous phase liquid (LNAPL) measurements were collected utilizing a Solinst Oil/Water interface meter during the two 2021 monitoring events and indicated the following:

Depth to groundwater ranged from 25.33 feet BTOC (MW-6) to 35.69 ft BTOC (MW-2) during the June 2021 gauging event and ranged from 25.52 feet BTOC (MW-6) to 36.39 feet BTOC (MW-2) during the December 2021 event. Potentiometric elevation data collected from the 2021 investigation is presented in **Table 2** and on **Figure 3** (June) and **Figure 4** (December).

- LNAPL was not observed in any of the Site monitoring wells
- The groundwater elevations during the June 2021 and December 2021 events both indicate groundwater flow to the southeast,
- The calculated gradient was approximately 0.012 feet/foot (ft/ft) for the June 2021 gauging event and approximately 0.038 feet/ft (ft/ft) for December 2021.

3.2 Groundwater Analytical Results

Four monitoring wells were sampled on June 30, 2021, and December 10, 2021. Groundwater analytical results for chloride, BTEX, TPH, and TDS were compared to the New Mexico Water Quality Control Commission (NMWQCC) Groundwater Standards for samples collected from MW-1, MW-2, MW-3, and MW-6. A summary of the groundwater sample analytical results is presented in **Table 3** and a cumulative summary of groundwater sample analytical results can be viewed in **Table 4**. Copies of the certified analytical reports and chain-of-custody documentation are presented in **Appendix D**. Groundwater analytical results are also presented on **Figure 5 and 6**. The isoconcentration maps for chloride for the 2021 sampling events are presented in **Figures 7 and 8**. Analytical results from the 2021 groundwater investigations are further discussed below.

3.2.1 Chloride

Chloride concentrations exceeded the NMWQCC standard of 250 milligrams per liter (mg/L) in four wells sampled during both the June and December 2021 groundwater investigation. Chloride analytical results are as follows:

- **June 2021**
  - MW-1: 7,210 mg/L
  - MW-2: 5,450 mg/L
  - MW-3: 6,520 mg/L
  - MW-6: 8,230 mg/L
- **December 2021**
  - MW-1: 8,120 mg/L
  - MW-2: 5,990 mg/L
  - MW-3: 6,940 mg/L
  - MW-6: 9,730 mg/L

3.2.2 BTEX

BTEX were reported below the NMWQCC standard of 0.01, 0.75, 0.75 and 0.62 mg/L, respectively, in all wells sampled during both 2021 groundwater investigation events.

3.2.3 TDS

TDS concentrations exceeded the NMWQCC standard of 1,000 mg/L in four wells sampled during both the June and December 2021 groundwater investigation. TDS analytical results are as follows:

- **June 2021**
  - MW-1: 15,100 mg/L
  - MW-2: 13,100 mg/L
  - MW-3: 13,700 mg/L
  - MW-6: 16,000 mg/L
- **December 2021**
  - MW-1: 19,300 mg/L
  - MW-2: 15,200 mg/L
  - MW-3: 17,300 mg/L

- MW-6: 23,700 mg

4 Summary

To further delineate the chloride impacts to soil at the Site, 12 soil borings were advanced around the perimeter of the known impacted area.

- Soil analytical results exceeded the revised NMAC screening level for chloride of 600 mg/kg at eight of the soil borings with highest result being 6,900 mg/kg from SB-16 (2-3 ft bgs)

Groundwater gauging and sampling was completed on June 30 and December 10, 2021 for all four site monitoring wells. Groundwater gauging and analytical results reported from the 2021 groundwater investigations indicated:

- Potentiometric surface conditions indicate groundwater flow to the southeast.
- Chloride exceeded the NMWQCC groundwater standard in all Site wells sampled during both 2021 events.
- TDS exceeded the NMWQCC groundwater standard in all Site wells sampled in during both 2021 events.
- Chloride concentrations decreased slightly from 2020 levels in all sampled wells except MW-3 which had a very slight increase during the December 2021 event.
- TDS for all sampled wells increased during the December 2021 event compared to 2020 levels.

Chloride impact to soil and groundwater at the Site has not been fully delineated. Additional soil and groundwater assessment activities are recommended. If you have any questions or comments regarding the information presented in this Report, please contact Russell Grant at 432.217.2064 or at Russell.Grant@arcadis.com.

Tables

Table 1
November 2021 Soil Investigation Analytical Summary
Chevron EMC
Pardue Farms 27-12
Eddy County, New Mexico

Boring Location ID	Sample Date	Sample Depth (feet bgs)	Benzene	Toluene	Ethylbenzene	Total Xylenes	Total BTEX	TPH-GRO	TPH-DRO	TPH-ORO	Chloride	Moisture
			(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	%
NMAC Closure Criteria [(a)]			**10**	**--**	**--**	**--**	**50**	**--**	**100**	**--**	**600**	**--**
SB-12	11/8/2021	0 to 1	0.000704 J	<0.00148	0.000957 J	0.00335 J	0.001661	0.0266 J	3.09	0.66	110	6.4
	11/8/2021	1 to 2	<0.000799	<0.00222	<0.00126	<0.00151	<0.000799	0.0324 J	< 2.18	<0.371	**1,430**	26.2
	11/8/2021	2 to 3	<0.000706	<0.00197	<0.00111	<0.00133	<0.000706	<0.0272	<2.02 J6	<0.344	**2,100**	20.4
	11/8/2021	3 to 4	<0.000663	<0.00185	<0.00105	<0.00125	<0.000663	0.0275 J	<1.95	<0.331	**923**	17.3
	11/8/2021	4 to 5	<0.000730	<0.00203	<0.00115	<0.00138	<0.000730	0.0423 B J	<2.06	<0.351	**1,690**	22.0
	11/8/2021	9 to 10	<0.000728	<0.00203	<0.00115	<0.00137	<0.000728	0.0417B J	<2.06	<0.350	**2,030**	21.8
	11/8/2021	13 to 14	<0.000588	<0.00164	<0.000928	<0.00111	<0.000588	<0.0297 B J	4.36 J	0.717 J	**1910 J5**	11.5
SB-13	11/8/2021	0 to 1	<0.000625	<0.00174	<0.000986	<0.00118	<0.000625	0.0338 B J	2.26 J	2.44 J	<10.7	14.4
	11/8/2021	1 to 2	<0.000743	<0.00207	<0.00117	<0.00140	<0.000743	0.0360 B J	2.13 J	<0.355	431	22.8
	11/8/2021	2 to 3	<0.000800	<0.00223	<0.00126	<0.00151	<0.000800	.0420 B J	<2.18	<0.371	**831**	26.2
	11/8/2021	3 to 4	<0.000807	<0.00225	<0.00127	<0.00152	<0.000807	0.0381 B J	<2.20	0.653 B J	**3,070**	26.7
	11/8/2021	4 to 5	<0.000663	<0.00185	<0.00105	<0.00125	<0.000663	0.0344 B J	<1.95	<0.331	**904**	17.3
	11/8/2021	9 to 10	<0.000726	<0.00202	<0.00115	<0.00137	<0.000726	<0.0277	<2.05	<0.350	**1,490**	21.6
	11/8/2021	13 to 14	<0.000664	<0.00185	<0.00105	<0.00125	<0.000664	<0.0263	<1.95	<0.332	**1,990**	17.4
SB-14	11/8/2021	0 to 1	<0.000656	<0.00183	<0.00104	<0.00124	<0.000656	<0.0261	2.06 J	6.08 B	11.8 J	16.8
	11/8/2021	1 to 2	<0.000737	<0.00205	<0.00116	<0.00139	<0.000737	<0.0279	<2.07	0.986 B J	12.3 J	22.3
	11/8/2021	2 to 3	<0.000639	<0.00178	<0.00101	<0.00120	<0.000639	<0.0257	<1.91	<0.324	<10.9	15.5
	11/8/2021	4 to 5	<0.000577	<0.00161	<0.000911	<0.00109	<0.000577	<0.0243	<1.80	<0.306	583	10.6
	11/8/2021	7 to 8	<0.000852	<0.00237	<0.00135	<0.00161	<0.000852	<0.0306	<2.27	<0.387	**2,250**	29.2
SB-15	11/8/2021	0 to 1	<0.000674	<0.00188	<0.00106	<0.00127	<0.000674	<0.0265	<1.97	0.782 B J	591	18.2
	11/8/2021	1 to 2	<0.000754	<0.00210	<0.00119	<0.00142	<0.000754	<0.0283	<2.10	0.626 B J	**1,640**	23.4
	11/8/2021	2 to 3	<0.000581	<0.00162	<0.000918	<0.00110	<0.000581	<0.0244	4.35 J	10.7 B	**2,520**	10.9
	11/8/2021	3 to 4	<0.000588	<0.00164	<0.000928	<0.00111	<0.000588	<0.0245	<1.82	0.766 B J	**2,720 V**	11.5
	11/8/2021	4 to 5	<0.000773	<0.00215	<0.00122	<0.00146	<0.000773	<0.0288	<2.14	<0.364	372	24.7
	11/8/2021	9 to 10	<0.000686	<0.00191	<0.00108	<0.00129	<0.000686	<0.0268	2.95 J	<0.338	**1,940**	18.9
	11/8/2021	14 to 15	<0.000687	<0.00191	<0.00108	<0.00129	<0.000687	<0.0268	51.50	5.28 B	**1,460**	19.0
SB-16	11/9/2021	0 to 1	<0.000661	<0.00184	<0.00104	<0.00125	<0.000661	<0.0262	2.85 J	7.54	32	17.2
	11/9/2021	1 to 2	<0.000767	<0.00214	<0.00121	0.00145	<0.000767	<0.0287	29.30	43.50	**1,000**	24.3
	11/9/2021	2 to 3	<0.000685	<0.00191	<0.00108	<0.00129	<0.000685	<0.0267	10.50	10.80	**6,900**	18.9
	11/9/2021	3 to 4	<0.000828	<0.00231	<0.00131	<0.00156	<0.000828	<0.0301	3.71	2.98	**4,010**	27.8
	11/9/2021	4 to 5	<0.000827	<0.00230	<0.00130	<0.00156	<0.000827	<0.0300	<2.23	1.38 J	**4,800**	27.7
	11/9/2021	9 to 10	<0.000790	<0.00220	<0.00125	<0.00149	<0.000790	<0.0292	<2.17	0.767 J	**2,260**	25.6
SB-17	11/9/2021	0 to 1	<0.000558	<0.00155	<0.000880	<0.00105	<0.000558	0.0944 J V3	4.55	13.70	<10.1	8.9
	11/9/2021	1 to 2	<0.000633	<0.00176	<0.000998	<0.00119	<0.000633	0.0299 B J	3.57 J	9.07	<10.8	15.0
	11/9/2021	2 to 3	<0.000519	<0.00144	<0.000819	<0.000978	<0.000519	0.0505 B J	1.82 J	6.44	360	5.3
	11/9/2021	3 to 4	<0.000540	<0.00150	<0.000852	<0.00102	<0.000540	0.0240 B J	<1.74	7.51	**1,590**	7.2
	11/9/2021	4 to 5	<0.000783	0.0411 J	0.00193 J	0.00805 J	0.0411 J	0.0519 B J	<2.15	1.63 J	**1,640**	25.3
	11/9/2021	9 to 10	<0.000578	0.00187 J	<0.000912	0.00183 J	0.00187 J	<0.0243	<1.80	0.615 J	**740**	10.6
SB-18	11/9/2021	0 to 1	<0.000778	<0.00217	<0.00123	<0.00147	<0.000778	<0.0289	<2.14	3.26 J	24.9 J	24.9
	11/9/2021	1 to 2	<0.000721	<0.00201	<0.00114	<0.00136	<0.000721	0.0279 B J	<2.05	3.36 J	284	21.4
	11/9/2021	2 to 3	<0.000516	<0.00144	0.000814	<0.000972	<0.000516	<0.0228	<1.69	1.15 J	**1,320**	5.0
	11/9/2021	3 to 4	<0.000539	<0.00150	<0.000850	<0.00102	<0.000539	<0.0234	<1.73	0.929 J	**1,780**	7.1
	11/9/2021	4 to 5	<0.000752	<0.00209	<0.00119	<0.00142	<0.000752	0.0401 B J	<2.10	3.97 J	208 J3 J5	23.3
SB-19	11/9/2021	0 to 1	<0.000717	<0.00200	<0.00113	<0.00135	<0.000717	0.0288 B J	3.17 J	13.40	22.8 J	21.1
	11/9/2021	1 to 2	<0.000513	<0.00143	<0.000809	<0.000966	<0.000513	<0.0228	<1.69	8.68	15.1 J	4.6
	11/9/2021	2 to 3	<0.000516	<0.00144	<0.000814	<0.000972	<0.000516	<0.0228	<1.69	4.46	95	5.0
	11/9/2021	3 to 4	<0.000526	<0.00147	<0.000831	<0.000992	<0.000526	<0.0246	<1.71	7.57	338	6.0
	11/9/2021	4 to 5	<0.000561	<0.00156	<0.000886	<0.00106	<0.000561	0.0295 B J	<1.77	3.18 J	375	9.2
	11/9/2021	6 to 7	<0.000566	<0.00158	<0.000894	<0.00107	<0.000566	<0.0266 B J	<1.78	2.00 J	**1,800**	9.6

Table 1
November 2021 Soil Investigation Analytical Summary
Chevron EMC
Pardue Farms 27-12
Eddy County, New Mexico

Boring Location ID	Sample Date	Sample Depth (feet bgs)	Benzene	Toluene	Ethylbenzene	Total Xylenes	Total BTEX	TPH-GRO	TPH-DRO	TPH-ORO	Chloride	Moisture
			(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	%
NMAC Closure Criteria [(a)]			**10**	**--**	**--**	**--**	**50**	**--**	**100**	**--**	**600**	**--**
SB-20	11/9/2021	0 to 1	<0.000490	<0.00137	<0.000774	<0.000924	<0.000490	0.0296 B J	<1.65	8.13	<9.81	2.4
	11/9/2021	1 to 2	<0.000503	<0.00140	<0.000794	<0.000948	<0.000503	<0.0225	<1.67	3.14 J	9.58 J	3.7
	11/9/2021	2 to 3	<0.000603	<0.00168	<0.000952	<0.00114	<0.000603	<0.0249	<1.85	3.45 J	20	12.7
	11/9/2021	3 to 4	<0.000625	<0.00174	<0.000987	<0.00118	<0.000625	0.0291 B J	2.14 J	6.07	374	14.5
	11/9/2021	4 to 5	<0.000496	<0.00138	<0.000782	<0.000934	<0.000496	<0.0224	5.19	20.50	28	3.0
	11/9/2021	6 to 7	<0.000618	<0.00172	<0.000975	<0.00116	<0.000618	<0.0252	<1.87	0.902 J	406	13.9
SB-21	11/9/2021	0 to 1	<0.000642	<0.00179	<0.00101	<0.00121	<0.000642	<0.0258	3.08 J	12.80	14.0 J	15.8
	11/9/2021	1 to 2	<0.000.533	<0.00148	<0.000841	<0.00100	<0.000533	<0.0232	<1.72	3.62 B J	13	6.6
	11/9/2021	2 to 3	<0.000491	<0.00137	<0.000775	<0.000925	<0.000491	<0.0223	<1.65	3.53 B J	106	2.5
	11/9/2021	3 to 4	<0.000496	<0.00138	<0.000782	<0.000934	<0.000496	<0.0224	<1.66	3.73 B J	132	3.0
	11/9/2021	6 to 7	<0.000614	<0.00171	<0.000970	<0.00116	<0.000614	<0.0251	<1.86	2.01 B J	425	13.6
SB-22	11/9/2021	0 to 1	<0.000626	<0.00174	<0.000989	<0.00118	<0.000626	<0.0254	8.58	36.50	<10.8	14.6
	11/9/2021	1 to 2	<0.000500	<0.00139	<0.000789	<0.000942	<0.000500	<0.0225	<1.67	<2.63 B J	<9.91	3.4
	11/9/2021	2 to 3	<0.000499	<0.00139	<0.000788	<0.000941	<0.000499	<0.0225	<1.67	4.29 B	31	3.3
	11/9/2021	3 to 4	<0.000563	<0.00157	<0.000889	<0.00106	<0.000563	<0.0239	<1.78	7.07	278	9.3
SB-23	11/9/2021	0 to 1	<0.000751	<0.00209	<0.00119	<0.00142	<0.000751	<0.0283	<2.10	3.08 B J	138	23.3
	11/9/2021	1 to 2	<0.000784	<0.00218	<0.00124	<0.00148	<0.000784	<0.0291	<2.16	2.84 B J	74	25.3
	11/9/2021	2 to 3	<0.000547	<0.00152	<0.000864	<0.00103	<0.000547	<0.0236	<1.75	2.40 B J	18	7.9
	11/9/2021	3 to 4	<0.000764	<0.00213	<0.00121	<0.00144	<0.00064	<0.0286	<2.12	0.711 B J	45	24.1

Value	Analytical value is greater than or equal to NMAC clsoure criteria
mg/kg	Milligram per killogram
'<'	Analyte was not detected at or above the Method Detection Limit (MDL)
ft bgs	Below ground surface
BTEX	Benzene, Toluene, Ethylbenzene, and Total Xylenes
TPH GRO	Total Petroleum Hydrocarbons Gasoline Range Organics
TPH MRO	Total Petroluem Hydrocarbons Motor Oil Range Organics
TPH DRO	Total Petroleum Hydrocarbon Diesel Range Organics
NMAC	New Mexico Administration Code

Lab Qualifiers:

B	The same analyte is found in the associated blank.
J	The identification of the analyte is acceptable; the reported value is an estimate.
J3	The associated batch QC was outside the established quality control range for precision
J5	The sample matrix interfered with the ability to make any accurate determination; spike value is high.
J6	The sample matrix interfered with the ability to make any accurate determination; spike value is low
V	The sample concentration is too high to evaluate accurate spike recoveries.
V3	The internal standard exhibited poor recovery due to sample matrix interference. The analytical results will be biased high. BDL results will be unaffected.

Notes:

1. Chloride analyzed by United States Environmental Protection Agency Method 300
2. TPH analyzed by USEPA Method 8015D
3. BTEX analyzed by USEPA Method 8260B

Table 2
November 2021 Potentiometric Elevation Data
Chevron EMC
Pardue Farms 27-12
Eddy County, New Mexico

Well ID TOC Elevation (ft. NAVD, 88)	Date	Depth to Groundwater (ft. below TOC)	Depth to LNAPL (ft. below TOC)	LNAPL Thickness	Groundwater Elevation (ft. NAVD, 88)	Well Depth (ft. below TOC)	Well screen interval (ft. below bgs)
MW-1 3070.30	6/30/2021	34.18	ND	--	3036.12	50.10	15 - 55
	12/10/2021	31.43	ND	--	3038.87	58.36	
MW-2 3071.87	6/30/2021	35.69	ND	--	3036.18	58.38	15 - 55
	12/10/2021	36.39	ND	--	3035.48	58.42	
MW-3 3068.64	6/30/2021	33.51	ND	--	3035.13	59.79	19 - 54
	12/10/2021	33.10	ND	--	3035.54	59.72	
MW-6 3061.37	6/30/2021	25.33	ND	--	3036.04	58.70	23.75 - 58.75
	12/10/2021	25.52	ND	--	3035.85	58.69	

Notes:
TOC = Top of Casing
NAVD88 = North American Vertical Datum of 1988
bgs = below ground surface
NA = Not Detected
-- = Not measured

Table 3
2021 Groundwater Investigation Analytical Summary
Chevron EMC
Pardue Farms 27-12
Eddy County, New Mexico

Boring Location ID	Sample Date	Chloride	Benzene	Toluene	Ethylbenzene	Total Xylenes	Total BTEX	TPH-GRO	TPH-DRO	TPH-ORO	TDS
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)
NMAC Standards		**250**	**0.01**	**0.75**	**0.75**	**0.62**	**--**	**--**	**--**	**--**	**1,000**
MW-1	6/30/2021	**7,210**	<0.000190	<0.000412	<0.000160	<0.000510	<0.000160	<0.0314	0.0437 J	0.0684 J	**15,100**
	12/10/2021	**8,120**	<0.000190	<0.000412	<0.000160	<0.000510	<0.000160	<0.0314	<0.0222	0.0495 J	**19,300**
MW-2	6/30/2021	**5,450**	<0.000190	<0.000412	<0.000160	<0.000510	<0.000160	<0.0314	0.0530 J	0.0430 J	**13,100**
	12/10/2021	**5,990**	<0.000190	<0.000412	<0.000160	<0.000510	<0.000160	<0.0314	<0.0222	0.0453 J	**15,200**
MW-3	6/30/2021	**6,520**	<0.000190	<0.000412	<0.000160	<0.000510	<0.000160	<0.0314	0.0300 J	0.0196 J	**13,700**
	12/10/2021	**6,940**	<0.000190	<0.000412	<0.000160	<0.000510	<0.000160	<0.0314	<0.0222	0.0688 J	**17,300**
MW-6	6/30/2021	**8,230**	<0.000190	<0.000412	<0.000160	<0.000510	<0.000160	<0.0314	0.121	0.115	**16,000**
	12/10/2021	**9,730**	<0.000190	<0.000412	<0.000160	<0.000510	<0.000160	<0.0314	0.131	0.166	**23,700**
DUP-1 (MW-6)	6/30/2021	**8,260**	<0.000190	<0.000412	<0.000160	<0.000510	<0.000160	<0.0314	0.208	0.243	**16,800**
	12/10/2021	**9,570**	0.000195 J	0.000708 B J	<0.000160	<0.000510	0.000903	<0.0314	0.164	0.193	**21,100 J3**
EB-W	6/30/2021	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	12/10/2021	0.429 J P1	<0.000190	<0.000412	<0.000160	<0.000510	<0.000160	<0.0314	<0.0222	<0.0118	<10.0

Legend:

Value	Analytical value is greater than or equal to NMAC clsoure criteria
mg/L	Milligram per killogram
'<'	Analyte was not detected at or above the Method Detection Limit (MDL)
NA	Not Analyzed
ft bgs	Below ground surface
NMAC	New Mexico Administration Code
BTEX	Benzene, Toluene, Ethylbenzene, and Total Xylenes
TPH GRO	Total Petroleum Hydrocarbons Gasoline Range Organics
TPH DRO	Total Petroleum Hydrocarbon Diesel Range Organics
TPH-ORO	Total Petroluem Hydrocarbons Oil Range Organics

Lab Qualifiers:

J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
J3	The associated batch QC was outside the established quality control range for precision.
B	The same analyte is found in the associated blank.
P1	RPD value not applicable for sample concentrations less than 5 times the reporting limit.
DUP	Duplicate result

Notes:
1. Chloride analyzed by United States Environmental Protection Agency Method 300.0
2. TPH analyzed by USEPA Method 8015, 8015M
3. BTEX analyzed by USEPA Method 8021
4. TDS Measured by USEPA Method 2540 C-2011
5. (a) Title 19, Chapter 15 of the NMAC for Natural Resources and Wildlife, Oil and Gas, and Releases, 19.15.29 NMAC. August

Table 4
Cumulative Groundwater Investigation Analytical Summary
Chevron EMC
Pardue Farms 27-12
Eddy County, New Mexico

Boring Location ID	Sample Date	Chloride	Benzene	Toluene	Ethylbenzene	Total Xylenes	Total BTEX	TPH-GRO	TPH-DRO	TPH-ORO	TDS
		(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)
NMAC Standards		**250**	**0.01**	**0.75**	**0.75**	**0.62**	**--**	**--**	**--**	**--**	**1,000**
MW-1	6/27/2019	**4,560**	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/19/2020	**9,880**	<0.000560	<0.000550	<0.00129	<0.00198	<0.000550	<0.0492	<0.0450	<0.150	**14,800**
	6/30/2021	**7,210**	<0.000190	<0.000412	<0.000160	<0.000510	<0.000160	<0.0314	0.0437 J	0.0684 J	**15,100**
	12/10/2021	**8,120**	<0.000190	<0.000412	<0.000160	<0.000510	<0.000160	<0.0314	<0.0222	0.0495 J	**19,300**
MW-2	6/27/2019	**5,950**	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/19/2020	**6,580**	<0.000560	<0.000550	<0.00129	<0.00198	<0.000550	<0.0492	<0.0450	<0.150	**13,400**
	6/30/2021	**5,450**	<0.000190	<0.000412	<0.000160	<0.000510	<0.000160	<0.0314	0.0530 J	0.0430 J	**13,100**
	12/10/2021	**5,990**	<0.000190	<0.000412	<0.000160	<0.000510	<0.000160	<0.0314	<0.0222	0.0453 J	**15,200**
MW-3	6/27/2019	**4,650**	NA	NA	NA	NA	NA	NA	NA	NA	NA
	11/19/2020	**6,680**	<0.000560	<0.000550	<0.00129	<0.00198	<0.000550	<0.0492	<0.0450	0.256	**14,100**
	6/30/2021	**6,520**	<0.000190	<0.000412	<0.000160	<0.000510	<0.000160	<0.0314	0.0300 J	0.0196 J	**13,700**
	12/10/2021	**6,940**	<0.000190	<0.000412	<0.000160	<0.000510	<0.000160	<0.0314	<0.0222	0.0688 J	**17,300**
MW-5	10/17/2019	**2,180**	0.000176	0.000198	0.000212	0.000366	0.000952	0.0492 U	0.4520 J	0.212 J	**5,910**
MW-6	11/19/2020	**10,800**	<0.000560	<0.000550	<0.00129	<0.00198	<0.000550	<0.0492	0.0914 J	0.293	**18,800**
	6/30/2021	**8,230**	<0.000190	<0.000412	<0.000160	<0.000510	<0.000160	<0.0314	0.121	0.115	**16,000**
	12/10/2021	**9,730**	<0.000190	<0.000412	<0.000160	<0.000510	<0.000160	<0.0314	0.131	0.166	**23,700**
DUP-1	6/27/2019	**5,710**	NA	NA	NA	NA	NA	NA	NA	NA	NA
DUP-2	10/17/2019	**1,290**	NA	NA	NA	NA	NA	NA	0.4520 J	NA	**5,880**
MW-6 (DUP-1)	11/19/2020	**12,400**	<0.000560	<0.000550	<0.00129	<0.00198	<0.000550	<0.0492	0.0994 J	0.202 J	**16,600**
	6/30/2021	**8,260**	<0.000190	<0.000412	<0.000160	<0.000510	<0.000160	<0.0314	0.208	0.243	**16,800**
	12/10/2021	**9,570**	0.000195 J	0.000708 B J	<0.000160	<0.000510	0.000903	<0.0314	0.164	0.193	**21,100 J3**

Legend:


Value	Analytical value is greater than or equal to NMAC clsoure criteria
mg/L	Milligram per killogram
'<'	Analyte was not detected at or above the Method Detection Limit (MDL)
NA	Not Analyzed
ft bgs	Below ground surface
NMAC	New Mexico Administration Code
BTEX	Benzene, Toluene, Ethylbenzene, and Total Xylenes
TPH GRO	Total Petroleum Hydrocarbons Gasoline Range Organics
TPH DRO	Total Petroleum Hydrocarbon Diesel Range Organics
TPH-ORO	Total Petroluem Hydrocarbons Oil Range Organics


Lab Qualifiers:

J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B	The same analyte is found in the associated blank.

Notes:
1. Chloride analyzed by United States Environmental Protection Agency Method 300.0
2. TPH analyzed by USEPA Method 8015D
3. BTEX analyzed by USEPA Method 8260B
4. (a) Title 19, Chapter 15 of the NMAC for Natural Resources and Wildlife, Oil and Gas, and Releases, 19.15.29 NMAC. August

Figures





Legend

- MONITORING WELL LOCATION
- 2021 SOIL BORINGS
- HISTORICAL SOIL BORING
- PLUGGED AND ABANDONED TEMPORARY MONITORING WELL
- FLOWLINE RELEASE POINT
- BURIED ELECTRICAL SERVICE
- GAS LINE
- APPROXIMATE WATER LINE
- APPROXIMATE AREA OF
- APPROXIMATE FLOWLINE LOCATION
- PARCEL BOUNDARY

NOTES:
1.AERIAL IMAGE FROM GOOGLE EARTH, 2019.

0 40 80 FEET

1 inch = 80 feet

CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
PARDUE FARMS 27-12: HES TRANSFER SITE
EDDY COUNTY, NEW MEXICO
SITE CLOSURE REPORT

SITE VICINITY MAP
NOVEMBER 2021

ARCADIS

FIGURE
1

User Name: JPlacencia DATE: 3/2/2022 7:52:19 PM
PATH: C:\Users\JPlacencia\OneDrive - ARCADIS\El Paso\Sergio\Chevron_PardueFarm\Fig1_Site_Vicinity_Map.mxd

104°4'46"W 104°4'45"W 104°4'43"W 104°4'42"W 104°4'41"W 104°4'39"W 104°4'38"W

32°16'27"N 32°16'25"N 32°16'24"N 32°16'23"N 32°16'21"N

SB-13							
SAMPLE DATE: NOVEMBER 2021							
DEPTH	0 to 1	1 to 2	2 to 3	3 to 4	4 to 5	9 to 10	13 to 14
TOTAL BTEX	<0.000625	<0.000743	<0.000800	<0.000807	<0.000663	<0.000726	<0.000664
TPH-GRO	0.0338 B J	0.0360 B J	.0420 B J	0.0381 B J	0.0344 B J	<0.0277	<0.0263
TPH-DRO	2.26 J	2.13 J	<2.18	<2.20	<1.95	<2.05	<1.95
TPH-ORO	2.44 J	<0.355	<0.371	0.653 B J	<0.331	<0.350	<0.332
CHLORIDE	<10.7	431	831	3,070	904	1,490	1,990

SB-14					
SAMPLE DATE: NOVEMBER 2021					
DEPTH	0 to 1	1 to 2	2 to 3	4 to 5	7 to 8
TOTAL BTEX	<0.000656	<0.000737	<0.000639	<0.000577	<0.000852
TPH-GRO	<0.0261	<0.0279	<0.0257	<0.0243	<0.0306
TPH-DRO	2.06 J	<2.07	<1.91	<1.80	<2.27
TPH-ORO	6.08 B	0.986 B J	<0.324	<0.306	<0.387
CHLORIDE	11.8 J	12.3 J	<10.9	583	2,250

SB-15							
SAMPLE DATE: NOVEMBER 2021							
DEPTH	0 to 1	1 to 2	2 to 3	3 to 4	4 to 5	9 to 10	14 to 15
TOTAL BTEX	<0.000674	<0.000754	<0.000581	<0.000588	<0.000773	<0.000686	<0.000687
TPH-GRO	<0.0265	<0.0283	<0.0244	<0.0245	<0.0288	<0.0268	<0.0268
TPH-DRO	<1.97	<2.10	4.35 J	<1.82	<2.14	2.95 J	51.50
TPH-ORO	0.782 B J	0.626 B J	10.7 B	0.766 B J	<0.364	<0.338	5.28 B
CHLORIDE	591	1,640	2,520	2,720 V	372	1,940	1,460

SB-18						
SAMPLE DATE: NOVEMBER 2021						
DEPTH	0 to 1	1 to 2	2 to 3	3 to 4	4 to 5	
TOTAL BTEX	<0.000778	<0.000721	<0.000516	<0.000539	<0.000752	
TPH-GRO	<0.0289	0.0279 B J	<0.0228	<0.0234	0.0401 B J	
TPH-DRO	<2.14	<2.05	<1.69	<1.73	<2.10	
TPH-ORO	3.26 J	3.36 J	1.15 J	0.929 J	3.97 J	
CHLORIDE	24.9 J	284	1,320	1,780	208 J3 J5	

SB-17						
SAMPLE DATE: NOVEMBER 2021						
DEPTH	0 to 1	1 to 2	2 to 3	3 to 4	4 to 5	9 to 10
TOTAL BTEX	<0.000558	<0.000633	<0.000519	<0.000540	0.0411 J	0.00187 J
TPH-GRO	0.0944 J V3	0.0299 B J	0.0505 B J	0.0240 B J	0.0519 B J	<0.0243
TPH-DRO	4.55	3.57 J	1.82 J	<1.74	<2.15	<1.80
TPH-ORO	13.70	9.07	6.44	7.51	1.63 J	0.615 J
CHLORIDE	<10.1	<10.8	360	1,590	1,640	740

SB-21					
SAMPLE DATE: NOVEMBER 2021					
DEPTH	0 to 1	1 to 2	2 to 3	3 to 4	6 to 7
TOTAL BTEX	<0.000642	<0.000533	<0.000491	<0.000496	<0.000614
TPH-GRO	<0.0258	<0.0232	<0.0223	<0.0224	<0.0251
TPH-DRO	3.08 J	<1.72	<1.65	<1.66	<1.86
TPH-ORO	12.80	3.62 B J	3.53 B J	3.73 B J	2.01 B J
CHLORIDE	14.0 J	13	106	132	425

SB-12							
SAMPLE DATE: NOVEMBER 2021							
DEPTH	0 to 1	1 to 2	2 to 3	3 to 4	4 to 5	9 to 10	13 to 14
TOTAL BTEX	0.001661	<0.000799	<0.000706	<0.000663	<0.000730	<0.000728	<0.000588
TPH-GRO	0.0266 J	0.0324 J	<0.0272	0.0275 J	0.0423 B J	0.0417B J	<0.0297 B J
TPH-DRO	3.09	< 2.18	<2.02 J6	<1.95	<2.06	<2.06	4.36 J
TPH-ORO	0.66	<0.371	<0.344	<0.331	<0.351	<0.350	0.717 J
CHLORIDE	110	1,430	2,100	923	1,690	2,030	1910 J5

SB-23					
SAMPLE DATE: NOVEMBER 2021					
DEPTH	0 to 1	1 to 2	2 to 3	3 to 4	
TOTAL BTEX	<0.000751	<0.000784	<0.000547	<0.00064	
TPH-GRO	<0.0283	<0.0291	<0.0236	<0.0286	
TPH-DRO	<2.10	<2.16	<1.75	<2.12	
TPH-ORO	3.08 B J	2.84 B J	2.40 B J	0.711 B J	
CHLORIDE	138	74	18	45	

SB-22					
SAMPLE DATE: NOVEMBER 2021					
DEPTH	0 to 1	1 to 2	2 to 3	3 to 4	
TOTAL BTEX	<0.000626	<0.000500	<0.000499	<0.000563	
TPH-GRO	<0.0254	<0.0225	<0.0225	<0.0239	
TPH-DRO	8.58	<1.67	<1.67	<1.78	
TPH-ORO	36.50	<2.63 B J	4.29 B	7.07	
CHLORIDE	<10.8	<9.91	31	278	

SB-16						
SAMPLE DATE: NOVEMBER 2021						
DEPTH	0 to 1	1 to 2	2 to 3	3 to 4	4 to 5	9 to 10
TOTAL BTEX	<0.000661	<0.000767	<0.000685	<0.000828	<0.000827	<0.000790
TPH-GRO	<0.0262	<0.0287	<0.0267	<0.0301	<0.0300	<0.0292
TPH-DRO	2.85 J	29.30	10.50	3.71	<2.23	<2.17
TPH-ORO	7.54	43.50	10.80	2.98	1.38 J	0.767 J
CHLORIDE	32	1,000	6,900	4,010	4,800	2,260

SB-19						
SAMPLE DATE: NOVEMBER 2021						
DEPTH	0 to 1	1 to 2	2 to 3	3 to 4	4 to 5	6 to 7
TOTAL BTEX	<0.000717	<0.000513	<0.000516	<0.000526	<0.000561	<0.000566
TPH-GRO	0.0288 B J	<0.0228	<0.0228	<0.0246	0.0295 B J	<0.0266 B J
TPH-DRO	3.17 J	<1.69	<1.69	<1.71	<1.77	<1.78
TPH-ORO	13.40	8.68	4.46	7.57	3.18 J	2.00 J
CHLORIDE	22.8 J	15.1 J	95	338	375	1,800

SB-20						
SAMPLE DATE: NOVEMBER 2021						
DEPTH	0 to 1	1 to 2	2 to 3	3 to 4	4 to 5	6 to 7
TOTAL BTEX	<0.000490	<0.000503	<0.000603	<0.000625	<0.000496	<0.000618
TPH-GRO	0.0296 B J	<0.0225	<0.0249	0.0291 B J	<0.0224	<0.0252
TPH-DRO	<1.65	<1.67	<1.85	2.14 J	5.19	<1.87
TPH-ORO	8.13	3.14 J	3.45 J	6.07	20.50	0.902 J
CHLORIDE	<9.81	9.58 J	20	374	28	406

SB-12 SB-13 SB-14 SB-9 SB-15 SB-6 SB-7 BH-2 SB-16 SB-2 SB-17 SB-18 MW-6 MW-3 SB-3 BH-1 MW-1 SB-1 SB-19 RELEASE POINT MW-2 SB-21 SB-20 MW-5 MW-4 SB-10 FCPW FORMER CHEVRON PARDUE FARMS #27-12 PRODUCTION WELL SB-23 SB-11 SB-22 SB-4 SPILL PATH

Utah Colorado OK Arizona New Mexico Texas

32.2739328976818
-104.078357761726

Legend
- MONITORING WELL LOCATION
- 2021 SOIL BORING
- HISTORICAL SOIL BORING
- PLUGGED AND ABANDONED TEMPORARY MONITORING WELL
- FLOWLINE RELEASE POINT
- BURIED ELECTRICAL SERVICE
- GAS LINE
- APPROXIMATE WATER LINE
- APPROXIMATE AREA OF
- APPROXIMATE FLOWLINE LOCATION
- PARCEL BOUNDARY

NOTES:
1. BTEX = BENZENE, TOLUENE, ETHYLBENZENE AND TOTAL XYLENES.
2. TPH-GRO = TOTAL PETROLEUM HYDROCARBONS AS GASOLINE RANGE ORGANICS.
3. TPH-DRO = TOTAL PETROLEUM HYDROCARBONS AS DIESEL RANGE ORGANICS.
4. TPH-ORO = TOTAL PETROLEUM HYDROCARBONS AS OIL RANGE ORGANICS.
5. TPH ANALYSIS BY EPA 8015 MODIFIED.
6. EPA = ENVIRONMENTAL PROTECTION AGENCY.
7. CHLORIDE ANALYSIS BY EPA METHOD E300 MODIFIED.
8. RESULTS SHOWN IN MILLIGRAMS PER LITER (mg/L) UNLESS OTHERWISE NOTED.
9. J = RESULT IS LESS THAN THE RL BUT GREATER THAN OR EQUAL TO THE MDL AND THE CONCENTRATION IS AN APPROXIMATE VALUE.
10. < = ANALYTE WAS NOT DETECTED AT OR ABOVE THE METHOD DETECTION LIMIT (MDL).
11. F1 = MS AND/OR MSD RECOVERY EXCEEDS CONTROL LIMITS.
12. VALUE = ANALYTICAL VALUE IS GREATER THAN OR EQUAL TO NMAC CLSOURE CRITERIA
13. AERIAL IMAGE FROM GOOGLE EARTH, 2019.

N

0 40 80
FEET
1 inch = 80 feet


CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
PARDUE FARMS 27-12: HES TRANSFER SITE
EDDY COUNTY, NEW MEXICO
SITE CLOSURE REPORT

SOIL ANALYTICAL RESULTS MAP NOVEMBER 2021

ARCADIS

FIGURE 2

User Name: JPlacencia DATE: 3/3/2022 6:11:59 AM
PATH: C:\Users\JPlacencia\OneDrive - ARCADIS\El Paso\Sergio\Chevron_PardueFarmFig2_Soil_Analytical.mxd



Legend

- MONITORING WELL LOCATION
- 2021 SOIL BORING
- HISTORICAL SOIL BORING
- PLUGGED AND ABANDONED TEMPORARY MONITORING WELL
- PLUGGED OIL AND GAS WELL
- FLOWLINE RELEASE POINT
- GROUNDWATER ELEVATION CONTOUR (FEET ABOVE MEAN SEA LEVEL)
- BURIED ELECTRICAL SERVICE
- GAS LINE
- APPROXIMATE WATER LINE
- APPROXIMATE AREA OF RELEASE
- APPROXIMATE FLOWLINE LOCATION
- PARCEL BOUNDARY

NOTES:

1. AERIAL IMAGE FROM GOOGLE EARTH, 2019.
2. NM = NOT MEASURED
3. * = WELL NOT USED FOR CONTOURING

0 40 80 FEET

1 inch = 80 feet


CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
PARDUE FARMS 27-12: HES TRANSFER SITE
EDDY COUNTY, NEW MEXICO
SITE CLOSURE REPORT


POTENTIOMETRIC SURFACE MAP
JUNE 2021

ARCADIS

FIGURE
3

User Name: JPlacencia DATE: 4/7/2022 5:55:01 AM
PATH: C:\Users\JPlacencia\OneDrive - ARCADIS\El Paso\Sergio\Chevron PardueFarm\Fig3_GW Elevation June 2021.mxd


104°4'46"W
104°4'45"W
104°4'43"W
104°4'42"W
104°4'41"W
104°4'39"W
104°4'38"W
32°16'27"N
32°16'25"N
32°16'24"N
32°16'23"N
32°16'21"N
SB-12
SB-13
SB-14
SB-9
SB-15
SB-6
SB-16
SB-7
BH-2
SB-18
SB-17
SB-2
MW-3
3035.54
SB-22
SB-4
MW-1
3038.87
SB-3
BH-1
SB-1
SB-19
RELEASE POINT
MW-2
3035.48
SB-21
SB-20
MW-4
MW-5
MW-6
3035.85
SB-10
3036
3035
FORMER CHEVRON PARDUE FARMS #27-12 PRODUCTION WELL
FCPW
SPILL PATH
SB-23
SB-11
Utah
Colorado
OK
Texas
Arizona
New Mexico
32.2739328976818
-104.078357761726
Legend
MONITORING WELL
2021 SOIL BORING
HISTORICAL SOIL
PLUGGED AND ABANDONED TEMPORARY MONITORING WELL
PLUGGED OIL AND GAS
FLOWLINE RELEASE
GROUNDWATER ELEVATION CONTOUR (FEET ABOVE MEAN SEA LEVEL)
BURIED ELECTRICAL
GAS LINE
APPROXIMATE WATER
PARCEL BOUNDARY
NOTES:
1. AERIAL IMAGE FROM GOOGLE EARTH, 2019.
2. NM = NOT MEASURED
3. * = WELL NOT USED FOR CONTOURING
N
0
40
80
FEET
1 inch = 80 feet
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
PARDUE FARMS 27-12: HES TRANSFER SITE
EDDY COUNTY, NEW MEXICO
SITE CLOSURE REPORT
POTENTIOMETRIC SURFACE MAP
DECEMBER 2021
ARCADIS
FIGURE
4
User Name: JPlacencia DATE: 4/12/2022 10:00:57 AM
PATH: C:\Users\JPlacencia\OneDrive - ARCADIS\El Paso\Sergio\Chevron PardueFarm\Fig4_GW Elevation December 2021.mxd



Legend

- MONITORING WELL LOCATION
- 2021 SOIL BORING
- HISTORICAL SOIL BORING
- PLUGGED AND ABANDONED TEMPORARY MONITORING WELL
- FLOWLINE RELEASE POINT
- BURIED ELECTRICAL SERVICE
- GAS LINE
- APPROXIMATE WATER LINE
- APPROXIMATE AREA OF RELEASE
- APPROXIMATE FLOWLINE LOCATION
- PARCEL BOUNDARY

NOTES:

1. BTEX = BENZENE, TOLUENE, ETHYLBENZENE AND TOTAL XYLENES.
2. TPH-GRO = TOTAL PETROLEUM HYDROCARBONS AS GASOLINE RANGE ORGANICS.
3. TPH-DRO = TOTAL PETROLEUM HYDROCARBONS AS DIESEL RANGE ORGANICS.
4. TPH-ORO = TOTAL PETROLEUM HYDROCARBONS AS OIL RANGE ORGANICS.
5. TPH ANALYSIS BY EPA 8015 MODIFIED.
6. EPA = ENVIRONMENTAL PROTECTION AGENCY.
7. CHLORIDE ANALYSIS BY EPA METHOD E300 MODIFIED.
8. RESULTS SHOWN IN MILLIGRAMS PER LITER (mg/L) UNLESS OTHERWISE NOTED.
9. J = RESULT IS LESS THAN THE RL BUT GREATER THAN OR EQUAL TO THE MDL AND THE CONCENTRATION IS AN APPROXIMATE VALUE.
10. < = ANALYTE WAS NOT DETECTED AT OR ABOVE THE METHOD DETECTION LIMIT (MDL).
11. F1 = MS AND/OR MSD RECOVERY EXCEEDS CONTROL LIMITS.
12. VALUE = ANALYTICAL VALUE IS GREATER THAN OR EQUAL TO NMAC CLSOURE CRITERIA
13. AERIAL IMAGE FROM GOOGLE EARTH, 2019.


CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
PARDUE FARMS 27-12: HES TRANSFER SITE
EDDY COUNTY, NEW MEXICO
SITE CLOSURE REPORT


GROUNDWATER ANALYTICAL RESULTS MAP - JUNE 2021


ARCADIS

FIGURE
5

User Name: JPlacencia DATE: 3/3/2022 7:59:06 AM
PATH: C:\Users\JPlacencia\OneDrive - ARCADIS\El Paso\Sergio\Chevron_PardueFarmsFig5_GW Analytical Results_June.mxd


104°4'46"W
104°4'45"W
104°4'43"W
104°4'42"W
104°4'41"W
104°4'39"W
104°4'38"W
32°16'27"N
32°16'25"N
32°16'24"N
32°16'23"N
32°16'21"N
SB-12
SB-13
SB-14
SB-9
SB-15
SB-10
SB-6
SB-7
SB-16
BH-2
SB-2
MW-3
SB-17
SB-18
SB-22
SB-4
MW-1
SB-3
BH-1
SB-1
SB-19
RELEASE POINT
SB-21
MW-2
SB-20
MW-4
MW-5
SB-23
SB-11
FCPW
FORMER CHEVRON RADDUE FARMS #27-12 PRODUCTION WELL
SPILL PATH
MW-6
SAMPLE DATE: DECEMBER 2021
TOTAL BTEX <0.000160
TPH-GRO <0.0314
TPH-DRO 0.131
TPH-ORO 0.166
CHLORIDE 9,730
MW-1
SAMPLE DATE: DECEMBER 2021
TOTAL BTEX <0.000160
TPH-GRO <0.0314
TPH-DRO <0.0222
TPH-ORO 0.0495 J
CHLORIDE 8,120
MW-3
SAMPLE DATE: DECEMBER 2021
TOTAL BTEX <0.000160
TPH-GRO <0.0314
TPH-DRO <0.0222
TPH-ORO 0.0688 J
CHLORIDE 6,940
MW-2
SAMPLE DATE: DECEMBER 2021
TOTAL BTEX <0.000160
TPH-GRO <0.0314
TPH-DRO <0.0222
TPH-ORO 0.0453 J
CHLORIDE 5,990
Utah
Colorado
OK
Arizona
New Mexico
Texas
32.2739328976818
-104.078357761726
Legend
MONITORING WELL LOCATION
2021 SOIL BORING
HISTORICAL SOIL BORING
PLUGGED AND ABANDONED TEMPORARY MONITORING WELL
FLOWLINE RELEASE POINT
BURIED ELECTRICAL SERVICE
GAS LINE
APPROXIMATE WATER LINE
APPROXIMATE AREA OF
APPROXIMATE FLOWLINE LOCATION
PARCEL BOUNDARY
NOTES:
1. BTEX = BENZENE, TOLUENE, ETHYLBENZENE AND TOTAL XYLENES.
2. TPH-GRO = TOTAL PETROLEUM HYDROCARBONS AS GASOLINE RANGE ORGANICS.
3. TPH-DRO = TOTAL PETROLEUM HYDROCARBONS AS DIESEL RANGE ORGANICS.
4. TPH-ORO = TOTAL PETROLEUM HYDROCARBONS AS OIL RANGE ORGANICS.
5. TPH ANALYSIS BY EPA 8015 MODIFIED.
6. EPA = ENVIRONMENTAL PROTECTION AGENCY.
7. CHLORIDE ANALYSIS BY EPA METHOD E300 MODIFIED.
8. RESULTS SHOWN IN MILLIGRAMS PER LITER (mg/L) UNLESS OTHERWISE NOTED.
9. J = RESULT IS LESS THAN THE RL BUT GREATER THAN OR EQUAL TO THE MDL AND THE CONCENTRATION IS AN APPROXIMATE VALUE.
10. < = ANALYTE WAS NOT DETECTED AT OR ABOVE THE METHOD DETECTION LIMIT (MDL).
11. F1 = MS AND/OR MSD RECOVERY EXCEEDS CONTROL LIMITS.
12. VALUE = ANALYTICAL VALUE IS GREATER THAN OR EQUAL TO NMAC CLSOURE CRITERIA
13. AERIAL IMAGE FROM GOOGLE EARTH, 2019.
0
40
80
FEET
1 inch = 80 feet
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
PARDUE FARMS 27-12: HES TRANSFER SITE
EDDY COUNTY, NEW MEXICO
SITE CLOSURE REPORT
GROUNDWATER ANALYTICAL RESULTS MAP - DECEMBER 2021
ARCADIS
FIGURE
6
User Name: JPlacencia DATE: 3/3/2022 8:00:44 AM
PATH: C:\Users\JPlacencia\OneDrive - ARCADIS\El Paso\Sergio\Chevron_PardueFarmFig6_GW Analytical Results December.mxd


104°4'46"W
104°4'45"W
104°4'43"W
104°4'42"W
104°4'41"W
104°4'39"W
104°4'38"W
32°16'27"N
32°16'25"N
32°16'24"N
32°16'23"N
32°16'21"N
SB-12
SB-13
SB-14
SB-9
SB-15
SB-10
SB-6
SB-7
SB-16
BH-2
SB-2
SB-17
SB-18
MW-3
SB-22
SB-4
SB-3
BH-1
SB-1
SB-19
RELEASE POINT
MW-1
MW-2
SB-21
SB-20
MW-4
MW-5
MW-6
FCPW
SB-11
SB-23
FORMER CHEVRON RADDUS FARMS #27-12 PRODUCTION WELL
GRILL PATH
8,000
5,000
MW-1
SAMPLE DATE: JUNE 2021
TOTAL BTEX <0.000160
TPH-GRO <0.0314
TPH-DRO 0.0437 J
TPH-ORO 0.0684 J
CHLORIDE 7,210
MW-2
SAMPLE DATE: JUNE 2021
TOTAL BTEX <0.000160
TPH-GRO <0.0314
TPH-DRO 0.0530 J
TPH-ORO 0.0430 J
CHLORIDE 5,450
MW-3
SAMPLE DATE: JUNE 2021
TOTAL BTEX <0.000160
TPH-GRO <0.0314
TPH-DRO 0.0300 J
TPH-ORO 0.0196 J
CHLORIDE 6,520
MW-6
SAMPLE DATE: JUNE 2021
TOTAL BTEX <0.000160
TPH-GRO <0.0314
TPH-DRO 0.121
TPH-ORO 0.115
CHLORIDE 8,230
Utah
Colorado
OK
Arizona
New Mexico
Texas
32.2739328976818
-104.078357761726
Legend
MONITORING WELL LOCATION
2021 SOIL BORING
HISTORICAL SOIL BORING
PLUGGED AND ABANDONED TEMPORARY MONITORING WELL
FLOWLINE RELEASE POINT
CHLORIDE ISOCONCENTRATION CONTOUR
CHLORIDE ISOCONCENTRATION CONTOUR - INFERRED
BURIED ELECTRICAL SERVICE
GAS LINE
APPROXIMATE WATER LINE
APPROXIMATE AREA OF RELEASE
APPROXIMATE FLOWLINE LOCATION
PARCEL BOUNDARY
NOTES:
1. BTEX = BENZENE, TOLUENE, ETHYLBENZENE AND TOTAL XYLENES.
2. TPH-GRO = TOTAL PETROLEUM HYDROCARBONS AS GASOLINE RANGE ORGANICS.
3. TPH-DRO = TOTAL PETROLEUM HYDROCARBONS AS DIESEL RANGE ORGANICS.
4. TPH-ORO = TOTAL PETROLEUM HYDROCARBONS AS OIL RANGE ORGANICS.
5. TPH ANALYSIS BY EPA 8015 MODIFIED.
6. EPA = ENVIRONMENTAL PROTECTION AGENCY.
7. CHLORIDE ANALYSIS BY EPA METHOD E300 MODIFIED.
8. RESULTS SHOWN IN MILLIGRAMS PER LITER (mg/L) UNLESS OTHERWISE NOTED.
9. J = RESULT IS LESS THAN THE RL BUT GREATER THAN OR EQUAL TO THE MDL AND THE CONCENTRATION IS AN APPROXIMATE VALUE.
10. < = ANALYTE WAS NOT DETECTED AT OR ABOVE THE METHOD DETECTION LIMIT (MDL).
11. F1 = MS AND/OR MSD RECOVERY EXCEEDS CONTROL LIMITS.
12. VALUE = ANALYTICAL VALUE IS GREATER THAN OR EQUAL TO NMAC CLSOURE CRITERIA
13. AERIAL IMAGE FROM GOOGLE EARTH, 2019.
0
40
80
FEET
1 inch = 80 feet
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
PARDUE FARMS 27-12: HES TRANSFER SITE
EDDY COUNTY, NEW MEXICO
SITE CLOSURE REPORT
CHLORIDE ISOCONCENTRATION MAP
JUNE 2021
ARCADIS
FIGURE
7
User Name: JPlacencia DATE: 3/3/2022 7:57:40 AM
PATH: C:\Users\JPlacencia\OneDrive - ARCADIS\El Paso\Sergio\Chevron_PardueFarmi\Fig7_Chloride Iso June 2021.mxd


104°4'46"W
104°4'45"W
104°4'43"W
104°4'42"W
104°4'41"W
104°4'39"W
104°4'38"W
32°16'27"N
32°16'25"N
32°16'24"N
32°16'23"N
32°16'21"N
SB-12
SB-13
SB-14
SB-9
SB-15
SB-10
FCPW
FORMER CHEVRON PARDUE FARMS #27-12 PRODUCTION WELL
MW-6
SB-11
SB-23
9,000
GRILL PATH
SB-6
SB-16
SB-7
BH-2
SB-17
SB-2
MW-3
SB-18
SB-22
SB-4
MW-1
SB-3
BH-1
SB-19
SB-1
RELEASE POINT
MW-2
SB-21
SB-20
5,000
MW-5
MW-4
MW-6
SAMPLE DATE: DECEMBER 2021
TOTAL BTEX <0.000160
TPH-GRO <0.0314
TPH-DRO 0.131
TPH-ORO 0.166
CHLORIDE 9,730
MW-1
SAMPLE DATE: DECEMBER 2021
TOTAL BTEX <0.000160
TPH-GRO <0.0314
TPH-DRO <0.0222
TPH-ORO 0.0495 J
CHLORIDE 8,120
MW-3
SAMPLE DATE: DECEMBER 2021
TOTAL BTEX <0.000160
TPH-GRO <0.0314
TPH-DRO <0.0222
TPH-ORO 0.0688 J
CHLORIDE 6,940
MW-2
SAMPLE DATE: DECEMBER 2021
TOTAL BTEX <0.000160
TPH-GRO <0.0314
TPH-DRO <0.0222
TPH-ORO 0.0453 J
CHLORIDE 5,990
Utah
Colorado
OK
Arizona
New Mexico
Texas
32.2739328976818
-104.078357761726
Legend
MONITORING WELL LOCATION
2021 SOIL BORING
HISTORICAL SOIL BORING
PLUGGED AND ABANDONED TEMPORARY MONITORING WELL
FLOWLINE RELEASE POINT
CHLORIDE ISOCONCENTRATION CONTOUR
CHLORIDE ISOCONCENTRATION CONTOUR - INFERRED
BURIED ELECTRICAL SERVICE
GAS LINE
APPROXIMATE WATER LINE
APPROXIMATE AREA OF
APPROXIMATE FLOWLINE LOCATION
PARCEL BOUNDARY
NOTES:
1. BTEX = BENZENE, TOLUENE, ETHYLBENZENE AND TOTAL XYLENES.
2. TPH-GRO = TOTAL PETROLEUM HYDROCARBONS AS GASOLINE RANGE ORGANICS.
3. TPH-DRO = TOTAL PETROLEUM HYDROCARBONS AS DIESEL RANGE ORGANICS.
4. TPH-ORO = TOTAL PETROLEUM HYDROCARBONS AS OIL RANGE ORGANICS.
5. TPH ANALYSIS BY EPA 8015 MODIFIED.
6. EPA = ENVIRONMENTAL PROTECTION AGENCY.
7. CHLORIDE ANALYSIS BY EPA METHOD E300 MODIFIED.
8. RESULTS SHOWN IN MILLIGRAMS PER LITER (mg/L) UNLESS OTHERWISE NOTED.
9. J = RESULT IS LESS THAN THE RL BUT GREATER THAN OR EQUAL TO THE MDL AND THE CONCENTRATION IS AN APPROXIMATE VALUE.
10. < = ANALYTE WAS NOT DETECTED AT OR ABOVE THE METHOD DETECTION LIMIT (MDL).
11. F1 = MS AND/OR MSD RECOVERY EXCEEDS CONTROL LIMITS.
12. VALUE = ANALYTICAL VALUE IS GREATER THAN OR EQUAL TO NMAC CLSOURE CRITERIA
13. AERIAL IMAGE FROM GOOGLE EARTH, 2019.
0
40
80
FEET
1 inch = 80 feet
CHEVRON ENVIRONMENTAL MANAGEMENT COMPANY
PARDUE FARMS 27-12: HES TRANSFER SITE
EDDY COUNTY, NEW MEXICO
SITE CLOSURE REPORT
CHLORIDE ISOCONCENTRATION MAP
DECEMBER 2021
ARCADIS
FIGURE
8
User Name: JPlacencia DATE: 3/3/2022 8:02:33 AM
PATH: C:\Users\JPlacencia\OneDrive - ARCADIS\El Paso\Sergio\Chevron_PardueFarm\Fig8_Chloride Iso December 2021.mxd

Appendix A

Site Background Information

SITE DESCRIPTION AND BACKGROUND

The following site description and background section provides an overview of the site location and regional setting including geology, hydrogeology, nearby drinking water wells, surface water, and climate.

Site Location and Description

The Site is located approximately one mile southeast of Loving, New Mexico along the northeast quarter of the southwest quarter of Section 27, Township 23-South, Range 28-East. The properties surface ownership is privately owned and Chevron Midcontinent, L.P. hold the oil and gas lease.

The Site is located on the western edge of the Permian Basin, a 75,000-square-mile area in Texas and New Mexico that is populated by numerous oil and gas production wells. In New Mexico, the Permian Basin extends to Roosevelt County to the North, Chaves and Eddy County to the west, and to Texas to the south.

Nearby Water Wells and Surface Water

Based on review of satellite imagery, the Pecos River is located approximately 2.5 miles due northeast of the site. The southwestern edge of a salt-lake is located approximately 3.25 miles to the northeast. (GoogleEarth 2018). In November 2018, Arcadis field staff verified that there are no surface-water bodies located within 1,000 feet of the Site.

In January 2019, Arcadis reviewed information obtained from the New Mexico Office of the State Engineer (NMOSE) online database (NMOSE 2019), which indicated there is one water supply well located approximately 310 feet to the southwest from the Pardue Farms 27-12 oil well. The primary use for this water well is for domestic use and livestock watering. The NMOSE online database identified 419 water-supply wells within a 5-mile radius of the site (NMOSE 2019).

Climate

Monthly average temperatures near the Site vary from a minimum of 33.1 degrees Fahrenheit (°F) in February to a maximum of 95.9°F in June (Western Regional Climate Center [WRCC] Carlsbad Cavern City Airport, New Mexico [291475] weather station). Average annual precipitation recorded for the area of the Site from the available WRCC period of record between 1930 and 2016 was approximately 12.84 inches per year (WRCC 2019a).

Due to the arid climate, the Site experiences low precipitation and high evaporation rates. Average annual evaporation from the available WRCC period of record between 1914 and 2005 was approximately 87.68 inches per year (WRCC 2019b).

Regional Geology and Hydrogeology

The Site elevation is approximately 3,070 feet above mean sea level (ft amsl) and is located in the Paleozoic Era Delaware Basin with the Pecos River and the Grame Ridge to the east, the Guadalupe Mountains to the west, and the Capitan Reef limestone bed to the north (Bachman 1980). The Delaware Basin is overlain with

Released to Imaging: 12/19/2024 2:22:50 PM

evaporites, primarily gypsum and halite, from the Castile and Salado Formations, followed by the carbonate, evaporite, and clastic sediments of the Rustler Formation, and lastly, by the red beds of the Dewey Lake Formation. The Delaware Basin underwent extensive erosion and dissolution throughout the Mesozoic and Cenozoic Eras and resulted in an ancient karst plain that was subsequently filled in by alluvial deposits known as the Pecos Valley Alluvium (TWBD 2019). The Pecos Valley Alluvium is predominantly composed of surficial deposits of transmissive sands and gravels mixed with low-permeability clays, primarily from the Pecos River (Barrol 2004).

The main source of fresh groundwater in the area comes from the Pecos Valley Alluvium Aquifer which has a thickness of approximately 100 to 200 feet with a saturated thickness of up to 150 feet (Barrol 2004). Average depth to water based on the current wells in the vicinity of the Site is approximately 54 feet below ground surface (bgs) (NMOSE 2019).

Water-supply wells are completed in the Pecos Valley Alluvium Aquifer which consists primarily of Quaternary alluvial and eolian sediments (TWBD 2010) as well as surficial deposits from the Pecos River (Barrol 2004). The aquifer is primarily recharged by the Pecos River as well as "on-farm return flow" water. The regional groundwater flow direction is generally towards the east-southeast (Barrol 2004).

INITIAL RELEASE RESPONSE

A release, initially estimated to be less than 5 bbls of oil and produced water, occurred at the Site in May 2010 due to a pinhole caused by internal corrosion located on the top side of a subsurface flowline. Chevron personnel from the Mid-Continent Business Unit (MCBU) stopped the release and conducted initial response activities. Chevron MCBU personnel subcontracted a third-party company to excavate the visually affected soil. Excavation activities were conducted in June 2010 during which Chevron MCBU personnel noted the release was greater than 5 bbls. Two boreholes, BH-1 and BH-2, (total depths of 26 feet bgs and 21 feet bgs, respectively), were installed and discrete soil samples were collected. After collecting the soil samples, the excavated area was reportedly backfilled with imported soil. Pursuant to New Mexico Oil Conservation Division (NMOCD) requirements (NMOCD 1993), Chevron MCBU submitted a Notification of Release and Correction (Form C-141) to the NMOCD, detailing the location, volume of release, and initial and planned cleanup efforts for the site.

Soil and groundwater assessment activities were conducted in April 2012 by Conestoga-Rovers & Associated (CRA). A total of three soil borings (SB-1, SB-2 and SB-3) and three groundwater monitoring wells (MW-1, MW-2 and MW-3) were installed on April 9-10, 2012.

2018 SOIL INVESTIGATION

In November 2018, Arcadis conducted site assessment activities to characterize the lateral and vertical extents of potential soil impacts at the Site. Soil boring locations were selected based on the results of previous soil sampling activities completed at the Site in April 2012, locations of pipelines and other equipment at the Site, and the extent of the release as documented by Chevron MCBU personnel during the initial response activities.

To evaluate the potential extent of impacts to soil at the Site, Arcadis advanced the five soil borings (SB-1 through SB-5) on November 11, 2018.

Prior to conducting drilling activities, each boring location was cleared for subsurface utilities with an air knife. The air knife could not be advanced more than 2 to 3 inches bgs due to the presence of a thick caliche layer. Each soil boring was then advanced to a total depth of approximately 25 feet bgs using air rotary drilling technology.

Soil was continuously logged for stratigraphic characteristics according to the Unified Soil Classification System (USCS). Arcadis used Quantab® field screening methods to quantify chloride concentrations in soil prior to sample collection (Boyer 2004). Field personnel recorded Quantab® readings, soil types, and other pertinent geologic data on boring logs. No staining or elevated photo ionizing device (PID) readings were observed. Lithologic data indicated the subsurface material consisted primarily of gravely sand clays from approximately 0 to 10 feet bgs followed by sandy caliche layers from approximately 10 to 25 feet bgs. Six soil samples were collected from each boring location beginning at a depth of 0-1' foot bgs and continuing at 5- foot intervals from 5 to 25 feet bgs. A total of 30 samples were collected in clean, laboratory-supplied glass jars, labeled, placed in an ice-chilled cooler, and submitted under appropriate chain of custody protocols to Xenco Laboratories in Lubbock, TX. Soil samples collected from each boring were analyzed for the following:

- Chloride by USEPA Method 300
- Benzene, toluene, ethylbenzene, and xylenes (BTEX) by USEPA Method 8021B
- Total petroleum hydrocarbons (TPH) – diesel range organics (DRO), oil range organics (ORO), and gasoline range organics (GRO) by Method SW8015B
- Moisture content by SM 2540B

Following soil sample collection, the boreholes were filled with soil cuttings from total depth to ground surface. The ground surface was restored to match the surrounding conditions.

Soil Sample Results

The analytical data from the soil samples collected in November 2018 were compared to the closure criteria (CC) outlined in Title 19, Chapter 15, Part 29 (19.15.29) of the New Mexico Administrative Code (NMAC) concerning natural resources and wildlife, oil and gas, and releases which became effective on August 14, 2018. The analytical results for the 30 soil assessment samples are summarized below:

- Benzene was not detected above the laboratory reporting limit in any of the 30 soil samples
- Toluene was detected in three soil samples collected at 24 to 25 feet bgs with estimated concentrations of 0.00561 milligrams per kilogram (mg/kg) (SB-4), 0.00525 mg/kg (SB-7), and 0.00598 mg/kg (SB-8)
- Ethylbenzene was detected in one soil sample collected from SB-8 at 9 to 10 feet bgs with an estimated concentration of 0.0153 mg/kg
- Total Xylenes were detected in three of the 30 soil samples collected with concentrations ranging from an estimated 0.00741 mg/kg at SB-6 (0 to 1-foot bgs) to 0.213 mg/kg at SB-8 (9 to 10 feet bgs)
- Total BTEX compounds were detected in six of the 30 soil samples collected with concentrations ranging from an estimated 0.00525 mg/kg at SB-7 (24 to 25 feet bgs) to 0.228 mg/kg at SB-8 (9 to 10 feet bgs). Total BTEX concentrations did not the exceed the 2018 NMAC CC of 50 mg/kg.
- Chloride was detected in each of the 30 soil samples collected from the Site with concentrations ranging from an estimated 14.7 mg/kg at SB-8 (0 to 1-foot bgs) to 8,940 mg/kg at SB-7 (24 to 25 feet bgs). Chloride concentrations exceeded the 2018 NMAC CC of 600 mg/kg in each of the samples collected from below four feet bgs at each soil boring location

- TPH-GRO was detected in five of the 30 soil samples collected with concentrations ranging from an estimated 0.565 mg/kg at SB-7 (2 to 3 feet bgs) to 9.76 mg/kg at SB-8 (9 to 10 feet bgs)
- TPH-DRO was detected in two of the 30 soil samples collected with estimated concentrations of 16.5 mg/kg at SB-5 (0 to 1-foot bgs) to 20.1 mg/kg at SB-6 (24 to 25 feet bgs)
- TPH-ORO was not detected above the laboratory reporting limit in any of the 30 soil samples.

The 2018 NMAC CC for total TPH compound (summation of ORO, GRO, and DRO) concentrations is 100 mg/kg for a site with groundwater less than 50 feet bgs. Total TPH concentrations did not exceed the CC in any of the 30 soil samples collected during the 2018 soil investigation.

2018 GROUNDWATER ASSESSMENT

Monitoring Well Installation and Groundwater Sampling

Soil and groundwater assessments conducted by CRA in April 2012 suggested potential impacts near groundwater at Pardue 27-12. Arcadis installed temporary groundwater monitoring well MW-4 on November 5, 2018. This temporary monitoring well was drilled southwest from the release area to confirm background concentrations in the aquifer and evaluate the potential impact of groundwater.

The monitoring well location was hand cleared using air knife to a minimum depth of 8 feet bgs and was advanced to a total of 58 feet bgs using air rotary drilling technology. The monitoring well was approved by the NMOSE for construction within the open borehole using nominal 4-inch outside diameter (OD) schedule 40 poly vinyl chloride (PVC) casing. The screened interval extended across the saturated thickness of the aquifer (18 feet to 58 feet bgs) and was constructed of 0.10-inch machine-slotted PVC casing. Depth to groundwater was measured following installation at approximately 20.50 feet bgs.

Soil was continuously logged for lithologic characteristics according to the USCS. After the temporary well installation and development, one groundwater sample and one duplicate were collected from the newly installed well in laboratory-supplied containers and submitted under appropriate chain of custody protocols to Xenco for the analysis of the following:

- BTEX by EPA Method 8021B
- TPH - GRO, DRO, ORO by EPA Method 8015M
- Chloride by EPA Method 300.0
- Total Dissolved Solids (TDS) by Standard Method 2540C

MW-4 was plugged using 3/8 inch hydrated bentonite chips to approximately 0.5-foot bgs. The ground surface was restored to match the surrounding conditions. Soil cuttings were transported offsite to R360 Environmental Solutions in Hobbs, NM for disposal in accordance with state and federal regulations on December 11, 2018.

Groundwater Sample Results

- Groundwater analytical results were compared the Human Health Standards outlined in Title 20, Chapter 6, Part 2 (20.6.2) of the NMAC concerning environmental protection, water quality, ground and surface

water protection which became effective on December 1, 1995. The analytical results for the groundwater sample collected from MW-4 in November 2018 are summarized below.

- Chloride was detected at a concentration of 3,200 milligrams per liter (mg/L) in the groundwater sample collected from MW-4 which exceeded the NMAC human heath standard value of 250 mg/L.
- BTEX and TPH compounds were not detected above the laboratory reporting limit in the groundwater sample which is below the 2018 NMAC human health standards. Total dissolved solids were detected at a concentration of 5,400 mg/L which is above the 2018 NMAC human health standard value of 1,000 mg/L.

2019 SOIL INVESTIGATION

In October 2019, Arcadis conducted site assessment activities to characterize the lateral and vertical extents of potential soil impacts at the Site. Soil boring locations were selected based on the results of previous soil sampling activities completed at the Site in April 2012 and November 2018, locations of pipelines and other equipment at the Site, and the extent of the release as documented by Chevron MCBU personnel during the initial response activities. To evaluate the potential extent of impacts to soil at the Site, Arcadis advanced three shallow soil borings (SB-9 through SB-11) and one temporary monitoring well (MW-5) on October 15 through 16, 2019.

Prior to conducting drilling activities, each boring location was cleared for subsurface utilities with an air knife. Each soil boring was then advanced to a total depth of approximately 25 feet bgs using air rotary drilling technology, and temporary monitoring well MW-5 was advanced to a total depth of 45 feet bgs. Soil was continuously logged for stratigraphic characteristics according to the Unified Soil Classification System (USCS). No staining or elevated (<3.0 ppm) photo ionizing device (PID) readings were observed. Lithologic data indicated the subsurface material consisted primarily of gravely sand clays from approximately 0 to 10 feet bgs followed by sandy caliche layers from approximately 10 to 25 feet bgs, and clayey silt layers from 26 to 45 feet bgs. Six soil samples were collected from each boring location, beginning at a depth of 0-1' foot bgs and continuing at 5- foot intervals from 5 to 25 feet bgs, and nine soil samples were collected from temporary monitoring well MW-5, beginning at a depth of 0-1' foot bgs and continuing at 5- foot intervals from 5 to 40 feet bgs. A total of 27 samples were collected in clean, laboratory-supplied glass jars, labeled, placed in an ice-chilled cooler, and were shipped by Fed-Ex priority overnight to Eurofins TestAmerica analytical laboratory under chain-of-custody protocol. Soil samples collected from each boring were analyzed for the following:

- Chloride by USEPA Method 300
- Benzene, toluene, ethylbenzene, and xylenes (BTEX) by USEPA Method 8260B
- Total petroleum hydrocarbons (TPH) – diesel range organics (DRO), oil range organics (ORO), and gasoline range organics (GRO) by Method SW8015B

Following soil sample collection, the boreholes were filled with soil cuttings from total depth to ground surface. The ground surface was restored to match the surrounding conditions. Temporary monitoring well MW-5 was drilled via Air Rotary drilling technology to a total depth of 57.43 ft bgs and was constructed of 2-inch diameter polyvinyl chloride (PVC) with 10 feet of 0.010 inch slotted screen from 37.43 to 47.43 ft bgs. MW-5 was completed with a 2-foot PVC casing above land surface. MW-5 was developed by over pumping the well. Soil cuttings and development water produced during the installation of temporary well MW-5 were drummed and transported to R360 Halfway, a select for use facility, for disposal. Temporary monitoring well MW-5 was plugged in accordance with the approved well application and plugging plan of operations under C-4351 POD-1, presented in Appendix C of the *2019 Site Assessment Report*.

Soil Sample Results

The analytical data from the soil samples collected in October 2019 were compared to the closure criteria (CC) outlined in Title 19, Chapter 15, Part 29 (19.15.29) of the New Mexico Administrative Code (NMAC) concerning natural resources and wildlife, oil and gas, and releases which became effective on August 14, 2018. The analytical results for the 27 soil assessment samples are summarized below:

- BTEX concentrations were reported below the NMAC standard of 50 milligrams per kilogram (mg/Kg) at all sample locations
- TPH concentrations were reported below the NMAC standard of 100 mg/Kg at all sample locations. The 2019 NMAC CC for total TPH compound (summation of ORO, GRO, and DRO) concentrations is 100 mg/kg for a site with groundwater less than 50 feet bgs.
- Chloride concentrations exceeded the NMAC standard of 600 mg/Kg in;
    - All (six) sample intervals collected at SB-9: 0 – 1 ft bgs: 19,500 mg/Kg, 4 – 5 ft bgs: 3,030 mg/Kg
    - 9 – 10 ft bgs: 1,180 mg/Kg, 14 – 15 ft bgs: 2,620 mg/Kg, 19 – 20 ft bgs: 2,750 mg/Kg, 24 – 25 ft bgs: 1,940 mg/Kg
    - Four samples collected from SB-10: 9 – 10 ft bgs: 868 mg/Kg, 14 – 15 ft bgs: 1,010 mg/Kg, 19 – 20 ft bgs: 1,300 mg/Kg, 24 – 25 ft bgs: 1,340 mg/kg
    - Three samples collected from SB-11: 9 – 10 ft bgs: 1,400 mg/Kg, 19 – 20 ft bgs: 616 mg/Kg, 24 – 25 ft bgs: 1,200 mg/Kg
    - Two sample intervals collected from MW-5: 24 – 25 ft bgs: 617 mg/Kg, 39 – 40 ft bgs: 630 mg/Kg

2019 GROUNDWATER ASSESSMENT

Temporary Monitoring Well Installation and Groundwater Sampling

Soil and groundwater assessments conducted by CRA in April 2012 and by Arcadis in 2018 suggested potential impacts near groundwater at Pardue 27-12. Arcadis installed temporary groundwater monitoring well MW-5 on October 15, 2019. This temporary monitoring well was drilled southwest from the release area to confirm background concentrations in the aquifer and evaluate the potential impact of groundwater.

Groundwater at the Site was monitored in 2019 from a network of three monitoring wells (MW-1 through MW-3) and one temporary monitoring well (MW-5). Arcadis gauged and sampled monitoring wells MW-1, MW-2 and MW-3 in June 2019, and MW-5 in October 2019. All samples were collected via low flow purge methodology. Samples collected at MW-1, MW-2 and MW-3 were analyzed for chloride by EPA Method 300; the sample from temporary monitoring well MW-5 was analyzed for:

- BTEX by EPA 8260B
- TPH- GRO, DRO, ORO by EPA 8105B
- Chloride by EPA 300
- Total Dissolved Solids by Method 9056A

Groundwater Sample Results

Groundwater analytical results were compared the New Mexico Water Quality Control Commission (NMWQCC) Groundwater Standards for MW-1 through MW-3 in June 2019. Groundwater analytical results for chloride, BTEX (benzene, toluene, ethylbenzene, and total xylenes), and TDS (total dissolved solids) were compared to the NMWQCC Groundwater standards for MW-5 in October 2019. The analytical results for the groundwater sample collected from MW-1 through MW-3 in June 2019 and MW-5 in October 2019 are summarized below.

- Chloride concentrations exceeded the NMWQCC standard of 250 milligrams per liter (mg/L) in all wells sampled in June 2019:
  - MW-1: 4,560 mg/L
  - MW-2: 5,950 mg/L
  - MW-3: 4.650 mg/L
- Chloride concentrations exceeded the NMWQCC standard of 250 mg/L in MW-5 at a concentration of 2,180 mg/L in October 2019.
- BTEX were reported below the NMWQCC standard of 0.01, 0.75, 0.75 and 0.62 mg/L, respectively, in MW-5 in October 2019.
- TDS concentrations exceeded the NMWQCC standard of 1,000 mg/L at temporary monitoring well MW-5 during October 2019 at a concentration of 5,910 mg/L.

2020 SOIL INVESTIGATION

In November 2020, Arcadis conducted site assessment activities to characterize the lateral and vertical extents of potential soil impacts at the Site. A monitoring well location (MW-6) was selected based on the results of previous soil sampling activities completed at the Site in April 2012, November 2018, and October 2019, locations of pipelines and other equipment at the Site, and the extent of the release as documented by Chevron MCBU personnel during the initial response activities. To evaluate the potential extent of impacts to soil at the Site, Arcadis advanced a single monitoring well (MW-6) on November 16, 2020.

Prior to conducting drilling activities, the boring location was cleared for subsurface utilities with an air knife. The boring was then advanced to a total depth of approximately 60 feet bgs using air rotary drilling technology. Soil was continuously logged for stratigraphic characteristics according to the Unified Soil Classification System (USCS). Elevated (<3.0 ppm) photo ionizing device (PID) readings were observed in the soil cuttings from 2-25 feet bgs. No staining as observed. Lithologic data indicated the subsurface material consisted primarily of silty and gravelly sands from approximately 0 to 9 feet bgs followed by alternating sand and clay layers from approximately 9 to 60 feet bgs, with the exception of a sandy gravel bed from 50-55 ft bgs. Eight soil samples were collected from the boring, beginning at a depth of 0-1' foot bgs and every 1 foot to 4 ft bgs, and every 5 ft from 9 to 25 feet bgs. Samples were collected in clean, laboratory-supplied glass jars, labeled, placed in an ice-chilled cooler, and were shipped by Fed-Ex priority overnight to Eurofins TestAmerica analytical laboratory under chain-of-custody protocol. Soil samples collected from each boring were analyzed for the following:

- Chloride by USEPA Method 300
- Benzene, toluene, ethylbenzene, and xylenes (BTEX) by USEPA Method 8260B

- Total petroleum hydrocarbons (TPH) – diesel range organics (DRO), oil range organics (ORO), and gasoline range organics (GRO) by Method SW8015B
- Monitoring well MW-6 was completed at a depth of 58.75 ft bgs and was constructed of 2-inch diameter polyvinyl chloride (PVC) with 35 feet of 0.010 inch slotted screen from 23.75 to 58.75 ft bgs. MW-6 was completed with a flush-mount vault. MW-6 was developed by over pumping the well. Soil cuttings and development water produced during the installation of temporary well MW-6 were drummed and transported to R360 Halfway, a select for use facility, for disposal.

Soil Sample Results

Soil analytical results were compared to the closure criteria outlined in Title 19, Chapter 15, Part 29 (19.15.29) of the New Mexico Administrative Code (NMAC) standards for chloride, BTEX and (TPH). Soil sample analytical results from the November 2020 soil investigation are summarized below:

- BTEX concentrations were reported below the NMAC standard of 50 milligrams per kilogram (mg/Kg) at all sample locations
- TPH concentrations were reported below the NMAC standard of 100 mg/kg at all sample locations.
- Chloride concentrations exceeded the NMAC standard of 600 milligrams per kilogram (mg/kg) in two sample intervals collected during the advancement of MW-6:
  - 19 – 20 ft bgs: 1,230 mg/kg
  - 24 – 25 ft bgs: 920 mg/kg

2020 GROUNDWATER ASSESSMENT

Monitoring Well Installation and Groundwater Sampling

Soil and groundwater assessments conducted by CRA in April 2012 and by Arcadis in 2018, and 2019 suggested potential impacts near groundwater at Pardue 27-12. Arcadis installed groundwater monitoring well MW-6 on November 16, 2019.

Groundwater at the Site was monitored in 2020 from a network of 3 monitoring wells (MW-1 through MW-3) and one newly installed monitoring well (MW-6). Arcadis gauged and sampled monitoring wells MW-1 through MW-3 and MW-6, in November 2020. All samples were collected via low flow purge methodology. Samples were analyzed for the following:

- BTEX by USEPA 8260C
- TPH- GRO by USEPA 8105B
- TPH- DRO, ORO by USEPA 8015D
- Chloride by USEPA 300
- Total Dissolved Solids by Method 2540 C-1997

Groundwater Sample Results

Groundwater analytical results were compared the New Mexico Water Quality Control Commission (NMWQCC) Groundwater Standards for MW-1 through MW-3, and MW-6 in November 2020. Groundwater analytical results for chloride, BTEX (benzene, toluene, ethylbenzene, and total xylenes), and TDS (total dissolved solids) were compared to the NMWQCC Groundwater standards in November 2020. The analytical results for the groundwater sample collected from MW-1 through MW-3 and MW-6 are summarized below:

- Chloride concentrations exceeded the NMWQCC standard of 250 milligrams per liter (mg/L) in four wells sampled during the November 2020 groundwater investigation. Chloride analytical results are as follows:
  - MW-1: 9,880 mg/L
  - MW-2: 6,580 mg/L
  - MW-3: 6,680 mg/L
  - MW-6: 10,800 mg/L
- BTEX were reported below the NMWQCC standard of 0.01, 0.75, 0.75 and 0.62 mg/L, respectively in all wells sampled during the November 2020 groundwater investigation.
- TDS concentrations exceeded the NMWQCC standard of 1,000 mg/L in four wells sampled during the November 2020 groundwater investigation. TDS analytical results are as follows:
  - MW-1: 14,800 mg/L
  - MW-2: 13,400 mg/L
  - MW-3: 14,100 mg/L
  - MW-6: 18,800 mg/L

Appendix B

Field Documentation

Received by OCD: 10/23/2024 11:44:05 AM

ocation Loving, NM Date 11/8/24 111

roject / Client Chevron Paradise Fms 27-12

0630 Leave House Hi 193875

0950 Arrive Onsite at Paradise Fms.
Talon guys at entrance rd.
Conway in. Hollis already onsite
Billy Melton onsite.

With Crew. Tailgate. Sign and
work off of Talons JSA.
General Hazards. Chevron Requirements
12 boreholes down to TD of 25'.
2" core from geoprobe.
Sample 0-1
1-2, 2-3, 3-4, 4-5
9-10 14-15 19-20 24-25
SB-#-S-0-1-211108

Waiting on Pumper for Permit.
Went through Steve Poe → Brandon
Rivers → Andrew
Said he'd be here maybe by noon.

MT- Switch to MT
1235 Begin on SB-12 Hand auger
0-1 Sandy Silt, tan, loose, dry 0
v. fine Snd.
1238 1-2 " as above 0

Rite in the Rain

Released to Imaging: 12/19/2024 2:22:50 PM

Received by OCD: 10/23/2024 11:44:05 AM

Location Loving, NM Date 11/8/2

Project / Client Chevron Pardue Farms

1240 2-3 0

Silty Sand

1242 3-4 .2 ppm

Sandy Silt

v. fine sand, well sorted Org. odor.

Karen will focus on logging and PID

Hand auger to 4'

Beggining Geoprob.

1245 4-5 Core 4-8' 0 ppm

Sandy Clay

v. fine-fine sand, well sorted thru

Firm, mod pliable, nonplast, dry, slt org. odor

@ 6' some gypsum grains, sorted throughout

becoming clayey sand w/ Gyp crystals

v. fine-fine sand, well sorted,

some clay. Calc matrix

w/ lense Sandy clay, nonpl., nonplast

firm-hard, dry.

1315 9-10 Core 8-12' 0 ppm

@ 9-12' Sandy clay

clay firm nonpl, dry, rdbrown

Gyp crystals

Released to Imaging: 12/19/2024 2:22:50 PM

Received by OCD: 10/23/2024 11:44:05 AM

Page 187 of 395

Location Loving, NM Date 11/8/21

Project / Client Chevron Powder Farms.

12-14' 0 ppm

TD @ 14'

1340 13-14

Sandy clay w/ gypsum matting grains, trace gyp crystals.

TD @ N. Plug hole w/ bent.

SB-13 HA @ 4'

1352 0-1 0 ppm

Silty Sand v. fine well sorted. w/ some caliche granules. cobbles loose throughout, dry

1354 1-2 0 ppm

" as before

1356 2-3

Sand. Lt Brown v. fine. well sorted. loose-firm dry w/ trace Caliche grains med-coarse.

1358 3-4 0 ppm

Clayey Sand Red Brown Slt moist v. fine-fine sand. well sorted loose

@ 4' begin GP

Released to Imaging: 12/19/2024 2:22:50 PM

Received by OCD: 10/23/2024 11:44:05 AM

114

Location Loving Date 11/8/21

Project / Client Chevron Pardue Farms

1412 4-5 Core 4-8

Clayey Snd, Rd Brwn, as above
firm, friable lenses
2 7' selenite crystals appearing, 1 lite,
w/ some clay mottling, nonpl slt pl,
non plast, dry.

1420 9-10 Clayey Snd / Sndy Clay 0 ppm
as above, becoming firm,
abundant clay, slt pl, non plast, firm.
Selenite Xstals
Trace pebbles, angular, hard, scattered.

1430 13-14
TD @ 14, refusal.
" as above.

SB-14 HA 0 ppm
1445 0-1
Refusal @ 1' w/ HA on caliche cobbles
Silty Snd, loose w/ caliche cobbles
Begin CP 0 ppm
Recov 0-3 Core 0-4
down to 3/4

Released to Imaging: 12/19/2024 2:22:50 PM

Received by OCD: 10/23/2024 11:44:05 AM

Location Loving, NM Date 11/8/21

Project / Client Pardue Farms

0 2-5-3 Sand, Rd Brown.

1450 1-2 0 ppm

1455 2-3 0 ppm

3-4, no recovery, lost.

No sample 3-4, Core 4-8

1500 4-5 0 ppm

Silty Sand Red, brown, loose, dry.

TD @ 8' on caliche cobbles

1510 7-8 Sand, rd brown

1548 SB-15-S-0-1-211108 0 ppm

Silty Sand Lt Brown 0 ppm

1554 1-2

1558 2-3 0 ppm

Sand, w/ trace-little clay

wet cohesive, fine

1600 3-4 0 ppm

1610 4-5 Core 4-8

Clayey Sand, loose-firm

1630 9-10 Sandy clay Rd Brown 8-12

turning to Clayey Sand.

Rite in the Rain

Released to Imaging: 12/19/2024 2:22:50 PM

Received by OCD: 10/23/2024 11:44:05 AM

Location Loving, NM Date 11/8/21

Project / Client Chevron Purdue

12-15 0ppm

1654 14-15

Clayey Sand. as before

Finish up

MT Talon leaves Site

1710 Leave Site

MT

1830 end Purdue

13 hours Purdue Fees

+ 2 hrs Org.

—11/9/2021—

0630 Leave Hotel M: 194031

0720 Crew Onsite at Purdue Fenons 27-12

0800 Talon arrives onsite.

Tailgate, JSA

8 holes to finish.

0835 Begin on SB-16

Hand auger.

0841 SB-16-5-0-1-211109 0.2 ppm

Silty Sand. loose Grayish brown

w/ caliche cobbles, hard, scattered.

0843 1-2 0.1 ppm

" as above

Released to Imaging: 12/19/2024 2:22:50 PM

Received by OCD: 10/23/2024 11:31:05 AM

Location Loving, NM Date 11/9/24

Project / Client Chevron Pardue 27-12

0845	2-3	Sand. v.fine, little silt, loose Brown	0ppm
0847	3-4	as before	0ppm
	HA down to 4'.		
	Then begin GP		
0901	4-5	Core 1 4-8	0ppm
	Sand. Lt Rd Brown. as above, @ 7' becoming friable/firm w/ trace caliche streaks.		
0905	9-10	No reading. Dead battery.	
	Sandy Clay mottled w/ clumpy Sand. Firm, nonplt, damp	Gypsum appearing @ 11	
	SB-17		
0959	0-1	Silty Sand as others.	0ppm
1003	1-2	" as above.	0ppm
1005	2-3	as above w/ Little caliche grains	0ppm
1008	3-4		0ppm
1015	4-5	Silty Snd. loose - firm/friable. @ 7' begin seeing gypsum	

Rite in the Rain

Released to Imaging: 12/19/2024 2:22:50 PM

Received by OCD: 10/23/2024 11:44:05 AM

118

Location Loving, NM Date 11/09/21

Project / Client Chevron Pardue Farms

Core B-12'

1025 9-10 3/4 recovery (9-12) 0ppm

Clayey Sand w/ caliche streaks, some gypsum.

Caliche granules, pebbles, hard, loose

1056 TD @ 12', no recovery next core.

No sample.

1105 SB-18 0ppm

0-1 Silty Sand, Brown v. fine, some silt, loose, dry.

1108 1-2 Refusal w/ HA @ 1'

Begin GP 0ppm

1108 1-2 Sandy caliche firm/friable w/ hard pebbles

1110 2-3 0ppm

1112 3-4 Silty Sand, loose, 0ppm

some caliche granules/pebbles

Grab 4-7 3/4 recov.

1135 4-5 Silty Sand w/ Caliche granules

@ 5 Clayey Sand.

@ 6 gypsum appears, fragments

TD @ 7'.

No recovery from next run

Last Sample 4-5.

Lunch.

Released to Imaging: 12/19/2024 2:22:50 PM

Received by OCD: 10/23/2024 11:44:05 AM

Text Billy at end of day on progress.

Location Loving, NM Date 12/09/21

Project / Client Chevron Pardue 27-12

Check on Candelario Drums

2 drums still at Candelario.

Begin hole SB-19 (originally 21 on map. Swapped.)

Karen taking lead on these holes.

SB-19 1244

0-1
1-2
2-3
3-4
4-5 1316
6-7

Hand auger down to 4'

SB-21 Handauger

0-1
1-2
2-3

Refusal @ 2-3.

Begin Geoprobe

3-4
4-5 No sample, no recovery
TD @ ~~8~~ 4'
~~8-10~~
6-7

SB-20 HA. refusal to 1'

0-1
1-2 Oprn
2-3
3-4
4-5
5-6
7-8 TD @ 8

Rite in the Rain.

Released to Imaging: 12/19/2024 2:22:50 PM

Received by OCD: 10/23/2024 11:44:05 AM

120

Location Loving, NM Date 11/9/21

Project / Client Pardue Farms 27-12

SB-23 Hand Auger

0-1 Refusal w/ HA @ 1' 0ppm

1-2

2-3

Refusal @ 3.5' 1'

SB-22

0-1 Refusal w/ HA @ 1'. 0ppm

1415 Begin GP on SB-22.

First core will be 1-5'. 3/4 recov

TD @ 4', Refusal on hardpan.

SB-23. Handaugered to 0-1' 1440

Refusal

1440 Begin GP.

Core 1 1-4 3/4' recovered

1-2 1445 0 ppm

2-3 1448

3-4 1450

1530 Release Talon Crew.

Finished drilling.

Check through samples

Finish COC.

1651 Leave Site.

11/30

Released to Imaging: 12/19/2024 2:22:50 PM

Page 195 of 395

Location Pardue Farms Date 12-10-21 135

Project / Client 30093248

6563 / 6574

0645	left house
0655	fuel
0750	picked up needed part @ Oreilly's in Andrews
0755	gathered decon water
0840	sample ice
1020	on site TG JSA's
1025	Talked to land owner, Billy said that someone was on the property yesterday

Gauging data

~~MW-6~~

ID	Time	WL	TD	Decon
MW-6	1105	25.52	58.69	yes
MW-2	1232	26.39	58.42	yes
MW-1	1344	31.03	58.36	yes
MW-3	1445	33.01	59.72	yes

FB	1507
EB	1545
1604	Sent coc
1605	off site to Hobbs to ship samples
1740	@ Gas station for sample ice
1750	@ FedEx
1940	Fuel
1950	Home

Rite in the Rain

Received by OCD: 10/23/2024 11:44:05 AM

Released to Imaging: 12/19/2024 2:22:50 PM

Page 196 of 395

136

Location Pardue Farms. Date 12-10-21

Project / Client

Field Parameters

ID	mg/L DO	mV ORP	pH	°C Temp	mS/cm Cond	NTU
MW-6	4.29	1.3	6.05	19.42	21.10	10.2
MW-2	3.07	-29.6	6.70	21.42	15.62	16.8
MW-1	3.64	33.8	5.40	21.08	16.73	6.7
MW-3	1.78	35.4	5.37	21.05	16.57	76.7

Received by OCD: 10/23/2024 11:44:05 AM

Released to Imaging: 12/19/2024 2:22:50 PM

ARCADIS Design & Consultancy for natural and built assets

GROUNDWATER SAMPLING LOG

Page 1 of 1

Project No. 30093248 Well ID MW-1 Date 12-10-21

Project Name/Location: Pardue Farms 27-12 Weather windy

Measuring Pt. Description TOC Screen Setting (ft-bmp) Casing Diameter (in.) 4 Well Material PVC / SS

Static Water Level (ft-bmp) Total Depth (ft-bmp) Water Column/ Gallons in Well

MP Elevation _____ Pump Intake (ft-bmp) Purge Method: Centrifugal _____ Submersible Other _____ Sample Method bladder pump

Pump On/Off _____ Volumes Purged _____

Sample Time: Label 1425 Replicate/ Code No.
Start 1350
by
End 1430

Sampled

Time	Minutes Elapsed	Rate (gpm) (mL/min)	Depth to Water (ft)	Gallon Purge	pH	Cond. (mMhos) (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp. (°C) (°F)	Redox (mV)	Appearance Color	Appearance Odor
1355	5		31.85		7.14	19.04	10.2	5.61	21.33	-48.0		
1400	5		32.31		6.69	18.86	9.6	5.13	21.14	-26.0		
1405	5		32.58		6.17	18.80	9.6	4.91	21.07	-2.0		
1410	5		32.73		~~5.93~~	20.28	8.0	4.37	21.05	14.1		
1415	5		33.02		5.54	18.72	8.5	3.97	21.06	26.6		
~~1420~~ 1420	5		33.30		5.46	18.66	6.8	3.68	21.01	31.0		
1425	5		33.57		5.40	18.73	6.7	3.64	21.00	33.0		

Constituents Sampled	Container	Number	Preservative
BTEX GRO	40 ml	2	HCl
Chloride	125 ml no Pres	1	none
DRO/ML VI	40 ml	2	HCl
TDS	250 mL No Pres	1	none

Well Casing Volumes

Gallons/Foot: 1" = 0.04; 1.25" = 0.06; 1.5" = 0.09; 2" = 0.16; 2.5" = 0.26; 3" = 0.37; 3.5" = 0.50; 4" = 0.65; 6" = 1.47

Well Information

Well Location: _____ Well Locked at Arrival: Yes / No

Condition of Well: _____ Well Locked at Departure: Yes / No

Well Completion: Flush Mount / Stick Up Key Number To Well:

ARCADIS Design & Consultancy for natural and built assets

GROUNDWATER SAMPLING LOG

Page 1 of 1

Project No. 30093248 Well ID MW2 Date 12-10-21

Project Name/Location: Pardue Farms 27-12 Weather windy

Measuring Pt. Description TOC Screen Setting (ft-bmp) Casing Diameter (in.) 11 Well Material PVC / SS

Static Water Level (ft-bmp) Total Depth (ft-bmp) Water Column/ Gallons in Well

MP Elevation Pump Intake (ft-bmp) Purge Method: Centrifugal / Submersible / Other Sample Method bladder pump

Pump On/Off Volumes Purged

Sample Time: Label 1310 Start 1232 by End 1320 Replicate/ Code No. Sampled

Time	Minutes Elapsed	Rate (gpm) (mL/min)	Depth to Water (ft)	Gallon Purge	pH	Cond. (mMhos) (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp. (°C) (°F)	Redox (mV)	Appearance Color	Appearance Odor
1240	5		36.21		6.74	14.49	12.8	3.48	21.54	-31.8		
1245	5		36.44		6.71	15.52	18.6	3.19	21.42	-30.6		
1250	5		36.68		6.71	14.43	20.2	3.14	21.36	-30.0		
1255	5		37.03		6.70	15.61	18.8	2.96	20.41	-29.7		
1300	5		37.37		6.70	15.62	17.1	3.14	20.41	-29.8		
1305	5		37.55		6.71	15.60	17.0	3.02	21.10	-29.7		
1310	5		37.81		6.70	15.62	16.8	3.07	21.12	-29.6		

Constituents Sampled	Container	Number	Preservative
BTEXGRO	40 ml	2	HCl
Chloride	125 mL No Pres	1	none
DRO/MLU1	40 ml	2	HCl
TDS	250 ml No pres	1	none

Well Casing Volumes

Gallons/Foot 1" = 0.04 1.25" = 0.06 1.5" = 0.09 2" = 0.16 2.5" = 0.26 3" = 0.37 3.5" = 0.50 4" = 0.65 6" = 1.47

Well Information

Well Location:

Condition of Well:

Well Completion: Flush Mount / Stick Up

Well Locked at Arrival: Yes / No

Well Locked at Departure: Yes / No

Key Number To Well:

ARCADIS Design & Consultancy for natural and built assets

GROUNDWATER SAMPLING LOG

Page 1 of 1

Project No. 30093248 Well ID MW-3 Date 12-10-21

Project Name/Location: Pardue Farms 27-12 Weather Windy

Measuring Pt. Description TOC | Screen Setting (ft-bmp) | Casing Diameter (in.) 4 | Well Material (PVC) SS

Static Water Level (ft-bmp) | Total Depth (ft-bmp) | Water Column/ Gallons in Well

MP Elevation | Pump Intake (ft-bmp) | Purge Method: Centrifugal / Submersible / Other | Sample Method bladder pump

Pump On/Off | Volumes Purged

Sample Time: Label 1530 Start 1445 by End 1540 | Replicate/ Code No. | Sampled

Time	Minutes Elapsed	Rate (gpm) (mL/min)	Depth to Water (ft)	Gallon Purge	pH	Cond. (mMhos) (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp. (°C) (°F)	Redox (mV)	Appearance Color	Appearance Odor
1500			33.21		5.96	16.76	94.5	4.88	21.67	10.1		
1505			33.48		5.65	16.68	87.4	4.07	21.50	23.8		
1510			33.71		5.40	16.60	106.8	3.07	21.34	33.9		
1515			34.02		5.35	16.57	73.4	2.40	21.19	34.8		
1520			34.43		5.37	16.57	65.8	1.95	21.04	35.6		
1525			34.82		5.37	16.58	77.2	1.83	21.09	35.3		
1530			35.13		5.37	16.57	76.7	1.78	21.05	35.4		

Constituents Sampled	Container	Number	Preservative
BTEX GRO	40 ml	2	HCl
Chloride	125 ml No Pres	1	none
DRO/MRO	40 ml	2	HCl
TDS	250 ml No Pres	1	none

Well Casing Volumes

Gallons/Foot: 1" = 0.04; 1.25" = 0.06; 1.5" = 0.09; 2" = 0.16; 2.5" = 0.26; 3" = 0.37; 3.5" = 0.50; 4" = 0.65; 6" = 1.47

Well Information

Well Location:

Condition of Well:

Well Completion: Flush Mount / Stick Up

Well Locked at Arrival: Yes / No

Well Locked at Departure: Yes / No

Key Number To Well:

ARCADIS Design & Consultancy for natural and built assets

GROUNDWATER SAMPLING LOG

Page 1 of 1

Project No. 30093248 Well ID MW-6 Date 12-6-21

Project Name/Location: Pardue Farms 27-12 Weather windy

Measuring Pt. Description TOC | Screen Setting (ft-bmp) | Casing Diameter (in.) 2 | Well Material PVC / SS

Static Water Level (ft-bmp) | Total Depth (ft-bmp) | Water Column/ Gallons in Well

MP Elevation | Pump Intake (ft-bmp) | Purge Method: Centrifugal / Submersible / Other | Sample Method bladder pump

Pump On/Off | Volumes Purged

Sample Time: Label 1204 Replicate/ Code No.
Start 1105
by
End 1220

Sampled

Time	Minutes Elapsed	Rate (gpm) (mL/min)	Depth to Water (ft)	Gallon Purge	pH	Cond. (mMhos) (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp. (°C) (°F)	Redox (mV)	Appearance Color	Appearance Odor
1134	5		25.98		5.68	23.62	23.7	4.29	20.62	20		
1139	5		26.62		5.56	21.21	21.3	4.15	19.78	21.1		
1144	5		27.16		5.69	21.15	22.6	4.11	19.69	18.3		
1149	5		27.32		5.79	21.04	22.3	4.25	19.30	13.3		
1154	5		27.44		5.90	21.00	18.3	4.33	19.32	8.7		
1159	5		27.61		5.96	21.01	15.5	4.18	19.30	5.4		
1204	5		27.93		6.05	21.10	10.2	4.29	19.42	1.3		

Constituents Sampled	Container	Number	Preservative
~~Betex~~ BTEX GRO	40 ml	2	HCl
Chloride	125 ml No Pres	1	none
DRO/MRO	40 ml	2	HCl
TDS	250 ml No Pres	1	none

Well Casing Volumes

Gallons/Foot					
	1" = 0.04	1.5" = 0.09	2.5" = 0.26	3.5" = 0.50	6" = 1.47
	1.25" = 0.06	2" = 0.16	3" = 0.37	4" = 0.65	

Well Information

Well Location:
Condition of Well:
Well Completion: Flush Mount / Stick Up

Well Locked at Arrival: Yes / No
Well Locked at Departure: Yes / No
Key Number To Well:

Page 201 of 395

ARCADIS Design & Consultancy for natural and built assets

Gauging Form
HES Transfer Site Name: Lovington Paddock
Lea County, New Mexico

Monitoring Well ID	DTW (ft btoc)	DTP (ft btoc)	Total Depth (ft btoc)	Sampled	Notes
MW-1	31-43	—	58.36	Yes	
MW-2	36.39	—	58.42	Yes	
MW-3	33.01	—	59.72	Yes	
MW-6	25.52	—	58.69	Yes	

Notes:

Date Gauged:
Personnel:

Received by OCD: 10/23/2024 11:44:05 AM

Released to Imaging: 12/19/2024 2:22:50 PM

ARCADIS Design & Consultancy for natural and built assets

GROUNDWATER SAMPLING LOG

Page ____ of ____

Project No. 30093248 Well ID MW-1 Date 6-30-21

Project Name/Location: Pardue Farms 27-12 Weather Cloudy

Measuring Pt. Description | Screen Setting (ft-bmp) | Casing Diameter (in.) 4 | Well Material (PVC) / SS

Static Water Level (ft-bmp) 34.18 | Total Depth (ft-bmp) 50.10 | Water Column/ Gallons in Well

MP Elevation ____ | Pump Intake (ft-bmp) | Purge Method: Centrifugal ____ / Submersible / Other ____ | Sample Method bladder pump

Pump On/Off ____ Volumes Purged ____

Sample Time: Label ____ Replicate/ Code No.

Start 1455 Sampled by

End

Time	Minutes Elapsed	Rate (gpm) (mL/min)	Depth to Water (ft)	Gallon Purge	pH	Cond. (mMhos) (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp. (°C) (°F)	Redox (mV)	Appearance Color	Appearance Odor
1440			34.17		7.20	21.3	33.6	5.92	28.73	131	clear	none
1445	5		34.18		7.16	21.3	25.3	5.49	27.86	135	clear	none
1450	5		34.18		7.13	21.5	19.2	5.48	26.56	137	clear	none
1455	5		34.18		7.12	21.7	18.4	5.47	25.64	139	clear	none

Constituents Sampled	Container	Number	Preservative
TPH Low Fraction	40ml Amb	2	HCl
TDS	250ml HDPE	1	None
Diesel and Oil Ranges to C36 by LUI	40ml Amb	2	HCl
BTEX	40ml Amb	2	HCl
Chloride by IC	125ml HDPE	1	None

Well Casing Volumes

Gallons/Foot: 1" = 0.04 | 1.25" = 0.06 | 1.5" = 0.09 | 2" = 0.16 | 2.5" = 0.26 | 3" = 0.37 | 3.5" = 0.50 | 4" = 0.65 | 6" = 1.47

Well Information

Well Location: ____

Condition of Well: Good

Well Completion: Flush Mount / Stick Up

Well Locked at Arrival: Yes / No

Well Locked at Departure: Yes / No

Key Number To Well: ____

ARCADIS Design & Consultancy for natural and built assets

GROUNDWATER SAMPLING LOG

Page ____ of ____

Project No. 30093248 Well ID MW-2 Date 6-30-21

Project Name/Location: Pardue Farms 27-12 Weather Cloudy

Measuring Pt. Description Toc | Screen Setting (ft-bmp) | Casing Diameter (in.) 4 | Well Material (PVC) SS

Static Water Level (ft-bmp) 35.69 | Total Depth (ft-bmp) 58.38 | Water Column/ Gallons in Well

MP Elevation ____ | Pump Intake (ft-bmp) | Purge Method: Centrifugal ____ Submersible Other ____ | Sample Method bladder pump

Pump On/Off ____ Volumes Purged ____

Sample Time: Label 1600 Start ____ by End ____ | Replicate/ Code No. | Sampled

Time	Minutes Elapsed	Rate (gpm) (mL/min)	Depth to Water (ft)	Gallon Purge	pH	Cond. (mMhos) (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp. (°C) (°F)	Redox (mV)	Appearance Color	Appearance Odor
1537			35.69		7.26	17.0	15.5	6.77	23.79	143	clear	none
1542	5		~~34.70~~		7.01	17.4	9.8	4.09	22.29	~~4.09~~ 148	clear	none
1547	5		34.70		6.97	17.7	8.5	3.78	22.02	152	clear	none
1552	5		34.71		6.94	17.8	7.8	3.78	21.98	152	clear	none
1557	5		34.71		6.94	17.8	8.3	3.77	21.83	152		

Constituents Sampled	Container	Number	Preservative
TPH Low Fraction	40ml Amb	2	HCl
TDS	250ml HDPE	1	None
Diesel and Oil Ranges to C36 by LUI	40ml Amb	2	HCl
BTEX	40ml Amb	2	HCl
Chloride by IC	1 125ml HDPE	1	None

Well Casing Volumes

Gallons/Foot: 1" = 0.04 | 1.25" = 0.06 | 1.5" = 0.09 | 2" = 0.16 | 2.5" = 0.26 | 3" = 0.37 | 3.5" = 0.50 | 4" = 0.65 | 6" = 1.47

Well Information

Well Location: ____

Condition of Well: ____

Well Completion: Flush Mount / Stick Up

Well Locked at Arrival: Yes / No

Well Locked at Departure: Yes / No

Key Number To Well:

ARCADIS Design & Consultancy for natural and built assets

GROUNDWATER SAMPLING LOG

Page ____ of ____

Project No. 30093248 Well ID MW-3 Date 6-3-21

Project Name/Location: Pardue Farms 27-12 Weather Cloudy

Measuring Pt. Description TOC | Screen Setting (ft-bmp) | Casing Diameter (in.) 4 | Well Material PVC / SS

Static Water Level (ft-bmp) | Total Depth (ft-bmp) | Water Column/ Gallons in Well

MP Elevation ____ Pump Intake (ft-bmp) ____ Purge Method: Centrifugal ____ Submersible Other ____ Sample Method bladder pump

Pump On/Off ____ Volumes Purged ____

Sample Time: Label ____ Replicate/ Code No. ____

Start 1355 Sampled by ____

End ____

Time	Minutes Elapsed	Rate (gpm) (mL/min)	Depth to Water (ft)	Gallon Purge	pH	Cond. (mMhos) (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp. (°C) (°F)	Redox (mV)	Appearance Color	Appearance Odor
1325			32.48		6.40	20.4	29.2	9.12	29.20	1417	clear	none
1330	5		32.50		6.91	20.2	51.7	6.12	27.65	135	clear	none
1335	5		32.51		6.96	20.02	63.2	5.72	25.38	133	clear	none
1340	5		32.50		7.02	20.02	70.2	5.45	24.27	133	clear	none
1345	5		32.50		7.03	20.03	70.6	5.61	23.78	134	clear	none
1350	5		32.51		7.04	20.03	74.1	5.60	23.35	136	clear	none
1355	5		32.51		7.04	20.03	73.1	5.42	23.34	138	clear	none

Constituents Sampled	Container	Number	Preservative
TPH Low Fraction	40ml Amb	2	HCl
TDS	250ml HDPE	1	None
Diesel + Oil Ranges to C36 by LUT	40ml Amb	2	HCl
BTEX	40ml Amb	2	HCl
Chloride by IC	125 HDPE	1	None

Well Casing Volumes

Gallons/Foot 1" = 0.04 | 1.25" = 0.06 | 1.5" = 0.09 | 2" = 0.16 | 2.5" = 0.26 | 3" = 0.37 | 3.5" = 0.50 | 4" = 0.65 | 6" = 1.47

Well Information

Well Location: ____

Condition of Well: Good

Well Completion: Flush Mount / Stick Up

Well Locked at Arrival: Yes / No

Well Locked at Departure: Yes / No

Key Number To Well: ____

ARCADIS Design & Consultancy for natural and built assets

GROUNDWATER SAMPLING LOG

Page ____ of ____

Project No. 30093248 Well ID MW-6 Date 6-30-21

Project Name/Location: Pardue Farms 27-12 Weather cloudy

Measuring Pt. Description TOC Screen Setting (ft-bmp) Casing Diameter (in.) 2 Well Material (PVC) SS

Static Water Level (ft-bmp) 25.33 Total Depth (ft-bmp) 58.76 Water Column/ Gallons in Well

MP Elevation ____ Pump Intake (ft-bmp) Purge Method: Centrifugal ____ Submersible Other ____ Sample Method bladder pump

Pump On/Off ____ Volumes Purged ____

Sample Time: Label ____ Start 1700 by End ____ Replicate/ Code No. ____ Sampled

Time	Minutes Elapsed	Rate (gpm) (mL/min)	Depth to Water (ft)	Gallon Purge	pH	Cond. (mMhos) (mS/cm)	Turbidity (NTU)	Dissolved Oxygen (mg/L)	Temp. (°C) (°F)	Redox (mV)	Appearance Color	Appearance Odor
1640			25.49		7.08	23.8	127	6.40	24.57	149	clear	none
1645	5		25.68		7.08	24.1	180	6.01	23.47	152	clear	none
1650	5		26.20		7.07	24.3	275	5.47	22.33	158	clear	none
1655	5		26.83		7.05	24.4	278	5.45	22.17	154	clear	none
1700	5		27.21		7.01	24.3	263	5.44	22.06	155	clear	none
~~1705~~	5											
~~1710~~	5											

Constituents Sampled	Container	Number	Preservative
TPH Low Fraction	40 ml Amb	2	HCl
TDS	250 mL HDPE	1	None
Diesel and Oil Ranges to C36 by LVI	40 ml Amb	2	HCl
BTEX	40 mL Amb	2	HCl
Chloride by IC	125 HDPE	1	None

Well Casing Volumes

Gallons/Foot 1" = 0.04 1.25" = 0.06 1.5" = 0.09 2" = 0.16 2.5" = 0.26 3" = 0.37 3.5" = 0.50 4" = 0.65 6" = 1.47

Well Information

Well Location: ____

Condition of Well: ____

Well Completion: (Flush Mount) / Stick Up

Well Locked at Arrival: (Yes) / No

Well Locked at Departure: (Yes) / No

Key Number To Well: ____

Released to Imaging: 12/19/2024 2:22:50 PM

Received by OCD: 10/23/2024 11:44:05 AM

ARCADIS Design & Consultancy for natural and built assets

Gauging Form
HES Transfer Site Name: Lovington Paddock
Lea County, New Mexico

Monitoring Well ID	DTW (ft btoc)	DTP (ft btoc)	Total Depth (ft btoc)	Sampled	Notes
MW-1	34.18	—	50.10	Yes	
MW-2	35.69	—	58.38	Yes	
MW-3	33.51	—	59.79	Yes	
MW-6	25.33	—	58.70	Yes	

Notes:

Date Gauged:
Personnel:

Page 206 of 395

Appendix C

Soil Boring Logs

BORING LOG

Well No.: SB-12 Date Drilled: 11-8-21
Client Name: Pardue
Site Location: Loving
Project No.: 30093248 Drilling Method: GeoProbe
Logged By: Karen Sira Sample Method: Continous
Drilling Co.: Talon Driller: Jesus Payan

Sample / Core Interval			P. I. D. (PPM)				Description Depth (ft)		Description
Device	Depth (ft)	Recovery (ft)	Depth (ft)	Reading	Sample Analysis	U. S. C. S.	from	to	(Lithology, Munsell Color, Grain Size w/percentages (most to least), Roundness, Sorting, Consistency/Hardness, Moisture Content, Bedding, Fractures, Additional Remarks)
HA	1	1	1	0.0	0/1	SM	0	1	(0-1) Silty Sand: 10R 4/6 Red, very fine
HA	2	1	2	0.0	1/2	SM	1	2	well rounded, well sorted, abundant amount
HA	3	1	3	0.0	2/3	SM	2	3	of silt inclusions, trace amount of clay
HA	4	1	4	0.0	3/4	SM	3	4	dry, loose.
GP	5	4	5	0.0		SM			Note: hand auger used
GP	6	|	6	0.0		SC	4	8	(4ft - 7ft) Sandy Clay; sand; 10R 6/6
GP	7	|	7	0.0		SC			light red, very fine to fine, well rounded to
GP	8	|	8	0.0		SC			rounded, very well sorted, with traces of Silt
GP	9	4	9	0.0	9/10	SC			Clay; 10R 4/6 Red, low to medium
GP	10	|	10	0.0		SC			plasticity moist.
GP	11	|	11	0.0		SC			Note: refusal at 4ft with hand auger,
GP	12	|	12	0.0		SC			GeoProbe used 4ft and after.
GP	13	2	13	0.0	13/14	SW	8	12	(8ft - 11ft) Sand: 10R 6/6 Light Red,
	14	|	14	0.0		SW			fine, rounded, well sorted, traces of
						SW			clay, leases of gypsum, 2 structure,
						SW			moderate amount of Selenite crystals
						SW			dry
						SC	12	14	(12ft - 14ft) Sandy Clay; Sand, 10R 6/6
									Light Red, very fine to fine, well Rounded to
									rounded, Well Sorted, with traces of Silt
									and gypsum. Clay; 10R4 4/6 Red,
									low plasticity, moist. traces of Sand and
									Silt.
									Note: refusal at 14ft with Geo Probe
									TD at 14ft.

BORING LOG

Well No.: SB-13 Date Drilled: 11-08-21
Client Name: Pardue
Site Location: Loving
Project No.: 3on93248 Drilling Method: Hand Auger / Geoprobe
Logged By: Karen Silva Sample Method:
Drilling Co.: Talon Driller: Jesus Rojan

Sample / Core Interval			P. I. D. (PPM)				Description Depth (ft)		Description
Device	Depth (ft)	Recovery (ft)	Depth (ft)	Reading	Sample Analysis	U. S. C. S.	from	to	(Lithology, Munsell Color, Grain Size w/percentages (most to least), Roundness, Sorting, Consistency/Hardness, Moisture Content, Bedding, Fractures, Additional Remarks)
HA	1	1	1	0.0	0/1	SM	0	1	(0-1ft) Silty Sand; Sand 10R 4/6 Red, very fine, well rounded well sorted, abundant amounts silt inclusions, trace amount of clay, dry, loose Note: Hand Auger used
"	2	1	2	0.0	1/2	SM			
	3	1	3	0.0	2/3	SM			
	4	1	4	0.0	3/4	SC			
GP	5	1	5	0.0	4/5	SC			
	6	1	6	0.0		SC	3	4	(3-4ft) Sandy Clay; Sand; 10R 6/6 light red, very fine to fine, well rounded to rounded, very well sorted with traces of silt Clay, 10R 4/6 Red, low to medium plasticity, moist.
	7	1	7	0.0					
	8	1	8	0.0					
	9	1	9	0.0	9/10				
	10	1	16	0.0					
	11	1	11	0.0		SW	7	11	(7ft-11ft) Sand 10R 6/6 Light Red fine rounded, well sorted, traces of clay, lenses of gypsum (7.5YR White) Selenite crystals inclusions, slightly moist
	12	1	12	0.0					
	13	1	13	0.0	13/14				
	14	1	14	0.0					
						ML	11	12	(11ft-12ft) Sand; 10R 6/6 Light Red fine, Rounded - Subrounded, well sorted, some clay inclusions, some silt inclusions Dry.
						SC	12	14	(12ft-14ft) Sandy Clay; Sand; 10R 6/6 light red, very fine, well rounded, well sorted, traces of silt Clay; 10R 4/6 Red, Medium plasticity, moist. TD

BORING LOG

Well No.: SB-14 Date Drilled: 11-08-21
Client Name: Pardue
Site Location: Loving
Project No.: 30093298 Drilling Method: Geoprobe/Hand Auger
Logged By: Karen Silva Sample Method: Continuous
Drilling Co.: Talon Driller: Jesus Pagan

Sample / Core Interval			P. I. D. (PPM)				Description Depth (ft)		Description
Device	Depth (ft)	Recovery (ft)	Depth (ft)	Reading	Sample Analysis	U. S. C. S.	from	to	(Lithology, Munsell Color, Grain Size w/percentages (most to least), Roundness, Sorting, Consistency/Hardness, Moisture Content, Bedding, Fractures, Additional Remarks)
HA	1	1	1	0.0	0/1	SM	0	1	Silty Sand: 10R 4/6 Red very fine
	2	1	2	0.0	1/2				well rounded, well Sorted, with abundant
	3	1	3	0.0	2/3				amount silt, trace amount of clay
	4	1	4	0.0	4/5				loose, dry.
	5	1	5	0.0					Note: refusal at 1ft Geoprobe used
	6	1	6	0.0					1ft and after
GP	7	1	7	0.0	7/8	SM	1	5	Silty Sand: 5R 7/3 pale red, very fine
1	8	1	8	0.0	1		1		to fine, subrounded, well sorted,
									moderate amount Silt, Caliche gravels
									inclusions, trace amount of clay.
									Note: More cuvers for 3-4 ft
						SC	6	8	Sandy Clay: 5R 7/3 Pale Red, very fine
									well rounded, well Sorted, Clay; 10R 4/6
									Red, medium plasticity moist, moderate
									amount of gypsum inclusions.
									TD

BORING LOG

Well No.: SB-15 Date Drilled: 11-08-21
Client Name: Pardue
Site Location: Loving
Project No.: _____ Drilling Method: GeoProbe
Logged By: Karen Silva Sample Method: Continous
Drilling Co.: Talon Driller: Jesus Payan

Sample / Core Interval			P. I. D. (PPM)				Description Depth (ft)		Description
Device	Depth (ft)	Recovery (ft)	Depth (ft)	Reading	Sample Analysis	U. S. C. S.	from	to	(Lithology, Munsell Color, Grain Size w/percentages (most to least), Roundness, Sorting, Consistency/Hardness, Moisture Content, Bedding, Fractures, Additional Remarks)
HA	1	1	1	0.0	0/1	SM	0	4	Silty Sand: 10R 4/6 Red, very fine to fine, well rounded, well sorted, with moderate amount of Silt, trace of clay, moist, soft, loose.
	2	1	2	0.0	1/2				
	3	1	3	0.0	2/3				
GP	4	1	4	0.0	3/4				
	5	4	5	0.0	4/5				
	6		6	0.0		SC	4	8	Sand, 5R 7/3 Pale Red, Fine, Rounded, well sorted, Silt inclusions, clay inclusions, caliche granules interbedded, moist, Medium Stiff.
	7		7	0.0					
GP	8	4	8	0.0					
	9		9	0.0					
	10		10	0.0					
	11		11	0.0		ML	8	16	Sandy Clay: 10R 6/4 Pale Red, very fine to fine, well sorted, Clay: 10R 4/6 Red, low plasticity, moist, Soft, Trace of caliche, small granules of gypsum.
	12		12	0.0					
	13		13	0.0					
	14		14	0.0					
	15		15	0.0					
	16		16	0.0				16	TD

BORING LOG

Well No.: SB-16 Date Drilled: 11-09-21
Client Name: Pardue
Site Location: Loving
Project No.: 30093248 Drilling Method: Geo Probe
Logged By: Karen Silva Sample Method: Continous
Drilling Co.: Talon Driller: Jesus Pagan

Sample / Core Interval			P. I. D. (PPM)				Description Depth (ft)		Description
Device	Depth (ft)	Recovery (ft)	Depth (ft)	Reading	Sample Analysis	U. S. C. S.	from	to	(Lithology, Munsell Color, Grain Size w/percentages (most to least), Roundness, Sorting, Consistency/Hardness, Moisture Content, Bedding, Fractures, Additional Remarks)
HA	1		1	0.2	0/1	SM	0	2	Silty Sandy ; 5R 7/3 pale red very fine to fine, well rounded, well sorted, moderate amount of silt, Soft, dry, loose.
	2		2	0.0	1/2				
	3		3	0.0	2/3				
	4		4	0.0	3/4				
GP	5		5	0.0	4/5	SC	2	7	Sandy Clay ; 10R 6/4 pale red, Very fine, well Rounded, well sorted with trace of Silt & Clay ; 10R 4/6 Red, lot to medium plasticity, moist, Medium Stiff.
	6		6	0.0					
	7		7	0.0					
	8		8	0.0					
	9		9	0.0					
	10		10	0.0	10/12	SM	7	8	Sand ; 5R 7/3 pale Red, fine to medium, rounded, well sorted, trace amount of Silt, trace amount of Clay, Caliche granules interbedded, dry.
	11		11	0.0					
	12		12	0.0					
						SM	8	9	Silty Sand ; 10R 6/6 light red. Very fine to fine, well rounded, well Sorted, some silt, soft, dry, small amount of Caliche granules.
						SC	9	11	Sandy Clay ; 10 R 4/6 Red, Very fine, well Rounded, well sorted, Soft with some clay, low plasticity, moist.
						SC	11	12	Sandy Clay ; 10 R 4/6 Red, Very fine to fine, well rounded to rounded, V Well Sorted, Soft with lenses of clay, Selenite crystals inclusions, dry. TD

BORING LOG

Well No.: SB-17 Date Drilled: 11-9-21
Client Name: Perdue / Chevron
Site Location: Lovington / Perdue
Project No.: 30093248 Drilling Method: Hand Auger / Geoprobe
Logged By: Karen Silva Sample Method: Continuous
Drilling Co.: Talon Driller: Jesus Rojas

Sample / Core Interval			P. I. D. (PPM)				Description Depth (ft)		Description
Device	Depth (ft)	Recovery (ft)	Depth (ft)	Reading	Sample Analysis	U. S. C. S.	from	to	(Lithology, Munsell Color, Grain Size w/percentages (most to least), Roundness, Sorting, Consistency/Hardness, Moisture Content, Bedding, Fractures, Additional Remarks)
HA	1	1	1	0.0	0/1	SM	0	3	Silty Sand: 10R 7/3 Pale Red, very fine to fine, well rounded, well sorted, moderate amounts of silt, dry, loose, soft.
	2	1	2	0.0	1/2				
	3	1	3	0.0	2/3				
	4	1	4	0.0	3/4				
GP	5	1'	5	0.0	4/5	SM	3	4	Silty Sand: 10R 7/3 Pale Red, very fine to fine, rounded, well sorted moderate amounts of silt, loose dry with some caliche granules interbedded:
	6	1	6	0.0					
	7	1	7	0.0					
	8	1	8	0.0					
	9	1'	9	0.0	9/10				
	10	1	10	0.0	1	SC	4	10	Sandy Clay: 10R 6/6 light red, very fine to fine, well rounded, well sorted, trace of silt, Clay; 10R 4/6 Red, medium plasticity, lenses of caliche. Selenite crystals interbedded, dry.
	11	1	11	0.0	11/12				
	12	1	12	0.0	1				
						SM	10	12	Silty Sand: 10R 7/3 Pale Red very fine to fine, well rounded well sorted moderate amounts of silt with gypsum lenses, dry, soft
									TD

BORING LOG

Well No.: SB-18 Date Drilled: 11-09-21
Client Name: Chevron / Pardue
Site Location: Pardue / Lovington
Project No.: 30093248 Drilling Method: GeoProbe
Logged By: Karen Silva Sample Method: Continuous
Drilling Co.: Talon Driller: Jesus Ryan

Sample / Core Interval			P. I. D. (PPM)				Description Depth (ft)		Description
Device	Depth (ft)	Recovery (ft)	Depth (ft)	Reading	Sample Analysis	U. S. C. S.	from	to	(Lithology, Munsell Color, Grain Size w/percentages (most to least), Roundness, Sorting, Consistency/Hardness, Moisture Content, Bedding, Fractures, Additional Remarks)
HA	1	1	1	0.0	0/1	SM	0	1	Silty Sand: 10R 7/3 Pale Red,
GP	2	1	2	0.0	1/2				very fine to fine, well rounded, well
	3	1	3	0.0	2/3				sorted, abundant amount of Silt
	4	1	4	0.0	3/4				inclusions; loose, soft, dry;
	5	1	5	0.0	4/5			6	Silt Sand: 10R 7/3 Pale Red,
	6	1	6	0.0	6/7				fine, rounded, well sorted, some
	7	1	7	0.0	7/8				silt inclusions, calicic subangular
	8	1	8	0.0	1				granules interbedded, lenses of
									low plasticity clay, moist.
						SC	6	7	Sandy Clay: 10 R 6/6 light Red,
									fine, well rounded, well sorted
									with traces of Silt. Clay; 10R 4/6
									Red, low to medium plasticity,
							7	8	moist, medium stiff.
									Sandy Clay: 10R 6/6 light Red
									fine, well rounded, well sorted
									with traces of Silt with lenses
									of Clay and gypsum crystals
									medium stiff.
									TD

BORING LOG

Well No.: SB-19 Date Drilled: 11-09-21
Client Name: Chevron/Pardue
Site Location: Lovington
Project No.: 30093248 Drilling Method: GeoProbe
Logged By: Karen Silva Sample Method: Continous
Drilling Co.: Talon Driller: Jesus Reyes

Sample / Core Interval			P. I. D. (PPM)				Description Depth (ft)		Description
Device	Depth (ft)	Recovery (ft)	Depth (ft)	Reading	Sample Analysis	U. S. C. S.	from	to	(Lithology, Munsell Color, Grain Size w/percentages (most to least), Roundness, Sorting, Consistency/Hardness, Moisture Content, Bedding, Fractures, Additional Remarks)
HA	1	1	1	0.0	0/1	SM	0	4	Silty Sand: 10R 7/3 Pale Red,
	2	1	2	0.0	1/2				very fine to fine, well rounded, well
	3	1	3	0.0	2/3				sorted, abundant of Silt inclusions,
	4	1	4	0.0	3/4				with caliche granules interbedded
GP	5	1	5	0.0	↓	↓	↓	↓	loose, dry.
	6	1	6	0.0	5/6	SC	4	5	Sandy Clay: 10R 6/6 light Red,
	7	1	7	0.0	6/7				fine, well rounded, well sorted, with
↓	8	0	—	—	↓				trace amount of silt, loose, soft,
							↓	↓	Clay: 10R 4/6 Red, low to medium
						SC	5	7	plasticity, medium stiff, moist.
									Sand: 10 R 6/6 light red, fine
									well rounded well sorted, with trace
									amounts of silt, with clay lenses. with
									gypsom crystal interbedded,
									trace amount of caliche
									granules and roots, moist, medium
									stiff. TD

BORING LOG

Well No.: SB-20 Date Drilled: 11-09-21
Client Name: Chevron / Pardue
Site Location: Lovington
Project No.: 200932418 Drilling Method: GeoProbe
Logged By: KarenSilva Sample Method: Continuous
Drilling Co.: Talon Driller: Jesus Pagan

Sample / Core Interval			P. I. D. (PPM)				Description Depth (ft)		Description
Device	Depth (ft)	Recovery (ft)	Depth (ft)	Reading	Sample Analysis	U. S. C. S.	from	to	(Lithology, Munsell Color, Grain Size w/percentages (most to least), Roundness, Sorting, Consistency/Hardness, Moisture Content, Bedding, Fractures, Additional Remarks)
HA	1	1	1	0.0	0/1	SM	0	3	Silty Sand, 10R 7/3 Pale Red, very fine to fine, well rounded, well sorted, with some silt inclusions, with caliche granules interbedded, loose, dry.
GP	2	1	2	0.0	1/2				
	3	1	3	0.0	2/3				
	4	1	4	0.0	3/4				
	5	1	5	0.0	4/5	SC	3	4	Sandy clay, Sand, 10R 6/6 light red, very fine, well rounded, well sorted, trace amount of silt & clay, 10R 4/6 Red low to medium plasticity, with traces of caliche granules and roots.
	6	1	6	0.0	5/6				
	7	1	7	0.0	7/8				
1	8	1	8		1				
						SM	4	6	Silty Sand 10R 6/6 light red, very fine, well rounded, well sorted, abundant amount of silt inclusions, with caliche granules inclusions, dry, loose.
						SC	6	8	Sandy clay, 10R 6/6 light red, fine grained, well rounded well sorted with lenses of clay low plasticity with gypsum crystal inclusions moist. TD

BORING LOG

Well No.: SB-21 Date Drilled: 11-09-21
Client Name: Chevron / Pardue
Site Location: Loving
Project No.: 700 93248 Drilling Method: Geoprobe
Logged By: Karen Silva Sample Method: Continous
Drilling Co.: Talon Driller: Jesus Payan

Sample / Core Interval			P. I. D. (PPM)				Description Depth (ft)		Description
Device	Depth (ft)	Recovery (ft)	Depth (ft)	Reading	Sample Analysis	U. S. C. S.	from	to	(Lithology, Munsell Color, Grain Size w/percentages (most to least), Roundness, Sorting, Consistency/Hardness, Moisture Content, Bedding, Fractures, Additional Remarks)
HA	1	1	1	0.0	0/1	SM	0	1	Silty Sand; 10R 7/3 Pale Red, Very fine to fine grained, well rounded, well Sorted, with moderate amount of Silt inclusions, dry, loose soil.
	2	1	2	0.0	1/2				
	3	1	3	0.0	2/3				
CS	4	1	4	0.0	3/4				
	5	1	5	0.0	4/5				
	6	1	6	0.0	5/6	SM		4	Silty Sand; 10R 7/3 Pale Red, Very fine to fine grained, well rounded, well Sorted, with moderate amount of Silt with caliche granules inclusions, dry, loose.
	7	1	7	0.0	6/7				
	8	1	8	0.0	7/8				
						SC	4	8	Silty Sand; 10R 6/6 light Red, Very fine, rounded, well Sorted, with some traces of Silt, with lenses of Clay, with caliche granules inclusions TD

BORING LOG

Well No.: SB-23 Date Drilled: 11-09-21
Client Name: Chevron / Pardue
Site Location: Loving
Project No.: 30-03248 Drilling Method: Geo Probe
Logged By: Karen S. / KS Sample Method: Continous
Drilling Co.: Talon Driller: Jesus Pagan

Sample / Core Interval			P. I. D. (PPM)				Description Depth (ft)		Description
Device	Depth (ft)	Recovery (ft)	Depth (ft)	Reading	Sample Analysis	U. S. C. S.	from	to	(Lithology, Munsell Color, Grain Size w/percentages (most to least), Roundness, Sorting, Consistency/Hardness, Moisture Content, Bedding, Fractures, Additional Remarks)
HA	1	1	1	0.0	0/1	SM	0	1	Silty Sand: 10R7/3 Pale Red, dry fine to fine, well rounded, well
GP	2	1	2	0.0	1/2				Sorted, abundant amount of
1	3	1	3	0.0	2/3				Silt inclusions, Caliche granule
1	4	1	4	0.0	3/4				inclusions dry, loose,
					TD				
						SC	1	3	Sandy Clay: 10R 4/6 Red, fine, well rounded, well sorted, with lenses of Clay, moist,
									low plasticity.
						SC	3	4	Sandy Clay: 10R 6/6 light red, fine, well rounded well sorted, with lenses of clay, trace of silt with gypsum crystals inclusions, slightly moist,

BORING LOG

Well No.: SB-22 Date Drilled: 11-09-21
Client Name: Chevron / Pardue
Site Location: Loving
Project No.: 209324 Drilling Method: GeoProbe
Logged By: Karen Silva Sample Method: Continuous
Drilling Co.: Talon Driller: Jesus Payan

Sample / Core Interval			P. I. D. (PPM)				Description Depth (ft)		Description
Device	Depth (ft)	Recovery (ft)	Depth (ft)	Reading	Sample Analysis	U. S. C. S.	from	to	(Lithology, Munsell Color, Grain Size w/percentages (most to least), Roundness, Sorting, Consistency/Hardness, Moisture Content, Bedding, Fractures, Additional Remarks)
HA	1	1	1	0.0	6/1	SM	0		Silty Sand; 10R 7/3 Pale Red very fine to fine, well rounded, well sorted, with abundant amounts silt inclusions, Caliche granules inclusions, loose, dry.
GP	2	1	1	0.0	4/2				
↓	3	1	1	0.0	2/3				
						SC		3	Silty Sand 10R 6/6 light red. fine well rounded, well sorted, moderate amount of silt inclusions, with lenses of low plasticity Clay, with caliche granules inclusions, dry. TD.

Appendix D

Laboratory Reports

ANALYTICAL REPORT

December 07, 2021


ARCADIS US - New Mexico

Sample Delivery Group:	L1430623
Samples Received:	11/12/2021
Project Number:	30093248.0003B
Description:	Pardue Farms 27-12
Site:	PARDUE FARMS 27-12
Report To:	Justin Steinmann 401 East Main Street Suite 400 El Paso, TX 79901

Entire Report Reviewed By:

Chris McCord
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.



Pace Analytical National
12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

TABLE OF CONTENTS

Cp: Cover Page 1

Tc: Table of Contents 2

Ss: Sample Summary 5

Cn: Case Narrative 19

Sr: Sample Results 20

SB-12-S-0-1-211108 L1430623-01 20

SB-12-S-1-2-211108 L1430623-02 21

SB-12-S-2-3-211108 L1430623-03 22

SB-12-S-3-4-211108 L1430623-04 23

SB-12-S-4-5-211108 L1430623-05 24

SB-12-S-9-10-211108 L1430623-06 25

SB-12-S-13-14-211108 L1430623-07 26

SB-13-S-0-1-211108 L1430623-08 27

SB-13-S-1-2-211108 L1430623-09 28

SB-13-S-2-3-211108 L1430623-10 29

SB-13-S-3-4-211108 L1430623-11 30

SB-13-S-4-5-211108 L1430623-12 31

SB-13-S-9-10-211108 L1430623-13 32

SB-13-S-13-14-211108 L1430623-14 33

SB-14-S-0-1-211108 L1430623-15 34

SB-14-S-1-2-211108 L1430623-16 35

SB-14-S-2-3-211108 L1430623-17 36

SB-14-S-4-5-211108 L1430623-18 37

SB-14-S-7-8-211108 L1430623-19 38

SB-15-S-0-1-211108 L1430623-20 39

SB-15-S-1-2-211108 L1430623-21 40

SB-15-S-2-3-211108 L1430623-22 41

SB-15-S-3-4-211108 L1430623-23 42

SB-15-S-4-5-211108 L1430623-24 43

SB-15-S-9-10-211108 L1430623-25 44

SB-15-S-14-15-211108 L1430623-26 45

SB-16-S-0-1-211109 L1430623-27 46

SB-16-S-1-2-211109 L1430623-28 47

SB-16-S-2-3-211109 L1430623-29 48

SB-16-S-3-4-211109 L1430623-30 49

SB-16-S-4-5-211109 L1430623-31 50

SB-16-S-9-10-211109 L1430623-32 51

SB-17-S-0-1-211109 L1430623-33 52

SB-17-S-1-2-211109 L1430623-34 53

SB-17-S-2-3-211109 L1430623-35 54

Released to Imaging: 12/19/2024 2:22:50 PM

SB-17-S-3-4-211109 L1430623-36 55
SB-17-S-4-5-211109 L1430623-37 56
SB-17-S-9-10-211109 L1430623-38 57
SB-18-S-0-1-211109 L1430623-39 58
SB-18-S-1-2-211109 L1430623-40 59
SB-18-S-2-3-211109 L1430623-41 60
SB-18-S-3-4-211109 L1430623-42 61
SB-18-S-4-5-211109 L1430623-43 62
SB-19-S-0-1-211109 L1430623-44 63
SB-19-S-1-2-211109 L1430623-45 64
SB-19-S-2-3-211109 L1430623-46 65
SB-19-S-3-4-211109 L1430623-47 66
SB-19-S-4-5-211109 L1430623-48 67
SB-19-S-6-7-211109 L1430623-49 68
SB-20-S-0-1-211109 L1430623-50 69
SB-20-S-1-2-211109 L1430623-51 70
SB-20-S-2-3-211109 L1430623-52 71
SB-20-S-3-4-211109 L1430623-53 72
SB-20-S-4-5-211109 L1430623-54 73
SB-20-S-6-7-211109 L1430623-55 74
SB-21-S-0-1-211109 L1430623-56 75
SB-21-S-1-2-211109 L1430623-57 76
SB-21-S-2-3-211109 L1430623-58 77
SB-21-S-3-4-211109 L1430623-59 78
SB-22-S-0-1-211109 L1430623-60 79
SB-22-S-1-2-211109 L1430623-61 80
SB-22-S-2-3-211109 L1430623-62 81
SB-22-S-3-4-211109 L1430623-63 82
SB-23-S-0-1-211109 L1430623-64 83
SB-23-S-1-2-211109 L1430623-65 84
SB-23-S-2-3-211109 L1430623-66 85
SB-23-S-3-4-211109 L1430623-67 86
SB-21-S-6-7-211109 L1430623-68 87
Qc: Quality Control Summary 88
Total Solids by Method 2540 G-2011 88
Wet Chemistry by Method 300.0 96
Volatile Organic Compounds (GC) by Method 8015D/GRO 100
Volatile Organic Compounds (GC/MS) by Method 8260B 108
Semi-Volatile Organic Compounds (GC) by Method 8015M 115
Gl: Glossary of Terms 121

Released to Imaging: 12/19/2024 2:22:50 PM

Al: Accreditations & Locations 123
Sc: Sample Chain of Custody 124

SB-12-S-0-1-211108 L1430623-01 Solid

Collected by: Justin Steinmann | Collected date/time: 11/08/21 12:35 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774306	1	11/16/21 12:37	11/16/21 12:51	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783436	1	12/03/21 11:04	12/03/21 12:42	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774262	1	11/13/21 16:30	11/15/21 15:37	JAH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774452	1	11/13/21 16:30	11/15/21 13:35	JAH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777147	1	11/19/21 16:45	11/20/21 01:23	JAS	Mt. Juliet, TN

SB-12-S-1-2-211108 L1430623-02 Solid

Collected by: Justin Steinmann | Collected date/time: 11/08/21 12:38 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774306	1	11/16/21 12:37	11/16/21 12:51	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783436	5	12/03/21 11:04	12/03/21 12:51	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774262	1	11/13/21 16:30	11/15/21 16:01	JAH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774452	1	11/13/21 16:30	11/15/21 13:53	JAH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777147	1	11/19/21 16:45	11/20/21 01:36	JAS	Mt. Juliet, TN

SB-12-S-2-3-211108 L1430623-03 Solid

Collected by: Justin Steinmann | Collected date/time: 11/08/21 12:40 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774306	1	11/16/21 12:37	11/16/21 12:51	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783436	5.15	12/03/21 11:04	12/03/21 13:00	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774262	1	11/13/21 16:30	11/15/21 16:25	JAH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774452	1	11/13/21 16:30	11/15/21 14:12	JAH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777147	1	11/19/21 16:45	11/20/21 01:49	JAS	Mt. Juliet, TN

SB-12-S-3-4-211108 L1430623-04 Solid

Collected by: Justin Steinmann | Collected date/time: 11/08/21 12:42 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774306	1	11/16/21 12:37	11/16/21 12:51	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783436	5.15	12/03/21 11:04	12/03/21 13:19	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774262	1	11/13/21 16:30	11/15/21 16:48	JAH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774452	1	11/13/21 16:30	11/15/21 14:31	JAH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777147	1	11/19/21 16:45	11/20/21 02:27	JAS	Mt. Juliet, TN

SB-12-S-4-5-211108 L1430623-05 Solid

Collected by: Justin Steinmann | Collected date/time: 11/08/21 12:45 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774306	1	11/16/21 12:37	11/16/21 12:51	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783436	5	12/03/21 11:04	12/03/21 13:29	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1775107	1	11/13/21 16:30	11/16/21 23:25	NCC	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774452	1	11/13/21 16:30	11/15/21 14:50	JAH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777147	1	11/19/21 16:45	11/20/21 02:41	JAS	Mt. Juliet, TN

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

SB-12-S-9-10-211108 L1430623-06 Solid

Collected by: Justin Steinmann | Collected date/time: 11/08/21 13:11 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774308	1	11/16/21 10:33	11/16/21 10:46	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783436	5	12/03/21 11:04	12/03/21 13:56	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1775107	1	11/13/21 16:30	11/17/21 00:53	NCC	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774452	1	11/13/21 16:30	11/15/21 15:09	JAH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777147	1	11/19/21 16:45	11/20/21 02:53	JAS	Mt. Juliet, TN

SB-12-S-13-14-211108 L1430623-07 Solid

Collected by: Justin Steinmann | Collected date/time: 11/08/21 13:40 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774308	1	11/16/21 10:33	11/16/21 10:46	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783436	5	12/03/21 11:04	12/03/21 14:33	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1775107	1	11/13/21 16:30	11/17/21 01:15	NCC	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774452	1	11/13/21 16:30	11/15/21 15:28	JAH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777147	1	11/19/21 16:45	11/20/21 03:06	JAS	Mt. Juliet, TN

SB-13-S-0-1-211108 L1430623-08 Solid

Collected by: Justin Steinmann | Collected date/time: 11/08/21 13:52 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774308	1	11/16/21 10:33	11/16/21 10:46	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783436	1	12/03/21 11:04	12/03/21 15:02	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1775107	1	11/13/21 16:30	11/17/21 01:37	NCC	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774452	1	11/13/21 16:30	11/15/21 15:47	JAH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777147	1	11/19/21 16:45	11/20/21 03:19	JAS	Mt. Juliet, TN

SB-13-S-1-2-211108 L1430623-09 Solid

Collected by: Justin Steinmann | Collected date/time: 11/08/21 13:54 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774308	1	11/16/21 10:33	11/16/21 10:46	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783436	1.03	12/03/21 11:04	12/03/21 15:11	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1775107	1	11/13/21 16:30	11/17/21 01:58	NCC	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774452	1	11/13/21 16:30	11/15/21 16:06	JAH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777147	1	11/19/21 16:45	11/20/21 03:32	JAS	Mt. Juliet, TN

SB-13-S-2-3-211108 L1430623-10 Solid

Collected by: Justin Steinmann | Collected date/time: 11/08/21 13:56 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774308	1	11/16/21 10:33	11/16/21 10:46	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783436	1.04	12/03/21 11:04	12/03/21 15:21	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1775107	1	11/13/21 16:30	11/17/21 02:20	NCC	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774452	1	11/13/21 16:30	11/15/21 16:25	JAH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777509	1	11/19/21 22:50	11/21/21 05:50	DMG	Mt. Juliet, TN

SB-13-S-3-4-211108 L1430623-11 Solid

Collected by: Justin Steinmann | Collected date/time: 11/08/21 13:58 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774308	1	11/16/21 10:33	11/16/21 10:46	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783436	5.1	12/03/21 11:04	12/03/21 15:30	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1775107	1	11/13/21 16:30	11/17/21 02:42	NCC	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774452	1	11/13/21 16:30	11/15/21 16:44	JAH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777509	1	11/19/21 22:50	11/21/21 06:02	DMG	Mt. Juliet, TN

SB-13-S-4-5-211108 L1430623-12 Solid

Collected by: Justin Steinmann | Collected date/time: 11/08/21 14:12 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774308	1	11/16/21 10:33	11/16/21 10:46	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783436	1	12/03/21 11:04	12/03/21 15:40	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1775107	1	11/13/21 16:30	11/17/21 03:04	NCC	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774452	1	11/13/21 16:30	11/15/21 17:02	JAH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777509	1	11/19/21 22:50	11/21/21 06:15	DMG	Mt. Juliet, TN

SB-13-S-9-10-211108 L1430623-13 Solid

Collected by: Justin Steinmann | Collected date/time: 11/08/21 14:20 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774308	1	11/16/21 10:33	11/16/21 10:46	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783436	5.15	12/03/21 11:04	12/03/21 15:49	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774371	1	11/13/21 16:30	11/15/21 16:52	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774452	1	11/13/21 16:30	11/15/21 17:21	JAH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777509	1	11/19/21 22:50	11/21/21 06:28	DMG	Mt. Juliet, TN

SB-13-S-13-14-211108 L1430623-14 Solid

Collected by: Justin Steinmann | Collected date/time: 11/08/21 14:30 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774308	1	11/16/21 10:33	11/16/21 10:46	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783436	5.15	12/03/21 11:04	12/03/21 16:27	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774371	1	11/13/21 16:30	11/15/21 17:14	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774452	1	11/13/21 16:30	11/15/21 17:40	JAH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777509	1	11/19/21 22:50	11/21/21 06:41	DMG	Mt. Juliet, TN

SB-14-S-0-1-211108 L1430623-15 Solid

Collected by: Justin Steinmann | Collected date/time: 11/08/21 14:45 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774308	1	11/16/21 10:33	11/16/21 10:46	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783436	1.04	12/03/21 11:04	12/03/21 16:37	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774371	1	11/13/21 16:30	11/15/21 17:36	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774452	1	11/13/21 16:30	11/15/21 17:58	JAH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777509	1	11/19/21 22:50	11/21/21 06:54	DMG	Mt. Juliet, TN

Cp Tc Ss Cn Sr Qc Gl Al Sc

SB-14-S-1-2-211108 L1430623-16 Solid

Collected by: Justin Steinmann | Collected date/time: 11/08/21 14:50 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774310	1	11/16/21 09:50	11/16/21 10:00	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783436	1	12/03/21 11:04	12/03/21 16:47	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774371	1	11/13/21 16:30	11/15/21 17:57	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774452	1	11/13/21 16:30	11/15/21 18:18	JAH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777509	1	11/19/21 22:50	11/21/21 07:07	DMG	Mt. Juliet, TN

SB-14-S-2-3-211108 L1430623-17 Solid

Collected by: Justin Steinmann | Collected date/time: 11/08/21 14:55 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774310	1	11/16/21 09:50	11/16/21 10:00	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783436	1	12/03/21 11:04	12/03/21 16:56	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774371	1	11/13/21 16:30	11/15/21 18:19	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774671	1	11/13/21 16:30	11/15/21 18:04	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777509	1	11/19/21 22:50	11/21/21 07:20	JAS	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1780878	1	11/29/21 08:38	11/30/21 10:38	JAS	Mt. Juliet, TN

SB-14-S-4-5-211108 L1430623-18 Solid

Collected by: Justin Steinmann | Collected date/time: 11/08/21 15:00 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774310	1	11/16/21 09:50	11/16/21 10:00	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783436	1.04	12/03/21 11:04	12/03/21 17:06	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774371	1	11/13/21 16:30	11/15/21 18:40	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774671	1	11/13/21 16:30	11/15/21 18:23	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777509	1	11/19/21 22:50	11/21/21 07:33	DMG	Mt. Juliet, TN

SB-14-S-7-8-211108 L1430623-19 Solid

Collected by: Justin Steinmann | Collected date/time: 11/08/21 15:10 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774310	1	11/16/21 09:50	11/16/21 10:00	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783436	5	12/03/21 11:04	12/03/21 17:15	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774371	1	11/13/21 16:30	11/16/21 00:43	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774671	1	11/13/21 16:30	11/15/21 18:43	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777509	1	11/19/21 22:50	11/21/21 07:46	DMG	Mt. Juliet, TN

SB-15-S-0-1-211108 L1430623-20 Solid

Collected by: Justin Steinmann | Collected date/time: 11/08/21 15:48 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774310	1	11/16/21 09:50	11/16/21 10:00	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783436	1	12/03/21 11:04	12/03/21 17:25	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774371	1	11/13/21 16:30	11/16/21 01:04	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774671	1	11/13/21 16:30	11/15/21 19:02	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777509	1	11/19/21 22:50	11/21/21 07:59	DMG	Mt. Juliet, TN

SB-15-S-1-2-211108 L1430623-21 Solid

Collected by: Justin Steinmann | Collected date/time: 11/08/21 15:54 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774310	1	11/16/21 09:50	11/16/21 10:00	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783438	10.1	12/03/21 15:48	12/04/21 01:55	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774371	1	11/13/21 16:30	11/16/21 01:26	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774671	1	11/13/21 16:30	11/15/21 19:21	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777509	1	11/19/21 22:50	11/21/21 08:37	DMG	Mt. Juliet, TN

SB-15-S-2-3-211108 L1430623-22 Solid

Collected by: Justin Steinmann | Collected date/time: 11/08/21 15:58 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774310	1	11/16/21 09:50	11/16/21 10:00	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783438	10	12/03/21 15:48	12/04/21 02:05	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774371	1	11/13/21 16:30	11/16/21 01:52	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774671	1	11/13/21 16:30	11/15/21 19:40	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777509	1	11/19/21 22:50	11/22/21 16:11	CAG	Mt. Juliet, TN

SB-15-S-3-4-211108 L1430623-23 Solid

Collected by: Justin Steinmann | Collected date/time: 11/08/21 16:00 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774310	1	11/16/21 09:50	11/16/21 10:00	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783438	10	12/03/21 15:48	12/04/21 02:14	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774371	1	11/13/21 16:30	11/16/21 03:52	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774671	1	11/13/21 16:30	11/15/21 19:59	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777509	1	11/19/21 22:50	11/21/21 08:50	DMG	Mt. Juliet, TN

SB-15-S-4-5-211108 L1430623-24 Solid

Collected by: Justin Steinmann | Collected date/time: 11/08/21 16:10 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774310	1	11/16/21 09:50	11/16/21 10:00	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783438	1.01	12/03/21 15:48	12/04/21 02:52	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774371	1	11/13/21 16:30	11/16/21 04:14	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774671	1	11/13/21 16:30	11/15/21 20:18	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777509	1	11/19/21 22:50	11/21/21 09:03	DMG	Mt. Juliet, TN

SB-15-S-9-10-211108 L1430623-25 Solid

Collected by: Justin Steinmann | Collected date/time: 11/08/21 16:30 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774310	1	11/16/21 09:50	11/16/21 10:00	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783438	10	12/03/21 15:48	12/04/21 03:02	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774371	1	11/13/21 19:31	11/16/21 04:36	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774671	1	11/13/21 19:31	11/15/21 20:37	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777509	1	11/19/21 22:50	11/21/21 09:16	DMG	Mt. Juliet, TN

SB-15-S-14-15-211108 L1430623-26 Solid

Collected by: Justin Steinmann | Collected date/time: 11/08/21 16:54 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774311	1	11/16/21 09:36	11/16/21 09:46	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783438	10.5	12/03/21 15:48	12/04/21 03:30	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774371	1	11/13/21 19:31	11/16/21 04:57	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774671	1	11/13/21 19:31	11/15/21 20:56	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777509	1	11/19/21 22:50	11/22/21 15:32	CAG	Mt. Juliet, TN

SB-16-S-0-1-211109 L1430623-27 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 08:41 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774311	1	11/16/21 09:36	11/16/21 09:46	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783438	1	12/03/21 15:48	12/04/21 03:40	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774371	1	11/13/21 19:31	11/16/21 05:19	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774671	1	11/13/21 19:31	11/15/21 21:15	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777512	1	11/19/21 22:52	11/21/21 14:56	DMG	Mt. Juliet, TN

SB-16-S-1-2-211109 L1430623-28 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 08:43 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774311	1	11/16/21 09:36	11/16/21 09:46	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783438	1	12/03/21 15:48	12/04/21 03:49	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774371	1	11/13/21 19:31	11/16/21 05:43	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774671	1	11/13/21 19:31	11/15/21 21:34	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777512	1	11/19/21 22:52	11/21/21 19:02	DMG	Mt. Juliet, TN

SB-16-S-2-3-211109 L1430623-29 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 08:45 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774311	1	11/16/21 09:36	11/16/21 09:46	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783438	10.1	12/03/21 15:48	12/04/21 03:59	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774371	1	11/13/21 19:31	11/16/21 06:05	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774671	1	11/13/21 19:31	11/15/21 21:53	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777512	1	11/19/21 22:52	11/21/21 15:09	DMG	Mt. Juliet, TN

SB-16-S-3-4-211109 L1430623-30 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 08:47 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774311	1	11/16/21 09:36	11/16/21 09:46	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783438	10	12/03/21 15:48	12/04/21 04:08	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774371	1	11/13/21 19:31	11/16/21 06:26	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774671	1	11/13/21 19:31	11/15/21 22:12	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777512	1	11/19/21 22:52	11/21/21 15:22	DMG	Mt. Juliet, TN

SB-16-S-4-5-211109 L1430623-31 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 09:01 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774311	1	11/16/21 09:36	11/16/21 09:46	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783438	10.1	12/03/21 15:48	12/04/21 04:18	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774371	1	11/13/21 19:31	11/16/21 06:48	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774671	1	11/13/21 19:31	11/15/21 22:31	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777512	1	11/19/21 22:52	11/21/21 15:36	DMG	Mt. Juliet, TN

SB-16-S-9-10-211109 L1430623-32 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 09:05 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774311	1	11/16/21 09:36	11/16/21 09:46	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783438	10.2	12/03/21 15:48	12/04/21 04:27	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774371	1	11/13/21 19:31	11/16/21 07:09	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774671	1	11/13/21 19:31	11/15/21 22:50	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777512	1	11/19/21 22:52	11/21/21 15:48	DMG	Mt. Juliet, TN

SB-17-S-0-1-211109 L1430623-33 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 09:59 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774311	1	11/16/21 09:36	11/16/21 09:46	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783438	1	12/03/21 15:48	12/04/21 04:37	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1778821	1	11/13/21 19:31	11/23/21 06:41	JHH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774671	1	11/13/21 19:31	11/15/21 23:10	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777512	1	11/19/21 22:52	11/21/21 18:49	DMG	Mt. Juliet, TN

SB-17-S-1-2-211109 L1430623-34 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 10:03 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774311	1	11/16/21 09:36	11/16/21 09:46	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783438	1	12/03/21 15:48	12/04/21 04:56	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774596	1	11/13/21 19:31	11/15/21 18:43	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774671	1	11/13/21 19:31	11/15/21 23:29	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777512	1	11/19/21 22:52	11/21/21 16:01	DMG	Mt. Juliet, TN

SB-17-S-2-3-211109 L1430623-35 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 10:05 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774311	1	11/16/21 09:36	11/16/21 09:46	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783438	1.01	12/03/21 15:48	12/04/21 05:25	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774596	1	11/13/21 19:31	11/15/21 22:29	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774671	1	11/13/21 19:31	11/15/21 23:48	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777512	1	11/19/21 22:52	11/21/21 16:14	DMG	Mt. Juliet, TN

SB-17-S-3-4-211109 L1430623-36 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 10:08 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774312	1	11/16/21 09:24	11/16/21 09:33	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783438	10	12/03/21 15:48	12/04/21 05:34	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774596	1	11/13/21 19:31	11/15/21 22:51	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774671	1	11/13/21 19:31	11/16/21 00:07	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777513	1	11/20/21 05:21	11/22/21 14:12	DMG	Mt. Juliet, TN

SB-17-S-4-5-211109 L1430623-37 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 10:15 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774312	1	11/16/21 09:24	11/16/21 09:33	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783438	10	12/03/21 15:48	12/04/21 05:44	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774596	1	11/13/21 19:31	11/15/21 19:05	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774699	1	11/13/21 19:31	11/15/21 21:03	ACG	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777513	1	11/20/21 05:21	11/20/21 11:26	DMG	Mt. Juliet, TN

SB-17-S-9-10-211109 L1430623-38 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 10:25 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774312	1	11/16/21 09:24	11/16/21 09:33	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783438	1.05	12/03/21 15:48	12/04/21 05:53	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1778821	1	11/13/21 19:31	11/23/21 07:03	JHH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774699	1	11/13/21 19:31	11/15/21 21:24	ACG	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777513	1	11/20/21 05:21	11/20/21 12:03	DMG	Mt. Juliet, TN

SB-18-S-0-1-211109 L1430623-39 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 11:05 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774312	1	11/16/21 09:24	11/16/21 09:33	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783438	1	12/03/21 15:48	12/04/21 06:03	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1778821	1	11/13/21 19:31	11/23/21 07:24	JHH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774699	1	11/13/21 19:31	11/15/21 21:44	ACG	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777513	1	11/20/21 05:21	11/20/21 12:15	DMG	Mt. Juliet, TN

SB-18-S-1-2-211109 L1430623-40 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 11:08 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774312	1	11/16/21 09:24	11/16/21 09:33	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783438	1.03	12/03/21 15:48	12/04/21 06:12	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774596	1	11/13/21 19:31	11/15/21 20:11	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774699	1	11/13/21 19:31	11/15/21 22:05	ACG	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777513	1	11/20/21 05:21	11/20/21 12:27	DMG	Mt. Juliet, TN

SB-18-S-2-3-211109 L1430623-41 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 11:10 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774312	1	11/16/21 09:24	11/16/21 09:33	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783439	5	12/03/21 16:00	12/03/21 20:43	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1778821	1	11/13/21 19:31	11/23/21 07:46	JHH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774699	1	11/13/21 19:31	11/15/21 22:25	ACG	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777513	1	11/20/21 05:21	11/20/21 12:40	DMG	Mt. Juliet, TN

SB-18-S-3-4-211109 L1430623-42 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 11:12 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774312	1	11/16/21 09:24	11/16/21 09:33	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783439	5	12/03/21 16:00	12/03/21 20:53	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1778821	1	11/13/21 19:31	11/23/21 08:08	JHH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774699	1	11/13/21 19:31	11/15/21 22:46	ACG	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777513	1	11/20/21 05:21	11/20/21 12:52	DMG	Mt. Juliet, TN

SB-18-S-4-5-211109 L1430623-43 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 11:35 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774312	1	11/16/21 09:24	11/16/21 09:33	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783439	1.01	12/03/21 16:00	12/03/21 21:02	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774596	1	11/13/21 19:31	11/15/21 21:23	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774699	1	11/13/21 19:31	11/15/21 23:06	ACG	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777513	1	11/20/21 05:21	11/20/21 13:04	DMG	Mt. Juliet, TN

SB-19-S-0-1-211109 L1430623-44 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 12:44 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774312	1	11/16/21 09:24	11/16/21 09:33	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783439	1	12/03/21 16:00	12/03/21 21:40	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774596	1	11/13/21 19:31	11/15/21 21:45	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774758	1	11/13/21 19:31	11/15/21 19:41	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777513	1	11/20/21 05:21	11/22/21 16:11	DMG	Mt. Juliet, TN

SB-19-S-1-2-211109 L1430623-45 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 12:51 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774312	1	11/16/21 09:24	11/16/21 09:33	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783439	1	12/03/21 16:00	12/03/21 21:50	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774596	1	11/13/21 19:31	11/15/21 22:07	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774758	1	11/13/21 19:31	11/15/21 20:00	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777513	1	11/20/21 05:21	11/22/21 15:59	DMG	Mt. Juliet, TN

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

SB-19-S-2-3-211109 L1430623-46 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 12:54 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774313	1	11/16/21 09:24	11/16/21 09:48	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783439	1.02	12/03/21 16:00	12/03/21 22:18	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774596	1	11/13/21 19:31	11/15/21 23:13	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774758	1	11/13/21 19:31	11/15/21 20:19	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777513	1	11/20/21 05:21	11/22/21 15:22	DMG	Mt. Juliet, TN

SB-19-S-3-4-211109 L1430623-47 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 12:58 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774313	1	11/16/21 09:24	11/16/21 09:48	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783439	1	12/03/21 16:00	12/03/21 22:28	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774596	1	11/13/21 19:31	11/15/21 23:35	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774758	1	11/13/21 19:31	11/15/21 20:39	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777513	1	11/20/21 05:21	11/22/21 15:34	DMG	Mt. Juliet, TN

SB-19-S-4-5-211109 L1430623-48 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 13:16 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774313	1	11/16/21 09:24	11/16/21 09:48	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783439	1.04	12/03/21 16:00	12/03/21 22:38	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774596	1	11/13/21 19:31	11/15/21 23:56	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774758	1	11/13/21 19:31	11/15/21 20:58	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777513	1	11/20/21 05:21	11/20/21 13:53	DMG	Mt. Juliet, TN

SB-19-S-6-7-211109 L1430623-49 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 13:19 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774313	1	11/16/21 09:24	11/16/21 09:48	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783439	5.15	12/03/21 16:00	12/03/21 22:47	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774596	1	11/15/21 08:33	11/16/21 00:18	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774758	1	11/15/21 08:33	11/15/21 21:17	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777513	1	11/20/21 05:21	11/20/21 14:05	DMG	Mt. Juliet, TN

SB-20-S-0-1-211109 L1430623-50 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 13:47 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774313	1	11/16/21 09:24	11/16/21 09:48	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783439	1.04	12/03/21 16:00	12/03/21 22:57	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774596	1	11/15/21 08:33	11/16/21 00:40	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774758	1	11/15/21 08:33	11/15/21 21:37	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777513	1	11/20/21 05:21	11/22/21 15:47	DMG	Mt. Juliet, TN

SB-20-S-1-2-211109 L1430623-51 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 13:56 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774313	1	11/16/21 09:24	11/16/21 09:48	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783439	1	12/03/21 16:00	12/03/21 23:06	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774596	1	11/15/21 08:33	11/16/21 01:02	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774758	1	11/15/21 08:33	11/15/21 21:56	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777513	1	11/20/21 05:21	11/20/21 14:30	DMG	Mt. Juliet, TN

SB-20-S-2-3-211109 L1430623-52 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 13:58 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774313	1	11/16/21 09:24	11/16/21 09:48	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783439	1.01	12/03/21 16:00	12/03/21 23:16	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774596	1	11/15/21 08:33	11/16/21 01:24	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774758	1	11/15/21 08:33	11/15/21 22:15	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777513	1	11/20/21 05:21	11/22/21 14:00	DMG	Mt. Juliet, TN

SB-20-S-3-4-211109 L1430623-53 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 14:00 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774313	1	11/16/21 09:24	11/16/21 09:48	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783439	1	12/03/21 16:00	12/03/21 23:25	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1775474	1	11/15/21 08:33	11/17/21 18:51	ACG	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774758	1	11/15/21 08:33	11/15/21 22:35	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777513	1	11/20/21 05:21	11/22/21 14:48	DMG	Mt. Juliet, TN

SB-20-S-4-5-211109 L1430623-54 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 14:12 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774313	1	11/16/21 09:24	11/16/21 09:48	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783439	1	12/03/21 16:00	12/03/21 23:51	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774801	1	11/15/21 08:33	11/16/21 13:48	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1774758	1	11/15/21 08:33	11/15/21 22:54	BMB	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777513	1	11/20/21 05:21	11/22/21 16:23	DMG	Mt. Juliet, TN

SB-20-S-6-7-211109 L1430623-55 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 14:14 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774313	1	11/16/21 09:24	11/16/21 09:48	CMK	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783439	1.03	12/03/21 16:00	12/04/21 00:20	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774801	1	11/15/21 08:33	11/16/21 14:09	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1775082	1	11/15/21 08:33	11/16/21 19:12	ADM	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777513	1	11/20/21 05:21	11/20/21 15:26	DMG	Mt. Juliet, TN

SB-21-S-0-1-211109 L1430623-56 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 14:27 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774314	1	11/16/21 12:53	11/16/21 13:08	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783439	1	12/03/21 16:00	12/04/21 00:29	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774801	1	11/15/21 08:33	11/16/21 14:31	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1775082	1	11/15/21 08:33	11/16/21 19:31	ADM	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777516	1	11/20/21 05:24	11/20/21 11:14	DMG	Mt. Juliet, TN

SB-21-S-1-2-211109 L1430623-57 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 14:29 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774314	1	11/16/21 12:53	11/16/21 13:08	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783439	1.04	12/03/21 16:00	12/04/21 00:39	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774801	1	11/15/21 08:33	11/16/21 14:52	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1775082	1	11/15/21 08:33	11/16/21 19:50	ADM	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777516	1	11/20/21 05:24	11/20/21 11:26	DMG	Mt. Juliet, TN

SB-21-S-2-3-211109 L1430623-58 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 14:31 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774314	1	11/16/21 12:53	11/16/21 13:08	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783439	1.04	12/03/21 16:00	12/04/21 00:48	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774801	1	11/15/21 08:33	11/16/21 15:14	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1775148	1	11/15/21 08:33	11/16/21 14:20	DWR	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777516	1	11/20/21 05:24	11/20/21 11:38	DMG	Mt. Juliet, TN

SB-21-S-3-4-211109 L1430623-59 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 14:32 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774314	1	11/16/21 12:53	11/16/21 13:08	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783439	1.05	12/03/21 16:00	12/04/21 00:58	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774801	1	11/15/21 08:33	11/16/21 15:35	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1775148	1	11/15/21 08:33	11/16/21 14:39	DWR	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777516	1	11/20/21 05:24	11/20/21 11:51	DMG	Mt. Juliet, TN

SB-22-S-0-1-211109 L1430623-60 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 14:36 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774314	1	11/16/21 12:53	11/16/21 13:08	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783439	1	12/03/21 16:00	12/04/21 01:08	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774801	1	11/15/21 08:33	11/16/21 15:57	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1775148	1	11/15/21 08:33	11/16/21 14:59	DWR	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777516	1	11/20/21 05:24	11/20/21 15:39	DMG	Mt. Juliet, TN

SB-22-S-1-2-211109 L1430623-61 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 14:37 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774314	1	11/16/21 12:53	11/16/21 13:08	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783690	1.04	12/05/21 15:55	12/05/21 19:44	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774801	1	11/15/21 08:33	11/16/21 16:18	BMB	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1775148	1	11/15/21 08:33	11/16/21 15:18	DWR	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777516	1	11/20/21 05:24	11/20/21 12:03	DMG	Mt. Juliet, TN

SB-22-S-2-3-211109 L1430623-62 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 14:38 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774314	1	11/16/21 12:53	11/16/21 13:08	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783690	1.03	12/05/21 15:55	12/05/21 19:53	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774804	1	11/15/21 08:33	11/16/21 21:49	JHH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1775148	1	11/15/21 08:33	11/16/21 15:38	DWR	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777516	1	11/20/21 05:24	11/20/21 12:15	DMG	Mt. Juliet, TN

SB-22-S-3-4-211109 L1430623-63 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 14:39 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774314	1	11/16/21 12:53	11/16/21 13:08	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783690	1.01	12/05/21 15:55	12/05/21 20:02	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774804	1	11/15/21 08:33	11/16/21 22:10	JHH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1775148	1	11/15/21 08:33	11/16/21 15:57	DWR	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777516	1	11/20/21 05:24	11/20/21 12:27	DMG	Mt. Juliet, TN

SB-23-S-0-1-211109 L1430623-64 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 14:40 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774314	1	11/16/21 12:53	11/16/21 13:08	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783690	1.05	12/05/21 15:55	12/05/21 20:40	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774804	1	11/15/21 08:33	11/16/21 22:32	JHH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1775148	1	11/15/21 08:33	11/16/21 16:17	DWR	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777516	1	11/20/21 05:24	11/20/21 12:40	DMG	Mt. Juliet, TN

SB-23-S-1-2-211109 L1430623-65 Solid

Collected by: Justin Steinmann | Collected date/time: 11/09/21 14:45 | Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774314	1	11/16/21 12:53	11/16/21 13:08	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783690	1	12/05/21 15:55	12/05/21 20:50	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774804	1	11/15/21 08:33	11/16/21 22:53	JHH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1775148	1	11/15/21 08:33	11/16/21 16:36	DWR	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777516	1	11/20/21 05:24	11/20/21 12:52	DMG	Mt. Juliet, TN

SB-23-S-2-3-211109 L1430623-66 Solid

Collected by: Justin Steinmann
Collected date/time: 11/09/21 14:48
Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774315	1	11/16/21 12:12	11/16/21 12:30	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783690	1.05	12/05/21 15:55	12/05/21 21:18	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774804	1	11/15/21 08:33	11/16/21 23:15	JHH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1775207	1	11/15/21 08:33	11/17/21 07:45	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777516	1	11/20/21 05:24	11/20/21 13:04	DMG	Mt. Juliet, TN

SB-23-S-3-4-211109 L1430623-67 Solid

Collected by: Justin Steinmann
Collected date/time: 11/09/21 14:50
Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774315	1	11/16/21 12:12	11/16/21 12:30	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783690	1	12/05/21 15:55	12/05/21 21:28	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774804	1	11/15/21 08:33	11/16/21 23:36	JHH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1775207	1	11/15/21 08:33	11/17/21 08:05	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777516	1	11/20/21 05:24	11/20/21 13:16	DMG	Mt. Juliet, TN

SB-21-S-6-7-211109 L1430623-68 Solid

Collected by: Justin Steinmann
Collected date/time: 11/09/21 14:34
Received date/time: 11/12/21 11:45

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG1774315	1	11/16/21 12:12	11/16/21 12:30	KDW	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1783690	1	12/05/21 15:55	12/05/21 21:37	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015D/GRO	WG1774804	1	11/15/21 08:33	11/16/21 23:58	JHH	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG1775207	1	11/15/21 08:33	11/17/21 08:28	JHH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1777516	1	11/20/21 05:24	11/20/21 13:29	DMG	Mt. Juliet, TN

CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Chris McCord
Project Manager

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	93.6		1	11/16/2021 12:51	WG1774306

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	110		9.83	21.4	1	12/03/2021 12:42	WG1783436

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0266	J	0.0232	0.107	1	11/15/2021 15:37	WG1774262
(S) a,a,a-Trifluorotoluene(FID)	*95.6*			*77.0-120*		*11/15/2021 15:37*	WG1774262

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	0.000704	J	0.000531	0.00114	1	11/15/2021 13:35	WG1774452
Toluene	U		0.00148	0.00568	1	11/15/2021 13:35	WG1774452
Ethylbenzene	0.000957	J	0.000838	0.00284	1	11/15/2021 13:35	WG1774452
Total Xylenes	0.00335	J	0.00100	0.00739	1	11/15/2021 13:35	WG1774452
(S) Toluene-d8	*97.3*			*75.0-131*		*11/15/2021 13:35*	WG1774452
(S) 4-Bromofluorobenzene	*104*			*67.0-138*		*11/15/2021 13:35*	WG1774452
(S) 1,2-Dichloroethane-d4	*99.9*			*70.0-130*		*11/15/2021 13:35*	WG1774452

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	3.09	J	1.72	4.27	1	11/20/2021 01:23	WG1777147
C28-C36 Motor Oil Range	0.657	J	0.293	4.27	1	11/20/2021 01:23	WG1777147
(S) o-Terphenyl	*42.3*			*18.0-148*		*11/20/2021 01:23*	WG1777147

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	73.8		1	11/16/2021 12:51	WG1774306

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	1430		62.3	135	5	12/03/2021 12:51	WG1783436

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0324	J	0.0294	0.135	1	11/15/2021 16:01	WG1774262
(S) a,a,a-Trifluorotoluene(FID)	*97.1*			*77.0-120*		*11/15/2021 16:01*	WG1774262

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000799	0.00171	1	11/15/2021 13:53	WG1774452
Toluene	U		0.00222	0.00855	1	11/15/2021 13:53	WG1774452
Ethylbenzene	U		0.00126	0.00428	1	11/15/2021 13:53	WG1774452
Total Xylenes	U		0.00151	0.0111	1	11/15/2021 13:53	WG1774452
(S) Toluene-d8	*99.8*			*75.0-131*		*11/15/2021 13:53*	WG1774452
(S) 4-Bromofluorobenzene	*104*			*67.0-138*		*11/15/2021 13:53*	WG1774452
(S) 1,2-Dichloroethane-d4	*98.1*			*70.0-130*		*11/15/2021 13:53*	WG1774452

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		2.18	5.42	1	11/20/2021 01:36	WG1777147
C28-C36 Motor Oil Range	U		0.371	5.42	1	11/20/2021 01:36	WG1777147
(S) o-Terphenyl	*43.2*			*18.0-148*		*11/20/2021 01:36*	WG1777147

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	79.6		1	11/16/2021 12:51	WG1774306

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	2100		59.5	129	5.15	12/03/2021 13:00	WG1783436

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0272	0.126	1	11/15/2021 16:25	WG1774262
(S) a,a,a-Trifluorotoluene(FID)	*96.3*			*77.0-120*		*11/15/2021 16:25*	WG1774262

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000706	0.00151	1	11/15/2021 14:12	WG1774452
Toluene	U		0.00197	0.00756	1	11/15/2021 14:12	WG1774452
Ethylbenzene	U		0.00111	0.00378	1	11/15/2021 14:12	WG1774452
Total Xylenes	U		0.00133	0.00983	1	11/15/2021 14:12	WG1774452
(S) Toluene-d8	*99.0*			*75.0-131*		*11/15/2021 14:12*	WG1774452
(S) 4-Bromofluorobenzene	*102*			*67.0-138*		*11/15/2021 14:12*	WG1774452
(S) 1,2-Dichloroethane-d4	*104*			*70.0-130*		*11/15/2021 14:12*	WG1774452

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U	J6	2.02	5.02	1	11/20/2021 01:49	WG1777147
C28-C36 Motor Oil Range	U		0.344	5.02	1	11/20/2021 01:49	WG1777147
(S) o-Terphenyl	*40.1*			*18.0-148*		*11/20/2021 01:49*	WG1777147

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	82.7		1	11/16/2021 12:51	WG1774306

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	923		57.3	125	5.15	12/03/2021 13:19	WG1783436

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0275	J	0.0263	0.121	1	11/15/2021 16:48	WG1774262
(S) a,a,a-Trifluorotoluene(FID)	*96.1*			*77.0-120*		*11/15/2021 16:48*	WG1774262

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000663	0.00142	1	11/15/2021 14:31	WG1774452
Toluene	U		0.00185	0.00710	1	11/15/2021 14:31	WG1774452
Ethylbenzene	U		0.00105	0.00355	1	11/15/2021 14:31	WG1774452
Total Xylenes	U		0.00125	0.00923	1	11/15/2021 14:31	WG1774452
(S) Toluene-d8	*99.1*			*75.0-131*		*11/15/2021 14:31*	WG1774452
(S) 4-Bromofluorobenzene	*102*			*67.0-138*		*11/15/2021 14:31*	WG1774452
(S) 1,2-Dichloroethane-d4	*99.2*			*70.0-130*		*11/15/2021 14:31*	WG1774452

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.95	4.84	1	11/20/2021 02:27	WG1777147
C28-C36 Motor Oil Range	U		0.331	4.84	1	11/20/2021 02:27	WG1777147
(S) o-Terphenyl	*45.0*			*18.0-148*		*11/20/2021 02:27*	WG1777147

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	78.0		1	11/16/2021 12:51	WG1774306

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	1690		58.9	128	5	12/03/2021 13:29	WG1783436

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0423	B J	0.0278	0.128	1	11/16/2021 23:25	WG1775107
(S) a,a,a-Trifluorotoluene(FID)	*92.6*			*77.0-120*		*11/16/2021 23:25*	WG1775107

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000730	0.00156	1	11/15/2021 14:50	WG1774452
Toluene	U		0.00203	0.00782	1	11/15/2021 14:50	WG1774452
Ethylbenzene	U		0.00115	0.00391	1	11/15/2021 14:50	WG1774452
Total Xylenes	U		0.00138	0.0102	1	11/15/2021 14:50	WG1774452
(S) Toluene-d8	*100*			*75.0-131*		*11/15/2021 14:50*	WG1774452
(S) 4-Bromofluorobenzene	*103*			*67.0-138*		*11/15/2021 14:50*	WG1774452
(S) 1,2-Dichloroethane-d4	*99.8*			*70.0-130*		*11/15/2021 14:50*	WG1774452

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		2.06	5.13	1	11/20/2021 02:41	WG1777147
C28-C36 Motor Oil Range	U		0.351	5.13	1	11/20/2021 02:41	WG1777147
(S) o-Terphenyl	*55.9*			*18.0-148*		*11/20/2021 02:41*	WG1777147

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	78.2		1	11/16/2021 10:46	WG1774308

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	2030		58.8	128	5	12/03/2021 13:56	WG1783436

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0417	B J	0.0278	0.128	1	11/17/2021 00:53	WG1775107
(S) a,a,a-Trifluorotoluene(FID)	*89.3*			*77.0-120*		*11/17/2021 00:53*	WG1775107

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000728	0.00156	1	11/15/2021 15:09	WG1774452
Toluene	U		0.00203	0.00780	1	11/15/2021 15:09	WG1774452
Ethylbenzene	U		0.00115	0.00390	1	11/15/2021 15:09	WG1774452
Total Xylenes	U		0.00137	0.0101	1	11/15/2021 15:09	WG1774452
(S) Toluene-d8	*98.6*			*75.0-131*		*11/15/2021 15:09*	WG1774452
(S) 4-Bromofluorobenzene	*103*			*67.0-138*		*11/15/2021 15:09*	WG1774452
(S) 1,2-Dichloroethane-d4	*102*			*70.0-130*		*11/15/2021 15:09*	WG1774452

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		2.06	5.12	1	11/20/2021 02:53	WG1777147
C28-C36 Motor Oil Range	U		0.350	5.12	1	11/20/2021 02:53	WG1777147
(S) o-Terphenyl	*54.1*			*18.0-148*		*11/20/2021 02:53*	WG1777147

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	88.5		1	11/16/2021 10:46	WG1774308

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	1910	J5	52.0	113	5	12/03/2021 14:33	WG1783436

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0297	B J	0.0245	0.113	1	11/17/2021 01:15	WG1775107
(S) a,a,a-Trifluorotoluene(FID)	*89.9*			*77.0-120*		*11/17/2021 01:15*	WG1775107

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000588	0.00126	1	11/15/2021 15:28	WG1774452
Toluene	U		0.00164	0.00630	1	11/15/2021 15:28	WG1774452
Ethylbenzene	U		0.000928	0.00315	1	11/15/2021 15:28	WG1774452
Total Xylenes	U		0.00111	0.00819	1	11/15/2021 15:28	WG1774452
(S) Toluene-d8	*96.8*			*75.0-131*		*11/15/2021 15:28*	WG1774452
(S) 4-Bromofluorobenzene	*98.1*			*67.0-138*		*11/15/2021 15:28*	WG1774452
(S) 1,2-Dichloroethane-d4	*100*			*70.0-130*		*11/15/2021 15:28*	WG1774452

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	4.36	J	1.82	4.52	1	11/20/2021 03:06	WG1777147
C28-C36 Motor Oil Range	0.717	J	0.310	4.52	1	11/20/2021 03:06	WG1777147
(S) o-Terphenyl	*56.4*			*18.0-148*		*11/20/2021 03:06*	WG1777147

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	85.6		1	11/16/2021 10:46	WG1774308

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	U		10.7	23.4	1	12/03/2021 15:02	WG1783436

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0338	B J	0.0254	0.117	1	11/17/2021 01:37	WG1775107
(S) a,a,a-Trifluorotoluene(FID)	*90.3*			*77.0-120*		*11/17/2021 01:37*	WG1775107

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000625	0.00134	1	11/15/2021 15:47	WG1774452
Toluene	U		0.00174	0.00669	1	11/15/2021 15:47	WG1774452
Ethylbenzene	U		0.000986	0.00334	1	11/15/2021 15:47	WG1774452
Total Xylenes	U		0.00118	0.00870	1	11/15/2021 15:47	WG1774452
(S) Toluene-d8	*98.4*			*75.0-131*		*11/15/2021 15:47*	WG1774452
(S) 4-Bromofluorobenzene	*99.9*			*67.0-138*		*11/15/2021 15:47*	WG1774452
(S) 1,2-Dichloroethane-d4	*97.9*			*70.0-130*		*11/15/2021 15:47*	WG1774452

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	2.26	J	1.88	4.67	1	11/20/2021 03:19	WG1777147
C28-C36 Motor Oil Range	2.44	J	0.320	4.67	1	11/20/2021 03:19	WG1777147
(S) o-Terphenyl	*53.8*			*18.0-148*		*11/20/2021 03:19*	WG1777147

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	77.2		1	11/16/2021 10:46	WG1774308

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	431		12.3	26.7	1.03	12/03/2021 15:11	WG1783436

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0360	B J	0.0281	0.130	1	11/17/2021 01:58	WG1775107
(S) a,a,a-Trifluorotoluene(FID)	*88.8*			*77.0-120*		*11/17/2021 01:58*	WG1775107

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000743	0.00159	1	11/15/2021 16:06	WG1774452
Toluene	U		0.00207	0.00796	1	11/15/2021 16:06	WG1774452
Ethylbenzene	U		0.00117	0.00398	1	11/15/2021 16:06	WG1774452
Total Xylenes	U		0.00140	0.0103	1	11/15/2021 16:06	WG1774452
(S) Toluene-d8	*99.0*			*75.0-131*		*11/15/2021 16:06*	WG1774452
(S) 4-Bromofluorobenzene	*103*			*67.0-138*		*11/15/2021 16:06*	WG1774452
(S) 1,2-Dichloroethane-d4	*104*			*70.0-130*		*11/15/2021 16:06*	WG1774452

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	2.13	J	2.09	5.18	1	11/20/2021 03:32	WG1777147
C28-C36 Motor Oil Range	U		0.355	5.18	1	11/20/2021 03:32	WG1777147
(S) o-Terphenyl	*45.7*			*18.0-148*		*11/20/2021 03:32*	WG1777147

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	73.8		1	11/16/2021 10:46	WG1774308

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	831		13.0	28.2	1.04	12/03/2021 15:21	WG1783436

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0420	B J	0.0294	0.136	1	11/17/2021 02:20	WG1775107
(S) a,a,a-Trifluorotoluene(FID)	*90.8*			*77.0-120*		*11/17/2021 02:20*	WG1775107

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000800	0.00171	1	11/15/2021 16:25	WG1774452
Toluene	U		0.00223	0.00856	1	11/15/2021 16:25	WG1774452
Ethylbenzene	U		0.00126	0.00428	1	11/15/2021 16:25	WG1774452
Total Xylenes	U		0.00151	0.0111	1	11/15/2021 16:25	WG1774452
(S) Toluene-d8	*98.3*			*75.0-131*		*11/15/2021 16:25*	WG1774452
(S) 4-Bromofluorobenzene	*101*			*67.0-138*		*11/15/2021 16:25*	WG1774452
(S) 1,2-Dichloroethane-d4	*100*			*70.0-130*		*11/15/2021 16:25*	WG1774452

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		2.18	5.42	1	11/21/2021 05:50	WG1777509
C28-C36 Motor Oil Range	U		0.371	5.42	1	11/21/2021 05:50	WG1777509
(S) o-Terphenyl	*76.1*			*18.0-148*		*11/21/2021 05:50*	WG1777509

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	73.3		1	11/16/2021 10:46	WG1774308

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	3070		64.0	139	5.1	12/03/2021 15:30	WG1783436

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0381	B J	0.0296	0.136	1	11/17/2021 02:42	WG1775107
(S) a,a,a-Trifluorotoluene(FID)	*90.0*			*77.0-120*		*11/17/2021 02:42*	WG1775107

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000807	0.00173	1	11/15/2021 16:44	WG1774452
Toluene	U		0.00225	0.00864	1	11/15/2021 16:44	WG1774452
Ethylbenzene	U		0.00127	0.00432	1	11/15/2021 16:44	WG1774452
Total Xylenes	U		0.00152	0.0112	1	11/15/2021 16:44	WG1774452
(S) Toluene-d8	*99.1*			*75.0-131*		*11/15/2021 16:44*	WG1774452
(S) 4-Bromofluorobenzene	*102*			*67.0-138*		*11/15/2021 16:44*	WG1774452
(S) 1,2-Dichloroethane-d4	*99.7*			*70.0-130*		*11/15/2021 16:44*	WG1774452

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		2.20	5.46	1	11/21/2021 06:02	WG1777509
C28-C36 Motor Oil Range	0.653	B J	0.374	5.46	1	11/21/2021 06:02	WG1777509
(S) o-Terphenyl	*75.3*			*18.0-148*		*11/21/2021 06:02*	WG1777509

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	82.7		1	11/16/2021 10:46	WG1774308

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	904		11.1	24.2	1	12/03/2021 15:40	WG1783436

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0344	B J	0.0262	0.121	1	11/17/2021 03:04	WG1775107
(S) a,a,a-Trifluorotoluene(FID)	*90.1*			*77.0-120*		*11/17/2021 03:04*	WG1775107

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000663	0.00142	1	11/15/2021 17:02	WG1774452
Toluene	U		0.00185	0.00710	1	11/15/2021 17:02	WG1774452
Ethylbenzene	U		0.00105	0.00355	1	11/15/2021 17:02	WG1774452
Total Xylenes	U		0.00125	0.00923	1	11/15/2021 17:02	WG1774452
(S) Toluene-d8	*98.3*			*75.0-131*		*11/15/2021 17:02*	WG1774452
(S) 4-Bromofluorobenzene	*99.6*			*67.0-138*		*11/15/2021 17:02*	WG1774452
(S) 1,2-Dichloroethane-d4	*101*			*70.0-130*		*11/15/2021 17:02*	WG1774452

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.95	4.84	1	11/21/2021 06:15	WG1777509
C28-C36 Motor Oil Range	U		0.331	4.84	1	11/21/2021 06:15	WG1777509
(S) o-Terphenyl	*75.0*			*18.0-148*		*11/21/2021 06:15*	WG1777509

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	78.4		1	11/16/2021 10:46	WG1774308

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	1490		60.5	131	5.15	12/03/2021 15:49	WG1783436

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0277	0.128	1	11/15/2021 16:52	WG1774371
(S) a,a,a-Trifluorotoluene(FID)	*109*			*77.0-120*		*11/15/2021 16:52*	WG1774371

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000726	0.00155	1	11/15/2021 17:21	WG1774452
Toluene	U		0.00202	0.00777	1	11/15/2021 17:21	WG1774452
Ethylbenzene	U		0.00115	0.00389	1	11/15/2021 17:21	WG1774452
Total Xylenes	U		0.00137	0.0101	1	11/15/2021 17:21	WG1774452
(S) Toluene-d8	*98.8*			*75.0-131*		*11/15/2021 17:21*	WG1774452
(S) 4-Bromofluorobenzene	*101*			*67.0-138*		*11/15/2021 17:21*	WG1774452
(S) 1,2-Dichloroethane-d4	*101*			*70.0-130*		*11/15/2021 17:21*	WG1774452

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		2.05	5.10	1	11/21/2021 06:28	WG1777509
C28-C36 Motor Oil Range	U		0.350	5.10	1	11/21/2021 06:28	WG1777509
(S) o-Terphenyl	*78.1*			*18.0-148*		*11/21/2021 06:28*	WG1777509

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	82.6		1	11/16/2021 10:46	WG1774308

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	1990		57.4	125	5.15	12/03/2021 16:27	WG1783436

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0263	0.121	1	11/15/2021 17:14	WG1774371
(S) a,a,a-Trifluorotoluene(FID)	*110*			*77.0-120*		*11/15/2021 17:14*	WG1774371

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000664	0.00142	1	11/15/2021 17:40	WG1774452
Toluene	U		0.00185	0.00711	1	11/15/2021 17:40	WG1774452
Ethylbenzene	U		0.00105	0.00355	1	11/15/2021 17:40	WG1774452
Total Xylenes	U		0.00125	0.00924	1	11/15/2021 17:40	WG1774452
(S) Toluene-d8	*98.9*			*75.0-131*		*11/15/2021 17:40*	WG1774452
(S) 4-Bromofluorobenzene	*101*			*67.0-138*		*11/15/2021 17:40*	WG1774452
(S) 1,2-Dichloroethane-d4	*104*			*70.0-130*		*11/15/2021 17:40*	WG1774452

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.95	4.84	1	11/21/2021 06:41	WG1777509
C28-C36 Motor Oil Range	U		0.332	4.84	1	11/21/2021 06:41	WG1777509
(S) o-Terphenyl	*77.6*			*18.0-148*		*11/21/2021 06:41*	WG1777509

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	83.2		1	11/16/2021 10:46	WG1774308

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	11.8	J	11.5	25.0	1.04	12/03/2021 16:37	WG1783436

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0261	0.120	1	11/15/2021 17:36	WG1774371
(S) a,a,a-Trifluorotoluene(FID)	*110*			*77.0-120*		*11/15/2021 17:36*	WG1774371

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000656	0.00141	1	11/15/2021 17:58	WG1774452
Toluene	U		0.00183	0.00703	1	11/15/2021 17:58	WG1774452
Ethylbenzene	U		0.00104	0.00351	1	11/15/2021 17:58	WG1774452
Total Xylenes	U		0.00124	0.00913	1	11/15/2021 17:58	WG1774452
(S) Toluene-d8	*98.8*			*75.0-131*		*11/15/2021 17:58*	WG1774452
(S) 4-Bromofluorobenzene	*101*			*67.0-138*		*11/15/2021 17:58*	WG1774452
(S) 1,2-Dichloroethane-d4	*101*			*70.0-130*		*11/15/2021 17:58*	WG1774452

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	2.06	J	1.94	4.81	1	11/21/2021 06:54	WG1777509
C28-C36 Motor Oil Range	6.08	B	0.329	4.81	1	11/21/2021 06:54	WG1777509
(S) o-Terphenyl	*72.1*			*18.0-148*		*11/21/2021 06:54*	WG1777509

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	77.7		1	11/16/2021 10:00	WG1774310

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	12.3	J	11.8	25.8	1	12/03/2021 16:47	WG1783436

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0279	0.129	1	11/15/2021 17:57	WG1774371
(S) a,a,a-Trifluorotoluene(FID)	*109*			*77.0-120*		*11/15/2021 17:57*	WG1774371

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000737	0.00158	1	11/15/2021 18:18	WG1774452
Toluene	U		0.00205	0.00789	1	11/15/2021 18:18	WG1774452
Ethylbenzene	U		0.00116	0.00394	1	11/15/2021 18:18	WG1774452
Total Xylenes	U		0.00139	0.0103	1	11/15/2021 18:18	WG1774452
(S) Toluene-d8	*97.6*			*75.0-131*		*11/15/2021 18:18*	WG1774452
(S) 4-Bromofluorobenzene	*101*			*67.0-138*		*11/15/2021 18:18*	WG1774452
(S) 1,2-Dichloroethane-d4	*104*			*70.0-130*		*11/15/2021 18:18*	WG1774452

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		2.07	5.15	1	11/21/2021 07:07	WG1777509
C28-C36 Motor Oil Range	0.986	B J	0.353	5.15	1	11/21/2021 07:07	WG1777509
(S) o-Terphenyl	*72.1*			*18.0-148*		*11/21/2021 07:07*	WG1777509

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	84.5		1	11/16/2021 10:00	WG1774310

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	U		10.9	23.7	1	12/03/2021 16:56	WG1783436

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0257	0.118	1	11/15/2021 18:19	WG1774371
(S) a,a,a-Trifluorotoluene(FID)	*109*			*77.0-120*		*11/15/2021 18:19*	WG1774371

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000639	0.00137	1	11/15/2021 18:04	WG1774671
Toluene	U		0.00178	0.00684	1	11/15/2021 18:04	WG1774671
Ethylbenzene	U		0.00101	0.00342	1	11/15/2021 18:04	WG1774671
Total Xylenes	U		0.00120	0.00889	1	11/15/2021 18:04	WG1774671
(S) Toluene-d8	*108*			*75.0-131*		*11/15/2021 18:04*	WG1774671
(S) 4-Bromofluorobenzene	*95.7*			*67.0-138*		*11/15/2021 18:04*	WG1774671
(S) 1,2-Dichloroethane-d4	*96.7*			*70.0-130*		*11/15/2021 18:04*	WG1774671

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.91	4.74	1	11/21/2021 07:20	WG1777509
C10-C28 Diesel Range	U	Q	1.91	4.74	1	11/30/2021 10:38	WG1780878
C28-C36 Motor Oil Range	U		0.324	4.74	1	11/21/2021 07:20	WG1777509
C28-C36 Motor Oil Range	9.72	Q	0.324	4.74	1	11/30/2021 10:38	WG1780878
(S) o-Terphenyl	*8.83*	J2		*18.0-148*		*11/21/2021 07:20*	WG1777509
(S) o-Terphenyl	*89.0*			*18.0-148*		*11/30/2021 10:38*	WG1780878

Sample Narrative:

L1430623-17 WG1777509, WG1780878: Duplicate Analysis performed due to surrogate failure. Results don't confirm; both analyses reported

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	89.4		1	11/16/2021 10:00	WG1774310

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	583		10.7	23.3	1.04	12/03/2021 17:06	WG1783436

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0243	0.112	1	11/15/2021 18:40	WG1774371
(S) a,a,a-Trifluorotoluene(FID)	*109*			*77.0-120*		*11/15/2021 18:40*	WG1774371

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000577	0.00124	1	11/15/2021 18:23	WG1774671
Toluene	U		0.00161	0.00618	1	11/15/2021 18:23	WG1774671
Ethylbenzene	U		0.000911	0.00309	1	11/15/2021 18:23	WG1774671
Total Xylenes	U		0.00109	0.00803	1	11/15/2021 18:23	WG1774671
(S) Toluene-d8	*107*			*75.0-131*		*11/15/2021 18:23*	WG1774671
(S) 4-Bromofluorobenzene	*94.9*			*67.0-138*		*11/15/2021 18:23*	WG1774671
(S) 1,2-Dichloroethane-d4	*93.9*			*70.0-130*		*11/15/2021 18:23*	WG1774671

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.80	4.47	1	11/21/2021 07:33	WG1777509
C28-C36 Motor Oil Range	U		0.306	4.47	1	11/21/2021 07:33	WG1777509
(S) o-Terphenyl	*75.1*			*18.0-148*		*11/21/2021 07:33*	WG1777509

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	70.8		1	11/16/2021 10:00	WG1774310

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	2250		64.9	141	5	12/03/2021 17:15	WG1783436

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0306	0.141	1	11/16/2021 00:43	WG1774371
(S) a,a,a-Trifluorotoluene(FID)	*109*			*77.0-120*		*11/16/2021 00:43*	WG1774371

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000852	0.00183	1	11/15/2021 18:43	WG1774671
Toluene	U		0.00237	0.00913	1	11/15/2021 18:43	WG1774671
Ethylbenzene	U		0.00135	0.00456	1	11/15/2021 18:43	WG1774671
Total Xylenes	U		0.00161	0.0119	1	11/15/2021 18:43	WG1774671
(S) Toluene-d8	*108*			*75.0-131*		*11/15/2021 18:43*	WG1774671
(S) 4-Bromofluorobenzene	*96.3*			*67.0-138*		*11/15/2021 18:43*	WG1774671
(S) 1,2-Dichloroethane-d4	*97.9*			*70.0-130*		*11/15/2021 18:43*	WG1774671

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		2.27	5.65	1	11/21/2021 07:46	WG1777509
C28-C36 Motor Oil Range	U		0.387	5.65	1	11/21/2021 07:46	WG1777509
(S) o-Terphenyl	*75.5*			*18.0-148*		*11/21/2021 07:46*	WG1777509

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	81.8		1	11/16/2021 10:00	WG1774310

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	591		11.2	24.4	1	12/03/2021 17:25	WG1783436

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0265	0.122	1	11/16/2021 01:04	WG1774371
(S) a,a,a-Trifluorotoluene(FID)	*109*			*77.0-120*		*11/16/2021 01:04*	WG1774371

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000674	0.00144	1	11/15/2021 19:02	WG1774671
Toluene	U		0.00188	0.00722	1	11/15/2021 19:02	WG1774671
Ethylbenzene	U		0.00106	0.00361	1	11/15/2021 19:02	WG1774671
Total Xylenes	U		0.00127	0.00939	1	11/15/2021 19:02	WG1774671
(S) Toluene-d8	*108*			*75.0-131*		*11/15/2021 19:02*	WG1774671
(S) 4-Bromofluorobenzene	*97.6*			*67.0-138*		*11/15/2021 19:02*	WG1774671
(S) 1,2-Dichloroethane-d4	*97.9*			*70.0-130*		*11/15/2021 19:02*	WG1774671

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.97	4.89	1	11/21/2021 07:59	WG1777509
C28-C36 Motor Oil Range	0.782	B J	0.335	4.89	1	11/21/2021 07:59	WG1777509
(S) o-Terphenyl	*76.1*			*18.0-148*		*11/21/2021 07:59*	WG1777509

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	76.6		1	11/16/2021 10:00	WG1774310

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	1640		121	264	10.1	12/04/2021 01:55	WG1783438

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0283	0.131	1	11/16/2021 01:26	WG1774371
(S) a,a,a-Trifluorotoluene(FID)	*110*			*77.0-120*		*11/16/2021 01:26*	WG1774371

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000754	0.00161	1	11/15/2021 19:21	WG1774671
Toluene	U		0.00210	0.00807	1	11/15/2021 19:21	WG1774671
Ethylbenzene	U		0.00119	0.00404	1	11/15/2021 19:21	WG1774671
Total Xylenes	U		0.00142	0.0105	1	11/15/2021 19:21	WG1774671
(S) Toluene-d8	*108*			*75.0-131*		*11/15/2021 19:21*	WG1774671
(S) 4-Bromofluorobenzene	*95.6*			*67.0-138*		*11/15/2021 19:21*	WG1774671
(S) 1,2-Dichloroethane-d4	*96.1*			*70.0-130*		*11/15/2021 19:21*	WG1774671

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		2.10	5.23	1	11/21/2021 08:37	WG1777509
C28-C36 Motor Oil Range	0.626	B J	0.358	5.23	1	11/21/2021 08:37	WG1777509
(S) o-Terphenyl	*73.6*			*18.0-148*		*11/21/2021 08:37*	WG1777509

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	89.1		1	11/16/2021 10:00	WG1774310

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	2520		103	224	10	12/04/2021 02:05	WG1783438

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0244	0.112	1	11/16/2021 01:52	WG1774371
(S) a,a,a-Trifluorotoluene(FID)	*109*			*77.0-120*		*11/16/2021 01:52*	WG1774371

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000581	0.00124	1	11/15/2021 19:40	WG1774671
Toluene	U		0.00162	0.00622	1	11/15/2021 19:40	WG1774671
Ethylbenzene	U		0.000918	0.00311	1	11/15/2021 19:40	WG1774671
Total Xylenes	U		0.00110	0.00809	1	11/15/2021 19:40	WG1774671
(S) Toluene-d8	*107*			*75.0-131*		*11/15/2021 19:40*	WG1774671
(S) 4-Bromofluorobenzene	*94.0*			*67.0-138*		*11/15/2021 19:40*	WG1774671
(S) 1,2-Dichloroethane-d4	*93.6*			*70.0-130*		*11/15/2021 19:40*	WG1774671

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	4.35	J	1.81	4.49	1	11/22/2021 16:11	WG1777509
C28-C36 Motor Oil Range	10.7	B	0.307	4.49	1	11/22/2021 16:11	WG1777509
(S) o-Terphenyl	*77.7*			*18.0-148*		*11/22/2021 16:11*	WG1777509

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	88.5		1	11/16/2021 10:00	WG1774310

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	2720	V	104	226	10	12/04/2021 02:14	WG1783438

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0245	0.113	1	11/16/2021 03:52	WG1774371
(S) a,a,a-Trifluorotoluene(FID)	*109*			*77.0-120*		*11/16/2021 03:52*	WG1774371

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000588	0.00126	1	11/15/2021 19:59	WG1774671
Toluene	U		0.00164	0.00630	1	11/15/2021 19:59	WG1774671
Ethylbenzene	U		0.000928	0.00315	1	11/15/2021 19:59	WG1774671
Total Xylenes	U		0.00111	0.00819	1	11/15/2021 19:59	WG1774671
(S) Toluene-d8	*108*			*75.0-131*		*11/15/2021 19:59*	WG1774671
(S) 4-Bromofluorobenzene	*95.8*			*67.0-138*		*11/15/2021 19:59*	WG1774671
(S) 1,2-Dichloroethane-d4	*95.4*			*70.0-130*		*11/15/2021 19:59*	WG1774671

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.82	4.52	1	11/21/2021 08:50	WG1777509
C28-C36 Motor Oil Range	0.766	B J	0.310	4.52	1	11/21/2021 08:50	WG1777509
(S) o-Terphenyl	*71.3*			*18.0-148*		*11/21/2021 08:50*	WG1777509

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	75.3		1	11/16/2021 10:00	WG1774310

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	372		12.3	26.8	1.01	12/04/2021 02:52	WG1783438

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0288	0.133	1	11/16/2021 04:14	WG1774371
(S) a,a,a-Trifluorotoluene(FID)	*109*			*77.0-120*		*11/16/2021 04:14*	WG1774371

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000773	0.00166	1	11/15/2021 20:18	WG1774671
Toluene	U		0.00215	0.00828	1	11/15/2021 20:18	WG1774671
Ethylbenzene	U		0.00122	0.00414	1	11/15/2021 20:18	WG1774671
Total Xylenes	U		0.00146	0.0108	1	11/15/2021 20:18	WG1774671
(S) Toluene-d8	*109*			*75.0-131*		*11/15/2021 20:18*	WG1774671
(S) 4-Bromofluorobenzene	*95.6*			*67.0-138*		*11/15/2021 20:18*	WG1774671
(S) 1,2-Dichloroethane-d4	*98.4*			*70.0-130*		*11/15/2021 20:18*	WG1774671

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		2.14	5.31	1	11/21/2021 09:03	WG1777509
C28-C36 Motor Oil Range	U		0.364	5.31	1	11/21/2021 09:03	WG1777509
(S) o-Terphenyl	*76.5*			*18.0-148*		*11/21/2021 09:03*	WG1777509

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	81.1		1	11/16/2021 10:00	WG1774310

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	1940		113	247	10	12/04/2021 03:02	WG1783438

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0268	0.123	1	11/16/2021 04:36	WG1774371
(S) a,a,a-Trifluorotoluene(FID)	*109*			*77.0-120*		*11/16/2021 04:36*	WG1774371

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000686	0.00147	1	11/15/2021 20:37	WG1774671
Toluene	U		0.00191	0.00734	1	11/15/2021 20:37	WG1774671
Ethylbenzene	U		0.00108	0.00367	1	11/15/2021 20:37	WG1774671
Total Xylenes	U		0.00129	0.00954	1	11/15/2021 20:37	WG1774671
(S) Toluene-d8	*108*			*75.0-131*		*11/15/2021 20:37*	WG1774671
(S) 4-Bromofluorobenzene	*95.9*			*67.0-138*		*11/15/2021 20:37*	WG1774671
(S) 1,2-Dichloroethane-d4	*95.5*			*70.0-130*		*11/15/2021 20:37*	WG1774671

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	2.95	J	1.99	4.93	1	11/21/2021 09:16	WG1777509
C28-C36 Motor Oil Range	U		0.338	4.93	1	11/21/2021 09:16	WG1777509
(S) o-Terphenyl	*77.7*			*18.0-148*		*11/21/2021 09:16*	WG1777509

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	81.0		1	11/16/2021 09:46	WG1774311

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	1460		119	259	10.5	12/04/2021 03:30	WG1783438

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0268	0.123	1	11/16/2021 04:57	WG1774371
(S) a,a,a-Trifluorotoluene(FID)	*110*			*77.0-120*		*11/16/2021 04:57*	WG1774371

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000687	0.00147	1	11/15/2021 20:56	WG1774671
Toluene	U		0.00191	0.00735	1	11/15/2021 20:56	WG1774671
Ethylbenzene	U		0.00108	0.00368	1	11/15/2021 20:56	WG1774671
Total Xylenes	U		0.00129	0.00956	1	11/15/2021 20:56	WG1774671
(S) Toluene-d8	*105*			*75.0-131*		*11/15/2021 20:56*	WG1774671
(S) 4-Bromofluorobenzene	*99.4*			*67.0-138*		*11/15/2021 20:56*	WG1774671
(S) 1,2-Dichloroethane-d4	*101*			*70.0-130*		*11/15/2021 20:56*	WG1774671

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	51.5		1.99	4.94	1	11/22/2021 15:32	WG1777509
C28-C36 Motor Oil Range	5.28	B	0.338	4.94	1	11/22/2021 15:32	WG1777509
(S) o-Terphenyl	*68.1*			*18.0-148*		*11/22/2021 15:32*	WG1777509

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	82.8		1	11/16/2021 09:46	WG1774311

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	31.5		11.1	24.2	1	12/04/2021 03:40	WG1783438

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0262	0.121	1	11/16/2021 05:19	WG1774371
(S) a,a,a-Trifluorotoluene(FID)	*108*			*77.0-120*		*11/16/2021 05:19*	WG1774371

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000661	0.00142	1	11/15/2021 21:15	WG1774671
Toluene	U		0.00184	0.00708	1	11/15/2021 21:15	WG1774671
Ethylbenzene	U		0.00104	0.00354	1	11/15/2021 21:15	WG1774671
Total Xylenes	U		0.00125	0.00920	1	11/15/2021 21:15	WG1774671
(S) Toluene-d8	*107*			*75.0-131*		*11/15/2021 21:15*	WG1774671
(S) 4-Bromofluorobenzene	*93.8*			*67.0-138*		*11/15/2021 21:15*	WG1774671
(S) 1,2-Dichloroethane-d4	*96.1*			*70.0-130*		*11/15/2021 21:15*	WG1774671

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	2.85	J	1.94	4.83	1	11/21/2021 14:56	WG1777512
C28-C36 Motor Oil Range	7.54		0.331	4.83	1	11/21/2021 14:56	WG1777512
(S) o-Terphenyl	*64.4*			*18.0-148*		*11/21/2021 14:56*	WG1777512

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	75.7		1	11/16/2021 09:46	WG1774311

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	1000		12.2	26.4	1	12/04/2021 03:49	WG1783438

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0287	0.132	1	11/16/2021 05:43	WG1774371
(S) a,a,a-Trifluorotoluene(FID)	*109*			*77.0-120*		*11/16/2021 05:43*	WG1774371

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000767	0.00164	1	11/15/2021 21:34	WG1774671
Toluene	U		0.00214	0.00821	1	11/15/2021 21:34	WG1774671
Ethylbenzene	U		0.00121	0.00411	1	11/15/2021 21:34	WG1774671
Total Xylenes	U		0.00145	0.0107	1	11/15/2021 21:34	WG1774671
(S) Toluene-d8	*107*			*75.0-131*		*11/15/2021 21:34*	WG1774671
(S) 4-Bromofluorobenzene	*96.3*			*67.0-138*		*11/15/2021 21:34*	WG1774671
(S) 1,2-Dichloroethane-d4	*98.3*			*70.0-130*		*11/15/2021 21:34*	WG1774671

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	29.3		2.13	5.29	1	11/21/2021 19:02	WG1777512
C28-C36 Motor Oil Range	43.5		0.362	5.29	1	11/21/2021 19:02	WG1777512
(S) o-Terphenyl	*65.2*			*18.0-148*		*11/21/2021 19:02*	WG1777512

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	81.1		1	11/16/2021 09:46	WG1774311

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	6900		114	249	10.1	12/04/2021 03:59	WG1783438

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0267	0.123	1	11/16/2021 06:05	WG1774371
(S) a,a,a-Trifluorotoluene(FID)	*110*			*77.0-120*		*11/16/2021 06:05*	WG1774371

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000685	0.00147	1	11/15/2021 21:53	WG1774671
Toluene	U		0.00191	0.00733	1	11/15/2021 21:53	WG1774671
Ethylbenzene	U		0.00108	0.00367	1	11/15/2021 21:53	WG1774671
Total Xylenes	U		0.00129	0.00953	1	11/15/2021 21:53	WG1774671
(S) Toluene-d8	*108*			*75.0-131*		*11/15/2021 21:53*	WG1774671
(S) 4-Bromofluorobenzene	*95.8*			*67.0-138*		*11/15/2021 21:53*	WG1774671
(S) 1,2-Dichloroethane-d4	*93.0*			*70.0-130*		*11/15/2021 21:53*	WG1774671

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	10.5		1.98	4.93	1	11/21/2021 15:09	WG1777512
C28-C36 Motor Oil Range	10.8		0.338	4.93	1	11/21/2021 15:09	WG1777512
(S) o-Terphenyl	*65.5*			*18.0-148*		*11/21/2021 15:09*	WG1777512

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	72.2		1	11/16/2021 09:46	WG1774311

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	4010		127	277	10	12/04/2021 04:08	WG1783438

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0301	0.139	1	11/16/2021 06:26	WG1774371
(S) a,a,a-Trifluorotoluene(FID)	*110*			*77.0-120*		*11/16/2021 06:26*	WG1774371

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000828	0.00177	1	11/15/2021 22:12	WG1774671
Toluene	U		0.00231	0.00887	1	11/15/2021 22:12	WG1774671
Ethylbenzene	U		0.00131	0.00443	1	11/15/2021 22:12	WG1774671
Total Xylenes	U		0.00156	0.0115	1	11/15/2021 22:12	WG1774671
(S) Toluene-d8	*109*			*75.0-131*		*11/15/2021 22:12*	WG1774671
(S) 4-Bromofluorobenzene	*95.3*			*67.0-138*		*11/15/2021 22:12*	WG1774671
(S) 1,2-Dichloroethane-d4	*97.1*			*70.0-130*		*11/15/2021 22:12*	WG1774671

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	3.71	J	2.23	5.54	1	11/21/2021 15:22	WG1777512
C28-C36 Motor Oil Range	2.98	J	0.380	5.54	1	11/21/2021 15:22	WG1777512
(S) o-Terphenyl	*62.5*			*18.0-148*		*11/21/2021 15:22*	WG1777512

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	72.3		1	11/16/2021 09:46	WG1774311

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	4800		129	279	10.1	12/04/2021 04:18	WG1783438

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0300	0.138	1	11/16/2021 06:48	WG1774371
(S) a,a,a-Trifluorotoluene(FID)	*109*			*77.0-120*		*11/16/2021 06:48*	WG1774371

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000827	0.00177	1	11/15/2021 22:31	WG1774671
Toluene	U		0.00230	0.00885	1	11/15/2021 22:31	WG1774671
Ethylbenzene	U		0.00130	0.00443	1	11/15/2021 22:31	WG1774671
Total Xylenes	U		0.00156	0.0115	1	11/15/2021 22:31	WG1774671
(S) Toluene-d8	*107*			*75.0-131*		*11/15/2021 22:31*	WG1774671
(S) 4-Bromofluorobenzene	*93.8*			*67.0-138*		*11/15/2021 22:31*	WG1774671
(S) 1,2-Dichloroethane-d4	*95.6*			*70.0-130*		*11/15/2021 22:31*	WG1774671

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		2.23	5.53	1	11/21/2021 15:36	WG1777512
C28-C36 Motor Oil Range	1.38	J	0.379	5.53	1	11/21/2021 15:36	WG1777512
(S) o-Terphenyl	*60.5*			*18.0-148*		*11/21/2021 15:36*	WG1777512

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	74.4		1	11/16/2021 09:46	WG1774311

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	2260		126	274	10.2	12/04/2021 04:27	WG1783438

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0292	0.134	1	11/16/2021 07:09	WG1774371
(S) a,a,a-Trifluorotoluene(FID)	*109*			*77.0-120*		*11/16/2021 07:09*	WG1774371

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000790	0.00169	1	11/15/2021 22:50	WG1774671
Toluene	U		0.00220	0.00846	1	11/15/2021 22:50	WG1774671
Ethylbenzene	U		0.00125	0.00423	1	11/15/2021 22:50	WG1774671
Total Xylenes	U		0.00149	0.0110	1	11/15/2021 22:50	WG1774671
(S) Toluene-d8	*109*			*75.0-131*		*11/15/2021 22:50*	WG1774671
(S) 4-Bromofluorobenzene	*94.9*			*67.0-138*		*11/15/2021 22:50*	WG1774671
(S) 1,2-Dichloroethane-d4	*96.3*			*70.0-130*		*11/15/2021 22:50*	WG1774671

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		2.17	5.38	1	11/21/2021 15:48	WG1777512
C28-C36 Motor Oil Range	0.767	J	0.369	5.38	1	11/21/2021 15:48	WG1777512
(S) o-Terphenyl	*58.1*			*18.0-148*		*11/21/2021 15:48*	WG1777512

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	91.1		1	11/16/2021 09:46	WG1774311

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	U		10.1	21.9	1	12/04/2021 04:37	WG1783438

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0944	J V3	0.0238	0.110	1	11/23/2021 06:41	WG1778821
(S) a,a,a-Trifluorotoluene(FID)	*99.3*			*77.0-120*		*11/23/2021 06:41*	WG1778821

Sample Narrative:

L1430623-33 WG1778821: Previous run also had low IS/SURR recovery. Matrix effect.

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000558	0.00119	1	11/15/2021 23:10	WG1774671
Toluene	U		0.00155	0.00597	1	11/15/2021 23:10	WG1774671
Ethylbenzene	U		0.000880	0.00299	1	11/15/2021 23:10	WG1774671
Total Xylenes	U		0.00105	0.00776	1	11/15/2021 23:10	WG1774671
(S) Toluene-d8	*107*			*75.0-131*		*11/15/2021 23:10*	WG1774671
(S) 4-Bromofluorobenzene	*93.7*			*67.0-138*		*11/15/2021 23:10*	WG1774671
(S) 1,2-Dichloroethane-d4	*95.9*			*70.0-130*		*11/15/2021 23:10*	WG1774671

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	4.55		1.77	4.39	1	11/21/2021 18:49	WG1777512
C28-C36 Motor Oil Range	13.7		0.301	4.39	1	11/21/2021 18:49	WG1777512
(S) o-Terphenyl	*74.8*			*18.0-148*		*11/21/2021 18:49*	WG1777512

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	85.0		1	11/16/2021 09:46	WG1774311

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	U		10.8	23.5	1	12/04/2021 04:56	WG1783438

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0299	B J	0.0255	0.118	1	11/15/2021 18:43	WG1774596
(S) a,a,a-Trifluorotoluene(FID)	*90.4*			*77.0-120*		*11/15/2021 18:43*	WG1774596

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000633	0.00135	1	11/15/2021 23:29	WG1774671
Toluene	U		0.00176	0.00677	1	11/15/2021 23:29	WG1774671
Ethylbenzene	U		0.000998	0.00339	1	11/15/2021 23:29	WG1774671
Total Xylenes	U		0.00119	0.00880	1	11/15/2021 23:29	WG1774671
(S) Toluene-d8	*109*			*75.0-131*		*11/15/2021 23:29*	WG1774671
(S) 4-Bromofluorobenzene	*96.0*			*67.0-138*		*11/15/2021 23:29*	WG1774671
(S) 1,2-Dichloroethane-d4	*94.4*			*70.0-130*		*11/15/2021 23:29*	WG1774671

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	3.57	J	1.89	4.71	1	11/21/2021 16:01	WG1777512
C28-C36 Motor Oil Range	9.07		0.322	4.71	1	11/21/2021 16:01	WG1777512
(S) o-Terphenyl	*68.4*			*18.0-148*		*11/21/2021 16:01*	WG1777512

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	94.7		1	11/16/2021 09:46	WG1774311

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	360		9.81	21.3	1.01	12/04/2021 05:25	WG1783438

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0505	B J	0.0229	0.106	1	11/15/2021 22:29	WG1774596
(S) a,a,a-Trifluorotoluene(FID)	*85.2*			*77.0-120*		*11/15/2021 22:29*	WG1774596

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000519	0.00111	1	11/15/2021 23:48	WG1774671
Toluene	U		0.00144	0.00556	1	11/15/2021 23:48	WG1774671
Ethylbenzene	U		0.000819	0.00278	1	11/15/2021 23:48	WG1774671
Total Xylenes	U		0.000978	0.00722	1	11/15/2021 23:48	WG1774671
(S) Toluene-d8	*108*			*75.0-131*		*11/15/2021 23:48*	WG1774671
(S) 4-Bromofluorobenzene	*96.4*			*67.0-138*		*11/15/2021 23:48*	WG1774671
(S) 1,2-Dichloroethane-d4	*98.6*			*70.0-130*		*11/15/2021 23:48*	WG1774671

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	1.82	J	1.70	4.22	1	11/21/2021 16:14	WG1777512
C28-C36 Motor Oil Range	6.44		0.289	4.22	1	11/21/2021 16:14	WG1777512
(S) o-Terphenyl	*69.6*			*18.0-148*		*11/21/2021 16:14*	WG1777512

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	92.8		1	11/16/2021 09:33	WG1774312

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	1590		99.2	216	10	12/04/2021 05:34	WG1783438

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0240	B J	0.0234	0.108	1	11/15/2021 22:51	WG1774596
(S) a,a,a-Trifluorotoluene(FID)	*89.3*			*77.0-120*		*11/15/2021 22:51*	WG1774596

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000540	0.00116	1	11/16/2021 00:07	WG1774671
Toluene	U		0.00150	0.00578	1	11/16/2021 00:07	WG1774671
Ethylbenzene	U		0.000852	0.00289	1	11/16/2021 00:07	WG1774671
Total Xylenes	U		0.00102	0.00751	1	11/16/2021 00:07	WG1774671
(S) Toluene-d8	*107*			*75.0-131*		*11/16/2021 00:07*	WG1774671
(S) 4-Bromofluorobenzene	*93.4*			*67.0-138*		*11/16/2021 00:07*	WG1774671
(S) 1,2-Dichloroethane-d4	*98.6*			*70.0-130*		*11/16/2021 00:07*	WG1774671

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.74	4.31	1	11/22/2021 14:12	WG1777513
C28-C36 Motor Oil Range	7.51		0.295	4.31	1	11/22/2021 14:12	WG1777513
(S) o-Terphenyl	*88.2*			*18.0-148*		*11/22/2021 14:12*	WG1777513

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	74.7		1	11/16/2021 09:33	WG1774312

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	1640		123	268	10	12/04/2021 05:44	WG1783438

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0519	B J	0.0290	0.134	1	11/15/2021 19:05	WG1774596
(S) a,a,a-Trifluorotoluene(FID)	*86.2*			*77.0-120*		*11/15/2021 19:05*	WG1774596

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000783	0.00168	1	11/15/2021 21:03	WG1774699
Toluene	0.00411	J	0.00218	0.00838	1	11/15/2021 21:03	WG1774699
Ethylbenzene	0.00193	J	0.00124	0.00419	1	11/15/2021 21:03	WG1774699
Total Xylenes	0.00805	J	0.00148	0.0109	1	11/15/2021 21:03	WG1774699
(S) Toluene-d8	*101*			*75.0-131*		*11/15/2021 21:03*	WG1774699
(S) 4-Bromofluorobenzene	*99.8*			*67.0-138*		*11/15/2021 21:03*	WG1774699
(S) 1,2-Dichloroethane-d4	*96.9*			*70.0-130*		*11/15/2021 21:03*	WG1774699

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		2.15	5.35	1	11/20/2021 11:26	WG1777513
C28-C36 Motor Oil Range	1.63	J	0.367	5.35	1	11/20/2021 11:26	WG1777513
(S) o-Terphenyl	*92.3*			*18.0-148*		*11/20/2021 11:26*	WG1777513

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	89.4		1	11/16/2021 09:33	WG1774312

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	740		10.8	23.5	1.05	12/04/2021 05:53	WG1783438

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0243	0.112	1	11/23/2021 07:03	WG1778821
(S) a,a,a-Trifluorotoluene(FID)	*109*			*77.0-120*		*11/23/2021 07:03*	WG1778821

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000578	0.00124	1	11/15/2021 21:24	WG1774699
Toluene	0.00187	J	0.00161	0.00619	1	11/15/2021 21:24	WG1774699
Ethylbenzene	U		0.000912	0.00310	1	11/15/2021 21:24	WG1774699
Total Xylenes	0.00183	J	0.00109	0.00805	1	11/15/2021 21:24	WG1774699
(S) Toluene-d8	*101*			*75.0-131*		*11/15/2021 21:24*	WG1774699
(S) 4-Bromofluorobenzene	*101*			*67.0-138*		*11/15/2021 21:24*	WG1774699
(S) 1,2-Dichloroethane-d4	*95.6*			*70.0-130*		*11/15/2021 21:24*	WG1774699

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.80	4.47	1	11/20/2021 12:03	WG1777513
C28-C36 Motor Oil Range	0.615	J	0.306	4.47	1	11/20/2021 12:03	WG1777513
(S) o-Terphenyl	*71.9*			*18.0-148*		*11/20/2021 12:03*	WG1777513

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	75.1		1	11/16/2021 09:33	WG1774312

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	24.9	J	12.3	26.6	1	12/04/2021 06:03	WG1783438

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0289	0.133	1	11/23/2021 07:24	WG1778821
(S) a,a,a-Trifluorotoluene(FID)	*107*			*77.0-120*		*11/23/2021 07:24*	WG1778821

Sample Narrative:

L1430623-39 WG1778821: Previous run also had low IS/SURR recovery. Matrix effect.

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000778	0.00167	1	11/15/2021 21:44	WG1774699
Toluene	U		0.00217	0.00833	1	11/15/2021 21:44	WG1774699
Ethylbenzene	U		0.00123	0.00417	1	11/15/2021 21:44	WG1774699
Total Xylenes	U		0.00147	0.0108	1	11/15/2021 21:44	WG1774699
(S) Toluene-d8	*99.6*			*75.0-131*		*11/15/2021 21:44*	WG1774699
(S) 4-Bromofluorobenzene	*98.2*			*67.0-138*		*11/15/2021 21:44*	WG1774699
(S) 1,2-Dichloroethane-d4	*98.9*			*70.0-130*		*11/15/2021 21:44*	WG1774699

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		2.14	5.33	1	11/20/2021 12:15	WG1777513
C28-C36 Motor Oil Range	3.26	J	0.365	5.33	1	11/20/2021 12:15	WG1777513
(S) o-Terphenyl	*67.6*			*18.0-148*		*11/20/2021 12:15*	WG1777513

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	78.6		1	11/16/2021 09:33	WG1774312

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	284		12.1	26.2	1.03	12/04/2021 06:12	WG1783438

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0279	B J	0.0276	0.127	1	11/15/2021 20:11	WG1774596
(S) a,a,a-Trifluorotoluene(FID)	*90.4*			*77.0-120*		*11/15/2021 20:11*	WG1774596

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000721	0.00154	1	11/15/2021 22:05	WG1774699
Toluene	U		0.00201	0.00772	1	11/15/2021 22:05	WG1774699
Ethylbenzene	U		0.00114	0.00386	1	11/15/2021 22:05	WG1774699
Total Xylenes	U		0.00136	0.0100	1	11/15/2021 22:05	WG1774699
(S) Toluene-d8	*103*			*75.0-131*		*11/15/2021 22:05*	WG1774699
(S) 4-Bromofluorobenzene	*103*			*67.0-138*		*11/15/2021 22:05*	WG1774699
(S) 1,2-Dichloroethane-d4	*92.8*			*70.0-130*		*11/15/2021 22:05*	WG1774699

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		2.05	5.09	1	11/20/2021 12:27	WG1777513
C28-C36 Motor Oil Range	3.36	J	0.349	5.09	1	11/20/2021 12:27	WG1777513
(S) o-Terphenyl	*87.0*			*18.0-148*		*11/20/2021 12:27*	WG1777513

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	95.0		1	11/16/2021 09:33	WG1774312

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	1320		48.4	105	5	12/03/2021 20:43	WG1783439

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0228	0.105	1	11/23/2021 07:46	WG1778821
(S) a,a,a-Trifluorotoluene(FID)	*108*			*77.0-120*		*11/23/2021 07:46*	WG1778821

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000516	0.00110	1	11/15/2021 22:25	WG1774699
Toluene	U		0.00144	0.00552	1	11/15/2021 22:25	WG1774699
Ethylbenzene	U		0.000814	0.00276	1	11/15/2021 22:25	WG1774699
Total Xylenes	U		0.000972	0.00718	1	11/15/2021 22:25	WG1774699
(S) Toluene-d8	*98.9*			*75.0-131*		*11/15/2021 22:25*	WG1774699
(S) 4-Bromofluorobenzene	*98.4*			*67.0-138*		*11/15/2021 22:25*	WG1774699
(S) 1,2-Dichloroethane-d4	*97.2*			*70.0-130*		*11/15/2021 22:25*	WG1774699

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.69	4.21	1	11/20/2021 12:40	WG1777513
C28-C36 Motor Oil Range	1.15	J	0.288	4.21	1	11/20/2021 12:40	WG1777513
(S) o-Terphenyl	*61.8*			*18.0-148*		*11/20/2021 12:40*	WG1777513

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	92.9		1	11/16/2021 09:33	WG1774312

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	1780		49.5	108	5	12/03/2021 20:53	WG1783439

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0234	0.108	1	11/23/2021 08:08	WG1778821
(S) a,a,a-Trifluorotoluene(FID)	*108*			*77.0-120*		*11/23/2021 08:08*	WG1778821

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000539	0.00115	1	11/15/2021 22:46	WG1774699
Toluene	U		0.00150	0.00577	1	11/15/2021 22:46	WG1774699
Ethylbenzene	U		0.000850	0.00288	1	11/15/2021 22:46	WG1774699
Total Xylenes	U		0.00102	0.00750	1	11/15/2021 22:46	WG1774699
(S) Toluene-d8	*106*			*75.0-131*		*11/15/2021 22:46*	WG1774699
(S) 4-Bromofluorobenzene	*104*			*67.0-138*		*11/15/2021 22:46*	WG1774699
(S) 1,2-Dichloroethane-d4	*97.8*			*70.0-130*		*11/15/2021 22:46*	WG1774699

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.73	4.31	1	11/20/2021 12:52	WG1777513
C28-C36 Motor Oil Range	0.929	J	0.295	4.31	1	11/20/2021 12:52	WG1777513
(S) o-Terphenyl	*66.6*			*18.0-148*		*11/20/2021 12:52*	WG1777513

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	76.7		1	11/16/2021 09:33	WG1774312

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	208	J3 J5	12.1	26.4	1.01	12/03/2021 21:02	WG1783439

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0401	B J	0.0283	0.130	1	11/15/2021 21:23	WG1774596
(S) a,a,a-Trifluorotoluene(FID)	*91.2*			*77.0-120*		*11/15/2021 21:23*	WG1774596

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000752	0.00161	1	11/15/2021 23:06	WG1774699
Toluene	U		0.00209	0.00805	1	11/15/2021 23:06	WG1774699
Ethylbenzene	U		0.00119	0.00403	1	11/15/2021 23:06	WG1774699
Total Xylenes	U		0.00142	0.0105	1	11/15/2021 23:06	WG1774699
(S) Toluene-d8	*104*			*75.0-131*		*11/15/2021 23:06*	WG1774699
(S) 4-Bromofluorobenzene	*100*			*67.0-138*		*11/15/2021 23:06*	WG1774699
(S) 1,2-Dichloroethane-d4	*96.1*			*70.0-130*		*11/15/2021 23:06*	WG1774699

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		2.10	5.22	1	11/20/2021 13:04	WG1777513
C28-C36 Motor Oil Range	3.97	J	0.357	5.22	1	11/20/2021 13:04	WG1777513
(S) o-Terphenyl	*87.3*			*18.0-148*		*11/20/2021 13:04*	WG1777513

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	78.9		1	11/16/2021 09:33	WG1774312

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	22.8	J	11.7	25.4	1	12/03/2021 21:40	WG1783439

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0288	B J	0.0275	0.127	1	11/15/2021 21:45	WG1774596
(S) a,a,a-Trifluorotoluene(FID)	*90.1*			*77.0-120*		*11/15/2021 21:45*	WG1774596

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000717	0.00154	1	11/15/2021 19:41	WG1774758
Toluene	U		0.00200	0.00768	1	11/15/2021 19:41	WG1774758
Ethylbenzene	U		0.00113	0.00384	1	11/15/2021 19:41	WG1774758
Total Xylenes	U		0.00135	0.00998	1	11/15/2021 19:41	WG1774758
(S) Toluene-d8	*105*			*75.0-131*		*11/15/2021 19:41*	WG1774758
(S) 4-Bromofluorobenzene	*102*			*67.0-138*		*11/15/2021 19:41*	WG1774758
(S) 1,2-Dichloroethane-d4	*82.1*			*70.0-130*		*11/15/2021 19:41*	WG1774758

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	3.17	J	2.04	5.07	1	11/22/2021 16:11	WG1777513
C28-C36 Motor Oil Range	13.4		0.347	5.07	1	11/22/2021 16:11	WG1777513
(S) o-Terphenyl	*96.8*			*18.0-148*		*11/22/2021 16:11*	WG1777513

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	95.4		1	11/16/2021 09:33	WG1774312

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	15.1	J	9.65	21.0	1	12/03/2021 21:50	WG1783439

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0228	0.105	1	11/15/2021 22:07	WG1774596
(S) a,a,a-Trifluorotoluene(FID)	*89.7*			*77.0-120*		*11/15/2021 22:07*	WG1774596

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000513	0.00110	1	11/15/2021 20:00	WG1774758
Toluene	U		0.00143	0.00549	1	11/15/2021 20:00	WG1774758
Ethylbenzene	U		0.000809	0.00274	1	11/15/2021 20:00	WG1774758
Total Xylenes	U		0.000966	0.00713	1	11/15/2021 20:00	WG1774758
(S) Toluene-d8	*107*			*75.0-131*		*11/15/2021 20:00*	WG1774758
(S) 4-Bromofluorobenzene	*102*			*67.0-138*		*11/15/2021 20:00*	WG1774758
(S) 1,2-Dichloroethane-d4	*84.4*			*70.0-130*		*11/15/2021 20:00*	WG1774758

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.69	4.19	1	11/22/2021 15:59	WG1777513
C28-C36 Motor Oil Range	8.68		0.287	4.19	1	11/22/2021 15:59	WG1777513
(S) o-Terphenyl	*78.5*			*18.0-148*		*11/22/2021 15:59*	WG1777513

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	95.0		1	11/16/2021 09:48	WG1774313

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	95.4		9.87	21.5	1.02	12/03/2021 22:18	WG1783439

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0228	0.105	1	11/15/2021 23:13	WG1774596
(S) a,a,a-Trifluorotoluene(FID)	*89.5*			*77.0-120*		*11/15/2021 23:13*	WG1774596

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000516	0.00110	1	11/15/2021 20:19	WG1774758
Toluene	U		0.00144	0.00552	1	11/15/2021 20:19	WG1774758
Ethylbenzene	U		0.000814	0.00276	1	11/15/2021 20:19	WG1774758
Total Xylenes	U		0.000972	0.00718	1	11/15/2021 20:19	WG1774758
(S) Toluene-d8	*104*			*75.0-131*		*11/15/2021 20:19*	WG1774758
(S) 4-Bromofluorobenzene	*101*			*67.0-138*		*11/15/2021 20:19*	WG1774758
(S) 1,2-Dichloroethane-d4	*84.7*			*70.0-130*		*11/15/2021 20:19*	WG1774758

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.69	4.21	1	11/22/2021 15:22	WG1777513
C28-C36 Motor Oil Range	4.46		0.288	4.21	1	11/22/2021 15:22	WG1777513
(S) o-Terphenyl	*73.1*			*18.0-148*		*11/22/2021 15:22*	WG1777513

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	94.0		1	11/16/2021 09:48	WG1774313

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	338		9.78	21.3	1	12/03/2021 22:28	WG1783439

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0246	B J	0.0231	0.106	1	11/15/2021 23:35	WG1774596
(S) a,a,a-Trifluorotoluene(FID)	*89.5*			*77.0-120*		*11/15/2021 23:35*	WG1774596

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000526	0.00113	1	11/15/2021 20:39	WG1774758
Toluene	U		0.00147	0.00564	1	11/15/2021 20:39	WG1774758
Ethylbenzene	U		0.000831	0.00282	1	11/15/2021 20:39	WG1774758
Total Xylenes	U		0.000992	0.00733	1	11/15/2021 20:39	WG1774758
(S) Toluene-d8	*106*			*75.0-131*		*11/15/2021 20:39*	WG1774758
(S) 4-Bromofluorobenzene	*102*			*67.0-138*		*11/15/2021 20:39*	WG1774758
(S) 1,2-Dichloroethane-d4	*84.6*			*70.0-130*		*11/15/2021 20:39*	WG1774758

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.71	4.25	1	11/22/2021 15:34	WG1777513
C28-C36 Motor Oil Range	7.57		0.291	4.25	1	11/22/2021 15:34	WG1777513
(S) o-Terphenyl	*78.4*			*18.0-148*		*11/22/2021 15:34*	WG1777513

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	90.8		1	11/16/2021 09:48	WG1774313

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	375		10.5	22.9	1.04	12/03/2021 22:38	WG1783439

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0295	B J	0.0239	0.110	1	11/15/2021 23:56	WG1774596
(S) a,a,a-Trifluorotoluene(FID)	*91.3*			*77.0-120*		*11/15/2021 23:56*	WG1774596

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000561	0.00120	1	11/15/2021 20:58	WG1774758
Toluene	U		0.00156	0.00601	1	11/15/2021 20:58	WG1774758
Ethylbenzene	U		0.000886	0.00300	1	11/15/2021 20:58	WG1774758
Total Xylenes	U		0.00106	0.00781	1	11/15/2021 20:58	WG1774758
(S) Toluene-d8	*105*			*75.0-131*		*11/15/2021 20:58*	WG1774758
(S) 4-Bromofluorobenzene	*102*			*67.0-138*		*11/15/2021 20:58*	WG1774758
(S) 1,2-Dichloroethane-d4	*83.9*			*70.0-130*		*11/15/2021 20:58*	WG1774758

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.77	4.40	1	11/20/2021 13:53	WG1777513
C28-C36 Motor Oil Range	3.18	J	0.302	4.40	1	11/20/2021 13:53	WG1777513
(S) o-Terphenyl	*74.1*			*18.0-148*		*11/20/2021 13:53*	WG1777513

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	90.4		1	11/16/2021 09:48	WG1774313

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	1800		52.4	114	5.15	12/03/2021 22:47	WG1783439

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0266	B J	0.0240	0.111	1	11/16/2021 00:18	WG1774596
(S) a,a,a-Trifluorotoluene(FID)	*90.8*			*77.0-120*		*11/16/2021 00:18*	WG1774596

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000566	0.00121	1	11/15/2021 21:17	WG1774758
Toluene	U		0.00158	0.00606	1	11/15/2021 21:17	WG1774758
Ethylbenzene	U		0.000894	0.00303	1	11/15/2021 21:17	WG1774758
Total Xylenes	U		0.00107	0.00788	1	11/15/2021 21:17	WG1774758
(S) Toluene-d8	*104*			*75.0-131*		*11/15/2021 21:17*	WG1774758
(S) 4-Bromofluorobenzene	*103*			*67.0-138*		*11/15/2021 21:17*	WG1774758
(S) 1,2-Dichloroethane-d4	*82.9*			*70.0-130*		*11/15/2021 21:17*	WG1774758

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.78	4.43	1	11/20/2021 14:05	WG1777513
C28-C36 Motor Oil Range	2.00	J	0.303	4.43	1	11/20/2021 14:05	WG1777513
(S) o-Terphenyl	*94.0*			*18.0-148*		*11/20/2021 14:05*	WG1777513

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	97.6		1	11/16/2021 09:48	WG1774313

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	U		9.81	21.3	1.04	12/03/2021 22:57	WG1783439

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0296	B J	0.0222	0.103	1	11/16/2021 00:40	WG1774596
(S) a,a,a-Trifluorotoluene(FID)	*89.7*			*77.0-120*		*11/16/2021 00:40*	WG1774596

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000490	0.00105	1	11/15/2021 21:37	WG1774758
Toluene	U		0.00137	0.00525	1	11/15/2021 21:37	WG1774758
Ethylbenzene	U		0.000774	0.00263	1	11/15/2021 21:37	WG1774758
Total Xylenes	U		0.000924	0.00683	1	11/15/2021 21:37	WG1774758
(S) Toluene-d8	*105*			*75.0-131*		*11/15/2021 21:37*	WG1774758
(S) 4-Bromofluorobenzene	*102*			*67.0-138*		*11/15/2021 21:37*	WG1774758
(S) 1,2-Dichloroethane-d4	*84.7*			*70.0-130*		*11/15/2021 21:37*	WG1774758

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.65	4.10	1	11/22/2021 15:47	WG1777513
C28-C36 Motor Oil Range	8.13		0.281	4.10	1	11/22/2021 15:47	WG1777513
(S) o-Terphenyl	*104*			*18.0-148*		*11/22/2021 15:47*	WG1777513

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	96.3		1	11/16/2021 09:48	WG1774313

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	9.58	J	9.55	20.8	1	12/03/2021 23:06	WG1783439

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0225	0.104	1	11/16/2021 01:02	WG1774596
(S) a,a,a-Trifluorotoluene(FID)	*88.7*			*77.0-120*		*11/16/2021 01:02*	WG1774596

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000503	0.00108	1	11/15/2021 21:56	WG1774758
Toluene	U		0.00140	0.00539	1	11/15/2021 21:56	WG1774758
Ethylbenzene	U		0.000794	0.00269	1	11/15/2021 21:56	WG1774758
Total Xylenes	U		0.000948	0.00700	1	11/15/2021 21:56	WG1774758
(S) Toluene-d8	*106*			*75.0-131*		*11/15/2021 21:56*	WG1774758
(S) 4-Bromofluorobenzene	*103*			*67.0-138*		*11/15/2021 21:56*	WG1774758
(S) 1,2-Dichloroethane-d4	*86.8*			*70.0-130*		*11/15/2021 21:56*	WG1774758

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.67	4.15	1	11/20/2021 14:30	WG1777513
C28-C36 Motor Oil Range	3.14	J	0.285	4.15	1	11/20/2021 14:30	WG1777513
(S) o-Terphenyl	*83.6*			*18.0-148*		*11/20/2021 14:30*	WG1777513

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	87.3		1	11/16/2021 09:48	WG1774313

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	19.5	J	10.6	23.1	1.01	12/03/2021 23:16	WG1783439

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0249	0.115	1	11/16/2021 01:24	WG1774596
(S) a,a,a-Trifluorotoluene(FID)	*88.7*			*77.0-120*		*11/16/2021 01:24*	WG1774596

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000603	0.00129	1	11/15/2021 22:15	WG1774758
Toluene	U		0.00168	0.00646	1	11/15/2021 22:15	WG1774758
Ethylbenzene	U		0.000952	0.00323	1	11/15/2021 22:15	WG1774758
Total Xylenes	U		0.00114	0.00840	1	11/15/2021 22:15	WG1774758
(S) Toluene-d8	*107*			*75.0-131*		*11/15/2021 22:15*	WG1774758
(S) 4-Bromofluorobenzene	*102*			*67.0-138*		*11/15/2021 22:15*	WG1774758
(S) 1,2-Dichloroethane-d4	*85.2*			*70.0-130*		*11/15/2021 22:15*	WG1774758

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.85	4.58	1	11/22/2021 14:00	WG1777513
C28-C36 Motor Oil Range	3.45	J	0.314	4.58	1	11/22/2021 14:00	WG1777513
(S) o-Terphenyl	*63.6*			*18.0-148*		*11/22/2021 14:00*	WG1777513

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	85.5		1	11/16/2021 09:48	WG1774313

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	374		10.8	23.4	1	12/03/2021 23:25	WG1783439

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	0.0291	B J	0.0254	0.117	1	11/17/2021 18:51	WG1775474
(S) a,a,a-Trifluorotoluene(FID)	*86.8*			*77.0-120*		*11/17/2021 18:51*	WG1775474

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000625	0.00134	1	11/15/2021 22:35	WG1774758
Toluene	U		0.00174	0.00670	1	11/15/2021 22:35	WG1774758
Ethylbenzene	U		0.000987	0.00335	1	11/15/2021 22:35	WG1774758
Total Xylenes	U		0.00118	0.00871	1	11/15/2021 22:35	WG1774758
(S) Toluene-d8	*104*			*75.0-131*		*11/15/2021 22:35*	WG1774758
(S) 4-Bromofluorobenzene	*102*			*67.0-138*		*11/15/2021 22:35*	WG1774758
(S) 1,2-Dichloroethane-d4	*86.1*			*70.0-130*		*11/15/2021 22:35*	WG1774758

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	2.14	J	1.88	4.68	1	11/22/2021 14:48	WG1777513
C28-C36 Motor Oil Range	6.07		0.320	4.68	1	11/22/2021 14:48	WG1777513
(S) o-Terphenyl	*108*			*18.0-148*		*11/22/2021 14:48*	WG1777513

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	97.0		1	11/16/2021 09:48	WG1774313

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	28.1		9.48	20.6	1	12/03/2021 23:51	WG1783439

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0224	0.103	1	11/16/2021 13:48	WG1774801
(S) a,a,a-Trifluorotoluene(FID)	*109*			*77.0-120*		*11/16/2021 13:48*	WG1774801

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000496	0.00106	1	11/15/2021 22:54	WG1774758
Toluene	U		0.00138	0.00531	1	11/15/2021 22:54	WG1774758
Ethylbenzene	U		0.000782	0.00265	1	11/15/2021 22:54	WG1774758
Total Xylenes	U		0.000934	0.00690	1	11/15/2021 22:54	WG1774758
(S) Toluene-d8	*105*			*75.0-131*		*11/15/2021 22:54*	WG1774758
(S) 4-Bromofluorobenzene	*101*			*67.0-138*		*11/15/2021 22:54*	WG1774758
(S) 1,2-Dichloroethane-d4	*87.4*			*70.0-130*		*11/15/2021 22:54*	WG1774758

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	5.19		1.66	4.12	1	11/22/2021 16:23	WG1777513
C28-C36 Motor Oil Range	20.5		0.282	4.12	1	11/22/2021 16:23	WG1777513
(S) o-Terphenyl	*87.1*			*18.0-148*		*11/22/2021 16:23*	WG1777513

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	86.1		1	11/16/2021 09:48	WG1774313

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	406		11.0	23.9	1.03	12/04/2021 00:20	WG1783439

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0252	0.116	1	11/16/2021 14:09	WG1774801
(S) a,a,a-Trifluorotoluene(FID)	*110*			*77.0-120*		*11/16/2021 14:09*	WG1774801

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000618	0.00132	1	11/16/2021 19:12	WG1775082
Toluene	U		0.00172	0.00661	1	11/16/2021 19:12	WG1775082
Ethylbenzene	U		0.000975	0.00331	1	11/16/2021 19:12	WG1775082
Total Xylenes	U		0.00116	0.00860	1	11/16/2021 19:12	WG1775082
(S) Toluene-d8	*97.8*			*75.0-131*		*11/16/2021 19:12*	WG1775082
(S) 4-Bromofluorobenzene	*103*			*67.0-138*		*11/16/2021 19:12*	WG1775082
(S) 1,2-Dichloroethane-d4	*104*			*70.0-130*		*11/16/2021 19:12*	WG1775082

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.87	4.64	1	11/20/2021 15:26	WG1777513
C28-C36 Motor Oil Range	0.902	J	0.318	4.64	1	11/20/2021 15:26	WG1777513
(S) o-Terphenyl	*78.2*			*18.0-148*		*11/20/2021 15:26*	WG1777513

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	84.2		1	11/16/2021 13:08	WG1774314

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	14.0	J	10.9	23.8	1	12/04/2021 00:29	WG1783439

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0258	0.119	1	11/16/2021 14:31	WG1774801
(S) a,a,a-Trifluorotoluene(FID)	*109*			*77.0-120*		*11/16/2021 14:31*	WG1774801

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000642	0.00138	1	11/16/2021 19:31	WG1775082
Toluene	U		0.00179	0.00688	1	11/16/2021 19:31	WG1775082
Ethylbenzene	U		0.00101	0.00344	1	11/16/2021 19:31	WG1775082
Total Xylenes	U		0.00121	0.00894	1	11/16/2021 19:31	WG1775082
(S) Toluene-d8	*98.3*			*75.0-131*		*11/16/2021 19:31*	WG1775082
(S) 4-Bromofluorobenzene	*103*			*67.0-138*		*11/16/2021 19:31*	WG1775082
(S) 1,2-Dichloroethane-d4	*104*			*70.0-130*		*11/16/2021 19:31*	WG1775082

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	3.08	J	1.91	4.75	1	11/20/2021 11:14	WG1777516
C28-C36 Motor Oil Range	12.8		0.325	4.75	1	11/20/2021 11:14	WG1777516
(S) o-Terphenyl	*83.6*			*18.0-148*		*11/20/2021 11:14*	WG1777516

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	93.4		1	11/16/2021 13:08	WG1774314

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	12.6	J	10.2	22.3	1.04	12/04/2021 00:39	WG1783439

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0232	0.107	1	11/16/2021 14:52	WG1774801
(S) a,a,a-Trifluorotoluene(FID)	*109*			*77.0-120*		*11/16/2021 14:52*	WG1774801

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000533	0.00114	1	11/16/2021 19:50	WG1775082
Toluene	U		0.00148	0.00570	1	11/16/2021 19:50	WG1775082
Ethylbenzene	U		0.000841	0.00285	1	11/16/2021 19:50	WG1775082
Total Xylenes	U		0.00100	0.00741	1	11/16/2021 19:50	WG1775082
(S) Toluene-d8	*99.1*			*75.0-131*		*11/16/2021 19:50*	WG1775082
(S) 4-Bromofluorobenzene	*102*			*67.0-138*		*11/16/2021 19:50*	WG1775082
(S) 1,2-Dichloroethane-d4	*102*			*70.0-130*		*11/16/2021 19:50*	WG1775082

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.72	4.28	1	11/20/2021 11:26	WG1777516
C28-C36 Motor Oil Range	3.62	B J	0.293	4.28	1	11/20/2021 11:26	WG1777516
(S) o-Terphenyl	*56.2*			*18.0-148*		*11/20/2021 11:26*	WG1777516

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	97.5		1	11/16/2021 13:08	WG1774314

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	106		9.82	21.3	1.04	12/04/2021 00:48	WG1783439

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0223	0.103	1	11/16/2021 15:14	WG1774801
(S) a,a,a-Trifluorotoluene(FID)	*108*			*77.0-120*		*11/16/2021 15:14*	WG1774801

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000491	0.00105	1	11/16/2021 14:20	WG1775148
Toluene	U		0.00137	0.00526	1	11/16/2021 14:20	WG1775148
Ethylbenzene	U		0.000775	0.00263	1	11/16/2021 14:20	WG1775148
Total Xylenes	U		0.000925	0.00684	1	11/16/2021 14:20	WG1775148
(S) Toluene-d8	*104*			*75.0-131*		*11/16/2021 14:20*	WG1775148
(S) 4-Bromofluorobenzene	*99.9*			*67.0-138*		*11/16/2021 14:20*	WG1775148
(S) 1,2-Dichloroethane-d4	*86.8*			*70.0-130*		*11/16/2021 14:20*	WG1775148

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.65	4.10	1	11/20/2021 11:38	WG1777516
C28-C36 Motor Oil Range	3.53	B J	0.281	4.10	1	11/20/2021 11:38	WG1777516
(S) o-Terphenyl	*89.8*			*18.0-148*		*11/20/2021 11:38*	WG1777516

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	97.0		1	11/16/2021 13:08	WG1774314

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	132		9.95	21.6	1.05	12/04/2021 00:58	WG1783439

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0224	0.103	1	11/16/2021 15:35	WG1774801
(S) a,a,a-Trifluorotoluene(FID)	*108*			*77.0-120*		*11/16/2021 15:35*	WG1774801

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000496	0.00106	1	11/16/2021 14:39	WG1775148
Toluene	U		0.00138	0.00531	1	11/16/2021 14:39	WG1775148
Ethylbenzene	U		0.000782	0.00265	1	11/16/2021 14:39	WG1775148
Total Xylenes	U		0.000934	0.00690	1	11/16/2021 14:39	WG1775148
(S) Toluene-d8	*105*			*75.0-131*		*11/16/2021 14:39*	WG1775148
(S) 4-Bromofluorobenzene	*99.7*			*67.0-138*		*11/16/2021 14:39*	WG1775148
(S) 1,2-Dichloroethane-d4	*85.2*			*70.0-130*		*11/16/2021 14:39*	WG1775148

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.66	4.12	1	11/20/2021 11:51	WG1777516
C28-C36 Motor Oil Range	3.73	B J	0.282	4.12	1	11/20/2021 11:51	WG1777516
(S) o-Terphenyl	*90.6*			*18.0-148*		*11/20/2021 11:51*	WG1777516

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	85.4		1	11/16/2021 13:08	WG1774314

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	U		10.8	23.4	1	12/04/2021 01:08	WG1783439

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0254	0.117	1	11/16/2021 15:57	WG1774801
(S) a,a,a-Trifluorotoluene(FID)	*110*			*77.0-120*		*11/16/2021 15:57*	WG1774801

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000626	0.00134	1	11/16/2021 14:59	WG1775148
Toluene	U		0.00174	0.00671	1	11/16/2021 14:59	WG1775148
Ethylbenzene	U		0.000989	0.00335	1	11/16/2021 14:59	WG1775148
Total Xylenes	U		0.00118	0.00872	1	11/16/2021 14:59	WG1775148
(S) Toluene-d8	*104*			*75.0-131*		*11/16/2021 14:59*	WG1775148
(S) 4-Bromofluorobenzene	*100*			*67.0-138*		*11/16/2021 14:59*	WG1775148
(S) 1,2-Dichloroethane-d4	*89.1*			*70.0-130*		*11/16/2021 14:59*	WG1775148

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	8.58		1.88	4.68	1	11/20/2021 15:39	WG1777516
C28-C36 Motor Oil Range	36.5		0.321	4.68	1	11/20/2021 15:39	WG1777516
(S) o-Terphenyl	*81.4*			*18.0-148*		*11/20/2021 15:39*	WG1777516

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	96.6		1	11/16/2021 13:08	WG1774314

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	U		9.91	21.5	1.04	12/05/2021 19:44	WG1783690

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0225	0.104	1	11/16/2021 16:18	WG1774801
(S) a,a,a-Trifluorotoluene(FID)	*111*			*77.0-120*		*11/16/2021 16:18*	WG1774801

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000500	0.00107	1	11/16/2021 15:18	WG1775148
Toluene	U		0.00139	0.00535	1	11/16/2021 15:18	WG1775148
Ethylbenzene	U		0.000789	0.00268	1	11/16/2021 15:18	WG1775148
Total Xylenes	U		0.000942	0.00696	1	11/16/2021 15:18	WG1775148
(S) Toluene-d8	*105*			*75.0-131*		*11/16/2021 15:18*	WG1775148
(S) 4-Bromofluorobenzene	*99.6*			*67.0-138*		*11/16/2021 15:18*	WG1775148
(S) 1,2-Dichloroethane-d4	*88.1*			*70.0-130*		*11/16/2021 15:18*	WG1775148

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.67	4.14	1	11/20/2021 12:03	WG1777516
C28-C36 Motor Oil Range	2.63	B J	0.284	4.14	1	11/20/2021 12:03	WG1777516
(S) o-Terphenyl	*82.8*			*18.0-148*		*11/20/2021 12:03*	WG1777516

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	96.7		1	11/16/2021 13:08	WG1774314

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	30.5		9.81	21.3	1.03	12/05/2021 19:53	WG1783690

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0225	0.103	1	11/16/2021 21:49	WG1774804
(S) a,a,a-Trifluorotoluene(FID)	*110*			*77.0-120*		*11/16/2021 21:49*	WG1774804

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000499	0.00107	1	11/16/2021 15:38	WG1775148
Toluene	U		0.00139	0.00535	1	11/16/2021 15:38	WG1775148
Ethylbenzene	U		0.000788	0.00267	1	11/16/2021 15:38	WG1775148
Total Xylenes	U		0.000941	0.00695	1	11/16/2021 15:38	WG1775148
(S) Toluene-d8	*104*			*75.0-131*		*11/16/2021 15:38*	WG1775148
(S) 4-Bromofluorobenzene	*99.0*			*67.0-138*		*11/16/2021 15:38*	WG1775148
(S) 1,2-Dichloroethane-d4	*86.8*			*70.0-130*		*11/16/2021 15:38*	WG1775148

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.67	4.14	1	11/20/2021 12:15	WG1777516
C28-C36 Motor Oil Range	4.29	B	0.283	4.14	1	11/20/2021 12:15	WG1777516
(S) o-Terphenyl	*70.3*			*18.0-148*		*11/20/2021 12:15*	WG1777516

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	90.7		1	11/16/2021 13:08	WG1774314

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	278		10.2	22.3	1.01	12/05/2021 20:02	WG1783690

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0239	0.110	1	11/16/2021 22:10	WG1774804
(S) a,a,a-Trifluorotoluene(FID)	*109*			*77.0-120*		*11/16/2021 22:10*	WG1774804

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000563	0.00121	1	11/16/2021 15:57	WG1775148
Toluene	U		0.00157	0.00603	1	11/16/2021 15:57	WG1775148
Ethylbenzene	U		0.000889	0.00302	1	11/16/2021 15:57	WG1775148
Total Xylenes	U		0.00106	0.00784	1	11/16/2021 15:57	WG1775148
(S) Toluene-d8	*104*			*75.0-131*		*11/16/2021 15:57*	WG1775148
(S) 4-Bromofluorobenzene	*99.7*			*67.0-138*		*11/16/2021 15:57*	WG1775148
(S) 1,2-Dichloroethane-d4	*87.9*			*70.0-130*		*11/16/2021 15:57*	WG1775148

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.78	4.41	1	11/20/2021 12:27	WG1777516
C28-C36 Motor Oil Range	7.07		0.302	4.41	1	11/20/2021 12:27	WG1777516
(S) o-Terphenyl	*86.8*			*18.0-148*		*11/20/2021 12:27*	WG1777516

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	76.7		1	11/16/2021 13:08	WG1774314

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	138		12.6	27.4	1.05	12/05/2021 20:40	WG1783690

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0283	0.130	1	11/16/2021 22:32	WG1774804
(S) a,a,a-Trifluorotoluene(FID)	*110*			*77.0-120*		*11/16/2021 22:32*	WG1774804

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000751	0.00161	1	11/16/2021 16:17	WG1775148
Toluene	U		0.00209	0.00804	1	11/16/2021 16:17	WG1775148
Ethylbenzene	U		0.00119	0.00402	1	11/16/2021 16:17	WG1775148
Total Xylenes	U		0.00142	0.0105	1	11/16/2021 16:17	WG1775148
(S) Toluene-d8	*103*			*75.0-131*		*11/16/2021 16:17*	WG1775148
(S) 4-Bromofluorobenzene	*98.8*			*67.0-138*		*11/16/2021 16:17*	WG1775148
(S) 1,2-Dichloroethane-d4	*87.6*			*70.0-130*		*11/16/2021 16:17*	WG1775148

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		2.10	5.22	1	11/20/2021 12:40	WG1777516
C28-C36 Motor Oil Range	3.08	B J	0.357	5.22	1	11/20/2021 12:40	WG1777516
(S) o-Terphenyl	*88.6*			*18.0-148*		*11/20/2021 12:40*	WG1777516

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	74.7		1	11/16/2021 13:08	WG1774314

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	74.1		12.3	26.8	1	12/05/2021 20:50	WG1783690

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0291	0.134	1	11/16/2021 22:53	WG1774804
(S) a,a,a-Trifluorotoluene(FID)	*110*			*77.0-120*		*11/16/2021 22:53*	WG1774804

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000784	0.00168	1	11/16/2021 16:36	WG1775148
Toluene	U		0.00218	0.00840	1	11/16/2021 16:36	WG1775148
Ethylbenzene	U		0.00124	0.00420	1	11/16/2021 16:36	WG1775148
Total Xylenes	U		0.00148	0.0109	1	11/16/2021 16:36	WG1775148
(S) Toluene-d8	*103*			*75.0-131*		*11/16/2021 16:36*	WG1775148
(S) 4-Bromofluorobenzene	*102*			*67.0-138*		*11/16/2021 16:36*	WG1775148
(S) 1,2-Dichloroethane-d4	*89.4*			*70.0-130*		*11/16/2021 16:36*	WG1775148

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		2.16	5.36	1	11/20/2021 12:52	WG1777516
C28-C36 Motor Oil Range	2.84	B J	0.367	5.36	1	11/20/2021 12:52	WG1777516
(S) o-Terphenyl	*82.9*			*18.0-148*		*11/20/2021 12:52*	WG1777516

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	92.1		1	11/16/2021 12:30	WG1774315

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	18.4	J	10.5	22.8	1.05	12/05/2021 21:18	WG1783690

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0236	0.109	1	11/16/2021 23:15	WG1774804
(S) a,a,a-Trifluorotoluene(FID)	*110*			*77.0-120*		*11/16/2021 23:15*	WG1774804

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000547	0.00117	1	11/17/2021 07:45	WG1775207
Toluene	U		0.00152	0.00586	1	11/17/2021 07:45	WG1775207
Ethylbenzene	U		0.000864	0.00293	1	11/17/2021 07:45	WG1775207
Total Xylenes	U		0.00103	0.00762	1	11/17/2021 07:45	WG1775207
(S) Toluene-d8	*103*			*75.0-131*		*11/17/2021 07:45*	WG1775207
(S) 4-Bromofluorobenzene	*99.3*			*67.0-138*		*11/17/2021 07:45*	WG1775207
(S) 1,2-Dichloroethane-d4	*88.2*			*70.0-130*		*11/17/2021 07:45*	WG1775207

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.75	4.34	1	11/20/2021 13:04	WG1777516
C28-C36 Motor Oil Range	2.40	B J	0.297	4.34	1	11/20/2021 13:04	WG1777516
(S) o-Terphenyl	*78.4*			*18.0-148*		*11/20/2021 13:04*	WG1777516

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	75.9		1	11/16/2021 12:30	WG1774315

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	44.6		12.1	26.3	1	12/05/2021 21:28	WG1783690

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0286	0.132	1	11/16/2021 23:36	WG1774804
(S) a,a,a-Trifluorotoluene(FID)	*110*			*77.0-120*		*11/16/2021 23:36*	WG1774804

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000764	0.00164	1	11/17/2021 08:05	WG1775207
Toluene	U		0.00213	0.00818	1	11/17/2021 08:05	WG1775207
Ethylbenzene	U		0.00121	0.00409	1	11/17/2021 08:05	WG1775207
Total Xylenes	U		0.00144	0.0106	1	11/17/2021 08:05	WG1775207
(S) Toluene-d8	*105*			*75.0-131*		*11/17/2021 08:05*	WG1775207
(S) 4-Bromofluorobenzene	*101*			*67.0-138*		*11/17/2021 08:05*	WG1775207
(S) 1,2-Dichloroethane-d4	*88.0*			*70.0-130*		*11/17/2021 08:05*	WG1775207

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		2.12	5.27	1	11/20/2021 13:16	WG1777516
C28-C36 Motor Oil Range	0.711	B J	0.361	5.27	1	11/20/2021 13:16	WG1777516
(S) o-Terphenyl	*80.3*			*18.0-148*		*11/20/2021 13:16*	WG1777516

Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	86.4		1	11/16/2021 12:30	WG1774315

Wet Chemistry by Method 300.0

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Chloride	425		10.6	23.1	1	12/05/2021 21:37	WG1783690

Volatile Organic Compounds (GC) by Method 8015D/GRO

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
TPH (GC/FID) Low Fraction	U		0.0251	0.116	1	11/16/2021 23:58	WG1774804
(S) a,a,a-Trifluorotoluene(FID)	*110*			*77.0-120*		*11/16/2021 23:58*	WG1774804

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Benzene	U		0.000614	0.00132	1	11/17/2021 08:28	WG1775207
Toluene	U		0.00171	0.00658	1	11/17/2021 08:28	WG1775207
Ethylbenzene	U		0.000970	0.00329	1	11/17/2021 08:28	WG1775207
Total Xylenes	U		0.00116	0.00855	1	11/17/2021 08:28	WG1775207
(S) Toluene-d8	*104*			*75.0-131*		*11/17/2021 08:28*	WG1775207
(S) 4-Bromofluorobenzene	*97.8*			*67.0-138*		*11/17/2021 08:28*	WG1775207
(S) 1,2-Dichloroethane-d4	*86.9*			*70.0-130*		*11/17/2021 08:28*	WG1775207

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
C10-C28 Diesel Range	U		1.86	4.63	1	11/20/2021 13:29	WG1777516
C28-C36 Motor Oil Range	2.01	B J	0.317	4.63	1	11/20/2021 13:29	WG1777516
(S) o-Terphenyl	*93.2*			*18.0-148*		*11/20/2021 13:29*	WG1777516

Method Blank (MB)

(MB) R3730396-1 11/16/21 12:51

Analyte	MB Result %	MB Qualifier	MB MDL %	MB RDL %
Total Solids	0.000			

L1430604-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1430604-04 11/16/21 12:51 • (DUP) R3730396-3 11/16/21 12:51

Analyte	Original Result %	DUP Result %	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Total Solids	87.4	86.2	1	1.34		10

Laboratory Control Sample (LCS)

(LCS) R3730396-2 11/16/21 12:51

Analyte	Spike Amount %	LCS Result %	LCS Rec. %	Rec. Limits %	LCS Qualifier
Total Solids	50.0	50.0	100	85.0-115	

Method Blank (MB)

(MB) R3730365-1 11/16/21 10:46

Analyte	MB Result %	MB Qualifier	MB MDL %	MB RDL %
Total Solids	0.000			

L1430623-10 Original Sample (OS) • Duplicate (DUP)

(OS) L1430623-10 11/16/21 10:46 • (DUP) R3730365-3 11/16/21 10:46

Analyte	Original Result %	DUP Result %	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Total Solids	73.8	73.5	1	0.437		10

Laboratory Control Sample (LCS)

(LCS) R3730365-2 11/16/21 10:46

Analyte	Spike Amount %	LCS Result %	LCS Rec. %	Rec. Limits %	LCS Qualifier
Total Solids	50.0	50.0	100	85.0-115	

Method Blank (MB)

(MB) R3730364-1 11/16/21 10:00

Analyte	MB Result %	MB Qualifier	MB MDL %	MB RDL %
Total Solids	0.00100			

L1430623-21 Original Sample (OS) • Duplicate (DUP)

(OS) L1430623-21 11/16/21 10:00 • (DUP) R3730364-3 11/16/21 10:00

Analyte	Original Result %	DUP Result %	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Total Solids	76.6	76.4	1	0.175		10

Laboratory Control Sample (LCS)

(LCS) R3730364-2 11/16/21 10:00

Analyte	Spike Amount %	LCS Result %	LCS Rec. %	Rec. Limits %	LCS Qualifier
Total Solids	50.0	50.0	100	85.0-115	

Method Blank (MB)

(MB) R3730362-1 11/16/21 09:46

Analyte	MB Result %	MB Qualifier	MB MDL %	MB RDL %
Total Solids	0.00100			

L1430623-32 Original Sample (OS) • Duplicate (DUP)

(OS) L1430623-32 11/16/21 09:46 • (DUP) R3730362-3 11/16/21 09:46

Analyte	Original Result %	DUP Result %	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Total Solids	74.4	74.2	1	0.185		10

Laboratory Control Sample (LCS)

(LCS) R3730362-2 11/16/21 09:46

Analyte	Spike Amount %	LCS Result %	LCS Rec. %	Rec. Limits %	LCS Qualifier
Total Solids	50.0	50.0	100	85.0-115	

Method Blank (MB)

(MB) R3730361-1 11/16/21 09:33

Analyte	MB Result %	MB Qualifier	MB MDL %	MB RDL %
Total Solids	0.00100			

L1430623-43 Original Sample (OS) • Duplicate (DUP)

(OS) L1430623-43 11/16/21 09:33 • (DUP) R3730361-3 11/16/21 09:33

Analyte	Original Result %	DUP Result %	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Total Solids	76.7	79.4	1	3.50		10

Laboratory Control Sample (LCS)

(LCS) R3730361-2 11/16/21 09:33

Analyte	Spike Amount %	LCS Result %	LCS Rec. %	Rec. Limits %	LCS Qualifier
Total Solids	50.0	50.0	100	85.0-115	

Method Blank (MB)

(MB) R3730416-1 11/16/21 09:48

Analyte	MB Result %	MB Qualifier	MB MDL %	MB RDL %
Total Solids	0.00100			

L1430623-54 Original Sample (OS) • Duplicate (DUP)

(OS) L1430623-54 11/16/21 09:48 • (DUP) R3730416-3 11/16/21 09:48

Analyte	Original Result %	DUP Result %	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Total Solids	97.0	95.0	1	2.13		10

Laboratory Control Sample (LCS)

(LCS) R3730416-2 11/16/21 09:48

Analyte	Spike Amount %	LCS Result %	LCS Rec. %	Rec. Limits %	LCS Qualifier
Total Solids	50.0	50.0	100	85.0-115	

Method Blank (MB)

(MB) R3730404-1 11/16/21 13:08

Analyte	MB Result %	MB Qualifier	MB MDL %	MB RDL %
Total Solids	0.00100			

L1430623-65 Original Sample (OS) • Duplicate (DUP)

(OS) L1430623-65 11/16/21 13:08 • (DUP) R3730404-3 11/16/21 13:08

Analyte	Original Result %	DUP Result %	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Total Solids	74.7	74.9	1	0.311		10

Laboratory Control Sample (LCS)

(LCS) R3730404-2 11/16/21 13:08

Analyte	Spike Amount %	LCS Result %	LCS Rec. %	Rec. Limits %	LCS Qualifier
Total Solids	50.0	50.0	100	85.0-115	

Method Blank (MB)

(MB) R3730392-1 11/16/21 12:30

Analyte	MB Result %	MB Qualifier	MB MDL %	MB RDL %
Total Solids	0.000			

L1430660-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1430660-02 11/16/21 12:30 • (DUP) R3730392-3 11/16/21 12:30

Analyte	Original Result %	DUP Result %	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Total Solids	82.2	82.0	1	0.228		10

Laboratory Control Sample (LCS)

(LCS) R3730392-2 11/16/21 12:30

Analyte	Spike Amount %	LCS Result %	LCS Rec. %	Rec. Limits %	LCS Qualifier
Total Solids	50.0	50.0	100	85.0-115	

Method Blank (MB)

(MB) R3737343-1 12/03/21 12:09

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Chloride	U		9.20	20.0

L1430623-03 Original Sample (OS) • Duplicate (DUP)

(OS) L1430623-03 12/03/21 13:00 • (DUP) R3737343-3 12/03/21 13:10

Analyte	Original Result (dry) mg/kg	DUP Result (dry) mg/kg	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Chloride	2100	2000	5	4.65		20

L1430623-13 Original Sample (OS) • Duplicate (DUP)

(OS) L1430623-13 12/03/21 15:49 • (DUP) R3737343-6 12/03/21 15:59

Analyte	Original Result (dry) mg/kg	DUP Result (dry) mg/kg	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Chloride	1490	1500	5	0.832		20

Laboratory Control Sample (LCS)

(LCS) R3737343-2 12/03/21 12:18

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Chloride	200	200	99.8	90.0-110	

L1430623-07 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1430623-07 12/03/21 14:33 • (MS) R3737343-4 12/03/21 14:43 • (MSD) R3737343-5 12/03/21 14:52

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Chloride	565	1910	2700	2620	140	127	5.05	80.0-120	J5	J5	2.82	20

Method Blank (MB)

(MB) R3737345-1 12/04/21 01:36

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Chloride	U		9.20	20.0

L1430623-23 Original Sample (OS) • Duplicate (DUP)

(OS) L1430623-23 12/04/21 02:14 • (DUP) R3737345-3 12/04/21 02:24

Analyte	Original Result (dry) mg/kg	DUP Result (dry) mg/kg	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Chloride	2720	2750	10.3	0.945		20

Laboratory Control Sample (LCS)

(LCS) R3737345-2 12/04/21 01:46

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Chloride	200	193	96.7	90.0-110	

L1430623-23 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1430623-23 12/04/21 02:14 • (MS) R3737345-4 12/04/21 02:33 • (MSD) R3737345-5 12/04/21 02:43

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Chloride	565	2720	3160	3360	77.0	114	10.1	80.0-120	V		6.35	20

Method Blank (MB)

(MB) R3737344-1 12/03/21 20:25

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Chloride	U		9.20	20.0

L1430623-43 Original Sample (OS) • Duplicate (DUP)

(OS) L1430623-43 12/03/21 21:02 • (DUP) R3737344-3 12/03/21 21:12

Analyte	Original Result (dry) mg/kg	DUP Result (dry) mg/kg	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Chloride	208	621	1.01	99.6	J3	20

L1430623-53 Original Sample (OS) • Duplicate (DUP)

(OS) L1430623-53 12/03/21 23:25 • (DUP) R3737344-6 12/03/21 23:42

Analyte	Original Result (dry) mg/kg	DUP Result (dry) mg/kg	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Chloride	374	337	1	10.3		20

Laboratory Control Sample (LCS)

(LCS) R3737344-2 12/03/21 20:34

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Chloride	200	188	94.1	90.0-110	

L1430623-43 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1430623-43 12/03/21 21:02 • (MS) R3737344-4 12/03/21 21:21 • (MSD) R3737344-5 12/03/21 21:31

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Chloride	652	208	1360	1670	177	224	1.03	80.0-120	E J5	E J3 J5	20.3	20

Method Blank (MB)

(MB) R3737359-1 12/05/21 17:59

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Chloride	U		9.20	20.0

L1430623-63 Original Sample (OS) • Duplicate (DUP)

(OS) L1430623-63 12/05/21 20:02 • (DUP) R3737359-3 12/05/21 20:12

Analyte	Original Result (dry) mg/kg	DUP Result (dry) mg/kg	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Chloride	278	270	1.03	3.03		20

L1430770-06 Original Sample (OS) • Duplicate (DUP)

(OS) L1430770-06 12/05/21 23:15 • (DUP) R3737359-6 12/05/21 23:24

Analyte	Original Result (dry) mg/kg	DUP Result (dry) mg/kg	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Chloride	2850	3390	20	17.3		20

Laboratory Control Sample (LCS)

(LCS) R3737359-2 12/05/21 18:08

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Chloride	200	201	100	90.0-110	

L1430623-63 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1430623-63 12/05/21 20:02 • (MS) R3737359-4 12/05/21 20:21 • (MSD) R3737359-5 12/05/21 20:31

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Chloride	552	278	829	851	100	104	1	80.0-120			2.54	20

Method Blank (MB)

(MB) R3730034-3 11/15/21 10:00

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
TPH (GC/FID) Low Fraction	U		0.0217	0.100
(S) a,a,a-Trifluorotoluene(FID)	*96.9*			*77.0-120*

Laboratory Control Sample (LCS)

(LCS) R3730034-1 11/15/21 06:10

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
TPH (GC/FID) Low Fraction	5.50	4.91	89.3	72.0-127	
(S) a,a,a-Trifluorotoluene(FID)			*97.4*	*77.0-120*	

Method Blank (MB)

(MB) R3729881-2 11/15/21 15:57

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
TPH (GC/FID) Low Fraction	U		0.0217	0.100
(S) a,a,a-Trifluorotoluene(FID)	*110*			*77.0-120*

Laboratory Control Sample (LCS)

(LCS) R3729881-1 11/15/21 15:01

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
TPH (GC/FID) Low Fraction	5.50	5.01	91.1	72.0-127	
(S) a,a,a-Trifluorotoluene(FID)			*96.5*	*77.0-120*	

Method Blank (MB)

(MB) R3732625-1 11/15/21 16:48

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
TPH (GC/FID) Low Fraction	0.0270	J	0.0217	0.100
(S) a,a,a-Trifluorotoluene(FID)	*90.7*			*77.0-120*

Laboratory Control Sample (LCS)

(LCS) R3732625-2 11/15/21 17:23

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
TPH (GC/FID) Low Fraction	5.50	5.16	93.8	72.0-127	
(S) a,a,a-Trifluorotoluene(FID)			*114*	*77.0-120*	

Method Blank (MB)

(MB) R3730265-2 11/16/21 10:41

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
TPH (GC/FID) Low Fraction	U		0.0217	0.100
(S) a,a,a-Trifluorotoluene(FID)	*115*			*77.0-120*

Laboratory Control Sample (LCS)

(LCS) R3730265-1 11/16/21 09:52

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
TPH (GC/FID) Low Fraction	5.50	4.80	87.3	72.0-127	
(S) a,a,a-Trifluorotoluene(FID)			*97.8*	*77.0-120*	

Method Blank (MB)

(MB) R3732930-2 11/16/21 20:39

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
TPH (GC/FID) Low Fraction	U		0.0217	0.100
(S) a,a,a-Trifluorotoluene(FID)	*110*			*77.0-120*

Laboratory Control Sample (LCS)

(LCS) R3732930-1 11/16/21 19:56

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
TPH (GC/FID) Low Fraction	5.50	5.61	102	72.0-127	
(S) a,a,a-Trifluorotoluene(FID)			*95.8*	*77.0-120*	

Method Blank (MB)

(MB) R3730308-2 11/16/21 15:13

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
TPH (GC/FID) Low Fraction	0.0309	J	0.0217	0.100
(S) a,a,a-Trifluorotoluene(FID)	*90.1*			*77.0-120*

Laboratory Control Sample (LCS)

(LCS) R3730308-1 11/16/21 14:20

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
TPH (GC/FID) Low Fraction	5.50	4.60	83.6	72.0-127	
(S) a,a,a-Trifluorotoluene(FID)			*109*	*77.0-120*	

Method Blank (MB)

(MB) R3731672-2 11/17/21 17:32

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
TPH (GC/FID) Low Fraction	0.0279	J	0.0217	0.100
(S) a,a,a-Trifluorotoluene(FID)	*86.3*			*77.0-120*

Laboratory Control Sample (LCS)

(LCS) R3731672-1 11/17/21 16:48

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
TPH (GC/FID) Low Fraction	5.50	4.63	84.2	72.0-127	
(S) a,a,a-Trifluorotoluene(FID)			*107*	*77.0-120*	

Method Blank (MB)

(MB) R3733006-2 11/23/21 05:36

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
TPH (GC/FID) Low Fraction	U		0.0217	0.100
(S) a,a,a-Trifluorotoluene(FID)	*108*			*77.0-120*

Laboratory Control Sample (LCS)

(LCS) R3733006-1 11/23/21 03:42

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
TPH (GC/FID) Low Fraction	5.50	4.29	78.0	72.0-127	
(S) a,a,a-Trifluorotoluene(FID)			*99.3*	*77.0-120*	

Method Blank (MB)

(MB) R3731029-3 11/15/21 08:50

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Benzene	U		0.000467	0.00100
Ethylbenzene	U		0.000737	0.00250
Toluene	U		0.00130	0.00500
Xylenes, Total	U		0.000880	0.00650
(S) Toluene-d8	*98.9*			*75.0-131*
(S) 4-Bromofluorobenzene	*101*			*67.0-138*
(S) 1,2-Dichloroethane-d4	*98.9*			*70.0-130*

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3731029-1 11/15/21 07:35 • (LCSD) R3731029-2 11/15/21 07:54

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Benzene	0.125	0.113	0.124	90.4	99.2	70.0-123			9.28	20
Ethylbenzene	0.125	0.103	0.110	82.4	88.0	74.0-126			6.57	20
Toluene	0.125	0.107	0.113	85.6	90.4	75.0-121			5.45	20
Xylenes, Total	0.375	0.311	0.329	82.9	87.7	72.0-127			5.63	20
(S) Toluene-d8				*97.5*	*97.9*	*75.0-131*				
(S) 4-Bromofluorobenzene				*101*	*102*	*67.0-138*				
(S) 1,2-Dichloroethane-d4				*99.9*	*98.8*	*70.0-130*				

Method Blank (MB)

(MB) R3732027-2 11/15/21 15:19

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Benzene	U		0.000467	0.00100
Ethylbenzene	U		0.000737	0.00250
Toluene	U		0.00130	0.00500
Xylenes, Total	U		0.000880	0.00650
(S) Toluene-d8	*109*			*75.0-131*
(S) 4-Bromofluorobenzene	*96.5*			*67.0-138*
(S) 1,2-Dichloroethane-d4	*97.2*			*70.0-130*

Laboratory Control Sample (LCS)

(LCS) R3732027-1 11/15/21 14:41

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Benzene	0.125	0.109	87.2	70.0-123	
Ethylbenzene	0.125	0.113	90.4	74.0-126	
Toluene	0.125	0.113	90.4	75.0-121	
Xylenes, Total	0.375	0.343	91.5	72.0-127	
(S) Toluene-d8			*107*	*75.0-131*	
(S) 4-Bromofluorobenzene			*95.8*	*67.0-138*	
(S) 1,2-Dichloroethane-d4			*104*	*70.0-130*	

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Method Blank (MB)

(MB) R3731123-3 11/15/21 15:06

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Benzene	U		0.000467	0.00100
Ethylbenzene	U		0.000737	0.00250
Toluene	U		0.00130	0.00500
Xylenes, Total	U		0.000880	0.00650
(S) Toluene-d8	*102*			*75.0-131*
(S) 4-Bromofluorobenzene	*102*			*67.0-138*
(S) 1,2-Dichloroethane-d4	*112*			*70.0-130*

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3731123-1 11/15/21 14:06 • (LCSD) R3731123-2 11/15/21 14:26

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Benzene	0.125	0.120	0.121	96.0	96.8	70.0-123			0.830	20
Ethylbenzene	0.125	0.101	0.101	80.8	80.8	74.0-126			0.000	20
Toluene	0.125	0.112	0.110	89.6	88.0	75.0-121			1.80	20
Xylenes, Total	0.375	0.352	0.337	93.9	89.9	72.0-127			4.35	20
(S) Toluene-d8				*95.5*	*95.7*	*75.0-131*				
(S) 4-Bromofluorobenzene				*96.4*	*99.7*	*67.0-138*				
(S) 1,2-Dichloroethane-d4				*117*	*118*	*70.0-130*				

L1430015-19 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1430015-19 11/15/21 17:18 • (MS) R3731123-4 11/16/21 00:08 • (MSD) R3731123-5 11/16/21 00:28

Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MSD Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Benzene	0.125	U	0.117	0.107	93.6	85.6	1	10.0-149			8.93	37
Ethylbenzene	0.125	U	0.134	0.102	107	81.6	1	10.0-160			27.1	38
Toluene	0.125	U	0.135	0.120	108	96.0	1	10.0-156			11.8	38
Xylenes, Total	0.375	U	0.496	0.360	132	96.0	1	10.0-160			31.8	38
(S) Toluene-d8					*100*	*103*		*75.0-131*				
(S) 4-Bromofluorobenzene					*102*	*100*		*67.0-138*				
(S) 1,2-Dichloroethane-d4					*92.5*	*87.9*		*70.0-130*				

Method Blank (MB)

(MB) R3732636-3 11/15/21 16:51

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Benzene	U		0.000467	0.00100
Ethylbenzene	U		0.000737	0.00250
Toluene	U		0.00130	0.00500
Xylenes, Total	U		0.000880	0.00650
(S) Toluene-d8	*104*			*75.0-131*
(S) 4-Bromofluorobenzene	*101*			*67.0-138*
(S) 1,2-Dichloroethane-d4	*87.8*			*70.0-130*

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3732636-1 11/15/21 15:15 • (LCSD) R3732636-2 11/15/21 15:34

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Benzene	0.125	0.144	0.146	115	117	70.0-123			1.38	20
Ethylbenzene	0.125	0.144	0.143	115	114	74.0-126			0.697	20
Toluene	0.125	0.138	0.138	110	110	75.0-121			0.000	20
Xylenes, Total	0.375	0.438	0.433	117	115	72.0-127			1.15	20
(S) Toluene-d8				*104*	*102*	*75.0-131*				
(S) 4-Bromofluorobenzene				*108*	*105*	*67.0-138*				
(S) 1,2-Dichloroethane-d4				*91.7*	*94.5*	*70.0-130*				

Method Blank (MB)

(MB) R3731133-2 11/16/21 15:28

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Benzene	U		0.000467	0.00100
Ethylbenzene	U		0.000737	0.00250
Toluene	U		0.00130	0.00500
Xylenes, Total	U		0.000880	0.00650
(S) Toluene-d8	*95.9*			*75.0-131*
(S) 4-Bromofluorobenzene	*101*			*67.0-138*
(S) 1,2-Dichloroethane-d4	*104*			*70.0-130*

Laboratory Control Sample (LCS)

(LCS) R3731133-1 11/16/21 14:31

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Benzene	0.125	0.124	99.2	70.0-123	
Ethylbenzene	0.125	0.104	83.2	74.0-126	
Toluene	0.125	0.109	87.2	75.0-121	
Xylenes, Total	0.375	0.316	84.3	72.0-127	
(S) Toluene-d8			*98.1*	*75.0-131*	
(S) 4-Bromofluorobenzene			*101*	*67.0-138*	
(S) 1,2-Dichloroethane-d4			*111*	*70.0-130*	

Method Blank (MB)

(MB) R3731508-3 11/16/21 13:31

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Benzene	U		0.000467	0.00100
Ethylbenzene	U		0.000737	0.00250
Toluene	U		0.00130	0.00500
Xylenes, Total	U		0.000880	0.00650
(S) Toluene-d8	*104*			*75.0-131*
(S) 4-Bromofluorobenzene	*101*			*67.0-138*
(S) 1,2-Dichloroethane-d4	*89.2*			*70.0-130*

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3731508-1 11/16/21 12:14 • (LCSD) R3731508-2 11/16/21 12:33

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Benzene	0.125	0.145	0.150	116	120	70.0-123			3.39	20
Ethylbenzene	0.125	0.138	0.148	110	118	74.0-126			6.99	20
Toluene	0.125	0.133	0.141	106	113	75.0-121			5.84	20
Xylenes, Total	0.375	0.420	0.429	112	114	72.0-127			2.12	20
(S) Toluene-d8				*101*	*102*	*75.0-131*				
(S) 4-Bromofluorobenzene				*104*	*103*	*67.0-138*				
(S) 1,2-Dichloroethane-d4				*96.1*	*92.8*	*70.0-130*				

Method Blank (MB)

(MB) R3730964-3 11/17/21 07:26

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Benzene	U		0.000467	0.00100
Ethylbenzene	U		0.000737	0.00250
Toluene	U		0.00130	0.00500
Xylenes, Total	U		0.000880	0.00650
(S) Toluene-d8	*105*			*75.0-131*
(S) 4-Bromofluorobenzene	*100*			*67.0-138*
(S) 1,2-Dichloroethane-d4	*86.7*			*70.0-130*

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3730964-1 11/17/21 06:08 • (LCSD) R3730964-2 11/17/21 06:28

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCSD Result mg/kg	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Benzene	0.125	0.144	0.150	115	120	70.0-123			4.08	20
Ethylbenzene	0.125	0.136	0.138	109	110	74.0-126			1.46	20
Toluene	0.125	0.128	0.134	102	107	75.0-121			4.58	20
Xylenes, Total	0.375	0.398	0.415	106	111	72.0-127			4.18	20
(S) Toluene-d8				*99.9*	*99.7*	*75.0-131*				
(S) 4-Bromofluorobenzene				*102*	*102*	*67.0-138*				
(S) 1,2-Dichloroethane-d4				*94.3*	*98.6*	*70.0-130*				

Received by OCD: 10/23/2024 11:44:05 AM

Method Blank (MB)

(MB) R3731979-1 11/19/21 23:26

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
C10-C28 Diesel Range	U		1.61	4.00
C28-C36 Motor Oil Range	U		0.274	4.00
(S) o-Terphenyl	*60.7*			*18.0-148*

Laboratory Control Sample (LCS)

(LCS) R3731979-2 11/19/21 23:39

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
C10-C28 Diesel Range	50.0	31.3	62.6	50.0-150	
(S) o-Terphenyl			*79.9*	*18.0-148*	

L1430623-03 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1430623-03 11/20/21 01:49 • (MS) R3731979-3 11/20/21 02:02 • (MSD) R3731979-4 11/20/21 02:15

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
C10-C28 Diesel Range	60.3	U	29.9	29.1	49.6	47.8	1	50.0-150	J6	J6	2.55	20
(S) o-Terphenyl					*52.5*	*48.9*		*18.0-148*				

Released to Imaging: 12/19/2024 2:22:50 PM

Method Blank (MB)

(MB) R3732405-1 11/21/21 05:24

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
C10-C28 Diesel Range	U		1.61	4.00
C28-C36 Motor Oil Range	1.62	J	0.274	4.00
(S) o-Terphenyl	*84.1*			*18.0-148*

Laboratory Control Sample (LCS)

(LCS) R3732405-2 11/21/21 05:37

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
C10-C28 Diesel Range	50.0	41.7	83.4	50.0-150	
(S) o-Terphenyl			*109*	*18.0-148*	

L1430623-20 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1430623-20 11/21/21 07:59 • (MS) R3732405-3 11/21/21 08:11 • (MSD) R3732405-4 11/21/21 08:24

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
C10-C28 Diesel Range	61.1	U	43.1	47.7	70.6	78.0	1	50.0-150			9.96	20
(S) o-Terphenyl					*89.0*	*92.0*		*18.0-148*				

Method Blank (MB)

(MB) R3732406-1 11/21/21 12:07

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
C10-C28 Diesel Range	U		1.61	4.00
C28-C36 Motor Oil Range	U		0.274	4.00
(S) o-Terphenyl	*71.0*			*18.0-148*

Laboratory Control Sample (LCS)

(LCS) R3732406-2 11/21/21 12:20

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
C10-C28 Diesel Range	50.0	39.4	78.8	50.0-150	
(S) o-Terphenyl			*101*	*18.0-148*	

L1431873-18 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1431873-18 11/21/21 12:33 • (MS) R3732406-3 11/21/21 12:46 • (MSD) R3732406-4 11/21/21 13:00

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
C10-C28 Diesel Range	67.9	4.88	53.4	47.3	71.4	62.4	1	50.0-150			12.1	20
(S) o-Terphenyl					*102*	*88.9*		*18.0-148*				

Received by OCD: 10/23/2024 11:44:05 AM

Method Blank (MB)

(MB) R3732379-1 11/20/21 10:50

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
C10-C28 Diesel Range	U		1.61	4.00
C28-C36 Motor Oil Range	U		0.274	4.00
(S) o-Terphenyl	*115*			*18.0-148*

Laboratory Control Sample (LCS)

(LCS) R3732379-2 11/20/21 11:01

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
C10-C28 Diesel Range	50.0	57.5	115	50.0-150	
(S) o-Terphenyl			*117*	*18.0-148*	

L1430623-37 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1430623-37 11/20/21 11:26 • (MS) R3732379-3 11/20/21 11:38 • (MSD) R3732379-4 11/20/21 11:51

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
C10-C28 Diesel Range	66.2	U	65.3	69.7	98.6	105	1	50.0-150			6.54	20
(S) o-Terphenyl					*101*	*97.3*		*18.0-148*				

Released to Imaging: 12/19/2024 2:22:50 PM

Method Blank (MB)

(MB) R3732371-1 11/20/21 10:50

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
C10-C28 Diesel Range	U		1.61	4.00
C28-C36 Motor Oil Range	0.638	J	0.274	4.00
(S) o-Terphenyl	*114*			*18.0-148*

Laboratory Control Sample (LCS)

(LCS) R3732371-2 11/20/21 11:01

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
C10-C28 Diesel Range	50.0	53.9	108	50.0-150	
(S) o-Terphenyl			*133*	*18.0-148*	

L1430778-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1430778-02 11/20/21 13:53 • (MS) R3732371-3 11/20/21 14:05 • (MSD) R3732371-4 11/20/21 14:18

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
C10-C28 Diesel Range	52.6	U	37.8	38.5	71.8	73.0	1	50.0-150			1.97	20
(S) o-Terphenyl					*86.9*	*83.4*		*18.0-148*				

Method Blank (MB)

(MB) R3735159-1 11/29/21 23:29

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
C10-C28 Diesel Range	U		1.61	4.00
C28-C36 Motor Oil Range	0.278	J	0.274	4.00
(S) o-Terphenyl	*91.3*			*18.0-148*

Laboratory Control Sample (LCS)

(LCS) R3735159-2 11/29/21 23:41

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
C10-C28 Diesel Range	50.0	42.7	85.4	50.0-150	
(S) o-Terphenyl			*116*	*18.0-148*	

L1433633-12 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1433633-12 11/30/21 13:21 • (MS) R3735165-1 11/30/21 13:34 • (MSD) R3735165-2 11/30/21 13:48

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
C10-C28 Diesel Range	62.7	U	46.9	43.3	74.8	69.5	1	50.0-150			7.98	20
(S) o-Terphenyl					*92.9*	*69.7*		*18.0-148*				

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

(dry)	Results are reported based on the dry weight of the sample. [this will only be present on a dry report basis for soils].
MDL	Method Detection Limit.
MDL (dry)	Method Detection Limit.
RDL	Reported Detection Limit.
RDL (dry)	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state “ND” (Not Detected) or “BDL” (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier	Description
B	The same analyte is found in the associated blank.
E	The analyte concentration exceeds the upper limit of the calibration range of the instrument established by the initial calibration (ICAL).
J	The identification of the analyte is acceptable; the reported value is an estimate.
J2	Surrogate recovery limits have been exceeded; values are outside lower control limits.
J3	The associated batch QC was outside the established quality control range for precision.
J5	The sample matrix interfered with the ability to make any accurate determination; spike value is high.
J6	The sample matrix interfered with the ability to make any accurate determination; spike value is low.
Q	Sample was prepared and/or analyzed past holding time as defined in the method. Concentrations should be considered minimum values.

Qualifier	Description
V	The sample concentration is too high to evaluate accurate spike recoveries.
V3	The internal standard exhibited poor recovery due to sample matrix interference. The analytical results will be biased high. BDL results will be unaffected.

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey–NELAP	TN002
California	2932	New Mexico [1]	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina [1]	DW21704
Georgia	NELAP	North Carolina [3]	41
Georgia [1]	923	North Dakota	R-140
Idaho	TN00003	Ohio–VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky [1 6]	KY90010	South Carolina	84004002
Kentucky [2]	16	South Dakota	n/a
Louisiana	AI30792	Tennessee [1 4]	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas [5]	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 [5]	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA–Crypto	TN00003		

[1] Drinking Water [2] Underground Storage Tanks [3] Aquatic Toxicity [4] Chemical/Microbiological [5] Mold [6] Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

Company Name/Address:
ARCADIS US - New Mexico
401 East Main Street
Suite 400
El Paso. TX 79901

Billing Information:
Accounts Payable
401 East Main Street
Suite 400
El Paso, TX 79901

Pres Chk

Report to:
Russell Grant

Email To:
russell.grant@arcadis.com;sarah.johnson@arca

Project Description:
Pardue Farms 27-12

City/State Collected: NM

Please Circle: PT MT CT ET

Phone: **432-217-2064**

Client Project #
30093248.0003B

Lab Project #
CHEVARCNM-PARDUE

Collected by (print):
Justin Steinmann

Site/Facility ID #
PARDUE FARMS 27-12

P.O. #

Collected by (signature):

Immediately Packed on Ice N ___ Y ✓

Rush? (Lab MUST Be Notified)
___ Same Day ___ Five Day
___ Next Day ___ 5 Day (Rad Only)
___ Two Day ___ 10 Day (Rad Only)
___ Three Day

Quote #

Date Results Needed

Analysis / Container / Preservative

Chain of Custody Page 1 of 7

Pace Analytical®

12065 Lebanon Rd Mount Juliet, TN 37122
Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: https://info.pacelabs.com/hubfs/pas-standard-terms.pdf

SDG # L1360623

Table # L-052

Acctnum: CHEVARCNM
Template: T198880
Prelogin: P885786
PM: 526 - Chris McCord
PB:

Shipped Via:

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs	V8260BTEX,TPH,Cl-300 4ozClr-NoPres									Remarks	Sample # (lab only)
SB-12-S-0-1-211108	G	SS	0-1	11/8/21	1235	1	X										-01
SB-12-S-1-2-211108		SS	1-2		1238	1	X										-02
SB-12-S-2-3-211108		SS	2-3		1240	1	X										-03
SB-12-S-3-4-211108		SS	3-4		1242	1	X										-04
SB-12-S-4-5-211108		SS	4-5		1245	1	X										-05
SB-12-S-9-10-211108		SS	9-10		1311	1	X										-06
SB-12-S-13-14-211108		SS	13-14		1340	1	X										-07
SB-13-S-0-1-211108		SS	0-1		1352	1	X										-08
SB-13-S-1-2-211108		SS	1-2		1354	1	X										-09
SB-13-S-2-3-211108		SS	2-3		1356	1	X										-10

* Matrix:
SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
WW - WasteWater
DW - Drinking Water
OT - Other_____

Remarks:

pH _____ Temp _____
Flow _____ Other _____

Samples returned via:
__ UPS __ FedEx __ Courier _____

Tracking #

Sample Receipt Checklist
COC Seal Present/Intact: NP Y N
COC Signed/Accurate: Y N
Bottles arrive intact: Y N
Correct bottles used: Y N
Sufficient volume sent: Y N
If Applicable
VOA Zero Headspace: Y N
Preservation Correct/Checked: Y N
RAD Screen <0.5 mR/hr: Y N

Relinquished by : (Signature)	Date:	Time:	Received by: (Signature)	Trip Blank Received: Yes / No HCL / MeoH TBR	If preservation required by Login: Date/Time
	11/11/21	1340			
Relinquished by : (Signature)	Date:	Time:	Received by: (Signature)	Temp: 4.5 °C Bottles Received: 68	
	11-11-21	1630			
Relinquished by : (Signature)	Date:	Time:	Received for lab by: (Signature)	Date: 11/12/21 Time: 1145	Hold: Condition: NCF / OK

Company Name/Address:
ARCADIS US - New Mexico

401 East Main Street
Suite 400
El Paso. TX 79901

Billing Information:
Accounts Payable
401 East Main Street
Suite 400
El Paso, TX 79901

Pres Chk

Analysis / Container / Preservative

Chain of Custody Page 2 of 7

Pace Analytical®

12065 Lebanon Rd Mount Juliet, TN 37122
Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: https://info.pacelabs.com/hubfs/pas-standard-terms.pdf

Report to: Russell Grant

Email To: russell.grant@arcadis.com;sarah.johnson@arca

Project Description: Pardue Farms 27-12

City/State Collected: NM

Please Circle: PT MT CT ET

Phone: 432-217-2064

Client Project # 30093248.0003B

Lab Project # CHEVARCNM-PARDUE

SDG # L1430623

Table #

Collected by (print): Justin Steinmann

Site/Facility ID # PARDUE FARMS 27-12

P.O. #

Acctnum: CHEVARCNM

Template: T198880

Prelogin: P885786

PM: 526 - Chris McCord

PB:

Collected by (signature):

Immediately Packed on Ice N ___ Y ✓

Rush? (Lab MUST Be Notified)
___ Same Day ___ Five Day
___ Next Day ___ 5 Day (Rad Only)
___ Two Day ___ 10 Day (Rad Only)
___ Three Day

Quote #

Date Results Needed

Shipped Via:

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs	V8260BTEX,TPH,Cl-300 4ozClr-NoPres	Remarks	Sample # (lab only)
SB-13-S-3-4-211108	G	SS	3-4	11/8/21	1358	1	X		-11
SB-13-S-4-5-211108		SS	4-5		1412	1	X		-12
SB-13-S-9-10-211108		SS	9-10		1420	1	X		-13
SB-13-S-13-14-211108		SS	13-14		1430	1	X		-14
SB-14-S-0-1-211108		SS	0-1		1445	1	X		-15
SB-14-S-1-2-211108		SS	1-2		1450	1	X		-16
SB-14-S-2-3-211108		SS	2-3		1455	1	X		-17
SB-14-S-4-5-211108		SS	4-5		1500	1	X		-18
SB-14-S-7-8-211108		SS	7-8		1510	1	X		-19
SB-15-S-0-1-211108		SS	0-1		1548	1	X		-20

* Matrix:
SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
WW - WasteWater
DW - Drinking Water
OT - Other_____

Remarks:

pH _____ Temp _____

Flow _____ Other _____

Samples returned via:
__ UPS __ FedEx __ Courier _____

Tracking #

Sample Receipt Checklist
COC Seal Present/Intact: ___ Y ___ N
COC Signed/Accurate: ✓ Y ___ N
Bottles arrive intact: ✓ Y ___ N
Correct bottles used: ✓ Y ___ N
Sufficient volume sent: ✓ Y ___ N
If Applicable
VOA Zero Headspace: ✓ Y ___ N
Preservation Correct/Checked: ___ Y ___ N
RAD Screen <0.5 mR/hr: ✓ Y ___ N

Relinquished by : (Signature)	Date:	Time:	Received by: (Signature)	Trip Blank Received: Yes / No HCL / MeOH TBR	If preservation required by Login: Date/Time
	11/10/21	1100			
Relinquished by : (Signature)	Date:	Time:	Received by: (Signature)	Temp: 4.5 °C Bottles Received: 68	
	11-11-21	1630			
Relinquished by : (Signature)	Date:	Time:	Received for lab by: (Signature)	Date: 11/12/21 Time: 11:45	Hold: Condition: NCF / OK

Company Name/Address:
ARCADIS US - New Mexico
401 East Main Street
Suite 400
El Paso. TX 79901

Billing Information:
Accounts Payable
401 East Main Street
Suite 400
El Paso, TX 79901

Pres Chk

Report to:
Russell Grant

Email To:
russell.grant@arcadis.com;sarah.johnson@arca

Project Description:
Pardue Farms 27-12

City/State Collected: **NM**

Please Circle: PT MT CT ET

Phone: **432-217-2064**

Client Project #
30093248.0003B

Lab Project #
CHEVARCNM-PARDUE

Collected by (print):
Justin Steinmann

Site/Facility ID #
PARDUE FARMS 27-12

P.O. #

Collected by (signature):
Immediately
Packed on Ice N ____ Y ✓

Rush? (Lab MUST Be Notified)
____ Same Day ____ Five Day
____ Next Day ____ 5 Day (Rad Only)
____ Two Day ____ 10 Day (Rad Only)
____ Three Day

Quote #

Date Results Needed

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs	V8260BTEX,TPH,Cl-300 4ozClr-NoPres									Remarks	Sample # (lab only)
SB-1S-S-1-2-211108	G	SS	1-2	11/8/21	1554	1	X										-21
SB-1S-S-2-3-211108		SS	2-3		1558	1	X										-22
SB-1S-S-3-4-211108		SS	3-4		1600	1	X										-23
SB-1S-S-4-5-211108		SS	4-5		1610	1	X										-24
SB-1S-S-9-10-211108		SS	9-10		1630	1	X										-25
SB-1S-S-14-15-211108		SS	14-15		1654	1	X										-26
SB-16-S-0-1-211109		SS	0-1	11/09/21	0841	1	X										-27
SB-16-S-1-2-211109		SS	1-2		0843	1	X										-28
SB-16-S-2-3-211109		SS	2-3		0845	1	X										-29
SB-16-S-3-4-211109		SS	3-4		0847	1	X										-30

Analysis / Container / Preservative

Chain of Custody Page 3 of 7

Pace Analytical®

12065 Lebanon Rd Mount Juliet, TN 37122
Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: https://info.pacelabs.com/hubfs/pas-standard-terms.pdf

SDG # L1430623

Table #

Acctnum: **CHEVARCNM**
Template: **T198880**
Prelogin: **P885786**
PM: **526 - Chris McCord**
PB:

Shipped Via:

* Matrix:
SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
WW - WasteWater
DW - Drinking Water
OT - Other_____

Remarks:

pH _____ Temp _____
Flow _____ Other _____

Samples returned via:
__ UPS __ FedEx __ Courier _____

Tracking #

Sample Receipt Checklist
COC Seal Present/Intact: NP Y N
COC Signed/Accurate: Y N
Bottles arrive intact: Y N
Correct bottles used: Y N
Sufficient volume sent: Y N
If Applicable
VOA Zero Headspace: Y N
Preservation Correct/Checked: Y N
RAD Screen <0.5 mR/hr: Y N

Relinquished by : (Signature)	Date:	Time:	Received by: (Signature)	Trip Blank Received: Yes / No HCL / MeoH TBR	If preservation required by Login: Date/Time
	11/11/21				
Relinquished by : (Signature)	Date:	Time:	Received by: (Signature)	Temp: 2.1 °C Bottles Received: 66	
	11-11-21	1600			
Relinquished by : (Signature)	Date:	Time:	Received for lab by: (Signature)	Date: 11/12/21 Time: 1145	Hold: / Condition: NCF / OK

Company Name/Address:
ARCADIS US - New Mexico
401 East Main Street
Suite 400
El Paso. TX 79901

Billing Information:
Accounts Payable
401 East Main Street
Suite 400
El Paso, TX 79901

Pres Chk

Report to: **Russell Grant**

Email To: russell.grant@arcadis.com;sarah.johnson@arca

Project Description: **Pardue Farms 27-12**

City/State Collected: NM

Please Circle: PT MT CT ET

Phone: **432-217-2064**

Client Project # **30093248.0003B**

Lab Project # **CHEVARCNM-PARDUE**

Collected by (print): Justin Steinmann

Site/Facility ID # **PARDUE FARMS 27-12**

P.O. #

Collected by (signature):

Immediately Packed on Ice N ___ Y ✓

Rush? (Lab MUST Be Notified)
___ Same Day ___ Five Day
___ Next Day ___ 5 Day (Rad Only)
___ Two Day ___ 10 Day (Rad Only)
___ Three Day

Quote #

Date Results Needed

Analysis / Container / Preservative

Chain of Custody Page 4 of 7

Pace Analytical®

12065 Lebanon Rd Mount Juliet, TN 37122
Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: https://info.pacelabs.com/hubfs/pas-standard-terms.pdf

SDG # L1430623

Table #

Acctnum: CHEVARCNM

Template: T198880

Prelogin: P885786

PM: 526 - Chris McCord

PB:

Shipped Via:

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs	V8260BTEX,TPH,Cl-300 4ozClr-NoPres	Remarks	Sample # (lab only)
SB-16-S-4-5-211109	G	SS	4-5	11/9/21	0901	1	X		-31
SB-16-S-9-10-211109	G	SS	9-10	11/9/21	0905	1	X		-32
SB-17-S-0-1-211109	G	SS	0-1	11/9/21	0959	1	X		-33
SB-17-S-1-2-211109	G	SS	1-2		1003	1	X		-34
SB-17-S-2-3-211109		SS	2-7		1005	1	X		-35
SB-17-S-3-4-211109		SS	3-4		1008	1	X		-36
SB-17-S-4-5-211109		SS	4-5		1015	1	X		-37
SB-17-S-9-10-211109		SS	9-10		1025	1	X		-38
SB-18-S-0-1-211109		SS	0-1		1105	1	X		-39
SB-18-S-1-2-211109		SS	1-2		1108	1	X		-40

* Matrix:
SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
WW - WasteWater
DW - Drinking Water
OT - Other_____

Remarks:

pH _____ Temp _____

Flow _____ Other _____

Samples returned via:
__ UPS __ FedEx __ Courier _____

Tracking #

Sample Receipt Checklist
COC Seal Present/Intact: __NP __Y __N
COC Signed/Accurate: ✓Y __N
Bottles arrive intact: ✓Y __N
Correct bottles used: ✓Y __N
Sufficient volume sent: ✓Y __N
If Applicable
VOA Zero Headspace: ✓Y __N
Preservation Correct/Checked: ✓Y __N
RAD Screen <0.5 mR/hr: ✓Y __N

Relinquished by : (Signature)	Date:	Time:	Received by: (Signature)	Trip Blank Received: Yes / (No) HCL / MeoH TBR
	11/11/21	1330		
Relinquished by : (Signature)	Date:	Time:	Received by: (Signature)	Temp: °C Bottles Received: 68
	11-11-21	1635		
Relinquished by : (Signature)	Date:	Time:	Received for lab by: (Signature)	Date: 11/12/21 Time:

If preservation required by Login: Date/Time

Hold:

Condition: NCF / (OK)

Company Name/Address:
ARCADIS US - New Mexico
401 East Main Street
Suite 400
El Paso. TX 79901

Billing Information:
Accounts Payable
401 East Main Street
Suite 400
El Paso, TX 79901

Pres Chk

Report to:
Russell Grant

Email To:
russell.grant@arcadis.com;sarah.johnson@arca

Project Description:
Pardue Farms 27-12

City/State Collected: NM

Please Circle: PT MT CT ET

Phone: 432-217-2064

Client Project #
30093248.0003B

Lab Project #
CHEVARCNM-PARDUE

Collected by (print):
Justin Steinmann

Site/Facility ID #
PARDUE FARMS 27-12

P.O. #

Collected by (signature):

Immediately Packed on Ice N ___ Y ✓

Rush? (Lab MUST Be Notified)
___ Same Day ___ Five Day
___ Next Day ___ 5 Day (Rad Only)
___ Two Day ___ 10 Day (Rad Only)
___ Three Day

Quote #

Date Results Needed

Analysis / Container / Preservative

Chain of Custody Page 5 of 7

Pace Analytical®

12065 Lebanon Rd Mount Juliet, TN 37122
Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: https://info.pacelabs.com/hubfs/pas-standard-terms.pdf

SDG # L1430623

Table #

Acctnum: CHEVARCNM

Template: T198880

Prelogin: P885786

PM: 526 - Chris McCord

PB:

Shipped Via:

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs	V8260BTEX,TPH,Cl-300 4ozClr-NoPres	Remarks	Sample # (lab only)
SB-18-S-2-3-211109	G	SS	2-3	11/9/21	1110	1	X		-41
SB-18-S-3-4-211109		SS	3-4		1112	1	X		-42
SB-18-S-4-5-211109		SS	4-5		1135	1	X		-43
~~SB-18-S~~ SB-19-S-0-1-211109		SS	0-1		1244	1	X		-44
SB-19-S-1-2-211109		SS	1-2		1251	1	X		-45
SB-19-S-2-3-211109		SS	2-3		1254	1	X		-46
SB-19-S-3-4-211109		SS	3-4		1258	1	X		-47
SB-19-S-4-5-211109		SS	4-5		1316	1	X		-48
SB-19-S-6-7-211109		SS	6-7		1319	1	X		-49
SB-20-S-0-1-211109		SS	0-1		1347	1	X		-50

* Matrix:
SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
WW - WasteWater
DW - Drinking Water
OT - Other_____

Remarks:

pH _____ Temp _____

Flow _____ Other _____

Sample Receipt Checklist

COC Seal Present/Intact:	NP	Y N
COC Signed/Accurate:		Y N
Bottles arrive intact:		Y N
Correct bottles used:		Y N
Sufficient volume sent:		Y N
If Applicable		
VOA Zero Headspace:		Y N
Preservation Correct/Checked:		Y N
RAD Screen <0.5 mR/hr:		Y N

Samples returned via:
__ UPS __ FedEx __ Courier _____

Tracking #

Relinquished by : (Signature)	Date:	Time:	Received by: (Signature)	Trip Blank Received: Yes / No HCL / MeoH TBR	If preservation required by Login: Date/Time
	11/11/21				
Relinquished by : (Signature)	Date:	Time:	Received by: (Signature)	Temp: °C Bottles Received:	
	11-12-21	1630		4.5+0=4.5 68	
Relinquished by : (Signature)	Date:	Time:	Received for lab by: (Signature)	Date: Time:	Hold: Condition: NCF / OK
				11/12/21 1145	

Company Name/Address:
ARCADIS US - New Mexico
401 East Main Street
Suite 400
El Paso. TX 79901

Billing Information:
Accounts Payable
401 East Main Street
Suite 400
El Paso, TX 79901

Pres Chk

Report to: **Russell Grant**

Email To: russell.grant@arcadis.com;sarah.johnson@arca

Project Description: **Pardue Farms 27-12**

City/State Collected: NM

Please Circle: PT (MT) CT ET

Phone: 432-217-2064

Client Project # **30093248.0003B**

Lab Project # **CHEVARCNM-PARDUE**

Collected by (print): Justin Steinmann

Site/Facility ID # **PARDUE FARMS 27-12**

P.O. #

Collected by (signature):

Immediately Packed on Ice N ___ Y ✓

Rush? (Lab MUST Be Notified)
___ Same Day ___ Five Day
___ Next Day ___ 5 Day (Rad Only)
___ Two Day ___ 10 Day (Rad Only)
___ Three Day

Quote #

Date Results Needed

Analysis / Container / Preservative

Chain of Custody Page 6 of 7

Pace Analytical®

12065 Lebanon Rd Mount Juliet, TN 37122
Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: https://info.pacelabs.com/hubfs/pas-standard-terms.pdf

SDG # L1436623

Table #

Acctnum: CHEVARCNM

Template: T198880

Prelogin: P885786

PM: 526 - Chris McCord

PB:

Shipped Via:

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs	V8260BTEX,TPH,Cl-300 4ozClr-NoPres	Remarks	Sample # (lab only)
SB-20-S-1-2-211109	G	SS	1-2	11/09/21	1356	1	X		-51
SB-20-S-2-3-211109		SS	2-3		1358	1	X		-52
SB-20-S-3-4-211109		SS	3-4		1400	1	X		-53
SB-20-S-4-5-211109		SS	4-5		1412	1	X		-54
SB-20-S-6-7-211109		SS	6-7		1414	1	X		-55
SB-21-S-0-1-211109		SS	0-1		1427	1	X		-56
SB-21-S-1-2-211109		SS	1-2		1429	1	X		-57
SB-21-S-2-3-211109		SS	2-3		1431	1	X		-58
SB-21-S-3-4-211109		SS	3-4		1438	1	X		-59
SB-22-S-0-1-21109		SS	0-1		1436	1	X		-60

* Matrix:
SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
WW - WasteWater
DW - Drinking Water
OT - Other_____

Remarks:

pH _____ Temp _____

Flow _____ Other _____

Samples returned via:
__ UPS __ FedEx __ Courier _____

Tracking #

Sample Receipt Checklist
COC Seal Present/Intact: NP Y N
COC Signed/Accurate: Y N
Bottles arrive intact: Y N
Correct bottles used: Y N
Sufficient volume sent: Y N
If Applicable
VOA Zero Headspace: Y N
Preservation Correct/Checked: Y N
RAD Screen <0.5 mR/hr: Y N

Relinquished by : (Signature)	Date:	Time:	Received by: (Signature)
	11/11/21	13:40	
Relinquished by : (Signature)	Date:	Time:	Received by: (Signature)
	11-11-21	16:20	
Relinquished by : (Signature)	Date:	Time:	Received for lab by: (Signature)

Trip Blank Received: Yes / (No)
HCL / MeoH
TBR

Temp: 4.5 °C Bottles Received: 68

Date: 11/12/21 Time: 1145

If preservation required by Login: Date/Time

Hold:

Condition: NCF / (OK)

Company Name/Address:
ARCADIS US - New Mexico
401 East Main Street
Suite 400
El Paso. TX 79901

Billing Information:
Accounts Payable
401 East Main Street
Suite 400
El Paso, TX 79901

Pres Chk

Report to:
Russell Grant

Email To:
russell.grant@arcadis.com;sarah.johnson@arca

Project Description:
Pardue Farms 27-12

City/State Collected: NM

Please Circle: PT (MT) CT ET

Phone: 432-217-2064

Client Project #
30093248.0003B

Lab Project #
CHEVARCNM-PARDUE

Collected by (print):
Justin Steinmann

Site/Facility ID #
PARDUE FARMS 27-12

P.O. #

Collected by (signature):
Immediately
Packed on Ice N ___ Y ✓

Rush? (Lab MUST Be Notified)
___ Same Day ___ Five Day
___ Next Day ___ 5 Day (Rad Only)
___ Two Day ___ 10 Day (Rad Only)
___ Three Day

Quote #

Date Results Needed

Analysis / Container / Preservative

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs	V8260BTEX,TPH,Cl-300 4ozClr-NoPres	Remarks	Sample # (lab only)
SB-22-S-1-2-211109	G	SS	1-2	11/9/21	1437	1	X		-61
SB-22-S-2-3-211109		SS	2-3		1438	1	X		-62
SB-22-S-3-4-211109		SS	3-4		1431	1	X		-63
SB-23-S-0-1-211109		SS	0-1		1440	1	X		-64
SB-23-S-1-2-211109		SS	1-2		1445	1	X		-65
SB-23-S-2-3-211109		SS	2-3		1448	1	X		-66
SB-23-S-3-4-211109		SS	3-4		1450	1	X		-67
SB-21-S-6-7-211109		SS			1434	1	X		-68
		SS				1	X		
		SS				1	X		

9 11/9/21

Chain of Custody Page 1 of 1

Pace Analytical®

12065 Lebanon Rd Mount Juliet, TN 37122
Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: https://info.pacelabs.com/hubfs/pas-standard-terms.pdf

SDG # L1430623

Table #

Acctnum: CHEVARCNM

Template: T198880

Prelogin: P885786

PM: 526 - Chris McCord

PB:

Shipped Via:

* Matrix:
SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
WW - WasteWater
DW - Drinking Water
OT - Other_____

Remarks:

pH _____ Temp _____

Flow _____ Other _____

Samples returned via:
__ UPS __ FedEx __ Courier _____

Tracking #

Sample Receipt Checklist
COC Seal Present/Intact: ___NP ___Y ___N
COC Signed/Accurate: ___Y ___N
Bottles arrive intact: ___Y ___N
Correct bottles used: ___Y ___N
Sufficient volume sent: ___Y ___N
If Applicable
VOA Zero Headspace: ___Y ___N
Preservation Correct/Checked: ___Y ___N
RAD Screen <0.5 mR/hr: ___Y ___N

Relinquished by : (Signature)	Date:	Time:	Received by: (Signature)	Trip Blank Received: Yes / (No) HCL / MeoH TBR	
	11/11/21	13:00			
Relinquished by : (Signature)	Date:	Time:	Received by: (Signature)	Temp: °C	Bottles Received:
	11-11-21	16:30		4.5 to 4.5	68
Relinquished by : (Signature)	Date:	Time:	Received for lab by: (Signature)	Date:	Time:
				11/12/21	1145

If preservation required by Login: Date/Time

Hold:

Condition: NCF / (OK)

Released to Imaging: 12/19/2024 2:22:50 PM
Received by OCD: 10/23/2024 11:44:05 AM

L1430623

Tracking Numbers		Temperature	
SWA		1.5+0=1.5	A7
↓			

Pace Analytical®

ANALYTICAL REPORT

December 30, 2021


ARCADIS US - New Mexico

Sample Delivery Group:	L1441630
Samples Received:	12/13/2021
Project Number:	30093248-0004B
Description:	Pardue Farms 27-12
Site:	PARDUE FARMS 27-12
Report To:	Justin Steinmann 401 East Main Street Suite 400 El Paso, TX 79901

Entire Report Reviewed By:

Chris McCord
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.



Pace Analytical National
12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

TABLE OF CONTENTS

Cp: Cover Page 1

Tc: Table of Contents 2

Ss: Sample Summary 3

Cn: Case Narrative 5

Sr: Sample Results 6

- MW-1-W-20211210 L1441630-01 6
- MW-2-W-20211210 L1441630-02 7
- MW-3-W-20211210 L1441630-03 8
- MW-6-W-20211210 L1441630-04 9
- DUP-01-W-20211210 L1441630-05 10
- EB-W-20211210 L1441630-06 11
- FB-W-20211210 L1441630-07 12
- TRIP BLANK-W-20211210 L1441630-08 13

Qc: Quality Control Summary 14

- Gravimetric Analysis by Method 2540 C-2011 14
- Wet Chemistry by Method 300.0 17
- Volatile Organic Compounds (GC) by Method 8015/8021/8021B 18
- Volatile Organic Compounds (GC) by Method 8021 19
- Volatile Organic Compounds (GC) by Method 8021B 20
- Semi-Volatile Organic Compounds (GC) by Method 8015M 21

Gl: Glossary of Terms 22

Al: Accreditations & Locations 23

Sc: Sample Chain of Custody 24

MW-1-W-20211210 L1441630-01 GW

Collected by: Daniel McGee | Collected date/time: 12/10/21 14:25 | Received date/time: 12/13/21 10:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1789986	1	12/15/21 15:20	12/15/21 17:37	BRG	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1795754	100	12/28/21 19:59	12/28/21 19:59	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015/8021	WG1789461	1	12/15/21 12:48	12/15/21 12:48	JAH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1789888	1	12/16/21 07:45	12/16/21 16:29	DMG	Mt. Juliet, TN

MW-2-W-20211210 L1441630-02 GW

Collected by: Daniel McGee | Collected date/time: 12/10/21 13:40 | Received date/time: 12/13/21 10:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1789991	1	12/15/21 16:00	12/15/21 19:46	BRG	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1795754	100	12/28/21 20:12	12/28/21 20:12	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015/8021	WG1789461	1	12/15/21 13:10	12/15/21 13:10	JAH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1789888	1	12/16/21 07:45	12/16/21 18:39	DMG	Mt. Juliet, TN

MW-3-W-20211210 L1441630-03 GW

Collected by: Daniel McGee | Collected date/time: 12/10/21 15:30 | Received date/time: 12/13/21 10:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1789986	1	12/15/21 15:20	12/15/21 17:37	BRG	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1795754	100	12/28/21 20:25	12/28/21 20:25	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015/8021	WG1789461	1	12/15/21 13:32	12/15/21 13:32	JAH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1789888	1	12/16/21 07:45	12/16/21 19:01	DMG	Mt. Juliet, TN

MW-6-W-20211210 L1441630-04 GW

Collected by: Daniel McGee | Collected date/time: 12/10/21 12:04 | Received date/time: 12/13/21 10:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1789986	1	12/15/21 15:20	12/15/21 17:37	BRG	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1795754	500	12/29/21 11:00	12/29/21 11:00	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015/8021	WG1789461	1	12/15/21 13:54	12/15/21 13:54	JAH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1789888	1	12/16/21 07:45	12/16/21 19:24	DMG	Mt. Juliet, TN

DUP-01-W-20211210 L1441630-05 GW

Collected by: Daniel McGee | Collected date/time: 12/10/21 00:00 | Received date/time: 12/13/21 10:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1791117	1	12/17/21 10:55	12/17/21 12:55	MMF	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1795754	500	12/29/21 11:16	12/29/21 11:16	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015	WG1789461	1	12/15/21 14:16	12/15/21 14:16	JAH	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8021	WG1791985	1	12/20/21 04:04	12/20/21 04:04	JAH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1789888	1	12/16/21 07:45	12/16/21 19:46	DMG	Mt. Juliet, TN

EB-W-20211210 L1441630-06 GW

Collected by: Daniel McGee | Collected date/time: 12/10/21 15:45 | Received date/time: 12/13/21 10:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1789986	1	12/15/21 15:20	12/15/21 17:37	BRG	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1795754	1	12/28/21 21:03	12/28/21 21:03	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015/8021	WG1789461	1	12/15/21 07:40	12/15/21 07:40	JAH	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1789888	1	12/16/21 07:45	12/16/21 20:09	DMG	Mt. Juliet, TN

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

FB-W-20211210 L1441630-07 GW

Collected by: Daniel McGee
Collected date/time: 12/10/21 15:07
Received date/time: 12/13/21 10:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC) by Method 8021B	WG1789461	1	12/15/21 07:19	12/15/21 07:19	JAH	Mt. Juliet, TN

TRIP BLANK-W-20211210 L1441630-08 GW

Collected by: Daniel McGee
Collected date/time: 12/10/21 00:00
Received date/time: 12/13/21 10:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC) by Method 8021B	WG1791180	1	12/18/21 11:30	12/18/21 11:30	BMB	Mt. Juliet, TN

CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Chris McCord
Project Manager

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Dissolved Solids	19300		200	1	12/15/2021 17:37	WG1789986

Wet Chemistry by Method 300.0

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Chloride	8120		37.9	100	100	12/28/2021 19:59	WG1795754

Volatile Organic Compounds (GC) by Method 8015/8021/8021B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Benzene	U		0.000190	0.000500	1	12/15/2021 12:48	WG1789461
Toluene	U		0.000412	0.00100	1	12/15/2021 12:48	WG1789461
Ethylbenzene	U		0.000160	0.000500	1	12/15/2021 12:48	WG1789461
Total Xylene	U		0.000510	0.00150	1	12/15/2021 12:48	WG1789461
TPH (GC/FID) Low Fraction	U		0.0314	0.100	1	12/15/2021 12:48	WG1789461
(S) a,a,a-Trifluorotoluene(FID)	*94.9*			*78.0-120*		*12/15/2021 12:48*	WG1789461
(S) a,a,a-Trifluorotoluene(PID)	*97.7*			*79.0-125*		*12/15/2021 12:48*	WG1789461

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
C10-C28 Diesel Range	U		0.0222	0.100	1	12/16/2021 16:29	WG1789888
C28-C36 Motor Oil Range	0.0495	J	0.0118	0.100	1	12/16/2021 16:29	WG1789888
(S) o-Terphenyl	*90.5*			*52.0-156*		*12/16/2021 16:29*	WG1789888

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Dissolved Solids	15200		200	1	12/15/2021 19:46	WG1789991

Wet Chemistry by Method 300.0

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Chloride	5990		37.9	100	100	12/28/2021 20:12	WG1795754

Volatile Organic Compounds (GC) by Method 8015/8021/8021B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Benzene	U		0.000190	0.000500	1	12/15/2021 13:10	WG1789461
Toluene	U		0.000412	0.00100	1	12/15/2021 13:10	WG1789461
Ethylbenzene	U		0.000160	0.000500	1	12/15/2021 13:10	WG1789461
Total Xylene	U		0.000510	0.00150	1	12/15/2021 13:10	WG1789461
TPH (GC/FID) Low Fraction	U		0.0314	0.100	1	12/15/2021 13:10	WG1789461
(S) a,a,a-Trifluorotoluene(FID)	*95.0*			*78.0-120*		*12/15/2021 13:10*	WG1789461
(S) a,a,a-Trifluorotoluene(PID)	*98.1*			*79.0-125*		*12/15/2021 13:10*	WG1789461

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
C10-C28 Diesel Range	U		0.0222	0.100	1	12/16/2021 18:39	WG1789888
C28-C36 Motor Oil Range	0.0453	J	0.0118	0.100	1	12/16/2021 18:39	WG1789888
(S) o-Terphenyl	*88.4*			*52.0-156*		*12/16/2021 18:39*	WG1789888

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Dissolved Solids	17300		200	1	12/15/2021 17:37	WG1789986

Wet Chemistry by Method 300.0

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Chloride	6940		37.9	100	100	12/28/2021 20:25	WG1795754

Volatile Organic Compounds (GC) by Method 8015/8021/8021B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Benzene	U		0.000190	0.000500	1	12/15/2021 13:32	WG1789461
Toluene	U		0.000412	0.00100	1	12/15/2021 13:32	WG1789461
Ethylbenzene	U		0.000160	0.000500	1	12/15/2021 13:32	WG1789461
Total Xylene	U		0.000510	0.00150	1	12/15/2021 13:32	WG1789461
TPH (GC/FID) Low Fraction	U		0.0314	0.100	1	12/15/2021 13:32	WG1789461
(S) a,a,a-Trifluorotoluene(FID)	*95.0*			*78.0-120*		*12/15/2021 13:32*	WG1789461
(S) a,a,a-Trifluorotoluene(PID)	*97.6*			*79.0-125*		*12/15/2021 13:32*	WG1789461

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
C10-C28 Diesel Range	U		0.0222	0.100	1	12/16/2021 19:01	WG1789888
C28-C36 Motor Oil Range	0.0688	J	0.0118	0.100	1	12/16/2021 19:01	WG1789888
(S) o-Terphenyl	*56.8*			*52.0-156*		*12/16/2021 19:01*	WG1789888

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Dissolved Solids	23700		400	1	12/15/2021 17:37	WG1789986

Wet Chemistry by Method 300.0

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Chloride	9730		190	500	500	12/29/2021 11:00	WG1795754

Volatile Organic Compounds (GC) by Method 8015/8021/8021B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Benzene	U		0.000190	0.000500	1	12/15/2021 13:54	WG1789461
Toluene	U		0.000412	0.00100	1	12/15/2021 13:54	WG1789461
Ethylbenzene	U		0.000160	0.000500	1	12/15/2021 13:54	WG1789461
Total Xylene	U		0.000510	0.00150	1	12/15/2021 13:54	WG1789461
TPH (GC/FID) Low Fraction	U		0.0314	0.100	1	12/15/2021 13:54	WG1789461
(S) a,a,a-Trifluorotoluene(FID)	*95.1*			*78.0-120*		*12/15/2021 13:54*	WG1789461
(S) a,a,a-Trifluorotoluene(PID)	*98.0*			*79.0-125*		*12/15/2021 13:54*	WG1789461

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
C10-C28 Diesel Range	0.131		0.0222	0.100	1	12/16/2021 19:24	WG1789888
C28-C36 Motor Oil Range	0.166		0.0118	0.100	1	12/16/2021 19:24	WG1789888
(S) o-Terphenyl	*92.6*			*52.0-156*		*12/16/2021 19:24*	WG1789888

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Dissolved Solids	21100	J3	200	1	12/17/2021 12:55	WG1791117

Wet Chemistry by Method 300.0

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Chloride	9570		190	500	500	12/29/2021 11:16	WG1795754

Volatile Organic Compounds (GC) by Method 8015/8021/8021B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Benzene	0.000195	J	0.000190	0.000500	1	12/20/2021 04:04	WG1791985
Toluene	0.000708	B J	0.000412	0.00100	1	12/20/2021 04:04	WG1791985
Ethylbenzene	U		0.000160	0.000500	1	12/20/2021 04:04	WG1791985
Total Xylene	U		0.000510	0.00150	1	12/20/2021 04:04	WG1791985
TPH (GC/FID) Low Fraction	U		0.0314	0.100	1	12/15/2021 14:16	WG1789461
(S) a,a,a-Trifluorotoluene(FID)	*95.1*			*78.0-120*		*12/15/2021 14:16*	WG1789461
(S) a,a,a-Trifluorotoluene(FID)	*92.1*			*78.0-120*		*12/20/2021 04:04*	WG1791985
(S) a,a,a-Trifluorotoluene(PID)	*98.0*			*79.0-125*		*12/15/2021 14:16*	WG1789461
(S) a,a,a-Trifluorotoluene(PID)	*96.6*			*79.0-125*		*12/20/2021 04:04*	WG1791985

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
C10-C28 Diesel Range	0.164		0.0222	0.100	1	12/16/2021 19:46	WG1789888
C28-C36 Motor Oil Range	0.193		0.0118	0.100	1	12/16/2021 19:46	WG1789888
(S) o-Terphenyl	*70.5*			*52.0-156*		*12/16/2021 19:46*	WG1789888

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Dissolved Solids	ND		10.0	1	12/15/2021 17:37	WG1789986

Wet Chemistry by Method 300.0

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Chloride	0.429	J P1	0.379	1.00	1	12/28/2021 21:03	WG1795754

Volatile Organic Compounds (GC) by Method 8015/8021/8021B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Benzene	U		0.000190	0.000500	1	12/15/2021 07:40	WG1789461
Toluene	U		0.000412	0.00100	1	12/15/2021 07:40	WG1789461
Ethylbenzene	U		0.000160	0.000500	1	12/15/2021 07:40	WG1789461
Total Xylene	U		0.000510	0.00150	1	12/15/2021 07:40	WG1789461
TPH (GC/FID) Low Fraction	U		0.0314	0.100	1	12/15/2021 07:40	WG1789461
(S) a,a,a-Trifluorotoluene(FID)	*95.4*			*78.0-120*		*12/15/2021 07:40*	WG1789461
(S) a,a,a-Trifluorotoluene(PID)	*98.6*			*79.0-125*		*12/15/2021 07:40*	WG1789461

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
C10-C28 Diesel Range	U		0.0222	0.100	1	12/16/2021 20:09	WG1789888
C28-C36 Motor Oil Range	U		0.0118	0.100	1	12/16/2021 20:09	WG1789888
(S) o-Terphenyl	*91.1*			*52.0-156*		*12/16/2021 20:09*	WG1789888

Volatile Organic Compounds (GC) by Method 8015/8021/8021B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	U		0.000190	0.000500	1	12/15/2021 07:19	WG1789461
Toluene	U		0.000412	0.00100	1	12/15/2021 07:19	WG1789461
Ethylbenzene	U		0.000160	0.000500	1	12/15/2021 07:19	WG1789461
Total Xylene	U		0.000510	0.00150	1	12/15/2021 07:19	WG1789461
(S) a,a,a-Trifluorotoluene(PID)	*97.9*			*79.0-125*		*12/15/2021 07:19*	WG1789461

Received by OCD: 10/23/2024 11:44:05 AM

TRIP BLANK-W-20211210

SAMPLE RESULTS - 08

Collected date/time: 12/10/21 00:00

L1441630

Volatile Organic Compounds (GC) by Method 8015/8021/8021B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Benzene	U		0.000190	0.000500	1	12/18/2021 11:30	WG1791180
Toluene	U		0.000412	0.00100	1	12/18/2021 11:30	WG1791180
Ethylbenzene	U		0.000160	0.000500	1	12/18/2021 11:30	WG1791180
Total Xylene	U		0.000510	0.00150	1	12/18/2021 11:30	WG1791180
(S) a,a,a-Trifluorotoluene(PID)	*96.8*			*79.0-125*		*12/18/2021 11:30*	WG1791180

Released to Imaging: 12/19/2024 2:22:50 PM

Method Blank (MB)

(MB) R3741712-1 12/15/21 17:37

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Dissolved Solids	U		10.0	10.0

L1441548-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1441548-01 12/15/21 17:37 • (DUP) R3741712-3 12/15/21 17:37

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Dissolved Solids	2750	2780	1	1.09		5

L1441586-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1441586-01 12/15/21 17:37 • (DUP) R3741712-4 12/15/21 17:37

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Dissolved Solids	1820	1830	1	0.547		5

Laboratory Control Sample (LCS)

(LCS) R3741712-2 12/15/21 17:37

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Dissolved Solids	8800	8610	97.8	77.4-123	

Method Blank (MB)

(MB) R3742005-1 12/15/21 19:46

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Dissolved Solids	U		10.0	10.0

L1440779-15 Original Sample (OS) • Duplicate (DUP)

(OS) L1440779-15 12/15/21 19:46 • (DUP) R3742005-3 12/15/21 19:46

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Dissolved Solids	2020	2000	1	0.622		5

L1441858-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1441858-01 12/15/21 19:46 • (DUP) R3742005-4 12/15/21 19:46

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Dissolved Solids	888	884	1	0.451		5

Laboratory Control Sample (LCS)

(LCS) R3742005-2 12/15/21 19:46

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Dissolved Solids	8800	8720	99.1	77.4-123	

Method Blank (MB)

(MB) R3742680-1 12/17/21 12:55

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Dissolved Solids	U		10.0	10.0

L1441630-05 Original Sample (OS) • Duplicate (DUP)

(OS) L1441630-05 12/17/21 12:55 • (DUP) R3742680-3 12/17/21 12:55

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Dissolved Solids	21100	23400	1	10.5	J3	5

L1442517-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1442517-01 12/17/21 12:55 • (DUP) R3742680-4 12/17/21 12:55

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Dissolved Solids	1420	1500	1	5.75	J3	5

Laboratory Control Sample (LCS)

(LCS) R3742680-2 12/17/21 12:55

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Dissolved Solids	8800	8510	96.7	77.4-123	

Method Blank (MB)

(MB) R3745889-1 12/28/21 19:34

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Chloride	U		0.379	1.00

L1441630-06 Original Sample (OS) • Duplicate (DUP)

(OS) L1441630-06 12/28/21 21:03 • (DUP) R3745889-3 12/28/21 21:16

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Chloride	0.429	U	1	200	P1	20

L1441656-26 Original Sample (OS) • Duplicate (DUP)

(OS) L1441656-26 12/28/21 23:24 • (DUP) R3745889-6 12/28/21 23:36

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Chloride	U	0.460	1	200	J P1	20

Laboratory Control Sample (LCS)

(LCS) R3745889-2 12/28/21 19:47

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Chloride	40.0	40.6	102	90.0-110	

L1441630-06 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1441630-06 12/28/21 21:03 • (MS) R3745889-4 12/28/21 21:29 • (MSD) R3745889-5 12/28/21 22:07

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Chloride	50.0	0.429	52.0	52.8	103	105	1	80.0-120			1.37	20

L1441656-26 Original Sample (OS) • Matrix Spike (MS)

(OS) L1441656-26 12/28/21 23:24 • (MS) R3745889-7 12/28/21 23:49

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits %	MS Qualifier
Chloride	50.0	U	53.7	107	1	80.0-120	

Method Blank (MB)

(MB) R3741377-3 12/15/21 03:39

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Benzene	0.000208	J	0.000190	0.000500
Toluene	U		0.000412	0.00100
Ethylbenzene	U		0.000160	0.000500
Total Xylene	U		0.000510	0.00150
TPH (GC/FID) Low Fraction	U		0.0314	0.100
(S) a,a,a-Trifluorotoluene(FID)	*95.0*			*78.0-120*
(S) a,a,a-Trifluorotoluene(PID)	*97.8*			*79.0-125*

Laboratory Control Sample (LCS)

(LCS) R3741377-1 12/15/21 02:10

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Benzene	0.0500	0.0514	103	77.0-122	
Toluene	0.0500	0.0484	96.8	80.0-121	
Ethylbenzene	0.0500	0.0530	106	80.0-123	
Total Xylene	0.150	0.152	101	47.0-154	
(S) a,a,a-Trifluorotoluene(FID)			*95.1*	*78.0-120*	
(S) a,a,a-Trifluorotoluene(PID)			*99.3*	*79.0-125*	

Laboratory Control Sample (LCS)

(LCS) R3741377-2 12/15/21 02:32

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
TPH (GC/FID) Low Fraction	5.50	6.35	115	72.0-127	
(S) a,a,a-Trifluorotoluene(FID)			*105*	*78.0-120*	
(S) a,a,a-Trifluorotoluene(PID)			*110*	*79.0-125*	

Method Blank (MB)

(MB) R3743193-3 12/20/21 03:30

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Benzene	U		0.000190	0.000500
Toluene	0.000918	J	0.000412	0.00100
Ethylbenzene	U		0.000160	0.000500
Total Xylene	U		0.000510	0.00150
(S) a,a,a-Trifluorotoluene(FID)	*92.9*			*78.0-120*
(S) a,a,a-Trifluorotoluene(PID)	*97.5*			*79.0-125*

Laboratory Control Sample (LCS)

(LCS) R3743193-1 12/20/21 01:54

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Benzene	0.0500	0.0548	110	77.0-122	
Toluene	0.0500	0.0520	104	80.0-121	
Ethylbenzene	0.0500	0.0542	108	80.0-123	
Total Xylene	0.150	0.157	105	47.0-154	
(S) a,a,a-Trifluorotoluene(FID)			*93.1*	*78.0-120*	
(S) a,a,a-Trifluorotoluene(PID)			*97.9*	*79.0-125*	

Received by OCD: 10/23/2024 11:44:05 AM

Method Blank (MB)

(MB) R3742948-3 12/18/21 11:00

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Benzene	U		0.000190	0.000500
Toluene	U		0.000412	0.00100
Ethylbenzene	U		0.000160	0.000500
Total Xylene	U		0.000510	0.00150
(S) a,a,a-Trifluorotoluene(PID)	*96.8*			*79.0-125*

Laboratory Control Sample (LCS)

(LCS) R3742948-2 12/18/21 09:59

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Benzene	0.0500	0.0499	99.8	77.0-122	
Toluene	0.0500	0.0482	96.4	80.0-121	
Ethylbenzene	0.0500	0.0496	99.2	80.0-123	
Total Xylene	0.150	0.145	96.7	47.0-154	
(S) a,a,a-Trifluorotoluene(PID)			*95.8*	*79.0-125*	

Released to Imaging: 12/19/2024 2:22:50 PM

Method Blank (MB)

(MB) R3741771-1 12/16/21 12:09

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
C10-C28 Diesel Range	U		0.0222	0.100
C28-C36 Motor Oil Range	U		0.0118	0.100
(S) o-Terphenyl	*107*			*52.0-156*

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3741771-2 12/16/21 12:33 • (LCSD) R3741771-3 12/16/21 12:56

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
C10-C28 Diesel Range	1.50	1.47	1.43	98.0	95.3	50.0-150			2.76	20
(S) o-Terphenyl				*119*	*117*	*52.0-156*				

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state “ND” (Not Detected) or “BDL” (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier	Description
B	The same analyte is found in the associated blank.
J	The identification of the analyte is acceptable; the reported value is an estimate.
J3	The associated batch QC was outside the established quality control range for precision.
P1	RPD value not applicable for sample concentrations less than 5 times the reporting limit.

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey–NELAP	TN002
California	2932	New Mexico [1]	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina [1]	DW21704
Georgia	NELAP	North Carolina [3]	41
Georgia [1]	923	North Dakota	R-140
Idaho	TN00003	Ohio–VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LAO000356
Kentucky [1 6]	KY90010	South Carolina	84004002
Kentucky [2]	16	South Dakota	n/a
Louisiana	AI30792	Tennessee [1 4]	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas [5]	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 [5]	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA–Crypto	TN00003		

[1] Drinking Water [2] Underground Storage Tanks [3] Aquatic Toxicity [4] Chemical/Microbiological [5] Mold [6] Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

Company Name/Address:
ARCADIS US - New Mexico
401 East Main Street
Suite 400
El Paso. TX 79901

Billing Information:
Accounts Payable
401 East Main Street
Suite 400
El Paso, TX 79901

Pres Chk

Report to:
Justin Steinmann

Email To:
russell.grant@arcadis.com;justin.steinmann@ar

Project Description:
Pardue Farms 27-12

City/State Collected: Loving, NM

Please Circle: PT MT CT ET

Phone: **432-217-2064**

Client Project #
30093248-0004B

Lab Project #
CHEVARCNM-PARDUE

Collected by (print):
Daniel McCord

Site/Facility ID #
PARDUE FARMS 27-12

P.O. #

Collected by (signature):

Immediately Packed on Ice N ___ Y X

Rush? (Lab MUST Be Notified)
___ Same Day ___ Five Day
___ Next Day ___ 5 Day (Rad Only)
___ Two Day ___ 10 Day (Rad Only)
___ Three Day

Quote #

Date Results Needed: standard

Analysis / Container / Preservative

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs	BTEX - 8021 40mlAmb-HCl	BTEXGRO 40mlAmb-HCl	CHLORIDE (300.0) 125mlHDPE-NoPres	DRONMLVI 40mlAmb-HCl-BT	TDS 250mlHDPE-NoPres	VOC's	Remarks	Sample # (lab only)
MW-1-W-2021 1210	G	GW		12-10-21	1425	6		X	X	X	X			-01
MW-2-W-2021 1210	G	GW		12-10-21	1340	6		X	X	X	X			-02
MW-3-W-2021 1210	G	GW		12-10-21	1530	6		X	X	X	X			-03
MW-6-W-2021 1210	G	GW		12-10-21	1204	6		X	X	X	X			-04
DM		GW				6		X	X	X	X			
DUP-01-W-2021 1210	G	GW		12-10-21	—	6		X	X	X	X			-05
EB-W-2021 1210	G	GW		12-10-21	1545	6		X	X	X	X			-06
FB-W-202 1210	G	GW		12-10-21	1507	2	X							-07
Trip blank	—	W		—	—	1						X		-08
				DM 12-10-21										

Chain of Custody Page 1 of 1

Pace Analytical®

12065 Lebanon Rd Mount Juliet, TN 37122
Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: https://info.pacelabs.com/hubfs/pas-standard-terms.pdf

SDG # L1441630

Ta D040

Acctnum: **CHEVARCNM**
Template: **T190150**
Prelogin: **P892019**
PM: **526 - Chris McCord**
PB:

Shipped Via: **FedEX Ground**

* Matrix:
SS - Soil **AIR** - Air **F** - Filter
GW - Groundwater **B** - Bioassay
WW - WasteWater
DW - Drinking Water
OT - Other_____

Remarks:

pH _____ Temp _____
Flow _____ Other _____

Samples returned via:
__ UPS __ FedEx __ Courier _____

Tracking # 2874 0032 9451

Sample Receipt Checklist
COC Seal Present/Intact: __NP X Y __N
COC Signed/Accurate: X Y __N
Bottles arrive intact: X Y __N
Correct bottles used: X Y __N
Sufficient volume sent: X Y __N
If Applicable
VOA Zero Headspace: __Y __N
Preservation Correct/Checked: __Y __N
RAD Screen <0.5 mR/hr: X Y __N

Relinquished by : (Signature)	Date:	Time:	Received by: (Signature)	Trip Blank Received: Yes / No HCl / MeoH TBR
	12-10-21	1745		TB03
Relinquished by : (Signature)	Date:	Time:	Received by: (Signature)	Temp: 23.1 +0.2 °C Bottles Received: 38
				If preservation required by Login: Date/Time
Relinquished by : (Signature)	Date:	Time:	Received for lab by: (Signature)	Date: 12-13-21 Time: 1000
				Hold: Condition: NCF / OK

ANALYTICAL REPORT

July 22, 2021


ARCADIS US - New Mexico

Sample Delivery Group:	L1373846
Samples Received:	07/02/2021
Project Number:	30093248-0004B
Description:	Pardue Farms 27-12
Site:	PARDUE FARMS 27-12
Report To:	Russell Grant 401 East Main Street Suite 400 El Paso, TX 79901

Entire Report Reviewed By: Erica McNeese

Erica McNeese
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.



Pace Analytical National
12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

TABLE OF CONTENTS

Cp: Cover Page 1

Tc: Table of Contents 2

Ss: Sample Summary 3

Cn: Case Narrative 4

Sr: Sample Results 5

MW-1-W-210630 L1373846-01 5

MW-2-W-2100630 L1373846-02 6

MW-3-W-210630 L1373846-03 7

MW-6-W-210630 L1373846-04 8

DUP-01-W-210630 L1373846-05 9

EB-W-210630 L1373846-06 10

Qc: Quality Control Summary 11

Gravimetric Analysis by Method 2540 C-2011 11

Wet Chemistry by Method 300.0 12

Volatile Organic Compounds (GC) by Method 8015/8021 13

Semi-Volatile Organic Compounds (GC) by Method 8015M 14

Gl: Glossary of Terms 16

Al: Accreditations & Locations 17

Sc: Sample Chain of Custody 18

Released to Imaging: 12/19/2024 2:22:50 PM

SAMPLE SUMMARY

MW-1-W-210630 L1373846-01 GW

Collected by: Daniel McGee | Collected date/time: 06/30/21 14:45 | Received date/time: 07/02/21 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1699633	1	07/03/21 02:41	07/03/21 09:20	VRP	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1706200	100	07/16/21 04:05	07/16/21 04:05	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015/8021	WG1702661	1	07/09/21 12:24	07/09/21 12:24	GLN	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1699584	1	07/03/21 11:42	07/04/21 13:43	AEG	Mt. Juliet, TN

MW-2-W-2100630 L1373846-02 GW

Collected by: Daniel McGee | Collected date/time: 06/30/21 16:00 | Received date/time: 07/02/21 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1699633	1	07/03/21 02:41	07/03/21 09:20	VRP	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1706200	100	07/16/21 04:23	07/16/21 04:23	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015/8021	WG1702661	1	07/09/21 12:46	07/09/21 12:46	GLN	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1699584	1	07/03/21 11:42	07/04/21 14:09	AEG	Mt. Juliet, TN

MW-3-W-210630 L1373846-03 GW

Collected by: Daniel McGee | Collected date/time: 06/30/21 13:35 | Received date/time: 07/02/21 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1699633	1	07/03/21 02:41	07/03/21 09:20	VRP	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1706200	100	07/16/21 04:41	07/16/21 04:41	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015/8021	WG1702661	1	07/09/21 13:08	07/09/21 13:08	GLN	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1700409	1	07/06/21 13:55	07/07/21 20:27	DMG	Mt. Juliet, TN

MW-6-W-210630 L1373846-04 GW

Collected by: Daniel McGee | Collected date/time: 06/30/21 17:00 | Received date/time: 07/02/21 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1699633	1	07/03/21 02:41	07/03/21 09:20	VRP	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1706200	100	07/16/21 04:58	07/16/21 04:58	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015/8021	WG1702661	1	07/09/21 13:29	07/09/21 13:29	GLN	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1700409	1	07/06/21 13:55	07/07/21 20:53	DMG	Mt. Juliet, TN

DUP-01-W-210630 L1373846-05 GW

Collected by: Daniel McGee | Collected date/time: 06/30/21 00:00 | Received date/time: 07/02/21 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1699633	1	07/03/21 02:41	07/03/21 09:20	VRP	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1706200	100	07/16/21 05:16	07/16/21 05:16	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015/8021	WG1702661	1	07/09/21 13:51	07/09/21 13:51	GLN	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1700409	1	07/06/21 13:55	07/07/21 21:19	DMG	Mt. Juliet, TN

EB-W-210630 L1373846-06 GW

Collected by: Daniel McGee | Collected date/time: 06/30/21 17:30 | Received date/time: 07/02/21 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1699633	1	07/03/21 02:41	07/03/21 09:20	VRP	Mt. Juliet, TN
Wet Chemistry by Method 300.0	WG1706200	1	07/16/21 05:34	07/16/21 05:34	ELN	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015/8021	WG1702661	1	07/09/21 14:13	07/09/21 14:13	GLN	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 8015M	WG1700409	1	07/06/21 13:55	07/07/21 21:45	DMG	Mt. Juliet, TN

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.

Erica McNeese
Project Manager

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Dissolved Solids	15100		100	1	07/03/2021 09:20	WG1699633

Wet Chemistry by Method 300.0

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Chloride	7210		37.9	100	100	07/16/2021 04:05	WG1706200

Volatile Organic Compounds (GC) by Method 8015/8021

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Benzene	U		0.000190	0.000500	1	07/09/2021 12:24	WG1702661
Toluene	U		0.000412	0.00100	1	07/09/2021 12:24	WG1702661
Ethylbenzene	U		0.000160	0.000500	1	07/09/2021 12:24	WG1702661
Total Xylene	U		0.000510	0.00150	1	07/09/2021 12:24	WG1702661
TPH (GC/FID) Low Fraction	U		0.0314	0.100	1	07/09/2021 12:24	WG1702661
(S) a,a,a-Trifluorotoluene(FID)	*100*			*78.0-120*		*07/09/2021 12:24*	WG1702661
(S) a,a,a-Trifluorotoluene(PID)	*106*			*79.0-125*		*07/09/2021 12:24*	WG1702661

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
C10-C28 Diesel Range	0.0437	J	0.0222	0.100	1	07/04/2021 13:43	WG1699584
C28-C36 Motor Oil Range	0.0684	J	0.0118	0.100	1	07/04/2021 13:43	WG1699584
(S) o-Terphenyl	*100*			*52.0-156*		*07/04/2021 13:43*	WG1699584

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Dissolved Solids	13100		100	1	07/03/2021 09:20	WG1699633

Wet Chemistry by Method 300.0

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Chloride	5450		37.9	100	100	07/16/2021 04:23	WG1706200

Volatile Organic Compounds (GC) by Method 8015/8021

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Benzene	U		0.000190	0.000500	1	07/09/2021 12:46	WG1702661
Toluene	U		0.000412	0.00100	1	07/09/2021 12:46	WG1702661
Ethylbenzene	U		0.000160	0.000500	1	07/09/2021 12:46	WG1702661
Total Xylene	U		0.000510	0.00150	1	07/09/2021 12:46	WG1702661
TPH (GC/FID) Low Fraction	U		0.0314	0.100	1	07/09/2021 12:46	WG1702661
(S) a,a,a-Trifluorotoluene(FID)	*100*			*78.0-120*		*07/09/2021 12:46*	WG1702661
(S) a,a,a-Trifluorotoluene(PID)	*106*			*79.0-125*		*07/09/2021 12:46*	WG1702661

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
C10-C28 Diesel Range	0.0530	J	0.0222	0.100	1	07/04/2021 14:09	WG1699584
C28-C36 Motor Oil Range	0.0430	J	0.0118	0.100	1	07/04/2021 14:09	WG1699584
(S) o-Terphenyl	*98.4*			*52.0-156*		*07/04/2021 14:09*	WG1699584

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Dissolved Solids	13700		100	1	07/03/2021 09:20	WG1699633

Wet Chemistry by Method 300.0

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Chloride	6520		37.9	100	100	07/16/2021 04:41	WG1706200

Volatile Organic Compounds (GC) by Method 8015/8021

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Benzene	U		0.000190	0.000500	1	07/09/2021 13:08	WG1702661
Toluene	U		0.000412	0.00100	1	07/09/2021 13:08	WG1702661
Ethylbenzene	U		0.000160	0.000500	1	07/09/2021 13:08	WG1702661
Total Xylene	U		0.000510	0.00150	1	07/09/2021 13:08	WG1702661
TPH (GC/FID) Low Fraction	U		0.0314	0.100	1	07/09/2021 13:08	WG1702661
(S) a,a,a-Trifluorotoluene(FID)	*99.9*			*78.0-120*		*07/09/2021 13:08*	WG1702661
(S) a,a,a-Trifluorotoluene(PID)	*106*			*79.0-125*		*07/09/2021 13:08*	WG1702661

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
C10-C28 Diesel Range	0.0300	J	0.0222	0.100	1	07/07/2021 20:27	WG1700409
C28-C36 Motor Oil Range	0.0196	J	0.0118	0.100	1	07/07/2021 20:27	WG1700409
(S) o-Terphenyl	*76.3*			*52.0-156*		*07/07/2021 20:27*	WG1700409

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Dissolved Solids	16000		100	1	07/03/2021 09:20	WG1699633

Wet Chemistry by Method 300.0

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Chloride	8230		37.9	100	100	07/16/2021 04:58	WG1706200

Volatile Organic Compounds (GC) by Method 8015/8021

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Benzene	U		0.000190	0.000500	1	07/09/2021 13:29	WG1702661
Toluene	U		0.000412	0.00100	1	07/09/2021 13:29	WG1702661
Ethylbenzene	U		0.000160	0.000500	1	07/09/2021 13:29	WG1702661
Total Xylene	U		0.000510	0.00150	1	07/09/2021 13:29	WG1702661
TPH (GC/FID) Low Fraction	U		0.0314	0.100	1	07/09/2021 13:29	WG1702661
(S) a,a,a-Trifluorotoluene(FID)	*100*			*78.0-120*		*07/09/2021 13:29*	WG1702661
(S) a,a,a-Trifluorotoluene(PID)	*106*			*79.0-125*		*07/09/2021 13:29*	WG1702661

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
C10-C28 Diesel Range	0.121		0.0222	0.100	1	07/07/2021 20:53	WG1700409
C28-C36 Motor Oil Range	0.115		0.0118	0.100	1	07/07/2021 20:53	WG1700409
(S) o-Terphenyl	*44.2*	J2		*52.0-156*		*07/07/2021 20:53*	WG1700409

Sample Narrative:

L1373846-04 WG1700409: Surrogate failure due to matrix interference

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Dissolved Solids	16800		100	1	07/03/2021 09:20	WG1699633

Wet Chemistry by Method 300.0

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Chloride	8260		37.9	100	100	07/16/2021 05:16	WG1706200

Volatile Organic Compounds (GC) by Method 8015/8021

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Benzene	U		0.000190	0.000500	1	07/09/2021 13:51	WG1702661
Toluene	U		0.000412	0.00100	1	07/09/2021 13:51	WG1702661
Ethylbenzene	U		0.000160	0.000500	1	07/09/2021 13:51	WG1702661
Total Xylene	U		0.000510	0.00150	1	07/09/2021 13:51	WG1702661
TPH (GC/FID) Low Fraction	U		0.0314	0.100	1	07/09/2021 13:51	WG1702661
(S) a,a,a-Trifluorotoluene(FID)	*100*			*78.0-120*		*07/09/2021 13:51*	WG1702661
(S) a,a,a-Trifluorotoluene(PID)	*106*			*79.0-125*		*07/09/2021 13:51*	WG1702661

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
C10-C28 Diesel Range	0.208		0.0222	0.100	1	07/07/2021 21:19	WG1700409
C28-C36 Motor Oil Range	0.243		0.0118	0.100	1	07/07/2021 21:19	WG1700409
(S) o-Terphenyl	*58.4*			*52.0-156*		*07/07/2021 21:19*	WG1700409

Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis	Batch
	mg/l		mg/l		date / time	
Dissolved Solids	ND		10.0	1	07/03/2021 09:20	WG1699633

Wet Chemistry by Method 300.0

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Chloride	U		0.379	1.00	1	07/16/2021 05:34	WG1706200

Volatile Organic Compounds (GC) by Method 8015/8021

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Benzene	U		0.000190	0.000500	1	07/09/2021 14:13	WG1702661
Toluene	U		0.000412	0.00100	1	07/09/2021 14:13	WG1702661
Ethylbenzene	U		0.000160	0.000500	1	07/09/2021 14:13	WG1702661
Total Xylene	U		0.000510	0.00150	1	07/09/2021 14:13	WG1702661
TPH (GC/FID) Low Fraction	U		0.0314	0.100	1	07/09/2021 14:13	WG1702661
(S) a,a,a-Trifluorotoluene(FID)	*100*			*78.0-120*		*07/09/2021 14:13*	WG1702661
(S) a,a,a-Trifluorotoluene(PID)	*106*			*79.0-125*		*07/09/2021 14:13*	WG1702661

Semi-Volatile Organic Compounds (GC) by Method 8015M

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
C10-C28 Diesel Range	0.0229	J	0.0222	0.100	1	07/07/2021 21:45	WG1700409
C28-C36 Motor Oil Range	0.0256	J	0.0118	0.100	1	07/07/2021 21:45	WG1700409
(S) o-Terphenyl	*95.3*			*52.0-156*		*07/07/2021 21:45*	WG1700409

Method Blank (MB)

(MB) R3677123-1 07/03/21 09:20

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Dissolved Solids	U		10.0	10.0

L1372766-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1372766-02 07/03/21 09:20 • (DUP) R3677123-3 07/03/21 09:20

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Dissolved Solids	1080	1080	1	0.556		5

L1373534-04 Original Sample (OS) • Duplicate (DUP)

(OS) L1373534-04 07/03/21 09:20 • (DUP) R3677123-4 07/03/21 09:20

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Dissolved Solids	3990	3940	1	1.31		5

Laboratory Control Sample (LCS)

(LCS) R3677123-2 07/03/21 09:20

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Dissolved Solids	8800	8980	102	77.4-123	

Method Blank (MB)

(MB) R3680939-1 07/15/21 20:39

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Chloride	U		0.379	1.00

L1373763-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1373763-01 07/16/21 02:37 • (DUP) R3680939-3 07/16/21 02:55

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Chloride	17.7	17.7	1	0.0792		20

L1373846-06 Original Sample (OS) • Duplicate (DUP)

(OS) L1373846-06 07/16/21 05:34 • (DUP) R3680939-6 07/16/21 06:28

Analyte	Original Result mg/l	DUP Result mg/l	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Chloride	U	U	1	0.000		20

Laboratory Control Sample (LCS)

(LCS) R3680939-2 07/15/21 20:57

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Chloride	40.0	39.9	99.8	90.0-110	

L1373763-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1373763-01 07/16/21 02:37 • (MS) R3680939-4 07/16/21 03:29 • (MSD) R3680939-5 07/16/21 03:47

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Chloride	50.0	17.7	68.3	68.2	101	101	1	80.0-120			0.136	20

L1373846-06 Original Sample (OS) • Matrix Spike (MS)

(OS) L1373846-06 07/16/21 05:34 • (MS) R3680939-7 07/16/21 06:46

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits %	MS Qualifier
Chloride	50.0	U	50.1	100	1	80.0-120	

Method Blank (MB)

(MB) R3679021-3 07/09/21 11:32

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Benzene	U		0.000190	0.000500
Toluene	U		0.000412	0.00100
Ethylbenzene	U		0.000160	0.000500
Total Xylene	0.000628	J	0.000510	0.00150
TPH (GC/FID) Low Fraction	U		0.0314	0.100
(S) a,a,a-Trifluorotoluene(FID)	*101*			*78.0-120*
(S) a,a,a-Trifluorotoluene(PID)	*106*			*79.0-125*

Laboratory Control Sample (LCS)

(LCS) R3679021-1 07/09/21 10:12

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Benzene	0.0500	0.0519	104	77.0-122	
Toluene	0.0500	0.0486	97.2	80.0-121	
Ethylbenzene	0.0500	0.0468	93.6	80.0-123	
Total Xylene	0.150	0.137	91.3	47.0-154	
(S) a,a,a-Trifluorotoluene(FID)			*101*	*78.0-120*	
(S) a,a,a-Trifluorotoluene(PID)			*107*	*79.0-125*	

Laboratory Control Sample (LCS)

(LCS) R3679021-2 07/09/21 10:33

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
TPH (GC/FID) Low Fraction	5.50	4.75	86.4	72.0-127	
(S) a,a,a-Trifluorotoluene(FID)			*110*	*78.0-120*	
(S) a,a,a-Trifluorotoluene(PID)			*120*	*79.0-125*	

Method Blank (MB)

(MB) R3675619-1 07/04/21 06:19

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
C10-C28 Diesel Range	U		0.0222	0.100
C28-C36 Motor Oil Range	U		0.0118	0.100
(S) o-Terphenyl	*103*			*52.0-156*

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3675619-2 07/04/21 06:45 • (LCSD) R3675619-3 07/04/21 07:12

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
C10-C28 Diesel Range	1.50	1.79	1.72	119	115	50.0-150			3.99	20
(S) o-Terphenyl				*114*	*110*	*52.0-156*				

Method Blank (MB)

(MB) R3676620-1 07/07/21 09:42

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
C10-C28 Diesel Range	U		0.0222	0.100
C28-C36 Motor Oil Range	U		0.0118	0.100
(S) o-Terphenyl	*79.5*			*52.0-156*

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3676620-2 07/07/21 10:08 • (LCSD) R3676620-3 07/07/21 10:34

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
C10-C28 Diesel Range	1.50	1.63	1.68	109	112	50.0-150			3.02	20
(S) o-Terphenyl				*108*	*118*	*52.0-156*				

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state “ND” (Not Detected) or “BDL” (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier	Description
J	The identification of the analyte is acceptable; the reported value is an estimate.
J2	Surrogate recovery limits have been exceeded; values are outside lower control limits.

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey–NELAP	TN002
California	2932	New Mexico [1]	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina [1]	DW21704
Georgia	NELAP	North Carolina [3]	41
Georgia [1]	923	North Dakota	R-140
Idaho	TN00003	Ohio–VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky [1 6]	KY90010	South Carolina	84004002
Kentucky [2]	16	South Dakota	n/a
Louisiana	AI30792	Tennessee [1 4]	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas [5]	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 [5]	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA–Crypto	TN00003		

[1] Drinking Water [2] Underground Storage Tanks [3] Aquatic Toxicity [4] Chemical/Microbiological [5] Mold [6] Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

Company Name/Address:
ARCADIS US - New Mexico
401 East Main Street
Suite 400
El Paso. TX 79901

Billing Information:
Accounts Payable
401 East Main Street
Suite 400
El Paso, TX 79901

Pres Chk

Report to:
Russell Grant

Email To:
russell.grant@arcadis.com;justin.nixon@arcadis

Project Description:
Pardue Farms 27-12

City/State Collected:

Please Circle: PT MT CT ET

Phone: **915-747-3902**

Client Project #
30093248-0004B

Lab Project #
CHEVARCNM-PARDUE

Collected by (print):
Daniel McLee

Site/Facility ID #
PARDUE FARMS 27-12

P.O. #

Collected by (signature):
Immediately Packed on Ice N ___ Y X

Rush? (Lab MUST Be Notified)
___ Same Day ___ Five Day
___ Next Day ___ 5 Day (Rad Only)
___ Two Day ___ 10 Day (Rad Only)
___ Three Day
Date Results Needed

Quote #

Analysis / Container / Preservative

Chain of Custody Page ___ of ___

Pace Analytical®

12065 Lebanon Rd Mount Juliet, TN 37122
Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: https://info.pacelabs.com/hubfs/pas-standard-terms.pdf

SDG # L1373846

Table **D026**

Acctnum: **CHEVARCNM**
Template:**T190150**
Prelogin: **P856552**
PM: **526 - Chris McCord**
PB:
Shipped Via:

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs	BTEX - 8021 40mlAmb-HCl	CHLORIDE (300.0) 125mlHDPE-NoPres	DRONMLVI 40mlAmb-HCl-BT	GRO 40mlAmb HCl	TDS 250mlHDPE-NoPres	Remarks	Sample # (lab only)
MW-1-W-~~2021~~_210630	Grab	GW		063021	1445	8	X	X	X	X	X		-01
MW-2-W-~~2021~~_210630	"	GW		063021	1600	8	X	X	X	X	X		-02
MW-3-W-~~2021~~_210630	"	GW		063021	1355	8	X	X	X	X	X		-03
MW-6-W-~~2021~~_210630	Grab	GW		063021	1700	8	X	X	X	X	X		-04
		GW				8	X	X	X	X	X		
DUP-01-W-~~2021~~_210630	Grab	GW		06321	—	8	X	X	X	X	X		-05
EB-W-~~2021~~_210630	Grab	GW		063021	1730	8	X	X	X	X	X		-06
FB-W-~~2021~~_		GW				2	X						

* Matrix:
SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
WW - WasteWater
DW - Drinking Water
OT - Other_____

Remarks:

pH _____ Temp _____
Flow _____ Other _____

Samples returned via:
__ UPS __ FedEx __ Courier _____

Tracking # 5216 1224 2833

Sample Receipt Checklist
COC Seal Present/Intact: NP Y N
COC Signed/Accurate: Y N
Bottles arrive intact: X N
Correct bottles used: Y N
Sufficient volume sent: Y N
If Applicable
VOA Zero Headspace: Y N
Preservation Correct/Checked: Y N
RAD Screen <0.5 mR/hr: Y N

Relinquished by: (Signature)	Date:	Time:	Received by: (Signature)	Trip Blank Received: Yes / No HCl / MeoH TBR	If preservation required by Login: Date/Time
	070121	1305			
Relinquished by: (Signature)	Date:	Time:	Received by: (Signature)	Temp: 2.7+1=2.4 °C Bottles Received: 48	
	7-1-21	14:00	FedEx		
Relinquished by: (Signature)	Date:	Time:	Received for lab by: (Signature)	Date: 07-02-21 Time: 0900	Hold: Condition: NCF / OK

Arcadis U.S., Inc.
1004 North Big Spring Street, Suite 121
Midland
Texas 79701
Phone: 432 687 5400
Fax: 432 687 5401
www.arcadis.com

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
CHEVRON U S A INC 6301 Deauville Blvd Midland, TX 79706	4323
	Action Number: 395109
	Action Type: [UF-GWA] Ground Water Abatement (GROUND WATER ABATEMENT)

CONDITIONS

Created By	Condition	Condition Date
michael.buchanan	Review of the 2020 Site Assessment Report, accepted for the record: content satisfactory 1. Chloride impact in groundwater at the site is ongoing and further delineation deemed necessary. Efforts are ongoing to characterize the remainder of the release. 2. Groundwater flow has been established to be in the north northwestern direction. 3. Further soil and groundwater delineation has been recommended in this 2020 Site Assessment Report, a 2024 Site Assessment has been submitted; application ID is 395121 and is under review for the incident.	12/19/2024
michael.buchanan	Review of the Pardue Farms 27-12, 2021 Site Assessment Report: content satisfactory 1. Further soil delineation has taken place by the advancement of 12 soil borings at the site. 2 Groundwater flow has now been established to be towards the southeasterly direction; the 2020 site assessment had noted north northwestern direction. 3. Further delineation for soil and groundwater impact had been recommended at the time of this assessment 4. Groundwater sampling has been ongoing at the site.	12/19/2024